

Index

a

- AAI (adhesion angle index) 21, 290
Abrasion 5, 54 f, 59 f
ABS *see*: Polymers
Absorber gas 27, 107–113, 397, 435
Absorption *see*: Absorber
Acceleration 338, 344
– *see also*: Centrifuges
Accuracy 7, 23 f
Acetal extrusion 306
Acetaldehyde 219, 375
Acetic acid 208, 237, 375
Acetic anhydride 279
Acetone 107, 219, 375
Acetone-butanol 278
Acetoxidation 200
Acetoxylation 221
Acetylation 200, 217, 221
Acetylene 222
Acid demister *see*: Demister
Acidic conditions/corrosion 5
Acids 132
Acrolein 218, 222
Acrylamide 277
Acrylates 224
Acrylics 127, 210, 306
Acrylonitrile 201 f, 222, 266
Activated sludge reactor 254, 274 f, 426
– *see also individual types*
Activated alumina/carbon 118 f
Activation energy (E) 189–194, 224
Active species for catalysts, 199–205
Active, mentally 23
Activity coefficient 4
Activity, catalyst *see*: Catalyst
Adhesives 210, 323 f
Adiabatic temperature rise 188 f, 211, 229
Adiabatic operation
– compression 46
– reactors 188 ff, 229 ff, 242 ff, 261, 276
Adipic acid 219, 154, 167
Adsorbents 118 f
Adsorbers *see*: Absorption
Adsorption 47, 54, 118 ff
– backwash 289
– capital cost 399
– *see also individual types*
Aeration
– agitators 17, 256 f
– capital cost 421, 428 ff
– diffuser 17, 237
– mixing 282 f
– oxygen per cell mass 207
– oxygen transfer rate 12
– sparging 17, 254, 283
– surface 262, 275
– *see also*: Bubbles
Aeration tanks 238, 262, 274 f, 421–426
Aerobic terms *see*: Biological reactors
Affinity adsorption
– *see*: Chromatographic separation
Afterburners 138, 142
Agar 154
Agar-agar 323
Agarose-based gels 136
Agenda 35, 38
Agents 87, 30
Agglomeration 302 f, 433
Agitated falling film, GL 247
– *see also*: Evaporation
Agitated vessel: *see*: Stirred Tank
Agitated pan dryers *see*: Dryers
Agitator 280–289, 371, 427 f
AI (arching index) 20, 59 ff, 289 ff, 331
Air cyclone classifiers *see*: Classifiers
Air pulse 290
Air cooled heat exchangers
– *see*: Heat exchangers
Air leaks into vacuum 49
Air 46, 129

- *see also*: OTR, Absorber gas
 - Air lift reactor *see*: Bubble reactor 208
 - Air classifiers *see*: Classifiers, air
 - Air compressors *see*: Compressors
 - Alcohols 203 f, 222
 - Aldehydes 130, 218
 - Aldol condensation 200, 219 ff
 - Algae 28, 122
 - Alginate 107
 - Alkali earth metals 199
 - Alkanes 222
 - Alkyl compounds 218
 - Alkylate 219, 222
 - Alkylation 200, 217, 222
 - CSTR 263
 - hazard 187
 - separation 145 ff
 - supercritical 209
 - Alloy, Materials of construction
 - Ally chloride 267
 - Alum 301
 - Alumina 125, 199, 250
 - Aluminum 146 ff
 - Aluminum chloride 222
 - Aluminum oxide 154
 - Aluminum sulfate, 323
 - Amination 187, 197–209, 217–222
 - Amine 6, 28 f, 263
 - absorption 111 ff
 - decanters 147 ff
 - fouling factor 72
 - Aminoacids 216, 219
 - Ammonia 46, 69, 113–117
 - equilibrium reaction 195
 - reactor conditions 202, 218, 222
 - vapor pressure 375
 - Ammonium metal borate 28
 - Ammonium nitrate 323
 - Ammonium polysulfides 15, 114
 - Ammonium sulfate 104 f, 167
 - Amoxidation reaction 201
 - Anaerobic reactors *see*: Biological reactors
 - Anchor mixer *see*: Agitator
 - Angle of repose 21
 - Aniline 200, 204, 218, 223
 - Animal cells 257, 278
 - Animal fat 323
 - Anionic exchangers *see*: Ion exchange
 - Antibiotics 208, 216, 257
 - Antioxidants 323
 - Antiswirl lug *see*: Vortex breaker
 - API separator *see*: Decanters
 - Approach temperature 72 f
 - Apron feeders *see*: Feeders
 - Archimedes number (Ar) 266, 361, 367
 - Archimedes screw pump 385
 - Area per unit volume 11–19, 70, 146, 234
 - Area of application (equipment) 2
 - Area 336
 - Aromatics 130
 - Arrhenius number (Arr) 188 f, 361
 - Arsenic 107
 - Asphalt 323
 - Asphaltenes 28 f, 239
 - Assertiveness 35
 - Assessment 39
 - Atomizers 293
 - *see also*: Spray
 - Attapulgitite 169
 - Attending 34
 - Autoclave 174, 216, 260
 - Autothermal reaction 230, 261
 - Avogadro's number 358
 - Axial fans *see*: Fans
 - Axial compressors *see*: Compressors
 - Azeotropic distillation *see*: Distillation
- b**
- B, target solute transport coefficient 131
 - Backmix reactor *see*: Stirred tank reactor, CSTR, Fluidized bed reactor
 - Backmixing 363, 370
 - Backwash
 - fluidization 289
 - IX 121
 - membranes 133 f
 - adsorption 119
 - rotating microscreen 159
 - deep bed filters 171
 - Bacteria 122, 131, 208, 237 f
 - Baffles 72 ff
 - GL quenchers, 80
 - GS separators 402 ff
 - L mixing 281
 - LL direct contact heat exchange 79 f
 - scrubbers/absorbers 109, 143
 - separators 137
 - SS classifier 180
 - Bag filters *see*: Filters
 - Bagging machines 332 f, 436
 - Baker's yeast 237
 - Ball mills *see*: Crushing/grinding
 - Ballast trays *see*: Trays
 - Banbury mixer *see*: Blenders
 - Band *see*: Coalescence
 - Bar screens *see*: Screens
 - Bare module costing (BM) 3, 21 f, 376 ff
 - Barite 169, 332

- Barium sulfate 122
 Barium sulfide 250
 Barometric condensers 81, 391
 Bartles-Mozley tilting tables *see*: Tables
 Batac jig *see*: Jigs
 Batch operations 11
 Baum jigs *see*: Jigs
 Bauxite 248
 Bayonet heaters *see*: Heat exchangers
 Bd *see*: Bodenstein number
 BDI bin density index 20, 59, 63
 Bed
 – adsorbers 118 ff
 – chromatography 136
 – ion exchange 121
 – packed beds 54
 – reactors 215, 258
 – space velocity 215
 Beer 237
 Belt dryers/tables etc. *see*: Dryers/Tables etc.
 Belt, chilled 323 f
 Bendelari jigs *see*: Jigs
 Beneficiation 175
 Bentonite 332
 Benzene 219, 223, 278, 375
 Benzoic acid 219, 323
 Bernoulli's principle 45, 139
 Beryl saddles packing *see*: Packing
 BFB (bubbling fluidized bed) *see*: Fluidization
 Bins 290, 330 ff, 436
 Biodegradability 209
 Biofilter 242 f
 Biological fouling 28
 Biological reactors 207–213
 – agitation 282
 – air lift 237
 – anaerobic 207, 278
 – biofilm area 18, 242 f
 – bubble column 223
 – capital cost 419–426
 – carbon removal 242 f
 – CSTR series 254
 – Da no. 365
 – extractive 256, 278
 – fermenter 424 f
 – fluidized bed 267
 – GL biosolids 248
 – GL, oxygen transfer rate 11–16, 208
 – GLS contactors 18
 – immersed column 240
 – inoculation tank 424 f
 – packed column 15
 – PFTR with recycle 274 f
 – pipe contactor 225 f
 – reactor conditions 195, 216, 223
 – spray 239 f
 – STR 223, 255–262
 – tank 273 f, 276
 – thin film contactor 248
 – tray column 241
 Biomass gasifiers 266
 Biomass 208
 Bioprocessing
 – adsorption 118 ff
 – bag 332 f
 – capital cost 402
 – cell disintegration 295
 – chromatographic separation 135 f
 – deodorize 113
 – desolventize 153, 156
 – dialysis 129
 – drying 151, 154 f, 158
 – expel 175
 – extrusion (food) 306 ff
 – filter 171
 – flakers 323 f
 – foam 292 f
 – IX 120 f
 – leach 173 f
 – membranes 125, 128, 133
 – pelleting 304
 – precipitation 107
 – solvent extraction 115 ff
 – tablet 304
 – tempered heat exchange 85
 – zone refining 102
 – *see also*: Biological reactors
 Biot number (Bi) 362
 Bird number (Bir) 181 ff, 362
 Black peppers 332
 Blast furnace 250 ff
 Bleacher *see*: Adsorption
 Blenders 290 f, 429 f
 Blood 154
 Blowers 45 ff, 381
 Blown film 305, 308
 Blowout of lines 54, 63
 BM (bare module) cost estimation 3, 21 f, 376 ff
 BOD₅, relationship–BOD_u 209, 237, 242, 254, 274 f
 Bodenstein number (Bd) 224, 253 f, 260, 363
 Boilers 67 f, 72–78, 83 ff, 388 ff
 Boiling temperature *see*: Vapor pressure
 Boiling phenomena 72
 Boltzmann constant 358, 363
 Bond energy 216 ff
 Bond number (Bo) 363

- Bone char 248
 - Books coatings 324
 - Booster ejector *see*: Ejector
 - Boot, part of separator 149
 - Boron trifluoride 29
 - Boussinesq number 363
 - Bowl centrifuge *see*: Centrifuge
 - Breaking, emulsions/dispersions
see: Dispersed phase
 - Breaking foams *see*: Foams
 - Breakup of films *see*: Thin films
 - Bridge cranes *see*: Cranes
 - Briquetting 303, 433
 - Bromination 195
 - Brownian movement 298
 - Bubble cap tray *see*: Tray
 - Bubble columns 236 ff
 - bioreactor 208
 - capital cost 421 f
 - GL contactor 12–18
 - Hatta number/ δ^+ values 198
 - reactors 212, 222 ff, 236 ff
 - Bubbles 17, 174 ff, 236 f
 - foam fractionation 123, 237, 292 f
 - capital cost 421, 428
 - Bucket elevators *see*: Conveyors/bucket
 - Buckman tilting tables *see*: Tables
 - Bulk–film volume ratio (δ^+) 11–16, 198, 239–247, 262 ff
 - STR 255
 - foam fractionation 123
 - Burke-Plummer equation 251
 - Burner 67, 211, 222–226
 - Butadiene 202, 218
 - Butane 69, 375
 - Butanol 219
 - Butanone-2 202
 - Butene 375
 - Butene diol 219
 - Butyl acetate 219
- c**
- C4–C6 94
 - Ca *see*: Capillary number
 - CA (cellulose acetate) *see*: Polymers
 - Cage mill (pulverizer) *see*: Crushing/grinding
 - Cake 168 f
 - Calandrias *see*: Boilers
 - Calcination 267, 250
 - Calcium ion 115
 - Calcium sulfate 28, 122
 - Calcium carbonate 154, 170
 - Canola 173 ff
 - Capillary number (Ca) 325 f, 364
 - Capital cost *see*: Cost, capital
 - Caprylic acid 375
 - Carbides 199
 - Carbon dioxide
 - absorption 108, 111
 - heat capacity ratio 46
 - permeance 129
 - vapor pressure 375
 - Carbon 118 f, 125, 199, 248
 - Carbon black 332
 - Carbonic acid 122
 - Carbonylation 201, 217, 222
 - Carboxy methyl cellulose 107, 154
 - Carousel filter *see*: Filters
 - Carousel leacher *see*: Leaching, French basket
 - Carrogcenan 107
 - Cast sheet 305
 - Catalyst 199–207
 - crush strength 230
 - diameter 18, 277, 229 f, 244
 - porosity 20, 199
 - reactor conditions 190, 201 f, 205 f
 - Cat cracking *see*: Cracking, catalytic
 - Cations/IX 121
 - Caustic dihydrate 105
 - Caustic wash 227
 - Caustics 323
 - Cavitation 6, 11, 53 ff
 - CCD (counter current decantation) 151, 163, 174, 409 f
 - Cell Disintegration 295, 430
 - Cellulose acetate *see*: Polymers
 - Cellulose triacetate 219
 - Cellulosic *see*: Polymers
 - Cement 250, 332
 - Centrifugal classifiers/blowers/Pumps
see: Classifiers/Blowers/Pumps
 - Centrifuges 150–151, 163–168, 410 f
 - sedimentation 145, 404 f
 - *see also individual types*
 - CEPCI Chemical Engineering process cost index 3, 376
 - Ceramics 125 f, 152 f, 306, 309, 434
 - Cereals 306, 309
 - CFB (circulating fluidized bed)
see: Fluidization
 - Change management 39 f
 - Charcoal 249
 - Chloral 222
 - Chloride 199
 - Chlorinated polyesters 210
 - Chlorination reaction 195 f, 217
 - reactor conditions 201, 222
 - selection 212

- Chlorine 47
 Chloroprene 220 ff
 Chocolate 323
 Chromatographic Separation 135 f, 402
 Chromium 107
 CI (chute index) 20, 59, 63, 290
 Citric acid 104, 215
 Classifiers 161–165, 175, 180 f, 417
 Clay, acid treated
 – adsorbent 119
 – area 336
 – catalyst support 199
 – pump 54
 – dry 153
 CMC *see*: Carboxyl methyl cellulose
 Coagulation *see*: Flocculation
 Coal 157
 Coalescence band 146
 Coalescers 145 ff, 299 ff, 433
 Coating 324–328, 363–372
 – reactor conditions 210
 – wire/cable, extrusion, 305, 308
 – *see also individual types*
 Cobalticyanide 122
 Cocoa 332
 COD bioreaction rates 209, 258, 274 f
 Coffee 155, 396
 Coker 67
 Colburn equations 109, 113
 Colloid mill 263 f, 285, 294 f, 430
 Comminutor 296 f, 432
 Combustion reaction 187, 197, 217, 222, 266
 Communication 32 f
 Composition sensors 7
 Compressors 46 ff, 96, 381 f
 – *see also individual types*
 Concentration 4
 Concentrators 175, 182 f, 362, 417 f
 Concrete *see*: Cement
 Condensate 74 f
 Condensation reaction 187, 197, 202, 217, 222
 Condensers 81, 391
 – *see also*: Heat exchangers
 Conductivity 143, 172, 177, 354
 Conflict 36 ff
 Conservation 86, 158
 Contact angle 325
 Contact stabilization 275
 Contamination 29, 103–106, 117, 146 ff
 Contempt 34
 Continuous flow stirred tank reactor
see: CSTR
 Control valve *see*: Valve
 Control systems 6–11
 – capital cost 379
 – centrifugal compressors 46
 – decanters 146
 – evaporative crystallizers 103
 – pressure drop 63
 – process improvement 31
 – pumped fluids/reciprocating devices 54
 – steam 83
 Conveyor 59–62, 385 f
 – *see also*: Pneumatic conveying, Feeders
 Cooling towers 80, 390 f
 Cooling water 4, 69
 Copra 175
 Corn 175, 333
 Corrosion 5 f, 27, 329
 Cosmetics 173, 284
 Cost, capital 2–3, 21 f, 186 f, 376–380
 Cottonseed 173 ff
 CPR (classified product removal crystallizers) 104
 Cracking
 – catalytic 67, 202, 217, 234 f, 265–273
 – thermal (pyrolysis) 67 f, 217–226, 388 f
 Cranes 386
 Creativity 22–23
 Criticism 34
 Crushing/grinding 295 ff, 430 ff
 Cryogenic 81, 91
 Crystallization 73, 101–106, 215, 396 f
 – *see also individual types*
 Crystals 153, 157
 CSD (crystal size distribution) 104 f
 CSTR (continuous flow stirred tank reactor) 214, 261–266
 – air lift loops 237
 – backmixing 253
 – batch STR/LL esterification 238, 254
 – Bd no. 253
 – bioreactor 208
 – capital cost 424 f
 – cascade or multistage/chamber tank 214
 – Da no. 365
 – Ha based GL reactions 198
 – heat transfer 69, 73
 – LL systems 222, 263 f
 – PFTR 214, 254, 274 ff, 426
 – reactor conditions 216
 – selection criteria 192–194, 207, 222 f, 253
 – *see also individual types*
 Cumene 222

- Cycles
 - adsorbers 118 f
 - bagging 142, 333
 - batch operation 31, 98
 - batch/semibatch reactors 188 f, 255, 260
 - catalysts 191, 199
 - chromatographic separation 135
 - diaphragm plates 169
 - dryers 153 ff
 - filtering centrifuges 166 f
 - hydraulic press 175
 - injection molding 306
 - innovation 41
 - IX 121
 - LS filtration 170 f
 - magnetic separators 178
 - membranes 130–134
 - pneumatic convey 61
 - process improvement 31
 - screens 159
 - sedimentation centrifuges 164
 - solution crystallization 104
 - zone refining 102
- Cycling 27
 - distillation columns 100
 - evaporators 90
 - extruders (including surging) 318 f, 323
 - fluidized bed reactors 268 ff
 - furnaces 84
 - reboilers 76 ff
 - steam traps 139 f
- Cyclohexanol 218
- Cyclone
 - capital cost 402 f
 - hearth 214
 - pressure drop 47
 - separation 138–143, 175, 180
 - wet 138, 143
- Cyclopentadiene 218
- d**
- DAF *see*: Dissolved air flotation
- Dairy industry wastes 258
- Dalton 124
- Damkohler number (Da) 189, 278, 365 f, 372
- Darcy coefficient 366
- DCF *see*: Discounted cash flow
- DDT 220
- DEA (diethanolamine) 6
- Deborah number (De) 328, 366
- Decane 375
- Decanter 145 ff, 149, 404
- Decision making 24 ff, 36
- Decomposition reaction 187, 197
- Deep bed filters 300
- Defensiveness 34
- Degradation 28, 122 ff, 199
- Degrees of freedom 8
- Dehydration 202, 217, 222 ff
- Dehydrochlorination 202, 217, 222
- Dehydrogenation 195, 217
 - CSTR hazard 263
 - membrane reactor 278
 - reactor conditions 202, 223
 - STR hazard 258 ff
- Delayed coking 225
- Demisters 138, 149, 298 f, 432
- Dense Media Separation (DMS) 175, 183, 418
- Density 341
- Density-weighted vapor flowrate (capacity factor, F) 96, 109 f, 113
- Density-weighted vapor velocity (k) 96, 139, 299
- Deodorizer *see*: Desorption
- Design 11, 30 f
- Desolventizer 151, 156, 407
- Desorption, (stripping, deodorizing) 86 f, 113–114, 397
- Desulfurization 217
- Detergents 323
- Dewatering
 - extruders 309
 - hydraulic press 175
 - capital cost 408, 415
 - screens 159 f
 - *see also*: Filters/deep bed
- Dextron 116
- Dextrose 226
- Dialysis *see*: Membranes
- Diatomaceous earth 169
- Diazo decomposition reaction 217
- Diazotization reaction 187, 197, 217
- Dicalcium phosphate 154
- Diffusers 17, 236 f, 282 f, 421
 - *see also*: Biological reactors
- Diffusivity 173, 340
- Dimerization reaction 203
- Dimethyl terephthalate 220
- Dimethylaniline 220 f
- Discounted cash flow (DCF) 22, 53, 93
- Disjoining pressure 5, 292
- Dispersed phase
 - break 28
 - capital cost 427 ff
 - coalescers 300

- drops 137 ff, 155
- GL/LL systems 11–18, 27 ff, 144 ff
- size 227, 284, 294
- solvent extraction 263, 284 f, 294, 373
- stability 28, 146 ff
- *see also*: Bubbles, Aeration, Particulate systems
- Disproportionation reaction 203, 223
- Dissolved air flotation (DAF) 145, 150 f, 170 ff, 414
- Dissolution rate *see*: Rate of dissolution
- Distance 335
- Distillation 50, 86 f, 91–101
 - area/void volume 17
 - capital cost 393 ff
 - Da no. 365
 - frequency of faults 31
 - HIGEE 94, 277
 - industry wastes 258
 - pressure drop 47
 - reactive 94, 222 f
 - reboiler 78
 - *see also individual types*
- Distributor 245, 267 f
- Dodecyl methacrylate 223
- Dolomite calcination 250
- Double arm kneader *see*: Blender/kneader
- Douglas equation 95
- Dowtherm A 375
 - *see also*: Heat transfer media
- DRI (direct reduced iron) 249
- Drives 64 ff, 387 f
 - *see also individual types*
- Drops *see*: Dispersed phase
- Dryers 150–158, 405 ff
- DT (draft tube crystallizer) 104
- Ducts 47, 63, 387
- Dyes 151, 154

- e**
- e-Business 42
- Economics 21 f, 376 ff
- Edible oil 59, 63
 - adsorption 120
 - deodorizing 113
 - foul heat transfer 72
 - pump 54
- Efficiency *listed for each device*
- Ejectors, (jets) G
 - bubble/drop size/area 17
 - burner reactor 224
 - capital cost 382 f, 418 ff
 - GL contactors 11–16
 - jet loop 208, 212, 236 ff
 - jet tube scrubber/washer 211, 225 f
 - nozzle loop/plunging jet 212, 239 ff
 - reactor, select 212
 - surface area/power input 12
 - tube 211, 225 f
 - vacuum/steam 48 ff
- Elasticity 328, 366
- Electricity 65
- Electrodialysis *see*: Membranes
- Electrokinetic effects 28
- Electrolytes 5, 28, 238
- Electrostatic/electrical units 351–355
- Electrostatic precipitators, GS 142 f, 403
- Electrostatic separators, SS 175 ff, 415
- Elements/group identification 199–206
- Elevators *see*: Conveyors
- Emery dust 54
- Empty tube reactor *see*: Pipe contactor
- Emulsions *see*: Dispersed phase
- Endothermic reactor conditions 73, 185–197
 - health/safety hazard 207–217, 224 f, 229, 234, 247, 265
 - target gas reaction 231, 235
- Energy 347
 - *see also*: Drives, Electricity, Furnaces, Heat exchange, Refrigeration, Steam
- Engines 64 f, 387
- Enthalpy 64, 82 f
- Entrainment 28
- Entrepreneurship 41 f
- Entropy 348
- Environment 27
- Enzymes 207 f
 - lytic 295
 - reactor conditions 159, 199, 216
- Eotvos number 244, 363, 366
- Epoxidation 197, 203, 217, 223
- Equalization basin 435
- Equilibrium, exchange 86, 91
- Equilibrium controlled reactions 196, 211, 233
- Ergun equation 251
- Errors 24 f, 31 f
- Erythritol 220
- Esterification 217–223
 - CSTR hazard 226, 238, 263, 277
 - reactors 203, 223, 238
 - STR hazard 258 ff
- Ethan 69, 375
- Ethanol
 - pervaporation 130
 - precipitation 107
 - production 278
 - reactor residence time 218 ff, 223

- vapor pressure 375
 - Ethyl acetate 278
 - Ethyl amine 222
 - Ethyl benzene 200, 375
 - Ethyl chloride 375
 - Ethyl hexanol 220
 - Ethylene 224 ff
 - heat capacity ratio 46
 - membrane reactor 278
 - vapor pressure 375
 - Ethylene dichloride 227
 - Ethylene oxide 206, 218
 - Ethylene glycol 220, 223
 - Ethynylation reaction 203, 217, 223
 - Eukaryotes 208
 - Eutectic melt crystallization/
zone refining 102
 - Evaluation *see*: Assessment/
Performance review
 - Evaporators 86–90, 392, 393
 - *see also individual types*
 - Exothermic reactor conditions 73, 185–189,
231, 235
 - health/safety hazard 187–197, 207–229,
233 f, 247, 265
 - Expellers 151, 175, 414 f
 - Explosives 323
 - Extended aeration 275
 - Extruders 62, 290, 305–309, 317–323, 433 f
 - *see also individual types*
- f**
- F-factor 96, 109 f, 113
 - Facultative lagoons 274, 426
 - Falling film *see*: Thin film
 - Fanning friction factor 366
 - Fans 46 ff, 380
 - Faraday's constant 358
 - Fatty acids 323
 - Fatty alcohols 323
 - FC forced circulation 104
 - FCC (fluidized catalytic cracking) 266–273
 - FDI (flow density index) 20, 59, 63
 - Feedback 35
 - Feeder 59–63, 180, 331 f, 386
 - Fenske equation 95
 - Fermentation *see*: Biological reactors
 - Ferricyanides 122
 - Ferrosilicon 183
 - Ferrous sulfide 30
 - Fertilizer 122, 157, 302 f, 309, 332 f
 - Films 110, 324
 - *see also*: Thin film, Agitated falling film,
Scraped film
 - Filter aid 150, 171 f
 - Filter cake 165–170, 342
 - Filters 9, 54, 142 ff, 150 f, 168–173,
402, 411 ff
 - *see also individual types*
 - Financial attractiveness 22, 30
 - Financial reports 22
 - Fine chemicals 216
 - Fire tube *see*: Pipe contactor
 - Fischer Tropsch synthesis 201 f
 - alkanes/alcohols 222
 - fluidized bed reactor 267
 - reactor conditions 203, 217, 222
 - supercritical reactions 209
 - Fixed bed catalytic reactor, adiabatic *see*: PFTR
 - Flaker 323, 434
 - Flax seed 175
 - Flexibility 187
 - Flocculation 145, 150, 162, 289, 301, 432
 - Flooding 29, 97–101
 - Flotation 137, 175 ff, 415
 - Flour 154, 332
 - Flow regimes 58, 244
 - Flow 7 f
 - Flowability 20–21, 289, 333
 - Flowrate 338
 - Fluidized bed 265 f
 - adsorption 120, 289
 - Ar 361
 - backwash 289
 - biofilm area 18
 - bioreactor 208
 - capital cost 390, 407, 425
 - coil for heat exchange 79
 - crystallization 105
 - GLS 18, 222
 - GS 152–157
 - IX 121, 289
 - LS 289
 - mass transfer coefficient 18
 - reactor characteristics 207–214,
265–273
 - size increase 302 f
 - *see also individual types*
 - Fluoropolymers 124, 127
 - Flush lines 59, 63, 162
 - Foam 27 ff, 86, 292 f
 - absorption 111
 - break 29, 90, 238, 258
 - bulk/film volume ratio, Hatta/(δ^*) 123,
198
 - distillation 92 ff, 98
 - evaporator 88
 - fractionation 123, 292, 376, 400, 435

- surface tension 111
- FOB (free on board) 3, 21, 376 ff
- Fog 137
- Food
 - bag 333
 - bleaching 120
 - deodorize 113
 - drying 151–155
 - edible oils 175
 - extrusion 309
 - foams 292
 - heat via votator 69
 - leach 173
 - membranes 133
 - microorganisms 254, 262, 273, 275
 - pellet 304
 - piping 63
 - processing waste 258
 - scraped surface heater 69, 73
- Force 344
- Forming, storming, norming, performing 36
- Fouling 28, 86
 - cleaning 74
 - crystallizers 104
 - evaporators 89 f
 - heat exchangers 72
 - IX 122
- Fourdrinier machine 154
- Fourier number (Fo) 367
- Freeze Concentration 101, 396
- Freon 29
- Frequency 357
- FRI (flow ratio index) 20, 59, 289 f, 332
- Friction factor 45
- Friedel Crafts reaction (STR) 256
- Froude number (Fr) 266, 281, 361 ff, 367, 371
- Fruit juices 396
- FT *see*: Fischer Tropsch
- Fuel oil 72, 375
- Fullers earth 119
- Fumeric acid 154
- Fungi 28, 208, 237
- Furfuryl alcohol 204
- Furnace
 - blast 214, 250 ff
 - burner 224
 - capital cost 388 f, 423 f
 - distillation reboilers 67 f
 - frequency of faults 31
 - heat transfer 67 ff
 - melting cyclone 214, 253
 - multiple hearth 248 f
 - reactors 67, 226
 - rotary kiln 213, 250 f, 156 f
 - shaft 214, 250 f
 - steam boiler 83
 - traveling grate 213, 249
- g**
- Galileo number (Ga) 367, 361
- Gas, natural (methane) 96
- Gas Density-weighted vapor flowrate, *F* factor 96
- Gas Density-weighted vapor velocity, *k* factor 96
- Gas-liquid systems (GL) 11–18
 - Hatta number 198
 - reactors 197, 211–215
 - separations 137 f
 - *see also*: Two-phase flow, Thin/Scraped film, Decanter, Solvent extraction
- Gas-liquid-solid systems (GLS) 18
- Gas permeation *see*: Membranes
- Gas-solid systems (GS) 137 f, 152–157, 207
- Gas systems (G) 45–50, 196 f, 211–215, 380 ff
 - *see also*: Thermal wheel, Furnaces, Adsorption, Membranes
- Gasification 265 f
- Gear reduction unit 388
- GHSV *see*: Space velocity
- Glassy membranes 128
- Glycol dehydration 28 ff, 111–114
- Goals 22–26, 34
- Graetz number (Gz) 367
- Grains 152, 156
- Granulator, solids drum 303, 433
- Graphite 332
- Grashof number (Gr) 367, 371
- Gravitational acceleration *see*: Centrifuges
- Grinding *see*: Crushing/grinding
- Group skills *see*: Team
- Grout 332
- Guidelines, equipment selection 2
- Gypsum 332
- h**
- Halide 5
- Haloalkene 218
- Halogenation reaction 187, 195, 203, 256
- Hamaker constant 5
- Hatta number (Ha)
 - CSTR 262
 - GL reactions 368
 - location prediction 197
 - STR 239 ff, 255
 - thin film 247
 - trickle bed 244

- Hazard *see*: Health/safety
- HAZOP 32
- HDHI 87 f
- HDPE (high density polyethylene)
 - see*: Polymers
- Health/Safety 32
 - control 6, 10
 - CSTR 263
 - data 187, 197, 217 f
 - furnace 84
 - STR 258 ff
 - valve failure position 8
 - *see also*: systems thinking
- Heat capacity 46, 348 f
- Heat exchangers
 - boilers, reboilers 72–78
 - capital cost 389 f, 421, 435
 - condensers 72–76
 - direct contact, LL 79 ff
 - falling film evaporators 88
 - fault frequency 31
 - fouling factors/resistances 72
 - furnace reactors 67 f, 73
 - indirect contact 64–78
 - liquid 54
 - multitube reactor 185–188, 211 f, 229, 234 f
 - pressure drop 47
 - shell/tube reactors 70 f, 229
 - steam condensation 65
 - *see also*: Thermal wheel, Dryers, Quenchers, Cooling towers
- Heat exchange media *see*: Heat transfer media
- Heat flux density 350
- Heating value 348
- Heat loss 82
- Heat of reaction 187 ff, 197, 216–224, 347
- Heat transfer 207, 225, 276
- Heat transfer coefficients 64, 68 ff, 350 f
 - bubble column wall–mix 238
 - condensers 72
 - coolants 210, 229, 234
 - crackers 226
 - crystallizers 105
 - dryers 153–157
 - evaporators 87 f
 - exchangers 72 f
 - falling film absorber 110
 - flaker 323 f
 - fluidized beds 79
 - fouling 210
 - furnaces 67, 226
 - heating agents 226, 229, 234
 - HIGEE 98
 - j-factor 369
 - liquid side 234
 - per surface area 67 ff
 - per unit volume 80
 - PFTR reactors 229, 234
 - polymerization reactors 210
 - reboilers 72 f
 - reformer heat flux 226
 - scraped surface reactor 248
 - thermal wheels 81
- Heat transfer media
 - capital cost 392
 - fouling factor 72
 - high temperature fluids 69, 84
 - refrigerants 82
 - tempered heat exchange systems 85
 - vapor pressure 375
 - *see also*: Steam, Refrigeration, Water, cooling
- Heavy chemicals 216
- Height of a transfer unit *see*: HTU
- Height of a theoretical stage *see*: HETS
- Henry's law constant 107 f, 239 f
- Heptane 375
- HETP *see*: HETS
- HE trouble shooting 91 ff
 - absorption 108 f
 - chromatographic separation 136
 - distillation 91–98
 - height of mass transfer unit, HTU 91, 109, 114
 - solvent extraction 115–117
 - stripping 108 f, 114
- Hexane 375
- HI (hopper index) 20, 59, 63, 331 f
- Hickman decomposition hazard index 87 f
- HIGEE 215, 277
 - *see also*: Distillation
- High temperature heating media
 - see*: Heat transfer media
- High Impact polystyrene (HIPS) 221, 305 ff
- Hildebrand solubility parameter 348
- Hoffmeister series 107
- Hoists 386
- Holdup 11–19, 110, 116, 126
- Holmes-Rahe scale/stress 25
- Homogenizer 263 f, 285, 294, 430
- Hoppers 290, 330, 436
- HTU (height of mass transfer unit) 91, 97, 109, 114
- Humic acid complex 122
- Hydration reaction 203, 217, 223
- Hydraulic conveying *see*: Particulate systems
- Hydraulic Permeability (A) 131–134

- Hydraulic Press 151, 175, 414 f
- Hydrocarbons 72
- Hydrocyclones
- capital cost 409, 417
 - LL/LS systems 145 ff, 161
 - SS separate 161, 175, 180
- Hydrodealkylation 204, 217, 223
- Hydroformylation 217
- reactor conditions 201, 204, 222
 - supercritical reactions 209
- Hydrogen
- equilibrium reaction 196
 - GG heat exchange 81
 - membranes 128 f
 - property 64
- Hydrogen sulfide 108, 111
- Hydrogenation 217
- capital cost 424 f
 - hazard 187
 - heat of reaction 197, 217
 - membrane reactor 278
 - pipe reactor 228
 - reactive distillation 277
 - reactor conditions 204, 223
 - STR 255 f
 - supercritical 209
 - trickle bed 229
- Hydrolysis 217
- hazard 258 ff, 263
 - reactor conditions 205, 223, 226
- Hydrophilicity/Hydrophobicity 125
- Hydrotreat reaction 205, 245 f
- i**
- Ideal gas constant 358
- Idiophase 223
- Ignition plug 170
- Immersed wick contactor 208
- Immiscible liquids *see*: Liquid-liquid, Dispersed phase
- Improvement process 31
- Incineration 249–253, 265 f, 423 ff
- Induration 249
- Inflation index 3, 376
- Injection molding *see*: Molding, injection
- Instruments/sensors 6–10, 379
- Intermediate chemicals 216
- Interpersonal skills *see*: People skills
- Intreprenurship 41
- Ion exchange (IX)
- backwash 289
 - batch bed types 121
 - capital cost 399, 400
 - electro dialysis 129
 - IX 120 ff
- Ionic sequence for IX 121
- Iron 107, 117, 146
- Iron carbonyl 170
- Iron ore 249
- Iron oxide 154, 332
- Iron sulfide 30, 112
- Isomerization reaction 205, 217
- Isoprene 218
- Isopropanol 107
- Isopropyl compounds 218
- IX resin 223
- j**
- j*-factor 369
- Jersey knits 324 f
- Jet loop 236, 238
- Jet, plunging *see*: Plunging jet
- Jet, mixing miscible liquids 282
- Jet nozzle *see*: Ejector
- Jig Concentrators 175, 182, 418
- Juices 101, 105
- k**
- k* values 96 f, 139
- Kaolin 169 f, 249, 332
- Katex 157
- Ketene 191, 225
- Ketones 130
- Kieselguhr 199
- Kiln, rotary 250 f
- capital cost 407 f, 423
 - dryer 153, 157
 - reactor 213
- Kinetics controlled reactions 196 ff, 225, 236, 261
- Kirton KAI values 41
- Kneaders 282
- Knock-out pots 131, 139 f
- capital cost 435
 - compressor outlet 47
 - *k* value 96, 139
- Kremser equation 108 ff
- l**
- L/M 2 f, 21, 377
- Lactic acid 220
- Lactic acid ester 226
- Lagoon 254
- *see also*: Tank reactor
- Latent heat 4, 347 f
- Latex 169, 210, 302
- Latour equation 95
- LDPE (low density polyethylene) *see*: Polymers

- Le Chatelier principle 187 ff, 195
 - Leaching 173–174, 414
 - Leadership 36, 40
 - Leaks 74, 83
 - Level 7, 29, 146 f
 - Lewis number (Le) 369
 - LHSV *see*: Space velocity
 - Liberation size 137, 175, 17, 183
 - Light distillate 205
 - Lignin 24, 89
 - Lime 249, 332
 - Limestone 250
 - Liquid piston vacuum pump *see*: Vacuum
 - Liquid systems (L) 51–57
 - capital cost 383–385, 427 f
 - mixing 280 ff
 - reactors 195 ff, 211–215
 - *see also*: Heat exchangers, Adsorption, Membranes, Chromatographic separation
 - Liquid-gas systems *see*: Gas-liquid systems
 - Liquid-liquid systems (LL) 17 ff
 - heating/cooling 79 f
 - mixing 284 f
 - reacting 211–215
 - separating 137–138
 - *see also*: Distillation, Solvent Extraction, Dispersed phase
 - Liquid-solid systems (LS)
 - moving/ pumping 52
 - reacting 211–215
 - separating 150 f
 - surface area/volume 17
 - *see also*: Crystallization, Particulate systems
 - Listening 33 f
 - Litho coating 324
 - Liver extract 154
 - Ljungstom heater *see*: Thermal wheel
 - LMTD (log mean temperature difference) 70–74
 - Lubricating oil 29, 375
 - Luikov number (Lu) 369
 - Luminance 356 f
- m**
- Mach number (M) 369
 - Magnetic units 355 f
 - Magnetic mass susceptibility 178, 355
 - Magnetic tape 324
 - Magnetic separators 175–180, 416, 417
 - Magnetite 183
 - Magnetization 178 ff
 - Maize gluten 154
 - Maleic acid 154
 - Maleic anhydride 85, 227, 323
 - Management 25, 42
 - Marangoni number (Ma) 369
 - Marangoni effects
 - coat 328
 - foam 29
 - solvent extraction 117 f, 263 f
 - stability 147 ff
 - Margoulis number 369
 - Mass transfer 11–19, 86
 - controlling 18, 103, 109 ff, 197 ff, 230–247
 - Mass 329 f
 - Materials of construction
 - alloys/L+M 3, 21, 377
 - codes 188, 191, 329
 - corrosion 5 f, 329
 - reactor operating window 190 f
 - McCabe-Thiele diagram 91 f
 - Melamine 154
 - Melamine phenolic resins 210
 - Melt Crystallization *see*: Crystallization
 - Melting cyclone burner 214, 253, 424
 - Melts 157
 - Membranes 124–133
 - capital cost 400 ff
 - LL coalescers 300
 - pressure drop/reverse osmosis 54
 - reactors 215, 278
 - ultrafiltration 132 ff, 170
 - Mentoring 42
 - Mercury 375
 - Mesh size 20
 - Metal oxides 125, 199
 - Methane 46, 375
 - Methanol
 - equilibrium controlled 196
 - pervaporation 130
 - precipitant 107
 - reactor conditions 201
 - vapor pressure 375
 - Methyl acetate 278
 - Methyl butynol 220, 223
 - Methyl chloride 375
 - Methyl ethyl ketone 29
 - Methyl methacrylate 224
 - Methyl tertiary butyl ether 277 f
 - Methylal 278
 - Micelles 292 f
 - Microfiltration *see*: Membranes
 - Microorganisms 133, 208 f
 - Mills 294 f, 430
 - Mineral processing 172–176

- dense media separation (DMS) 183
 - feed assay 137
 - liberation size 137, 175, 179
 - mixing 286
 - separation by screens 159
 - thickening, flux rate 162
- Mistakes *see*: Errors
- Mixing
- capital cost 427 f
 - degree, Pe 370
 - frequency of faults 31
 - L systems 280 ff
 - LL contactor 18 f, 280–285
 - LS systems 286 f
 - time 281 ff, 290
 - *see also*: Fluidized bed, Blending
- MM (molar mass) 340 f
- MMCO (molar mass cut off) 124
- Mohs hardness 295, 296
- Mol 341
- Molding, injection 305–317, 433 f
- Molecular distillation 91, 98, 395
- Molecular geometry 86
- Molecular sieves 118
- Momentum transfer coefficient
- see*: Friction factor
- Monitoring 10, 23
- Monofilaments 305, 308
- Monolithic heat exchanger 69, 73
- capital cost 389, 422
 - catalyst 199
 - GLS reactor 18, 207, 213, 247
- Mortar mix 332
- Motors, electric 64 ff, 387
- *see also individual types*
- Moulds, bioreactors 208, 237
- Moving bed 120 f, 211, 223, 228, 387
- Moyno pump *see*: Pumps/rotary screw
- MSMPR (mixed suspension mixed product removal) 104
- MSW (municipal solid waste) 180
- MTBE, reactive distillation 277
- Multiple hearth furnace 213, 248 f, 423
- n**
- Nanofiltration *see*: Membranes
- Net Positive Suction head (NPSH) 51–56
- Networking 40, 43
- Neutralization reaction 197, 217, 223, 258–263
- Newton number 371
- Newtonian fluids 51
- NHTU 158
- Nickel sulfate 105
- NIPR *see*: Net positive suction head
- Nitration reaction 217
- heat of reaction 197, 217, 223
 - reactive extraction/HIGEE 277
 - reactor conditions 205, 223
 - STR 258
- Nitric acid 227
- Nitrification 242 f
- Nitrobenzene 375
- Nitrodecomposition reaction 217, 197
- Nitrogen 128
- Non-Newtonian pump slurries 58 f, 385
- Nozzle loop *see*: Ejectors/Spray column
- NPSH *see*: Net Positive Suction head
- NTS (number of theoretical stages) 91
- absorption/stripping 114
 - batch distillation 98
 - driving force 108
 - Fenske/Douglas/Latour 95
 - Kremser 108 f
 - stripping 113
- NTU (number of transfer units) 91, 109 f, 157
- Nusselt number (Nu) 64, 369 f
- Nylon 210
- extrusion 305 ff
 - nylon-6/66 membrane 124 f
 - pellet 304
 - static mixer reactor 227
- o**
- Oat/rice hull ash 332
- Octane 375
- Ohnesager number (Z) 370
- Olefins 130
- Olive oil 375
- Operability 10, 98
- Operating cost *see*: Cost, operating
- Operating window 90, 94, 186–191
- Orange juice 105
- Ore
- agglomerate 302 ff
 - dryer 157
 - reduce 249
 - roast 250, 267
 - wettability 176
 - *see also*: Minerals
- Organics
- dryer 156
 - foul IX 122
 - pervaporation 130
 - resins, bag 332 f
- Orifices 7
- OTR (Oxygen transfer rate) 348

- bioreactors 208, 226 f, 236–243, 248, 255 ff
 - GL contactors 11–16
 - Oxalic acid 28, 154
 - Oxidation reaction 217, 258–262
 - burner reactor 224
 - CSTR hazard 263
 - equilibrium reaction 196
 - membrane reactor 278
 - oxidation ditch 275
 - reactor conditions 197, 206, 219–224
 - static mixer reactor 227
 - STR hazard 258 ff
 - trickling filter reactor 243
 - Oxidative dehydrogenation 278
 - Oxides 199
 - Oxo reaction 217
 - *see also*: Carbonylation
 - Oxygen 47, 111
 - Ozone generator 236
- P**
- Pachuca
 - capital cost 414
 - crystallization 105
 - GLS reactor 236 ff, 283
 - leach 173 f
 - Packed bed 20, 230 f
 - backmixing 370
 - blast furnace 251
 - catalyst/IX resin 120
 - Ergun equation 251
 - filter cake 170
 - gas distributor 197
 - particle size/permeability 251, 170
 - pressure drop 47, 54
 - reactor 230
 - trickle flow reactor 244
 - *see also*: Adsorption, Cake, Filters
 - Packed column 17
 - bioreactor 208
 - capital cost 390 f, 394 f, 404
 - F/k factor 96
 - flow 142 f
 - GL contactor 15, 198
 - GL heat exchanger 80
 - GLS scrubber 138, 142 f
 - LL contactor 19
 - Pe no. 370
 - pressure drop 47
 - reactive distillation 215, 277
 - reactor 213, 242 f
 - uniform spheres 15, 17
 - *see also*: Absorber, Distillation, Hatta volume ratio, Solvent extraction, Trickle filter
 - Paddle/Pan mixer *see*: Blenders
 - Paper 152, 324
 - Paraffins 130
 - Pareto's principle 24
 - Particles 20
 - capital cost 429 f
 - centrifuge 163
 - conductivity 143, 177
 - demixing 291
 - flowability 20 f, 289, 333
 - fumes 141
 - GS reactions 207
 - large size treatments 290 f
 - mesh size 20
 - permeability 150, 168–172, 251
 - settling velocity 157
 - SS separation 137 f, 175
 - surface area/volume 17
 - temperature sensitivity 151
 - void volume (porosity) 20, 170, 230, 244
 - water 161
 - *see also*: Bagging, Bins, Crushing, Crystallization, Sintering, Flocculation etc.
 - Particulate Systems
 - capital cost 385 ff
 - concentrating via agitated falling film 69
 - fluidized bed reactors 69
 - gas reactions 207
 - GLS 18
 - GS 20, 59–63
 - LS (slurry) 286 f
 - LS processes 121
 - LS reactors 211–215
 - LS separations 137 f, 150 f
 - PFTR 69
 - pumping clay 54
 - reactors 213 f
 - solids dispersion/dissolving 288 f
 - solids mixing 52, 58 f
 - SS separations 137 f, 175
 - *see also*: Crystallization, Solids suspension, Packed beds, Conveying, Pipe contactor etc.
 - Partition coefficient 86
 - Pasta 306, 309
 - Payback time 22
 - Peabody scrubber (baffled) 80, 109, 142 f, 403
 - Pebble bed, GG heat exchanger 81
 - Peclet number (Pe), backmixing 370

- bubble bioreactor 238
- catalyst bed 230
- empty multitube reactor 229
- packed bed 234
- packed column 242
- pipe reactors 224
- semibatch 225, 230, 260 f
- STR 254
- Pectate 107
- Pelleting 304 f, 433
- Penicillin 154, 216, 220
- Pentane/Pentene 375
- People 25, 30
- People Skills 34
- Performance Review 39 f
- Permeability
 - blast furnace 251
 - Ergun equation 251
 - filter cakes 168, 172
 - particle diameter 172
 - porosity (ϵ) 170
 - precoat filters 150
- Permeation unit 343 f
- Personal style/uniqueness 36–41
- Pervaporation *see*: Membranes
- Pesticides 323
- Pet foods 306, 309
- PFTR (plug flow tubular reactor) 192 ff, 211–216
 - bed with radial flow 212, 234
 - capital cost 389, 420 f, 426
 - CSTR 214
 - empty multitube, non-adiabatic 229
 - fixed bed, adiabatic 222, 229 ff
 - mass transfer control 230
 - multibed, adiabatic with interbed quench 222 ff
 - multitube, fixed bed, non-adiabatic 212, 221 f, 234 f
 - slurry/fluidized bed reactors 230
 - with recycle 274 ff
- *see also individual types*
- pH
 - acid 107, 123
 - anaerobic digestion 258 f, 274
 - basic 125
 - bioreactors 230, 258 f
 - changing 107
 - coalescers 300
 - corrosion 5 f, 112
 - filtration 167
 - flocculation/thickening 162, 301 f
 - fouling 115, 123
 - IX 120 ff
 - membranes 125, 133 f
 - PDI 299
 - precipitation 107
 - wettability/flotation 176
 - zero point of charge/stability 28, 112, 117, 146 ff, 239, 258 f, 263 f, 301
- Pharmaceuticals
 - dryers, temperature sensitivity 151
 - filtration 171
 - flake 323
 - supercritical 173
 - working capital 22
 - zone refining 102
- Phase equilibrium *see*: Equilibrium, phase
- Phenol 222, 226
- Phosgenation reaction 212
- Phosphate 67, 122
- Phosphorous pentoxide 225
- Phthalic anhydride 267, 323
- Physical Module (PM) cost 3, 21, 378
- Pickle liquor 162
- PID (proportional-integral-derivative control) 9
- Pigments 133, 151, 250, 332
- Pinch, thermal 26, 31, 74
- Pipe contactor
 - capital cost 386 f, 419 f
 - direct contact heat exchange 79 f
 - fluid systems 12–17, 57 ff, 211, 222–226, 283
 - GL 12–17, 57
 - LL 263 f, 285, 294
 - particulate systems 58 f, 228
 - reactors 57 f, 211, 223–228
 - transportation 211, 222–226
 - *see also*: Gas/Liquid moving, Pumps, Pneumatic conveying, Drying, Flash, Fire tube
- Pipe 63
 - blowout lines 54
 - flow 47, 53, 59
 - thickeners 162
 - tube, extrusion 305, 308
- Plant extract 154
- Plasma 154
- Plaster 332
- Plastic films 324 f
- Plastic pellets 332 f
- Plate *see*: Tray
- Plate heat exchanger *see*: Heat exchanger
- Platforming 232
- Plug flow tubular reactors *see*: PFTR
- Plunging jet, reactor 238 ff
- PM *see*: Physical Module cost

- Pneumatic conveying 60 f, 386
- Poison 122, 199
- Polycondensation 254
- Polyethylene glycol 107, 116
- Polymer, resin, pellet 304
- Polymerization 209 ff, 217, 224
 - activation energy 191, 224
 - agitation/shear number 280
 - hazard 187, 263
 - heat of reaction 197, 217
 - multistage CSTR 254
 - PFTR with large recycle 276
 - pipe reactor 226
 - reaction rate 195
 - reactive extraction/HIGEE 277
 - scraped film (votator) heat transfer coefficient 73
 - scraped surface reactor 248
 - static mixer reactor 227
 - STR 255, 258 ff
 - tempered heat exchange systems 85
 - trouble shooting 260 ff
 - turnover frequency (TOF) 199
- Polymers 210 ff
 - acrylonitrile butadiene styrene 4
 - blend 290
 - cellulosics 4, 127, 130 ff
 - chromatography 136
 - dewater 175
 - drying 153, 158
 - elastomeric 124
 - extrusion 290 f, 305 ff
 - fluoropolymers 125 ff, 301
 - glass temperature 129
 - glassy 124, 128
 - HIPS polystyrene 221
 - hydrophilicity 125, 307
 - LDPE 4, 221 ff, 304 f
 - membrane 124, 130
 - mold 305 f
 - nylon 125
 - pervaporation 130
 - polyacetals (POM) 210, 306
 - polyacrylamide (PA) 4, 306
 - polyacrylics 4, 125 ff
 - polyacrylonitrile 130
 - polyamide 130
 - polybutadiene 210
 - polycarbonate 4, 128, 210, 305 ff
 - polyester 220
 - polyetherimide 128
 - polyetherpolyol 221
 - polyethersulfone 124 f
 - polyethylene terephthalate 221, 304 ff
 - polyethylene 210, 267, 304 ff
 - polyimide 128 ff
 - polyisoprene 210, 221
 - polymethyl methacrylate 4, 210, 305 f
 - polyolefin 124 f, 305 f
 - polyoxymethylene (POM) 306
 - polypropylene oxide (PPO) 4, 306
 - polypropylene 4, 125, 197, 210, 304 ff
 - polystyrene acrylonitrile 210
 - polystyrene butadiene 210, 306
 - polystyrene 4, 128, 169 f, 224 ff, 305 f, 332
 - polysulfones 124, 128–133, 308
 - polyurethane 221, 224 ff
 - polyvinyl acetate 210, 224
 - polyvinyl alcohol 130, 210
 - polyvinyl chloride 4, 28, 128, 152–156, 210, 305 ff
 - polyvinyl fluoride 128
 - polyvinylidene fluoride 125
 - resins 290, 305 f
 - reverse osmosis 131
 - spiral wound membrane 127
 - styrenic polymers 210
 - teflon 128
 - viscosity 4
 - zero point of charge 125
- Polysaccharides 208
- Polytropic operation 46
- Pond *see*: Tank reactor
- Pore size 124
- Porosity (ϵ)
 - bulk versus solid density 199
 - catalytic/trickle bed 230, 244
 - filter cakes 170
 - packed/porous beds 20
- Potassium carbonate (potash) 105
- Potato flakes 154
- Potential determining ions 299
- Powders *see*: Particles
- Power 349 f
- Power generation *see*: Electricity
- Power input/volume 12, 18 f
- Power number (Po) 371
- Prandtl number (Pr) 4, 367–371
- Prater number (Pra) 371
- Precipitation 107
- Precoat *see*: Filter aid
- Prefixes, for SI units 334
- Pressure drop 46–54, 63
 - Ergun-/Blake-Plummer equation 251
 - catalyst bed 230
- Pressure 346
 - reactors 187 ff

- distillation 90, 94
 - sensors 7
 - Pressure-enthalpy diagram 82
 - Prilling tower 323 f, 434
 - Problem Solving/Creativity 22, 25, 33
 - *see also*: Trouble shooting
 - Process Improvement 31
 - Process Vessels 146, 329, 434 f
 - Profile/shape 306
 - Profitability 10, 22
 - Prokaryote 208
 - Promoters 199
 - Propane 69, 375
 - Propellers 281 ff, 428
 - Propyl benzene 375
 - Propylene 69, 203, 375
 - Propylene oxide 220
 - Proteins
 - cell disintegration 295
 - chromatography 136
 - dialysis 129
 - dryer 154
 - extrusion 306, 309
 - flocculation/coagulation 301
 - IX 121
 - precipitation 107
 - reactor 208, 237
 - solvent extraction 115 ff
 - *see also*: SCP
 - Pug mills 306, 309, 433 f
 - Pulsation dampener 47, 54 f
 - Pumping characteristics of mechanical agitators 280
 - Pumps 45–57, 382 ff
 - *see also*: Particulate systems, LS slurry, Transportation
 - Purge lines 59, 63
 - Pyrazole 218
 - Pyrites 249 f
 - Pyrolysis reaction 217 ff
- q**
- Quality of product 10
 - Quench 211
 - Quenchers, GL 80, 391
- r**
- Rag buildup 28 f, 117, 148
 - Rain 137
 - Raining bucket contactor
 - see*: Solvent extraction
 - Rake Classifiers 181
 - RAS (rough wall angle of slide) 21, 59, 289 ff
 - Rate of coalescence 147
 - Rate of dissolution 174
 - Rate of filtration 168
 - Rate of reaction 188, 191–198, 211–215, 344
 - Da no. 365
 - gases/solids 207
 - heat transfer controlled 207, 225
 - kinetics controlled 225, 236, 261
 - mass transfer controlled 195 f, 239–247, 365
 - setting temperature 231, 235
 - Rate of settling 147, 155 f, 161, 324
 - Rayleigh number (Ra) 371
 - Rayleigh breakup 293
 - RBC/RDC *see*: Rotating biological/disk contactor
 - Reaction injection molding (RIM) 214, 224, 276, 426 f, 433 f
 - Reactions 185 ff, 191–199
 - bioreactions 207–209
 - CART 32
 - Da no. 365 f
 - supercritical, polymerizations 209 f
 - Reactive Extrusion 276
 - Reactive Distillation/Extraction/
Crystallization 277, 393 ff
 - Reactors 31, 185–197, 207, 211–224
 - *see also individual types*
 - Recalcination 249
 - Redistributor 243
 - Reduction 249 ff, 423 f
 - Refinery oils 202
 - Reflection 23, 34
 - Reforming, catalytic 205 f, 217, 224
 - Reforming 217, 226, 235
 - Refractories 333
 - Refrigeration 82 f, 391
 - Regeneration
 - absorbents 109, 118
 - catalyst 199–206
 - multiple hearth furnace 248 f
 - Residence time 215–224
 - decanters 146
 - equalization basins 329
 - GS reactions 248–253
 - knock out pots 119
 - surge vessels 329
 - Resins 305, 323 f, 332
 - *see also*: Polymers
 - Reverse osmosis (RO) *see*: Membranes/types
 - Reynolds number (Re) 64 f, 126, 226, 251, 276, 280 ff, 326 ff, 361–372
 - mixers 282 ff
 - particle, fluidization 266
 - RI (ratholing index) 20

- blender 290
 - demixing 59, 63, 291
 - flowability 289
 - TS bins 331
 - Ribbon blenders *see*: Blenders
 - Rice hull ash 332
 - Rights of people 34–39
 - Roaster 265 ff
 - Roasting ores 248 f, 265 ff
 - Rotary Kiln *see*: Kiln, rotary
 - Rotary vane vacuum pump *see*: Vacuum
 - Rotating biological contactor (RBC) 213, 242 f, 422
 - Rotating disc contactor(RDC) 79 f, 238
 - *see also*: Solvent extraction/types
 - RTD (resistance temperature detector) 7
 - RTL (raining bucket contactor)
 - see*: Solvent extraction
 - Rubbers 210
 - Rules of thumb xiv, 1 f, 23 ff, 35–40
- S**
- S see*: Stripping factor
 - Saccharomycetacea* (yeast) 209
 - Safety *see*: Health/safety
 - Safflower seeds 175
 - Salt
 - bag 333
 - concentration/corrosion 5 f
 - drying 153
 - filtration rate 167
 - powder flowability 333
 - separation 132
 - *see also*: Electrolyte
 - Sand 333
 - Sand/refractory 249, 332
 - Sanderson 20 min rule 36
 - SBI (spring back index) 21, 59
 - Schmidt number (Sc) 363, 369 ff
 - SCP (single cell protein) 208, 221, 237 f
 - Scraped Surface
 - capital cost 393, 396, 422 f
 - crystallizer 73, 102 ff
 - evaporator 69, 87 f, 158 f
 - foodstuffs 248
 - heat transfer 73, 248
 - reactor 73, 213, 248
 - Screens
 - capital cost 408, 418
 - LS separation 150, 159 f
 - SS separation 183 ff
 - Screw conveyor *see*: Conveyor
 - Scrubber
 - absorber 107–110, 142 f
 - capital cost 403 f
 - GL contactors 14
 - jet tube 12
 - packed, wet cross flow 142 f
 - pressure drop 47
 - separation 138, 141 ff
 - wet countercurrent 108, 142
 - wet cyclone 138, 143
 - *see also individual types*
 - Seeds 173, 332
 - Selectivity 185 ff
 - Self management 42 f
 - Semibatch STR reactor 260, 424 f
 - Semibatch reactor *see*: Stirred tank reactor
 - Semiconductors 102
 - Sensing the message (listening) 33
 - Sensors *see*: Instruments
 - Separations 87, 150 f, 175
 - Serum 278
 - Settlers 141–151, 160, 404, 408 f
 - *see also*: Decanters, Thickeners
 - Shaft furnace 214, 250 ff, 423 f
 - Shallow bed reactor *see*: packed column
 - Shear number 280
 - Sheet thickness 305, 308
 - Sherwood number (Sh) 12–16, 372
 - SI units 334
 - SIER (sensing, interpreting, evaluating, responding) 33
 - Sigma (Σ), equivalent settling cross-sectional area 164
 - Silica 332
 - adsorbent 118
 - filters 169 f
 - fouling IX 122
 - zero point of charge 125
 - Silica gel 199
 - Silicone rubber 128
 - Silicones 324
 - Similitude 54, 307
 - Single cell protein *see*: SCP
 - Sintered metals 127, 135
 - Sintering 199, 249 f
 - Sizing maps xvii
 - centrifugal pumps 52 f
 - shell/tube heat exchangers 71
 - distillation columns 92 f
 - reactors 185 ff
 - SL/RN process 250
 - Sluice Concentrators 175, 182 f, 418
 - Slurry *see*: Pipe contactor, particulate systems
 - Sodium benzoate 221 ff
 - Sodium bicarbonate 167
 - Sodium carbonate monohydrate 104

- Sodium chloride 103 ff
 Sodium hydroxide 105, 323
 Sodium sulfate 28, 89, 104 f
 Solid-solid separations *see*: Particulate systems
 Solidification 157
 – *see also*: Flakers, Belts, Crystalization, Extruders etc.
 Solids *see*: Particles
 Solubility product (K_{sp}) 103, 107
 Solubility
 – separations 86, 147
 – extractive distillation 98
 – absorbers, Henry's law 109
 – temperature 195 f
 Solution crystallization *see*: Crystallization
 Solvent 109 f
 Solvent extraction (SX) 114 ff
 – capital cost 397 f
 – contactor 19
 – drop size 17, 145
 – reactors 215
 – separation 114, 150
 – surface area 17
 – *see also*: Dispersed phases
 Sonification 263 f, 285, 294 f
 Sorbitol 221
 Soups 306, 309
 Sour water strippers (SWS) 113 f
 Sour water/corrosion 6
 Soybean, oil 173 ff, 333, 375
 Space velocity 215, 257
 – *see also*: Bed volumes/unit time
 Sparger 17, 238, 282 f, 294, 428
 Specialty chemicals 216
 Speed of reactions/filtration *see*: Rate
 Spherical agglomeration 302
 Spiral classifiers 175, 181, 418
 – *see also*: Sluice concentrators
 Spray column
 – absorber 108–113
 – area 17
 – capital cost 404
 – GL contactor 14
 – GL separator 138, 143
 – Hatta number 198
 – heat exchanger 79 f
 – LL, contactor 19
 – quencher 80
 – reactor 212, 238 ff
 – *see also*: Solvent extraction, individual types
 Sprays 293, 370
 Stability of dispersions *see*: Dispersed phase
 Stakeholders 26
 Standard gas conditions 337
 Stanton number (St) 189, 369, 372
 Starch 150, 258
 Static charge 142
 Static electrification 59
 Static mixers
 – capital cost 419 f
 – creating drops 145, 263, f, 284 f, 294
 – extrusion 305, 308, 322
 – G, reactor 211, 227
 – GL, contactor 12–17
 – L, heat exchanger 79
 – LL, contactor 19
 – mixing 282 f
 – PFTR multitubular 229
 – solvent extraction 116
 – spray 293
 STD 337
 Steam 63 ff, 75, 83 ff
 – barometric condensers 81
 – blowout 54
 – capital cost 392
 – cooling water 4
 – corrosion 6
 – distillation 4, 90 f
 – fouling factor 72
 – heat transfer coefficients 229
 – heating water 70
 – multistage evaporation 88
 – reform ex methane 205
 – sour water 113
 – traps 74, 138 ff
 – velocity 47, 83
 – *see also*: Ejector, Turbine
 Stearic acid 323, 375
 Steel 125, 188, 191
 Steroids 237
 Stirred tank 280 f
 – batch mode 221 f, 255
 – Bd no. 254
 – bioreactor 208
 – blend miscible liquids 282 ff
 – capital cost 390, 424, 427 f, 432
 – continuous mode (CSTR) 254, 261
 – disperse bubbles in liquid 236, 256 ff
 – esterification 238
 – flocculation 289, 301
 – GL contactor 12–17
 – Hatta values 198
 – heat exchange 73
 – liquid phase 196
 – LL systems 19
 – LS systems 288
 – mix mode of CSTR/PFTR 274

- mixing 284 f, 294
 - reactor 192–197, 210–224, 254–260
 - semi batch mode 214, 260
 - simulated mode 276
 - Stokes number 373
 - Storage Vessels 330, 435 f
 - STP 337
 - STR: *see*: Stirred tank/reactor
 - Strawberry pulp 154
 - Stress, problem solving 22 ff
 - Strippers 30, 113 ff, 397, 434 f
 - Stripping factor (S) 108, 113 f
 - Stucco 332
 - Styrene acrylonitrile 210
 - Styrene butadiene, 197
 - Styrene 278, 375
 - Styrenics 305 f
 - Sublimation 154, 158
 - Sugar
 - crystallization 104
 - leach 173
 - powder flowability 332
 - separation 132 f
 - solidification 323
 - Sulfate 122
 - Sulfides 199
 - Sulfonation 217
 - heat of reaction 197, 217, 224
 - heat transfer coefficient 73
 - reactive extraction/HIGEE 277
 - reactor 212 f, 224
 - scraped surface reactor 248
 - static mixer reactor 227
 - STR hazard 258
 - Sulfur 199
 - Sulfur dioxide 46, 142
 - Sulfur trioxide 195, 205
 - Sulfuric acid 6, 121, 375
 - Supercritical reaction 173 f, 209, 277
 - Supports catalyst 199
 - Surface activity 86
 - Surface area/volume *see*: Area/volume
 - Surface charge 121, 125, 299
 - Surface concentration 5, 123
 - Surface tension 4 f, 144–148, 347
 - absorption 110 f
 - coalescers 300 f
 - coating 324 ff
 - distillation 98
 - solvent extraction 115 f
 - wetting 98, 110, 125, 243
 - Surfactants 323
 - Surge conditions 46 ff, 270
 - Surge vessels 329
 - Solvent extraction 284 f
 - Systems Thinking 27–32
- t**
- Table concentrators 175, 182, 418
 - Tabletting 304, 433
 - Talc 169 f
 - Tank/Drum reactor 214, 223, 273 f, 425 f
 - *see also individual types*
 - Taylor number 372 f
 - TDS (total dissolved solids) 6
 - Team/Group skills 35–39
 - TEFC (totally enclosed fan cooled) 65
 - Temperature 359 f
 - catalyst 190
 - selecting media 69, 84
 - sensors 7 ff
 - Temperature gradients 230
 - Tempered heat exchange systems 85, 392
 - Terephthalic acid 221
 - Tetrachlorobenzene 323
 - Theoretical stage 91
 - Thermal expansion 68 ff, 74
 - Thermal pinch 26
 - Thermal conductivity 4, 351
 - Thermal reaction number 189, 229
 - Thermal wheels 81, 391
 - Thermoplastics 305
 - Thickener 150 f, 162 f, 287, 409, 428
 - Thin film
 - absorber 110
 - heat exchanger 79
 - agitated falling film 247
 - capital cost 393, 398, 423, 434 f
 - crystallization 102
 - evaporators 393
 - G systems 80
 - GL biosolids 248
 - GL systems 15
 - gravity film 247
 - Hatta 198
 - LL systems 19
 - reactor 216, 247
 - rising/falling films 110, 393
 - selection 213, 247 f
 - solvent extraction: RDC 115 ff
 - *see also individual types*
 - Three phase separators: gas-liquid-liquid 149 f, 434 f
 - Thring number 363, 373
 - THTU (height of a thermal transfer unit) 18, 69, 72
 - Time management 25
 - Time 357

- Titanium dioxide 170, 332
 TM cost (total module cost) 7, 22, 378
 Toaster 156, 407
 TOC (total organic carbon) 119
 TOF (turnover frequency) 199
 Toluene diisocyanate 218, 221
 Transfer line *see*: Pneumatic conveying,
 Pipe contactor
 Transfer unit 91
 Traveling Grate reactor 213, 249, 423
 Tray column
 – capital cost 393 f
 – GL contactor 15
 – Hatta number, volume ratio 198
 – heat exchange 79 f
 – LL contactor 19
 – pressure drop 47
 – quencher 80
 – reactive distillation 277
 – reactors 212, 241
 – *see also*: Absorber, Scrubber, Stripper,
 Solvent extraction
 Trickle bed
 – capital cost 423, 434 f
 – Eotvos number 245
 – flow characteristics 244
 – GL 12–15, 229
 – hydrogenation 228
 – membrane reactor 278
 – reactor 213, 244 f
 Trickle filter 15 ff, 213, 242 f, 422
 – *see also*: Packed column
 Triggers, for creativity 23 f
 Trommel *see*: Screens, SS separation
 Tropophase 222
 Trouble shooting xvi, 27–31, 38 ff
 Trust 34 f, 40
 Tube, multi- *see*: Heat exchanger, PFTR
 Turbine steam 64 ff, 388
 Turbine, impeller 280–288, 427
 – *see also*: Mixing
 Turbulent bed contactor 107, 142 f, 403 f
 Turnover rate 281 ff
 Twin shell *see*: Blenders
 Two-phase Flow 57 ff, 385 ff, 419
 Tyler mesh size 20
- u**
- Ultrafiltration (UF) *see*: Membranes
 Underwood equation 95
 Units of measurement 344 ff
 Uranium dioxide 225
 Uranium hexafluoride 225
 Urea 104, 167
- v**
- Vacuum 48–50, 382 f
 – dilute phase pneumatic conveying 60 f
 – freeze drying 154
 – reactors 211, 215, 225, 279
 – *see also*: Crystallization, Distillation/
 vacuum, Evaporation, Stripping,
 Valve 7–11, 54, 63, 83, 379
 Vapor pressure 4, 69, 86, 375
 Vapor recompression 88 f, 105, 396
 Vegetable seeds 153
 Velocity 53, 63, 339, 358
 – compressors 46 f
 – contactors 11–16, 19
 – gas flow 47
 – superficial density-weighted 96
 – *see also*: Particles, Dispersed phase
 Vents 63, 74, 147
 Venturi jet 12 ff
 – gas absorber 107–113, 403
 – Henry's law 239
 – pressure drop 47
 – reactor 212, 240, 403
 – scrubber 138, 142 f, 403
 Vermiculite 332
 Vessels, process 191, 329 f, 434 f
 – *see also individual types*
 Vibration 47
 Vinegar 237
 Vinyl acetate 206
 Vinyl bonds 218
 Vinyl chloride 227
 Vinyl polymers *see*: Polymers
 Vinylation 217
 Visbreaking 67, 225
 Viscosity 51 ff, 211 ff, 335–343
 VOCs (volatile organic compounds) 128
 Void volume 11–20, 199
 Volume 337
 Vortex, Fr no. 367, 371
 Vortex breaker (ant swirl lug) 6, 51, 139,
 147 ff
 Votator *see*: Scraped surface/horizontal film
- w**
- Waste minimization 32
 Waste sludge 267
 Waste water treatment 208 ff
 – activated sludge reactor 254, 274 f
 – aerated lagoon 254
 – bubble columns 237
 – capital cost 432
 – comminutor 296 f
 – deep shaft 238

- thickener 162
- Water 4, 64, 74 ff, 301, 375
- Waxes 323
- Weber number (We) 144, 373
- Wetted wall *see*: Thin film
- Wetting 28, 86, 125
 - coalescers/demisters 299
 - ores 176
 - packing 243
 - packing 97
- What if/Why? problem solving 23 f, 26
- WHSV, definition 215
- Working capital 22, 378

x

- Xylene 205, 221 ff, 227
- o-Xylene 375
- p-Xylene 105

y

- Yeast 208 ff, 237
- Yield 185 ff

z

- Zeigler Nichols reactor 210
- Zero point of charge (zpc) 125
 - IX 121
 - membrane separation 125, 134
 - precipitation 107
 - stability 28, 112, 117, 147 f, 239, 258 f, 263 f, 301
- Zinc sulfide 170
- Zone refining 102