

INDEX

Numbers

301 redirect

- custom `HttpModule`, 296–297
- URL mapping, 221

A

abstracting methods, 171

access control. *See also* authenticating users; passwords

- Web page content, 194–195
- Web sites, 49

Add New Item dialog box, 6–7

Add Reference dialog box, 14–15

adding. *See also* creating

- buttons to pages, 54–55
- Code Snippets, 20–21
- DLL references, 14–15
- event handlers, 16–17
- files to Web sites, 7
- links to bulleted lists, 82–83
- projects to Web sites, 4–5
- roles, 168–169
- text boxes to pages, 54–55
- users to. *See also* `CreateUserWizard`; membership providers
 - roles, 176–177
 - sites, 150–151

Web controls to Web pages, 12–13

Web pages to Web sites, 6–7

AJAX

- cancelling operations, 321
- Control Toolkit, 315
- enabling, 316–317
- input validation, 326–327
- overview, 314–315
- post-back interval, 318
- progress indicator, 320–321
- suggestion box, 324–325
- timer, 318–319
- user feedback, 315, 322–325

aligning images, 56–57, 60–61

`.ascx` file extension, 13

ASP.NET. *See also* specific elements

- application life cycle, 29
- platform description, 28–29
- Web page life cycle, 30–31

ASP.NET membership providers. *See also* membership providers

- configuring, 146–147
- Forms authentication, 147
- redirecting failed authentication, 147
- session timeout, 147
- verifying user credentials, 146–147

ASP.NET `ViewState` Helper, 41

`.aspx` file extension, 8, 28

assemblies, linking to Web pages, 46

Assembly directive, 46

asynchronous programming, 257

attachments, e-mail, 290–291

authenticating users. *See also* access control; membership providers; passwords

- method, specifying, 49
- redirecting failed logins, 147
- sitemaps, 209

authorizing users. *See* authenticating users; membership providers; passwords

Autos Watch window, 280

B

binding

- data list, 128–129
- data to sitemap controls, 202–203, 206–207
- details view, 134–135
- forms view, 140–141
- grid view, 112–113
- menu items, 208–209
- templates, 124–125

books and publications

- ASP.NET `ViewState` Helper, 41
- `ViewState` Decoder, 41

break conditions, 270–271

breakpoints, 270–271

browser compatibility

- debugging, 275
- Master Pages, 233
- verifying Web pages, 18–19

bulleted lists, 80–84

buttons

- adding to pages, 54–55
- customizing, 56–57
- default focus, setting, 78–79
- images on, 56–57, 120–121
- links from, 56–57
- in tables, 138–139

C

Cache API, 302–303

caching

- content, avoiding, 96–97
- Master Pages, 234–235

calendars

- creating, 68–69
- formatting, 69–71
- gridlines, 70–71
- selecting dates, 72–73
- styles, 71

cancelling operations, 321

Cascading Style Sheets (CSS). *See* CSS (Cascading Style Sheets)

Casini. *See* Personal Web Server

check boxes

- collecting user input, 64–65
- navigational hierarchy, 218–219
- state, checking, 218

checkout pages, 90–91

child Master Pages, 232–233

class libraries. *See* DLLs (dynamic link libraries)

closing windows, 11

code, reusing. *See* Code Snippets

Code Snippet Manager, 21

Code Snippets, 3, 20–21

code-behind model, 16–17, 28

color. *See also* formatting

- controls, 65, 74–75
- error messages, 111
- links, 83

Comments, 276

compilation settings, configuring, 49

compiler attributes, 47

compiling external resources, 47

composite controls, 306–307

concurrency, 139

configuration. *See also* web.config file

- ASP.NET membership providers, 146–147
- compilation settings, 49
- customizing, 298–299
- data, storing. *See* web.config file
- environment settings, importing/exporting, 23
- HTTP modules, 48
- role provider, 167
- SQL server membership providers, 148–149

connection strings, specifying, 48

Control directive, 46

Control Toolkit, 315

controls. *See also* user controls; Web controls

- background color, 65, 74–75
- background images, 74–75
- composite, 306–307
- custom, 47
- customizing, 304–307
 - See also* Master pages
 - See also* skins
 - See also* styles
 - See also* templates
 - See also* themes
- description, 2
- finding, 51
- grouping, 74–75
- images, 74–75
- loading dynamically, 76–77
- placeholders, 76–77
- rendering direction, 74–75
- reusing. *See* user controls
- visibility, 52–53, 74–75, 88–89

cookieless sessions, 45

cookies

- deleting, 44
- expiration date, 42–43, 44
- making permanent, 42–43, 44
- maximum number per site, 42–43
- reading, 42–43
- size limit, 43
- storing, 42–43
- subkeys, 43
- writing, 42–43

INDEX

Copy Web Site utility, 24–25

CreateUserWizard

collecting user information, 186–187

content access control, 194–195

content customization, 194–195

creating site members, 184–185

custom membership systems, 187

customizing, 186–187

formatting, 186–187

login interface, adding, 188–189

login status, displaying, 190–191

passwords

changing, 198–199

creating, 184–185

retrieving, 196–197

styles, defining, 186–187

templates, 186–187, 194–195

user name, displaying, 192–193

creating. *See also* adding

CSS (Cascading Style Sheets), 244–245

Master pages, 224–225

menus, 206–207

navigation strip, 212–213

page elements. *See specific elements*

passwords, 184–185

site members, 184–185

sitemaps, 200–201

skins, 240–241

themes, 236–237

Web services, 308–309

cross-page post, 47, 98–99

cross-site scripting, protecting against, 53

.cs file extension, 8

CSS (Cascading Style Sheets)

creating, 244–245

formatting database data, 131

formatting tables, 131

themes, 243

customizing. *See also* personalization

buttons, 56–57

configuration, 298–299

configuration settings, with XML, 298–299

controls, 47, 304–307

CreateUserWizard, 186–187

httpHandler, 294–295

HttpModule, 296–297

input validation, 106–109

login, 189

membership providers, 144

membership systems, 187

menus, 210–211

page content, 194–195

programming logic. *See* httpHandler; httpModule

templates, 7

Web controls, 13, 47

web.config file configuration, 48

D

data views, 264–265

databases

binding data

data list, 128–129

details view, 134–135

forms view, 140–141

grid view, 112–113

templates, 124–125

buttons, 138–139

deleting records

details view, 134–135, 138–139

forms view, 143

grid view, 122–123

displaying data

data list, 128–129

details view, 134–135

forms view, 140–141

grid view, 112–113

templates, 124–125

editing data

details view, 134–135, 138–139

forms view, 142–143

grid view, 120–121

formatting

CSS (Cascading Style Sheets), 131

data list, 128–131

details view, 136–137

grid view, 114–115

templates, 126–127

- grid lines
 - data list, 130–131
 - details view, 136–137
 - grid view, 114–115
- inserting records, 138–143, 266–267
- paging
 - data list, 132–133
 - forms view, 140–141
 - grid view, 116–117
- queries, progress indicator, 117
- sorting, 118–119
- SQL (Structured Query Language). *See* SQL databases
- templates, 124–125
- text orientation, 127
- datasets, creating, 260–261**
- datatables, creating, 262–263**
- DataTips, new features, 3**
- dates. *See* calendars**
- debug configuration, 272**
- debugging**
 - attaching to running processes, 282
 - Autos Watch window, 280
 - break conditions, 270–271
 - breakpoints, 270–271
 - browser compatibility, 275
 - Comments, 276
 - design-time notification, 276–277
 - enabling, 272
 - exceptions
 - global exception handler, 286–287
 - page-level handling, 284–285
 - throwing/catching, 285
 - executing in Break mode, 277
 - FireBug, 275
 - FireFox, 275
 - JavaScript, 274–275
 - Locals Watch window, 280
 - logging errors, 287
 - new features, 3
 - port 80, 272
 - Quick Watch window, 281
 - SmartTags, 276
 - SQL stored procedures, 283
 - squiggly lines, 276

- tracing, 278–279
- User Tasks, 276
- Venkman JavaScript debugger, 275
- watch windows, 280–281
- Web sites, 272–273

default.aspx file, 4

deleting

- cookies, 44
- database records
 - details view, 134–135, 138–139
 - forms view, 143
 - grid view, 122–123
- roles, 172–173, 178–179
- users, 154–155, 178–179

Design view, 8

design-time error notification, 276–277

DLLs (dynamic link libraries), 14–15

docking windows, 11

document window, 10

DoS (Denial Of Service) attacks, 87

down arrow, in windows, 11

drop down lists, 62–63

E

echoing, 53

editing

- database data
 - details view, 134–135, 138–139
 - forms view, 142–143
 - grid view, 120–121
- database records, 264–265
- Web pages, 8–9

e-mail

- attachments, 290–291
- HTML format, 289
- longer than 256 characters, 152
- messages, defining, 185
- password recovery, 196–197
- sending, 288–289
- SMTP (Simple Mail Transport Protocol), 288–289

environment settings. *See* configuration

Error List window, 10

error messages, 110–111

event handlers, 16–17, 67, 76–77

INDEX

events

- in custom page classes, 293
- list of, 29
- wiring to methods, 47

exceptions

- global exception handler, 286–287
- page-level handling, 284–285
- throwing/catching, 285

Export feature, 22–23

exporting. *See also* importing

- environment settings, 23
- files, 22–23
- projects, 22–23
- templates. *See* Code Snippets
- Web pages, 3
- Web sites, 3, 22–23

F

File System destination, 25

file types, 2

files

- adding to Web sites, 7
- exporting, 22–23
- saving, 86–87
- size issues, 87
- uploading, 86–87

filtering database records, 264–265

FireBug, 275

FireFox, 275

focus, defaults, 78–79

fonts. *See* formatting

formatting

- calendars, 69–71
- controls, 214–215
- CreateUserWizard, 186–187
- cultural differences, 300–301
- database data
 - CSS (Cascading Style Sheets), 131
 - data list, 128–131
 - details view, 136–137
 - grid view, 114–115
 - templates, 126–127
- error messages, 111

labels, 52–53

navigation strip, 214–215

radio buttons, 65

text, 52–53

validation controls, 111

forms, submitting, 56–57

Forms authentication, 147

Forms Authentication timeouts, 44

FTP Site destination, 25

G

global variables, 36–37

global.asax file, 4, 28

grid lines

calendars, 70–71

database records, 114–115, 130–131, 136–137

grid view, databases

binding data, 112–113

deleting records, 122–123

displaying data, 112–113

editing data, 120–121

formatting data, 114–115

grid lines, 114–115

paging, 116–117

grouping

controls, 74–75

personalized properties, 247

users. *See* roles

H

hidden data, 84–85

hiding windows, 11

hot spots, 94–95

HTML format e-mail, 289

HTTP modules, configuring, 48

httpHandler, customizing, 294–295

HttpModule, customizing, 296–297

hyperlinks. *See* links

I

identity theft, 163

image maps, 94–95

images

- aligning, 56–57, 60–61
- alternate text, 60–61
- on buttons, 56–57, 120–121
- controls, 74–75
- displaying, 60–61
- enabling/disabling, 60–61
- sitemap menus, 206–207

[Implements directive, 46](#)

[Import directive, 46](#)

[importing. See also exporting](#)

- environment settings, 23
- namespaces, 46
- projects, 3
- templates. *See* Code Snippets
- Web pages, 3
- Web sites, 3

input

- reading. *See* reading, input
- validating. *See* validating, input

[interface, specifying, 46](#)

J

[JavaScript, 274–275](#)

L

[labels, 52–53](#)

[language differences, 300–301](#)

links

- assemblies to Web pages, 46
- bulleted lists, 82–83
- from buttons, 56–57
- colors, 83
- hot spots, 94–95
- image maps, 94–95
- site map nodes, 212

[list boxes, 62–63](#)

[lists, 62–63, 80–83](#)

[Live.com Search, 312–313](#)

[Local IIS destination, 25](#)

[localizing content, 300–301](#)

[Locals Watch window, 280](#)

[locking out failed logins, 165](#)

locking/unlocking

- accounts, 165
- variables, 37

[logging errors, 287](#)

login

- customizing, 189
- interface, adding, 188–189
- locking out failed attempts, 165
- status, displaying, 190–191

M

[mapping requests to handlers, 49](#)

[Master directive, 46](#)

Master pages

See also skins

See also styles

See also templates

See also themes

- absolute URLs, 235
 - accessing controls, 230–231
 - applying, 226–227
 - browser compatibility, 233
 - caching, 234–235
 - child, 232–233
 - creating, 224–225
 - definition, 6
 - description, 28, 224–225
 - event handlers for controls, 231
 - events, 228–229
 - methods, 228–229
 - nesting, 232–233
 - parent, 232–233
 - properties, 228–229
 - relative URLs, 235
 - specifying, 46
 - strongly-typed reference, defining, 47
 - type casting control references, 230
- [MasterType directive, 47](#)
- [membership providers. See also authenticating users; passwords](#)
- ASP.NET
 - configuring, 146–147
 - Forms authentication, 147

INDEX

- redirecting failed authentication, 147
- session timeout, 147
- verifying user credentials, 146–147

classes, 144–145

- custom, 144
- custom systems, 187
- interfaces, 144–145
- SQL server, 145, 148–149
- updating user accounts, 152–153

users

- adding, 150–151
- deleting, 154–155
- duplicate usernames, 158
- listing, 158–159
- locking/unlocking accounts, 165
- online, counting, 164
- profiles, retrieving, 156–157, 165
- searching, 158–159

menu items

- binding, 208–209
- creating menus, 206–207

menus

- binding, 208–209
- creating, 206–207
- customizing, 210–211

methods

- abstracting, 171
- assigning to event handlers, 76–77
- overloaded, 309
- refactoring, 171

moving windows, 11

N

- namespaces, importing, 46
- namespaces section, web.config file, 15
- navigating databases, 264–265
- navigation strip
 - creating, 212–213
 - formatting, 214–215
- navigational hierarchy
 - check boxes, 218–219
 - setting, 208–209
 - tree view, 216–217
- nesting Master Pages, 232–233

- new features, 2–3
- Notification Assistance window, 2

O

- Onion, Fritz, 41
- OutputCache directive, 47

P

- page classes, custom, 292–293
- Page directive, 47
- page directives, 46–47
- paging, 116–117, 132–133, 140–141
- parameters, passing. *See* reading, input
- parent Master Pages, 232–233
- passing variables and parameters. *See* reading, input
- passwords. *See also* authenticating users; membership providers
 - changing, 152–153, 198–199
 - creating, 184–185
 - hashed, 162–163
 - managing, 150–151
 - resetting, 160–161
 - retrieving, 162–163, 196–197
 - strength, enforcing, 151, 185, 199
 - text boxes, 54
 - validating, 199
- pattern matching, 107
- persisting variables, 36–41
- Personal Web Server, 19
- personalization. *See also* customizing
 - anonymous, 248–249
 - setting at runtime, 250–251
- Personalization properties, 246–247
- pinning windows, 11
- placeholders for controls, 76–77
- port 80, 5, 272
- port assignment, 5, 19
- post-backs
 - automatic, 101
 - cross-page, 47
 - from data controls, 57
 - interval, AJAX, 318
 - maintaining state, 305
 - to the server, 101

prebuilt projects, 5, 22. *See also* Starter Kits; templates
precompiling Web sites, 26–27
PreviousPageType directive, 47
programming
 code-behind model, 16–17
 custom logic. *See* httpHandler, customizing;
 httpModule, customizing
 reusing code. *See* Code Snippets
programming language, specifying, 47
progress indicators
 AJAX, 320–321
 database queries, 117
 sorts, 119
project types, 2
projects
 adding to Web sites, 4–5
 exporting, 22–23
 importing, 3
 prebuilt, 5, 22
 Starter Kits, 5
 templates, 5. *See also* Master Pages
properties, personalizing, 246–247. *See also* SmartTags
Properties window, 10
Publish Web Site option, 26–27
publishing Web sites
 Copy Web Site utility, 24–25
 destinations, 25
 Web Site Copy utility, 3
push pin, in windows, 11

Q

Quick Watch window, 281

R

radio buttons, 66–67
ratings, 315, 322–325
reading
 cookies, 42–43
 input
 form variables, 34–35
 parameters, 32–33
 from users. *See* check boxes; lists
 Web controls, 35
refactoring methods, 171

Reference directive, 47
Register directive, 47
registration pages, 90–91
regular expressions, 106–107
release configuration, 272
Remote Site destination, 25
requests, mapping to handlers, 49
retrieving
 passwords, 162–163, 196–197
 roles, by user, 182–183
 users, by roles, 180–181
reusing code. *See* Code Snippets; user controls
roles
 adding, 168–169
 deleting, 172–173
 duplicate, 168
 listing, 174–175
 maximum number of, 168
 names, 168, 176–177
 retrieving, by user, 182–183
 role provider, 166–167
 updating, 170–171
 usernames, 176–177
 users
 adding, 176–177
 deleting, 178–179
 retrieving, 180–181

S

search engine queries, 312–313
searching databases, 264–265
security. *See also* authenticating users; membership providers; passwords
 cross-site scripting, protecting against, 53
 DoS (Denial Of Service) attacks, 87
 identity theft, 163
 server-side validation, 108
security trimming, 204–205, 209
settings. *See* configuration
.sitemap file extension, 200
sitemaps
 binding data to controls, 202–203, 206–207
 creating, 200–201
 custom providers, 201

INDEX

- menus
 - binding, 208–209
 - creating, 206–207
 - customizing, 210–211
- multiple per site, 200–201
- navigation strip
 - creating, 212–213
 - formatting, 214–215
- navigational hierarchy
 - check boxes, 218–219
 - setting, 208–209
 - tree view, 216–217
- performance, 204
- security trimming, 204–205, 209
- URL mapping, 220–221
- URL rewriting, 222–223
- skin files, 236
- skins
 - See also* Master pages
 - See also* styles
 - See also* templates
 - See also* themes
 - applying to controls, 237–238, 243
 - creating, 240–241
 - setting at runtime, 242–243
 - versus style sheets, 243
 - themes, 242
- SmartTags, 9, 276. *See also* properties
- SMTP (Simple Mail Transport Protocol), 288–289
- .snippet file extension, 21
- Solution Explorer window, 10
- sorting databases, 118–119, 264–265
- Source view, 8
- SQL databases
 - connecting to
 - asynchronous programming, 257
 - Command object, 256–257
 - Connection object, 254–255
 - performance, 257
 - SQLDataSource, 252–253
 - timeout, setting, 256–257
 - data views, 264–265
 - datasets, creating, 260–261
 - datatables, creating, 262–263
 - editing records, 264–265
 - filtering, 264–265
 - inserting records, 266–267
 - navigating, 264–265
 - passing parameters to, 268–269
 - retrieving data, 258–259, 266–267
 - searching, 264–265
 - sorting, 264–265
 - updating, 266–267
- SQL injection, protecting against, 53
- SQL server membership providers, 145, 148–149.
See also membership providers
- SQL stored procedures, 283
- squiggly lines, 276
- Starter Kits, 5
- state, maintaining
 - across post-backs, 305
 - hidden data, 84–85
- stepping through processes, 90–91
- storing cookies, 42–43
- style sheets
 - CSS (Cascading Style Sheets), 244–245
 - definition, 236
 - editing, 244–245
 - rule order, 245
 - versus skins, 243
- styles
 - See also* Master pages
 - See also* skins
 - See also* templates
 - See also* themes
 - calendars, 71
 - controls, 214–215
 - CreateUserWizard, 186–187
- subkeys, cookies, 43
- submitting
 - to another page, 98–99
 - forms, 56–57
- suggestion box, 324–325
- summarizing error messages, 110–111
- surveys, 90–91
- synchronizing locations, 24–25
- syntax notification, 3

T

Tab navigator, 10

Tabbed dialog, creating, 89

tables, database. *See* databases

Tag Navigator bar, 2

Task List window, 10

templates

See also Master pages

See also skins

See also themes

controls, 214–215

CreateUserWizard, 186–187, 194–195

custom, 7

importing/exporting. *See* Code Snippets projects, 5

text. *See also* text boxes

alternative to images, 60–61

displaying, 52–53

formatting, 52–53

orientation, 127

text boxes, 54–55

themes

See also Master pages

See also skins

See also templates

applying, 238–239

creating, 236–237

CSS (Cascading Style Sheets), 243

default, 238

definition, 28

disabling, 239

setting at runtime, 242–243

skins, 242

301 redirect

custom HttpModule, 296–297

URL mapping, 221

timeout, database connection, 256–257

timer, AJAX, 318–319

tool tips, turning on/off, 212

tracing code, 278–279

tree view, 216–217

type casting control references, 230

U

updating

databases, 266–267

roles, 170–171

uploading files, 86–87

URLs (Uniform Resource Locators)

for cookieless sessions, 45

mapping, 61, 220–221

Master Pages, 235

rewriting, 222–223

user controls. *See also* Control directive; controls; Web controls

creating, 50–51

defining, 46

definition, 29

description, 13

example, 46

properties, exposing, 51

User Tasks, 276

users

collecting information about, 186–187

grouping. *See* roles

input from

check boxes, 64–65

feedback, 315, 322–325

forms, 56–57

list boxes, 62–63

lists, 62–63

radio buttons, 66–67

name, displaying, 192–193

roles

adding, 176–177

deleting, 178–179

retrieving, 180–181

V

validating

input

AJAX, 326–327

blank input, 100

comparing inputs, 102–103

custom validation, 106–109

INDEX

- format requirements, 103, 105
- indirectly, 109
- maximum number of controls, 105
- range restriction, 104–105
- required input, 100–101
- security, 108
- turning off validation, 106
- users. *See* authenticating users; membership providers; passwords
- variables**
 - global, 36–37
 - injecting into Form collection, 34–35
 - locking/unlocking, 37
 - passing. *See* reading, input
 - persisting, 36–41
 - reading input from, 34–35
- .vb file extension, 8**
- Venkman JavaScript debugger, 275**
- ViewState Decoder, 41**
- visibility of content and controls, 52–53, 74–75, 88–89**

W

- watch windows, 280–281**
- Web controls.** *See also* Control directive; controls; user controls
 - adding to Web pages, 12–13
 - custom, 47
 - custom, creating, 13
 - definition, 29
 - posting actions back to pages, 57
 - properties, setting. *See* SmartTags
- Web pages**
 - adding buttons. *See* buttons
 - adding to Web sites, 6–7
 - assemblies, linking to, 46
 - attributes. *See* page directives
 - checking browsers, 18–19
 - code-behind class, defining, 47
 - compiler attributes, 47
 - compiling external resources, 47
 - content access control, 194–195
 - content customization, 194–195
 - cross-page postbacks, 47

- custom controls, 47
- default focus, setting, 78–79
- Design view, 8
- editing, 8–9
- events, wiring to methods, 47
- file extension, 28
- importing/exporting, 3, 22–23
- interface, specifying, 46
- linking to, 58–59
- namespaces, importing, 46
- navigating. *See* sitemaps
- persisting variables across, 40–41
- programming language, specifying, 47
- programming with code-behind model, 16–17
- restricting return to, 91
- settings, defining, 49. *See also* page directives
- Source view, 8
- start page, default, 18

Web server, 19

Web services

- consuming, 310–311
- creating, 308–309
- Live.com Search, 312–313
- remote, calling, 311
- search engine queries, 312–313

Web Site Administration tool, 146–147

Web Site Copy utility, 3

Web sites

- access control, 49
- compilation settings, configuring, 49. *See also* page directives
- components of, 28
- configuration data, storing, 48
- connection strings, specifying, 48
- creating, 4–5
- debugging, 272–273
- default theme, 238
- exporting, 3, 22–23
- files, adding, 7
- HTTP modules, configuring, 48
- importing/exporting, 3, 22–23
- mapping to URLs, 61
- navigating. *See* sitemaps

- precompiling, 26–27
- projects, adding, 4–5
- publishing, 3, 24–25
- synchronizing locations, 24–25
- Web pages, adding, 6–7

[web.config file](#)

- configuration settings, 48, 146–147
- creating, 4
- description, 28
- elements of, 48–49
- namespaces section, 15

[windows](#)

- closing, 11
- docking, 11
- document, 10
- down arrow, 11

- Error List, 10
- hiding, 11
- moving, 11
- Notification Assistance, 2
- pinning, 11
- Properties, 10
- push pin, 11
- Solution Explorer, 10
- Tab navigator, 10
- Task List, 10
- X (close window), 11
- [writing cookies, 42–43](#)



[X \(close window\), 11](#)