

Index

• Numerics •

5-HTP, 155
911 call, 270, 276, 278

• A •

Abilify (aripiprazole), 121
Acquired Immune Deficiency Syndrome (AIDS), 61
acute phase, of the illness, 51, 321
ADA (Americans with Disabilities Act), 182–183, 191, 212, 214–215
ADD (Attention Deficit Disorder), 23
Adderall, 282
ADHD (Attention Deficit Hyperactivity Disorder), 82, 115, 282–283, 286
adjunctive therapy, 148, 321
adolescents. *See also* children
depressed, 283–285
diagnosis, 23
suicide, 298–299
symptoms, 24
advance directives, 101
advocacy
educating family, 315
fighting stigma in the workplace, 319
government representatives, writing, 318
groups, joining, 317
insurance company and, 316
protesting stigma in the media, 319
in schools, 297–298, 319–320
support groups, involvement in, 317
teaching classes on mental health issues, 318
through religious organization, 320
aerobic exercise, 220
affective disorder, 321
AIDS (Acquired Immune Deficiency Syndrome), 61
akathisia, 120
alcohol, 115, 170, 227–228, 274, 299
Alcoholics Anonymous, 228
allergy, 112, 224
American Academy of Child and Adolescent Psychiatry (Web site), 289
American Board of Psychiatry and Neurology, 75
American Medical Association (AMA), 304
American Psychiatric Association
Diagnostic and Statistical Manual of Mental Disorders, 28, 81, 322
Web site, 73
Americans with Disabilities Act (ADA), 182–183, 191, 212, 214–215
amphetamines, 115, 227, 228
An Unquiet Mind: a Memoir of Moods and Madness (Kaye Jamison), 49
anger, 40, 201, 280–281
antianxiety medication, 115, 124–125
anticonvulsant, 39, 321
antidepressant, 15, 27, 121–124, 285, 321
antimanic, 15
antipsychotic, 15, 39, 120–121, 234, 321

antiseizure medicine, 118–120
anxiety
in children, 281, 286
comorbid with bipolar disorder, 82
medication for, 115, 124–125
medication-induced, 176
reduction with CBT, 134–135
apology, 181–182
aripiprazole (Abilify), 121
assortative mating, 94
Attention Deficit Disorder (ADD), 23
Attention Deficit Hyperactivity Disorder (ADHD), 82, 115, 282–283, 286
atypical antipsychotic, 120–121
automatic thoughts, 43

• B •

bankruptcy, 185
A Beautiful Mind (movie), 97
biochemistry of bipolar disorder, 34–39
Bipolar Bio icon, 6
bipolar community, ways to help, 315–320
bipolar disorder, definition, 321
Bipolar I, 14, 26–27, 83, 321
Bipolar II, 14, 27, 83, 321–322
bipolar label, 15, 86–87
bipolar lite. *See* cyclothymic disorder
Bipolar NOS (Not Otherwise Specified), 14, 28, 84, 322
bipolar spectrum, 84–85, 322
black cohosh, 154
Blogger (Web site), 202
blood tests, 67

- board certification, psychiatrist, 75, 304, 322
 - brain stem, 35
 - breastcancer.org, 69
 - breastfeeding, 116
 - A Brilliant Madness: Living with Manic-Depressive Illness* (Patty Duke), 49
 - budget
 - financial, 184
 - time, 204–205
 - bupropion (Wellbutrin), 15, 123, 171
- C •
- caffeine, 207, 226–227
 - calcium, 153
 - caller ID, 178
 - cancer, 61
 - carbamazepine (Tegretol), 39, 119
 - carbohydrates, 224, 226
 - C.A.R.E. program (NAMI), 318
 - career coaching, 18
 - caregiver. *See* supporting a loved one
 - Carlin, George (comedian), 205
 - CAT scan, 67
 - CBT. *See* cognitive behavioral therapy
 - cerebellum, 35
 - cerebral cortex, 36
 - cerebrum, 35, 36
 - CFIS (chronic fatigue immune deficiency syndrome), 61
 - chakras, 221
 - Changing Careers For Dummies* (Carol L. McClelland), 212
 - charting
 - moods, 18–19, 197–199, 268
 - sleep patterns, 199–200
 - chief complaint, 77
 - Child and Adolescent Bipolar Foundation (Web site), 289, 299
 - children
 - angry kid, 280–281
 - depression, 281, 283–285
 - diagnosis, 23
 - diagnostic difficulties, 280–287
 - evaluation of, 288–290
 - explaining bipolar disorder to, 258
 - hyperactive kid, 282–283
 - law-breaking kid, 287
 - Medicaid coverage, 312
 - oppositional kid, 285–287
 - parenting, 294–296
 - symptoms, 24
 - treatment, 290–299
 - chocolate, 225
 - chronic fatigue immune deficiency syndrome (CFIS), 61
 - chronic fatigue syndrome, 61
 - circadian rhythm, 41–42, 137–141, 322
 - Clinical Social Worker (CSW), 304
 - Clozaril (clozapine), 39, 121
 - cognitive behavioral therapy (CBT)
 - benefits of, 43–44
 - description, 17, 129–130, 322
 - identifying distorted thoughts and thinking, 131–132
 - mindfulness, changing, 134–135
 - personal schemes, 132–133
 - practice exercise, 135–136
 - restructuring behavior, 133–134
 - cognitive flexibility, 286
 - commitment, 271
 - community-based mental healthcare clinics, 309–310
 - comorbid conditions, 23, 115–116, 322
 - complementary therapy, 148
 - conflict, avoiding, 255–257
 - confrontations, logging, 201
 - confusion, 176
 - contact information, 102, 269, 271, 277
 - continuity of treatment, 93
 - contraindications, medication, 113
 - convalescence, 19–20
 - Cool Careers For Dummies* (Marty Nemko, Paul Edwards, and Sarah Edwards), 212
 - cortisol, 69
 - counselors, 304, 311
 - couples therapy, 18
 - credit cards, 184, 273
 - Crisis Information Sheet, 276–277
 - crisis, surviving current depression, 170–171
 - doctor and therapist availability during, 305
 - manic episode, 169–170
 - self-evaluation, 162–164
 - taking immediate action, 168–169
 - to-do list, 171
 - who to call, 165
 - why people don't listen, 166–168
 - crisis team, 270, 278
 - crisis-intervention plan
 - Crisis Information Sheet, 276–277
 - discuss the plan, making time to, 266
 - preventing risky behavior, 271–276
 - when to intervene, 268–269
 - who to call for help, 269–271
 - your involvement in, 266–267
 - CSW (Clinical Social Worker), 304
 - Cushing's syndrome, 61, 69
 - cyclothymic disorder, 14, 27–28, 83–84, 322

• D •

DBSA. *See* Depression and Bipolar Support Alliance

DBT (dialectical behavioral therapy), 134

debt control, 184–185

defiance, in children, 286

delusional thinking, 31

Depakote (divalproex), 39, 118, 169–170, 232, 234

dependence, psychological burden of, 243

depersonalizing, 250

depression

- battling back from acute, 170–171
- Bipolar II and, 27
- Bipolar NOS and, 28
- in children, 280, 281, 283–285
- cognitive therapy for, 43–44, 133
- crisis, surviving current, 170–171
- cyclothymic disorder and, 27
- dangers of, 12
- distorted thoughts and thinking, 131–132
- driving, effect on, 272
- effect on relationships, 181
- feelings, typical, 12
- rapid cycling and, 28
- rating, 162, 163
- signs of recovery, 307
- symptoms of major episode, 29–30
- triggers, 41
- unipolar, 23, 84, 281, 328

Depression and Bipolar Support Alliance (DBSA)

Sleepless in America campaign, 208

support groups, 263

Web site, 73–74, 96, 217, 289, 317

Depression Screening Questionnaire, 163

Dextromethorphan, 230

diabetes, 60

diagnosis

- acceptance of, 49–50
- asking questions about, 305
- in children, 280–287
- differential, 60–61, 82, 322
- illnesses that mimic bipolar disorder, 60–61
- label, 86–87
- medications causing mood disorders, 62
- obtaining accurate, 13–14
- by psychiatrist, 81–85, 90–91
- questions about, 293
- receiving, 82–85
- second opinions and, 49, 50
- self-diagnosis, 30, 62–63, 162
- symptoms, 63–64
- variations in, 50

Diagnostic and Statistical Manual of Mental Disorders (DSM-IV) (American Psychiatric Association), 28, 81, 322

dialectical behavioral therapy (DBT), 134

diETING, 228–229

differential diagnosis, 60–61, 82, 322

disability, filing for, 216–217, 312

distorted thoughts and thinking, identifying, 131–132

divalproex (Depakote), 39, 118, 169–170, 232, 234

doctor. *See also* psychiatrist

- psychiatrist referral by, 72
- questions to ask child's, 293–294
- selecting for children, 288–289

dopamine, 38, 322

downtime

- importance of, 204
- as trigger, 195–197

driving, reckless, 272

DSM-IV (*Diagnostic and Statistical Manual of Mental Disorders*), 28, 81, 322

Duke, Patty (*A Brilliant Madness: Living with Manic-Depressive Illness*), 49

dysphoria, 27, 323

dysthymia, 28, 323

• E •

eating. *See* food

education

- of educators, 297–298
- of family members, 253–254, 315
- support network, 96–97

Edwards, Paul (*Cool Careers For Dummies*), 212

Edwards, Sarah (*Cool Careers For Dummies*), 212

EEG, 67

EFA (essential fatty acid), 150–151

EKGs (electrocardiograms), 67, 112

electroconvulsive therapy (ECT), 156–157, 323

emergency numbers, 102

endocrinologist, 68

energy levels

- changes in children, 284
- charting, 199–200
- conserving, 205

energy supplements, 228–229

ephedra, 230

essential fatty acid (EFA), 150–151, 323

estrogen, 69

euphoria, 283, 323

euthymic, 323

evaluation

- of children, 288–290
- seeking in crisis, 168
- self-evaluation, 162–164

executive function, 76, 283, 323

exercise
 before bedtime, 208
 benefits of, 220
 T'ai Chi, 221–222
 yoga, 221

expectations, unrealistic, 43

The Explosive Child (Ross Greene), 287

expressed emotion, 145, 254–255, 323

● F ●

family. *See also* supporting a loved one
 activities, 257
 adjustments during recovery, 178–179
 conflict, as stressor, 192–193
 educating, 315
 returning to, 181–182
 support groups, 263
 support network, 94–99

Family and Medical Leave Act (FMLA), 183, 215

family history
 children and, 285
 diagnosis and, 81–82
 examination of, 33–34
 medication selection and, 111
 psychiatrist evaluation and, 78–79

family therapy
 description, 18, 142–146
 goals, 94
 role in recovery, 178–179

Family to Family program (NAMI), 318

FDA (Food and Drug Administration), 150

Federal Trade Commission (FTC), 185

Feuerstein, Georg (*Yoga For Dummies*), 221

fiber, 226

financial guardianship, 185

financial issues
 budgeting, 184
 counseling, 18
 debt control, 184–185
 relinquishing control of, 185

5-HTP, 155

FMLA (Family and Medical Leave Act), 183, 215

folic acid, 153

food
 allergies, 224
 carbohydrates, 224
 effect on mood, 223
 importance of healthy, 222–223
 protein, 225

Food and Drug Administration (FDA), 150, 293

Frances (movie), 97

friends
 returning to, 181–182
 support network, 94–99
 supporting, 22–23

fruits, 225–226

FTC (Federal Trade Commission), 185

functional MRI scan, 76

● G ●

gabapentin (Neurontin), 119

gamma-aminobutyric acid (GABA), 38, 154, 323

genetic basis for bipolar disorder
 description, 32–34
 family history, examination of, 33–34
 statistics, 32

genetic testing, 76

Geodon (ziprasidone), 121

ginkgo biloba, 154

glial cells, 35

glutamate, 38, 323

Goodwin, Frederick K. (former director of the National Institute of Mental Health), 84

government representatives, writing, 318

G-proteins, 38, 323

grandiosity, 283

gray matter, 36

Greene, Ross (*The Explosive Child*), 287

guardian, legal, 185

● H ●

hallucinations, 31

Hamilton Depression Scale, 91

Hatha yoga, 221

healing. *See* recovery

HelpingPatients.org (Web site), 313

hepatitis, 61

herbal treatments, 153–155, 230

history
 family, 78–79, 81–82, 285
 medical, 63, 66, 78
 medication and drug, 79–80
 of present illness, 77–78

HIV (Human Immunodeficiency Virus), 61

holidays, as stressor, 193

home environment
 children, 258
 conflict avoidance, 255–257
 education of household members, 253–254
 expressed emotion, reducing level of, 254–255
 family fun, 257
 structured schedule, establishing, 254
 volume level, lowering, 254

hormone replacement therapy (HRT), 43, 69

- hormones
 imbalances, 60
 mood effects of, 42–43
- hospitalization
 alternatives to, 104–105
 for children, 291
 crisis-intervention and, 270
 involuntary, 271
 preferred hospital, 105
 for suicide prevention, 298–299
 support network and, 55–56
 survival tips for, 54–55
 voluntary, 103
- HRT (hormone replacement therapy), 43, 69
- Human Immunodeficiency Virus (HIV), 61
- hyperactive children, 282–283
- hypercortisolism, 61
- hypersexuality, 273–274, 323
- hyperthymic, 285, 323
- hyperthyroidism, 60, 68, 324
- hypomania
 Bipolar II and, 27
 Bipolar NOS and, 28
 cyclothymic disorder and, 27
 description, 10, 324
 noncompliance with treatment and, 16
 preventing self-damaging behaviors, 20–21
- hypothalamus, 35
- hypothyroidism, 60, 68, 324
- **I** •
- ibuprofen, 230
- icons, used in book, 6
- Iknoian, Therese (*T'ai Chi For Dummies*), 222
- imperfection, accepting, 206
- impulse control, poor, 282
- Individual Education Plan (IEP), 296–297, 324
- Individuals with Disabilities in Education Act (IDEA), 296
- insight, 56, 324
- insulin, 69
- insurance company
 advocacy for parity of benefits, 316
 psychiatrist recommendation, 72–73
- Insure Kids Now! program, 312
- intensive outpatient therapy (IOT), 20, 142
- interdependence, 2243
- Internet access, restricting, 274
- interpersonal and social rhythm therapy (IPSRT), 17–18, 137–141, 199, 324
- IOT (intensive outpatient therapy), 20, 142
- Ivanhoe, Sara (*Yoga Workout For Dummies*), 221
- **J** •
- Jamison, Kaye
An Unquiet Mind: a Memoir of Moods and Madness, 49
Touched With Fire: Manic Depression and the Artistic Temperament, 50
- jet lag, 193
- job
 absence from, 20
 benefits, 210–211
 disability benefits, 216–217, 312
 fighting stigma in the workplace, 319
 hunting for rewarding, 211–212
 knowing your rights, 214–215
 quitting, 183, 215
 returning to, 182–184
- schedule, negotiating
 healthy, 212–213
 stressors, 190–191
- journal, 202
- **K** •
- kava, 155, 230
- kindling effect, 48, 324
- Kundalini yoga, 221
- **L** •
- lab tests, 67–69
- label, bipolar, 15, 86–87
- Lamictal (lamotrigine), 119, 171, 234
- language and learning problems, 281, 287
- legal guardianship, 185
- legal issues, 186–187, 287
- Licensed Clinical Social Worker (LCSW), 304
- licensing boards, 304
- lifestyle management, 18, 291, 298
- light therapy, 158, 325
- limbic system, 36
- limits, setting, 255–257
- Linehan, Marsha (developer of dialectical behavioral therapy), 134
- lithium, 15, 39, 117–118, 169–171, 234
- LiveJournal (Web site), 202
- liver function tests, 112
- living arrangements, finding alternative, 19, 104
- lobotomy, 155
- logging confrontations, 201
- lupus, 61
- **M** •
- magnesium, 153, 225
- maintenance dose, of medication, 51, 324

- major depressive episode, defined, 324
- Making Marriage Work For Dummies* (Dr. Steven Simring and Dr. Sue Klavans Simring), 143
- maladaptive assumptions, 43–44
- mania. *See also* hypomania
- Bipolar I and, 26–27
- Bipolar NOS and, 28
- in children, 280, 282–283, 285
- cognitive behavioral therapy working in, 134
- definition, 324
- distorted thoughts and thinking, 131–132
- drug-induced, 27
- effect on relationships, 181
- measuring, 162, 164
- noncompliance with medication for, 51, 235
- rapid cycling and, 28
- risky behaviors and, 272–273
- signs of recovery, 307
- triggers, 40–41
- Mania Screening Questionnaire, 164
- manic depression, definition, 324
- manic episode
- battling back from acute, 169–170
- crisis, surviving current, 169–170
- description, 11–12, 324
- feelings and beliefs, 11
- preventing self-damaging behaviors, 20–21
- symptoms of, 30–31
- MAO (monoamine oxidase) inhibitors, 123, 324–325
- marijuana, 228, 284
- Master in Social Work (MSW), 304
- McClelland, Carol L. (*Changing Careers For Dummies*), 212
- mechanism of action, 325
- media, stigma in, 319
- mediation, 222
- Medicaid, 312
- Medicare, 312, 313
- medication. *See also specific medications*
- adjusting, 114–115, 176, 179–180, 240–241
- antianxiety, 115, 124–125
- antidepressant, 15, 27, 121–124, 285, 321
- antipsychotic, 15, 39, 120–121, 234, 321
- antiseizure, 118–120
- avoidance, 51
- causing mood disorders, 62
- for children, 291, 292, 293–294
- for co-existing conditions, 115–116
- combinations, 112–115
- contraindications, 113
- cost, 112
- difficulties in prescribing correct, 110
- dosage adjustment, 17
- forgetting to take, 235
- free samples, 112
- herbal, 153–155, 230
- lithium, 15, 39, 117–118, 169–171, 234
- maintenance dose, 51, 233
- MAO inhibitors, 123, 324–325
- mechanism of action, 38
- multiple, 15–16
- noncompliance, 232–240
- over-the-counter, 229–230
- pregnancy and, 116
- prescription assistance program, 313–314
- preventive, 50–51, 233
- psychiatrist evaluation and, 79–80
- questions to ask about, 307–308
- questions to ask before starting, 111
- risks of nonadherence, 239–240
- safety of, 113–114
- selecting best for you, 110–111
- self-medication, 170, 240–241
- side effects, 16, 19, 111–112, 233–234, 293
- sleep aids, 125, 230
- SSNRIs, 39, 122, 327
- SSRIs, 39, 122, 171, 234, 327
- stepping, 112
- stopping, 17, 229, 237, 239–240
- testing blood levels of, 112
- tranquilizers, 115, 124–125
- tricyclics, 123, 328
- for unipolar depression, 84
- Wellbutrin (bupropion), 123
- melatonin, 155, 230
- memory problems, 115, 176
- menopausal hormone therapy (MHT), 69
- Mental Health Association, local, 310, 311
- middle brain, 35
- mindfulness, 134–135, 221, 222
- minerals, 152–153
- mixed manic episode, 31
- mixed state, 12, 325
- monoamine oxidase (MAO) inhibitors, 123, 324–325
- mononucleosis, 60
- mood chart
- benefits of, 52
- description, 18–19, 325

sample chart, 198
 using, 197–199, 268

mood disorder, definition, 325

mood stabilizer, 15, 84,
 170–171, 325

mood swings
 benefits of tracking, 52
 normal versus bipolar, 10

mood-altering people,
 193–194

mood-management team
 communication, 98, 99,
 102–103
 crisis prevention and
 management, 101–105
 local support groups,
 100–101
 psychiatrist, 90–91
 support network, 94–99
 therapist, 91–94

MRI scan, 67, 76

MSW (Master in Social
 Work), 304

• **N** •

Naprosyn, 230

National Alliance for the
 Mentally Ill (NAMI)
 C.A.R.E. program, 318
 Family to Family pro-
 gram, 318
 support groups, 263
 Web site, 96, 100, 186,
 289, 317

National Center for Comple-
 mentary and Alternative
 Medicine (NCCAM), 155

National Do Not Call Registry
 (Web site), 178

National Institute of Mental
 Health (Web site), 73

National Mental Health
 Association (NMHA),
 100, 310

NCCAM (National Center for
 Complementary and
 Alternative Medi-
 cine), 155

needs, assessing your, 177

negative thinking,
 overcoming, 3–44

Nemko, Marty (*Cool Careers
 For Dummies*), 212

Neuroleptic Malignant
 Syndrome, 325

neuroleptics, 120, 325

neurological tests, 76

neurons, 35, 36, 37–38

Neurontin (gabapentin), 119

neurotransmitter, 37–38, 325

nicotine, 226–227

911 call, 270, 276, 278

NMHA (National Mental
 Health Association),
 100, 310

noise level, reducing, 254

noncompliance, with
 treatment, 16, 292

norepinephrine, 38, 325

nutraceuticals, 149–150

nutrition. *See* food

• **O** •

obsessive compulsive disorder
 (OCD), 115, 116, 281

ODD (Oppositional Defiant
 Disorder), 23, 286

off label, 293, 325

olanzapine (Zyprexa), 15, 39,
 120, 171

The Omega-3 Connection
 (Andrew L. Stoll,
 MD), 151

omega-3 fatty acids,
 150–151, 325

oppositional children,
 285–287

outpatient commitment, 271

over-the-counter medica-
 tions, 229–230

• **P** •

paranoia, 11, 31

parent advocate, 296

parity of benefits, insur-
 ance, 316

parole officer, 186

Pauley, Jane (*Skywriting: A
 Life Out of the Blue*), 49

Paxil, 15, 234

Payne, Larry (*Yoga For
 Dummies*), 221

PDDs (Pervasive Develop-
 mental Disorders), 286

p-doc, 90, 325. *See also*
 psychiatrist

pediatricians, 288

peer support, 311

peersupport.org (Web
 site), 318

perimenopause, 42

personal schemes, 132–133

personality disorders, 116

personality types, 98–99

Pervasive Developmental
 Disorders (PDDs), 286

phase delayed, 325

phenylethylamine, 225

phototherapy, 158, 325

physical examination, 66

placebo, 310

planning
 advance directives, 101
 to avoid downtime, 196–197
 contact information, 102
 Crisis Information Sheet,
 276–277
 discuss the plan, making
 time to, 266
 emergency numbers, 102
 preventing risky behavior,
 271–276
 releases, 103
 rhythm maintenance, 141
 when to intervene, 268–269

- planning (*continued*)
 who to call for help, 269–271
 your involvement in, 266–267
- police, contacting, 270, 278
- power of attorney, 185
- prefrontal cortex, 35
- pregnancy, medication management and, 116
- prescription assistance program, 313–314
- presenting symptoms, 64, 326
- prevention
 accept your diagnosis, 49–50
 list of actions, 48
 with medication, 50–51
 mood fluctuations, monitoring, 52
 self-surveillance and, 56
 stressors, identifying and eliminating, 52–53
 support network, 53–54
- problem-solving skills, developing, 145–146
- prodromal symptoms, 326
- progesterone, 69
- prognosis, 45–46
- prolactin, 120
- prophylaxis, 51, 326
- protein, 225
- protein kinases, 38, 69, 326
- protesting, stigma in the media, 319
- Prozac, 15, 171, 232, 234
- pseudoephedrine, 230
- psychiatric evaluation
 description, 75–76
 diagnosis, 81–85
 differential diagnosis, 82
 family history, 78–79, 81–82
 history of present illness, 77–78
 medical history, 78
- medication and drug
 history, 79–80
 seeking in crisis, 168
 severity of illness, gauging, 85–86
- sleep log, 80
- symptom evaluation, 81
- psychiatrist
 appointments, ease of obtaining, 304
 board certification, 75, 304, 322
 child-and-adolescent, 288–289
 collaborative relationship with, 242
 complaints about, 241–242
 coordination of treatment, 308
 crisis, availability in, 269, 305
 definition, 326
 evaluation and diagnosis by, 81–87, 90–91, 305
 experience, 303–304
 finding, 72–74
 first meeting with, 75–80
 importance of, 71
 improvement, expectations of, 306–307
 on mood-management team, 90–91
 payment plans, 314
 questions to ask, 303–308
 selecting, 74–75
 side effects of medication, 308
 treatment plan, 87–88, 306
 worsening of condition, 307
- psychoeducation, 17, 128–129, 144–145, 326
- psychologist, definition, 326
- psychopharmacology
 definition, 109, 326
 difficulties with, 110
 goals, 110
- psych.org (Web site), 73
- psychosis
 definition, 326
 as differential diagnosis, 82
 symptoms of, 31
- psychotropic substances, 109, 326
- *Q* •
- questions, to ask psychiatrist or therapist
 appointments, ease of obtaining, 304
 coordination of treatment, 308
 crisis, availability in, 305
 diagnosis, 305
 experience, 303–304
 improvement, expectations of, 306–307
 side effects of medication, 308
 treatment plan, 306
 worsening of condition, 307
- quetiapine (Seroquel), 121
- *R* •
- rapid cycling, 28–29, 326
- recovery
 assessing your needs, 177
 checklist, 180–181
 fallout, dealing with, 174
 family adjustments during, 178–179
 financial issues, 184–185
 legal issues, 186–187
 medications and, 179–180
 as number-one priority, 174–180
 questions to ask doctor about, 306–307
 reclaiming your life, 19–20, 180–187
 returning to friends and family, 181–182
 in safe, quiet place, 178–179

- selfishness, mastering art
of, 176–178
- setbacks, 187
- signs of, 307
- time length, 56
- what to expect, 175–176
- relapse, planning ahead for
possible, 21–22
- relationship therapy, 142–146
- relationships, building
healthy, 209–210
- Relationships For Dummies*
(Dr. Kate M. Wachs), 143
- relative, supporting, 22–23
- releases, 103
- religious organizations
advocacy and, 320
- counseling from, 311
- Remember icon, 6
- repetitive transcranial
magnetic stimulation
(rTMS), 157, 326
- resident treatment centers
(RTCs), 142
- resources, conserving, 205
- review of systems, 64, 77, 90
- RFC (Residual Functional
Capacity), 216–217
- rheumatoid arthritis, 61
- rhythm
charting, 140
- interpersonal and social
rhythm therapy (IPSRT),
137–141
- maintaining, 141
- rights, knowing your, 214–215
- risk-to-benefit ratio, of alter-
native treatments, 148
- risky behavior
driving, reckless, 272
- hypersexuality, 273–274
- preventing, 271–276
- spending, uncontrolled,
272–273
- suicide, 275–276
- Risperdal (risperidone), 121
- Ritalin, 282, 288
- romantic relationship, as
stressor, 191–192
- routines, establishing
healthy
- importance of, 206–207
- sleep, 207–208
- social activities, 208, 209
- spontaneity, leaving room
for, 209
- RTCs (resident treatment
centers), 142
- rTMS (repetitive transcranial
magnetic stimulation),
157, 326
- S •
- SAD (seasonal affective
disorder), 327
- SAME (S-Adenosylmethion-
ine), 154
- schedule, establishing
structured, 254
- schizoaffective disorder,
27, 326
- schizophrenia, 33, 327
- school matters, 291, 296–298,
319–320
- seasonal affective disorder
(SAD), 327
- second messenger,
38, 69, 327
- second opinion, 49, 50, 70
- Section 504 Services, 297
- sedatives, 15
- seizures, 48, 327
- Selective Serotonin and
Norepinephrine
Reuptake Inhibitor
(SSNRI), 39, 122, 327
- Selective Serotonin Reuptake
Inhibitor (SSRI)
for anxiety disorders, 115
- benefits and risks, 122
- description, 39, 171,
234, 327
- time to take effect, 232
- self-damaging behaviors,
20–21, 284, 299
- self-esteem, low, 44
- selfishness, mastering art of,
176–178
- self-medication, 240–241, 327
- self-surveillance, 56
- Seroquel (quetiapene), 121
- serotonin, 38, 327
- setbacks, 187
- severity of illness, gauging,
85–86
- side effects
ECT, 156
- medication, 16, 19, 111,
233–234, 293
- of unconventional
treatments, 150
- Simring, Dr. Steven (*Making
Marriage Work For
Dummies*), 143
- Simring, Dr. Sue Klavans
(*Making Marriage Work
For Dummies*), 143
- Skywriting: A Life Out of the
Blue* (Jane Pauley), 49
- sleep
aids, 125, 230
- deprivation and preg-
nancy, 116
- deprivation, as mania
trigger, 41
- problems in children,
281, 283, 284
- schedule, suggestions for
regular, 207–208
- total sleep deprivation
(TSD), 201, 328
- sleep log, 80, 199–200
- Sleepless in America (Web
site), 208
- social activities, scheduling,
208–209
- social factors, in bipolar
disorder, 44
- Social Security
Administration (SSA),
216–217, 312

- solitude, 178
 spending, runaway, 272–273
 spinal tap, 67
 spontaneity, leaving room
 for, 209
 SSA (Social Security Administration),
 216–217, 312
 SSNRI (Selective Serotonin and Norepinephrine Reuptake Inhibitor),
 39, 122, 327
 SSRI. *See* Selective Serotonin Reuptake Inhibitor
 St. John's wort, 154, 230
 state medical assistance, 311
 stigma, 319, 327
 stimulants, 170, 207,
 226–227, 229
 Stoll, Andrew L., MD (*The Omega-3 Connection*), 151
 stress
 in children, 281
 pregnancy and, 116
 as trigger, 34, 39, 53
 stressors
 description, 39–43, 327
 downtime, 195–197
 family conflict, 192–193
 holidays, 193
 identifying and eliminating,
 52–53
 job, 190–191
 mood-altering people,
 193–194
 romantic relationship,
 191–192
 temperaments, clashing,
 194–195, 196
 uncomfortable situations,
 195
 substance abuse, 82, 115,
 186, 274, 284
 Sudafed, 230
 sugar, 224
 suicide, 20, 275–276, 283–284,
 298–299
 supplements, weight-loss
 and energy, 228–229
 support group
 definition, 327
 for family members of
 people with mental
 illnesses, 263
 involvement in, 317
 local, 100–101
 locating, 311
 on mood-management
 team, 100–101
 psychiatrist recommen-
 dation from, 74
 roles of, 53–54
 support network
 building, 95
 communication,
 encouraging open, 98–99
 educating, 96–97
 hospitalization and, 55–56
 level of involvement,
 setting, 97–98
 mood-management team,
 94–99
 personality types, 98–99
 planning ahead for possible
 relapse, 21–22
 responding in a crisis, 278
 support4hope.com (Web
 site), 263
 supporting a loved one
 conflict avoidance, 255–257
 depersonalizing, 250
 disassociating the disorder
 from the person, 249
 educate household
 members, 253–254
 expectations, forming
 realistic, 248
 expressed emotion, reduc-
 ing level of, 254–255
 mindset, establishing
 correct, 248–250
 structured schedule,
 establishing, 254
 taking breaks, 258
 taking care of yourself,
 261, 263
 treatment contract, 261, 262
 warning signs, watching for,
 259–261
 what you can do, 250–251
 what you can't do, 251–252
 what you shouldn't do or
 say, 252–253
 when to step back, 260–261
 when to step in, 260
 Symbyax, 171
 symptoms
 amplifiers and reducers of,
 65–66
 onset of, 64–65
 questions from doctor
 concerning, 63–66
 synapse, 37, 122
- T ●
- T'ai Chi, 221–222
T'ai Chi For Dummies
 (Therese Iknoin), 222
 talkativeness, 282
 Tamoxifen, 69
 tardive dyskinesia, 120, 327
 taurine, 154
 teaching classes, on mental
 health issues, 318
 Technical Stuff icon, 6
 Tegretol (carbamazepine),
 39, 119
 temperament
 children, 286
 clashing, 194–195, 196
 testosterone, 69
 tests
 hormone, 68–69
 standard lab, 67
 thyroid, 68
 T4/Free T4, 68
 thalamus, 35
 theobromine, 225
 therapeutic level, 328

- therapist
 appointments, ease of
 obtaining, 304
 collaborative relationship
 with, 242
 complaints about, 241–242
 contacting in crisis, 269
 coordination of treatment, 308
 crisis, availability in, 305
 diagnosis, 305
 experience, 303–304
 improvement, expectations
 of, 306–307
 licensed, 304
 on mood-management
 team, 91–94
 payment plans, 314
 psychiatrist referral by, 73
 questions to ask, 303–308
 roles of, 91–94
 side effects of medication, 308
 treatment plan, 306
 worsening of condition, 307
- therapy
 for children, 291
 cognitive behavioral
 therapy (CBT), 129–136
 dialectical behavioral
 therapy (DBT), 134
 family, 142–146, 178–179
 intensive outpatient therapy
 (IOT), 20, 142
 interpersonal and social
 rhythm therapy (IPSRT),
 17–18, 137–141, 199, 324
 psychoeducation, 128–129,
 144–145
 relationship, 142–146
 resident treatment centers
 (RTCs), 142
 thinking problems, 115
 thoughts, distorted,
 131–132, 136
- thyroid
 definition, 328
 function tests, 112
 malfunction, 60, 68
 scan, 68
 tests, 68
- time, budgeting, 204–205
- Tip icon, 6
- Topomax (topiramate),
 119, 233
- total sleep deprivation
 (TSD), 201, 328
- Touched With Fire: Manic
 Depression and the
 Artistic Temperament*
 (Kaye Jamison), 50
- tranquilizer, 115, 124–125
- treatment. *See also*
 medication
 avoidance, reasons for, 13
 continuity of, 93
 coordinated, 308
 cost, 309–314
 ECT (electroconvulsive
 therapy), 156–157
 herbal, 153–155
 light therapy
 (phototherapy), 158, 325
 natural, 149–155
 nonadherence, risks of,
 239–240
 noncompliance, 16, 292
 nutraceuticals, 149–150
 omega-3 fatty acids,
 150–151
 resistance to, 232–239
 risk-to-benefit ratio of
 alternative, 148
 rTMS (repetitive
 transcranial magnetic
 stimulation), 157
 vitamins and minerals,
 152–153
 VNS (Vagus Nerve
 Stimulation), 156
- treatment contract, 261, 262
- treatment, in children
 hospitalization, 291,
 298–299
 lifestyle management,
 291, 298
 medication, 291, 292,
 293–294
 questions to ask doctor,
 293–294
 school support,
 291, 296–298
 therapy, 291
 tools, 290–291
- treatment plan, 87–88, 306
- tricyclic antidepressant,
 123, 328
- triggers
 description, 39–43, 327
 downtime, 195–197
 family conflict, 192–193
 holidays, 193
 identifying, 190–197
 identifying and eliminating,
 52–53
 job, 190–191
 mood-altering people,
 193–194
 romantic relationship,
 191–192
 temperaments, clashing,
 194–195, 196
 uncomfortable situations,
 195
- Trileptal (oxcarbazepine), 119
- TSD (total sleep
 deprivation), 201, 328
- TSH, 68
- T3, 68
- Type-A personalities, 176
- tyrosine, 225
- u •
- uncomfortable situations, as
 trigger, 195
- unipolar depression, 23, 84,
 281, 328

university programs, 310–311
 urinalysis, 67
 U.S. Department of Health
 and Human Services, 312
 U.S. Department of Labor
 (Web site), 215

• U •

valerian, 155, 230
 vegetables, 225–226
 vegetarians, 225
 vitamins, 152–153
 VNS (Vagus Nerve
 Stimulation), 156

• W •

Wachs, Dr. Kate M. (*Relation-
 ships For Dummies*), 143
 Warning! icon, 6
 warning signs, watching for,
 259–261
 Web site
 on advance directives, 101
 Alcoholics Anonymous, 228
 American Academy of Child
 and Adolescent Psychi-
 atry, 289
 American Medical
 Association (AMA), 304
 American Psychiatric
 Association, 73
 Americans with Disabilities
 Act (ADA), 214, 215

Blogger, 202
 breastcancer.org, 69
 Child and Adolescent Bipolar
 Foundation, 289, 299
 Depression and Bipolar
 Support Alliance (DBSA),
 73–74, 96, 217, 289, 317
 Federal Trade Commission
 (FTC), 185
 of government represen-
 tatives, 318
 HelpingPatients.org, 313
 Insure Kids Now! pro-
 gram, 312
 licensing boards, 304
 LiveJournal, 202
 Medicare, 313
 National Alliance for the
 Mentally Ill (NAMI), 96,
 100, 186, 289, 317
 National Center for
 Complementary and
 Alternative Medicine
 (NCCAM), 155
 National Do Not Call
 Registry, 178
 National Institute of Mental
 Health, 73
 National Mental Health
 Association (NMHA),
 100, 310
 peersupport.org, 318
 psych.org, 73
 Sleepless in America, 208

Social Security
 Administration, 312
 support4hope.com, 263
 U.S. Department of
 Labor, 215
 weight-loss supplements,
 228–229
 Wellbutrin (bupropion),
 15, 123, 171
 white matter, 36
 white noise, 208
 withdrawal
 behavior in children, 284
 caffeine or nicotine, 227
 medication, 17, 51, 240
 work. *See* job

• Y •

yoga, 221
Yoga For Dummies (Georg
 Feuerstein and Larry
 Payne), 221
Yoga Workout For Dummies
 (Sara Ivanhoe), 221
 Young Mania Rating Scale, 91

• Z •

zeitgeber, 138, 328
 zinc, 153
 ziprasidone (Geodon), 121
 Zoloft, 234
 Zyprexa (olanzapine), 15, 39,
 120, 171