

Index

Note to the Reader: Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

- absolute measurements, **236**
- access
 - restrictions on, **552**
 - to web services, **532**
- Access databases, 469
- Access Denied Go To page, 552
- accessibility
 - ensuring, 7
 - reminders for, **44**, *44*
 - standards for, **569–570**, *570*
- Accessibility extension category, 595
- ACO files, 109
- Acrobat Reader, 350
- ACT files, 109
- action attribute, 400–401
- Action field, 401
- Action menu, 370
- Action property, 408
- actions, 370
- active areas of button slices, 177
- Active Server Pages (ASP), 442, 445, **468**
- Active Server Pages.NET (ASP.NET), 442, **468**, **538–540**, *539–540*
- ActiveX controls, **348–349**, *349*
- Adaptive palette, 202
- Add Arrowheads dialog box, **111**, *111*
- Add Color to Transparency option, 206
- Add Keyframe option, 392
- Add Mask option, 158
- Add Object to Timeline option, 392
- Add Picture Frame dialog box, 74, **111**, *111–112*
- Add Pop-Up Menu option, 182
- Add Swatches option, 110
- Add to Cart Button dialog box, 436
- Add To Favorites option, 61, 428
- A** Add Using WSDL panel, 535–536, *535*
- administration, **545**, **575**
 - content. *See* content
 - journaling, **585–588**, *587–588*
 - login pages and processes, **550–552**, *551–552*
 - portals, **553–556**
 - restrictions, **552**
 - rolling back sites, **588**
 - updating sites, **589–591**, *589–591*
 - user, **546**
 - for privileges, **546–547**
 - for registration forms, **547–548**
 - for server behaviors, **548–550**, *548–549*
 - workflow, **582–585**, *583–584*
- Adobe Acrobat Reader, 350
- Advanced option, 390
- Advanced Random Images extension, **614–615**, *615*
- Advanced tab, 184, *184*
- Aggressive Skate and Snowboard site, 423
- AIFF (Audio Interchange File Format), 339
- Align panel, 138, *138*
- Align property, 408
- Aligned option, 157
- alignment
 - in CSS, 313
 - images, 280–281
 - objects, **137–138**, *138*
 - Rubber Stamp tool, 157
 - in tables, **239**
 - text, **267**
- Alpha Transparency option, 205
- alt attribute, 521
- Alt property, 407
- Alt tags and alternative text
 - for images, 280, 407

- for slices, **194–195**
 - in XHTML, 521
 - Alternate Image Description option, 214
 - Amount of Texture setting, 86
 - anchors, link, **320–321**, **325**, *325*
 - Animate dialog box, 173
 - animation
 - creating, **396–398**, *396–397*
 - GIF, **207**, **350–351**
 - previewing, **398**
 - symbols for, **172–173**, *173*
 - Answers panel, **34**
 - Anti-Aliasing
 - exporting, 216
 - for fills, 97
 - for text, 139
 - AnyBrowser site, 368
 - Anything option, 389
 - app attribute
 - for menu items, 608
 - for menus, 607
 - App Servers extension category, 595
 - Appearance option, 390
 - Appearance tab, 183, *184*
 - applets, 31, **349–350**
 - Application panel, **35**
 - Apply Source Formatting option, 255
 - Apply Template to Page option, 57
 - applying
 - styles, **269**, **309**, **315**
 - templates, **56–57**, *57*
 - areas, exporting, **220**
 - arguments attribute, 524, 608
 - Arrowhead command, 74
 - arrowheads, 74, 111, *111*
 - ASP (Active Server Pages), 442, 445, **468**
 - ASP.NET (Active Server Pages.NET), 442, **468**, **538–540**, *539–540*
 - assets, 13
 - inserting, **62**
 - templates. *See* templates
 - Assets Manager, **59–60**
 - Favorites tab, **61–62**
 - for templates, 49–50, *50*
 - Assets panel, 35
 - assigning
 - editable regions, **53**, *53*
 - privileges, **546–547**
 - Attach Style Sheet option, 316
 - attaching
 - CSS, **316**, *316*
 - JavaScript, 373
 - !ATTLIST element, 562–563
 - attributes
 - in XHTML, 520–521
 - in XML, 513
 - AU files, 339
 - audiences
 - considering, **7**
 - defining, **558**
 - audio files, **341–342**, *342*
 - formats for, **339**
 - playing clips, **379**, *379*
 - Audio Interchange File Format (AIFF), 339
 - Audio Video Interleave (AVI) format, 340
 - Authorizer program, 433
 - Auto option, 299
 - Auto Apply option, 269
 - Auto Indent option, 449, 454
 - Auto Levels option, **165**
 - automatic operations
 - HTML cleanup, **580–581**
 - image size placement, 278
 - Automatic Wrapping After Column option, 450
 - autonaming slices, 214
 - Autostretch columns, **237**
 - AVI (Audio Video Interleave) format, 340
-
- B**
- b-trees, 481
 - background
 - in CSS, **313**, *313*
 - in Flash buttons, **360**
 - in frames, 295, *295*
 - in tables, 238
 - backups, **490**
 - Balance Braces option, 460
 - bandwidth, 338
 - Banner Generator, 428

- Banner Network, 428
- banners for marketing, **427–428**
- BarinJar.com site, 310
- BaseFont element, 561–562
- Baseline Shift option, 139
- Batch Process dialog box, 118, *118*
- batch processing, **116–119**, *117–119*
- bCentral merchant, 434
- behaviors, 20, **369–370**
 - built-in, **371**
 - Call JavaScript, **373**, *373*
 - Change Property, **373**, *374*
 - Check Browser, **374**, *374*
 - Check Plugin, **374–375**, *375*
 - Control Shockwave or Flash, **375–376**, *376*
 - Drag Layer, **376–377**, *377*
 - and events, **370–372**
 - for frames, **301**
 - Go to Timeline Frame, **386–387**, *387*
 - Go to URL, **377**, *377*
 - Jump Menu, **378**, *378*
 - Jump Menu Go, **378**, *378*
 - with layers, **390–391**
 - for multimedia, **351**
 - Open Browser Window, **378–379**, *379*
 - Play Sound, **379**, *379*
 - Play Timeline, **387–388**, *388*
 - Popup Message, **379**, *379*
 - Preload Images, **380**, *380*
 - rollover, **177–180**, *178–180*
 - Set Nav Bar Image, **380–382**, *381–382*
 - Set Text of Frame, **382–383**, *383*
 - Set Text of Layer, **383**, *383*
 - Set Text of Status Bar, **383–384**, *384*
 - Set Text of Text Field, **384**, *385*
 - Show-Hide Layers, **384–385**, *385*
 - Show Pop-Up Menu, **389–390**, *390*
 - Stop Timeline, **388**, *388*
 - Swap Image and Swap Image Restore, **385–386**, *386*
 - in templates, **52**, **58–59**
 - in timelines, **386–388**, *387–388*, **391–393**, *391*, **397–398**, *397*
 - Validate Form, **388–389**, *389*
- Behaviors panel, 34, 78, 370, *370*
- Berners-Lee, Tim, 18, 29
- Bevel effect, **104**, *105*
- Bezier curves, **126–128**, *127–128*
- Bg Color feature, 360
- BigNosedBird.com site, 417
- binary tree indexes, 481
- bindings
 - for ColdFusion, **498**
 - for databases, 471–472, **495**, 498
 - in WSDL, 533
- Bindings panel, 35
- bitmap images, **147–148**
 - borders for, **99–100**, *99–100*
 - masking, **157**
 - with bitmap masks, **157–161**, *158–160*
 - with vector masks, **161–163**, *161–162*
 - menus for
 - Filters, **163–166**
 - Select, **151–153**, *151–152*
 - mode switching for, **148**
 - plugins for, **166–169**, *167–169*
 - tools for
 - Blur, **153**, *153*
 - Burn, **155**, *155*
 - Dodge, **154–155**, *154–155*
 - Rubber Stamp, **156–157**, *156*
 - selection, **149–151**, *149–151*
 - Sharpen, **153–154**, *154*
 - Smudge, **156**, *156*
 - Tools panel for, **149**, *149*
- bitmap masks, **157**
 - adding, **158–159**, *159*
 - images as, **160–161**, *160*
 - saving, **159**, *159*
 - selections for, **158**, *158*
- Black and White palette, 202
- _blank target, 195, 300, 324
- Blend Mode option, 150
- block_model value, 518
- block options for CSS, **313**, *313*
- Blur effect, **104–105**
- Blur filters, **163**
- Blur tool, **153**, *153*
- bold text, 264
- Boolean logic, 479

- borders
 - for bitmaps, **99–100**, *99–100*
 - in CSS, **314**, *314*
 - for frames, **289–290**, *290*
 - for images, 280–281
 - for tables, 232, 235, 238–239
 - Box Lessons site, 311
 - box model, CSS, 309, 314
 - Box Model Hack site, 311
 - box options for CSS, **314**, *314*
 - braces ({}), balancing, **460**
 - branding, 422
 - breakpoints, 462
 - brick-and-mortar businesses, 424
 - Brightness and Contrast option, **165**
 - broadband connections, 338
 - broken links, **329–333**, *330–332*
 - Browser Compatibility Chart, 559
 - BrowserProfiles folder, 561
 - browsers
 - checking, **374**
 - compatibility, **14**, **557**
 - designing for, **564–565**
 - feature support in, **558–559**
 - problems in, **564**
 - resources for, **565–566**
 - standards for, **565**
 - target audiences in, **558**
 - testing, **559–564**
 - multiple, designing for, **30**
 - opening windows in, **378–379**, *378*
 - support for, 29–30
 - Browsers extension category, 595
 - Burn tool, **155**, *155*
 - Button editor, **174–177**, *175*, *177*
 - buttons and button symbols, 172
 - creating, **175–177**, *175*, *177*
 - editing, **177**
 - Flash. *See* Flash objects
 - in forms, **408**, *408*
 - Canvas Color option, 95
 - Canvas Size option, 95
 - Cardservice International, 434
 - Cascading Style Sheets. *See* CSS (Cascading Style Sheets)
 - case sensitivity in XML, 512
 - catalogs, online
 - completeness of, **430**, *430*
 - creating, **428–429**, *429*
 - organizing, **430**
 - updating, **429–430**
 - CDATA sections, 514–515
 - cell padding and spacing, 232
 - Centering option, 450
 - CFCs (ColdFusion Components), 496
 - CFML (ColdFusion Markup Language), 469, 493
 - cgi directory, **412–413**
 - CGI Resource Index site, 417
 - CGI scripts, **412**
 - editing, **415–416**, *415*
 - requirements, **412–413**
 - Change All Links To setting, 344
 - Change Link setting, 344
 - Change Link Sitewide dialog box, 331, *331*
 - Change Property behavior, **373**, *374*
 - Change Workspace option, 36
 - changes, tracking, 8
 - channels, 392
 - Char Width property
 - for file fields, 406
 - for forms, 402
 - Characters tab, 32
 - check boxes, **404–405**, *404*
 - Check Browser behavior, **374**, *374*
 - Check In/Check Out feature, 29, 41, **584–585**
 - Check Links option, 332
 - Check Links Sitewide option, 332
 - Check New Username behavior, 549–550, *549*
 - Check Plugin behavior, 351, **374–375**, *375*
 - Check Spelling dialog box, 259, *259*
 - Check Target Browsers feature, **560–561**
 - checked attribute, 608
 - Checked Value property, 404
 - CHMOD settings, **413**
 - Choose an Existing Spacer Image File option, 236
-
- Call JavaScript behavior, **373**, *373*
- Canvas option, 73

- circles, 124
- Citation option, 264
- .class extension, 349
- Clean Up CSS option, 254
- Clean Up Tags option, 254
- Clean Up HTML/XHTML dialog box, 460, 460, 581, 581
- Clean Up Word HTML dialog box, 253–254, 254, 580
- cleaning up HTML, **460–461**, 460, **580–582**, 581
- Clear Cell Heights/Widths option, 237
- clickthroughs, 428
- client-side image maps, 19, 327
- Clip option, 243
- Cloak Files Ending With setting, 572
- cloaking
 - Flash movies, **345–346**
 - folders and files, **572–573**, 572
- Cloaking category, 42
- Clone option, 140
- cloning vs. duplicating, 136
- closing
 - paths, **128–129**
 - templates, **55**
- closing tags in XML, 512
- code, 12, 12, **447**
 - color for, **450**
 - debugging, **460–463**, 460–463
 - display options for, **449**, 449
 - editing, **457–458**, 457–458
 - editors for, **459**, 459, **494**
 - format options for, **449–450**
 - hints for, **451**, **454–455**, **494**
 - keyboard shortcuts for, **626–627**
 - navigating, **458**
 - printing, **459**
 - rewriting, **450–451**
 - shortcuts for, **454–456**, 455–456
 - snippets for, **455–456**, 456
 - structuring, **454**
 - tags for
 - custom, **453**, 453
 - libraries for, **451–453**, 451–453
 - Tag Chooser for, **455**, 455
 - validating, **461**, 461
 - viewing, **448**, 448
- Code and Design view, 28, 54
- Code Editing option, 601
- Code Inspector, 448
- Code Navigation menu, **31**
- Code option, 264
- Code panel, **34–35**
- Code view, 28, **271**, 473
- Code View Options option, 449
- ColdFusion, **469**, **493**
 - adding records in, **504–507**, 504
 - bindings for, **498**
 - code editor in, **494**
 - connecting to, **496–498**
 - debugging, **463**
 - main page for, **499–503**, 500
 - panels in, **494–496**
 - Property Inspector in, **494**, 500–502
 - server behaviors for, **499**
 - setup for, **496**, 497
- ColdFusion Components (CFCs), 496
- ColdFusion Markup Language (CFML), 469, 493
- ColdFusion server model, 442, 445
- collaboration, **41**
- Collapse Empty Cells option, 246
- color
 - bitmaps, **165–166**
 - code, **450**
 - dithering, **107–108**, 108, **204**, 204–205
 - for e-commerce sites, **423–425**, 423–425
 - Favorites view, 61
 - Flash buttons, **360**
 - frames, **295–296**, 295
 - in GIF images, 196, **203**, 203
 - gradient, **101–102**, 101
 - monitors, 14
 - overlay, **193**
 - strokes, 86–87, 87
 - in tables, **238–239**, 238
 - text, **265**, 265
 - in wireframes, 9
- color images for bitmap masks, **160–161**, 160
- Color Mixer panel, 78
- color table, **206**, 207

- Colors category, 60
- columns
 - in framesets, **291**, *291*, **297–298**, *297*
 - in tables, *232*, *232*
 - adding and removing, **237–238**
 - Autostretch, **237**
- Combine Nested Tags option, 582
- command attribute, 524, 608
- Command dialog box, 486–487
- Command menu, 604, *604*
- Command Name dialog box, 604
- commands
 - Dreamweaver, creating, **603–605**, *603–604*
 - in Fireworks
 - creating, **114**
 - Creative menu, **111–113**, *111–113*
 - free, **115**
 - third party, **115**
- Commands folder, 115, 612
- Commands menu, **74**, *74*
- comments
 - in browser profiles, 562
 - deleting, 581
- common language runtime in .NET, 537
- Common tab, 32
- communication for e-commerce sites, 422
- compatibility, browser. *See* browsers
- Components panel, 35, **496**, *534–537*, *534*, *536*
- compression
 - GIF. *See* GIF (Graphics Interchange Format) files
 - JPEG
 - optimizing, **208–209**, *209*
 - options for, **207–208**, *207–208*
 - selective, **209–211**, *210–211*
- confidence for e-commerce sites, 422
- connection speed considerations, **15**
- content, **13–14**, **576**
 - cleaning up HTML, **460–461**, *460*, **580–582**, *581*
 - creating files, **578**
 - deleting files, **578**
 - dynamic, **466–469**, *467–468*
 - adding, **474–476**, *475–476*
 - searching, **476–478**, *477*
 - for frames, **304**
 - for libraries, **63–64**, *63*
 - moving files, **577**
 - renaming files and folders, **578**
 - site maps and file list views for, **576–577**, *576*
 - synchronizing, **579–580**, *579–580*
 - in templates, **51**, **585**
 - updating, **590**, *590*
- content_model attribute, 518
- Contents option, 390
- context sensitivity of Property Inspector, 33
- continuing paths, **129**
- control handles, **127–128**, *127–128*
- Control Shockwave or Flash behavior, 351, **375–376**, *376*
- Convert Frames to Layers option, 218
- Convert Layers to Table dialog box, 246, *246*
- Convert to Grayscale command, **112**
- Convert to Sepia command, **112**
- Convert to Symbol option, 172–173, *173*
- Convert Widths to Pixels/Percent option, 237
- converting
 - animation to symbols, 172–173, *173*
 - frames to layers, 218
 - to grayscale images, **112**
 - layers to tables, 246
 - objects to images, **283–284**, *284*
 - tables to layers, 247
 - text to paths, **139–140**, *140*
- cookies, **551–552**
- Copy option, 458
- Copy Over Graphic option, 176
- Copy Up Graphic option, 176
- copying colors, 61
- copyright law, 13
- core classes in .NET, 537
- corporate portals, 554
- Costello, Eric, 310
- Create a New Spacer Image option, 236
- CREATE INDEX query, 481
- Creating and Submitting Extensions option, 599
- Creative menu, **111–113**, *111–113*
- credit card payments, **432–435**, *433*
- Crop tool, **137**, *137*
- CSS (Cascading Style Sheets), **16**, *17*, **269**, **307**

attaching, **316**, *316*
 background options for, **313**, *313*
 benefits of, **308**
 block options for, **313**, *313*
 border options for, **314**, *314*
 box options for, **314**, *314*
 creating, **315–316**
 for e-commerce sites, 425
 editing, **317**, *317*
 extensions options for, **314–315**
 learning sources for, **310–311**
 list options for, **314**
 positioning options for, **314**
 previewing, **317–318**, *318*
 styles in
 applying, **309**, **315**
 creating, **312–313**, *312*
 editing, **315**, *315*
 support for, 558
 in templates, 52
 tools for, **311**, *311*
 types of, **310**
 uses for, **308–309**
 in XML, 513

“CSS in the Real World” lecture, 310

CSS Layers, exporting to, **218–219**

CSS master grid, 559

CSS Style Definition dialog box, 311, *311*,
313, *313*

CSS Styles panel, 34, 311, *311*

curly braces ({}), balancing, **460**

curves, Bezier, **126–128**, *127–128*

Curves dialog box, 160, *161*, 165

Custom palette, 202

custom tags, **453**, *453*

customer taste, **423–425**, *423–425*

Cut option, 458

D

Daily option, 615

dashed lines, **91–93**, *92*

DashedLine command, 74

Data Bindings panel, 471–472, **495**, 498

Data Bindings/Server Behaviors window, **474**, *474*

Data-Driven Graphics Wizard, 110, *110*

Data Source Name Variable binding tool, 498

data types for databases, **479**

Database Definition Language (DDL), 480

Database Manipulation Language (DML), 480

databases, **465**, **469–470**
 connections to, **446**
 developmental models for, **468–469**
 drivers for, **470–471**
 filters for, **472**
 privileges for, **546–547**
 records in, **484–487**, *485*
 recordsets for, **487–488**, *488*
 schema, **478–480**
 sources for, **471–472**, *471*
 SQL for, **480–484**, *482*
 troubleshooting, **490**
 Web servers for, **467–468**, *467–468*

Databases panel, 35, **495**

dates, inserting, **258**, *258*

.dcr extension, 375

DDL (Database Definition Language), 480

Debug in Browser option, 462, 560

debugging
 code, **460–461**, *460–461*
 JavaScript, **462–463**, *462–463*
 keyboard shortcuts for, **629**

Default Attribute Case option, 450

default.html file, 602

Default option, 299

Default Proxy Generator dialog box, 535–536

Default Tag Case option, 450

default templates, **602–603**, *603*

Define HTML Style dialog box, 268, *269*

definition lists, 266

Definition option, 264

Delete Column option, 237

DELETE command, 483

Delete Record dialog box, 485, *485*

Delete Row option, 237

Delete Style option, 269

deleting
 breakpoints, 462
 columns, 237
 dynamic content, **476**

- files, **578**
 - frames, 299, 392
 - gradient colors, 102
 - HTML styles, **269**
 - JPEG masks, 211
 - layers, **80**
 - library items, **65**
 - path points, **129–130**
 - records, **485–486**, 485
 - rows
 - database, **483–484**
 - table, 237
 - Server Behaviors, 476
 - tag libraries, **452**
 - tags, 453
 - delimiters, 256
 - dependencies, 5–6
 - design considerations, **14–15**
 - CSS, **16**, 17
 - layers, **18**
 - tables, **16–18**, 17
 - text, **15–16**
 - Design Notes, **582**
 - creating, **583–584**, 583–584
 - enabling, **583**
 - Design Notes category, 42
 - Design Notes dialog box, 29, 583, 583
 - Design panel, **34**
 - Design Time Style Sheets dialog box, 318, 318
 - Design view, 28, 473
 - Detach From Template option, 58
 - detaching templates, **58**
 - detect_in_attribute attribute, 518
 - developer tools in .NET, 537
 - DHTML/Layers extension category, 595
 - diagonal lines, 125
 - dialog boxes, updating, **612–613**, 613
 - .dir extension, 375
 - directory lists, 266
 - discovery stage, 6
 - discussion boards, **555**
 - disjoint rollovers, **178–180**, 179–180
 - display options for code, **449**, 449
 - Distort tool, 124, 136, 137
 - dithering
 - in Fireworks, **107–108**, 108
 - in GIF compression, **204**, 204–205
 - DML (Database Manipulation Language), 480
 - docked panel group area, 70
 - docking panels, **37**, 37
 - DOCTYPE declarations, 520
 - Document Editing option, 601
 - Document Specific tab, **214**, 214
 - document type definitions (DTDs), 513–514
 - Document window, **26–27**, 26
 - documenting design, **51**
 - Dodge tool, **154–155**, 154–155
 - domrequired attribute, 608
 - Down button state, 175
 - downloading extensions, **596–597**
 - Drag Layer behavior, **376–377**, 377
 - dragging
 - frames, **293**, 294
 - layers, **376–377**, 377
 - Draw Layout Table option, 239
 - drawing layers, **240–241**, 240
 - Dreamweaver HTML option, 213
 - drivers for databases, **470–471**
 - DROP INDEX command, 481
 - Drop Shadow option, 135, 135
 - DTDs (document type definitions), 513–514
 - Duplicate CSS Style dialog box, 315
 - Duplicate Layer dialog box, 80, 80
 - duplicate layers, **80**
 - Duplicate Set option, 601
 - duplicating vs. cloning, 136
 - .dwt extension, 52
 - dynamic attribute, 608
 - dynamic content, **466–469**, 467–468
 - adding, **474–476**, 475–476
 - searching, **476–478**, 477
 - Dynamic List/Menu dialog box, 476, 476
 - Dynamic Radio Buttons dialog box, 475, 475
-
- E**
- e-commerce sites, **421**
 - color and type for, **423–425**, 423–425
 - identities for, **422**

- logos for, **422–423**
- marketing, **426–428**, 427
- transactions for
 - credit card payments, **432–435**, 433
 - online catalogs for, **428–430**, 429–430
 - shopping carts for, **431–432**, 431–432, **435–437**
- e-mail links, **325**, 325
- eCommerce extension category, 595
- Edge Softness setting, 87
- edges
 - feathered, **151–153**, 151–152
 - for strokes 87
- Edit Bitmap tool, 122
- Edit Browser List option, 318, 536
- Edit CSS Style option, 315
- Edit Font List dialog box, 265, 265, 313
- Edit HTML Slice dialog box, 195, 195
- Edit menu, **72**, 72
- Edit NoFrames Content command, 301–302
- Edit option
 - for Flash objects, 395
 - for images, 281
- Edit Proxy Generator List, 535
- Edit Sites dialog box
 - for Design Notes, 583
 - for Flash movies, 344–345
 - for testing servers, 445, 539
- Edit Stroke dialog box, 87, 87, 90–92, 90, 92
- Edit Style Sheet dialog box, 315, 315
- Edit Tag mode, 271
- Edit UDDI Site List option, 536
- Edit with External Editor option, 317
- editable regions in templates, 46–47
 - assigning, **53**, 53
 - creating, **53**, 53
 - tips for, **54**
- editing
 - browser profiles, 563
 - button symbols, **177**
 - buttons, **177**, **361**, 361
 - CGI scripts, **415–416**, 415
 - code, **457–458**, 457–458
 - CSS, **317**, 317
 - effects, **105**
 - Flash movies, **344–345**, **352–353**, 352–353
 - gradients, **101–103**, 101, 103
 - HTML, **269**, **271–272**, 271
 - JPEG masks, 211
 - jump menus, **363–364**, 363–364
 - keyboard shortcuts for, **625–626**
 - layers, 392
 - library items, **64–65**, 64–65
 - links, **331**, **344**
 - SSIs, **66**
 - styles, **106**, **269**, **315**, 315
 - tag libraries, **452**, 452
 - templates, **58**
 - text, **259**
 - vectors
 - with control handles, **127–128**, 127–128
 - with freeform editing tools, **130–133**, 130–133
 - with Pen tool, **128–130**
- editors
 - code, **459**, 459, **494**
 - CSS, 317
 - image, 281
- effects, **103–105**, 105
- !ELEMENT element, 562
- Ellipse tool, **124**
- Email Address option, 389
- Email Link dialog box, 325, 325
- embed element, 343, 347, 349
- embedding audio files, **342**, 342
- Emboss effect, **104**, 105
- Emphasis option, 264
- Enable BBEdit Integration option, 459
- Enable Cache option, 42
- Enable Cloaking option, 572
- enabled attribute, 524, 608
- enabling Design Notes, **583**
- end_string attribute, 518
- enterprise portals, 554
- Entire Site option, 579
- !Error element, 562–563
- error messages in browser profiles, 563
- Evans, Joyce J., 67
- events, **370–372**
- Events menu, 371

Exact palette, 202
 Exception category, 463
 existing pages
 from templates, **56–57**, 57
 templates from, **50–51**
 Exit Bitmap mode, 77
 Export Area tool, **220**
 Export Current Frame Only option, 218
 Export dialog box, 212, 212, 217–219, 217, 219
 Export File Format field, **200**, 201
 Export Preview feature, **199–200**, 200–201, 220
 Export Site dialog box, 571, 571, 586
 Export Slices option, 212
 Export Styles as CSS File dialog box, 316, 316
 Export Symbols dialog box, 174
 Export Template Data as XML dialog box,
 516, 517
 Export Wizard, 284, 284
 exporting
 with Fireworks, **211–213**, 212
 areas, **220**
 to CSS Layers, **218–219**
 to Dreamweaver library, **218**
 to Flash, **215–216**, 216
 HTML Setup for, **213–214**, 213–214
 images, **215**
 layers and frames, **219**, 219
 pages, **223–224**
 palettes, **109**
 to Photoshop, **216–217**
 styles, **107**
 as vectors, **217–218**, 217–218
 pop-up menus, **185**, 185
 sites as XML, **571**, 571
 XML, **514–517**, 515–517
 Extending Dreamweaver manual, 598
 extensibility, 510
 Extensible Hypertext Markup Language (XHTML)
 support for, **520–522**
 validation in, **522–523**
 Extensible Markup Language. *See* XML
 (Extensible Markup Language)
 Extensible Style Language Transformations
 (XSLT) style sheets, 513
 Extension Development extension category, 595

extensions and Extension Manager, 435, **594**
 creating, **598–600**
 in CSS, **314–315**
 installing, **597–598**, 597
 Macromedia Exchange for Dreamweaver site
 for, **594–597**
 in templates, **52**
 third-party, **623**
 using, **598**, 598
 external editors
 code, **459**, 459
 CSS, 317
 eXtropia site, 417
 Eyedropper tool, 122

F

Fade Image command, 74, **112–113**
 Fairytale Brownies site, 423, 424
 Favorites tab, **61–62**
 Feather option, 150, 158
 feathered edges, **151–153**, 151–152
 federated portals, 554
 FedEx site, 424
 fieldset element, 610–611
 fieldsets, **409–410**, 410
 file attribute, 524, 608
 File Creation Date Range dialog box, 587
 file fields, **405–406**, 406
 file list views, **576–577**, 576
 file management, keyboard shortcuts for, **625**
 File Management menu, **29**
 File menu, **72**, 72
 file permissions errors, 490
 files
 cloaking, **572–573**, 572
 creating and deleting, **578**
 formats for, 14
 moving, **577**
 renaming, **578**
 Files panel, **35**
 Fill Options option, 101
 fills
 adding, **96–97**, 96–97
 for borders, **99–100**, 99–100

- gradient, **100–103**, *100–103*
- with patterns, **98**
- with textures, **97–98**
- Filters menu and filters
 - for bitmaps, **163–166**
 - for databases, **472**
 - in Fireworks, **74–75**, *75*
- find and replace. *See also* searching
 - in Fireworks, *79*
 - for HTML tags, **272**, *273*
 - for text, **260–262**, *260–261*
- Find and Replace panel, *79*
- Fireworks, **69**
 - batch processing in, **116–119**, *117–119*
 - bitmaps with. *See* bitmap images
 - commands in
 - creating, **114**
 - Creative menu, **111–113**, *111–113*
 - free, **115**
 - third party, **115**
 - converting objects to images in, **283–284**, *284*
 - exporting with. *See* exporting
 - fills in. *See* fills
 - images in, **196–197**, *197*, **282–284**, *283–284*
 - importing Photoshop files in, **82–83**, *82–83*
 - layers in, **79–81**, *79–80*
 - Live Effects in, **103–105**, *105*
 - menu bar in, **71–75**, *72–75*
 - navigation objects for. *See* navigation
 - opening, **282**
 - opening and saving documents in, **82**
 - optimization in. *See* optimization methods
 - panels in, **77–79**, *77*
 - preferences in, **81**, *81*
 - Property Inspector in, **76**, *77*
 - rulers and grids in, **83–84**, *84*
 - slicing in. *See* slices
 - status bar in, **77**
 - strokes in. *See* strokes
 - Styles panel in, **106–107**, *106*
 - Swatches panel in, **109–110**, *109*
 - title bar in, **71**, *71*
 - toolbars in, **75**, *75*
 - Tools panel in, **76**
 - vectors in. *See* vectors
 - Web dithering in, **107–108**, *108*
 - workspace in, **70–71**, *70–71*
- Fireworks extension category, *595*
- Fit Canvas option, *137*
- Fix Invalidly Nested Tags option, *254*
- Fixed option, *157*
- Fixed Ratio option, *149–150*
- Fixed Size option, *149*
- Flash Button dialog box, *361*, *613*, *613*
- Flash Media extension category, *595*
- Flash objects, **393**
 - in Assets Manager, *60*
 - behavior for, **375–376**, *376*
 - buttons
 - background for, **360**
 - benefits of, **358–359**
 - creating, **393–394**
 - resizing, **360–361**, *361*
 - rollover, **359–360**, *359*
 - saving and previewing, **360**
 - testing and editing, **361**, *361*
 - text for, **361–362**, *361*
 - exporting to, **215–216**, *216*
 - inserting, **393**, *393*
 - movies
 - adding, **343–344**, *343*
 - cloaking, **345–346**
 - editing links in, **344**
 - launch and edit features for, **344–345**, **352–353**, *352–353*
 - properties of, **395–396**, *395*
 - text, **394–395**, *394*
 - uses for, **5**
- Flatten Selection option, *73*
- floating layout, **23–25**, *24–25*
- folders
 - cloaking, **572–573**, *572*
 - creating, *578*
 - local, **38–39**, **443–444**, *444*
 - Local Root, *42*
 - names for, **38–39**, **578**
 - remote, **444–445**, *444*
- fonts, *16*
 - in CSS, *313*
 - working with, **264–265**, *265*

- Form.htm file, 610
- format options for code, **449–450**
- Format Table dialog box, 231, *231*
- formats
 - audio, **339**
 - image, **196–197**, *197*
 - table, **230–231**, *231*
 - video, **340**
- formatting
 - CSS for. *See* CSS (Cascading Style Sheets)
 - keyboard shortcuts for, **627**
 - in templates, 54
 - text, **262**
 - alignment, **267**
 - color, **265**, *265*
 - with CSS, **269**
 - fonts, **264–265**, *265*
 - graphical, **269–270**
 - with HTML styles, **268–269**, *268–269*
 - indentation, **267–268**
 - lists, **266–267**, *266*
 - paragraphs, **266**
 - phrase elements, **263–264**
 - Property Inspector for, **263–268**
 - size, **265**
 - support for, **262–263**
 - in templates, 54
- forms, **399**
 - buttons in, **408**, *408*
 - CGI scripts for, **412–416**, *415*
 - check boxes and radio buttons in, **404–405**, *404–405*
 - elements of, **400**, *400*
 - fieldsets and legends in, **409–410**, *410*
 - file fields in, **405–406**, *406*
 - hidden fields in, **408–409**
 - hidden tags for, **410–411**
 - images in, **407–408**, *407*
 - with jump menus, **411–412**, *411*
 - labels in, **409**, *409*
 - List/Menu fields in, **406–407**, *406–407*
 - search, **417–419**
 - structure of, **400–401**, *400*
 - target pages for, **416–417**, *417*
 - text fields in, **401–404**, *402–403*
 - validating, **388–389**, *389*
- Forms tab, 32
- 4-Up view, **199**, *200*
- Frame dialog box, 167, *167*
- frames, 18, **285**
 - behaviors for, **301**
 - borders for, **289–290**, *290*
 - characteristics of, **289**
 - color for, **295–296**, *295*
 - content for, **304**
 - creating, **292**
 - deleting, 299, *392*
 - dragging, **293**, *294*
 - exporting, **219**, *219*
 - inserting, **293**
 - keyboard shortcuts for, **628**
 - margins for, **296**, *296*, **299**, *299*
 - navigation elements in, **299–300**, *300*
 - NoFrames content for, **301–302**
 - saving, 289, **304–305**, *305*
 - scrollbars in, **298–299**, *298*
 - size of, **297–299**, *297*
 - text of, **382–383**, *383*
 - in timelines, **397**, *397*
 - uses for, **287–288**
- Frames options, 214
- Frames panel, 78, 179, **291**, *291*
- Frames tab, 32
- frameset XHTML doctype, 520
- framesets, **285**
 - creating, **286**, *286–287*, **303**, *303*
 - images for, **303–304**, *303*
 - predefined, **292**, *292*
 - rows and columns in, **291**, *291*, **297–298**, *297*
 - saving, **294–295**
- Free Transform option, 136
- Freeform tool, **131–132**, *131–132*
- FreeHand Compatible option, 218
- Friends of Active Copyright Education site, 13
- Frontpage HTML option, 213
- FrontPage Migration Kit, 587, *587*
- ftest_checkmousepos function, 366–367
- ftest_getmousepos function, 367
- ftest_hideall function, 366

ftest_hidedrop function, 366–367
 ftest_showdown function, 365
 ftest_showit function, 365–366
 FTP
 connections for, 40–41
 for remote folders, 444
 FTP Log panel, 35
 functions, JavaScript, **365–367**

Gaussian Blur, 104–105, 163
 General tab, **213**, 213
 Generator objects, **351**
 Generic HTML option, 213
 Get and Put Newer Files option, 579
 GET command
 for forms, 401
 shortcuts for, 29
 Get More Proxy Generators option, 535
 Get More Styles option, 360
 Get Newer Files from Remote option, 43, 579
 GIF (Graphics Interchange Format) files, 14,
196–197, 197
 animated, **350–351**
 compression for, **200**
 animation in, **207**
 color table for, **206**, 207
 colors for, **203**, 203
 dithering for, **204**, 204–205
 Export File Format field for, **200**, 201
 indexed palette for, **201–202**
 interlacing in, **205**
 lossy, **205**
 Matte option for, **202–203**, 203
 transparency in, **205–206**, 206
 inserting, **276**
 size of, 282–283
 for swatches, 109
 Glows effect, **104**, 105
 Go to Detail Page dialog box, 485, 488, 488
 Go to Timeline Frame behavior, **386–387**, 387
 Go to URL behavior, 301, **377**, 377
 GoLive HTML option, 213

gradients
 for fills
 colors in, **101–102**, 101
 editing, **103**, 103
 filling with, **100–101**, 100–101
 transparency in, **102**
 for vector masks, **162–163**, 162
 graphical menus, **20**
 graphical text, **269–270**
 graphics. *See* images
 Graphics Interchange Format. *See* GIF (Graphics
 Interchange Format) files
 graphics symbols, 172
 grayscale images, **112**
 Grayscale palette, 202
 Green pages, 534
 grids
 in Fireworks, **83–84**, 84
 in layers, 241
 Gripper, 37
 Group as Mask option, 160–163
 groups, selection within, 135
 guides for slicing, **190–191**

H

H property for images, 407
 halo effect, 203
 Hard Edge option, 97
 Hard Line attribute, 89, 89
 head_model value, 518
 Head tab, 33
 <head> tag, 52
 headings, text, 266
 height of frames, **297–298**, 297
 Height property for List/Menu selections, 406
 help, keyboard shortcuts for, **629**
 hidden fields, **408–409**
 hidden tags, **410–411**
 Hide Panel command, 36
 hiding
 layers, **80**, **384–385**, 385
 panels, **36–37**, 36–37
 hierarchical menus, **20**
 high-speed connections, 338

- Highlight Invalid HTML option, 449
 - Highlights option, 154
 - hints for code, **451, 454–455, 494**
 - History list, 114
 - History Options menu, 93, 114
 - History panel, 35, 78, 93, **603–604, 603–604**
 - Homesite/Coder style, **23, 24**
 - Horizontal Scale option, 139
 - horizontal space setting, 280
 - Horizontal Text option, 139
 - hotspots, **19, 79, 279**
 - href attribute, 320
 - HSPACE attribute, 280
 - HTML, **270**
 - cleaning up, **460–461, 460, 580–582, 581**
 - editing, 269, **271–272, 271**
 - limitations of, **246**
 - HTML Setup dialog box
 - for autonaming, 194, 194
 - for exporting, **213–214, 213–214**
 - HTML slices, 195
 - HTML styles, 34, **268–269, 268–269**
 - HTML Styles panel, 34
 - !htmlmsg element, 562–563
 - HTTP (Hypertext Transfer Protocol), 18
 - Hue and Saturation option, **165**
 - Hue/Saturation dialog box, 168
 - Hyperlink dialog box, 324, 324
 - hyperlinks. *See* links
 - hypertext, **18–19**
 - Hypertext Transfer Protocol (HTTP), 18
-
- icon attribute, 519
 - icon_height attribute, 519
 - icon_width attribute, 519
 - id attribute
 - for menu items, 607
 - for menus, 606
 - in XHTML, 520
 - identities for e-commerce sites, **422**
 - Ignore Whitespace Differences option, 260
 - IIS (Internet Information Server), **467**
 - Illustrator, exporting to, **217–218, 217–218**
 - Image Align setting, 280–281
 - Image Alternate setting, 280
 - Image Link setting, 280
 - image maps, **181, 181, 279, 321**
 - building, **327–329, 328–329**
 - hotspots in, **19, 79, 279**
 - Image Placeholder dialog box, 281, 281
 - Image Size dialog box, 283
 - Image Size setting, 279
 - Image Source (SRC) setting, 279
 - images, **13–14, 148, 275**
 - aligning, 280–281
 - in Assets Manager, 60
 - bitmap. *See* bitmap images
 - borders for, 280–281
 - converting objects to, **283–284, 284**
 - cutting text from, **141–142, 141–142**
 - dynamic, **476**
 - exporting, **215**
 - exporting layers and frames as, **219, 219**
 - in Fireworks, **196–197, 197, 282–284, 283–284**
 - in forms, **407–408, 407**
 - for framesets, **303–304, 303**
 - inserting, **276–278, 277**
 - in layers, **249, 396, 397**
 - links to, 280–281, 321
 - loading, **380**
 - masking, **157**
 - bitmap masks for, **157–161, 158–160**
 - vector masks for, **161–163, 161–162**
 - options for, **278–281, 279**
 - placeholders for, **281–282, 281**
 - random, **614–615, 615**
 - size of, **278–279, 282–283, 283**
 - swapping, 178, **385–386, 386**
 - Import dialog box, 82
 - Import Export Extension, **586–587**
 - Import Symbols dialog box, 174
 - Import Tabular Data dialog box, 256, 256
 - Import Word HTML option, 253–254
 - Import XML dialog box, 515, 515
 - Import XML DTD or Schema option, 453
 - importing
 - CSS, 310

- Photoshop files, **82–83**, *82–83*
- sites, **43–44**, *43–44*
- styles, **107**
- tags, **519**
- text and tables, **253–256**, *254–256*
- XML, **514–517**, *515–517*
- Include Areas without Slices option, 194, 212, 215
- Inconsistent Region Names dialog box, 57, 57
- Indent Code option, 454
- Indent Menu icon, 182, *183*
- indenting
 - code, 454
 - text, **267–268**
- index.html file, 38
- Index Transparency option, 205
- indexed palette, **201–202**
- indexes in SQL, **481**
- information architecture, **7–8**
 - site maps, **8–9**, *9*
 - wireframes, **9–10**, *10*
- Init Val property, 402
- Initial State property, 404
- initializing site maps, **43**, *43*
- Initially Selected property, 407
- inline CSS, 310
- Insert bar, **31–33**, *32*
 - adding objects to, **610–612**, *612*
 - custom characters for, **616–618**
 - for extensions, 598, *598*
 - for frames, 292, *292*
 - for tables, 233
 - for template regions, 54
- Insert Column option, 237
- INSERT command, 483
- Insert Date dialog box, 258, *258*
- Insert Flash button dialog box, 393, *393*
 - for editing, 361, *361*
 - modifying, 613, *613*
 - for previewing, 360
 - for rollovers, 359, *359*
- Insert Flash Text dialog box, 361–362, *361*, *394*, *394*
- Insert Go Button after Menu option, 363, 411
- Insert HTML mode, 271
- Insert Image option, 277
 - Insert Image Placeholder option, 281
 - Insert Jump Button dialog box, 362–363, *363*
 - Insert Jump Menu dialog box, 301, 363, 378, *378*, *411*, *411*
 - Insert Keywords dialog box, 427
 - Insert menu, 72, *72*
 - Insert Navigation Bar dialog box, 301, 357, *357*
 - Insert PayPal Add to Cart Button dialog box, 436
 - Insert Record dialog box, 504, *504*, **548–549**, *549*
 - Insert Records Server Behavior, 484
 - Insert Rollover Image dialog box, 356, *356*
 - Insert Row option, 237
 - Insert Rows or Columns dialog box, 237
 - Insert Slice option, 193
 - Insert Table dialog box, 232, *232*
 - Insert Tabular Data dialog box, 240
- inserting
 - assets, **62**
 - dates, **258**, *258*
 - dynamic content, **474–476**, *475–476*
 - Flash objects, **393**, *393*
 - frames, **293**
 - graphics, **276–278**, *277*
 - jump menus, **362–363**, *363*
 - keyboard shortcuts for, **629**
 - layers, **241–242**, *241*, **396**, *396*
 - library items, **64**
 - links, 322–325, *323–325*
 - movies, **343–344**, *343*
 - records, **484**, **504–507**, *504*
 - rows, **483**
 - snippets, **455–456**
 - special characters, **257–258**, *259*
 - tags, **455**, *455*
 - text, **252**, *253*
- Inset Emboss option, 176
- Inset Path command, **140–141**, *140–141*
- Inset Path dialog box, 141, *141*
- instances, **173**
- instruction, online resources for, **623–624**
- integrated editors, **459**, *459*
- integrated workspace, **22–23**, *22–23*
- interlacing, **205**
- Internet Explorer browser, 558
- Internet Information Server (IIS), **467**

Intersect option, **134–135**, *134–135*
 Invert option, **165–166**
 Invisible Elements for grids, 241
 isDOMRequired function, 616
 italic text, 264

Java applets, **349–350**
 Java Database Connectivity (JDBC), 468, 471
 Java programming language, **31**
 Java Server Pages (JSP), 442, 445, **469**
 JavaScript alert boxes, 379
 JavaScript programming language, **31**, **364–365**
 attaching, 373
 debugging, **462–463**, *462–463*
 functions in, **365–367**
 for menus, 606
 support for, 558
 JavaScript server model, 445
 JavaScript specifications for styles, 529
 JDBC (Java Database Connectivity), 468, 471
 Join option, **134**, *134*
 joining paths, **129**, **134**, *134*
 journaling
 purpose of, **585–586**
 report generation, **586–588**, *587–588*
 JoyceJEvans.com site, 115
 JPEG (Joint Photographic Experts Group) format
 files, 14, **197**
 compression for
 optimizing, **208–209**, *209*
 options for, **207–208**, *207–208*
 selective, **209–211**, *210–211*
 inserting, **276**
 JSP (Java Server Pages), 442, 445, **469**
 Jump Menu behavior, **378**, *378*
 Jump Menu Go behavior, **378**, *378*
 jump menus, **20**, **362**, *362*
 editing, **363–364**, *363–364*
 implementing, **411–412**, *411*
 inserting, **362–363**, *363*
 troubleshooting, **364**
 JustAddCommerce shopping cart, 431–432

Kerning option, 139
 key attribute, 524, 608
 Keyboard option, 264
 keyboard shortcuts
 creating, **600–602**, *600*
 for file management commands, 29
 list of, **625–631**
 Keyboard Shortcuts editor, 600, *600*
 keyframes, 392
 keys for databases, **479**
 keywords for marketing, **427**, *427*
 Knife tool, **133**
 knowledge transfer, **574**

L/T option, 243
 Label property, 408
 labels, **408–409**, *409*
 launch features for Flash movies, **344–345**,
 352–353, *352–353*
 Launcher, 27
 Layer ID option, 243
 layers, **18**, **227**, **240**, *240*
 adding, **249–250**
 behaviors with, **390–391**
 in browser compatibility, 565
 dragging, **376–377**, *377*
 drawing, **240–241**, *240*
 editing, 392
 exporting, **219**, *219*
 in Fireworks, **79–81**, *79–80*
 hiding, **80**, **384–385**, *385*
 images in, **249**, **396**, *397*
 inserting, **241–242**, *241*, **396**, *396*
 keyboard shortcuts for, **628**
 measurement units for, **244**
 Property Inspector for, **243–244**, *392*
 with tables, **245–247**, *246*
 text of, **383**, *383*
 in timelines, **396**, *397*
 tracing images for, **242**, **247–248**, *247*
 Layers Options menu, 77, *77*, 80
 Layers panel, 70, *71*, 78, **243**, *243*

- layout. *See also* layers; tables
 - CSS for. *See* CSS (Cascading Style Sheets)
 - templates for, **228–229**, 230
- layout mode, 28
- Layout tab, 32
- Layout View, tables in, **233–234**, 233–234
- .lbi extension, 63
- .lck extension, 41
- Leading option, 139
- Learning extension category, 595
- legends, **409–410**, 410
- levels of security, 547
- Levels option for bitmap color, **166**
- libraries, **45**, **62–63**
 - in Assets Manager, 60
 - content for, **63–64**, 63
 - exporting to, **218**
 - items in
 - deleting, **65**
 - editing, **64–65**, 64–65
 - inserting, **64**
 - for symbols, **173–174**
 - tag, **451–453**, 451–453
- Library Editing window, 64
- Library Inspector window, 64, 64
- Library panel, 79
- Line Break Type option, 450
- Line Numbers option, 449
- Line tool, **125**
- Link Checker panel, 35
- Link External Style Sheet dialog box, 316
- Link Management, **330**, 330
- link target setting for images, 280
- links, **319**
 - anchors for, **320–321**, **325**, 325
 - to audio files, **342**, 342
 - broken, **329–333**, 330–332
 - changing, **591**, 591
 - checking, **591**
 - to CSS, 310
 - design issues with, **321–322**
 - editing, **331**, **344**
 - in frames, **300**, 300, **305**
 - image maps for, **327–329**, 328–329
 - to images, 280–281, 321
 - inserting, 322–325, 323–325
 - keyboard shortcuts for, **629**
 - kinds of, **321**
 - in movies, **344**
 - paths to, **321**
 - Property Inspector for, **322–324**, 323
 - from site maps, **325–327**, 326, **331**
 - to templates, **55**
 - testing, **331–332**, 332
 - updating, **330–331**, 330–331, **333**, 333
- List/Menu fields, **406–407**, 406–407
- list/menus, dynamic, **475**
- List Values dialog box, 364, 364
- List Values property, 407
- lists
 - in CSS, **314**
 - working with, **266–267**, 266
- Live Data mode, 473
- Live Data Settings dialog box, 540, 540
- Live Data window, 540
- Live Effects, **103–105**, 105
- Live Objects, **488**, 488
- Live Preview feature, 489
- loading
 - images, **380**
 - palettes, **109–110**
- local folders, **38–39**, **443–444**, 444
- Local/Network option, 444
- Local Root folder, 42
- local sites, synchronizing, **579–580**, 579–580
- Locate in Local Site option, 580
- Locate in Remote Site option, 580
- locked template regions, 46–47
- locking
 - layers, **81**
 - regions, **54**
- Log In User dialog box, 550–551, 551
- Log Out User server behavior, 552, 552
- logging users out, **552**, 552
- logins
 - forms for, 548–549
 - names for, 549–550, 549
 - processes for, **550–552**, 551–552
- logos, **422–423**
- lossless compression, 196–197

lossy compression, 197, **205**, 207
 low source setting for images, 280
 LZW Lossless compression, 196–197

M

Macintosh palette, 202
 Macromedia Exchange for Dreamweaver site, **594**
 downloading extensions in, **596–597**
 extension categories in, **595–596**
 Macromedia Extension Installation (MXI) file, 599
 Macromedia Flash. *See* Flash objects
 Macromedia Flash SWF Export Options dialog
 box, 216, *216*
 Magic Wand tool, **151**
 mailing lists, **624**
 main page, **499–503**, 500
 Main toolbar, **75**, *75*
 main window, **473**, *473*
 Maintain Appearance option, 216
 Maintain Design Notes option, 583
 Maintain Editability option, 216
 Maintain Editability over Appearance option, 217
 Maintain Fireworks Appearance option, 217
 Maintain Paths option, 216
 Make Column Autostretch option, 237
 Make Custom Style (Class) option, 312
 Make Document XHTML Compliant option,
 521–522
 Make Link command, **325**
 Make Nested Template option, 56
 Manage Extensions option, 74, 115
 Manage Saved Command dialog box, 110
 Manage Saved Commands option, 74, 110
 maps
 image, **181**, *181*, 279, 321
 building, **327–329**, *328–329*
 hotspots in, **19**, 79, 279
 site, **8–9**, *9*, **576–577**, *576*
 initializing, **43**, *43*
 keyboard shortcuts for, **630**
 links from, **325–327**, *326*, **331**
 margins
 in browser compatibility, 565
 in CSS, 314
 for frames, **296**, *296*, **299**, *299*
 marker_model value, 518
 marketing e-commerce sites, **426–428**, *427*
 Marquee tool, **149–150**, *149–150*
 mask objects, 157
 masking images, **157**
 bitmap masks for, **157–161**, *158–160*
 vector masks for, **161–163**, *161–162*
 Massimo Foti site, 115
 master/detail pages
 creating, **488**, *488*
 rapid development of, **490–492**, *491–492*
 Match Case option, 260
 Matte option
 for GIF images, **202–203**, *203*
 for JPEG images, 207
 mattes, 168, *168*
 Matt's Script Archive site, 417
 Max Chars property
 for file fields, 406
 for forms, 402
 Maximum Number of Colors menu, 203
 measurement units
 for frames, 297
 for layers, **244**
 Media tab, 33
 MegaCGI cgi scripts site, 417
 Menu Commands option, 601
 menu element, 523
 menu lists, 266
 menu.xml file, 602
 menubar element, 523, 525
 menuitem element, 523
 menus and menu bars, **20**
 adding, **606–607**
 adding items to, **607–609**, *609*
 creating, **605–606**
 in Fireworks, **71–75**, *72–75*
 jump. *See* jump menus
 pop-up. *See* pop-up menus
 for XML, **523–528**, *528*
 menus.xml file, 605
 merchant accounts, 433
 Merge Down option, 73
 messages, popup, **379**, *379*

Meta dialog box, 52, 52
 meta tag information, **52**, 52
 method attribute, 400
 Method field, 401
 Microsoft UDDI Registry, 532
 MIDI (Musical Instrument Digital Interface), 339
 Midtones option, 154
 .mno extension, 584
 modes
 for bitmaps, **148**
 in HTML, 272
 Modify menu, **73**, 73
 Modify toolbar, **75**, 75
 monitors
 differences in, **14**
 resolution of, 30
 Most Accurate option, 246
 Move to Record dialog box, 487
 movies, **342–343**, 342–343
 adding, **343–344**, 343
 in Assets Manager, 60
 cloaking, **345–346**
 editing links in, **344**
 launch and edit features for, **344–345**,
 352–353, 352–353
 moving
 files, **577**
 gradient colors, 102
 MP3 files, 339
 MPEG (Moving Picture Experts Group) format, 340
 !msg element, 562–563
 multiline text fields, **403**, 403
 multimedia, **337**
 ActiveX controls, **348–349**, 349
 animated GIFs, **350–351**
 audio files, **341–342**, 342
 audio formats, **339**
 behaviors for, **351**
 Java applets, **349–350**
 movies, **342–346**, 342–343
 need for, **338**
 PDFs, **350**
 players, **340–341**
 plugins, **346–347**, 347
 video formats, **340**

multiple browsers, designing for, **30**
 Multiple Nav Bar HTML Pages option, 194, 214
 munging, 4
 Musical Instrument Digital Interface (MIDI), 339
 MXI (Macromedia Extension Installation) file, 599
 MXP files, 597, 600
 MySQL databases, 445, 470

N

name attribute
 for forms, 400
 for menus, 606
 Name field, 401
 Name property
 for buttons, 408
 for check boxes, 404
 for forms, 402
 for hidden fields, 409
 for images, 407
 for List/Menu selections, 406
 Named Anchor dialog box, 325, 325
 named anchors, 320, **325**, 325
 names
 browser profiles, 562
 commands, 604
 CSS, 316
 editable regions, 53
 events, 371
 files, **578**
 folders, **38–39**, **578**
 frames, 289
 layers, **81**
 login, 549–550, 549
 slices, **194**, 194, 214
 styles, 312
 templates, 49–50
 windows, 379
 namespaces, XHTML, 520
 narrowband connections, 338
 Nav Bar Down State option, 176
 navigation, 12
 code, **458**
 objects for, **171**
 buttons, **174–177**, 175, 177

- in frames, **299–300**, *300*, **305**
- image maps, **181**, *181*
- instances, **173**
- libraries, **173–174**
- menus, **181–185**, *182–185*, *321*
- Nav bars, **185–186**, *185–187*
- rollover behaviors, **177–180**, *178–180*
- symbols, **172–173**, *173*
- recordsets, **487**
- schemes for, **18–20**
- updating, **591**, *591*
- vectors for, **143–145**, *143–145*
- navigation bars, **185–186**, *185–187*, **357–358**, *357*
 - creating, **249**
 - images for, **380–382**, *381–382*
- Navigation extension category, *595*
- nested elements
 - frames, *287*
 - tables, **239–240**, *239–240*
 - templates, **55–56**
 - in XML, *512*
- Nested Tables-No Spacers option, *213*
- .NET C# server model, *445*
- .NET platform, **537**
 - ASP.NET, **538–540**, *539–540*
 - framework for, **537–538**
- .NET servers, *537*
- .NET VB server model, *445*
- Netscape Navigator browser, *558*
- Netscape plugins, **346–347**, *347*
- New Attributes option, *452*
- New CSS Style dialog box, *312*
- New Document dialog box, *82*, *82*, *429*, *432*
- New/Duplicate Frame icon, *178*
- New Editable Region dialog box, *53*, *53*
- New from Template option, *56*
- New Layer option, *80*
- New Library Item option, *63*
- New Panel Group option, *71*
- New Snippet option, *456*
- New Style option, *93*, *107*, *268*
- New Tag Library option, *452*
- New Template option, *50*
- newsgroups, **624**

- Nielsen, Jakob, *13*
- No Resize option, *299*
- No Transparency option, *205*
- NoFrames content, **301–302**
- Non-Breaking Space option, *213*
- non-editable content, *585*
- Normal option, *615*
- notes, Design Notes, **582**
 - creating, **583–584**, *583–584*
 - enabling, **583**
- _notes folder, *584*
- num items property, *403*
- Number option, *389*
- Number From option, *389*
- Numeric Transform dialog box, *137*, *137*



- object element, *343*, *348–349*
- objects, *12*, *12*
 - aligning, **137–138**, *138*
 - converting to images, **283–284**, *284*
 - cropping, **137**, *137*
 - slices from, **193**, *193*
- objectTag function, *616*
- ODBC (Open Database Connectivity), *468*, *470*
- ODBC Microsoft Access Setup window, *471*, *471*
- OLE DB standard, *470*
- onClick event, *370*
- 1-Pixel Transparent Spacer option, *213*
- online catalogs
 - completeness of, **430**, *430*
 - creating, **428–429**, *429*
 - organizing, **430**
 - updating, **429–430**
- online resources, **621**
 - Dreamweaver software, **622–623**
 - newsgroups and mailing lists, **624**
 - starting points, **622**
 - templates, **623**
 - third-party extensions, **623**
 - tutorials and instruction, **623–624**
- online stores. *See* e-commerce sites
- Online Style Guide, *310*
- onmouseout command, *366*

onmouseover command, 366
 opacity settings for layers, **80**
 Open Attach Template option, 58
 Open Browser Window behavior, **378–379**, 379
 Open Database Connectivity (ODBC), 468, 470
 Open From Template option, 602
 Open in Code View option, 448
 Open URLs In menu, 363
 opening
 browser windows, **378–379**, 378
 documents, **82**
 Fireworks, **282**
 templates, **55**
 Opera browser, 15
 operating system considerations, **15**
 optimization methods, **198**
 for GIF compression. *See* GIF (Graphics Interchange Format) files
 for JPEG compression
 optimizing, **208–209**, 209
 options for, **207–208**, 207–208
 selective, **209–211**, 210–211
 Optimize panel for, **198–200**, 198–200
 steps in, **221–222**
 Optimize Options menu, 199, 199
 Optimize panel, 78, **198–200**, 198–200
 Optimize to Size dialog box, 200, 201
 optional template regions, 46–47, **53–54**
 Options menu, 77, 77
 Oracle9i databases, 470
 ordered lists, 266
 Oval Marquee tool, **149–150**, 149
 Over button state, 174
 Over While Down button state, 175
 Overflow option, 243
 overlay color, **193**

P

Package Extension option, 600
 padding
 in cells, 232
 in CSS, 314
 Page Properties dialog box
 for frames, 295, 295

 for links, 322
 for tracing images, 242
 pages, **11**
 content of, **13–14**
 design for. *See* design considerations
 elements of, **12**, 12
 navigation schemes, **18–20**
 from templates, **56**
 Paint Bucket/Gradient Fill tool, 122
 palettes
 exporting, **109**
 indexed, **201–202**
 loading, **109–110**
 panels, **34–35**, 34
 in ColdFusion, **494–496**
 docking and undocking, **37**, 37
 in Fireworks, **77–79**, 77
 hiding, **36–37**, 36–37
 keyboard shortcuts for, **630–631**
 paragraphs
 formatting, **266**
 in templates, 54
 parameters
 for ActiveX controls, 349, 349
 for objects, 347, 395
 in templates, **51**
 Parameters dialog box, 347, 349, 349
 Parameters option, 395
 _parent target, 195, 300, 324
 parse_attribute attribute, 518
 password text fields, **403–404**
 passwords, 549–551
 Paste option, 458
 Paste Inside option, 100
 Path Scrubber tool, **132–133**, 132–133
 paths
 closing, **128–129**
 continuing, **129**
 converting text to, **139–140**, 140
 in curves, 127
 joining, **129**, **134**, 134
 to links, **321**
 points for, **129–130**
 reshaping, **133–135**, 134–135
 patterns, fills with, **98**

- Paymentech service, 434
- PayPal site, 435–436
- PDAs (portable digital assistants), 14
- PDF (Portable Document Format), **350**
- Pen tool, **126, 128–130**
- percentages
 - for frames, 297–298
 - for tables, **236**
- Perl Archive site, 417
- Perl language, **412–414**
- permissions errors, 490
- persistent data, cookies for, **551–552**
- Personal Web Server (PWS), **467**
- photos, feathered edges for, **151–153, 151–152**
- Photoshop
 - exporting to, **216–217**
 - importing from, **82–83, 82–83**
- PHP, 442, **469**
- PHP MySQL server model, 445
- phrase elements, **263–264**
- picture frames, 111, *111*
- Pixel Radius setting, **164**
- pixelated images, 148
- pixels
 - in bitmaps, 148
 - for frames, 297
 - for images, 278
- placeholders
 - for images, **281–282, 281**
 - in templates, 55
- platform attribute
 - for menu items, 609
 - for menus, 607
- Play Recorded Command option, 604
- Play Sound behavior, 351, **379, 379**
- Play/Stop option, 395
- Play Timeline behavior, **387–388, 388**
- plugins
 - adding, **346–347, 347**
 - for bitmaps, **166–169, 167–169**
 - checking for, **374–375**
- PNG (Portable Network Graphics) format, 14, **197**
- point-of-sale (POS) hardware, 433
- Point to File icon, 323–324, *323, 326, 326*
- Pointer tool, 128–129
- points for paths, **129–130**
- Polygon tool, **125**
- Polygon Lasso tool, **151**
- Polygon Slice tool, **192, 192**
- Pop-Up Menu Editor dialog box, 181–184, *182*
- pop-up menus, **181–185, 182–185**
 - Code Navigation, **31**
 - displaying, **389–390, 390**
 - File Management, **29**
 - Preview/Debug, **29–30**
 - View Options, **31**
- Popup Message behavior, **379, 379**
- portable digital assistants (PDAs), 14
- Portable Document Format (PDF), **350**
- Portable Network Graphics (PNG) format, 14, **197**
- portals, **553**
 - discussion boards in, **555**
 - meanings of, **554**
 - personalization features for, **553, 555**
 - for reduced administration, **556**
- ports in WSDL, 533
- POS (point-of-sale) hardware, 433
- Position dialog box, 184, *185, 390*
- positioning
 - CSS options for, **314**
 - graphics, **276–278, 277**
 - pop-up menus, 184, *185, 390*
- POST option, 401
- posting board frameworks, 555
- Powell, Adam, 340
- predefined framesets, **292, 292**
- Preferences dialog box
 - for accessibility, 44
 - for code-only view, 448, *448*
 - for color coding, 451, *451*
 - for disconnects, 578
 - for external editors, 459
 - in Fireworks, **81, 81**
 - for HTML cleanup, 580
 - for Launcher, 27
 - for layers, 242
 - for Link Management, 330, *330*
 - for plugins, 166, *167*

- for saving files, 577
 - for workspace, 36
 - for XHTML, 522
 - Preload Images behavior, **380**, 380
 - presentation classes in .NET, 537
 - preset format for tables, **230–231**, 231
 - preset strokes, **88–89**, 89, **91**, 91
 - Preview/Debug menu, **29–30**
 - Preview in Browser feature, **560**
 - previewing
 - animation, **398**
 - CSS, **317–318**, 318
 - Flash buttons, **360**
 - keyboard shortcuts for, **629**
 - slices, **199–200**, 200–201
 - primary keys for databases, **479**
 - printing code, **459**
 - privileges, assigning, **546–547**
 - process flows, **8–9**, 9
 - production environment, **570**
 - Productivity extension category, 596
 - profiles
 - browser, **561–564**
 - customer, **426**
 - Progressive option, 208–209
 - Project Fireworks site, 115
 - Project Log panel, 79
 - Project Seven Development site, 229
 - Properties window, **474**
 - Property Inspector, **33–34**, 33
 - for ActiveX controls, 348
 - for applets, 349–350
 - for audio, 342, 342
 - for button symbols, 177
 - for ColdFusion, **494**, 500–502
 - for CSS, 311–312, 315
 - for fills, 96–97, 96
 - in Fireworks, **76**, 77
 - for Flash buttons, 361, 361
 - for formatting text, **263–268**
 - for forms, 401–404, 406–409
 - for frames, 290–291, 290, 296–298, 297
 - for freeform tools, 131–133, 131–133
 - for image maps, 181, 181, 327–329, 328–329
 - for images, 278–279, 279
 - for jump menus, 363–364
 - for layers, **243–244**, 392
 - for library items, 64
 - for links, **322–324**, 323
 - for movies, 343–345, 343
 - for optimization, 198
 - for plugins, 347, 347
 - for Rubber Stamp tool, 156
 - for selection tools, 149–150, 149–150
 - for shape tools, 124–125, 125
 - for slices, 193, 193
 - for strokes, 86, 86, 88
 - for tables, 234, **237–238**, 238
 - Text tool with, **138–139**, 139
 - for touch-up tools, 153–156, 153–156
 - Proxy Generator dialog box, 535, 535
 - pseudo-classes, 309, 312
 - Punch option, **135**, 135
 - pure play companies, 424
 - Put command, shortcuts for, 29
 - Put Images in Subfolder option, 212, 219
 - Put Newer Files to Remote option, 333, 579
 - PWS (Personal Web Server), **467**
-
- Q**
- quality assurance, **568–569**
 - Quality setting for JPEG images, 208
 - Quick Tag Editor, **271–272**, 271, 452, 456
 - QuickTime format, 340
 - QuickTime player, **340–341**
-
- R**
- radio buttons
 - dynamic, **475–476**, 475
 - in forms, **404–405**, 405
 - Radio Group dialog box, 405, 405
 - random images, **614–615**, 615
 - Random Images dialog box, 615
 - Range Kerning option, 139
 - raster images, 148
 - RDS option, 444
 - RealAudio files, 339
 - RealMedia format, 340

- RealPlayer, **340**
- Record Insertion Form window, 484
- recording commands, **604–605**
- records
 - deleting, **485–486**, 485
 - inserting, **484**, **504–507**, 504
 - stored procedures for, **486–487**
- Recordset dialog box, 482, 482, 499, 500
- recordsets
 - defining, **472**
 - Live Objects in, **488**, 488
 - navigating, **487**
 - repeated regions in, **487–488**
- Rectangle tool, **123**, 123
- Rectangle Slice tool, **191–192**, 192
- recursive frames, 287
- Redefine HTML Tag option, 312
- Redraw Path tool, **130**, 130–131
- Reference panel, **31**, 35
- Refresh Design View option, **31**, 454
- regions in templates
 - editable, **53**, 53
 - relocking, **54**
 - repeating and optional, 46–47, **53–54**
- registering sites, 427
- registration forms, **547–548**
- regular expressions, 261, 458
- Relative option for frames, 297
- relative paths to links, 321
- Relative To: Site Root option, 277
- Reload Modified Files option, 459
- relocking regions, **54**
- remote folders, **444–445**, 444
- Remote Info screen, 539, 539
- remote sites, 40
 - servers for, **42**, 42
 - synchronizing, **573**, 573, **579–580**, 579–580
- Remove All Breakpoints option, 462
- Remove All Word Specific Markup option, 255
- Remove Color from Transparency option, 206
- Remove Dreamweaver Special Markup option, 581
- Remove Empty Container Tags option, 581
- Remove JPEG Mask option, 211
- Remove Non-Dreamweaver HTML Comments option, 461, 581
- Remove Redundant Nested Tags option, 581
- Remove Specific Tag(s) option, 461, 581
- Remove Template Markup option, 54
- Remove Word Specific Markup option, 255
- renaming files and folders, **578**
- render_contents attribute, 518
- reopening templates, **55**
- Repeated Region dialog box, 487–488
- repeating elements
 - regions
 - in recordsets, **487–488**
 - in templates, 46–47, **53–54**
 - SSIs for, **65–66**, 66
 - tables, 53
- reports, **586**
 - Site Import Export Extension for, **586–587**
 - Site Summary Reports Extension for, **587–588**, 587–588
- Reports dialog box, 569, 570, 584, 587, 587
- requirements gathering, **7**
- Reset Size option, 395
- Reshape Area tool, **132**, 132
- reshaping paths, **133–135**, 134–135
- resizing Flash buttons, **360–361**, 361
- resolution
 - of bitmaps, 148
 - of monitors, 30
- resources
 - for creating extensions, **598–599**
 - online, **621–624**
- Restore Bitmap Selection option, 158
- Restrict Access behavior, 552
- Restrict Access to Page dialog box, 547, 552, 552
- restrictions, **552**
- result page sets, **476–478**, 477
- Results panel, **35**, 332, 332
- Retrospect packages, 588
- rewriting code, **450–451**
- Rich Media extension category, 596
- RmiJdbc driver, 468
- rolling back sites, **588**
- Rollover Image option, 356
- rollovers, 12, **177**, **355**
 - creating, **356–357**, 356
 - disjoint, **178–180**, 179–180

- Flash buttons, **359–360**, 359
 - simple, **178**, 178
- root elements
 - in XHTML, 520
 - in XML, 512
- root folders, 38
 - in ASP.NET, 538
 - for web applications, **444–445**, 444
- rotating objects, 137, 137
- Rounded Rectangle tool, **123–124**, 124
- rows
 - database
 - deleting, **483–484**
 - inserting, **483**
 - selecting, **481–483**, 482
 - in framesets, **291**, 291, **297–298**, 297
 - in tables, 232, 232, **237–238**
- Rubber Stamp tool, **156–157**, 156
- ruler guides, **190–191**
- rulers, **83–84**, 84

S

- SalCentral registry, 532
- Sample option, 264
- sans-serif fonts, 264
- Save All Frames option, 295
- Save as Command option, 93, 114
- Save As Template dialog box, 49, 49, 51, 603
- Save Bitmap Selection option, 158
- Save Files Before Putting option, 577
- Save Frame option, 294
- Save Frame As option, 289, 294
- Save Frame as Template option, 294
- Save Frameset As option, 294
- Save Frameset Page option, 294
- Save on Launch option, 459
- Save Selected Steps As Command option, 604
- Save Selection as JPEG Mask option, 211
- saved file status, 26
- saving
 - bitmap masks, **159**, 159
 - documents, **82**
 - Flash buttons, **360**
 - frames, 289, **304–305**, 305

- framesets, **294–295**
 - strokes, **93**
 - styles, **106–107**
- schema, database, **478–480**
- script_model value, 518
- Scripting extension category, 596
- scripts, CGI, **412**
 - editing, **415–416**, 415
 - requirements, **412–413**
- Scripts category in Assets Manager, 60
- scrollbars, **298–299**, 298
- search engines, 52
- search forms, **417–419**
- Search panel, 35
- search services for marketing, **426–427**
- searching
 - for dynamic content, **476–478**, 477
 - for editing code, **458**, 458
 - in Fireworks, 79
 - for HTML tags, **272**, 273
 - for text, **260–262**, 260–261
- Section 508 accessibility standards, **569–570**, 570
- Secure Sockets Layer (SSL) encryption, 433, 549
- security
 - access restrictions, **552**
 - login pages and processes, **550–552**, 551–552
 - privileges, **546–547**
 - registration forms, **547–548**
 - server behaviors, **548–550**, 548–549
- Security extension category, 596
- segments in curves, 127
- Select Behind tool, 136
- SELECT command, 481–482
- Select Destination for Exported Site dialog box, 586
- Select External Editor dialog box, 459, 459
- Select File dialog box
 - for ActiveX controls, 348
 - for applets, 349
 - for audio, 342, 342
 - for links, 300, 324–325, 324
 - for SSIs, 66, 66
- Select First Item After URL Change option, 412
- Select Host window, 166, 167

- Select Image Source dialog box, 242, 277, 277, 351
- Select Inverse option, 151–152
- Select menu, **73**, 73, **151–153**, 151–152
- Select Newer Local option, 579
- Select Newer Remote option, 579
- Select Parent Tag option, 457, 460
- Select Table option, 232, 235
- Select Transparent Color option, 206
- Selected Files in Site option, 260
- Selected Local Files Only option, 579
- Selected Remote Files Only option, 579
- Selected Slices Only option, 215
- selecting
 - database rows, **481–483**, 482
 - table parts, **235**
- selection tools for bitmaps, **149–151**, 149–151
- Selections: Allow Multiple property, 407
- selections for bitmap masks, **158**, 158
- selective JPEG compression, 198, **209–211**, 210–211
- Selective Quality option, 211
- _self target, 195, 300, 324
- separator element, 523
- sepia, converting to, 112
- Sequential option, 615
- server behaviors, 466
 - adding, **548–550**, 548–549
 - for ColdFusion, **499–503**, 500
- Server Behaviors panel, 35, 476, 477, **495**
- Server Debug panel, 35, 463
- server-side image maps, 19, 327
- server-side includes (SSIs), **65–66**, 66, 258
- servers
 - implementing, **467–468**, 467–468
 - for multimedia content, 341
 - remote site, **42**, 42
 - testing, **445–446**
 - troubleshooting, **489**
 - for web applications, **442–443**
- Service Packs, 489
- services. *See* web services
- Set Background Color option, 254
- Set Nav Bar Image behavior, **380–382**, 381–382
- Set/Remove Breakpoint option, 462
- Set Text of Frame behavior, 301, **382–383**, 383
- Set Text of Layer behavior, **383**, 383
- Set Text of Status Bar behavior, **383–384**, 384
- Set Text of Text Field behavior, **384**, 385
- SGML (Standardized General Markup Language), 514
- Shadows effect, **104**, 105
- Shadows option, 154
- shape of Insert bar, 33
- shape tools, **122**, 122
 - Ellipse, **124**
 - Line, **125**
 - Polygon, **125**
 - Rectangle, **123**, 123
 - Rounded Rectangle, **123–124**, 124
- Share a Selected Layer feature, **81**
- Sharpen Amount setting, **164**
- Sharpen filters, **164**
- Sharpen JPEG Edges option, 207, 209
- Sharpen tool, **153–154**, 154
- Shockwave
 - in Assets Manager, 60
 - behavior for, **375–376**, 376
 - uses for, **5**
- shopping carts, **431–432**, 431–432, **435–437**
- shortcuts
 - for code, **454–456**, 455–456
 - keyboard
 - creating, **600–602**, 600
 - for file management commands, 29
 - list of, **625–631**
- Show Dependent Files option, 344
- Show Down Image Initially option, 358
- Show Events For menu, 370–371, 559
- Show Grid option, 241
- Show Guides option, 84, 190
- Show-Hide Layers behavior, **384–385**, 385
- Show Icons in Panels and Launcher option, 27
- Show Log On Completion option, 255, 461, 582
- Show Pop-Up Menu behavior, 181, **389–390**, 390
- Show When File Is Opened option, 583–584
- Silver Connection site, 431
- Simple Object Access Protocol (SOAP), **532–534**
- simple rollovers, **178**, 178
- Simplify dialog box, 130

- Single Layer Editing, **81**
- single-line text fields, **403**
- Single Table-No Spacers option, 213
- Site Definition dialog box, 39–41, *39–40*
 - for ASP.NET, 539
 - for cloaking, 572
 - for Design Notes, 583
 - for links, 344
 - for local folders, 444, *444*
 - for testing servers, 445, *445*
- Site Definition Wizard, 345
- Site editor, 496
- Site Files window, **474**, *474*
- Site Import Export Extension, **586–587**
- Site Map Layout category, 43
- site maps, **8–9**, *9*, **576–577**, *576*
 - initializing, **43**, *43*
 - keyboard shortcuts for, **630**
 - links from, **325–327**, *326*, **331**
- Site Menu Commands option, 601
- Site panel, 35
- Site Reports panel, 35
- Site Summary Reports Extension, **587–588**, *587–588*
- Site Window option, 601
- Site Wizard, 13
- SiteOwner.com site, 427
- sites, **38**
 - advanced setup for, **42–43**, *42–43*
 - e-commerce. *See* e-commerce sites
 - exporting, **571**, *571*
 - importing, **43–44**, *43–44*
 - keyboard shortcuts for, **629–630**
 - local folders for, **38–39**
 - rolling back, **588**
 - Site Setup Wizard for, **39–41**, *39–40*
 - synchronizing, **579–580**, *579–580*
 - updating, **589–591**, *589–591*
- size
 - Flash buttons, **360–361**, *361*
 - frames, **297–299**, *297*
 - GIF files, 282–283
 - images, **278–279**, **282–283**, *283*
 - text, **265**
- Skew tool, 136, *137*
- Slice along Guides option, 212
- Slice Guides option, 193
- slices, 20, 79–80, **189**, **221**, *221*
 - benefits of, **190**
 - exporting, **220**
 - names for, **194**, *194*, 214
 - from objects, **193**, *193*
 - overlay color for, **193**
 - Polygon Slice tool for, **192**, *192*
 - previewing, **199–200**, *200–201*
 - Rectangle Slice tool for, **191–192**, *192*
 - ruler guides for, **190–191**
 - text, **195–196**, *195*
 - URLs and Alt tags for, **194–195**
 - viewing, **193**
- Slideshow option, 615
- Smaller Photoshop File option, 217
- smart clients and devices in .NET, 537
- Smoothing option, 207
- Smudge tool, **156**, *156*
- Snap to Grid option, 241
- Snap to Guides option, 191
- Snippet dialog box, 456, *456*
- snippets, **455–456**, *456*
- Snippets panel, 34
- SOAP (Simple Object Access Protocol), **532–534**
- Source Code mode, 272
- Source Code option, 458
- source paths to images, 279
- sources for databases, **471–472**, *471*
- SourceSafe Database option, 444
- spacers in tables, **235–236**, *236*
- spaces in names, 39
- spacing in CSS, 313
- special characters
 - inserting, **257–258**, *259*
 - in names, 39
- Specific Tag mode, 272
- Specified Tag option, 458
- spell checking, 139, **259**, *259*
- spiders, 301
- .spl extension, 375
- Splat! plugin, 75, **166–169**, *167–169*
- Split option for paths, 134
- Split Frame options, 293

- SQL
 - creating tables in, **480**
 - indexes in, **481**
 - rows in
 - deleting, **483–484**
 - inserting, **483**
 - selecting, in, **481–483**, 482
 - SQL Server databases, 469
 - Src property, 408
 - SSIs (server-side includes), **65–66**, 66, 258
 - SSL (Secure Sockets Layer) encryption, 433, 549
 - standard mode, 28
 - Standard View, tables in, **231–232**, 232
 - Standardized General Markup Language (SGML), 514
 - standards
 - accessibility, **569–570**, 570
 - for browser compatibility, **565**
 - star shape, drawing, 125
 - Start Recording option, 604
 - start_string attribute, 518
 - starting points, online resources for, **622**
 - status bar, **27**
 - in Fireworks, **77**
 - text of, **383–384**, 384
 - Step In option, 462
 - Step Out option, 462
 - Step Over option, 462
 - Stop Debugging option, 462
 - Stop Timeline behavior, **388**, 388
 - stored procedures, **486–487**
 - storyboards, **9–10**, 10
 - streamed files, 339
 - strict XHTML doctype, 520
 - strikethrough text, 263
 - string-delimited tags, 517
 - Stroke Category menu, 86–87, 86
 - Stroke Options dialog box, 90
 - strokes, **85–86**
 - adding, **87–88**
 - for dashed lines, **91–93**, 92
 - options for, **86–87**, 86–87
 - preset, **88–89**, 89, **91**, 91
 - saving as styles, **93**
 - texture for, **94–96**, 94–96
 - tip options for, **90**
 - Strong option, 264
 - structural tags, 263
 - Style Definition dialog box, 315
 - Style/Format extension category, 596
 - style sheets. *See* CSS (Cascading Style Sheets)
 - styles
 - in Fireworks, **106–107**, 106
 - HTML, 34, **268–269**, 268–269
 - saving strokes as, **93**
 - workspace, **36**
 - Styles Options menu, 93
 - Styles panel, 79, **106–107**, 106
 - Submit Extension option, 600
 - Submit It! Free service, 427
 - Subselection tool, 123
 - Swap Image action, 357
 - Swap Image dialog box, 180, 180, **385–386**, 386
 - Swap Image Restore behavior, **385–386**
 - swapped images, 178
 - Swatches Options menu, 109–110
 - Swatches panel, 78, **109–110**, 109
 - .swf extension, 375
 - Symbol Properties dialog box, 172, 175
 - symbols, **172–174**, 173
 - buttons, **174–177**, 175, 177
 - instances, **173**
 - synchronization
 - cloaking for, **572–573**, 572
 - for importing, 43, 44
 - for links, 333, 333
 - local and remote sites, **579–580**, 579–580
 - to remote server, **573**, 573
 - Synchronize dialog box, 580, 580
 - Synchronize Files dialog box, 43, 44, 333, 333, 573, 573, 579, 579
 - Syntax Coloring option, 449
-
- T
- tab-delimited file, 256
 - Table Borders option, 235
 - Table tab, **213**, 214

- tables, **16–18**, *17*, **227**
 - adding, **249**, *249*
 - alignment in, **239**
 - color in, **238–239**, *238*
 - columns in, *232*, *232*, **237–238**
 - database. *See* databases
 - importing, **253–256**, *254–256*
 - keyboard shortcuts for, **627–628**
 - with layers, **245–247**, *246*
 - in Layout View, **233–234**, *233–234*
 - nesting, **239–240**, *239–240*
 - preset format for, **230–231**, *231*
 - Property Inspector for, *234*, **237–238**, *238*
 - rows in, *232*, *232*, **237–238**
 - selecting parts of, **235**
 - spacers in, **235–236**, *236*
 - SQL, **480**
 - in Standard View, **231–232**, *232*
- Tables extension category, *596*
- Tables tab, *32*
- Tag Chooser, **455**, *455*
- Tag Editors, *455*, **457**, **494**
- Tag Inspector, *34*, **457–458**, *457–458*
- Tag Library Editor dialog box, *452–453*, *452–453*
- tag_name attribute, *518*
- Tag option, *244*
- tag selectors, *27*, *309*
- tag_type attribute, *518*
- tags
 - balancing, **460**
 - custom, **453**, *453*
 - hidden, **410–411**
 - inserting, **455**, *455*
 - libraries for, **451–453**, *451–453*
 - in XML, *512*, **517–519**, *519*
- target audiences, **558**
- Target Browser Check panel, *35*
- target pages for forms, **416–417**, *417*
- targets in frames, *195*, **300**, *300*, **305**, *324*
- Teletype option, *264*
- templates, **45–47**, *46*
 - applying, **56–57**, *57*
 - in Assets Manager, *60*
 - based on templates, **55–56**
 - behaviors for, **52**, **58–59**
 - closing and reopening, **55**
 - content in, **51**, **585**
 - correcting, **589–590**, *589–590*
 - creating, **48–50**, *49–50*
 - default, **602–603**, *603*
 - detaching, **58**
 - in development process, **48**
 - documenting design in, **51**
 - Dreamweaver 4, **59**
 - editing, **58**
 - from existing pages, **50–51**
 - extensions in, **52**
 - for layout, **228–229**, *230*
 - links to, **55**
 - for maintenance, *574*
 - meta tag information in, **52**, *52*
 - online resources for, **623**
 - parameters in, **51**
 - regions in
 - editable, **53**, *53*
 - relocking, **54**
 - repeating and optional, *46–47*, **53–54**
 - saving frames as, *294*
 - updating pages linked to, **59**
 - for XML, **514–517**, *515–517*
- Templates folder, *55*
- Templates For setting, *56*
- Templates tab, *32*
- testing
 - browser compatibility, **559–564**
 - Flash buttons, **361**, *361*
 - links, **331–332**, *332*
 - QA, **568–569**
 - usability, **568**
 - user-acceptance, **569**
- Testing Server category, *42*
- Testing Server screen, *539*, *539*
- testing servers, **445–446**, *539*, *539*
- text, **12–13**, *12*, **251**
 - converting to paths, **139–140**, *140*
 - cutting from images, **141–142**, *141–142*
 - design considerations for, **15–16**
 - dynamic, **475**
 - editing, **259**
 - entering, **256–258**, *257–258*

- find and replace for, **260–262**, *260–261*
- Flash, **394–395**, *394*
- for Flash buttons, **361–362**, *361*
- formatting. *See* formatting
- of frames, **382–383**, *383*
- HTML, **270–272**, *271, 273*
- importing, **253–256**, *254–256*
- inserting, **252**, *253*
- keyboard shortcuts for, **627**
- of layers, **383**, *383*
- for links, 321
- organizing, **252**
- in persistent page elements, **258–259**
- slices, **195–196**, *195*
- spell checking, 139, **259**, *259*
- of status bar, **383–384**, *384*
- of text fields, **384**, *385*
- Text (Advanced) mode, 272, 458
- Text Editor, 74
- Text extension category, 596
- text fields, **401–402**, *402*
 - multiline, **403**, *403*
 - password, **403–404**
 - single-line, **403**
 - text of, **384**, *385*
- Text menu, **74**, *74*
- Text tab, 32
- Text tool, **138**
 - for converting text to paths, **139–140**, *140*
 - for cutting text from images, **141–142**, *141–142*
 - for inset paths, **140–141**, *140–141*
 - with Property Inspector, **138–139**, *139*
- Texture Name setting, 86
- textures
 - fills with, **97–98**
 - for strokes, 86, **94–96**, *94–96*
- third-party items
 - bitmap plugins, **166–169**
 - extensions, **623**
 - Fireworks commands, **115**
 - XML tags, **517–519**, *519*
- Threshold setting, **164**
- thumbnails, **8–9**, *9*
- timelines
 - behaviors in
 - adding, **397–398**, *397*
 - Go to Timeline Frame, **386–387**, *387*
 - Play Timeline, **387–388**, *388*
 - Stop Timeline, **388**, *388*
 - working with, **391–393**, *391*
 - frames in, **397**, *397*
 - layers in, **396**, *397*
- Tip Size setting, 86
- title bar
 - in Document window, **26–27**, *26*
 - in Fireworks, **71**, *71*
- Title field, **28**
- Toolbars, **27**
 - Code Navigation menu, **31**
 - File Management menu, **29**
 - in Fireworks, **75**, *75*
 - Preview/Debug menu, **29–30**
 - Refresh button, **31**
 - Title field, **28**
 - View Options menu, **31**
 - views, **28**
- Tools panel, **76**, **149**, *149*
- _top target, 195, 300, 324
- tracing images, **242**, **247–248**, *247*
- transactions
 - credit card payments, **432–435**, *433*
 - online catalogs for, **428–430**, *429–430*
 - shopping carts for, **431–432**, *431–432*, **435–437**
- transformations for vectors, **136–137**, *137*
- transitional XHTML doctype, 520
- transparency
 - in GIF compression, **205–206**, *206*
 - in gradient fills, **102**
 - in vector masks, **162–163**, *162*
- Trim Canvas option, 111, 137
- Trim Images option, 219
- troubleshooting
 - backups for, **490**
 - databases, **490**
 - jump menus, **364**
 - servers, **489**
- trust for e-commerce sites, 422
- tutorials, **623–624**
- Twist and Fade command, **113**, *113*

2-Up view, **199**
 Type property
 for forms, 402
 for List/Menu selections, 406
 type style for e-commerce sites, **423–425**,
423–425

U

UAs (user agents), 309
 UDDI (Universal Description, Discovery, and
 Integration Service), 532, **534**
 Ultraweaver site, 115
 Uncloak option, 346, 572
 undocking panels, **37**, *37*
 Ungroup option, 140, 162
 unified core classes in .NET, 537
 Uniform palette, 202
 Union option for paths, **134**, *134*
 unique strokes, **95–96**, *95–96*
 unique usernames, **549–550**, *549*
 units
 for frames, 297
 for layers, **244**
 Universal Description, Discovery, and Integration
 Service (UDDI), 532, **534**
 unordered lists, 266
 Unsharp Mask dialog box, 164
 Up button state, 174
 Update All Images option, 615
 Update Automatically on Save option, 258
 Update Current Page option, 58, 65
 Update Files dialog box, 330, *330*
 Update Pages dialog box, 65, *65*
 updating
 dialog boxes, **612–613**, *613*
 from library item changes, **65**
 links, **330–331**, *330–331*, **333**, *333*
 pages linked to templates, **59**
 sites, **589**
 content, **590**, *590*
 links, **591**, *591*
 navigation, **591**, *591*
 templates, **589–590**, *589–590*
 Upload Design Notes for Sharing option, 583

uploaded files, 405
 URL panel, 79
 URL Prefix option, 446
 URLs
 in Assets Manager, 60
 behavior for, **377**, *377*
 in Favorites view, 62
 for slices, **194–195**
 usability testing, **568**
 Use CSS Selector option, 312
 Use Editable Region Names as XML Tags option,
 516
 Use Entire Document option, 156
 Use Regular Expressions option, 261, 458
 Use Standard Dreamweaver XML Tags option,
 516
 Use Transparent GIFs option, 246
 user-acceptance testing, **569**
 user administration, **546**
 for privileges, **546–547**
 for registration forms, **547–548**
 for server behaviors, **548–550**, *548–549*
 user agents (UAs), 309
 usernames, **549–551**, *549*
 UTF-8 Coding option, 214

V

Validate Form behavior, **388–389**, *389*
 Validate Markup option, 461
 validating
 code, **461**, *461*
 forms, **388–389**, *389*
 XML and XHTML documents, **522–523**
 Validation panel, 35
 Validator Options dialog box, 522–523
 Validator Preferences dialog box, 522–523
 Value property, 409
 variable list pane, 463
 Variable option, 264
 VBScript server model, 445
 vector masks, **161–163**, *161–162*
 Vector Path tool, **126**
 vectors, **121**
 for aligning objects, **137–138**, *138*

- Crop tool for, **137**, *137*
- drawing tools for
 - Pen, **126**
 - Vector Path, **126**
- editing
 - with control handles, **127–128**, *127–128*
 - with freeform editing tools, **130–133**, *130–133*
 - with Pen tool, **128–130**
- exporting objects as, **217–218**, *217–218*
- miscellaneous actions for, **135–136**
- for navigational elements, **143–145**, *143–145*
- path operations for, **133–135**, *134–135*
- shape tools for, **122**, *122*
 - Ellipse, **124**
 - Line, **125**
 - Polygon, **125**
 - Rectangle, **123**, *123*
 - Rounded Rectangle, **123–124**, *124*
 - Text tool for, **138–142**, *139–142*
 - transformations for, **136–137**, *137*
- versions, browser, 374, **564**
- vertical portals, 554
- vertical space setting for images, 280
- Vertical Text option, 139
- video formats, **340**
- view area, **27**
- View menu, **72**, *72*
- View Options menu, **31**
- viewing slices, **193**
- views
 - keyboard shortcuts for, **626**
 - Toolbar for, **28**
- Vis option, 243
- VSPACE attribute, 280
- Web Accessibility Initiative (WAI), 7
- web applications, **441**
 - code. *See* code
 - database connections for, **446**
 - local folders for, **443–444**, *444*
 - remote folders for, **444–445**, *444*
 - servers for, **442–443**
 - supported server model for, **442**
 - testing servers for, **445–446**
- Web Design Group, 310
- Web Dither dialog box, 108, *108*
- Web dithering, **107–108**, *108*
- Web Kitchen extension, 588
- Web layers, **79–80**
- Web-safe colors, 107, 196
- Web servers. *See* servers
- Web Service Chooser dialog box, 536
- web services, **531–532**
 - accessing, **532**
 - adding, **534–537**, *534–536*
 - SOAP, **533–534**
 - UDDI, **534**
 - WSDL, **533**
- Web Services Description Language (WSDL), **532–533**
- Web Standards Project site, 310
- WebAIM (Web Accessibility In Mind) site, 7
- WebDAV option, 444
- WebMonkey site, 310
- WebSnap Adaptive palette, 202
- well-formed XML documents, 513
- Wells Fargo Bank site, 433
- WHERE clause, 482, 484
- White pages, 534
- width
 - of frames, **297–298**, *297*
 - in tables, 232
- Window menu, **75**, *75*
- windows, opening, **378–379**, *378*
- Windows Media format, 340
- Windows Media Player, **340–341**
- Windows palette, 202
- wireframes, **9–10**, *10*
- Word documents, **253–256**, *254–256*
- Word Wrap option, 449

W

- W property for images, 407
- WA PayPal eCommerce Toolkit extension, 435
- WAI (Web Accessibility Initiative), 7
- Warn When Fixing or removing Tags option, 581
- WAV (Waveform) format, 339
- Web 216 palette, 202
- Web Accessibility In Mind (WebAIM) site, 7

workflow

- Check In/Check Out for, **584–585**

- Design Notes for, **582–584**, *583–584*

workspace, **21, 36**

- docking and undocking panels, **37**, *37*

- in Fireworks, **70–71**, *70–71*

- hiding panels, **36–37**, *36–37*

- integrated, **22–23**, *22–23*

- style of, **36**

- Workspace Setup dialog box, 36

- Wrap property, 402

- Wrap Tag mode, 271

- WSDL (Web Services Description Language),

- 532–533**

XML (Extensible Markup Language), **509**

- concepts in, **510–514**, *513*

- custom tags in, **517–519**, *519*

- exporting sites as, **571**, *571*

- importance of, **529**

- importing and exporting, **514–517**, *515–517*

- menus for, **523–528**, *528*

- support for, 558

- validation in, **522–523**

- XML Web Services, 537

- XSLT (Extensible Style Language

- Transformations) style sheets, 513

X

XHTML (Extensible Hypertext Markup Language)

- support for, **520–522**

- validation in, **522–523**

- XMethods registry, 532

Y

- Yahoo! Store, 434

- Yellow pages, 534

Z

- Z-Index option, 243

- Zeldman, Jeffrey, 310