

Index

Page references to figures are given in italic type; those to tables are given in bold type.

- additives
 - adsorption 29–30, *see also* selective adsorption
 - coding 194–196
 - and face stabilization 31–33
 - and growth 12–14
 - monoatomic 138–142
 - and morphology 29
 - PAA 146–148
 - polymers *see* polymers, as additive
- adsorption
 - of additives, and face stabilization 28–29, 32
 - in classical crystal growth 9
 - epitaxial 37
 - parameters affecting 37–38
 - selective *see* selective adsorption
- aggregation 105–106
 - and mesocrystal formation without additives 137–138
 - and nanocrystal alignment by magnetic field 202
- alanine 144
 - mesocrystals, X-ray diffraction patterns 203
 - monocrystallization 231–232
 - unit cell 30
- amino acids
 - alignment due to dipole moment 210
 - conditions for crystallization 187–190
 - formation of amorphous clusters 76
 - amorphous connecting layer 97–98
 - amorphous precursors *see* precursors, amorphous particulate
 - analytic techniques 237–238, 243–244
 - aggregation 239
 - mesocrystallization 239–240
 - monocrystallization 240–241
 - nucleation and growth 238–239
- anisotropy
 - classical crystals, and mechanical properties 43–47
 - electromagnetic properties 40–43
 - induction by polymer adsorption 143
- applications 267–268, 269–270
- atomic force microscopy (AFM) 10, 11, 243
- bacteria 52–53, 53
- barytes 35–37, 36, 63
 - fibers 64
 - formation using surfactants 87, 88, 89
 - porous 69–70
 - single crystal formation 229–231
 - time-observed crystallization 229
- Becker–Döring theory of nucleation 17–18
- biomimetics 59–67, 227–228, 268–269
 - hard template approach 62–63
 - nacre retrosynthesis 77

- biominerals 3–4, 3
 - bacterial magnetite 52–53
 - development of complexity 58–59
 - diffraction behaviour 51–52
 - foraminifera 53–56
 - mesocrystalline 122–129
 - polymorph control 26
 - templating 227–228
 - see also* sea urchin spicules
- biomorphs 68–69
- birefringence 43, 44
- bond strength, estimation 29
- Bragg rings 39–40, 39
- brucite 159–160

- cadmium nanorods 220, 221
- calcite 10, 21–22, 22, 31, 211
 - in coccoliths 57–58
 - fibers 116
 - layer nucleation 11
 - mineral bridge formation 148
 - morphology change due to selective adsorption 214
 - nonclassical crystals, in foraminifera 53–56
 - piezoelectricity 210
 - in *Pinna nobilis* 127–128, 128
 - protein adsorption 12
 - in sea urchin spines 56–57
 - self-similar growth 224, 225, 226
 - twinned tetrahedral mesocrystal 97
 - see also* calcium carbonate
- calcium carbonate 2
 - cluster formation 21–22
 - helical 81
 - liquid phase separation 79–80
 - mesocrystal formation with polymer additive
- concentration 148–151, 150
 - monolayers 61, 62
 - nacre retrosynthesis 77
 - see also* calcite
- canavalin, layer nucleation 11
- capillary forces 190–192
- ceramics 202–204, 205
- cerium compounds 115
- chapter summary 5
- chirality, of crystal additives 13–14
- classical crystallization
 - definition 7–9
 - fiber growth 94–95
- classical crystals
 - characterisation 9
 - electrical properties 40–43
 - Gibbs free energy 15–16
 - growth 9–14, 10
 - mechanical properties 44–47
 - optical properties 43
- cleavage, and anisotropy 46–47
- clusters 76
 - size 16–17
 - and supersaturation 21–22
- cobalt oxalate dihydrate 136
- coccoliths 57–58, 59
- collagen 263
- colloidal crystals 107–112
- construction materials 267
- cooperativity 104–106
- copper oxalate 146–147, 147
- copper oxide 138
- corals 128–129
- crystallization conditions, and crystallization type 253
- crystallization mechanisms
 - classical 7–9
 - nonclassical 73–76, 74, 254
 - in bioorganisms 122–123
 - thermodynamic 22–24
 - unified model 251–255, 255
- defects
 - in classical crystals 9–10
 - in mesocrystals 171
- diffraction analysis 243–244
 - alanine mesocrystals 203
 - behaviour, mesocrystals 123–124
 - behaviour of single crystals vs. polycrystals 39–40, 39
 - biominerals 51–52, 55
 - topotactic crystals 162
- dipole-dipole interaction 206
- dipole forces *see* electrical fields; magnetic fields
- double hydrophilic block copolymers (DHBC) 33
- drying
 - and colloidal crystal formation 109
 - and transformation of precursors to crystalline form 81–82, 82
- dyes
 - crystallization, and van der Waals forces 207–208

- outlook for improvement 268
 - selective adsorption 34–35
 - charged 217–219
- edge-share stacking 223
- elasticity, classical crystals 44–46
- electrical fields 219–222
- electrode, for nano rod alignment using
 - electric field 220
- electrostatic forces 206
- energy minima
 - and interfacial alignment 192–194
 - and mesocrystal disappearance 254
 - and morphology 31
- epitaxy 37, 82
- face stabilization *see* surface stabilization
- ferroelectricity 41
- fibers 63–64
 - bundles 63–64, 64
 - calcite 116
 - formation using surfactants 87, 88, 89
 - grown by face-selective polymer
 - adsorption 94–95
 - in non-aqueous solvents 155
 - precursor direct crystallization 91–93, 92
- flow, and directed assembly 90–91
- fluctuation theory 20–21
- fluoroapatite 129–131
- foraminifera 53–56
- fractal behaviour 222–226
- fracturing
 - biominerals 123–125
 - nacre 126–127, 127
 - classical crystals 46–47
- Freundlich, Herbert
- fusion, of mesocrystals to form single
 - crystal 229–233
- gelatine 163
- gels 129–134, 154–156
 - and biomorph formation 68–69
- Gibbs free energy, in classical
 - crystallization 15–16
- gold
 - face stabilization 33–34
 - nanorods 220
- growth
 - analysis 238–239
 - by oriented attachment 83–95
 - by self-similar assembly 222–226
- classical crystals 9–14, 10
- combined effect of dipole forces and
 - selective adsorption 210–215
- hierarchical 147–148
 - and impurities 12
 - multi-step 63
 - rate, and additive adsorption 32
- Haeckel, Ernst
- hairy ball theorem 195
- Hamaker constant 207
- hematite 137–138, 138–139
- heterogeneous nucleation 8–9, 18–19
- hierarchical growth 147–148, 149
- historical overview 1–4
- homogeneous nucleation 9, 15–18
- Hooke's law 45
- hydroxyapatite 64
- interfacial stacking 225–226
- iron oxide 137
- Keesons interaction 206
- Kossel model 9, 11
- La-Mer curves 8
- ligands, control of oriented attachment 85
- limescale 77–78
- liquid crystals 163–173
 - comparison with mesocrystals 163–166
 - tactoids 166, 171–172
- London interaction 206
- magnesium oxide, nanopods 86, 87
- magnetic fields
 - critical size for nanoparticle
 - susceptibility 202
 - in nanocrystals 216
 - and optical properties, liquid crystals
 - 167–168
 - and particle alignment 198–204
- magnetite 191
 - in bacteria 52–53
- magnetization energy 200
- matrices, solid 157–159
- mechanical properties, and anisotropy 43–47
- mesocrystals
 - conditions for formation 186–190
 - definition 3–4, 96–97
 - early reports 114–117
 - one-dimensional 117–118

- mesocrystals (*Continued*)
- two-dimensional 118–122
 - formation process 147
 - fracture behaviour 123–125
 - in liquid crystals 168
 - misidentification 98
 - nanocrystal alignment 180
 - example 183–185
 - mineral bridge 181–183
 - via geometric alignment 183
 - via ordering fields 179–181
 - capillary forces 190–192
 - electrical 219–222
 - hydrophobic forces and interface energies 192
 - interfacial energy minimization 192–194
 - magnetic 198–204
 - mechanical stress field 196–198
 - polarization forces 204–219
 - one-dimensional 117–118
 - see also* fibers
 - as single crystal precursors 229–233
 - spherical 152
 - structural hierarchy 155
 - tuning of properties 247–249
 - two-dimensional 118–122, *see also* monolayers
 - without additives 134–138
 - X-ray scattering behaviour 98
 - mesoscale transformations 73–74
 - metastable phases 24
 - micelles 105
 - microscopy 241–243
 - mineral bridges 146–147, 181–183
 - formation 185–186
 - monocrystal
 - definition 9
 - formation, analytic techniques 240–241
 - formation from mesocrystal 229–233, 233
 - monolayers 60
 - in biomimetics 77
 - colloidal 109–112, 111
 - and evaporation rate 109
 - patterned nucleation 60, 61
 - multi-step growth 63
 - nacre 77, 248–249
 - nanoparticles 125–126
 - nanofibers *see* fibers
 - nanoparticles
 - alignment 192–193
 - in bioorganic mesocrystals 123–127
 - critical size for magnetic susceptibility 202
 - formation in emulsion droplets 137
 - fusion in directed growth 90–91
 - interfacial energy 193–194
 - polymerization degree 260
 - as precursors 76–78
 - spherical, polar defects 195
 - nanorods 220–222, 221
 - nanowires
 - formation by oriented attachment 85
 - tungsten chloride 155
 - nonclassical crystallization
 - mechanisms 73–76, 74
 - nucleation 253
 - precursor formation 252–253
 - stabilization 253–254
 - supersaturation 251–253
 - nonclassical crystals
 - biominerals 51–59, 52–59
 - porous 69–70
 - see also* mesocrystals; monocrystals
 - nucleation 9
 - analysis 238–239
 - classical 15–19
 - cluster size 16–17
 - experimental tests 19
 - heterogeneous 8–9, 18–19
 - homogeneous 9, 15–18
 - nonclassical 19–21, 76–82
 - see also* precursors
 - nucleation rate 15
 - opals 107–109, 108
 - optical effects, mesocrystalline dyes 208–209
 - optical microscopy 243
 - order, in liquid crystals 166
 - orientation
 - in biominerals 54–56, 122
 - in mesocrystal definition 4
 - in mesocrystals grown by topotaxis 161–162
 - see also* anisotropy; mesocrystals, nanocrystal alignment
 - oriented attachment
 - primary mechanisms 84

- comparison with polymerization 88–89, 257–262
- cones 87
- and interfacial energies 193–194
- particle fusion 84–85
- ring structures 87
- surface consumption rate 260
- zinc oxide nanoassemblies 86
- see also* self-assembly
- Ostwald ripening 83–84, 233
- Ostwald's rule of stages 8, 22–23
- PAA (poly(acrylic acid)) 77, 146–148
 - and liquid precursor formation 79–81
- particle size
 - and dipole moment effects 216
 - and mesocrystal properties 248
- penniform nanostructures 65–67
- peptides, as growth adjustors 61–62
- phase separation, liquid precursor droplet formation 78–79
- piezoelectricity 41–43
 - bone 210
- Pinna nobilis* 127–128, 128
- polarization, electrical 40–43
- polycrystal, definition 9
- polymer-induced liquid precursor (PILP) 79–81
- polymerization degree (of nanoparticles) 260
- polymers
 - as additives 142–152
 - advantages 142–143
 - biomimetic fibers 64, 94–95
 - and property tuning 249
 - selective adsorption 33–34
 - growth as analogue to oriented attachment 257–264
 - see also* PAA; PSS; PVP
- polymorphism
 - control 25–28, 26–28
 - selection criteria 27
 - and supersaturation 7–8, 21–22
- poppy acid 34
- porous crystals 69–70
- pore size and supersaturation 248
- porosity 113–114
 - and topotaxis 159
- precursors
 - amorphous particulate 76–78
 - in biomimetics 61–62
 - in bioorganisms 122–123
 - detection 75
 - direct crystallization into fibers 91–93, 92
 - and patterned monolayer nucleation 60
 - in sea urchin spines 57
 - and supersaturation level 252–253
 - films 81
 - liquid 78–83, 137
- proteins
 - adsorption onto crystal surfaces 12–13
 - analogy to crystal structure 263–264
 - apoferritin 16
 - canavalin 11
 - pseudomorphosis 160
- PSS (poly(styrene sulfonate)) 210–215, 214
- PVP (poly(vinyl pyrrolidone)), as
 - additive 152, 153
- pyroelectricity 40–41
- quartz, piezoelectricity 42
- refraction, optical 43, 44
- relative facial angle (RFA) and relative rotation angle (RRA), in magnetic field **205**
- salt, common 29
- SAXS 238–239
- scanning electron microscopy (SEM) 241–243
- Schiller layers 166–171
- sea urchin spicules 56–57, 56, 96–97, 123–124, 227–228
- seed crystal, fluoroapatite 129–131
- selected area electron diffraction (SAED) 243
- selective adsorption 13–15, 14, 31–37, 214
 - and crystal growth 12–15
 - with dipole forces 210–215
 - of dyes 34–35
 - charged 217–219
 - and mesocrystal 'polymerization' 262
- polymers 64
- see also* additive coding
- self-assembling monolayers (SAM) 60
- self-assembly 96, 103–106
 - and aggregation 105–106
 - biomimetic crystals 63–64
 - biomorphs 68–69
 - mesocrystal layers 118–121
 - tungsten/barium 'feathers' 66–68

- self-assembly (*Continued*)
 and self-similarity 222–226
see also oriented attachment
- self-similarity 222–226, 225
- Sierpinski triangles 224, 225
- silicon 157–159
- single crystal
 compared with polycrystals, diffraction
 behaviour 39–40
 definition 9
 formation 229–233, 240–241
- small-angle neutron scattering (SANS) 243
- small-angle X-ray scattering (SAXS) 243
- smectic layers, liquid crystals 169–171, 170
- Smoluchowsky coagulation 261–262
- solid state formation 157–159
 topotactic reactions 159–163
- solubility
 effect on crystallization mechanism 76–77
 and heterogeneous nucleation 18–19
- solvents
 effect on additive adsorption 38
 nonaqueous 152–156
- somatoids 172–173
- spherical mesocrystals, formation 252, 254
- spinodal nucleation 9, 19–21, 253
- sponge crystals 183–185
- sponges (organism) 124–125
- stress
 classical crystals 45–46
 and particle alignment 196–198, 197
- structural hierarchy, mesocrystals and
 polymers 263–264
- supersaturation 7–9
 definition 7
 and cluster formation 21–22
 and concentration flux 19–21
 and crystallization pathway 251–253
 and mesocrystal properties 247–248
 thermodynamic characterisation 19–20
- surface energy, and morphology 30–31
- surface forces 181
- surface stabilization 28–29, 32–37
 by epitaxy 37
 by monoatomic ions 139–140
 by polymers 142–152
 and fiber and multipod assembly 91–92
see also selective adsorption
- surface tension 29–30
- surfactants, tails, and self-organization 121
- tactoids, formation conditions 171–172
- temperature, and nucleation rate, classical
 crystallization 17–18, 17
- templating 14, 62–63, 226–228
 monolayers 60, 61
 and oriented attachment 87
- thermodynamics, crystallization 31–32
- Thompson, D'Arcy³
- topotaxis 159–163
- transmission electron microscopy
 (TEM) 241–243
- tungsten oxide 154–155
- unit cell 30–31
- van der Waals forces 206–207
 and oriented attachment 84–85
- vaterite 92–93, 93
- wide-angle X-ray scattering (WAXS) 243
- Wulff's rule 31–32
- X-ray diffraction *see* diffraction analysis
- X-ray scattering 238–239
- Young modulus 44
- zeolites 136
- zinc oxide 152, 153
 growth of nanoparticle assemblies by
 oriented attachment 86