

**A**

Absorption refrigeration, 11.16  
Access. *See also* Americans with Disabilities Act (ADA) of 1990  
    building codes, 2.05  
    site, 1.26  
Access floor systems, electrical systems, 11.34  
Accessories, trim, plaster, 10.04  
Acoustical ceiling tile, 10.22–10.23  
Acoustics:  
    building site, 1.23  
    gypsum board, 10.11  
    sound control, A.14–A.17  
Active solar energy systems, 11.15  
Adhesives, materials, 12.20  
Admixtures, concrete, 12.04–12.05  
Adobe construction, wall systems, 5.31  
Aesthetics, building systems, 2.04  
Aggregate, concrete, 12.04–12.05  
Air distribution outlets, mechanical and electrical systems, 11.21  
Air motion, thermal comfort, 11.04  
Alternative energy sources, 11.07–11.08  
Aluminum, materials, 12.09  
Aluminum windows, 8.24  
American Society for Testing of Materials (ASTM), 12.05, A.23–A.25  
Americans with Disabilities Act (ADA) of 1990. *See also* Access  
    bathrooms, 9.26  
    building codes, 2.05  
    door hardware, 8.19  
    elevators, 9.16  
    garage ramps, 1.29  
    guidelines, A.03  
    kitchens, 9.22  
    pedestrian circulation, 1.27  
    stair requirements, 9.04–9.05  
    thresholds, 8.19  
    windows and window frames, 8.22  
Appliances, kitchens, 9.23  
Arches:  
    masonry, wall systems, 5.20  
    structural system, 2.25  
Asphalt shingles, roofing underlayment, 7.03  
Atmosphere, sustainability, 1.05  
Attics, ventilation, 7.47

Awning and hopper window, 8.23

**B**

Balloon framing:  
    wall systems, 5.41  
    wood joist floor systems, 4.28  
Barrier wall systems, 7.23  
Baseboard, wood moldings and trim, 10.26  
Basements, foundation systems, 3.04  
Bathrooms, 9.26–9.30  
Bathtub, 9, 9.27, 9.28  
Batten doors, 8.09  
Beam(s):  
    concrete floor systems, 4.04  
    steel floor systems, 4.16–4.18  
    structural system, 2.14  
    wood floor systems, 4.35–4.37  
Beam pocket, wood joist floor systems, 4.28  
Beam span, structural system, 2.15  
Bidet, 9.27  
Bike paths, pedestrian circulation, 1.27  
Bin wall, slope protection, 1.30  
Biomass energy, alternative energy sources, 11.07  
Block wood flooring, 10.16–10.17  
Board siding:  
    horizontal, 7.34  
    vertical, 7.35  
Bolted connections, 2.30  
Bolts:  
    joints and connections, 2.30  
    materials, 12.19  
Braced frame, lateral stability, 2.22  
Brass, materials, 12.09  
Brick, materials, 12.06  
Brick veneer retaining wall, 1.33  
Brightness, lighting, 11.37  
Building, 2.02–2.30  
Building codes. *See also* Regulatory factors; Zoning ordinances  
    described, 2.05  
    means of egress, A.10–A.11  
    windows and window frames, 8.22  
Building context, building site, 1.02  
Building live loads, A.06  
Building materials. *See* Materials  
Building site, 1.02–1.38  
    access and circulation, 1.26–1.29

# INDEX

---

- Building site (continued)
    - context, 1.02
    - daylighting, 1.19
    - foundation systems, 3.17
    - paving, 1.34–1.35
    - plant materials, 1.12–1.13
    - precipitation, 1.20
    - regulatory factors and zoning, 1.24–1.25
    - site description, 1.38
    - site plan, 1.36–1.37
    - slope protection, 1.30–1.33
    - soils, 1.08–1.09
    - solar radiation, 1.14–1.18
    - sound and views, 1.23
    - sustainability and environmentalism, 1.03–1.07
    - topography, 1.10–1.11
  - Building systems, 2.03–2.04
  - Built-up roofing systems, moisture and thermal protection, 7.14
  - Butt joints, structural system, 2.30
  - Bypass sliding doors, 8.04
  - C**
  - Cabinets, kitchens, 9.24
  - Cable anchorage, connections, 2.30
  - Cable structures, 2.28
  - Caisson foundations, 3.26
  - Carpeting, 9.32–9.33
  - Casement window, 8.23
  - Casings, wood moldings and trim, 10.27
  - Catch basins, drainage, 1.21
  - Catchment area, drainage, 1.21
  - Ceiling details, plaster, 10.06
  - Ceilings:
    - acoustical ceiling tile, 10.22–10.23
    - gypsum board, 10.11
    - plaster, 10.08
  - Cement, concrete, 12.04–12.05
  - Cementitious roof planks, 6.15
  - Ceramic tile, 10.12–10.14
  - Chimneys, 9.20
  - Circuits, electrical systems, 11.32
  - Circular stair plan, 9.07
  - Circulation:
    - building site, 1.26
    - pedestrian, 1.27
    - vehicular, 1.28
  - Cisterns, precipitation, 1.20
  - Clay tile, structural, wall systems, 5.28
  - Climate, topography, 1.11
  - Climate change, sustainability, 1.06
  - Closers, doors and door frames, 8.20
  - Coatings, materials, 12.21–12.22
  - Codes. *See* Building codes; Regulatory factors; Zoning ordinances
  - Coiling doors, 8.13
  - Collinear forces, structural forces, 2.11
  - Color, lighting, 11.39
  - Column footings, foundation systems, 3.16
  - Columns:
    - concrete, wall systems, 5.04–5.05
    - masonry columns and pilasters, wall systems, 5.19
    - precast concrete wall systems, 5.11
    - steel, wall systems, 5.37–5.38
    - structural system, 2.13
    - wood, wall systems, 5.47
  - Companion building codes, 2.05
  - Composition shingles, roofing, 7.06
  - Concrete, materials, 12.04–12.05
  - Concrete columns, wall systems, 5.04–5.05
  - Concrete floor systems, 4.03, 4.04–4.13
    - beams, 4.04
    - formwork and shoring, 4.10
    - precast, 4.11–4.13
    - prestressed, 4.08–4.09
    - slabs, 4.05–4.07
    - wood flooring, 10.17
  - Concrete formwork, wall systems, 5.07–5.08
  - Concrete foundation walls, 3.12
  - Concrete masonry, materials, 12.07
  - Concrete masonry foundation walls, 3.12–3.13
  - Concrete retaining walls, 1.32–1.33
  - Concrete roof systems, 6.04–6.05
    - precast, 6.04
    - reinforced slab, 6.04
  - Concrete slabs-on-grade, foundation systems, 3.04, 3.18–3.21
  - Concrete stairs, 9.10
  - Concrete surfacing, wall systems, 5.09
  - Concrete walls:
    - gypsum board, 10.10
    - wall systems, 5.06
  - Concurrent forces, structural forces, 2.11
  - Condensation, moisture control, 7.45
  - Conduction, thermal comfort, 11.03
  - Connections. *See also* Fastenings, miscellaneous, materials
    - precast concrete floor systems, 4.13
    - precast concrete wall systems, 5.12
    - steel beam floor systems, 4.17–4.18
    - structural system, 2.30
    - wood beam floor systems, 4.37
    - wood post-and-beam wall systems, 5.49–5.50
  - Construction joints, concrete slabs on grade foundations, 3.19
  - Construction practices, building systems, 2.04
  - Construction Specifications Institute (CSI)
    - MasterFormat, A.19–A.22
  - Construction types:
    - fire protection, A.12–A.13
    - overview, 2.06–2.07
  - Context, building site, 1.02
  - Contour lines, topography, 1.10–1.11
  - Contrast, lighting, 11.37
  - Control joints:
    - concrete slabs on grade foundations, 3.19
    - masonry wall systems, 5.22
    - stucco, 7.37
  - Convection, thermal comfort, 11.03
  - Cooling loads, 11.09
  - Cooling systems, 11.06, 11.16
  - Copper, materials, 12.09
  - Cornice, 10.26
  - Corrugated metal roofing, 7.10
  - Countertops:
    - kitchens, 9.25
    - plastic laminate, 10.30
  - Couple force system, structural forces, 2.11
  - Crawl spaces:
    - foundation systems, 3.04, 3.11
    - ventilation, 7.47
  - Cribbing wall, slope protection, 1.30
  - Curbs, pedestrian circulation, 1.27
  - Curtain walls:
    - generally, 7.24–7.26
    - glazed, 8.31–8.33
    - masonry veneer, 7.29
  - Cylinder lock, doors and door frames, 8.19
-

- D**
- Daylighting, building site, 1.19
  - Dead loads, defined, 2.08
  - Decking:
    - built-up roofing systems, 7.14
    - metal roof systems, 6.14
    - steel floor systems, 4.22
    - wood floor systems, 4.40
  - Deep foundations, foundation systems, 3.24
  - Design process, sustainability, 1.05
  - Details, plaster, 10.06
  - Dewatering, foundation systems, 3.07
  - Dew point, thermal comfort, 11.05
  - Dimensions:
    - furniture, A.04–A.05
    - human, A.02
  - Direct gain, passive solar design, 1.17
  - Domes, structural system, 2.26
  - Door knobs, doors and door frames, 8.19
  - Doors and door frames, 8.02–8.21
    - bathrooms, 9.26
    - folding and pocket sliding doors, 8.12
    - glass entrance doors, 8.14
    - hardware, 8.17–8.20
    - hollow metal, 8.05–8.07
    - operation, 8.04
    - overhead and coiling doors, 8.13
    - overview, 8.02–8.03
    - panic hardware and closers, 8.20
    - plaster details, 10.06
    - revolving doors, 8.16
    - sliding glass doors, 8.11
    - storefronts, 8.15
    - weatherstripping and thresholds, 8.21
    - wood door frames, 8.10
    - wood flush doors, 8.08
    - wood rail and stile doors, 8.09
  - Double-hung window, 8.23
  - Downspouts. *See* Gutters and downspouts
  - Drainage:
    - building site, 1.21
    - foundation systems, 3.07, 3.10, 3.14
    - paving, 1.34
    - retaining walls, 1.32
    - roofing, 7.17
    - sanitary systems, 11.27–11.28
  - Drainage walls, 7.23
  - Dry glazing, 8.28
  - Dry stone retaining wall, 1.33
  - Dynamic loads, defined, 2.08

**E**

    - Earthquake loads, described, 2.10
    - Eave flashing, roofing, 7.03
    - Economic factors, building systems, 2.04
    - Egress, means of, A.10–A.11
    - Elasticity, materials, 12.02
    - Electrical supply:
      - bathrooms, 9.30
      - kitchens, 9.25
    - Electrical systems, 11.30–11.35. *See also* Lighting:
      - Mechanical systems
        - access floor systems, 11.34
        - circuits, 11.32
        - heating systems, 11.12
        - heating systems (radiant), 11.13
        - outlets, 11.35
        - power source, 11.30
        - service, 11.31
        - wiring, 11.33
    - Elevators, 9.14–9.16
    - Enclosure system, building systems, 2.03
    - Energy, sustainability, 1.05
    - Energy consumption, sustainability, 1.06
    - Energy sources, alternative, mechanical and
      - electrical systems, 11.07–11.08. *See also* Electrical supply
    - Entrance doors, glass, 8.14
    - Environmental impact, building systems, 2.04
    - Equilibrium, structural, 2.12
    - Erosion, slope protection, 1.30
    - Escalators, 9.17
    - Evaporation, thermal comfort, 11.03
    - Excavation support systems, foundation systems, 3.07
    - Exits, means of egress, A.10–A.11
    - Expansion bolts, materials, 12.20
    - Expansion joints, masonry wall systems, 5.22
    - Expansion shields, materials, 12.20
    - Exterior insulation and finish systems, 7.38
    - Eye, lighting, 11.37

**F**

      - Face glazing, 8.28
      - Fastenings, miscellaneous, materials, 12.20. *See also* Connections
      - Federal Fair Housing Act (FFHA) of 1988, 2.05
      - Fiberboard sheathing, 5.46
      - Fiberglass shingles, 7.03
      - Finishes, bathrooms, 9.30
      - Finish systems, 7.38
      - Finish work, 10.02–10.30
        - ceilings, 10.22–10.23
        - ceramic tile, 10.12–10.14
        - flooring, 10.15–10.21
        - gypsum board, 10.09–10.11
        - plaster, 10.03–10.08
        - plastic laminate, 10.30
        - plywood veneer, 10.29
        - wood joints, 10.24–10.25
        - wood moldings and trim, 10.26–10.27
        - wood paneling, 10.28
      - Fireplaces, 9.18–9.21
      - Fire protection:
        - building codes, 2.05
        - construction types, 2.06–2.07, A.12–A.13
        - curtain walls, 7.24
        - gypsum board, 10.11
        - mechanical and electrical systems, 11.25
      - Fixed joints, 2.30
      - Fixed window, 8.23
      - Flashing:
        - eave, roofing, 7.03
        - moisture and thermal protection, 7.18
        - roofing, 7.19–7.21
        - walls, 7.22
      - Flat roof assemblies:
        - moisture and thermal protection, 7.12–7.13
        - rafter framing, 6.17
      - Flooring:
        - bathrooms, 9.30
        - carpeting, 9.32–9.33
        - ceramic tile, 10.14
        - kitchens, 9.25
        - resilient, 9.31
        - stone, 10.18
        - terrazzo, 10.15
        - wood, 10.16–10.17

# INDEX

---

- Floor systems, 4.02–4.40
    - concrete, 4.04–4.13
    - insulation, 7.43
    - overview, 4.02–4.03
    - steel, 4.14–4.25
    - wood, 4.26–4.40
  - Fluorescent lamps, lighting, 11.39
  - Flutter, wind loads, 2.09
  - Folding doors, 8.04, 8.12
  - Forced-air heating systems, 11.10
  - Formwork:
    - concrete floor systems, 4.10
    - concrete wall systems, 5.07–5.08
  - Foundation systems, 3.02–3.26
    - caisson foundations, 3.26
    - column footings, 3.16
    - concrete slabs on grade, 3.18–3.21
    - deep foundations, 3.24
    - excavation support systems, 3.07
    - overview, 3.02–3.03
    - pile foundations, 3.25
    - pole foundations, 3.22–3.23
    - shallow, 3.08
    - sloping ground, 3.17
    - spread footings, 3.09
    - types of, 3.04–3.05
    - underpinning, 3.06
    - walls, 3.10–3.15
  - Frames:
    - lateral stability, 2.22
    - structural system, 2.17
  - Framing:
    - balloon, wall systems, 5.41
    - open-web steel joist roof systems, 6.12–6.13
    - platform, wall systems, 5.42
    - steel, wall systems, 5.35–5.36
    - steel rigid roof systems, 6.07
    - steel roof systems, 6.06
    - wood plank-and-beam, roof systems, 6.24–6.25
    - wood post-and-beam, wall systems, 5.48
    - wood rafter roof systems, 6.20–6.22
    - wood stud, wall systems, 5.43–5.45
  - Furniture dimensions, A.04–A.05
  - Furring, plaster over, 10.07
  - G**
    - Gabion, slope protection, 1.30
    - Gable dormer, light-gauge steel framed roof system, 6.18
    - Gable roofs, rafter framing, 6.16
    - Galvanic action, nonferrous metals, 12.09
    - Gambrel roofs, rafter framing, 6.17
    - Garages, building site, 1.28, 1.29
    - Gas supply, kitchens, 9.25
    - Geodesic domes, structural system, 2.26
    - Geothermal energy, alternative energy sources, 11.08
    - Glare:
      - lighting, 11.37
      - luminaires, 11.40–11.41
    - Glass. *See also* Glazing systems
      - insulating, 8.30
      - materials, 12.16–12.17
      - sliding glass doors, 8.11
    - Glass block wall systems, 5.29–5.30
    - Glass entrance doors, 8.14
    - Glazed curtain walls, 8.31–8.33
    - Glazing systems, 8.22, 8.28–8.36. *See also* Glass
      - curtain walls, 8.31–8.33
      - generally, 8.28–8.29
      - insulating glass, 8.30
      - skylights, 8.34–8.35
      - sunspaces, 8.36
    - Global warming, 1.06
    - Glue, 2.30
    - Graphic symbols, materials, A.18
    - Grass. *See* Plant materials
    - Graywater, 11.29
    - Green building, building site, 1.04–1.05
    - Green Building Rating System, A.26
    - Ground covers. *See* Plant materials
    - Ground pressure, loads, 2.08
    - Guardrails, stair requirements, 9.04
    - Gutters and downspouts, roofing drainage, 7.17
    - Gypsum board, 10.09–10.11
    - Gypsum lath, plaster, 5, 10, 10.04
    - Gypsum sheathing, 5.46
  - H**
    - Half-turn stair plan, 9.06
    - Hand conventions, doors and door frames, 8.17
    - Handrails, stair requirements, 9.04, 9.05
    - Hardware, doors and door frames, 8.03, 8.17–8.20
    - Heating:
      - bathrooms, 9.30
      - kitchens, 9.25
      - mechanical and electrical systems, 11.06
      - ventilating, and air-conditioning systems (HVAC), 11.17–11.21
    - Heating loads, mechanical and electrical systems, 11.09
    - Heating systems, 11.10–11.15. *See also* Electrical systems; Mechanical systems
      - electric, 11.12
      - forced-air, 11.10
      - hot-water, 11.11
      - radiant, 11.13–11.14
      - solar energy systems, active, 11.15
    - Heat pumps, cooling systems, 11.16
    - High-density discharge lamps, lighting, 11.39
    - High-density overlay (HDO) wood panel, 12.15
    - High-rise structures, 2.24
    - Hinges, doors and door frames, 8.18
    - Hip roofs, rafter framing, 6.17
    - Hollow core doors, 8.08
    - Hollow metal doors and door frames, 8.05–8.07
    - Horizontal board siding, 7.34
    - Horizontal diaphragm, lateral stability, 2.22
    - Hot-water heating systems, 11.11, 11.14
    - Human dimensions, A.02
    - Human factors, mechanical and electrical systems, 11.03–11.05
    - Humidity, thermal comfort, 11.04–11.05
    - Hydrogen energy, alternative energy sources, 11.07
    - Hydropower, alternative energy sources, 11.08
  - I**
    - Impact loads, defined, 2.08
    - Impact noise, sound control, A.17
    - Incandescent lamps, lighting, 11.38–11.39
    - Indirect gain, passive solar design, 1.17
    - Indoor environmental quality, sustainability, 1.05
    - Innovation, sustainability, 1.05
    - Insulation:
      - exterior insulation and finish systems, 7.38
      - glass, 8.30, 12.16–12.17
      - materials, 7.41–7.42
      - roofs and floors, 7.43
-

- Insulation (continued)  
 thermal, 7.39–7.40  
 wall systems, 7.44
- Integral lock, doors and door frames, 8.19
- Interlocking joints, structural system, 2.30
- International Building Code (IBC), 2.05
- International Energy Conservation Code (IECC), 2.05
- International Existing Building Code (IEBC), 2.05
- International Fire Code (IFC), 2.05
- International Mechanical Code (IMC), 2.05
- International Plumbing Code (IPC), 2.05
- International Residential Code (IRC), 2.05
- Isolated gain, passive solar design, 1.17
- Isolation joints, concrete slabs on grade foundations, 3.19
- J**
- Jalousie window, 8.23
- Joints:  
 concrete slabs on grade foundations, 3.19  
 masonry wall systems, 5.22  
 moisture and thermal protection, 7.47–7.50  
 structural system, 2.30  
 stucco, 7.37  
 wood, finish work, 10.24–10.25
- Joists:  
 prefabricated joists and trusses, wood floor systems, 4.33–4.34  
 steel joists, open-web, roof systems, 6.12–6.13  
 wood floor systems, 4.26–4.31
- K**
- Kern area, columns, 2.13
- Kitchens, 9.22–9.25
- L**
- Ladders, 9.03, 9.13
- Lambert unit, lighting, 11.37
- Lamps, lighting, 11.38–11.39
- Landings, stair requirements, 9.04, 9.05
- Landscaping. *See* Plant materials
- Lateral stability:  
 described, 2.22–2.23  
 high-rise structures, 2.24
- Lattice domes, structural system, 2.26
- Lavatory, 9, 9.27, 9.28
- Lead, materials, 12.09
- Leadership in Energy and Environmental Design (LEED):  
 building site, 1.04–1.05  
 Green Building Rating System, A.26
- Leaver handles, doors and door frames, 8.19
- LEED. *See* Leadership in Energy and Environmental Design (LEED)
- Life-cycle inventory, materials, 12.03
- Light-gauge steel framing, roof systems, 6.18
- Light-gauge steel joist floor systems, 4.23–4.25
- Light-gauge steel studs, wall systems, 5.39–5.40
- Lighting, 11.36–11.42. *See also* Electrical systems; Mechanical systems  
 bathrooms, 9.30  
 daylighting, 1.19  
 generally, 11.36  
 kitchens, 9.25  
 lamp sources, 11.38–11.39  
 luminaires, 11.40–11.41  
 methods, 11.42  
 vision, 11.37
- Linear connector, 2.30
- Lintels, masonry, wall systems, 5.21
- Live loads:  
 building, A.06  
 defined, 2.08
- Loads:  
 building live loads, A.06  
 curtain walls, 7.24  
 earthquake, 2.10  
 elevators, 9.15  
 foundation systems, 3.04–3.05  
 heating and cooling, mechanical and electrical systems, 11.09  
 retaining walls, 1.31–1.33  
 settlement loads, 2.08, 3.08  
 types of, 2.08  
 wind, 2.09
- Locksets, doors and door frames, 8.19
- Lumber, materials, 12.14
- Luminaires, lighting, 11.40–11.41
- M**
- Masonry:  
 gypsum board, 10.10  
 materials, 12.06–12.07  
 plaster over, 10.07
- Masonry arches, wall systems, 5.20
- Masonry bonding, wall systems, 5.26–5.27
- Masonry chimneys, 9.20
- Masonry columns and pilasters, wall systems, 5.19
- Masonry lintels, wall systems, 5.21
- Masonry retaining wall, 1.33
- Masonry veneer walls, 7.28–7.29
- Masonry walls:  
 concrete slabs on grade foundations, 3.20  
 stone masonry wall systems, 5.33–5.34  
 wall systems, 5.14–5.18
- Masonry wall sections, 5.23–5.25
- Materials, 12.02–12.22  
 concrete, 12.04–12.05  
 fastenings, miscellaneous, 12.20  
 glass, 12.16–12.17  
 graphic symbols for, A.18  
 insulation, 7.41–7.42  
 masonry, 12.06–12.07  
 moisture control, 7.45  
 nails, 12.18  
 nonferrous metals, 12.09  
 overview, 12.02–12.03  
 paints and coatings, 12.21–12.22  
 plastics, 12.15  
 screws and bolts, 12.19  
 steel, 12.08  
 stone, 12.10  
 sustainability, 1.05  
 weights of, A.07  
 wood, 12.11–12.14
- Mechanical system, building systems, 2.03
- Mechanical systems, 11.02–11.29. *See also* Electrical systems; Heating systems; Lighting  
 air distribution outlets, 11.21  
 cooling systems, 11.16  
 electrical, 11.30–11.33  
 energy sources, alternative, 11.07–11.08  
 fire protection, 11.25  
 heating, ventilating, and air-conditioning systems (HVAC), 11.17–11.21  
 heating and cooling loads, 11.09  
 heating and cooling systems, 11.06  
 heating systems, 11.10–11.15  
 human factors, 11.03–11.05

# INDEX

---

## Mechanical systems (continued)

- overview, 11.02
  - plumbing, 11.24, 11.26–11.29
  - water supply, 11.22–11.24
- Membrane structures, 2.29
- Metal(s), nonferrous, materials, 12.09. *See also*  
Steel; specific metals
- Metal cladding walls, 7.31
- Metal decking, steel floor systems, 4.22
- Metal lath, plaster, 10.04, 10.05
- Metal roof decking, roof systems, 6.14
- Metal roofing:  
corrugated, 7.10  
sheet metal, 7.10
- Metal windows and window frames, 8.24–8.25
- Metric conversion factors, A.08–A.09
- Microclimate, topography, 1.11
- Model building codes, 2.05
- Moisture and thermal protection, 7.02–7.50. *See also* Flashing; Insulation; Roofing; Roof systems; Wall systems
- Moisture control:  
generally, 7.45  
vapor retarders, 7.46
- Molded joints, structural system, 2.30
- Moldings and trim, wood, 10.26–10.27
- Moment connections, steel beam floor systems, 4.17
- Mortise lock, doors and door frames, 8.19
- Movement joints, moisture and thermal protection, 7.47–7.50

## N

- Nails, materials, 12.18
- National Fire Protection Association (NFPA), 2.05
- Noise reduction, A.16
- Nonconcurrent forces, structural forces, 2.11
- Nonferrous metals, materials, 12.09
- Nosings, stair requirements, 9.04, 9.05

## O

- Occupancy classification, 2.07
- Occupancy loads, defined, 2.08
- Occupational Safety and Health Act (OSHA), 2.04
- Ocean energy, alternative energy sources, 11.08
- One-way concrete slab floor systems, 4.05
- One-way joist concrete slab floor systems, 4.05
- Openings. *See* Penetrations

- Open-web steel joists:  
floor systems, 4.19–4.21  
foundation walls, 3.13  
roof systems, 6.12–6.13
- Oriented strandboard (OSB), materials, 12.15
- Outlets, electrical systems, 11.35
- Overhead doors, 8.13
- Overlapping joints, structural system, 2.30

## P

- Paints, materials, 12.21–12.22
- Panic hardware, doors and door frames, 8.20
- Parking, vehicular, building site, 1.29
- Particleboard, materials, 12.15
- Partition systems, plaster, 10.05
- Passive solar design, building site, 1.17
- Patterns:  
paving, 1.35  
structural, 2.21
- Paver tiles, ceramic, 10.12
- Paving, building site, 1.34–1.35
- Pedestrian circulation, building site, 1.27
- Penetrations:  
concrete slabs on grade foundations, 3.21  
roof flashing, 7.21
- Performance requirements, building systems, 2.04
- Piers, foundation systems, 3.04
- Pilasters, masonry columns and, wall systems, 5.19
- Pile foundations, 3.25
- Pinned joints, 2.30
- Piping, plumbing, 11.27
- Pivoting window, 8.23
- Plank-and-beam wood framing:  
floor systems, 4.38–4.39  
roof systems, 6.24–6.25
- Plank wood flooring, 10.16–10.17
- Plant materials:  
building site, 1.12  
slope protection, 1.30  
topography, 1.11  
trees, 1.13  
vegetated roofing, 7.09
- Plaster, 10.03–10.08  
ceilings, 10.08  
details, 10.06  
generally, 10.03  
lath and accessories, 10.04  
over masonry, 10.07  
partition systems, 10.05
- Plastic laminate, finish work, 10.30
- Plastics, materials, 12.15
- Plate structures, structural system, 2.18
- Platform framing:  
wall systems, 5.42  
wood joist floor systems, 4.28
- Plumbing:  
bathrooms, 9.27, 9.30  
kitchens, 9.25  
water supply, 11.24, 11.26–11.29
- Plywood, materials, 12.15
- Plywood siding, 7.32
- Plywood veneer, finish work, 10.29
- Pocket sliding doors, 8.04, 8.12
- Point connector, 2.30
- Pole foundations, 3.22–3.23
- Portland cement stucco, 7.36
- Post-and-beam connections, wood, roof systems, 6.26–6.27
- Precast concrete:  
connections, 2.30  
floor systems, 4.11–4.13  
panels, 7.27  
roof systems, 6.04  
wall systems, 5.10–5.12
- Precipitation:  
building site, 1.20  
loads, 2.08  
roofing drainage, 7.17
- Prefabricated fireplaces, 9.21
- Prefabricated joists and trusses, wood floor systems, 4.33–4.34
- Pressure-equalized design, curtain walls, 7.25
- Prestressed concrete floor systems, 4.08–4.09
- Private wells, 11.22
- Professional and trade associations, A.27–A.34
- Psychometric charts, thermal comfort, 11.05
- Public water supply, 11.22–11.24
- Pull handles, doors and door frames, 8.19
- Push plates, doors and door frames, 8.19

## Q

- Quarter-turn stair plan, 9.06
  - Quarry tiles, ceramic, 10.12
-

- R**
- Radiant heating systems, 11.13–11.14
  - Radiation, thermal comfort, 11.03
  - Rafter framing, roof systems, 6.16–6.17
  - Rafters, wood trussed, 6.28–6.30
  - Rails, wood moldings and trim, 10.26
  - Rain loads, defined, 2.08
  - Rainscreen wall systems, 7.23
  - Rammed-earth construction, wall systems, 5.32
  - Ramps:
    - design of, 9.03
    - garages, 1.29
    - pedestrian circulation, 1.27
    - requirements, 9.05
  - Range center, kitchens, 9.23
  - Rated panel sheathing, wood stud wall systems, 5.46
  - Receptacles, electrical systems, 11.35
  - Reflectors, luminaires, 11.40–11.41
  - Refrigeration, cooling systems, 11.16
  - Refrigerator center, kitchens, 9.23
  - Regulatory factors. *See also* Building codes; Zoning ordinances
    - building codes, 2.05
    - building site, 1.24–1.25
    - building systems, 2.04
  - Reinforced concrete:
    - column footings, foundation systems, 3.16
    - connections, 2.30
    - materials, 12.05
    - retaining wall, 1.32
    - slab roof systems, 6.04
  - Reinforced masonry walls, 5.18
  - Relief joints, stucco, 7.37
  - Resilient flooring, 9.31
  - Resources, sustainability, 1.05
  - Retaining walls, building site, 1.31–1.33
  - Revolving doors, 8.16
  - Rigid foam plastic sheathing, wood stud wall systems, 5.46
  - Rigid frame, lateral stability, 2.22
  - Rigid joints, 2.30
  - Riprap, slope protection, 1.30
  - Risers, stair requirements, 9.03, 9.04, 9.05
  - Rivets, materials, 12.20
  - Roadways, vehicular circulation, 1.28
  - Roller joints, 2.30
  - Roofing. *See also* Roof systems
    - built-up roofing systems, 7.14
    - composition shingles, 7.06
    - corrugated metal, 7.10
    - drainage, 7.17
    - flashing, 7.19–7.21
    - flat roof assemblies, 7.12–7.13
    - sheet metal, 7.11
    - single-ply roofing systems, 7.15–7.16
    - slate shingles, 7.07
    - tile, 7.08
    - underlayment for single roofing, 7.03
    - vegetated, 7.09
    - wood shakes, 7.05
    - wood shingles, 7.04
  - Roof pond, passive solar design, 1.17
  - Roof systems, 6.02–6.30. *See also* Roofing
    - built-up roofing, 7.14
    - cementitious roof planks, 6.15
    - concrete, 6.04–6.05
    - drainage, 7.17
    - flat roof assemblies, 7.12–7.13
    - insulation, 7.43
    - metal roof decking, 6.14
    - overview, 6.02–6.03
    - precipitation, 1.20
    - rafter framing, 6.16–6.17
    - sheathing, 6.23
    - single-ply roofing, 7.15–7.16
    - steel framing (light-gauge), 6.18
    - steel joists (open-web) framing, 6.12–6.13
    - steel rigid frames, 6.07
    - steel roof framing, 6.06
    - steel space frames, 6.10–6.11
    - steel trusses, 6.08–6.09
    - ventilation, 7.47
    - wood plank-and-beam framing, 6.24–6.25
    - wood post-and-beam connections, 6.26–6.27
    - wood rafters, 6.19–6.22
    - wood trusses, 6.28–6.30
  - Sealants, joints, moisture and thermal protection, 7.50
  - Seismic loads. *See* Earthquake loads
  - Semi-rigid connections, steel beam floor systems, 4.18
  - Septic tanks, 11.29
  - Settlement loads:
    - defined, 2.08
    - foundation systems, 3.03
  - Sewage disposal systems, 11.29
  - Shallow foundation systems, 3.08
  - Shaped joints, structural system, 2.30
  - Shear connections, steel beam floor systems, 4.18
  - Shear wall, lateral stability, 2.22
  - Sheathing:
    - roof systems, 6.23
    - wood stud, wall systems, 5.46
  - Shed dormer, light-gauge steel framed roof system, 6.18
  - Sheet metal roofing, 7.11
  - Sheet piling, foundation systems, 3.07
  - Shell structures, 2.27
  - Shingles:
    - composition, 7.06
    - roofing underlayment, 7.03
    - slate, 7.07
    - wood, 7.04
    - wood shingle siding, 7.33
  - Shoring, concrete floor systems, 4.10
  - Showers, 9, 9.27, 9.28
  - Siding, 7.32–7.35
    - horizontal board siding, 7.34
    - plywood, 7.32
    - vertical board siding, 7.35
    - wood shingle, 7.33
  - Single-ply roofing systems, moisture and thermal protection, 7.15–7.16
  - Sink center, kitchens, 9.22, 9.23
  - Sinks, 9.22, 9.23, 9.27, 9.28
  - Site access, 1.26
  - Site analysis, 1.07
  - Site description, building site, 1.38
  - Site drainage, 1.21
  - Site plan, building site, 1.36–1.37
  - Skylights, 8.34–8.35
  - Slate shingles, roofing, 7.07
  - Sliding doors, 8.04, 8.12
- S**
- Sanitary drainage systems, 11.27–11.28
  - Sash, 8.22
  - Schwedler domes, structural system, 2.26
  - Screws, materials, 12.19

# INDEX

---

- Sliding glass doors, 8.11
  - Sliding window, 8.23
  - Slope protection, building site, 1.30
  - Sloping ground, foundation systems, 3.17
  - Slurry wall, foundation systems, 3.07
  - Snow loads, defined, 2.08
  - Soil(s):
    - building site, 1.08
    - foundation systems, 3.02–3.03
    - loads, 2.08
    - retaining walls, 1.31–1.33
    - slope protection, 1.30
  - Soil binders, slope protection, 1.30
  - Soil mechanics, building site, 1.09
  - Solar design, passive, building site, 1.17
  - Solar energy systems:
    - active, 11.15
    - alternative energy sources, 11.07
  - Solar radiation:
    - alternative energy sources, 11.07
    - building site, 1.14–1.15
    - curtain walls, 7.25
    - thermal comfort, 11.03
    - topography, 1.11
  - Solar shading, building site, 1.18
  - Solid core doors, 8.08
  - Sound. *See also* Acoustics
    - building site, 1.23
    - control of, A.16–A.17
  - Space frames, steel, roof systems, 6.10–6.11
  - Special construction, 9.02–9.30. *See also*
    - Bathrooms; Elevators; Escalators;
    - Fireplaces; Kitchens; Stairs
  - Spiral stairs, 9.07, 9.12
  - Spread footings, foundation systems, 3.09
  - Stability:
    - lateral, 2.22–2.23
    - materials, 12.02
  - Stains, materials, 12.21
  - Stairs:
    - concrete, 9.10
    - design of, 9.03
    - ladders, 9.13
    - pedestrian circulation, 1.27
    - plans, 9.06–9.07
    - requirements, 9.04–9.05
    - spiral, 9.12
    - steel, 9.11
    - wood, 9.08–9.09
  - Static loads, defined, 2.08
  - Steel:
    - materials, 12.08
    - reinforced concrete, 12.05
  - Steel base plates, foundation walls, 3.13
  - Steel beam, wood joist floor systems, 4.29
  - Steel column footings, foundation systems, 3.16
  - Steel columns, wall systems, 5.37–5.38
  - Steel floor systems, 4.03, 4.14–4.25
    - beams, 4.16–4.18
    - light-gauge joists, 4.23–4.25
    - metal decking, 4.22
    - open-web joists, 4.19–4.21
    - structural steel framing, 4.14–4.15
  - Steel framing:
    - roof systems, 6.06
    - roof systems, light-gauge, 6.18
    - wall systems, 5.35–5.36
    - wall systems, light-gauge studs, 5.39–5.40
  - Steel joists (open-web), roof systems, 6.12–6.13
  - Steel rigid frames, roof systems, 6.07
  - Steel space frames, roof systems, 6.10–6.11
  - Steel stairs, 9.11
  - Steel trusses, roof systems, 6.08–6.09
  - Steel windows, 8.25
  - Stile doors. *See* Wood rail and stile doors
  - Stone, materials, 12.10
  - Stone flooring, 10.18
  - Stone masonry:
    - retaining wall, 1.33
    - wall systems, 5.33–5.34
  - Stone veneer walls, 7.30
  - Storefronts, doors and door frames, 8.15
  - Stoves, 9.21
  - Straight-run stair plan, 9.06
  - Strain, materials, 12.02
  - Strip wood flooring, 10.16–10.17
  - Structural clay tile, wall systems, 5.28
  - Structural equilibrium, 2.12
  - Structural forces:
    - columns, 2.13
    - generally, 2.11
  - Structural gasket glazing, 8.28
  - Structural patterns, 2.21
  - Structural spans, 2.20
  - Structural steel framing, steel floor systems, 4.14–4.15
  - Structural system:
    - arches and vaults, 2.25
    - beams, 2.14–2.15
    - building systems, 2.03
    - cable structures, 2.28
    - columns, 2.13
    - domes, 2.26
    - frames and walls, 2.17
    - joints and connections, 2.30
    - lateral stability, 2.22–2.24
    - membrane structures, 2.29
    - plate structures, 2.18
    - shell structures, 2.27
    - trusses, 2.16
  - Structural units, 2.19
  - Stucco, moisture and thermal protection, 7.36–7.37
  - Stud wall, concrete slabs on grade foundations, 3.20
  - Subflooring, wood floor systems, 4.32
  - Subsurface drainage, 1.21
  - Sunspace:
    - construction, 8.36
    - passive solar design, 1.17
  - Surface connector, 2.30
  - Surface drainage, 1.21
  - Surface sliding doors, 8.04
  - Surfacing, concrete, wall systems, 5.09
  - Suspended acoustical ceiling tile, 10.23
  - Sustainability:
    - building site, 1.03–1.06
    - building systems, 2.04
  - Swinging doors, 8.04
  - Switches, electrical systems, 11.35
- ## T
- Temperature:
    - curtain walls, 7.25
    - thermal comfort, 11.04–11.05
    - thermal insulation, 7.39–7.40
  - Terrazzo flooring, 10.15
  - Thermal comfort, 11.03–11.05
  - Thermal conductivity, materials, 12.02
  - Thermal insulation, 7.39–7.40
-

Thermal protection. *See* Moisture and thermal protection; specific moisture and thermal protection structures and materials

Thermal stress, loads, 2.08

Thickened edge slab, concrete slabs on grade foundations, 3.20

Thresholds, doors and door frames, 8.21

Tiebacks, foundation systems, 3.07

Tile roofing, 7.08

Tilt-up construction, wall systems, 5.13

Timber retaining wall, 1.33

Toggle bolts, materials, 12.20

Toilet stall, 9, 9.29

Topography, building site, 1.10–1.11

Trade and professional associations, A.27–A.34

Transmission loss, sound control, A.17

Traps, plumbing, 11.26

Treads, stair requirements, 9.03, 9.04, 9.05

Trees, building site, 1.13. *See also* Plant materials

Trim, wood, 10.26–10.27

Trim accessories, plaster, 10.04

Trusses:

- prefabricated joists and trusses, wood floor systems, 4.33–4.34
- steel, roof systems, 6.08–6.09
- structural system, 2.16

2030 Challenge, 1.06

Two-way flat plate concrete floor systems, 4.07

Two-way flat slab concrete slab floor systems, 4.07

Two-way slab and beam concrete floor systems, 4.06

Two-way waffle slab concrete floor systems, 4.06

**U**

Underlayment, for single roofing, 7.03

Underpinning, foundation systems, 3.06

Uniformat II (ASTM Standard E1557), A.23–A.25

United Nations, 1.03

U.S. Green Building Council (USGBC), 1.04

Unit lock, doors and door frames, 8.19

Unreinforced masonry walls, wall systems, 5.16–5.17

Urinal, 9, 9.27, 9.29

**V**

Vapor barrier, flooring, 10.17

Vapor retarders, 7.46

Varnishes, materials, 12.21–12.22

Vaults, structural system, 2.25

Vegetated roofing, 7.09

Vegetation. *See* Plant materials

Vehicular circulation, building site, 1.28

Vehicular parking, building site, 1.29

Veneer, plywood, finish work, 10.29

Veneers:

- masonry veneer walls, 7.28–7.29
- stone veneer walls, 7.28–7.29
- wood panel products, 12.15

Ventilation:

- air distribution outlets, 11.21
- bathrooms, 9.30
- kitchens, 9.25
- moisture and thermal protection, 7.47
- wind, 1.22

Vertical board siding, 7.35

Views, building site, 1.23

Vision, lighting, 11.37

**W**

Waferboard, materials, 12.15

Wall flashing, 7.22

Walls:

- ceramic tile, 10.14
- concrete slabs on grade foundations, 3.20–3.21
- foundation systems, 3.10–3.15
- lateral stability, 2.22
- structural system, 2.17

Wall systems, 5.02–5.49

- adobe construction, 5.31
- balloon framing, 5.41
- concrete columns, 5.04–5.05
- concrete formwork, 5.07–5.08
- concrete surfacing, 5.09
- concrete walls, 5.06
- curtain walls, 7.24–7.26
- glass block, 5.29–5.30
- gypsum board, 10.10
- insulation, 7.44
- masonry arches, 5.20
- masonry bonding, 5.26–5.27
- masonry columns and pilasters, 5.19
- masonry expansion and control joints, 5.22
- masonry lintels, 5.21
- masonry veneer, 7.28–7.29

- masonry walls, 5.14–5.18
- masonry wall sections, 5.23–5.25
- metal cladding, 7.31
- overview, 5.02–5.03
- plaster details, 10.06
- platform framing, 5.42
- precast concrete, 5.10–5.12
- precast concrete panels, 7.27
- rainscreen, 7.23
- rammed-earth construction, 5.32
- siding, 7.32–7.35
- steel columns, 5.37–5.38
- steel framing, 5.35–5.36
- steel studs (light-gauge), 5.39–5.40
- stone masonry, 5.33–5.34
- stone veneer, 7.30
- structural clay tile, 5.28
- stucco, 7.36–7.37
- tilt-up construction, 5.13
- wood columns, 5.47
- wood post-and-beam framing, 5.48–5.50
- wood stud framing, 5.43–5.45
- wood stud sheathing, 5.46

Wastewater, 11.29

Water:

- concrete, 12.04–12.05
- curtain walls, 7.25
- precipitation, 1.20
- topography, 1.11

Watercloset, 9, 9.27, 9.29

Water efficiency, sustainability, 1.04

Water pressure, loads, 2.08

Water supply, mechanical and electrical systems, 11.22–11.24

Weatherstripping:

- doors and door frames, 8.21
- windows and window frames, 8.21

Welded steel connections, 2.30

Welds, 2.30

Wells, private, 11.22

Wet-bulb temperature, thermal comfort, 11.05

Wet glazing, 8.28

Wetlands, drainage, 1.21

Wind:

- building site, 1.22
- curtain walls, 7.24
- thermal comfort, 11.04

# INDEX

---

Winding stair plan, 9.07  
Wind loads, *described*, 2.09  
Windows and window frames, 8.02, 8.21–8.36  
    glazing systems, 8.28–8.36  
    metal, 8.24–8.25  
    operation, 8.23  
    overview, 8.22  
    views, 1.23  
    weatherstripping, 8.21  
    wood, 8.26–8.27  
Wind power, *alternative energy sources*, 11.07  
Wiring, *electrical power*, 11.33  
Wood, materials, 12.11–12.14  
Wood beams, foundation walls, 3.13  
Wood columns, wall systems, 5.47  
Wood door frames, 8.10  
Wood flooring, 10.16–10.17  
Wood floor systems, 4.03, 4.26–4.40  
    beams, 4.35–4.37  
    decking, 4.40  
    joists, 4.26–4.31  
    plank-and-beam framing, 4.38–4.39  
    prefabricated joists and trusses, 4.33–4.34  
    subflooring, 4.32  
Wood flush doors, 8.08  
Wood joints, finish work, 10.24–10.25  
Wood joists, foundation walls, 3.13  
Wood moldings and trim, 10.26–10.27  
Wood paneling:  
    finish work, 10.28  
    materials, 12.15  
Wood plank-and-beam framing, roof systems,  
    6.24–6.25  
Wood post-and-beam connections, roof systems,  
    6.26–6.27  
Wood post-and-beam framing, wall systems,  
    5.48–5.50  
Wood post column footings, foundation systems,  
    3.16  
Wood rafters, roof systems, 6.19–6.22  
Wood rail and stile doors, 8.09  
Wood shakes:

    roofing, 7.05  
    roofing underlayment, 7.03  
Wood shingles:  
    roofing, 7.04  
    roofing underlayment, 7.03  
    siding, 7.33  
Wood stairs, 9.08–9.09  
Wood stud framing, wall systems, 5.43–5.45  
Wood stud sheathing, wall systems, 5.46  
Wood trusses, roof systems, 6.28–6.30  
Wood windows and window frames, 8.26–8.27

## Z

Zoning ordinances. *See also* Building codes;  
    Regulatory factors  
    building site, 1.24–1.25  
    building systems, 2.04

---



