
INDEX

A

adiabatic deformation, 21
austenitic phase, 348, 358, 363–364, 369, 371
auto-accommodating groups, 351
average strain theorem, 110
average stress theorem, 109
axial stress, 261–263

B

Bain strain, 351–352, 354–356, 377
body force, 15, 17, 35, 37, 53–54, 109, 113, 127, 285
bound
 Hashin-Shtrikman lower, 143, 340
 Hashin-Shtrikman upper, 143, 144
 Poisson's ratio, 220
 Reuss lower, 123, 138, 330
 Voigt upper, 123, 138, 330
boundary value problem, 35–36, 41–43, 54–55, 127
bridging fibers, 261, 264
Burgers vector, 57, 58, 62

C

Cauchy
 formula, 15–17
 strain, 14
 stress, 15–16, 18, 20, 22, 24, 33
characteristic function, 105–107
coefficient of thermal expansion, 28–29, 52–53
cofactor, 37, 74

compatibility condition, 50, 352, 354–356, 377–378
composite sphere model, 196, 198, 200, 203, 205
concave surface, 32
concentration tensors, 118–119, 154–155, 158, 175, 333
conjugate pair, 20
conservation of energy, 20, 273
consistency condition, 105, 304, 375
constitutive law, 22
continuity of displacement, 245, 354, 359
coordinate rotation, 215
correlation function, 105–108
crack density, 268–269, 271–272, 274, 276, 277
crack opening displacement, 263–266, 269–272
crack tip, 2, 259, 261, 264
creep behavior, 325
creep function, 29–31
critical shear stress, 303, 309, 312, 316, 325–326, 371
crystal
 polycrystal, 100, 173–174, 176–177, 179, 281, 284–286, 291–294, 296–299, 306–307, 310–312, 314, 316–318, 373
 single, 176, 179, 281, 283, 285–287, 291, 294, 296, 298–303, 305–314, 316, 325–326, 350, 357, 362, 364, 372–373, 376–377, 379

D

debond, 246
 deformation tensor, 14, 20, 22–33
 deformed configuration, 12–13,
 15–17, 20, 50
 deformed surface, 17
 determinant, 37, 74, 353
 Differential Scheme, 179, 195, 213
 dilute case, 160, 185, 187, 225
 dilute concentration, 185
 dislocation
 dipole, 370
 edge, 58
 general, 62
 loop, 62–64, 66
 pile-ups, 370
 screw, 56
 displacement boundary condition,
 111, 116, 121–123, 126, 133,
 135–136, 138, 147, 151–152,
 155, 159–160, 169, 174, 198,
 257, 284, 328–329
 distribution function, 177–178
 distribution of the inhomogeneities,
 161, 183
 divergence theorem, 18–19, 41, 55,
 82, 109–122, 128, 247, 248
 dot product, 6
 double dot product, 6
 dyad, 6

E

effective compliance, 114, 116,
 118–119, 161, 168, 174, 232,
 257
 effective modulus, *see also*
effective stiffness, 113–114,
 120, 165, 179, 183, 185, 187,
 190, 198, 202, 204, 221, 267–
 268, 297
 effective stiffness, *see also*
effective modulus, 114–115,
 117, 119, 122, 125, 126, 138,
 140, 159, 160, 162, 166, 169–
 171, 174, 176, 177, 179, 180,

183, 194, 257, 258, 268, 273,
 277, 280, 332, 334
 elastic distortion, 64, 365
 elastic polarization strain, 49
 elasticity, 22, 34, 35, 47, 120, 153
 elastic-plastic material, 32, 34
 elastoviscoplasticity, 312
 ellipsoidal inclusion, 71, 77, 79,
 81, 86, 177, 247, 252, 292,
 297, 317
 ellipsoidal inhomogeneity, 84, 156,
 158, 164, 174, 177
 energy
 dissipated, 290
 elastic, 289
 Gibbs free, 21
 Helmholtz free, 21
 momentum tensor, 365, 367
 release rate, 272–273
 engineering constants, 217, 219,
 224–226, 233, 266
 ensemble average, 103–105, 107,
 108–109, 285, 296
 enthalpy, 21
 equivalent inclusion equation, 87,
 89, 156, 157, 255
 equivalent inclusion method, 85,
 91, 155–156
 ergodic hypothesis, 104, 106, 107
 Eshelby
 energy momentum tensor, 365,
 367
 estimate, 160–161, 185, 190,
 193
 method, 158, 184
 modified, 247, 252
 modified tensor, 252
 solution, 40, 80, 86–89, 155,
 157, 251, 315, 316
 tensor, 79, 80, 83, 139, 141,
 157, 159, 162, 170–171, 175,
 177, 183, 223–235, 251–252,
 255, 257, 293, 297, 307, 309,
 352
 Euler

angles, 176–177
 configuration, 12, 17
 coordinate, 12
 strain, *see also Cauchy strain*,
 14
 evolving microstructure, 360
 extensional stiffness matrix, 240
 external heat flux, 20

F

Fiber, 113, 212–214, 217, 243,
 244, 259, 278, 279, 317
 fiber bridging, 259
 fiber-reinforced composite, 100,
 155, 214–215, 221, 223–224,
 226, 234, 240, 259–261
 flow rule, 32–33
 fluctuating field, 319, 375
 fracture criterion, 2, 267, 272
 fracture toughness, 259, 260, 266

G

geometric singularity, 262
 global strain concentration, 159,
 166, 173, 333
 grain, 100, 173–174, 176–177,
 179, 281, 283, 292–294, 296,
 297–299, 306–307, 309–310,
 315, 359, 370

Green

function, 38, 40–43, 55, 63, 64,
 77, 79, 127–128, 132, 138,
 139, 147–148
 strain, 14
 theorem, 18

H

habit plane, 352–354, 356
 Hashin-Shtrikman variational
 principle, 133, 136
 hereditary nature, 280
 hierarchical approach, 226, 239
 high concentration, 185
 Hill

constraint tensor, 90, 175, 194,
 299
 lemma, 111, 115, 290, 330,
 338–339
 polarization tensor, 78
 homogeneous polynomial, 39
 homogenization scheme, 283,
 287, 294, 328, 332, 335–336,
 339–340, 350
 Hooke's law, 24, 30, 35, 50–53,
 58, 62, 74, 75, 80, 85–86, 88,
 117, 122, 147–148, 174, 227,
 234, 285, 288, 308
 Hutchinson's calculation, 307
 hyperelastic material, 22

I

incompressibility, 34, 294, 306
 incompressible material, 283, 327,
 336–337
 incremental formulation, 326, 359
 indicial notation, 5
 inelastic behavior, 280, 348
 initial configuration, 12, 13, 17
 interface
 imperfect, 246, 247, 257, 258
 inclusion-matrix, 75
 inhomogeneity-matrix, 76
 perfect, 73, 245–246, 251, 257–
 258
 sliding, 246
 spring model, 246
 velocity, 368
 internal energy, 19, 20, 21
 internal heat source, 20
 internal variable, 291, 321, 342,
 358, 364, 367–368, 372, 377
 interphase incompatibility, 285
 intra-phase fluctuation, 280
 isentropic deformation, 21, 22
 isothermal deformation, 21–23

J

jump condition, 354

K

kinematic tensor, 14
 kinematically admissible
 displacement, 112, 120–123,
 126–127, 131–132, 258
 kinematically admissible strain,
 329
 kinetic energy, 19
 Kirchhoff assumption, 237
 Kronecker delta, 9, 23, 52
 Kröner approach, 282, 296
 Kröner model, 294, 296

L

Lagrange
 description, 12
 strain, *see also Green strain*, 14
 lamina, 234
 latent hardening, 371
 lattice, 70, 350–354, 356, 363,
 371, 377
 left stretch tensors, 13
 linear comparison composite, 320,
 332–333, 335, 338–340, 343

M

Mandel-Hill condition, 112
 martensite-martensite interfaces,
 354
 martensitic microdomains, 368,
 369
 martensitic variant, 349–350, 356–
 357, 362–364, 368–370, 378
 mass density, 17, 19
 material
 asymmetry, 218
 coordinates, 16
 cubic, 45, 46
 isotropic, 25–26, 37, 40, 58, 61–
 62, 69, 74, 83, 204, 323, 326,
 328, 338, 340, 342
 orthotropic, 44
 transversely isotropic, 45–46
 matrix cracks, 266, 268

minimum complementary energy
 theorem, 121
 minimum potential energy
 theorem, 120
 microhomogeneity, 102
 modulus
 bulk, 187, 196–198, 201, 203–
 207, 213, 219–220, 258, 307,
 323
 effective, 261, 268, 269, 271–
 273, 277
 longitudinal shear, 199
 longitudinal Young's, 199
 shear, 26, 126, 162, 188, 190–
 192, 198, 200–202, 204–206,
 208, 218–220, 226, 233, 235,
 258, 293, 307, 323–324, 327,
 342
 transverse bulk, 199
 Young, 51, 214, 221–223, 225,
 233, 240
 monoclinic material, 229, 243
 Mori-Tanaka Method, 163, 184
 moving boundary, 359
 multicoated inclusion, 204
 multilayer composites, 226
 Mura formula, 65

N

nonlinear behavior, 280–282, 291,
 319–320, 331–333, 336–337
 non-perfect interface, *see also*
 imperfect interface, 113

O

one-point correlation, 105–106
 orientation tensors, 302

P

perfect interface, 73, 245–246,
 251, 257–258
 perfect plasticity, 305, 309, 316
 permutation tensor, 9, 37, 74

phase transformation, 49, 53, 347–351, 354–360, 362–364, 368–373, 377–379
 physical entity, 5, 19
 plane strain, 219–220, 238, 260, 273–274
 plastic behavior, 280, 305
 plastic distortion, 302
 plasticity, 31, 316–317, 323, 347, 379
 Poisson's ratio, 199
 polar decomposition, 13
 potential
 convex, 322, 326
 dissipation, 321, 322
 effective, 328
 macroscopic, 319, 338
 thermodynamics, 18, 20, 21, 321, 325
 probability distribution function, 105

Q

quadratic equation, 188, 191
 quasi-static problems, 246

R

reciprocal theorem, 39, 41
 recrystallization, 359
 reduced stiffness matrix, 235
 reference configuration, 14, 20, 21, 23
 relaxation function, 29, 31
 representative volume element, 102, 108, 197, 198, 200–201, 204, 227, 228, 229, 242, 253–254, 283, 284, 285, 330, 350, 373, 376
 resolved shear stress, 300, 302, 312, 371
 right stretch tensor, 13
 right stretch tensors, 13
 rigid particles, 186
 rotation matrix, 176

rotation tensor, 13, 24
 rule of mixture, 223, 240
 RVE, *see also representative volume element*, 102, 103, 108, 111, 113, 319, 324, 328, 350, 357, 359, 360, 364, 369, 378

S

scalar function, 8, 18, 19
 secant
 approach, 312, 331
 compliance tensor, 314–315
 moduli, 326
 viscoplastic compliance, 313
 second order elastic constant, 23
 self-adjoint operator, 129, 145
 self-consistent method, 169, 173, 184
 self-equilibrium stress field, 287
 size distribution, 196
 size-dependent property, 183
 slip plane, 62, 66, 300
 slip system, 300–308, 310, 312, 325, 353, 364, 371, 377
 spatial coordinates, 16
 spin tensor, 14
 statically admissible stress, 112, 121–124, 126–127, 134–136, 146, 149, 198, 259, 286
 statistically homogeneous medium, 106, 108, 109, 113, 139, 285
 steady-state creep, 282, 312
 step function, 357
 Stokes' theorem, 19, 64
 strain concentration tensor, 117, 166, 174, 180, 182–183, 224, 307
 strain energy, 19, 23, 81–82, 112, 114–116, 122–123, 133, 135–136, 151–152, 268–269, 273, 282, 289, 290, 336
 strain hardening, 300, 303, 306, 309

strain rate, 284, 295, 297–300,
302, 304–306, 312–315, 322,
325, 363, 374

stress

Cauchy, 15–16, 18, 20, 22, 24,
33
deviatoric, 31, 33
first Piola-Kirchhoff, 16
power, 20–21, 290
second Piola-Kirchhoff, 16, 23
stress concentration tensor, 118,
160, 167, 170, 174, 182, 255–
256, 287, 307
stress intensity factor, 259–261,
266
stress polarization, 80, 90–91, 127,
132–133, 135–136, 149
stress-free transformation strain, 49
stress-strain relationship, 28, 29,
31–33, 50, 234, 236, 280, 311
summary convention, 5
symbolic notation, 7, 26, 83, 129,
162–163, 168, 293

T

tangent compliance tensor, 297–
299, 314–315
tangent modulus, 294–299, 305–
307, 309, 314, 327–328, 376
Taylor expansion, 23, 27, 314
Taylor-Lin model, 296, 311
tensor transformation, 24
texture, 281, 316
thermoelasticity, 26
third order elastic constant, 23
threshold strain, 276, 277
traction boundary condition, 109,
110, 118–119, 146–147, 155,
160, 169, 175, 254, 284–286,
289, 328–329
traction vector, 16, 17, 18, 246,
366
transform
Fourier, 36, 37, 54, 57, 58

Laplace, 30–31

Legendre, 322

transverse matrix crack, 266, 269,
273

Tresca yield function, 33

TRIP, 347, 349–350, 379

twinning, 351–354, 356, 359

two-point correlation function,
105–106

U

unit outward normal, 16, 248

unit sphere, 39, 78, 92, 93, 139

V

variant, 282, 357–358, 362–364,
368, 370, 378

velocity of the interface, 361–362,
366

viscoelasticity, 29, 48

Voids, 190

Voigt

elastic constant, 25, 44, 216,
220, 227, 232, 233

Volterra formula, 63

volume average, 104, 106–109,
111, 112, 284, 285

volume fraction, 103–104, 107,
117, 125–126, 137, 140, 154,
160–162, 173, 178–180, 182,
185, 188, 192, 194, 196, 197,
200–201, 205, 208, 214, 225,
228, 240, 242, 258, 261, 268,
285, 320, 342, 349, 358, 364,
367–369, 376, 378

Von Mises criterion, 323

von Mises yield function, 33

W

work-hardening, 34

Y

yield function, 32–33

yield surface, 32–33, 291