



Index



COPYRIGHTED MATERIAL



Index

A

- acceptable use policy (AUP), 132
- access
 - broadband Internet, 452
 - community networks, 452
 - free Internet, 449
 - free Wi-Fi, 447
 - protected, Wi-Fi, 438
 - public Wi-Fi, 449, 465
 - to fiber-based Internet
 - service provider, 104
 - Wi-Fi, 463
 - wireless Internet, 447
- access point, wireless, 390, 401
- access sharing
 - ActiveX components, 263
 - adapter address, 256
 - controls, 212
 - defined, 171
 - routers, 171
- access sharing routers, 171. *See also* wireless routers
- accessibility over Internet, 214
- acknowledgments, end-to-end, 288
- adapter, ethernet, 244
- address
 - management, 285
 - translating, 306
- address translation. *See* network address translation
- addresses
 - DNS, 296
 - MAC, 237
 - private, 305
 - public, 305
 - reserved, 291
- ADSL (asymmetrical digital subscriber line)
 - ADSL2, 57
 - ADSL2+, 57, 58
 - modem, 166
 - speeds, 46
- ADSL data frames. *See* SuperFrame
- ADSL modems, 166
- ADSL speeds
 - 384Kbps/128Kbps, 46
 - 768Kbps/384Kbps, 46
- aDSL. *See* ADSL
- ADSL2, 57
- ADSL2+, 57, 58
- advanced encryption standard (AES), 462
- advanced fiber networks, 98
- advanced LAN IP setup, 296
- advanced security, 440
- AES (advanced encryption standard), 462
- aiff music file format, 11
- alternative broadband providers
 - community wireless, 90
 - satellite broadband, 77
- antenna
 - add-on, 185
 - for improving distances, 184
- anti-virus software, 507
- AP (access point) program, fake, 460
- application gateway, 309
- asymmetrical broadband, 40, 41, 56
- asymmetrical connection advantages
 - cost, 40
 - traffic patterns, 40
- asymmetrical connection, defined, 31. *See also* symmetrical connection
- asymmetrical digital subscriber line. *See* ADSL
- asymmetrical transmission, 56
- asymmetrical versus symmetrical connections, 31
- audio, streaming, 8, 13
- AUP (acceptable use policy), 132
- authentication
 - remote, 461
 - using 802.1x , 461

558 Index ♦ **A–B**

- authentication protocols
 - LEAP, 461
 - PEAP, 461
- automatic backup, 342
- automatic updates, 153, 506
- availability aspects of
 - broadband, 21, 63
 - community wireless, 92
 - satellite broadband, 87
- B**
- backing up
 - desktop, 335–336
 - laptop, 337–339
 - network-connected computers, 339
- backing up, desktop
 - CD-ROM or DVD backup, 336
 - external hard drive backup, 336
 - overview, 335
 - tape backup, 336
- backing up, laptop
 - CD-ROM or DVD backup, 337
 - external hard drive backup, 338
 - online backup and storage, 339
- backup
 - automatic, 342
 - backup technology, 328
 - CDs and DVDs, 330
 - DataKeeper software program, 324
 - decision points, 331
 - desktop, 335–336
 - devices, 213
 - disaster recovery aspects, 321
 - disk-to-disk for one computer, 330
 - disk-to-disk over a network, 330
 - external hard drive backup, 350
 - floppies, 329
 - for business server, 211
 - for home computers, 208
 - full, 329
 - incremental, 329
 - laptop, 337–339
 - mechanism, 346
 - network-connected computers, 339
 - online backup and storage, 331, 351
 - operations to schedule, 348
 - options for travelers, 352
 - planning, 242, 356
 - pros and cons, 331
 - recommendations, 333
 - RocketVault, 350
 - scoring choices, 333
 - share-defining process, 347
 - software packages, 324, 353
 - tape backup, 330, 350
 - tools, 506, 335
- backup service, online, 353
- backup software, DataKeeper, 336, 340
- backup tools
 - FireWire, 335
 - Mirra Personal Server, 335, 342
 - PCMCIA card, 335
 - RocketVault, 335, 346
 - True Image 7, 335
- backup types
 - automatic, 342
 - full, 329
 - incremental, 329
- bandwidth
 - fiber cable connections, 103
 - hogs, 134
- Basic Input Output System (BIOS), 248
- billing aspects of broadband services, 197
- BIOS (Basic Input Output System), 248
- bit security. *See* security, bit
- blocking of
 - anonymous Internet requests, 313
 - hackers, 241
- Boot Pea. *See* Boot Protocol
- Boot Protocol (BOOTP), 293
- BOOTP (Boot Protocol), 293
- bridging, 292. *See also* routing
- broadband
 - acceptable use policies, 132
 - access cable, 108
 - access control, broadband, 188
 - access point, 285
 - availability, 21, 63, 87
 - building local exchange carrier, 188
 - cable/DSL, 363

- communicating over, 18
- computing without interruption, 3–4
- control access, 188
- cost aspects, 67, 89
- coverage area, 102, 107
- defined, 27, 28
- downloading tool, 10
- fixed wireless, 90
- gaming, 23
- getting familiar with, 27
- high-speed, 97
- home, 161
- Internet access, 3
- multitenant hookup, 187
- over cable, 69
- paradoxes, 544
- physical connections, 190
- Powerline Broadband, 109
- privacy assurances, 198
- reliability, 66, 88, 105, 108, 111
- routers, 378
- satellite, 78, 79, 89
- security updates, 199
- security, 67, 106, 111, 196
- service options, 97
- service provider, 72–74, 132
- services, 190, 198–200
- speed, 87, 108, 111
- support contact, 198, 199
- support files download, 4
- throughput, 65
- transfer speeds, 7
- transmission, 28
- trials in progress, 103, 108, 110
- voice over broadband, 18
- wireless access, 107
- wireless exchange, 128
- wireless, 492
- working of, 90, 107
- World Wide Web, 3
- broadband access
 - access point, 285
 - broadband gaming, 23
 - cable, 36
 - condos, 195
 - connection, 169
 - digital, 32
 - executive suites, 195
 - media, 167
 - office parks, 196
 - problems, 161
 - satellite, 95, 195
 - system, 202
 - transforms, 8
 - wireless, 90, 191, 195
 - wiring, 190
- broadband access services
 - billing aspects, 197
 - privacy assurances, 198
 - security, updating of, 199
 - service level agreement, 198
 - support contacts, 198
 - terms of service, 197
- broadband connections
 - asymmetrical, 31, 40
 - DSL speeds, 45
 - faster, 350
 - insecure, 444
 - symmetrical, 31, 41
- broadband from cable companies
 - broadband over cable, working of, 69
 - service provider details, 72
- broadband from phone companies
 - DSL technology, use of, 52
 - service provider details, 61
- broadband gaming
 - game play requirements, 23
 - popular games, 25
- broadband Internet access
 - broadband reports, 500
 - broadband service problems
 - cable, 49
 - cable/DSL modem, 169, 170
 - computer hardware, 170
 - DSL, 49
 - e-mail server, down, 168
 - hosted Web servers, down, 168
 - network interface device failure, 169
 - node to central office, disconnected, 169
 - router problems, 168–170
 - software, 170
 - spotty service between node and home, 169
 - wiring, substandard, 170

560 Index ♦ **B**

- broadband Internet access, need of
 - broadband gaming, 23
 - communicating over broadband, 18
 - computing without interruption, 4
 - streaming audio, 8
 - streaming video, 13
- broadband Internet connection,
 - unsecured, 44
- broadband options
 - Fiber to the Premises, 98
 - passive optical networking (PON),
 - use of, 98
 - Powerline Broadband, 109
 - WiMax, 106
- broadband over cable, working of, 69
- broadband policy, 30
- broadband providers, alternative
 - community wireless, 90
 - satellite broadband, 77
- broadband providers, types of
 - cable, 49
 - satellite, 49
- broadband security
 - desktop firewall settings, 158
 - operating system, updating of, 151
 - personal firewall, updating, 155
 - routers firewall settings, 158
 - virus protection, updating of, 154
- broadband security updates
 - active and update spam protection, 199
 - active and update virus protection, 199
 - active and updated personal firewall, 199
 - operating system updates, 199
- broadband service
 - cable-based, 123
 - for apartment resident, 190
 - from a third party, 199
 - level agreement and privacy, 200
 - level agreement, 198
 - multiple, 113
 - qualifications, 116
 - satellite and wireless, 168
- broadband service from third party
 - account keeping aspects, 200
 - firewall, 201
 - network address translation (NAT), 201
 - onsite broadband router, 200
 - privacy assurances, 200
 - service level agreement, 200
 - support contact, 199
- broadband service providers, 62, 72–74, 123, 132
- broadband service trouble spots
 - cable/DSL modem, 170
 - computer hardware, 170
 - computer software problems, 170
 - router problems, 170
 - substandard wiring, 170
 - wiring damage, 170
- broadband service types
 - over cable lines, 18
 - over telephone lines, 18
 - wireless, 49
- broadband services qualifications
 - cost, 116
 - dial-up number for backup, 116
 - free phone support, 116
 - personal Web pages, free, 116
 - reliability, 116
 - spam, 116
 - speed, 116
 - Webmail application, when traveling, 116
- broadband, choosing
 - broadband physical connections
 - compare service features, 115
 - decision points for comparisons, 114
 - over existing wiring, 190
 - over new wiring, 190
 - to every client location, 190
- broadband, communicating over
 - video IM, 20
 - videophones, 20
 - voice over broadband, 18
 - Webcams, 19
- BroadbandReports forum, 494
- BroadbandReports, 499
- Broadcast Support Service (BSS), 420
- browsers, Web, 254, 147, 264, 346
- BSS (Broadcast Support Service), 420

Building Local Exchange Carrier (BLEC), 188

burying cables, 71

business servers. *See also* home

 computing

 backup, 211

 capacity, 213

 media hub, 210

 need of, 210

 organization, 211

 security, 212

 sharing 212

C

cable

 access, 18

 broadband access subscribers, 116

 broadband access, 108

 broadband, 36

 CAT 1, 371

 CAT 2, 371

 CAT 3, 371

 CAT 4, 371

 CAT 5, 371

 CAT 5e, 371

 CAT 6, 371

 coaxial, 362

 coverage areas, 117

 decision checklist, 117

 development, 70

 DSL modem, and, 292

 fiber, 362

 fiber optic, 187, 188

 gaming, 45

 Linksys, 184

 modem, 165

 pros and cons for, 116

 ratings, 371

 regulatory aspects, 492

cable access, Internet, 41

cable box filters, 69

cable broadband access, Comcast, 194

cable development, problems with

 burying cables, 71

 fixation on a one-way network early on, 71

cable gaming, 45

cable modem

 information, 164

 pros and cons, 165–166

 use of, 165

cable modem information, 164. *See also* DSL modem information

cable modem termination system (CMTS), 71

cable wire networking, 387

cable wiring, coaxial, 362

cable, pros and cons for

 coverage areas, current, 117

 decision checklist, 117

cable/DSL

 broadband routers, 378

 broadband, 363

 modems, 243, 252, 292, 478

 router, 384

cable/DSL modems

 cable modem information, 164

 demarcation point, defined, 167, 168

 DSL modem information, 166

 modem, overview of, 163

 pros and cons of modem buying, 165

 providers responsibility, 168

cable-based broadband service

 providers, 123

cable-related sites, 540, 541

cabling

 Category 5 (CAT5), 371

 fiber optic, 362

cache buffer, 549

cache server, defined, 318

caching, Web page, 85

capacity, storage. *See* storage capacity

carrier sense multiple access (CSMA), 371

carrier sense multiple access/collision detection (CSMA/CD), 371

CAT 1 cabling, 371

CAT 2 cabling, 371

CAT 3 cabling, 371

CAT 4 cabling, 371

CAT 5 cabling, 371

CAT 5e cabling, 371

562 Index ♦ C

- CAT 6 cabling, 371
- Category 5 cabling. *See* CAT 5 cabling
- CCK (complementary code keying), 182
- CD backup, 330
- CDs, writeable, 330
- CD-ROM, 147
- CD-ROM backup, 336
- CD-ROM drive, 8
- CD-ROM or DVD backup
 - backing up desktop, 336
 - backing up laptop, 337
- cell phones, chatting on, 444
- central office, 549
- centralized distribution system, 33
- channel bonding
 - double, 397
 - multichannel, 397
 - overview, 397–398
- channel selection, 79, 415
- channel settings, 415
- checksum, 426
- CIDR (classless inter-domain routing), 291
- circuit-level gateway, 309
- classless inter-domain routing. *See* CIDR
- CLEC (Competitive Local Exchange Carriers), 50, 101
- cmd, 497
- CMTS (cable modem termination system), 71
- coaxial cabling, 362
- collision detection (CD), 371
- combination storage device, 480
- communicating over broadband
 - video IM, 20
 - videophones, 20
 - voice over broadband, 18
 - Webcams, 19
- community wireless
 - availability, 92
 - costs, 95
 - distance, 93
 - line-of-sight networks, 91
 - non line-of-sight networks, 91
 - overview, 90
 - reliability, 95
 - security, 95
 - service providers, 92
 - speed, 94
 - working, 90
- community wireless broadband
 - coverage areas, 128
 - decision checklist, 129
 - pros and cons, 128
 - security, 128
- community wireless broadband, pros and cons for
 - current coverage areas, 128
 - decision checklist, 132
 - security concerns, 129
- compatibility
 - between vendors, 366
 - problems, 366
- compatibility advantages
 - for wired products, 366
 - for wireless products, 366
- Competitive Local Exchange Carriers (CLEC), 50, 101
- complementary code keying (CCK), 182
- computer as file server
 - Linux, use of, 228
 - Windows networking, use of, 227
- computer hackers, 139
- computer life
 - defined, 151
 - life circle, examining of, 151
- computer problems, 506
- computer refuses, checklist for, 510
- computer security
 - downloaded files aspects, 144
 - e-mail risks, 141
 - physical security, 147
 - understanding, 139
 - Web sites, 145–147
- computer-based video, 8
- computing without interruption
 - defined, 4
 - files downloading features, 4–5
- computing, home, 206
- connecting network devices
 - routers, 237
 - server and storage appliances, 234
 - wireless Webcam, 238
- connection equipment, customer premises 164

- connection sharing rules, 134
 - connection times, 63
 - connection troubleshooting
 - network troubleshooting,
 - bottom-up, 509
 - system examination tools, 507
 - TCP/IP problems, 511
 - wireless problems, 520
 - connectionless packet delivery service, 287
 - corporate networks, 229
 - corporate sites, 17
 - coverage area
 - broadband, 107
 - cable, 117
 - community wireless, 128
 - DSL, 121
 - Fiber to the Premises (FTTP), 102
 - satellite broadband, 126
 - cracking tools
 - BSD Unix, 454
 - Java, 454
 - Linux, 454
 - Macintosh, 454
 - PalmOS, 454
 - PocketPC, 454
 - Windows, 454
 - cracking, wired equivalency protocol (WEP), 453
 - CSMA/CD (carrier sense multiple access/collision detection), 371
 - customer premises connection equipment, 164
 - customer relationship management (CRM), 212
 - customer service aspects
 - normal performance, tracking, 496
 - problems documenting, 496
 - provider's performance, 499
 - customer service, dealing with
 - effective complaining, 486
 - subscribers, enlisting, 493
 - working through their system, 490
 - customer service, working with
 - call for support, 476
 - firmware and drivers, updating, 479
 - PPPoE settings, 481
 - rebooting aspects, 477, 478
 - router DHCP settings, 479
 - cycles per second, 28. *See also* bandwidth
- D**
- data
 - organization, 211
 - connections, high-speed, 32
 - restoration, 352
 - retention rules, 354
 - security, 211, 212, 361
 - sharing, 212
 - data connections, high-speed, 32
 - data over cable service interface specification (DOCSIS), 72, 164
 - data vaults, 346
 - DataKeeper backup software, 335, 336, 340
 - DDNS (dynamic domain name service), 304
 - dead Web page, 473
 - demarcation point, defined, 167
 - desktop
 - backing up, 335, 336
 - firewall settings, 158
 - networking, 243
 - uses of, 405, 419
 - desktop networking
 - NAT supported routers, 244
 - network settings, 250
 - operating system, 249, 250
 - overview, 243–244
 - Windows 9x/ME, upgrading, 246–249, 522, 523
 - desktop operating system, Linux, 249, 250
 - destination
 - address type, 312
 - domain name, 312
 - IP Address, 312
 - DHCP (dynamic host configuration protocol)
 - client settings, 299
 - overview, 293
 - server settings, 296–298
 - server, 253, 294
 - timeouts, 519

564 Index **◆ D**

- DHCP client settings, 296, 299
- DHCP client, 294, 296
- DHCP server settings
 - for broadband connections, 298
 - for client, 296
- DHCP server, 253
- DHCP servers, role of, 294
- DHPC timeouts, 519
- dial-up modem, 163
- dictionary attack, 150, 420, 455
- dictionary hackers, 455
- digital broadband access, 32
- digital cable Internet access, 36
- Digital Loop Carrier (DLC), 64
- Digital Powerline Technology, 109
- digital rights management (DRM), 322
- digital spread spectrum (DSS) of power networks, 110
- digital subscriber line. *See* DSL
- direct sequence spread spectrum (DSSS), 393, 395
- disaster recovery, 351
- disaster types
 - chemical leak, 353
 - fires, 352
 - floods, 352
 - nuclear explosions, 352
 - virus infestations, 352
- Discreet MultiTone (DMT), 51
- disk
 - cables, 367
 - from outside, 148
 - maintenance, 233
 - managing, 232
 - partition, 549
 - preparing, 324
 - shares, 229
- disk formatting methods
 - FAT32, 325
 - NTFS, 325
- disk shares, setting up, 229, 232
- disks, managing
 - disk maintenance, 233
 - shares setting, 232
- disk-to-disk backup, 330
- distance advantages for
 - wired ethernet network, 364
 - wireless ethernet network, 364
- distance aspects in
 - wired ethernet, 364
 - wireless broadband routers, 182
 - wireless ethernet, 364
- distance improving in wireless routers
 - external antenna features, 184
 - power usage, 184
- DLC (Digital Loop Carrier), 64
- D-Link AirXpert DI-774, 395
- D-Link i2eye DVC-1100, 21
- D-Link, 414
- DMT (Discreet MultiTone), 51
- DNS (domain name service)
 - defined, 300
 - dynamic, 304
 - name servers, finding, 301
 - server, 300
 - static IP addresses, 302
- DNS addresses, 296
- DNS problems, 518
- DOCSIS (data over cable service interface specification), 72, 164
- DOCSIS compatibility specification, 165
- documentation, 475
- domain name server, 300, 432, 480, 519, 523, 531
- domain name service. *See* DNS
- domain name system. *See* DNS
- domain name, destination, 312
- double-channel bonding, 397
- download speed
 - applications updates, 57
 - e-mail, 57
 - music files, 57
 - non-cached Web pages, 57
- download times, file, 5, 6
- downloaded files
 - careful handling, 144
 - protection aspects, 145
 - protection features, 145
 - trojan programs, 144
- downloads, remote file, 353
- downstream traffic, 32, 36, 71
- drivers, device, 479, 549
- DRM (digital rights management), 322

- DSL (digital subscriber line)
 - ADSL, 46, 57, 58, 166
 - coverage areas, 121
 - decision checklist, 123
 - gaming, 45
 - HDSL, 51, 61
 - ISDN, 46, 60
 - modem, 169, 184, 374
 - pricing levels estimate, 68
 - pros and cons for, 120
 - rate-adaptive, 61
 - regulatory aspects, 492
 - SDSL, 46, 54, 58, 122
 - service features, 122
 - service providers, 61
 - speeds, 46
 - symmetrical, 58
 - VHDSL, 61
 - working, 52
 - DSL modem
 - ADSL modem, 166
 - information, 166
 - use of, 169, 184, 374
 - DSL modem information, 166
 - DSL modem vendors
 - 2Wire, 166
 - Netopia, 166
 - ZyXel, 166
 - DSL technology
 - defined, 32, 51
 - development of, 51
 - DSL, pros and cons for
 - coverage areas, current, 121
 - decision checklist, 123
 - service features comparison, 122
 - DSLForum, 54
 - DSL-related Sites, 540
 - DSSS (direct sequence spread spectrum), 393, 395
 - DVD backup
 - backing up desktop, 336
 - backing up laptop, 337
 - defined, 330
 - DVD drive, 147
 - DVDs, writeable, 330
 - dynamic DNS, 304
 - dynamic domain name service (DDNS), 304
 - dynamic host configuration protocol (DHCP) server, 253, 294
 - dynamic host configuration protocol. *See* DHCP
 - dynamic host control protocol. *See* DHCP
- E**
- EAP (Extensible Authentication Protocol), 461
 - EAP-TTLS, 462
 - eavesdrop networks, 443, 445, 448, 456
 - eavesdropping thwarting
 - 802.1x authentication, use of, 461
 - products, 456, 458
 - eavesdropping, concept of
 - legal issues, 452
 - sniffers, 450
 - warchalking, 449
 - wardriving, 445
 - EFS (Encrypting File System), 247
 - 802.11 standards
 - 802.11b, 180, 181, 392, 401
 - 802.11e, 399
 - 802.11g, 183, 394, 399, 415
 - 802.11i, 437
 - future, 399
 - 802.11b for Wi-Fi hotspots, 96
 - 802.11g methods for increasing speed
 - channel bonding, 397
 - fast frames, 397
 - hardware compression and decompression, 397
 - packet bursting, 397
 - select mode or mixed mode, 397
 - 802.11g standard
 - interference issues, 398
 - methods for increasing speeds, 397
 - nonstandard enhancements, 396
 - 802.1x
 - compliant system security
 - breakdown, 462
 - for network authentication, 461
 - personal computer security, 44
 - electromagnetic interference (EMI), 365
 - electronic rights and privacy, 39

566 Index ♦ E-F

- e-mail
 - disruptions, 473–475
 - download speed, 57
 - message, 444
 - overview, 141
 - protection aspects, 142
 - server software, 474
 - server, 44, 46, 206, 219, 304
 - traffic, 200
 - viruses spread, 141
 - e-mail client settings
 - authentication setting, 475
 - mail server name
 - for incoming messages, 475
 - for outgoing messages, 475
 - mail server port number, 475
 - user name, 475
 - user password, 475
 - e-mail disruptions, 473–475
 - e-mail risks
 - careful handling, 146
 - protection features, 146
 - e-mail server, 44, 194, 206, 219, 304
 - EMI (electromagnetic interference), 365
 - Encrypting File System (EFS), 247
 - encryption keys, significance of, 427
 - encryption problems, 521
 - End User License Agreement (EULA), 132
 - end-to-end acknowledgments, 288
 - entertainment sites, 541
 - ethernet. *See also* wireless network
 - 10Base-T, 252
 - adapter, 244
 - connections, 339
 - devices, 362
 - distance limitations, 64
 - network, 173, 451
 - network connection, 14, 250
 - thick, 375
 - Unshielded Twisted Pair (UTP)
 - wires, 170, 360
 - wired, 364
 - wireless, 364
 - ethernet connection
 - for network, 14, 250
 - for routers, 173
 - ethernet network
 - connections, 14, 250, 339
 - networking concept, 360
 - speed, 363
 - wired, 361
 - ethernet speed in
 - HomePlug, 363
 - wireless 363
 - ethernet wiring
 - 100Base-T, 370
 - 10Base-T, 370
 - CAT 1, 371
 - CAT 2, 371
 - CAT 3, 371
 - CAT 4, 371
 - CAT 5, 371
 - CAT 5e, 371
 - CAT 6, 371
 - hardware, 373–374
 - hubs, 375, 376
 - in routers, 378
 - overview, 370
 - switches, 377
 - twisted pair, 370
 - unshielded twisted pair (UTP) , 359
 - EULA (End User License Agreement), 132
 - Extensible Authentication Protocol (EAP), 461
 - external hard drive backup
 - for desktop, 336
 - for laptop, 338
 - problem with, 350
- F**
- fake AP (access point) program, 460
 - fast frames, 397
 - FAT32, defined, 325
 - fault tolerance, 295
 - FCC (Federal Communications Commission), 29, 31, 47, 64, 491
 - Federal Communications Commission. *See* FCC
 - fiber
 - active star, 100
 - cables, 362

- home run fiber, 100
- optic cable, 187, 188
- optic cabling, 362
- passive optical network (PON), 98, 100
- point-to-point, 100
- single star architecture, 100
- wavelength aspects, 100
- working of, 99
- fiber networks, advanced, 98
- fiber to home. *See also* WiMax; Powerline Broadband
 - competitive local exchanges, 50, 101
 - incumbent local exchange carriers, 50, 101
 - laws, 101
 - public utility districts, 101
- Fiber to the Premises (FTTP)
 - coverage areas, 102
 - legal aspects, 102
 - overview, 98
 - political aspects, 102
 - reliability, 105
 - security, 106
 - speed, 105
 - trials in progress, 103
 - working, 99
- file access screen, 222
- file download times, 5, 6
- file server, 227–228
- file sharing
 - disabling of, 261
 - passwords settings for, 262
 - peer-to-peer, 41, 212
 - program, 38
 - sites, 43
- file storage folder on a server, 209
- File Transfer Protocol (FTP), 176, 217, 311, 315
- files downloading aspects, 144, 145
- files restoring ways, 349
- filter
 - ActiveX, 313
 - cookies, 313
 - Java Applets, 313
 - multicast, 313
- filter, cable box, 69
- filtering, media access control, 429
- filters, Web content, 177
- firewall
 - configuring for online games, 317
 - definition, 309
 - Kanguru iNAS-100, 317
 - NAT (network address translation), 309
 - protection, 312
 - router, wireless, 310, 378, 410, 431
 - router-based, 310
 - software, 158, 166, 172, 176
- firewall configuring for online games, 317
- firewall functions
 - application gateway, 309
 - circuit-level gateway, 309
 - packet filter, 309
 - proxy server, 309
- firewall router, wireless, 310, 378, 410, 431
- firewall settings
 - default, 176
 - desktop, 158
 - router, 158
- firewall software
 - application gateway, 176
 - circuit-level gateway, 176
 - for routers, 175
 - packet filter, 176
 - proxy server, 176
- firewalls, router-based
 - configuring, 310
 - defined, 309
 - security settings, 312
- firmware
 - defined, 479
 - updating, 479
- fixed wireless broadband (FWB), 90
- floppy backup, 329
- folder
 - private, 209
 - public, 209
 - Shared Documents, 227
- folder organization, 209
- FolderShare, 43
- frame relay, 59
- FTP (File Transfer Protocol), 176, 217, 311, 315

568 Index ♦ **F–H**

- FTPDATA, 311
- FTTP. *See* Fiber to the Premises
- full backups, 329
- future network devices
 - wired advantages, 367
 - wireless advantages, 367
- FWB (fixed wireless broadband), 90
- G**
- G.Lite, 54, 60, 64. *See also* ADSL
- game networks
 - cable, 45
 - DSL, 45
- game playing, 23, 520
- game sites, 538
- gaming
 - networks, 45
 - online, 158
- gateway
 - application gateway, 309
 - circuit-level, 309
- gigabit switches, 378
- GoToMyPC, 149
- GPS equipment, 447
- group access rights, 231
- groups, setting up, 229
- H**
- H-25 multifunction server appliance, 220
- hack attacks
 - dictionary attacks, 455
 - man-in-the-middle attacks, 454
 - media access control attacks, 455
 - session hijacking, 455
 - thwarting of, 456
 - wired equivalency protocol (WEP),
 - cracking, 453
 - wireless, 453
- hackers
 - blocking, 241
 - computer, 139
 - dictionary, 455
 - mobile, 445
 - security aspects, 151, 454
- hard drive backup, external, 336
- hardware compression and decompression, 397
- HDSL (high bit-rate DSL), 51, 61
- HDTV (high definition television), 546
- HDTV set-top box, 14
- HFC (Hybrid Fiber/Coax), 71
- HFC (Hybrid Fiber/Coax), 71
- high bit-rate DSL (HDSL), 51, 61
- high definition television (HDTV), 546
- high-bandwidth digital service, 167
- high-quality network analyzer
 - software, 451
- high-speed
 - broadband, 97
 - data connections, 32
 - Internet access, 32
 - Internet, 494
- HIPAA, 355
- home broadband, 161
- home computing. *See also* business servers
 - backup, 208
 - capacity, 210
 - connecting devices, 207
 - media hub, 210
 - organization, 208
 - security, 209
 - share files, 208
 - share printers, 208
- home server, 205, 210
- HomeCOAX, 387
- HomeNet, 256
- HomePlug
 - devices, 220, 360, 367, 369
 - ethernet speed, 363
 - ethernet, and, 382
 - interference, 382
 - networking, 379
 - over home powerlines, 362
 - overview, 379
 - pros and cons, 385–386
 - security and compatibility, 383
 - wired network, 361
 - wireless network, 385
 - wiring, 294
- HomePlug ethernet
 - distance advantages, 364
 - security concerns, 361
 - speed advantages, 363

- HomePlug network, wired, 361
 - HomePNA (Phoneline Network)
 - devices, 360
 - networking, 386
 - HotSpots, 466
 - HotSpotVPN, 466
 - HTML, 144
 - hub
 - media, 210
 - Netgear, 377
 - 100Base-T ethernet wiring, 370
 - Hybrid Fiber/Coax (HFC), 71
 - Hybrid Fiber/Coax. *See* HFC
 - hybrid networks, 364
- I**
- ICF (Internet Connection Firewall), 314, 434, 463, 464, 522
 - ICMP
 - Internet Control Management Protocol, 498, 514
 - Internet Control Message Protocol, 158, 310, 315
 - ICS (Internet Connection Sharing), 269
 - ISDL (ISDN digital subscriber line), 46, 60
 - ISDL and ISDN, differences between, 60
 - ILEC
 - Incumbent Local Exchange Carriers, 50, 101
 - Independent Local Exchange Carrier, 491
 - ILECT, 491
 - IM, video, 39
 - incremental backups, 329
 - Incumbent Local Exchange Carriers (ILEC), 50, 101
 - Independent Local Exchange Carrier (ILEC), 491
 - independent network topology, 288
 - initialization vector (IV), 453
 - Instant Message systems, 39
 - Instant PowerLine Etherfast 10/100 Bridge, Linksys, 381
 - InStat/MDR, 117
 - Integrated Services Digital Network (ISDN), 47, 51, 58, 60
 - interference in wireless routers
 - 802.11a network devices, 182
 - 802.11b network devices, 182
 - 802.11g network devices, 182
 - frequencies, use of, 181
 - items creating interference, 182
 - interference problems, 521
 - interference resistance ratings for
 - wired products, 365
 - wireless products, 365
 - internal PC card, 162
 - Internet
 - access protection, 196
 - cable access, 41
 - high-speed, 494
 - Linksys, 238
 - radio, 3, 9, 35
 - security, 275
 - Internet access
 - digital cable, 36
 - high-speed, 32
 - satellite, 126
 - two-way, 116
 - Internet access troubleshooting
 - common problem and fixes, 472
 - e-mail disruptions, 473–475
 - firmware, updating, 479
 - PPPoE settings, 481
 - router DHCP settings, 479
 - slow or dead Web pages, 473
 - viruses and other malware, 472
 - Internet backbone, 550
 - Internet cable access, 41
 - Internet connection
 - symmetrical, 41
 - wireless, 108, 190
 - Internet Connection Firewall (ICF), 314, 434, 463, 464, 522
 - Internet Connection Firewall settings, 275
 - Internet Connection Sharing (ICS), 269
 - Internet Control Management Protocol (ICMP), 498, 514
 - Internet Control Message Protocol (ICMP), 158, 310, 315

570 Index ◆ I-L

Internet Explorer, 147
 Internet Explorer, tightening of, 263
 Internet music tools, 9
 Internet protocols
 IP, 18
 TCP/IP properties, 300
 TCP/IP, 272
 Internet Protocol Security (IPSec), 546
 Internet requests, anonymous, 313
 Internet Service Provider, 123
 Internet Underground Music Archive (IUMA), 12, 534
 interruption requests
 Mozilla plug-in update, 5
 Norton virus definition files, 5
 QuickTime browser plug-in update, 5
 Real Player update, 5
 Windows automatic update files, 5
 IOGear BOSS, 223
 IP address
 Class A, 290
 Class B, 290
 Class C, 290
 client, 436
 destination, 312
 format, 289
 server, 436
 source, 312
 static, 302, 303
 IPSec (Internet Protocol Security), 546
 IPSEC Policy Agent, 268
 IP, realm specific, 308
 ipconfig, use of, 528
 IPv4 networks, 289, 291, 292
 IPv6 networks, 292
 ISDN (Integrated Services Digital Network), 47, 51, 58, 60
 ISDN digital subscriber line. *See* IDSL
 ISDN DSL. *See* IDSL
 ISP (Internet Service Provider), 123
 IUMA (Internet Underground Music Archive), 12, 534
 IV. *See* initialization vector

J

Java applets, 263

K

Ka band technology, 88
 Kanguru iNAS-100, 317
 Kanguru NAS/router, 298
 Kanguru router, 238
 KaZaa, 38
 key security
 pre-shared key (PSK), 437, 461
 private key, 552
 public key, 461, 552
 Public Key Infrastructure (PKI), 461
 TKIP (Temporal Key Integrity Protocol), 437, 462

L

LAN (local area network)
 connection properties, 314, 316
 uses of, 256, 319
 laptop
 backing up, 337, 338
 security, 464
 use of, 148, 405, 419
 laptop card, wireless, 184
 laptop client, security at, 419
 latency, 84
 layered security, examples of
 directional access of wireless
 access points, 417
 encrypted message traffic, 417
 firewall on your wireless router, 417
 protection of servers and
 computers, 417
 unique username and passwords,
 417
 LEAP (Lightweight Extensible Authentication Protocol), 461. *See also* PEAP
 Lightweight Extensible Authentication Protocol (LEAP), 461
 line of sight wireless networks, 91
 LinkedIn, 42
 Linksys
 Access Restrictions page, 179
 cable, 184
 Educate Me, 495
 EFG80, 340
 Instant PowerLine Etherfast 10/100
 Bridge, 381

- Internet, 238
- NAS, 235
- operating system, 226
- router, 173, 174, 530
- switch, 377
- WRV54G router, 173, 176, 430, 529
- WRV54G VPN broadband router, 312
- WRV54G wireless broadband router, 238
- WRV54G Wireless-G router, 426
- Linux
 - desktop information sites, 541, 542
 - desktop operating system, 249, 250
 - distribution, 228
 - system, 162
- local area connection
 - properties, 274, 300
 - status, 272
- local area network. *See* LAN
- Local Exchange Carriers
 - BLEC, 188
 - CLEC, 50, 101
 - ILEC, 50, 101
- local wireless network, 521
- localhost, 551
- lock symbol, 465
- LOS. *See* line of sight
- M**
- MAC (media access control)
 - address, 237
 - filtering, 429, 430
 - uses of, 256, 295, 455, 518
- Macromedia, 16
- Magna server, 406
- mail server, 475
- mail server name
 - for incoming messages, 475
 - for outgoing messages, 475
- malware, 140
- man-in-the-middle attacks, 454
- many-to-many distribution, 38. *See also* one-to-many distribution
- Massive Online Player Universe, 25
- media access control attacks, 455
- media access control (MAC) filtering, 429, 430
- media access control (MAC), 256, 295, 455, 518
- media hub, 210
- Members Agreement, 132
- Message Integrity Checks (MIC), 461
- Messenger
- MIC (Message Integrity Checks), 461
- Microsoft Media Player, 322
- Mirra Personal Server, 342, 345, 353
- Mirra Web site, 345
- mixed mode for network devices, 397
- mobile hackers. *See* wardriving
- modem
 - cable and DSL, 162
 - cable, 165
 - cable/DSL, 243, 252, 292, 478
 - defined, 163
 - dial-up, 163
 - DSL to cable, moving from, 47
 - DSL, 169, 184, 374
- modulator-demodulator. *See* modem
- Mozilla, 147
- mp3 music file format, 11
- MP3 files, 135, 208, 533
- MS CHAP V2, 436
- MSConfig system examination tool, 508
- MSConfig, 524
- MSHOME, 256
- multi-channel bonding. *See* channel bonding
- multiple broadband service, 113
- music file formats
 - .aiff, 11
 - .mp3, 11
 - .wav, 11
 - .wma, 12
 - Ogg Vorbis, 12
- music files, download speed, 57
- music sites, 533, 534
- My Computer, 227, 270
- My Documents folder, 262, 327, 336, 342
- My Network Places, 271, 279, 302, 511, 522
- MyNet, 256

572 Index ♦ N**N**

- name servers, 300, 301
- Nanny Cam, 304
- Napster, 38, 41
- NAS, Linksys, 235
- NAS. *See* network attached storage
- NAT (network address translation)
 - address translating, 306
 - configuring, 258
 - IP addressing, 305
 - limitations, 308
 - security, 308
 - supported routers, 244
- Net Logon, 268
- NET USE, 281
- NetBIOS, 526
- Netgear
 - router, 411
 - WG511T, 438
 - WGT624 108Mbps Wireless Firewall Router, 410
 - WGT624 Wireless Firewall Router, 310, 431
 - WGT624 wireless, 296
 - WGT624, 420, 422, 429, 438
 - WGT625 PPPoE, 481
 - wiring hub, 376
- Netscape, 147
- NetStumbler, 448
- NetWare servers, 351
- NetWare, 224, 247
- network
 - connections, 302
 - DDE, 269
 - DHCP server, 237
 - ethernet, 173, 451
 - hybrid, 364
 - peer-to-peer, 38, 93, 145
 - plumbing, 32
 - power, 110
 - Powerline, 110
 - problems, 506
 - protocol software, 246, 531
 - router, 24
 - security, 282
 - settings, 476
 - share, 232
 - sharing, 282
 - software developers, 452
 - TCP/IP, 285
 - traffic patterns, 40
 - tree concept, 33
 - troubleshooters, 452
 - troubleshooting, 509
 - wiring device, 173
- network access, wireless, 430
- network adapter, 244
- network adapters, wireless, 452
- network address translation (NAT)
 - address translating, defined, 305
 - configuring, 306
 - private addresses, 305
 - public addresses, 305
- network administration, 229, 293
- network attached storage (NAS), 335, 340, 479
- network attached storage (NAS) devices
 - for backup purposes, 340
 - Kanguru iNAS-100, 221
 - Linksys EFG80 and EFG120, 225
 - Linksys, 235
 - SnapAppliance SnapServers, 224
 - Tritton ASA1120 and IOGear, 223
- network connection
 - ethernet, 250
 - peer-to-peer, 312
 - wireless, 446
- Network DDE, 269
- network devices, connecting
 - routers, 237
 - servers and storage appliances, 234
 - wireless Webcam, 238
- network interface device (NID), 167
- Network Neighborhood, 279
- network performance improvement, services disabling for
 - Network DDE, 269
 - NT LM Security Support Provider, 269
 - SSDP Recovery Service, 269
- network security
 - wired network, 149
 - wireless network, 150

- network security improvements, services disabling for
 - IP SEC Policy Agent, 268
 - Messenger, 268
 - Net Logon, 268
 - Performance Logs and Alerts, 269
 - Remote Desktop Help Session Manager, 269
 - Remote Registry, 269
 - Routing and Remote Access, 269
 - TCP/IP NetBIOS Helper, 269
 - Telnet, 269
 - Universal Plug and Play Device Host, 269
 - network security options, adjusting of
 - with NAT, 258
 - without NAT, 259
 - network settings, basic
 - network adapter, 252
 - password, 251
 - TCP/IP, 252
 - Winipcfg, 254
 - workgroup, 256
 - network topology, independent, 288
 - network-attached device
 - network-connected computers, backing up, 339
 - networking
 - definitions, 545–548
 - desktop, 243, 250
 - ethernet, 14, 360
 - HomePlug, 379
 - HomePNA, 386
 - peer-to-peer Unix, 229
 - peer-to-peer, 81, 212, 271, 278
 - protocols, 285
 - software, 163, 285
 - through cable wires, 387
 - Windows 2000, 264–271
 - Windows 95/98/ME, 250–263
 - Windows XP, 271–277
 - workgroup, 256
 - Newbury Networks, 413
 - newsgroups, 63
 - nibble, 28
 - Nimda worm, 146
 - NLOS. *See* non line of sight
 - non line of sight (NLOS)
 - providers, 92
 - systems, 95
 - non-cached, Web page, 57
 - Norton Ghost, 353
 - NT File System (NTFS), 325
 - NT LM Security Support Provider, 269
 - NTFS (NT File System), 325
- O**
- OFDM (orthogonal frequency division multiplexing), 111, 182, 380, 394, 395
 - offsite storage, 353
 - Ogg Vorbis, 12
 - Old Timer Alert, 281
 - Olixir 3DX, 350
 - Olixir Mobile Data Vault, 338
 - one-to-many distribution. *See also* many-to-many distribution
 - cost advantages, 33
 - future developments, 35
 - one-way satellite, 81, 85, 89, 96, 127
 - one-way systems. *See also* two-way systems
 - advantage, 83
 - Internet session, 81
 - issues, 82
 - online backup and storage, 331, 339, 351
 - online backup service, 353
 - online games, gateway configuring for, 317
 - online gaming, 158
 - onsite broadband router, 200
 - Open Systems Interconnection (OSI) model, 551
 - operating system
 - desktop, 249, 250
 - updates, 151
 - orthogonal frequency division multiplexing (OFDM), 111, 182, 380, 394, 395
 - orthogonal power network, 110
 - OSI model (Open Systems Interconnection), 551

574 Index ◆ P**P**

- packet bursting, 397
- packet delivery service,
 - connectionless, 287
- packet filter, 309
- Packet INternet Groper. *See* ping
- PAN (personal area networks), 392
- PartitionMagic, 324, 326, 335
- passive optical network (PON), 98, 100
- password
 - making, 149
 - properties, 251
 - settings for file sharing, 262
 - use of, 244
- Patriot Act, 133, 200
- PC configuring for backups
 - defined, 323
 - disk partitioning, 323–326
 - disk preparing, 324
 - My Documents folder, use of, 327
- PCI (peripheral component interconnect), 405
- PEAP (Protected Extensible Authentication Protocol), 461
- peer-to-peer
 - connections, 312
 - file sharing, 41, 212
 - networking, 81, 212, 271, 278
 - networks, 38, 93, 145
 - software, 38
 - technology, 43
 - tunneling Protocol, 434
 - UNIX networking, 229
 - wireless network, 425
- peer-to-peer connection
 - Access, 42
 - Back, 43
 - Collaborate, 42
 - Create, 43
 - Give, 42
 - Instant, 42
 - Photo, 42
 - Scan, 43
 - To, 43
- peer-to-peer file sharing, 41
- peer-to-peer networks for broadband connections, 38
- peer-to-peer tunneling Protocol (PPTP), 434
- Performance Logs and Alerts, 269
- peripheral component interconnect (PCI), 405
- personal area networks (PAN), 392
- personal firewall
 - Internet connection in Windows XP, 314
 - updates, 155, 314
 - using, 314
- personal video recorder (PVR), 210
- personal Web site, 63
- phishing, 145, 146. *See also* spoofing
- physical security
 - details, 147
 - disks from outside, 148
 - traveling laptops, 148
 - wired network security, 149
 - wireless network security, 150
- ping, 315, 497, 514, 515, 552
- Ping-O-Meter, 517
- PKI (Public Key Infrastructure), 461
- PKZip, 397
- Plain Old Telephone System (POTS), 50
- plumbing, network, 32
- point-to-point fiber, 100
- point-to-point protocol over ethernet (PPPoE), 238, 298, 481
- point-to-point tunneling protocol (PPTP), 436, 437
- political sites, 544
- PON (passive optical network), 100
- POP3 (Post Office Protocol)
 - software, 474
 - version, 311
- Post Office Protocol. *See* POP3
- POTS (Plain Old Telephone System), 50
- power network
 - digital spread spectrum (DSS), 110
 - orthogonal, 110
- Powerline Broadband. *See also* WiMax
 - network, 110
 - reliability, 111
 - security, 112
 - speed, 111

- technology, 109
 - trials in progress, 110
 - working, 109
 - Powerline Communications, 109
 - PowerQuest Drive Image, 353
 - PowerQuest, 335, 336
 - PPPoE (point-to-point protocol over ethernet), 238, 298, 481
 - PPTP
 - peer-to-peer tunneling protocol, 434
 - point-to-point tunneling protocol, 436, 437
 - pre-shared key (PSK), 437, 461
 - privacy assurances for
 - broadband service, 198
 - third-party broadband service, 200
 - privacy, electronic rights and, 39
 - private address, 305. *See also* public address
 - private folder, 209. *See also* public folder
 - private key security, 552
 - pro and cons for
 - cable, 116
 - community wireless broadband, 128
 - DSL, 120
 - satellite broadband, 125
 - protected access, Wi-Fi, 463, 464
 - Protected Extensible Authentication Protocol (PEAP), 461
 - protocols
 - authentication, 461
 - DHCP, 293
 - Post Office Protocol (POP), 311, 474
 - TCP/IP, 289
 - tunneling, 434, 437
 - protocols, Internet. *See* Internet protocols
 - Provo project, 98, 103
 - proxies, 24
 - proxy server, 176, 305, 309, 318
 - PSK (pre-shared key), 437, 461
 - public address, 305. *See also* private address
 - public folder, 209. *See also* private folder
 - Public Key Infrastructure (PKI), 461, 552
 - public key security, 461, 552
 - public Wi-Fi access
 - connect home safely, 464
 - laptop, securing, 463
 - PVR (personal video recorder), 210
- Q**
- quick hits, 533
 - QuickTime player, 17
- R**
- radio sites, 535
 - radio waves, 207
 - radio Web sites, streaming, 13
 - radio, Internet, 3, 9, 35
 - RADIUS (Remote Authentication Dial-in User Service), 461
 - RAID (Redundant Array of Independent Disks), 213, 242
 - range problems, 521
 - rate-adaptive DSL (RDSL), 61
 - RDSL (rate-adaptive DSL), 61
 - Real Player, 17
 - realm specific IP (RSIP), 308
 - rebooting
 - all devices, 478
 - connected devices, 478
 - one device, 477
 - rebuilding tools, system, 353
 - Recycle Bin, 340
 - redundancy, 295
 - Redundant Array of Independent Disks. *See* RAID
 - Registered Jack-11. *See* RJ11
 - Registered Jack-45. *See* RJ45
 - reliability aspects in
 - broadband, 66, 105, 108, 111
 - community wireless, 95
 - Fiber to the Premises (FTTP), 105
 - satellite broadband, 88
 - WiMax, 108
 - remote access, 345
 - remote access security setting, 96
 - remote administrator, 518

576 Index ♦ R-S

- Remote Authentication Dial-in User Service (RADIUS), 461
 - Remote Desktop Help Session Manager, 269
 - remote file download, 353
 - Remote Registry, 269
 - remote server, 348
 - reserved addresses, 291
 - resources sharing, 281–283
 - restoration, data, 352
 - rich text format, (RTF), 322
 - RIP (Routing Information Protocol), 296
 - RJ11 cable, 372
 - RJ45 connectors, 372, 376, 377
 - RocketVault, 346, 348, 350
 - root server, 300
 - router
 - access sharing, 171
 - broadband, 378
 - cable/DSL, 384
 - connecting, 237
 - firewall software, 176
 - Linksys, 173, 174, 245, 530
 - Microsoft, 530
 - Netgear, 245, 411
 - Netopia, 245
 - network, 24
 - onsite broadband, 200
 - security, 175
 - software, 166, 531, 292
 - VPN broadband router, 312
 - Web content filters, 177
 - wireless broadband, 179, 238
 - wireless firewall, 310, 410, 431
 - wireless, 172
 - wiring devices, 378
 - with NAT support, 244
 - WRV54G Wireless-G router, 426
 - WRV54G, 173, 176, 430, 529
 - ZyXEL, 245
 - router and firewall, 296
 - router DHCP settings, 479
 - router features
 - ethernet connections, 173
 - wireless connections, 173
 - router features for access sharing, 172
 - router firewall settings, 158
 - router radio, wireless, 422
 - router security, defined, 175
 - router settings
 - checking of, 529
 - DHCP, 479
 - point-to-point protocol over Ethernet, 481
 - router/access point, wireless, 186
 - router/gateway, wireless, 419
 - router-based firewall, 310
 - routers, access sharing
 - ethernet connections, 173
 - firewall software, 175
 - router features, 172
 - security aspects, 175
 - Web content filters, 177
 - wireless connections, 173
 - Routing and Remote Access, 269
 - Routing Information Protocol (RIP), 296
 - routing. *See also* bridging
 - defined, 292
 - TCP/IP, 292
 - RSIP (realm specific IP), 308
 - RTF (rich text format), 322
- S**
- SAMBA, 228
 - SATA (Serial Advanced Technology Architecture), 338
 - satellite
 - broadband access, 95, 195
 - Internet access, 126
 - one-way systems, 81
 - service providers, 86
 - setup basics, 80
 - TV reception technology, 79, 80
 - two-way systems, 83
 - wireless broadband access, 114
 - working, 79
 - satellite and wireless broadband service providers, 168
 - satellite broadband
 - access, 95, 195
 - availability, 87
 - coverage area, 126

- decision checklist, 127
- defined, 78
- downlink and uplink details, 127
- latency, 84
- pros and cons, 125
- reliability, 88
- security, 89
- service features, 126
- service providers, 86
- speed, 87
- working, 79
- satellite broadband, pros and cons for
 - coverage areas, current, 126
 - decision checklist, 127
 - downlink details, 127
 - service features comparison, 126
 - uplink details, 127
- satellite security
 - Internet access precautions, 89
 - viruses and spam, 89
- SDSL (synchronous digital subscriber line), 46, 54, 122
- SDSL features
 - bundled service packages for long distance call discounts, 58
 - fixed IP address, 58
 - ISPs that understand business needs, 58
 - multiple fixed IP address, 58
 - Spam filtering at ISP site
 - support from people instead of voice response systems, 58
- secure sockets layer (SSL), 462, 465
- security
 - breakdown in 802.1 x-compliant system, 462
 - broadband, 151, 154, 155, 158
 - business server, 212
 - community wireless, 95
 - computer, 139
 - data, 211, 212, 361
 - default options, adjusting, 266, 275
 - exposed holes, closing, 270, 276
 - Fiber to the Premises (FTTP), 106
 - home computers, 209
 - HomePlug, 383
 - Internet Connection Sharing (ICS), 269
 - Internet, 275
 - laptop, 464
 - layered, 417
 - personal computers, 44
 - physical security, 147, 241
 - satellite broadband, 89
 - server, 241–242
 - services to disable, 267
 - software, 43
 - SSL (secure sockets layer), 462, 465
 - Triple-DES, 462
 - Web sites help, 460
 - Wi-Fi, 463
 - WiMax, 109
 - wireless network, 150, 447
- security and authentication, 190
- security and compatibility, HomePlug, 383
- security concerns for
 - HomePlug network, 361
 - wired ethernet network, 361
 - wireless network, 361
- security holes
 - exposed holes, closing, 260
 - file sharing, disabling of, 261
 - Internet Explorer, tightening of, 263
 - passwords settings for file sharing, 262
 - TCP/IP, unbind, 260
- security software from Microsoft, 163
- security updates, broadband, 199
- security, bit
 - 56-bit encryption, 383
 - 40-bit security, 426
 - 64-bit security, 426, 427, 453
 - 128-bit security, 427
- select mode for network devices, 397
- Serial Advanced Technology Architecture (SATA), 338
- server
 - business, 206, 210
 - DHCP, 253, 294
 - domain name, 432, 480, 519, 523, 531
 - e-mail, 44, 46, 206, 219, 304
 - file server, 227–228

Continued

578 Index ♦ S

- server (*continued*)
 - home, 205, 210
 - IP address, 436
 - Magnia, 406
 - mail, 475
 - Mirra Personal Server, 342, 345, 353
 - name, 300, 301
 - NetWare, 351
 - network DHCP, 237
 - proxy, 176, 305, 309, 318
 - pseudo, 41
 - remote, 348
 - root, 300
 - security, 241–242
 - SMTP, 194
 - Snap Appliance server, 433
 - software, 474
 - Web, 44, 206, 219
- server and storage appliances, 234
- server appliances, all-in-one
 - Cobalt Qube, 216
 - EmergeCore IT-100, 219
 - Netwinder Rebel, 216
 - Procom Taurus, 218
 - Toshiba Magnia, 216
- server choosing aspects
 - accessibility over Internet, 214
 - application host, 214
 - cost, 213
 - performance, 213
 - upgradeability, 214
 - wireless support, 214
- server security
 - backup planning, 242
 - hackers, blocking, 241
 - physical security, 241
- servers and storage appliances, connecting, 234
- servers and storage options
 - Kanguru iNAS-100, 221
 - Linksys EFG80 and EFG120
 - SnapAppliance SnapServers, 224
 - Tritton ASA1120 and brethren and cousin IOGear, 223–224
- service features comparison
 - DSL, 122
 - satellite broadband, 126
- service level agreement (SLA)
 - for broadband service, 198
 - for third-party broadband service, 200
- service provider
 - community wireless, 92
 - feature, 63
 - recommendations, 63
 - responsibility of, 169
 - satellite wireless, 86
- service provider feature, recommendations for
 - connection time, 63
 - e-mail, 63
 - IP addresses, 63
 - Newsgroups, 63
 - technical support, 63
- service provider restrictions
 - acceptable use policies, 132
 - bandwidth hogs, 134
 - connection sharing rules, 134
- service set identifier. *See* SSID
- session hijacking, 455
- set-top box, 36
- set-top box, HDTV, 14
- shared bandwidth system, 88. *See also* satellite
- Shared Documents folder, 227
- shared resources, using, 279, 281
- sharing
 - data, 212
 - for business server, 212
 - for home computers, 208
 - network, 282
 - resources, 281–283
- sharing program, file, 38
- signal control tools, 443
- Simple Mail Transport Protocol (SMTP), 195, 311
- Simple Network Management Protocol (SNMP), 547
- sites, wireless, 542
- SLA. *See* service level agreement
- small office/home office (SOHO), 41, 46, 221
- SMTP (Simple Mail Transport Protocol), 195, 311
- SMTP server, 194

- Snap Appliance 1100 storage, 479
- Snap Appliance server, 433
- sniffers. *See also* warchalking;
 - wardriving
 - legal issues, 452
 - wireless tools, 450
- SNMP (Simple Network Management Protocol), 547
- social networking, 42
- software, firewalls, 316
- software, networking, 285
- SOHO (small office/home office), 41, 46, 221
- Source Domain Name, 312
- source IP Address, 312
- spectrum management tools, 366
- speed advantages for
 - HomePlug ethernet, 363
 - wired ethernet network, 363
 - wireless ethernet network, 363
- speed boosters, 57
- speed hierarchy
 - coaxial cabling, 362
 - fiber optic cabling, 362
 - HomePlug over home powerlines, 362
 - twisted pair cabling, 362
 - wireless, 362
- SpeedWrap cable, 373
- SPI. *See* Stateful Packet Inspection
- spoofing, 145. *See also* phishing
- spyware, 472, 473, 524
- SSDP Discovery Service, 269
- SSDP Recovery Service, 269
- SSID (service set identifier)
 - at wireless client, 424
 - at wireless router, 420
 - use of, 420
- SSL (secure sockets layer), 462, 465
- star architecture, fiber, 100
- Stateful Packet Inspection (SPI), 177, 310
- static IP address
 - overview, 302
 - pros and cons, 303
- storage capacity
 - for home server, 210
 - for small business server, 213
- streaming
 - audio, 8, 13
 - music sites, 10
 - radio Web sites, 13
 - video, 13
- subnet mask, 289
- SuperFrame, 52
- support contacts
 - for broadband service, 198
 - for third-party broadband service, 199
- support contacts aspects of
 - broadband, 198
- switch, Linksys, 377
- switches, gigabit, 378
- symmetrical broadband connection
 - Internet connection, 41
 - use of, 44
 - versus asymmetrical connection, 31–35
- symmetrical connection. *See also* asymmetrical connection
 - advantages, 41
 - defined, 31
- symmetrical DSL (SDSL), 58
- symmetrical Internet connection, 41
- symmetrical versus asymmetrical connections
 - downstream details, 32
 - many-to-many distribution, 38
 - network plumbing concept, 31
 - one-to-many distribution, 33
 - peer-to-peer networks, 38
 - speed comparisons, 45
 - upstream details, 35
- system examination tools
 - Mirra Personal Server, 508
 - MSConfig, 508
 - System Configuration Utility, 509
 - Task Manager, 507
- 10Base-T
 - ethernet, 252
 - ethernet wiring, 370
 - network, 371
- 10/100Base-T
 - ethernet, 368
 - patch cables, 394, 399

Continued

580 Index ♦ S–T

- 10/100Base-T (*continued*)
 - twisted pair ethernet, 384, 390
 - twisted pair ethernet cables, 405, 405
 - twisted pair ethernet connection, 406, 407
- T**
- T1
 - circuits, 51
 - technology, 59
- T1 features
 - improved monitoring, 59
 - improved technical support, 59
 - Service Level Agreement (SLA), 59
 - specifically filtered and conditional telephone line, 59
 - unlimited IP addresses and network configuration options, 59
 - uptime, 59
- tape backup
 - backing up desktop, 336
 - defined, 330
 - uses of, 336, 351
- Task Manager, 507, 528
- Taurus server, 406
- TCP/IP. *See also* DHCP
 - addressing, 289–291
 - IP address format, 289
 - networking, 526
 - networks, 285
 - problems, 511
 - properties, 300
 - routing, 285, 292
 - software access point, 285
- TCP/IP features
 - connectionless packet delivery, 287
 - end-to-end acknowledgements, 288
 - independent network topology, 288
 - reliable stream transport service, 287
 - standards for application, 288
 - universal interconnection, 288
- TCP/IP NetBIOS Helper, 269
- TCP/IP networks, 285
- TCP/IP problems
 - checking inside of computer, 513
 - checking outside of computer, 515
 - DHPC timeouts, 519
 - DNS problems, 518
 - overview, 511
- technical support, 63
- Telecommunications Act of 1996, 50
- television Web sites, 17
- telnet, 269
- Temporal Key Integrity Protocol (TKIP), 437, 462
- terms of service of broadband providers, 197
- thick ethernet, 375
- TKIP (Temporal Key Integrity Protocol), 437, 462
- TLS (transport layer security), 462
- token ring, 391
- tools for system rebuilding, 353
- traditional cable systems, 70
- traffic
 - e-mail, 200
 - network, 32, 36, 71
 - patterns, network, 40
 - upload, 37
 - upstream, 36, 44, 71
- transceiver card, wireless, 95
- transceivers, 91
- Transmission Control Protocol/Internet Protocol. *See* TCP/IP
- transport layer security (TLS), 462
- traveling laptop, 148, 339
- Tritton ASAP, 223, 297
- Tritton ASAP 120GB Network Attached Storage, 431
- Tritton ASAP file server, 433, 435
- trojan horse program, 140, 144, 156, 177, 308
- troubleshooting
 - connection, 509
 - Internet access, 472
 - Windows 9x/ME, 522
 - Windows 2000, 526
 - Windows XP, 526
- True Image 7.0, 353, 354

- TTLS (Tunneled Transport Layer Security), 462
- Tunneled Transport Layer Security (TTLS), 462
- tunneling protocols
 - peer-to-peer, 434
 - point-to-point, 437
- turbo networks, wireless, 398
- TV receivers, satellite, 79, 80
- twisted pair
 - cabling, 362
 - ethernet, 384, 390
 - ethernet wiring, 359, 369, 370
 - wiring, 51
- two-way Internet access, 116
- two-way satellite, 83, 85, 89, 96, 127
- two-way systems
 - advantage, 83, 84
 - disadvantages, 83
- U**
- Universal Plug and Play (UPnP), 308, 530
- Universal Plug and Play Device Host, 269
- unsecured broadband Internet connection, 44
- unshielded twisted pair (UTP)
 - ethernet wiring, 359
 - wires, 170
 - wiring features, 359
- updates, automatic, 153, 506
- upgrading Microsoft, benefits of
 - encrypting file system, 247
 - Internet security and networking, 247
 - less downtime, 246
 - peripheral support, 247
 - recovery tools, 247
 - Wi-Fi networking support, 247
- upgrading reasons, desktop, 248
- upload traffic, 37
- UPnP (Universal Plug and Play), 308, 530
- upstream traffic, 36, 44, 71
- USB connection, 252
- users, setting up
 - defined, 229
 - users information
 - Comment, 231
 - Disk quota, 231
 - Name, 229
 - Password, 231
 - Private folder, 231
- UTP
 - characteristics, 360
 - ethernet, 360
 - ethernet wiring, 359
 - wires, 170
- UTP Ethernet wiring, features of
 - high networking speeds, 359
 - widely available, 359
- V**
- variable length subnet masks (VLSM), 291
- vaulting, 347
- vendor incompatibility problems, 521
- very high data rate DSL (VHDSL), 61
- VHDSL (very high data rate DSL), 61
- video
 - computer-based, 8
 - IM, 20
 - players, 17
 - recorders, 210
 - sites, 535
 - streaming, 13
- video recorder, personal, 210
- videophone, features of, 22
- virtual circuit, 33, 34
- virtual private network (VPN), 308, 453, 464, 465
- viruses, 147, 361, 506, 524. *See also* worms
- virus protection, updating of, 154
- viruses and spam in satellite broadband, 89
- viruses spread, e-mail, 141
- VLSM (variable length subnet masks), 291
- voice over broadband, 18
- voice-over-IP. *See* VoIP
- VoIP (voice-over-IP)
 - quality, 19
 - telephone systems, 19
 - using, 19

582 Index ♦ **V-W**

- VPN (virtual private network), 308, 453, 464, 465
- VPN use as
 - broadband router, 312
 - HotSpot, 466
- W**
- WAN (Wide Area Network), 298
- WAN Miniport (PPTP), 435
- WAN Miniport ATW Service, 277
- warchalking, 449. *See also* sniffers; wardriving
- Warcraft III, 317
- wardriving. *See also* warchalking; sniffers
 - defined, 445
 - NetStumbler, using, 448
 - operating system, 448
 - products, 446
 - software, 448
 - tools, 446
- wav music file format, 11
- Web browsers, 254, 147, 264, 346
- Web directory listings, 539
- Web page
 - caching, 85
 - dead, 473
 - download speeds, 57
 - non-cached, 57
 - request, 85
 - slow, 473
 - viruses and other malware, 472
- Web servers, 44, 206, 219
- Web server software, 44
- Web sites
 - careful handling, 141
 - personal, 63
 - protection features, 142
- Web sites, quick hits roundup of
 - compendium, 538
 - game sites, 538
 - music sites, 533, 534
 - video sites, 535–537
 - Webcam sites, 537
 - general support sites, 538
 - speed testing sites, 538
- Web sites, Web directory listing of
 - security sites, 543
 - DSL-related sites, 540
 - entertainment sites, 541
 - cable-related sites, 540, 541
 - reference sites, 539
 - Linux desktop information sites, 541
 - miscellaneous sites, 544
 - political sites, 544
 - wireless sites, 542
- Webcam, 19
- Webcam, wireless, 238
- Web-handling routines, 85
- WEP (wired equivalency protocol)
 - at wireless client, 428
 - at wireless router, 426
 - cracking, 453
 - encryption keys, 455
 - security advantages, 426
 - security, 422
- WEP cracking tools
 - BSD Unix, 454
 - Java, 454
 - Linux, 454
 - Macintosh, 454
 - PalmOS, 454
 - PocketPC, 454
 - Windows, 454
- WEP, security advantages of
 - authentication barriers, 426
 - checksum (simple error detection technique), 426
 - encryption, 26
- WG511T, Netgear, 438
- WGT624 Wireless Firewall Router, 310, 431
- WGT624 wireless, Netgear, 296, 420, 422, 438
- WGT625 PPPoE, Netgear, 481
- Wide Area Network (WAN), 298
- Wi-Fi
 - access, 263
 - hotspots, 96, 106, 449
 - public access, 463, 464
 - protected access, 438
 - security concerns, 438, 463
 - speeds, 180
 - standards, 180
- Wi-Fi access
 - defined, 263
 - laptop securing aspects, 463

- public, 463, 464
- protected, 438
- virtual private network, using, 464
- Wi-Fi access, public
 - connect home safely, 464
 - laptop, securing, 463
- Wi-Fi hotspots, 96, 106, 449
- Wi-Fi Protected Access (WPA)
 - at router, 438
 - configuring, 438
 - for countering wireless hack attacks, 453, 456
 - security holes, 440
 - security ratings, 399
 - working, 437
- Wi-Fi security, 463
- Wi-Fi speeds, 180
- Wi-Fi standards
 - 802.11, 180
 - 802.11a, 180
 - 802.11b, 180
 - 802.11g, 180
- Wi-Fi Watchdog, 413
- WiMax. *See also* Powerline
 - Broadband
 - coverage area, 107
 - overview, 106
 - reliability, 108
 - security, 109
 - speed, 108
 - trials in progress, 108
 - working, 107
- Windows 2000 configuring
 - default security options, adjusting, 266, 267
 - Internet connection sharing (ICS), 269
 - network settings, basic, 264
 - security holes closing, exposed, 270, 271
 - services disabling, 267–269
- Windows 2000, troubleshooting, 526
- Windows 95/98/ME configuring
 - default security options, adjusting, 258
 - network settings, basic, 250
 - security holes closing, exposed, 260–263
- Windows 95/98/ME networking, 250–263
- Windows 9x/ME
 - checking processes, 523
 - family, 522
 - troubleshooting, 522
 - upgrading, 246–249, 522, 523
 - WinIPConfig, use of, 525
- Windows 9x/ME networking, 250–263
- Windows Media Audio (WMA) files, 322
- Windows Media Player, 12, 17
- Windows networking, 233
 - Windows 2000, 264–271
- Windows XP configuring
 - default security options, adjusting, 275
 - network settings, basic, 272
 - security holes closing, exposed, 276–277
- Windows XP networking, 271–277
- Windows XP, troubleshooting
 - Checking processes, 527, 528
 - ipconfig, use of, 528
 - patch levels, checking of, 527
- Windows, configuring
 - Windows 2000, 264–271
 - Windows 95/98/ME, 250–263
 - Windows XP, 271–277
- winipcfg, 254, 255
- WinIPConfig, use of, 525
- WinZip, 397
- wired compatibility advantages
- wired connection options
 - advantages for future devices, 367
 - UTP ethernet wiring, 359
- wired and wireless, choosing
 - between, 360
 - wired ethernet network, 361
 - wired HomePlug network, 361
 - wired network security, 149
- wired equivalency protocol (WEP). *See* WEP

584 Index ♦ **W**

- wired ethernet network
 - compatibility advantages, 366
 - distance advantages, 364
 - interference ratings, 365
 - security concerns, 361
 - speed advantages, 363
- wired network
 - devices, 286
 - ethernet network, 361
 - security aspects, 149
- wired network advantages
 - compatibility, 366
 - distance, 364
 - future network devices, 367
 - interference, 365
 - pros and cons, 368
 - security, 361
 - speed, 363
- wired product interference ratings for HomePlug networks, 365
- twisted pair ethernet, 365
- wired network interference resistance ratings, 365
- wired versus wireless
 - distance aspects, 364
 - interference, 365
 - pros and cons, 368
 - security concerns, 361
 - speed aspects, 364
 - vendors compatibility, 366
- wired-to-wireless connection point, 401
- wireless
 - access point, 390, 401
 - advantages, 389
 - advantages for future devices, 367
 - broadband, 492
 - broadband access, 107
 - choice chart, 404
 - community wireless, 90, 128
 - compatibility, 366
 - connection for routers, 173
 - ethernet network, 363
 - eavesdropping, 443, 445
 - exchange, 128
 - firewall router, 310, 378, 410, 431
 - fixed wireless broadband, 90
 - hack attacks, 453
 - HomePlug and, 385
 - Internet connection, 108, 190
 - laptop card, 184
 - Netgear WGT624, 296
 - networking, 417
 - non line-of-sight networks, 91
 - router, 172, 186, 419
 - service providers, 92
 - sites, 542
 - transceiver card, 95
 - turbo networks, 398
 - Webcam, 238
 - wired, 361
- wireless access, broadband, 107
- wireless basic settings, 181
- wireless broadband
 - access, satellite, 114
 - availability, 92, 95
 - community wireless, 90, 128
 - costs, 95
 - distance and speed features, 93
 - line-of-sight (LOS), 91
 - non line-of-site, 91
 - reliability, 94
 - routers, 179, 238
 - security, 95
 - service providers, 90, 91, 92
- wireless broadband routers
 - distances aspects, 182
 - interference, 181
 - vendors mixing aspects, 183
 - Wi-Fi speeds, 180
- wireless broadband routers, distance improving in,
 - external antenna features, 184
 - power usage, 184
- Wireless Card Access List, 430
- wireless client, security at, 424
- wireless ethernet network
 - compatibility advantages, 366
 - distance advantages, 364
 - interference ratings, 365
 - security concerns, 361
 - speed advantages, 363
- wireless exchange, broadband, 128
- wireless Internet Service Provider (WISP), 90

- wireless LAN hardware, choosing
 - client connection hardware, 405
 - hardware configuration tools, 407
 - hardware setup, 407
 - router, 401, 402
- wireless LAN. *See* WLAN
- wireless network
 - access, 430
 - adapters, 452
 - connection, 446
 - devices, 286
 - line-of-sight, 91
 - local, 521
 - non line of sight, 91
 - peer-to-peer, 425
 - security, 150, 447
- wireless network advantages
 - compatibility, 366
 - distance, 364
 - future network devices, 367
 - interference, 365
 - pros and cons, 368
 - security, 361
 - speed, 363
- wireless network mode settings
 - B-only, 181
 - Disable, 181
 - G-only, 181
 - Mixed, 181
- wireless network, physical design of
 - designing for distance, 413
 - designing for security, 412
 - distance improvements, 413
 - options, 414
- wireless networking, 96, 243, 417
- wireless problems
 - encryption, 521
 - interference, 521
 - range, 521
 - vendor incompatibility, 521
- wireless product interference ratings
 - for
 - added antennas, 365
 - antenna placement, 365
 - wireless products, older, 365
- wireless product interference
 - resistance ratings, 365
- wireless router. *See also* access
 - sharing routers
 - distance aspects, improving, 184
 - distance features, 182
 - interference, 181
 - vendors, mixing, 183
 - Wi-Fi speeds, 179
- wireless router security
 - SSID, 420
 - WEP, 426, 427
- wireless router/gateway/access point,
 - function of
 - router/access point, 186
 - router/gateway, 419
 - accept or reject wireless clients
 - seeking access to network, 419
 - connect to the wired portion of network, 419
 - provide access to broadband service, 419
- wireless security
 - at laptop client, 419
 - at wireless router/gateway, 419
 - media access control (MAC) filtering, 429
 - service set identifier (SSID), 420
- wireless security tools, 444
- wireless standards
 - 802.11 futures, 399
 - 802.11, 399
 - 802.11a, 393
 - 802.11b, 392
 - 802.11g nonstandard enhancements, 396
 - 802.11g, 394
 - overview, 390
 - Wi-Fi, 398
- wireless Webcam, 238
- Wireless Zero Configuration service, 277
- wireless, use of, 369. *See also* wire, use of
 - Wireless-G router, 426
- wires
 - 100Base-T patch cables, 368
 - security, 369
 - when to use, 369
 - where to use, 369

586 Index ♦ **W-Z**

- wiring for
 - broadband, 190
 - coaxial cable, 362
 - ethernet, 370, 371
 - hubs, 375, 376
 - HomePlug, 294
 - network, 173
 - router, 378
 - twisted pair, 51
 - UTP, 170, 359
 - wiring hardware
 - hubs, 375, 376
 - in routers, 378
 - switches, 377
 - WISP (wireless Internet Service Provider), 90
 - wma music file format, 12
 - WMA (Windows Media Audio) files, 322
 - WordPerfect (WP), 322
 - workgroup networking, 256
 - worms, 140, 151, 361. *See also* viruses
 - worm, Nimda, 146
 - WPA. *See* Wi-Fi Protected Access
 - writeable CDs, 330
 - writeable DVDs, 330
 - WRT55AG Dual-Band Wireless A+G Broadband Router, 395
 - WRV54G router, Linksys, 173, 176, 430, 529
 - WWW (World Wide Web), 311
- X**
- Xandros 2.0, 278
 - Xandros, 278
 - XE102 Wall-Plugged Ethernet Bridge, 381
 - XP Professional, 227
- Y**
- yagi antenna, 415
- Z**
- zip drives, 336
 - zombie, 472
 - ZoneAlarm, 155, 463
 - ZyXel USB wireless network adapter, 431
 - ZyXel USB wireless network, 424
 - ZyXel USB wireless, 428

