

Index

Note to the reader: Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

Symbols

.. (parent directory), 124
/ (root directory), 122, 127
/ (root file system), 185
~ (tilde)
 as home directory, 125
 for relative pathnames, 123
> prompt, 72

A

.a extension, 249
/a/var/sadm/system/data/upgrade_
 cleanup file, 30
absolute mode, 552
 chmod command in, 133–134
absolute path, 552
absolute pathname, 122
accept command, 217, 225, 232–233
Access Control Lists (ACLs), 137–138,
 422–428, 552
 entries, 423–424
 exam essentials, 440
 managing, 424–428
 creating on directories, 426–427
 creating on files, 424–426
 modifying, 427
 removal, 427
accounts. *See* group accounts; user
 accounts
active hubs, 300
add command, 276
Add Group dialog box, 97–98, 98

add_install_client command, 27, 514
add_to_install_server command, 26,
 514, 518
adm username, 85
Admintool, 31–32, 32
 for group management, 96, 96–97
 software details, 32
 for user account management, 88,
 88–89
alerts, for printer faults, 227
aliases, for hardware devices, 54
alternate sector slice, 166
analyze menu of format command, 168
Ancestry tree, for process, 242, 242
anonymous FTP connections, 311
AnswerBook2, 5, 11
any keyword for rules, 523
Application layer (OSI), 302
Application layer (TCP/IP), 303
applications. *See* software
arch keyword for rules, 523
archive for Web Start Flash, 24
 creating, 534–536
 installing, 536–539
 with custom JumpStart,
 537–538
 with Solaris Live Upgrade,
 538–539
 with suninstall, 537
 with Web Start, 536–537
 managing, 539–541
 combining, 541
 layering archives, 540
archive_location keyword for
 profile, 526

- aset (Automated Security Enhancement Tool), 135
 - at files, 552
 - scheduling processes with, 249–250
 - atq command, 250
 - attachment points, 155, 552
 - IDs, 156
 - auditing. *See* system logging
 - auth_attr database, 431–432
 - manually editing, 437
 - authorization, 429, 552
 - auto-boot? variable, 54, 57
 - auto-layout, 29, 552, 562
 - autoconfiguration, 150, 552
 - AutoFS, 188, 351–352, 353–357, 552
 - Automated Security Enhancement Tool (aset), 135
 - automountd daemon, 345
 - automounter. *See* AutoFS
 - /autoshutdown file, 26
 - available memory, 336, 552
-
- B**
- back file system, 330, 552
 - backbone, 299
 - backup_media keyword for profile, 526
 - backups, 264–274, 552
 - exam essentials, 285
 - of mounted file systems, 272–274
 - with other copy and backup utilities, 280–284
 - cpio command, 281–283
 - dd command, 281
 - tar and pax, 283–284
 - planning strategy, 265–268
 - data for backup, 265
 - media selection, 267–268
 - method selection, 265–267
 - restoring, 274–280
 - real world scenario, 278
 - special cases, 278–280
 - with ufsrestore command, 275–277
 - schedule for, 266–267, 552
 - with UFS snapshots, 272–274
 - with ufsdump command, 268–272
 - /etc/dumpdates file, 269–270
 - how it works, 269
 - syntax and options, 270–272
 - unmounting file system for, 200
 - before upgrading, 30
 - banner command, 56–57, 314
 - banner pages when printing, 229
 - batch files, 8
 - begin field, 522
 - begin script, 526, 553
 - Berkeley Internet Name Domain (BIND), 5, 553
 - Berkeley Software Distribution (BSD), 4, 553
 - bin username, 85
 - bind, 553
 - BIND (Berkeley Internet Name Domain), 5, 553
 - BIOS phase of Intel boot process, 63
 - block device interfaces, 157
 - boot block, 186, 553
 - boot cdrom nowin command, 28
 - boot command, 54–55, 519
 - options, 64–65
 - password for, 60
 - boot-command variable, 54, 57
 - boot-device variable, 57
 - boot disk, creating, 61
 - boot-file variable, 57
 - boot net nowin command, 28

Boot Partition menu, 63
 boot process. *See also* OpenBoot
 PROM
 on Intel-based computers, 60–63
 alternate scenarios, 62
 BIOS configuration and boot
 parameters, 61–62
 details, 62–63
 on SPARC computer, phases, 51
 boot programs phase of Intel boot
 process, 63
 boot server, 26, 553
 installing, 515–517
 boot.bin program, 63
 bootblk program, 51, 63
 boot_device keyword for
 profile, 526
 BOOTP (bootstrap protocol), 307
 bootparams NIS map, 479
 Bourne Again shell, 106
 Bourne shell (sh), 8, 105–106
 bridges, 300, 553
 BSD (Berkeley Software Distribution),
 4, 553
 bus network, 299
 bye command, for ftp, 311
 bytes, number per inode, 192

C

C programming language, 4
 C shell (csh), 8, 105–106
 setting variables, 107
 cache directory, 330
 cache hit, 330
 cache miss, 330
 CacheFS (Cache File System), 188,
 326, 330–335, 553
 creating and mounting, 331–333
 managing, 333–334
 packing, 334–335
 parameters, 332–333
 performance monitoring, 335
 real world scenario, 357
 CacheFS packing, 553
 cachefslog command, 335
 cachefspack command, 334–335
 cachefsstat command, 332, 335
 cachefswssize command, 335
 cancel command, 217, 233
 Carrier Sense Multiple Access
 with Collision Detection
 (CSMA/CD), 301
 case sensitivity, of Solaris file
 system, 122
 cat command, 124
 cd command, 123, 124, 276
 for ftp, 311
 CD-ROM drives. *See also* removable
 media
 naming standards, 202
 CDE (Common Desktop
 Environment), 5, 8, 553
 cdrw command, 7
 centralized printing, 220
 certification exam, user management
 from command prompt, 90
 cfgadm command, 155–156
 cfsadmin command, 331
 for consistency check, 334
 to delete cache, 334
 to display cache parameters, 333
 check command, 514
 chgrp command, 126
 child processes, 65
 chmod command
 in absolute mode, 133–134
 and ACLs, 428
 in symbolic mode, 131–133
 chown command, 126

- CISC (Complex Instruction Set Computers), 5
- class files. *See* profiles
- classes of printers, 229–230
- classes of processes, 244–245
- clean installation, vs. upgrade, 21
- client_arch keyword for profile, 526
- client_root keyword for profile, 527
- clients, 9, 299, 553
 - accessing NFS resources from, 350–352
 - configuring to access profile server, 518–520
 - for LDAP, 496–497
 - for NIS, 487
- client_swap keyword for profile, 527
- close command, for ftp, 311
- cli command, 193
- cluster keyword for profile, 527
- cold cache, 330
- command line interface, 553
 - for adding printers, 224–225
 - for hot spare pool management, 405–407
 - installing Solaris from, 23
 - for patch management, 38–39
 - for roles management, 435–437
 - for soft partition management, 401
 - for software management, 33–35
 - for software package install, 33–35
 - for state database replica management, 379–380
 - for user account management, 92–94
- Comment field, in Admintool: Add User, 89
- Common Desktop Environment (CDE), 5, 8, 553
- Complex Instruction Set Computers (CISC), 5
- comp.unix.solaris newsgroup, 11
- computer platform, determining, 21
- concatenated stripe, 383
- concatenated volume, 382–383, 384–385
 - to expand existing file system, 385
- concatenating files, 124
- .conf (configuration) file, 151
- configuration files, for user and group accounts, 99–102
- configuration information for system, 25–26
- connectivity devices, 300
- consistency, 334
- copying files, 124
 - with cpio command, 281–283
 - with dd command, 281
 - with pax command, 284
 - with tar command, 283–284
- core files, 339–340, 553
- Core Solaris software group, 22
- coreadm command, 339, 340
- cp command, 124
- cpio (copy in and out) command, 281–283
- CPU (central processing unit), processes controlling, 246
- crash dumps, 341–342, 553
 - Solaris Volume Manager and, 376
 - of system memory, forcing, 62
- Create Home Dir field, in Admintool: Add User, 89
- cron daemon, 247
- crontab command, for scheduling processes, 247–248
- crontab file, 553
- csh (C shell), 8
- CSMA/CD (Carrier Sense Multiple Access with Collision Detection), 301
- Current Boot Parameters menu, 61

current directory, 122
 custom JumpStart, 24, 512–513, 554
 to install Web Start Flash archive,
 537–538
 cylinder groups, 186
 cylinder on hard disk, 158, 554

D

daemon username, 85
 daemons, 8–9, 554
 data blocks, 187
 Data Link layer (OSI), 301
 data loss
 by formatting drive, 162
 from newfs command, 190
 databases for RBAC, 429–434
 /etc/security/auth_attr, 431–432
 /etc/security/exec_attr, 433–434
 /etc/security/prof_attr, 432–433
 /etc/user_attr, 430–431
 manually editing, 437
 dd command, 281
 decentralized printing, 220
 default accounts, for users and groups,
 85–87
 default directories, 127
 default file systems, 185–186
 default settings
 for permissions, 137
 for printers, 229
 for user accounts, 93
 default spool directory, 34
 delete command, 276
 deleting
 ACL entries, 427
 cache, 334
 crontab file, 248
 empty directories, 125
 files, 125
 sticky bit to prevent, 136
 groups, 99
 hot spare pools, 408
 links, 129
 mirrored volume, 394–395
 partitions, 165
 printers, 234–235
 roles, 437
 soft partitions, 401
 software packages, 36
 state replica database, 380, 382
 swap files, 339
 users in Solaris management
 Console, 90
 volumes, 385
 dependencies, and removing
 software, 36
 detaching submirrors, 392
 /dev directory, 127, 156
 /dev/dsk directory, 157
 /dev/rdisk directory, 157
 /dev/rmt directory, 267
 devalias command, 54, 59
 Developer Solaris software group,
 22–23
 devfsadm command, 6, 156
 device alias, 554
 Device Configuration Assistant, 63
 device drivers, 150, 554
 installing, 155
 device files, 156
 device tree, 53, 72, 554
 devices, 554. *See also* hardware devices
 /devices directory, 127, 156
 df command, 193, 195
 dfshares command, 350
 DHCP (Dynamic Host Configuration
 Protocol), 6
 for booting from network, 55

- diag-device variable, 57
 - diag-file variable, 57
 - diag-switch? variable, 57
 - diagnostics
 - message display, 154
 - in OpenBoot, 55–57
 - “dictionary test”, 95
 - direct map for AutoFS, 355–356, 554
 - directories, 120
 - Access Control Lists (ACLs) for, 426–427
 - changing, 124
 - creating, 125
 - default, 127
 - vs. file systems, 186
 - removing, 125
 - Directory Information Tree (DIT), 496, 554
 - dirty regions, 390, 554
 - disable command, 218, 232
 - disk-based file systems, 187. *See also* UNIX File System (UFS)
 - disk controller, 159, 554
 - disk drives. *See* hard drives
 - disk duplexing, 372
 - disk heads, 158, 554
 - disk label, 158, 554
 - disk mirroring (RAID 1), 371–372, 372, 554, 562
 - Solaris Volume Manager for, 388–397
 - RAID 1 volume creation, 390–395
 - disk platters, 158, 554
 - disk sets, 554
 - managing, 408–409
 - disk slice, 159, 554
 - disk striping (RAID 0), 371, 371, 554, 562
 - Solaris Volume Manager for, 382–388
 - disk striping with parity (RAID 5), 373, 373, 555, 562
 - Solaris Volume Manager for, 397–400
 - disksize keyword for rules, 523
 - dispadm command, 237, 245
 - distributed file systems, 187–188, 555
 - DIT (Directory Information Tree), 496, 554
 - dmesg command, 154
 - Domain Name Service (DNS), 471, 494–495, 555
 - domainname keyword for rules, 523
 - dontuse keyword for profile, 527
 - du command, 193, 195
 - dumpadm command, 341
 - dumps, 268. *See also* backups
 - duplicate boot environment, 25
 - Dynamic Host Configuration Protocol (DHCP), 6
 - for booting from network, 55
 - dynamic reconfiguration, 155, 555
-
- E**
- e-mail, for printer fault alerts, 230–231
 - eeprom command, 59
 - enable command, 218, 225, 232
 - End User Solaris software group, 22
 - .enet-addr command, 56
 - Entire Solaris software group, 23
 - Entire Solaris software group Plus OEM Support, 23
 - environment variables, setenv
 - command for, 107
 - error-reset-recovery variable, 57
 - /etc/bootparams file, 517, 520
 - /etc/bootrc script, 63
 - /etc/cron.d/cron.allow file, 248
 - /etc/cron.d/cron.deny file, 248

- /etc/default/fs file, 344, 345
- /etc/default/inetd file, 458
 - to turn on logging, 314
- /etc/default/nfs file, 344
- /etc/default/nfslogd file, 344, 349
- /etc/default/su file, warnings of
 - superuser access attempts, 104
- /etc/defaultdomain file, 306, 307, 483
 - domain name configuration on
 - client, 487
- /etc/defaultrouter file, 306
- /etc/dfs/dfstab file, 342, 344,
 - 346–347, 517
 - for NFS logging, 349
- /etc/dfs/fstypes file, 344, 345
- /etc directory, 127, 470
- /etc/dumpadm.conf file, 341
- /etc/dumpdates file, 269–270
- /etc/ethers file, 516
- /etc/format.dat file, 171
- /etc/group file, 101–102
- /etc/hostname.interface file, 305, 307
- /etc/hosts file, 516–517
- /etc/hosts.equiv file, 309–310
- /etc/inet/hosts file, 305–306
- /etc/inet/netmasks file, 306
- /etc/inetd.conf file, 308, 458
- /etc/inittab file, 51
 - example, 65–67
- /etc/lp directory, 216, 217
- /etc/lvm/md.cf file, 377
- /etc/lvm/mddb.cf file, 377
- /etc/lvm/md.tab file, 377
- /etc/mail/aliases file, 485
- /etc/mnttab file, 196, 344
- /etc/mnttab file system, 185
- /etc/netconfig file, 344
- /etc/nfs/nfslog.conf file, 344, 349
- /etc/nfs/nfslogtab file, 344
- /etc/nfssec.conf file, 344
- /etc/nodename file, 305, 307, 483
- /etc/nsswitch.conf file, 306,
 - 472–477
 - configuring for DNS server
 - search, 494
 - modifying, 476–477
 - reading, 472–476
- /etc/passwd file, 99–100
 - backups, 265
 - editing, 100
 - security for, 483–484
- /etc/path_to_inst file, 156
- /etc/profile file, 106
- /etc/project file, 85
- /etc/rc2.d/S95svm.sync script, 377
- /etc/rc#.d directory, 68–69
- /etc/rcS.d/S35svm.init script, 376
- /etc/resolv.conf file, 494–495
- /etc/rmtab file, 344
- /etc/rpc file, 308
- /etc/security/auth_attr database,
 - 431–432
 - manually editing, 437
- /etc/security/exec_attr database,
 - 433–434
 - manually editing, 437
- /etc/security/policy.conf file, 430
- /etc/security/prof_attr database,
 - 432–433
 - manually editing, 437
- /etc/shadow file, 100–101
 - backups, 265
 - security for, 483–484
- /etc/skel directory, 106
- /etc/syslog.conf file
 - configuration, 453–456
 - lpr.debug variable, 218
- /etc/system file, 151
- /etc/user_attr database, 430–431
 - manually editing, 437

/etc/vfstab file, 196–197, 198, 344
 Loopback File System entry, 329
 swap partition entry in, 338
 Ethernet, 301, 555
 ethers.byaddr NIS map, 479
 ethers.byname NIS map, 480
 exam essentials
 Access Control Lists (ACLs), 440
 backups, 285
 file systems, 138–139, 203–204
 group accounts, 109
 hard drives, 172
 hardware devices, 172
 installing Solaris 9, 40
 JumpStart, 541
 naming services, 501
 Network File System (NFS), 359
 networking, 315
 OpenBoot PROM (OBP), 73–74
 printing, 250–251
 processes, 251
 RAID (Redundant Array of
 Inexpensive Disks), 411–412
 Role Based Access Control
 (RBAC), 441
 Solaris, 12
 Solaris Volume Manager, 411–412
 system logging, 459–460
 user accounts, 109
 user accounts and group
 accounts, 109
 virtual file systems, 358–359
 Web Start Flash, 541
 exec_attr database, 433–434
 manually editing, 437
 Execute permission, 130
 exit command, 310
 Expiration Date field, in Admintool:
 Add User, 89
 expire field, in /etc/shadow file, 101

export command, 107
 /export directory, 127
 /export/home file system, 185
 extended file system attributes, 184
 extract command, 276

F

factory JumpStart, 24, 512, 555
 fault alerts, 230–231
 fault tolerance, 555
 with hot spare pools, 404–408
 in print server setup, 220
 RAID and, 371
 fcode-debug? variable, 57
 FCode interpreter, 72
 FDFS (File Descriptors File System),
 189, 327
 fdisk utility, 165–166
 Federated Naming Service (FNS), 471,
 472, 555
 ff command, 193
 fiber-optic cable, 299
 FIFOFS (First-In First-Out File
 system), 189, 327
 file command, 124
 File Descriptors File System
 (FDFS), 327
 file systems, 9, 120, 184–189, 555.
 See also backups
 commands, 124–125
 controlling and monitoring access,
 129–138
 default, 185–186
 default directories, 127
 disk-based, 187. *See also* UNIX File
 System (UFS)
 distributed, 187–188
 exam essentials, 138–139, 203–204
 hierarchy, 122, 122

- links, 127–129
 - hard links, 128–129
 - soft links, 129
 - listing files, 121
 - modifying file characteristics, 125–127
 - monitoring usage, 195
 - mounting and unmounting, 196–200
 - navigation, 122–124
 - pseudo, 188–189
 - restoring, 274–280
 - real world scenario, 278
 - with ufsrestore command, 275–277
 - structure, 186–187
 - File Transfer Protocol (FTP), 303
 - file types, 120–121
 - command to determine, 124
 - files
 - dd command to copy, 281
 - deleting, sticky bit to prevent, 136
 - hidden, 121
 - filesystem keyword for profile, 527
 - filters, for print jobs, 234
 - find command, 124
 - finger utility, 312
 - fingerd daemon, 312
 - finish field, 523
 - finish script, 526, 555
 - firmware, 50
 - security, 59–60
 - First-In First-Out File system (FIFOFS), 327
 - first policy for RAID 1, 389
 - flag field, in /etc/shadow file, 101
 - flar command, 540
 - flarcreate command, 535–536
 - floppy disk drives. *See also* removable media
 - copying files to, 284
 - naming standards, 202
 - profile diskette, 520
 - FNS (Federated Naming Service), 471, 472, 555
 - forking, 237, 555
 - format utility, 159, 162–165
 - for adding disk, 169–170
 - menus for options, 164
 - and volumes, 377
 - formatting removable media, 202–203
 - forms for printing, 234
 - Forth Monitor, 72, 555
 - Forth programming language, 72
 - fragment blocks, 187
 - fragment size, 191
 - free hog, 166, 556
 - free space, reserved, 191
 - front file system, 330, 556
 - fsck command, 191, 193–194
 - for cache integrity check, 334
 - fsdb command, 193
 - FSS class, 245
 - fssnap command, 264, 266, 272–274
 - fstyp command, 193
 - FTP (File Transfer Protocol), 303
 - ftp utility, 311
 - full backup, 265–266, 556
 - full resynchronization, 389, 556
 - fuser command, 200
 - FX class, 245
-
- G**
- gap, 191
 - gateways, 300, 556
 - geo keyword for profile, 527
 - geometric read policy for RAID 1, 389
 - get command, for ftp, 311

getent command, 499–500
 getfacl (get file access control list)
 command, 424, 425
 GID (group ID), 85, 556
 global core file path, 339–340
 GNOME 2.0 desktop, 7
 graphical interface. *See also*
 Solaris Management Console;
 Web Start
 for software management, 31–33
 for Solaris Volume Manager, 375
 group accounts, 84–85
 changing permissions, 132, 134
 configuration files, 99–102
 default, 86–87
 /etc/group file for information
 about, 101–102
 exam essentials, 109
 managing, 95–99
 with command-line interface,
 98–99
 graphical tools, 96–98
 group ID (GID), 85, 556
 groupadd command, 98
 group.byaddr NIS map, 480
 group.bygid NIS map, 480
 group.byname NIS map, 480
 groupdel command, 99
 groupmod command, 99
 groups, 84
 groups command, 96
 growfs command, 375, 377, 385
 grpck command, 102

H

hackers, catching, 104
 halt command, 69, 70
 hard disk slice, Solaris requirements, 21
 hard drives, 150, 157–171, 158.
 See also RAID (Redundant Array
 of Inexpensive Disks); UNIX File
 System (UFS)
 adding, 169–171
 second SCSI drive, 171
 analyzing and repairing, 168–169
 exam essentials, 172
 graphical management, 166–168, 167
 partitioning and formatting, 159–166
 fdisk utility, 165–166
 format utility, 162–165
 partition modification, 166
 space shortage, real world
 scenario, 195
 space use, planning and allocating,
 21–22
 terminology, 158–159
 unsupported, 171
 viewing current layout, 160–161
 as virtual memory, 336
 hard links, 128–129, 186, 556
 hard mounting, 352
 troubleshooting, 353
 hardware address, 72, 314
 hardware devices, 52–54. *See also* hard
 drives; printing
 aliases, 54
 displaying list, 53
 exam essentials, 172
 as files, 121
 management, 150–157
 accessing, 156–157
 adding, 154–155
 listing, 151–154
 reconfiguring, 155–156
 for network, 299–300
 for RAID, 370
 and Web Start Flash, 534

Hardware layer (TCP/IP), 302
 help command, 277
 help for Solaris, 10–11
 hidden files, 121
 High Sierra File System (HSFS),
 9, 187, 556
 history log for printing, 219
 history variable, 107
 home directories, 84, 94–95, 556
 vs. working directory, 123
 /home mount point, 94
 HOME variable, 107
 host, 556
 host computer, 299
 host name interface file, 305
 hostaddress keyword for rules, 523
 hostname keyword for rules, 523
 hosts database, 305–306
 hosts.byaddr NIS map, 480
 hosts.byname NIS map, 480
 hot plugging, 155, 556
 current status of devices, 156
 hot spare pools, 404–408, 556
 HSFS (High Sierra File System),
 9, 187, 556
 HTTP (Hypertext Transfer
 Protocol), 303
 hub, 299, 300, 556
 hybrid networks, 299
 Hypertext Transfer Protocol
 (HTTP), 303

I

i86pc computer platform, 21
 IA class, 245
 ICMP protocol, 312
 .id-prom command, 56
 if (input file), 281
 ifconfig command, 313
 ifdef statements, in syslog.conf file,
 455–456
 inactive field, in /etc/shadow file, 101
 inconsistent file system, 193, 556
 incremental backup, 266, 557
 of snapshot, 284
 indirect map for AutoFS, 356–357, 557
 inetd process, configuration, 458
 in.ftpd daemon, 311
 init command
 to change run states, 68
 to shutdown, 69
 to shutdown workstation, 70–71
 init phase of boot process, 51, 63
 init process. *See* /sbin/init process
 init state, 557
 initdefault value for action field, 66
 initialization files, 85, 557
 for shells, 106–108
 adding variables, 107–108
 site, 106–107
 inode of file, 129, 187, 557
 clearing, 193
 number of bytes per, 192, 195
 input-device variable, 57
 in.rarpd daemon, 516
 in.rlogind daemon, 310
 install server, 557
 setup, 517–518
 installation server, creating, 26
 installed keyword for rules, 524
 installing
 boot server for JumpStart, 515–517
 master server for NIS, 483–486
 patches, 37–39
 command line interface, 38–39
 graphical interface, 38, 38
 slave servers for NIS, 488–489

- software packages, 30–37
 - command line interface, 33–35
 - graphical interface, 31–33
 - troubleshooting, 37, 37
 - Web Start Flash archive, 536–539
 - with custom JumpStart, 537–538
 - with Solaris Live Upgrade, 538–539
 - with suninstall, 537
 - with Web Start, 536–537
 - installing Solaris 9, 20–30. *See also*
 - JumpStart; Web Start Flash
 - exam essentials, 40
 - initial install, 27–29
 - suninstall, 27–28
 - Web Start, 28–29
 - planning, 20–27
 - disk space allocation, 21–22
 - information gathering, 25–26
 - initial install vs. upgrade, 21
 - method selection, 23–25
 - network install preparation, 26–27
 - preconfiguration of system
 - information, 26
 - software group selection, 22–23
 - system requirements, 21
 - upgrade, 29–30
 - install_type keyword for profile, 526, 527
 - integrity, 334
 - Intel-based Solaris computers
 - boot process, 60–63
 - alternate scenarios, 62
 - BIOS configuration and boot parameters, 61–62
 - details, 62–63
 - system BIOS (Basic Input/Output System), 50
 - in.telnetd daemon, 311
 - interactive package, 35, 557
 - interlace, 383, 557
 - Internet
 - Domain Name Service (DNS) for, 494–495
 - domain naming structure for, 306
 - Internet Engineering Task Force (IETF), 311
 - Internet layer (TCP/IP), 303
 - Internet Protocol (IP), 557
 - Internet Protocol Security (IPsec), 6
 - Internet Protocol version 6 (IPv6), 5
 - IP (Internet Protocol), 557
 - IP addresses, 303
 - hosts database for storing, 305–306
 - IP connections, logging incoming, 314
 - iPlanet Directory Server, 6
 - IPsec (Internet Protocol Security), 6
 - isa_bits keyword for profile, 527
 - IETF (Internet Engineering Task Force), 311
-
- J**
- JumpStart, 24, 512–533, 557
 - exam essentials, 541
 - to install Web Start Flash archive, 537–538
 - overview, 513–515
 - commands, 514–515
 - installation planning, 514
 - profiles, 527–532
 - examples, 529–531
 - keywords, 527–529
 - testing, 531–532
 - rules files, 513, 521–526
 - begin script, 526
 - fields, 522–523
 - finish script, 526

- keywords and values, 523–524
- validation, 525–526
- server configuration, 515–520
 - install server setup, 517–518
 - installing boot server, 515–517
 - profile server configuration, 518–520

K

- karch keyword for rules, 524
- kernel, 8, 150–151, 557
- kernel debugger, 62
- /kernel/drv directory, 151
- /kernel/drv/md.conf file, 377
- /kernel/drv/st.conf file, 267
- /kernel/genunix file, 151
- kernel initialization phase of boot
 - process, 51, 63
- keyboard, 150
- kill command, 238, 243
- Korn shell (ksh), 8, 105–106

L

- labelit command, 185, 193
- LAN (local area network), 298, 558
- LANG variable, 107
- last command, 103
- lastchg field, in /etc/shadow file, 100
- layering archives, 540
- layout_constraint keyword for
 - profile, 527
- ldapclient utility, 496
- Lightweight Directory Access Protocol (LDAP), 5, 471, 472, 495–496, 557
 - client configuration, 496–497
 - client profile, 557

- Line Printer (LP) print service, 214, 216–219, 558
 - commands, 217–218
 - log files, 218–219
 - printer interface program, 219
 - scheduling print requests, 219
- links, 127–129
 - hard links, 128–129
 - soft links, 129
- listen username, 86
- Live Upgrade, 25, 558
 - to install Web Start Flash archive, 538–539
- ln command, 128
- loadable kernel modules, 150, 558
- local area network (LAN), 298, 558
- local disk set, 558
- local files, 558
- local files mode for network
 - configuration, 304, 305–306
- local printer, 216
- local.cshrc file, 106
- locale keyword for profile, 527
- local.login file, 106
- local.profile file, 106
- lockd daemon, 345
- LOFS (Loopback File System), 188, 326, 328–329
- log files
 - for cache statistics, 335
 - for incoming IP connections, 314
 - managing, 456–457
 - for Network File System (NFS), 349
 - for print service, 218–219
 - for UFS transactions, 189
- logadm command, 457
- logger command, 457–458
- logical block size, 191
- logical device files, 156
- logical disk naming, 157

logical network, 300–303
 OSI model, 301–302
 TCP/IP (Transmission Control Protocol/Internet Protocol), 302–303
 login name, 84
 Login Shell field, in Admintool: Add User, 89
 logins
 historical listing, 103
 listing current, 70, 102–103
 logout from remote system, 310
 loopback address, 306
 Loopback File System (LOFS), 326, 328–329, 558
 lost+found directory, 193
 lp command, 218
 to change print priorities, 234
 LP print service. *See* Line Printer (LP) print service
 lp username, 86
 lpadmin command, 218, 225, 227–229
 to change print priorities, 234
 to limit user access to printers, 231–232
 for printer fault alerts, 230–231
 troubleshooting, 237
 LPDEST environment variable, 107, 229
 lpfilter command, 218, 234
 lpforms command, 234
 lpmove command, 218, 233
 lpr.debug variable, 236
 lpsched command, 214, 218, 219
 lpsched log, 236
 lpshut command, 218
 lpstat command, 218, 225, 226
 for print job request ID, 233
 lpusers command, 218

ls command, 121, 125, 195, 277
 to display permissions, 130–131
 for ftp, 311
 luupgrade command, 538–539

M

m4 macro processor, 452
 MAC address, 314
 machine node on device tree, 53
 macros, 8, 452
 mail aliases, and usernames, 87
 mail server, disk space requirements, 22
 MAIL variable, 107
 mail.aliases NIS map, 480
 mail.byaddr NIS map, 480
 make command, 479, 482
 makedbm command, 482, 486
 man command, 10, 13
 man pages, 10–11
 maps for AutoFS, 354–357
 direct map, 355–356
 indirect map, 356–357
 master map, 354–355
 summary, 357
 maps for NIS, 489–492
 automating transfers, 491–492
 changing master server for, 490–491
 customizing, 491
 ypcat to view data in, 489
 marked command, 277
 master map for AutoFS, 354–355, 558
 master server, changing for NIS map, 490–491
 master server for NIS, 478, 558
 installing, 483–486
 master system, for Web Start Flash, 24, 533–534, 558
 Max Change field, in Admintool: Add User, 89

max field, in /etc/shadow file, 101
 Max Inactive field, in Admintool: Add User, 89
 mboot, 63
 memory
 physical vs. virtual, 336
 for print server, 221
 Solaris requirements, 21
 memory errors, when printing, 235
 “memory hogging”, 150
 memsize keyword for rules, 524
 messages, “out of memory” error messages, 337
 metaclear command, 375, 385, 394
 for soft partition removal, 401
 metadb command, 375, 379–380
 metadetach command, 375, 392, 394
 metadevadm command, 375
 metadvice, 374, 558
 metahs command, 375, 406
 metainit command, 375, 383–384
 to create hot spare pool, 405
 to create mirrors, 390–391
 for RAID 5, 397
 for soft partition management, 401
 metaoffline command, 375, 392
 metaonline command, 376, 392
 metaparam command, 376, 394, 406
 metarecover command, 376
 metarename command, 376
 metareplace command, 376, 398
 metaroot command, 376
 metaset command, 376
 metastat command, 376, 393, 398, 407
 metasync command, 376
 metattach command, 376, 385
 for submirrors, 392
 mget command, for ftp, 311
 Min Change field, in Admintool: Add User, 89

min field, in /etc/shadow file, 101
 mirroring. *See also* disk mirroring (RAID 1)
 unmirroring, 394–395
 mkdir command, 123, 125
 mkfile command, to create swap space, 338
 mkfs (make file system) command, 185, 190, 193
 MNTFS (Mount File System), 188, 327
 model keyword for rules, 524
 modify command, for partitioning, 166
 modify_install_server command, 26, 514
 more command, 125
 motherboard, 150
 OpenBoot PROM on, 50
 mount command, 193, 198–200
 for cached system, 331–332
 for shared NFS resources, 350–351
 Mount File System (MNTFS), 188, 327
 mount point, 196, 558
 for server resources, 188
 mountall command, 193, 198
 mouted daemon, 345, 353
 mounting file system, 197–200, 558
 into cache, 331
 moving files, 125
 print jobs, 233
 mput command, for ftp, 311
 mt (magnetic tape control) command, 267
 multithreaded applications, 8
 mv command, 125

N

Name File System (NAMEFS), 327
 Name Service Cache Daemon (NSCD), 558

- name service switch file, 472, 559
- NAMEFS (Name File System), 189, 327
- names
 - of files, changing, 125
 - of hardware devices, 157
- namespace, 472, 559
- naming services
 - basic concepts, 470–477
 - name service cache daemon, 477
 - nsswitch.conf file, 472–477
 - Domain Name Service (DNS), 494–495
 - exam essentials, 501
 - getent command, 499–500
 - Lightweight Directory Access Protocol (LDAP), 495–496
 - client configuration, 496–497
 - Network Information Service (NIS), 477–493
 - client configuration, 487
 - daemons and utilities, 481–483
 - logical structure, 478–479
 - maps overview, 479–481
 - maps use, 489–492
 - master server install, 483–486
 - slave servers install, 488–489
 - troubleshooting, 492–493
 - Network Information Service Plus (NIS+), 493
 - for printer management, 214
 - real world scenario, 500
- naming standards
 - for floppy and CD-ROM drives, 202
 - for hot spare pools, 405
 - for tape devices, 267
 - for usernames, 87
 - for volumes, 378
- navigating file systems, 122–124
- netgroup NIS map, 480
- netgroup.byhost NIS map, 480
- netgroup.byuser NIS map, 480
- netid.byname NIS map, 480
- netmasks.byaddr NIS map, 480
- Netscape Communicator, 5
- netstat command, 313
- network
 - booting from, 55
 - preparing to install from, 26–27
- network adapters, 299
- network-based (distributed) file systems, 187–188, 555
- network client, 559
- network client mode, 304, 306–307
- network configuration server, 559
- Network File System (NFS), 9, 303, 342–357, 559
 - AutoFS, 353–357
 - direct map, 355–356
 - indirect map, 356–357
 - master map, 354–355
 - summary, 357
 - benefits, 342
 - exam essentials, 359
 - files and daemons, 344–345
 - history and evolution, 343–344
 - real world scenario, 357
 - setup, 346–352
 - accessing resources from clients, 350–352
 - logging, 349
 - sharing, 346–348
 - starting and stopping services, 352
 - swap space on, 338
 - troubleshooting, 352–353
- Network Information Service (NIS), 471, 477–493, 559
 - client configuration, 487
 - daemons and utilities, 481–483
 - logical structure, 478–479
 - maps overview, 479–481

- maps use, 489–492
- master server install, 483–486
- slave servers install, 488–489
- troubleshooting, 492–493
- Network Information Service Plus (NIS+), 471, 493
- network interface card (NIC), 299, 559
- Network Interface layer (TCP/IP), 303
- network keyword for rules, 524
- Network layer (OSI), 302
- network printer, 216
- networking
 - concepts, 298–303
 - hardware, 299–300
 - logical network, 300–303
 - topologies, 298–299
 - exam essentials, 315
 - logging connections, 458
 - naming service need, 470
 - in Solaris, 303–314
 - accessing remote systems, 308–311
 - configuration files, 304–307
 - finding configuration information in OpenBoot, 314
 - logging incoming IP connections, 314
 - real world scenario, 308
 - Remote Procedure Call (RPC), 308
 - TCP/IP commands, 311–313
- networks.byaddr NIS map, 480
- networks.byname NIS map, 480
- newfs command, 190–191
 - customizing parameters, 191–192
- newgrp command, 96
- newsgroups, 11
- NFS (Network File System).
 - See* Network File System (NFS)
- nfsd daemon, 345, 353
- nfslogd daemon, 345, 349
- NIC (network interface card), 299, 559
- nice command, 237, 245–246
- nice number, 559
- NIS. *See* Network Information Service (NIS)
- NIS domain, 478, 559
- NIS maps, 478, 479–481, 559
- NIS+ (Network Information Service Plus), 471, 493
- NIS+ tables, 493, 559
- noaccess username, 86
 - UID (User ID), 87
- /noautosutdown file, 26
- nobody username, 86
 - UID (User ID), 87
- nobody4 username, 86
- noclobber variable, 108
- node on device tree, 72
- non-system disk, 160
- Non-Volatile Random Access Memory (NVRAM), 50, 559
- Non-Volatile Random Access Memory Run Control (NVRAMRC), 559
- None permission, 130
- notification, of printer faults, 230–231
- NSCD (Name Service Cache Daemon), 558
- num_clients keyword for profile, 527
- nuucp username, 85
- nvalias command, 54, 59
- nvedit (script editor), 59
- NVRAM modification, 57–60
 - firmware security, 59–60
 - NVRAMRC, 59
- NVRAM (Non-Volatile Random Access Memory), 50, 559
- NVRAMRC (Non-Volatile Random Access Memory Run Control), 59, 559
- nvrामrc variable, 57
- nvunalias command, 59

O

OBP (OpenBoot PROM). *See* OpenBoot PROM (OBP)

occupant of attachment point, 155, 156, 559

oem-banner? variable, 58

oem-banner variable, 58

oem-logo? variable, 58

oem-logo variable, 58

of (output file), 281

off-site storage of backups, 264

ok prompt, 72

OpenBoot PROM (OBP), 50–60, 560

- accessing, 52
- booting from boot PROM, 54–55
- devices and device aliases, 52–54
- diagnostics and system information display, 55–57
- exam essentials, 73–74
- features, 51–52
- finding network configuration information in, 314
- NVRAM modification, 57–60
 - firmware security, 59–60
 - NVRAMRC, 59
 - upgrade needed, 21
- operating environment, 7, 560
- operating system, 7–8, 560
 - crash dumps, 341–342
- /opt directory, 127
- /opt file system, 185
- optimization type for file system, 192
- optimized resynchronization, 390, 560
- OSI model (Open Systems Interconnect), 301–302, 559
- osname keyword for rules, 524
- “out of memory” error messages, 337
- output-device variable, 58

owner of file, 129–130

- changing, 126

P

package keyword for profile, 528

packages. *See* software packages

packing CacheFS, 334–335

pages in memory, 336, 560

paging, 560

parallel write policy for RAID 1, 389

parent directory (..), 124

parent process, 65

parity, 560

- disk striping with, 373

partial resynchronization, 390, 560

partitioning hard drive, 159–162

- fdisk utility, 165–166
- format utility, 162–165
- tags, 161–162

partitioning keyword for profile, 528

pass numbers, 390, 560

passive hubs, 300

passwd command, 94, 104

passwd.adjunct.byname NIS map, 480

passwd.byname NIS map, 481

passwd.byuid NIS map, 481

password aging, 95, 560

password command, 60

Password field, in Admintool: Add User, 89

password field, in /etc/shadow file, 100

passwords, 59–60, 84

- changing, 103–104
- field in /etc/passwd file, 99
- for ftp, 311
- managing, 95
- for new user accounts, 94
- for roles, 436

Patch Analyzer, 29

- Patch Manager, 6
- patchadd command, 38–39
- patches, 560
 - installing, 37–39
 - managing
 - with command line, 38–39
 - with graphical interface, 38, 38
 - removing, 39
 - upgrade and, 29
- PatchPro application, 38
- patchrm command, 39
- Path field, in Admintool: Add User, 89
- PATH variable, 108
- pathnames
 - absolute, 122
 - relative, 123–124
- pax command, 284
- pboot, 63
- PC cards, 201
- PCFS (Personal Computer File System), 9, 187, 560
- PCI architecture, 53
- PCMCIA (Personal Computer Memory Card International Association) cards, 201
- performance
 - multiple physical disks for, 160
 - slow printing, 235
- peripheral devices, and Web Start Flash, 534
- permissions. *See also* Access Control Lists (ACLs)
 - displaying and changing, 130–134
 - SetUID and SetGID, 135–136
 - types, 130
- Personal Computer File System (PCFS), 9, 187, 560
- pfinstall command, 515, 531–532
- pgrep utility, 238, 239–240, 244
 - to locate hung process, 72
- physical address, 72
- Physical layer (OSI), 301
- physical memory, 336, 560
- PID (process identifier), 8
- ping (packet internet groper) utility, 312–313
- pkgadd command, 34
 - for device drivers, 155
 - troubleshooting, 37
- pkgask command, 35
- pkgchk command, 35
- pkginfo command, 35, 36
- pkgrm command, 36
- pkill command, 72, 238, 243–244
 - /platform/'uname-m'/kernel/drv directory, 151
- plug-in device drivers, for booting, 51
- pointers to files. *See* links
- policies, of process scheduler, 245
- PostScript filters, 234
- power management, preconfiguration, 26
- Power-On Self-Test (POST), 51
- powerfail value for action field, 66
- poweroff command, 70
- Preboot Execution Environment (PXE), 60
- Presentation layer (OSI), 302
- Primary Boot Subsystem menu, 63
- primary group, 96, 560
- Primary Group field, in Admintool: Add User, 89
- primary submirror, 390, 560
- print client, 215, 560
- print driver, 215, 560
- print queue, 215, 560
 - preventing acceptance of print request, 232–233
- print requests, scheduling, 219
- print scheduler, starting and stopping, 226–227

- print server, 215, 220, 561
 - configuring, 220–221
 - disk space requirements, 22, 220
- print spooler, 215, 561
- printenv command, to display NVRAM parameters, 59
- printer classes, 561
- printer definitions, 561
 - configuring, 227–229
 - setting, 221–222
- PRINTER environment variable, 229
- printer interface program, 561
- printer port, 221
- printing, 214–236
 - administration, 226–235
 - checking printer status, 226
 - enabling and disabling, 232
 - fault alerts and fault recovery, 230–231
 - limiting user access, 231–232
 - print filters and forms, 234
 - print request priorities, 234
 - of print requests, 232–233
 - print scheduler start and stop, 226–227
 - printer classes, 229–230
 - printer definitions configuration, 227–229
 - deleting printers, 234–235
 - errors, real world scenario, 235
 - exam essentials, 250–251
 - fundamentals, 215–216, 216
 - Line Printer (LP) print service, 216–219
 - commands, 217–218
 - log files, 218–219
 - printer interface program, 219
 - scheduling print requests, 219
 - printer setup, 220–225
 - printer definitions, 221–222
 - server configuration, 220–221
 - Solaris Print Manager, 222, 222–224
 - adding printers from command line, 224–225
 - troubleshooting, 236–237
 - priocntl command, 238, 245
 - priorities, 561
 - of print requests, 234
 - for processes, 244–245
 - privileged application, 428, 561
 - probe keyword for rules, 524
 - probe-scsi command, 56
 - /proc directory, 327–328
 - /proc file system, 185
 - process class, 561
 - Process File System (PROCFS), 188, 243, 327–328, 561
 - Process Manager, 242
 - processes, 8, 237–250, 561
 - exam essentials, 251
 - managing, 237–246
 - with graphical interface, 240–242
 - priorities, 244–245
 - terminating, 243–244
 - scheduling, 246–250
 - crontab command, 247–248
 - with at files, 249–250
 - with Solaris Management Console, 248, 249
 - troubleshooting, 246
 - PROCFS (Process File System), 188, 243, 327–328, 561
 - prodreg command, 33
 - prof_attr database, 432–433
 - manually editing, 437
 - profile diskette, 520, 561

profile field, 522
 profile server, configuration,
 518–520
 profiles for JumpStart, 527–532, 561
 examples, 529–531
 keywords, 527–529
 testing, 531–532
 projects, 85, 561
 prompt variable, 108
 protocol, 561
 protocols.byname NIS map, 481
 protocols.bynumber NIS map, 481
 prstat command, 238
 prtconf command, 151–152
 prtvtoc command, 160–161, 167
 ps command, 238–239, 246
 and PROCFS, 327
 PS1 variable, 108
 pseudo file systems, 188–189, 561.
 See also virtual file systems
 psrset command, 238
 ptree command, 238
 put command, for ftp, 311
 pwck command, 100
 pwconv command, 100
 pwd (print working directory)
 command, 122, 125, 277
 for ftp, 311
 PXE (Preboot Execution
 Environment), 60

Q

queue for printing, 215, 560
 preventing acceptance of print
 request, 232–233
 queue log, 218
 quit command, 277
 for ftp, 311
 quot command, 195

R

r utilities, 312
 RAID (Redundant Array of Inexpensive
 Disks), 370–374, 562
 exam essentials, 411–412
 hot spare pools, 404–408
 RAID 0 (disk striping), 371, 371
 RAID 1 (disk mirroring),
 371–372, 372
 RAID 5 (disk striping with parity),
 373, 373
 Solaris Volume Manager for,
 382–400
 RAID 0 (disk striping), 382–388
 RAID 1 (disk mirroring), 388–397
 RAID 5 (disk striping with parity),
 397–400
 RARP (Reverse Address Resolution
 Protocol), 516, 562
 for booting from network, 55
 raw device interfaces, 157
 RBAC (Role-based access control), 6
 rc (run control) scripts, 51, 68–69, 563
 disabling, 69
 rcp utility, 312
 re-preinstall command, 24
 read access, concurrent with write
 access, 185
 read analysis of hard drive, 168
 read-only, mounting file
 system as, 198
 Read permission, 130
 read policies for RAID 1, 389
 real-time processes, 246
 real world scenario
 catching hackers, 104
 disk space shortage, 195
 full hard drives, 195
 naming services, 500

- network configuration server
 - setup, 308
- network upgrade to Solaris 9, 532–533
- printing errors, 235
- RAID (Redundant Array of Inexpensive Disks), optimization, 409–410
- restoring backups, 278
- Role Based Access Control (RBAC), 439–440
- SCSI hard drive addition, 171
- security administration, 135
- server shutdown, 71
- troubleshooting software
 - installation, 37
- reallocation of disk space, 29, 562
- reboot command, 30, 69, 70
- receptacle of attachment point, 155, 562
 - states, 156
- /reconfigure file, 169
 - creating, 154–155
- Reduced Instruction Set Computers (RISC), 5
- reference manual, sections, 10–11
- reject command, 218, 232–233
- relative pathnames, 123–124, 562
- remote file systems
 - accessing, 308–311
 - mounting into cache, 332
- Remote Procedure Call (RPC), 5, 303, 308, 562
- removable media, 200–203
 - accessing, 201–202
 - formatting, 202–203
 - volume management, 201
- removef command, 36
- removing. *See* deleting
- renaming files, 125
- repair command, 169
- replicas
 - of state database, 378
 - command line management, 379–380
 - graphical interface management, 380–382, 382
 - of superblock, 187
- Request for Comments (RFC), 311
- reserved free space, 191
- resolver, 494, 562
- Resource Manager (Solaris 9), 6
- respawn value for action field, 66
- response files, 562
 - for installing packages, 35
- restore, 562
- restoresymtable file, 279
- restoring backups, 274–280
 - real world scenario, 278
 - special cases, 278–280
 - with ufsrestore command, 275–277
- restoring UFS snapshots, 284
- Restricted Monitor, 72
- resynchronization, in RAID 1, 389–390
- resynchronization region, 388, 562
- Reverse Address Resolution Protocol (RARP), 516, 562
 - for booting from network, 55
- RFC (Request for Comments), 311
- .rhosts file, 309–310
- rights profile, 429, 562
 - prof_attr database for, 432–433
- ring network, 299
- RIP (Routing Information Protocol), 303
- RISC (Reduced Instruction Set Computers), 5
- rlogin command, 309–310
- rm command, 125, 129
 - and removing software, 36
- rmdir command, 125

rmformat command, 201, 202–203
 rm_install_client command, 515
 role, 429, 562
 Role Based Access Control (RBAC), 6,
 137–138, 428–439, 562
 basic concepts, 428–429
 databases, 429–434
 /etc/security/auth_attr, 431–432
 /etc/security/exec_attr, 433–434
 /etc/security/prof_attr, 432–433
 /etc/user_attr, 430–431
 exam essentials, 441
 managing, 435–439
 from command-line interface,
 435–437
 with Solaris Management
 Console, 437–439, 438
 real world scenario, 439–440
 roleadd command, 435–436
 roledel command, 437
 rolemod command, 437
 root directory (/), 122, 127
 root file system (/), 185
 restoring, 279–280
 root user, 85
 and NFS shares, 348
 root_device keyword for profile, 528
 rotational delay, 191
 round robin read policy for RAID 1, 389
 routers, 300, 562
 /etc/defaultrouter file for, 306
 Routing Information Protocol
 (RIP), 303
 RPC (Remote Procedure Call), 5, 303
 rpcbind service, 308
 rpc.bynumber NIS map, 481
 rpc.yppasswdd daemon, 482
 rpc.yupdated daemon, 482
 rsh (remote shell) command, 312
 RT class, 244

rule_keyword field, 522
 rules files for JumpStart, 521–526, 563
 begin script, 526
 directory for, 518
 fields, 522–523
 finish script, 526
 keywords and values, 523–524
 validation, 525–526
 rule_value field, 522
 run control (rc) scripts, 51, 68–69, 563
 disabling, 69
 run levels, 563
 on SPARC computer, 67–68
 runaway processes, 246
 rup (remote up) command, 312
 rusers command, 312
 rwho command, 312
 rwhod daemon, 312

S

savecore command, 22, 341
 /sbin/init process, 51, 63, 64, 65
 SBus architecture, 53
 Scalable Processor Architecture
 (SPARC), 5. *See also* SPARC
 (Scalable Processor Architecture)
 computers
 sched, 65. *See also* swapper
 scheduling processes, 246–250
 crontab command, 247–248
 with at files, 249–250
 with Solaris Management Console,
 248, 249
 screen-#columns variable, 58
 screen-#rows variable, 58
 scripts, 8. *See also* run control (rc)
 scripts; shell scripts
 SCSI hard drives, adding secondary, 171

- secondary group, 563
- Secondary Groups field, in Admintool:
 - Add User, 89
- sector, 158, 563
- Secure Shell (SSH), 7
- security. *See also* Access Control Lists (ACLs); passwords; Role Based Access Control (RBAC)
 - . (period) in path, 122
 - administration, real world
 - scenario, 135
 - /etc/hosts.equiv file and, 309
 - for firmware, 59–60
 - monitoring sulog file for, 103, 104
 - User ID re-use and, 88
 - security-#badlogins variable, 58, 59
 - security-mode variable, 58, 59
 - security-password variable, 58, 59
 - setting, 60
 - serial write policy for RAID 1, 389
 - servers, 9, 299, 563
 - disk space requirements, 22
 - scheduling maintenance, 71
 - software group for, 23
 - system shutdown, 69–70
 - real world scenario, 71
 - services, scripts to start and kill, 69
 - services.byname NIS map, 481
 - services.byservice NIS map, 481
 - Session layer (OSI), 302
 - set command, for shell variables, 107
 - set-default command, 59
 - set-defaults command, 59
 - setenv command, 59
 - for environment variables, 107
 - setfacl command, 424
 - to add entry to existing ACL, 427
 - arguments, 425
 - for directories, 426
 - SetGID, 135–136
 - SetUID, 135–136
 - setup_install_server command, 26, 515, 517
 - sh (Bourne shell), 8
 - shapshot backup, 266
 - share command, 342, 347–348
 - shareall command, 342
 - shared disk set, 408, 563
 - sharing NFS resources, 350–352
 - shell scripts, 105
 - SHELL variable, 108
 - shell variables, set command for, 107
 - shells, 8, 84, 104–108, 563
 - Bourne, C and Korn, 105–106
 - initialization files, 106–108
 - adding variables, 107–108
 - site, 106–107
 - show-devs command, 53
 - show-sbus command, 56
 - showrev command, 39
 - shutdown command, 69–70
 - signals, for process communication, 243
 - Simple Mail Transport Protocol (SMTP), 303
 - Simple Network Management Protocol (SNMP), 303
 - site initialization files, 106–107, 563
 - slave servers, 478, 563
 - installing, 488–489
 - slice. *See also* partitioning
 - Smart Card, 6
 - smmsp username, 85
 - SMTP (Simple Mail Transport Protocol), 303
 - snapshot backup, 563
 - snapshots. *See* UFS snapshots
 - SNMP (Simple Network Management Protocol), 303
 - snoop command, 313
 - soft links, 129, 563

- soft mounting, 352
 - troubleshooting, 353
- soft partitions, 159, 374, 563
 - managing, 400–403
- software. *See also* device drivers
 - multithreaded, 8
 - for RAID, 370–371
- software group, 563
 - selection, 22–23
 - and upgrade, 29
- software installation database, 33. *See also* /var/sadm/install/contents file
- software management
 - command line interface for, 33–35
 - graphical interface for, 31–33
- software packages, 563
 - information about, 35
 - installing and managing, 30–37
 - removing, 36
- Solaris
 - exam essentials, 12
 - help for, 10–11
 - man pages, 10–11
 - online resources, 11
 - history, 4–7
 - version 7 and 8 features, 5–6
 - version 9 features, 6–7
 - key system concepts, 7–9
 - clients, 9
 - daemons, 8–9
 - file systems, 9
 - kernel, 8
 - operating system, 7–8
 - processes, 8
 - servers, 9
 - shells, 8
 - printing advantages, 214
 - typical disk slices, 160
 - upgrading network to version 9, 532–533
- Solaris Device Configuration Assistant, 61
- Solaris Live Upgrade, 25, 558
 - to install Web Start Flash archive, 538–539
- Solaris Management Console
 - for crontab jobs, 248, 249
 - Disks node, 166
 - for group management, 97, 97–98, 98
 - for hard drive management, 166–168, 167
 - for hot spare pool management, 407–408
 - Patch Tool, 38
 - for process management, 240–242
 - Processes node, 241
 - for RAID 1 management, 395, 395–397, 396
 - for RAID 5 management, 399, 399–400
 - for role management, 437–439, 438
 - scheduling processes with, 248, 249
 - for soft partition management, 401, 402
 - for user account management, 90, 90–92
- Solaris Print Manager, 215, 222, 222–224
 - adding printers from command line, 224–225
- Solaris Product Registry, 33, 33
- Solaris Volume Manager, 6, 159, 370, 374–410, 564
 - commands, 375–376
 - and crash dumps, 376
 - disk set management, 408–409
 - exam essentials, 411–412
 - graphical interface, 375
 - key files, 376–377

- overview, 374–378
- for RAID management, 382–400
 - RAID 0 (disk striping), 382–388
 - RAID 1 (disk mirroring), 388–397
 - RAID 5 (disk striping with parity), 397–400
- RAID (Redundant Array of Inexpensive Disks), optimization, 409–410
- soft partition management, 400–403
- state databases, 378–382
 - managing replicas from command line, 379–380
 - managing replicas graphically, 380–382, 381
- volume details, 377–378
- Solstice DiskSuite, 374. *See also* Solaris Volume Manager
- source files, 564
 - preparation, 483–485
- SPARC (Scalable Processor Architecture) computers, 5, 564
 - boot process, 50
 - phases, 51
 - run control (rc) scripts, 68–69
 - run levels, 67–68
 - system initialization, 64–67
 - system shutdown, 69–71
 - for server, 69–70
 - for workstation, 70–71
 - troubleshooting hung system, 71–72
- spawning, 237, 564
- SPECFS (Special File System), 189, 327
- .speed command, 56
- spool directory, default, 34
- spooling space on print server, 220–221, 235
- spray command, 313
- SSH (Secure Shell), 7
- star network, 299
- statd daemon, 345
- state database replica, 564
- state databases, 378–382, 564
 - managing replicas from command line, 379–380
 - managing replicas graphically, 380–382, 381
- state flag in UFS, 189
- statistics, for cache, 335
- sticky bit, 136, 564
- Stop key sequence, for hung computer, 71
- striped volumes, 383
 - expanding, 385
- su (switch users) command, 103, 435
- submirrors, 388, 564
 - managing, 392
 - primary, 390
 - states, 393
- subnets, 304
 - /etc/inet/netmasks file for, 306
- Sun operation system (SunOS), 4
- Sun StorEdge Instant Image tool, 272
- Sun Yellow Pages (YP), 478
- sun4m computer platform, 21
- sun4u computer platform, 21
- suninstall, 23, 27–28, 564
 - to install Web Start Flash archive, 537
- SunScreen, 6
- SUNWCall software package, 528
- SUNWCprog software package, 528
- SUNWCreq software package, 528
- SUNWCuser software package, 528
- SUNWCXall software package, 528
- SUNWypm software package, 481
- SUNWypu software package, 481
- superblock, 186–187, 564
 - restoring bad, 195
- superuser account
 - to remove software packages, 36
 - switching to, 103
- suspending process, 242

swap command, 337–338
 swap slice, 21
 swap space, 22
 for print server, 221
 SWAPFS (Swap File System), 188–189,
 327, **336–339**, 564
 adding more space, 338–339
 allocating, 337
 monitoring usage, 337–338
 swapper, 65
 switches, 300, 564
 switching users, 103
 symbolic mode, 564
 chmod command in, 131–133
 symbolic (soft) links, 129, 563
 SYS class, 244
 sys username, 85
 sysdef command, 152–154
 sysidecfg file, 26, 564
 sysinit value for action field, 66
 syslog service, 452, 564
 syslog.conf file
 configuring, **453–456**
 lpr.debug variable, 218, 236
 syslogd daemon, 452, 564
 system access, controlling and
 monitoring, **129–138**
 system disk, 160, 564
 replacing, 170
 system information, displaying,
 56–57, 151–154
 system initialization, on SPARC
 computer, **64–67**
 system logging, **452–459**, 564
 exam essentials, 459–460
 inetd process configuration, **458**
 log file management, **456–457**
 logger command, **457–458**
 real world scenario, 459
 syslog.conf file, configuring,
 453–456

system memory, forcing crash
 dumps, 62
 system shutdown on SPARC
 computer, **69–71**
 for server, **69–70**
 for workstation, **70–71**
 System V Release 4 (SVR4), 565
 system_type keyword for profile, 528

T

tape device, for backup, 267
 tar (tape archiver) command, **283–284**
 TC shell, 106
 TCP/IP (Transmission Control Protocol/
 Internet Protocol), **302–303**, 565
 commands, **311–313**
 Domain Name Service (DNS) for,
 494–495
 telnet, 303, **310–311**
 templates, for nsswitch.conf file,
 472, 473
 Temporary File System (TMPFS), 189,
 326, **335–336**, 565
 Terminate and Stay Resident (TSR), 150
 terminating processes, **243–244**
 test command, 55–56
 test net command, 314
 TFTP (Trivial File Transfer Protocol),
 516, 565
 /tftpboot directory, 517
 third-party disk drives,
 unsupported, 171
 tilde (~)
 as home directory, 125
 for relative pathnames, 123
 /tmp directory, 127, 275
 /tmp file system, 185
 TMPFS (Temporary File System), 189,
 275, 326, **335–336**, 565
 and swap space, 337

- totaldisk keyword for rules, 524
 - touch command, 126–127
 - traceroute command, 313
 - track on hard disk, 158, 565
 - transactional volumes, 403–404, 565
 - transceivers, 300
 - Transport layer (OSI), 302
 - Transport layer (TCP/IP), 303
 - .traps command, 56
 - trigger nodes, 565
 - for automounting, 353–354
 - Trivial File Transfer Protocol (TFTP), 516, 565
 - troubleshooting
 - hung SPARC system, 71–72
 - Network File System (NFS), 352–353
 - printing, 236–237
 - processes, 246
 - real world scenario, 459
 - SCSI devices, 171
 - software installation, 37
 - TS class, 244
 - TSR (Terminate and Stay Resident), 150
 - tunefs command, 192
 - twisted-pair cabling, 299
 - TZ variable, 108
-
- U**
- UDF (Universal Disk Format), 6, 9, 187, 565
 - UDP (User Datagram Protocol), 303
 - UFS (UNIX File System), 9
 - logging, 404
 - UFS snapshots, 264, 565
 - backups with, 272–274
 - ufsboot program, 51
 - ufsdump command, 266, 268–272
 - to backup snapshots, 284
 - /etc/dumpdates file, 269–270
 - how it works, 269
 - limitations, 272
 - syntax and options, 270–272
 - ufsrestore command, 274, 275–277
 - UID (User ID), 84, 565
 - umask command, 137, 565
 - umount command, 193, 200
 - for NFS file systems, 352
 - umountall command, 193, 200
 - uname command, 21
 - uninstalling, software packages, 36
 - Universal disk Format (UDF), 6, 187, 565
 - UNIX, 4
 - UNIX File System (UFS), 9, 187, 189–195, 565
 - creating systems, 190–191
 - custom parameters, 191–192
 - managing systems, 192–195
 - file system consistency, 193–194
 - planning, 190
 - size limits, 190
 - snapshots, 185
 - UNIX-to-UNIX Copy Program (uucp), 86
 - unix.X file, 341
 - unmirroring, 394–395
 - unmount, 565
 - unmounting, file systems, 200
 - unshare command, 348
 - upgrade, 29–30
 - disk space and, 22
 - vs. initial install, 21
 - USB devices
 - hot plugging support, 155
 - Solaris 9 support of printers, 214
 - use-nvramrc? variable, 58, 59
 - usedisk keyword for profile, 528
 - user accounts, 84–95
 - associating with role, 436

- commands, 102–104
- components, 84
- configuration files, 99–102
- default, 85–87
- /etc/passwd file for information
 - about, 99–100
- exam essentials, 109
- file access. *See also* Access Control Lists (ACLs)
- managing, 87–95
 - command-line interface for adding, 92–94
 - command-line interface for modifying and deleting, 94
 - graphical tools, 88–92
 - home directories, 94–95
 - password management, 95, 103–104
 - usernames and user IDs, 87–88
 - switching users, 103
- User Datagram Protocol (UDP), 303
- User ID field, in Admintool: Add User, 89
- User ID (UID), 84, 87–88, 565
- user login screen, 54
- User Name field, in Admintool: Add User, 89
- user profile, 565
- User Properties dialog box, 91, 91–92
- useradd command, 92–94
- user_attr database, 430–431
 - manually editing, 437
- userdel command, 94
- usermod command, 94, 99, 436
- username field, in /etc/shadow file, 100
- usernames, 84, 87–88, 565
- users
 - categories for system access, 129–130
 - file access with links, 128

- historical list of logins and logouts, 103
- home directories backup, 265
- limiting access to printers, 231–232
- listing those logged on, 70, 102–103
- validation for rlogin, 309
- warning of server shutdown, 71
- /usr/bin directory, 216
- /usr directory, 127
- /usr file system, 185
 - restoring, 279–280
- /usr/lib/lp directory, 216
- /usr/lib/netshvc/yp/ypstart command, 486
- /usr/lib/newsyslog script, 457
- /usr/lib/print directory, 216
- /usr/sbin directory, 216
- /usr/share/lib directory, 216, 217
- uucp username, 85

V

- validation
 - of rules file, 525–526
 - of users, for rlogin, 309
- /var/adm directory, 456
- /var/adm/lastlog log file, 456
- /var/adm/messages log, 456
 - for snapshot errors, 273
- /var/adm/sulog file, 103, 104, 457
- /var/adm/utmpx file, 103, 456
- /var/adm/wtmpx file, 457
- /var/cron/log file, 457
- /var directory, 127
- /var file system, 186
 - disk space requirements, 22
- /var/log/syslog file, 457
- /var/lp/logs directory, 217
- /var/lp/logs/lpsched log, 219

/var/lp/logs/requests log, 219
 /var/run file system, 186
 /var/sadm/install/contents file, 33
 /var/sadm/patch/*patch_id*
 log file, 39
 /var/spool/lp directory, 217
 /var/spool/pkg directory, 34
 /var/spool/print directory, 217
 /var/yp/makefile file, 484
 verbose command, 277
 .version command, 56
 virtual file systems, 188, 326–342, 566
 CacheFS (Cache File System),
 330–335
 creating and mounting, 331–333
 managing, 333–334
 packing, 334–335
 performance monitoring, 335
 core files, 339–340
 crash dumps, 341–342
 exam essentials, 358–359
 Loopback File System (LOFS),
 328–329
 Process File System (PROCFS),
 327–328
 Swap File System (SWAPFS),
 336–339
 adding more space, 338–339
 allocating, 337
 monitoring usage, 337–338
 Temporary File System (TMPFS),
 335–336
 virtual memory, 336, 566
 vmcore.X file, 341
 volcheck command, 201
 volcopy command, 193
 vold daemon, 201
 volume management, 200, 566
 of removable media, 201
 Volume Table of Contents (VTOC),
 158, 566

volumes, 374, 566. *See also* Solaris
 Volume Manager
 expanding, 377
 naming standards for, 378
 removing, 385
 types, 377–378
 VTOC (Volume Table of Contents),
 158, 566

W

wait value for action field, 66
 WAN (wide area network), 298, 566
 warm cache, 330
 warn field, in */etc/shadow* file, 101
 Warning field, in *Admintool: Add
 User*, 89
 watch-clock command, 56
 watch-net command, 56, 314
 web resources
 installation worksheet, 25
 for patches, 37
 Sun documentation, 7, 11
 Web Start, 23–24, 28–29, 31, 566
 to install Web Start Flash archive,
 536–537
 Web Start Flash, 23–24, 533–541, 566
 exam essentials, 541
 overview, 533–534
 Web Start Flash archive, 566
 creating, 534–536
 installing, 536–539
 with custom JumpStart, 537–538
 with Solaris Live Upgrade,
 538–539
 with suninstall, 537
 with Web Start, 536–537
 managing, 539–541
 combining, 541
 layering archives, 540

who command, 70, 103, 456
wide area network (WAN), 298, 566
work environment, initialization files
to setup, 106
working directory, 122–123, 566
worksheet, for installation information
gathering, 25
workstations, 553. *See also* clients
system shutdown, 70–71
write access, concurrent with read
access, 185
Write permission, 130

Y

YP (Sun Yellow Pages), 478
ypbind daemon, 482, 486, 492
ypcat command, 482

ypinit command, 482, 485–486
for client configuration, 487
for slave server setup, 488
ypmatch command, 482, 490
yppasswd command, 487
yppoll command, 482
yppush command, 482, 489, 491
ypserv daemon, 482, 486
ypset command, 482
ypstart command, 483, 486
ypstop command, 483, 486
ypwhich command, 483, 489–490
ypxfr command, 483, 489, 491
ypxfr daemon, 482

Z

Z shell, 106