

Index

- 3G systems, adoption 2
- 3GPP 12
- 4G systems, emergence 2, 4

- A-box 144, 146, 147, 174–175
- access, seamless 8
- access networks 27, 251
- access point (AP), optimal selection 217
- active networking 49, 219
- active node architecture and implementation 232–233
- ad hoc networking *see* mobile ad hoc networks (MANETs)
- Ad hoc On-Demand Distance Vector (AODV) 40
- adaptability 46–47, 194–195
- adaptation, dynamic 4–5
- address book applications 246–247
- air interface new 2
- ‘All-in-One’ devices 115, 120, 121
- Amazon.com 176, 181–182
- ambient networking 45–46
- application-specific services 229–231
- applications
 - definition 52
 - enhancement 247–248
- aspect-oriented programming (AOP) 194, 195, 196
- AspectS 196, 198–199, 200
- Assisted Global Positioning System (A-GPS) 31

- Assured Forwarding (AF) PHB 36
- Attributive Language (AL) 144–145
- Autonomic Networked Systems (ANS) paradigm 188–189

- Back-to-Back User Agent (B2BUA) 81
- backwards compatibility 46
- bandwidth allocation 2
- bandwidth broker 36, 37
- Bluetooth 17, 19, 41, 43
- Bonjour 111
- branding-related information 203–204
- broadband multimedia 71
- broadcasting and multicasting 31–32
- BTnodes 43

- Cable Television Network (CATV) 55
- calendar applications 246
- CALI 241
- Call Processing Language (CPL) 61
- Car-2-Car Communication Consortium 45
- Carrier Sense Multiple Access protocol with Collision Avoidance (CSMA/CA) 22, 43
- cars, wireless technologies 45, 253
- cellular networks 23–28, 58–60, 99
- ‘Chip-in-All’ 115
- Chord 91–92, 101
- client–server systems, problems 86
- clients, automatic configuration 168
- Closed-World Assumption (CWA) 148

- COBRA-ONT 162
- Code Division Multiple Access (CDMA) 25
- communication environment, situation-aware 254
- community formation, P2P technology 97
- Composite Capabilities/ Preferences Profile (CC/PP) 12, 254
- computing, ubiquitous *see* ubiquitous services
- computing platform, general-purpose 47
- connectivity, increased 167
- consistency, in DLs 146, 147
- content providers 26, 68–70, 72–73
see also third-party content/service provision
- Context Broker Architecture (CoBrA) 187–188, 241
- context information, diverse sources 216
- context management
and context-aware computing 255–256
in mobile networks 219–221, 228–231
- context sharing 242–243
- context-aware computing 9–12, 191, 255–256
- context-aware decision agent, dynamic download 224–226
- context-aware handover 217–218, 220–228, 231–235
- context-aware mobility management 215–236
- context-aware presence management 240–241
- context-exchange protocol approach 222–224
- context-oriented programming 210–211
- contextual intelligence 237–249
- ContextWatcher 241–245
- control plane 35
- copyright issues 85–86
- CORBA Notification Service (NS) 109
- core network 27–28
- cross-layer architecture 129–131
wireless video streaming 134–138
- cross-layer collaboration 5
- cross-layer design (CLD) 125–140
- cross-layer optimization 131–134
- customers
acceptance of services 69, 71, 251
retaining 73
- Customized Applications for Mobile Network Enhanced Logic (CAMEL) 26, 58–60
- customized paging service 218–219
- data plane (user plane) 35
- Description Logics (DL) 143–151
applications 150–151
language extensions 148–149
systems 149–150
- Device Manager (DM) 81, 82
- ‘Device-in-All’, evolution 115
- Differentiated Services (DiffServ) QoS mechanism 35–36
- DIG interface 158
- Digital Audio and Video Broadcast (DAB and DVB) 19
- Digital Enhanced Cordless Telecommunication (DECT) standard 19, 20
- Direct-Sequence Spread Spectrum (DSSS) 21, 43
- discovery process, architecture-independent 181
- distributed hash tables (DHT) 87–89, 90–95, 101–102
- Distributed Processing Environments (DPE) 55–56
- DoCoMo 2, 25, 26
i-mode 68–70
- DOLCE (Lite) 162
- ‘Dot eleven’ *see* IEEE 802.11 standards
- downtime, minimizing 195, 197
- DQL 156
- dynamic download, context-aware decision agent 224–226
- dynamic service adaptation 193–211
- dynamic service delivery pattern, middleware 114–116
- dynamic service discovery 111
- Dynamic Source Routing (DSR) 40, 102
- Dynamic TAO 111
- e-money/commerce 119–120
- e-tickets 119–120

- EBXML 175
- EDI standards 175
- EM radio chips 43
- Enhanced Data Rates for GSM Evolution (EDGE) 24
- environmental monitoring 42
- EURESCOM Project P1203 252
- European Telecommunications Standards Institute (ETSI) 23
- event-based middleware 109
- Expedited Forwarding (EF) PHB 36
- expert systems, in medicine 150–151

- Fast Classification of Terminologies (FaCT) 150
- Faure['] 200
- FeliCa 'Mobile Wallet' service 119–120
- file sharing 85–86, 94, 97
- flexibility, costs 47
- flight booking agent 253
- forwarding engine, programmable 47
- Foundation for Intelligent Physical Agents (FIPA) 110
- Frame Language (FL-) 145
- frame loss 136–137
- Freedom of Mobile Multimedia Access (FOMA) 2, 25
- Frequency Division Duplex (FDD) 24, 25
- Frequency Division Multiple Access (FDMA) 24
- frequency-hopping spread-spectrum (FHSS) 21
- Friend of a Friend (FOAF) 162, 163, 187
- functionality, adjusting 200–201

- games, downloading 25
- General Packet Radio Service (GPRS) 24, 58–59
- Generic User Profile (GUP) 254–255
- geographic routing 40–41
- Gilbert–Elliot (GE) model 134, 135–136
- Global Positioning System (GPS) 31
- Global System for Mobile Communication (GSM) 19, 20, 23–24, 58
- Gnutella 89–90
- grounding 182, 184
- group communication, P2P technology 97

- GSM *see* Global System for Mobile Communication (GSM)
- gsmSSF 58

- H.323 protocol suite 60
- handover
 - context-aware 217–218, 220–228, 231–235
 - types 28–29
- High Speed Packet Data Access (HSDPA) 19, 20, 25
- High-Speed Circuit-Switched Data (HSCSD) 24
- home location register (HLR) 28, 58
- hop-by-hop reservation 36–37
- Host Identity Protocol (HIP) 35
- hot spots *see* wireless hot spots
- Hybrid Chord Protocol 100–101
- HyperText Transfer Protocol (HTTP) 60

- i-mode 2, 26, 68–70, 119–120, 167, 169
- IEEE 802.11 standards 18–19, 20, 21–23
- IEEE 802.15 standards 17, 19
- IEEE 802.15.4 standard 43
- IEEE 802.16 standard (WiMax) 19
- IEEE 802.20 WMAN technology 19
- IEEE standards, mesh networking 41–42
- in-car equipment 45, 253
- inference services 146–148
- information sharing, P2P 97
- infrared communication 17
- innovations, time-to-market 46
- Instance Store 159
- instant messaging 61, 98
- Integrated Services Digital Network (ISDN) 54, 55
- Integrated Services (IntServ) QoS mechanism 35
- Intelligent Network (IN) 26, 54, 55
- International Mobile Telecommunications 2000 (IMT-2000) 25, 63
- International Mobile Telecommunications (IMT) Advanced 2
- Internet
 - ease of use 66
 - multicast protocols 31
 - radio 257–258
 - security threats 35

- Internet Engineering Task Force (IETF)
 - Host Identity Protocol (HIP) 35
 - IP-based routing protocols 40
 - Multiparty Multimedia Session Control Working Group (MMUSIC WG) 60
 - zero-configuration protocol 111
- Internet Protocol (IP)
 - advantages and disadvantages 32–33
 - heterogeneous access and mobility 33
 - mobile systems 32–39, 60
 - Quality of Service 35–37
- IP2 architecture 35
- IP Multimedia Subsystem (IMS) 26, 63–65
- IP-based Multimedia Subsystem (IMS) 59
- IrDA standard 17
- ITU-T recommendation Y.1541 30–31

- Java, for mobile agent middleware 110
- Java Card 118, 119
- Java Messaging Service (JMS) 109
- JXTA 111, 121

- key-based search, not supported in DHTs 94
- KL-ONE 149
- knowledge, intentional/extensional 144
- Koorde 92, 93
- KRIS 149

- LAS 159
- late binding 195, 197
- layering paradigm, for network
 - architectures 125–127
- Liberty Alliance Project 12
- load balancing, in DHTs 94
- local area networks, current wireless
 - technologies 18–19
- Local Closed-World Assumption (LCW) 158
- location of services 31, 81
- location-based, P2P applications 96, 97, 98
- LOOM 149

- McAnt 245–248
- malicious behaviour, neutralizing 8, 9
- malicious devices, IP 35

- Medium Access Control (MAC) Layer,
 - IEEE 802.11 standards 21–22
- mesh networking 39, 41–42
- Metcalfe's Law 26
- metropolitan area networks, current wireless
 - technologies 19
- MICAz sensors 43
- micro-mobility protocols 34–35
- middleware *see* mobile middleware
- mobile ad hoc networks (MANETs) 39–41, 99–100, 102
- Mobile Agent Systems Interoperability Facility (MASIF) 110
- Mobile Application Execution Environment (MEXE) 60
- mobile devices/phones
 - evolution 115–117
 - as gateway to ubiquitous networks 72
 - manufacturers 70
 - user control 189–190
 - Web access 167
 - see also* mobile services/systems
- Mobile IP 33–35, 37–39, 66–70
- mobile middleware
 - agent 110
 - architecture 111–114
 - challenges 111
 - definition 108
 - definition and requirements 108–109
 - flexible and evolvable 256
 - smart devices 115–121
 - technologies 109–111
- mobile multimedia services 2
- mobile networks, context
 - management 219–221, 228–231
- mobile nodes
 - control (MNC) 79, 80
 - deployment and execution environment 231
- Mobile P2P (MPP) 102–103
- mobile peer-to-peer (P2P) systems 85–105
 - see also* peer-to-peer (P2P)
- mobile personality 251–261, 263–264
- mobile services/systems
 - context awareness 215–236
 - definition 52

- evolution 1, 2
 - future developments 13–14
 - interaction with applications 183–184
 - networks 17–50
 - platform requirements 70, 73
 - proactive platforms 167
 - support platforms 13–14, 52–54
 - systems 51–83
- mobile terminal architecture, programmable 48–49
- mobile-operator-mediated communication 8
- Mobile-services Switching Center (MSC) 58
- MobiLife 163–164, 241, 252, 255
- mobility
 - advanced concepts 8
 - management 28, 33–35, 217–219
 - types 75–77
- MobiOnt/MobiXPL 188, 257, 258, 259
- MobiOWL-S 176–177, 179, 248
- modularity 195–196
- MPEG-4 video delivery 134
- multi-carrier transmission 2
- Multi-Protocol Label Switching (MPLS) 36
- multi-user channel scheduling 127–128
- multihop radio access networks 42
- multimedia broadcast and multicast services (MBMS) 31
- Multimedia Messaging Service (MMS) 25
- MULTOS 118
- music, downloading 25
- native operating system platform 49
- Navigo pass 119
- NET PASSPORT 12
- network interface platforms,
 - programmable 48
- network-level service deployment 233
- networks
 - layered architecture 125–126
 - programmable 46–49
 - relays 7
 - reliability and robustness 7
 - value 26–27
 - see also* cellular networks; mobile networks
- next-generation service architectures 70–74
- node-level service deployment 233
- nodes, trusted 8, 9
- non-radio transmission technologies 43
- nRQL Query Language 156, 158
- NTT
 - DoCoMo *see* DoCoMo
- object-oriented programming (OOP) 175, 195–196
- Octopus Card 119
- off-path QoS control architecture 37
- one-to-many communications *see*
 - broadcasting and multicasting
- ontologies
 - core 162–164
 - definition 143
 - design principles 159–160
 - development process 161–162
 - language selection 159–160
 - naming conventions 160
 - software tools 164–165
 - structuring 160
- OntoTrack 165
- open APIs 65–66
- Open Mobile Alliance (OMA) 67
- open platform, concept 47
- open programmable architecture 4–6
- Open Service Access 65–66
- Open Service Architecture 57
- Open-World Assumption 147–151, 158
- OpenCyc Spatial Ontology 162
- optimization metrics 138–140
- Optimized Link State Routing (OLSR) 40
- Orthogonal Frequency Division Multiplexing (OFDM) 22
- OSI Reference Model 126
- OWL *see* Web Ontology Language (OWL)
- OWL-S 176–181
 - Profile 177–179
- OWL-SF 188, 238–241
- OWL-Time 162
- Oyster Card 119
- P-Grid 92, 94
- paging 29, 218–219

- Parlay 12, 57, 65
- Peak Signal-to-Noise Ratio (PSNR), as metric 135
- peer-to-peer (P2P)
- applications 85, 96, 97, 98
 - benefits for mobile users 96
 - definition and system classes 86–93
 - location-based applications 96, 97, 98
 - middleware 110–111
 - networking 39, 92, 100–103
 - structured systems *see* distributed hash tables (DHT)
 - trust and reputation
 - management 103–104
 - unstructured systems 87, 89–90
 - see also* mobile peer-to-peer (P2P)
- Pellet 150
- personal area networks, current wireless technologies 17–18, 19
- personal communication, P2P technology 98
- personal digital assistant (PDA) 200
- personal information management (PIM) applications 245
- personal mobility 76, 251–261, 264–265
- personalization 12–13, 53, 73, 252–255
- PerspectiveS 199, 200
- Pervasive Service Interaction (PERCI) 248
- physical layer, IEEE 802.11 standards 21–22
- power constraints 7
- power consumption, semantic control 188–189
- privacy 8, 12, 190
- Process Model 181, 183
- profile
 - data life cycle 260–261
 - mobility 76–78
- programmable mobile terminal architecture 48–49
- programmable networks 46–49
- programmable radio platform 49
- PromethOS 232–233
- Prot[e]g[e] 164, 257
- Provider/Consumer model 3–4
- Public Land Mobile Network (PLMN) 55
- Public Switched Telephone Network (PSTN) 55
- publish/subscribe middleware 109
- qualitative information, retrieving 246–247
- quality of service (QoS)
 - 802.11 standards 22–23
 - IP 35–37
 - in wireless networking 30–31
- queries, complex, in DHTs 94–95
- query languages, ontology-based 156
- RACER 150, 156, 158, 246
- radio
 - Internet radio 257–258
 - multihop access networks 42
 - programmable platform 49
 - spatial channel re-use 23
- radio frequency identification (RFID) technology 26, 120
- radio network controllers (RNC) 27
- range queries, not supported in DHTs 94
- Rate-Distortion profile 134, 135
- RDF Schema (RDFS) 151
- RDF-based framework 255
- ready-to-send (RTS) 22
- Real Time Control Protocol (RTCP) 60
- Real Time Protocol (RTP) 60
- RedTacton 18, 44
- reflective architectures 195, 197
- reflective middleware 110–111
- REI Policy Ontology 162
- resource allocation
 - for next-generation wireless networks 125
 - in video streaming systems 134
- Resource Manager (RM) 37
- ring tones, downloading 26
- roaming agreements 24, 29–30
- Roofnet project 42
- Rosetta Net 175
- rule-based systems, and OWL 155–158

- Sarnoff's Law 26–27
- satisfiability 146, 147
- SAWSDL 185–186
- scalability 216
- scenario simulation 247
- security 8, 12, 24, 35
- self-organized systems 7, 13–14
- semantic queue management 134
- semantic services 14, 167–192
- semantic technologies 71, 188–189
- Semantic Web 151, 176–181, 238, 255–257
- Semantic Web Ontology Overview and Perusal (SWOOP) 164–165
- 'Semi-Walled Garden' business model 4
- sensor networks 7–8, 42–43, 100
- service discovery 256–259
- service interaction, adaptive 260–261
- service level agreements (SLAs) 208
- service level specifications (SLS) 30
- Service Location Protocol (SLP) 81
- Service Oriented Architecture (SOA) 168, 172–173
- service platforms
 - adaptability 197
 - architecture 54
 - definition 52–53
 - evolution to multi-service platforms 54–55
 - features 52–53, 73–74
 - types 25–26
- services
 - acceptance by users 69, 71, 251
 - control distribution 54
 - decentralization 107
 - definition 52
 - extended life cycle 71–72
 - future delivery 3
 - location 31, 81
 - mobility 77–79
 - usage indication and metering 208–210
- Session Description Protocol (SDP) 62–63
- Session Handoff (SH) 79, 80–81
- Session Initiation Protocol (SIP) 60, 61–63
- session mobility 74–83
- Short Message Service (SMS) 23–24, 169
- SIM Application Toolkit (SAT) 26
- SIM/USIM Application Toolkit (SAT/USAT) 60, 118
- Simple Propositional Description Logics (ALC) 145
- Simplicity Device 121
- SIP-based system architecture 77–81
- skin transmission technologies 18
- Skype *see* voice over IP (VoIP) telephony
- smart cards 48–49, 117–120
- smart devices, mobile middleware 115–121
- SMS *see* Short Message Service (SMS)
- Split Session Transfer 79–80, 82
- Spotlight 247
- Squeak/Smalltalk 197–200
- Standard Ontology for Ubiquitous and Pervasive Applications (SOUPA) 162, 187
- Structural Description Logic 145
- style guides, conformance 201–203
- Subscriber Identity Module (SIM) cards 24, 115–116, 117–118
- Suggested Upper Merged Ontology (SUMO) 162
- Super 3G, development 2
- Super Distributed Objects (SDO) 111
- support platforms, for mobile services 13–14, 52–54
- system heterogeneity, in mobile P2P systems 96, 100–102
- T-box 144, 146, 174–175, 245
- Task computing 186–187
- TCP, optimization 128
- telecommunications
 - business models 3–6
 - service platforms 54–57
- Telecommunications Information Networking Architecture (TINA) 54, 56–57
- Telecoms & Internet converged Services & Protocols for Advanced Networks (TISPAN) 65

- telephony
 - cordless 19
 - Public Switched Telephone Network (PSTN) 55
 - video 25
 - voice over IP (VoIP) 26, 60, 98
 - see also* mobile communications; telecommunications
- television channels, streaming 25
- terminal mobility 74–76
- Tetris, fitting on a PDA 206–208
- Third Generation Partnership Project (3GPP) 25
- Third Party Call Control (3PCC) 80
- third-party content/service provision 52, 69, 73, 96, 199–210
- Time Division Duplex (TDD) 25
- Time Division Multiple Access (TDMA) 24
- time-to-market, shortening 46
- TModel representation 172
- Topology Dissemination Based on Reverse-Path Forwarding (TBRPF) 40
- topology-based routing 40
- train schedules 169, 184
- trust 12, 103–104, 190

- ubiquitous services
 - communications 53, 70, 71–72
 - device discovery 81–83
 - example 74–83
 - features 74
 - in mobile computing 53, 167–169
 - mobility 77–79
 - networking environment 6–9, 107
 - peer-to-peer technology 53–54, 98
 - trends 6, 8, 39, 51
- Ultra-Wide-Band (UWB) 17, 19, 43
- UMTS SIM Application Toolkit (USAT) 60
- Universal Description, Discovery and Integration (UDDI) 13, 172
- Universal Integrated Circuit Card (UICC) cards 117–118
- Universal Mobile Telecommunication System (UMTS) 19, 20, 24–25, 59–60
- Universal Resource Identifier (URI) 75

- Universal Service Provisioning Model 3
- upgrades, updates and fixes 204–206
- usage indication and metering 208–210
- User Agent Profile (UAProf) 254
- user-centric paradigm 107
- users
 - context and preferences 187–188
 - goals 192, 255
 - guidance mechanism 3
 - managing preferences 257–258, 260
 - mobile Internet access 167
 - needs and preferences 12–13
 - profiling and personalization 252–254
 - unique address 75
 - want to be in control of mobile phones 189–190

- variation points 195, 196
- vCard standard 163
- vehicular networking 45
- Viceroy 92, 103
- video streaming 127, 133–134
 - wireless 134–138
- video telephony 25
- Virtual Home Environment (VHE) 60, 76
- virtual reality 3
- visiting local register (VLR) 28
- voice over IP (VoIP) 26, 60, 98

- wearable computing 43–45
- weaving 196
- Web Ontology Language (OWL) 151–159, 174–176, 238
- Web Service Description Language (WSDL) 13, 170–171
- Web Service Modelling Ontology (WSMO) 185
- Web Services
 - applications of semantics 186–189
 - automatic composition 191–192
 - dependence on XML 174
 - discovery algorithms 180
 - standards 168
- web-based services, integral to everyday life 256
- Whole Session Transfer 79

- wideband-CDMA (W-CDMA) 25
- WiFi technology 18–19
- WiMax standard (IEEE 802.16) 19, 20
- wireless access data network providers 72
- Wireless Application Protocol (WAP) 26, 66–68
- wireless broadband 2
- wireless hot spots 18–19, 26, 99
- wireless local area networks (WLANs) 18–19, 20, 21–23, 99
- Wireless Markup Language (WML) 67
- wireless mesh networks 41–42
- wireless multihop communication 39
- wireless networking 26–32, 39
- wireless technologies 6, 17–26
- Wireless Telephony Application (WTA) 68
- wireless video streaming, cross-layer architecture 134–138
- wireless wide area networks 19
- WSDL-S 185
- XMIDDLE 110
- XML 174, 175, 255
- ZigBee 17, 19, 43

