




COPYRIGHTED MATERIAL





Index

A

- A1 notation, 188
- ACCDE file, 510-511
- ACCDR extension, 511, 519
- accelerator keys, 19, 611-613
 - F10 and, 403
 - keytips and, 611-613
- Access, 29
 - application-level events, 124-125
 - binary file structure, 48, 525
 - button control example, 181-182
 - callback handling, 158-162
 - macros for, 160-162
 - VBA for, 158-160
 - checkBox control example, 194-196
 - comboBox control example, 239-244
 - Create tab, 25
 - custom contextual tab creation in, 442-445
 - database password feature, 507
 - deploying Ribbon customizations, 504-519
 - ACCDE file creation, 510-511
 - ADE add-in, 515-518
 - adjusting Access options for users, 508-510
 - compression, 514
 - file preparation for multi-user environments, 504-507
 - to full versions of Access, 514-518
 - general information, 504
 - loading customUI from external source, 511-514
 - self-extracting zip file, 514
 - startup property settings, 507
 - to users with Access Runtime version, 518-519
 - dropDown control example, 258-261
 - editBox control example, 205-209
 - form/report events, 119-122
 - idMso identifiers
 - group, 595-599
 - tab, 73, 588
 - imageMso reference tool, 607, 608, 609
 - keytips, 18
 - macro recording and, 25, 88, 89
 - macro window, 160
 - macros, 88
 - for callback handling, 160-162
 - menu control example, 296-299
 - My Very Own Tab in, 49
 - project, QAT in, 21, 22
 - projects, pictures in, 270-273
 - Ribbon components, 16
 - splitButton control example, 306-309
 - table-driven approach
 - QAT customization, 430-433
 - Ribbon customizations, 48-53
 - tables, 9
 - toggleButton control example, 220-223

630 Index ■ A-B

- Access Developer Extensions (ADE),
 - 511, 515
 - add-in, 515-518
 - Access Freak website, 622
 - Access Ribbon Customizations
 - website, 622
 - Access Runtime edition, 518-519
 - Access Team Blog, 622
 - Activate event, 222
 - Activate worksheet event, 119
 - ActiveCell, 99
 - ActiveX settings, 531
 - adaptive menus, 5
 - Add method, 374
 - Add Watch dialog box, 135-136
 - elements, 136
 - AddIns, 10
 - add-ins
 - Excel
 - 2003 as front-end loader for 2007
 - add-in, 494-500
 - deploying Ribbon customizations with, 463-468
 - installing, 465-467
 - unloading/removing, 467
 - workbook conversion to, 464-465
 - Add-ins tab, of Trust Center, 529-531
 - ADE. *See* Access Developer Extensions
 - Ambiguous Name Has Been Detected, 238
 - application-level events, 114, 123-125, 378, 382, 383
 - Access, 124-125
 - Excel, 124
 - Application.TaskPanels
 - (wdTaskPaneFormatting).Visible = True, 256
 - arrays, 140-143
 - boundaries, 141
 - defined, 140
 - dimensions/values, 252
 - one-based, 251, 252
 - resizing, 142-143
 - zero-based, 251, 252
 - attributes, 59. *See also specific attributes*
 - events *v.*, 147
 - authoring/tech edit team websites, 623
 - Boyce, 623
 - Hennig, 623
 - Hodge, 623
 - Martin, 623
 - Puls, 623
 - Stohr, 623
 - AutoKeys macro, 411, 425
 - Avenius Gunter website, 622
- B**
- BaseName, 112, 616
 - bButtonClicked, 342, 343
 - BeforeClose workbook event, 116
 - BeforeDoubleClick worksheet event, 119
 - BeforeRightClick worksheet event, 119
 - BeforeSave workbook event, 116
 - binary file structure, 30, 48, 525. *See also*
 - OpenXML file structure
 - Access, 48, 525
 - bindings
 - early, 128-129
 - late, 128-129
 - bitmapped picture format. *See* BMP format
 - blank space, 208
 - BMP (bitmapped picture) format, 265
 - Boolean data type, 113
 - Borders collection, 376
 - BorderStyle control, 248
 - boundaries, array, 141
 - box element(s), 286, 324-333, 553
 - built-in, 327
 - buttonGroup element *v.*, 334
 - children objects, 325-326
 - custom, 327-333
 - graphical attributes, 326-327
 - horizontal alignment, 327-328
 - insert attributes, 325
 - nesting, 326, 329-333
 - optional attributes, 324-325
 - callback signatures, 325
 - parent objects, 326
 - required attributes, 324
 - rxbox, 617
 - vertical alignment, 328-329
 - boxStyle attribute, 325
 - Boyce, Jeff, 623
 - Break When Value Changes element, 136
 - Break When Value Is True element, 136
 - breakpoints, 131

- bug, separator element, 345
 - built-in
 - button controls, 174-175
 - buttonGroup elements, 334, 336
 - checkBox controls, 187-188
 - comboBox controls, 232-234
 - control attributes, overwriting, 368-369
 - dropDown controls, 248
 - editBox controls, 200
 - gallery controls, 280
 - groups, 80-82
 - on custom tabs, 81-82
 - names, 80, 590-605
 - item elements, 228
 - menu controls, 290-291
 - menuSeparator element, 348, 350
 - objects, custom properties for, 389-394
 - separator element, 344, 346
 - splitButton controls, 302-303
 - tabs, 72-74
 - idMso identifiers, 73, 588
 - modifying, 73-74
 - names, 72-73, 588
 - toggleButton controls, 213-214
 - button control(s), 169-183, 553-556
 - built-in, 174-175
 - children objects, 173
 - custom, 176-182
 - Access example, 181-182
 - Excel example, 176-178
 - Word example, 179-180
 - graphical attributes, 173
 - id attributes, 170
 - idMso, 170
 - idQ attribute, 170
 - onAction callback, 170
 - optional attributes, 171-172
 - callback signatures, 171-172
 - insert, 171
 - parent objects, 173
 - required attributes, 170
 - rxbtn, 617
 - button object, 278
 - buttonGroup element(s), 333-338, 556
 - box element *v.*, 334
 - built-in, 334, 336
 - children objects, 336
 - custom, 337-338
 - graphical attributes, 336
 - insert attributes, 335
 - optional attributes, 335
 - callback signatures, 335
 - parent objects, 336
 - required attributes, 334
 - rxbgrp, 617
 - with whitespace, 338
 - Button-Monthly Roll Forward.xlsm, 177
 - Byte data type, 113
- C**
- callback(s), 27, 39, 145-167
 - defined, 145-146
 - in different workbooks, 153-155
 - dynamic, 72
 - setting up file, 146-148
 - flow, 146
 - Generate Callbacks button, 150, 164, 178, 180, 183, 193, 195
 - generating, 148-153
 - with CustomUI Editor, 150-151, 167
 - from scratch, 148-150
 - organizing, 155-162
 - same name/different signature, 152-153
 - callback handlers
 - in Access, 158-162
 - global, 157-158
 - individual, 155-156
 - callback signatures, 146
 - box element, 325
 - button control, 171-172
 - buttonGroup element, 335
 - checkBox control, 185-186
 - comboBox control, 230-232
 - comboBox control *v.* dropDown control, 252
 - customUI element, 66
 - dropDown control, 245-247
 - dynamicMenu control, 311-312
 - group element, 77-78
 - item element, 226-227
 - labelControl, 339-340
 - menu control, 287-288
 - menuSeparator element, 348
 - naming convention, 618-619
 - separator element, 345
 - splitButton control, 300-301

632 Index ■ C

- tab element, 71
- toggleButton control, 211-212
- CamelCase, 40, 72
- canvas size, picture size *v.*, 266
- case sensitive XML, 27, 31, 40
- case statement, 498
- Change worksheet event, 119
- character limitation problem, 51-52
- Chart Tools tabSet, 446
- chartsheet events, 116
- checkBox control(s), 169, 183-196, 557-558
 - built-in, 187-188
 - callback for, 184
 - children objects, 186
 - custom, 188-196
 - Access example, 194-196
 - Excel example, 188-192
 - Word example, 192-194
 - graphical attributes, 186
 - id attributes, 184
 - insert attributes, 184-185
 - optional attributes, 184-186
 - callback signatures, 185-186
 - parent objects, 186
 - required attributes, 184
 - rxchk, 617
- children objects
 - box element, 325-326
 - button control, 173
 - buttonGroup element, 336
 - checkBox control, 186
 - customUI element, 67
 - dialogBoxLauncher control, 356-357
 - dropDown control, 247
 - dynamicMenu control, 313
 - editBox control, 199
 - gallery control, 278
 - group element, 78-79
 - item element, 227
 - labelControl, 340
 - menu control, 288-289
 - menuSeparator element, 349
 - Office Menu, 414
 - QAT, 420
 - ribbon element, 68
 - separator element, 346
 - splitButton control, 301
 - tab element, 72
 - tabs element, 70
 - toggleButton control, 212
- class modules, 11, 378-383
 - document-level events, 123
- Click report/form events, 122
- Click routine, 194, 220, 221, 238, 253
- Clipboard group, hidden, 80-81
- close button (VBE), 91
- Close report/form events, 122
- clsEvents, 11
- code window, 90
 - code window close button, 90
 - code window maximize/restore button, 90
 - code window minimize button, 91
- coding techniques, VBA, 101-110
- collapsing quotes, 318
- collections, 58, 373-377
 - built-in, 374
 - custom
 - methods, 374
 - determining if item belongs to, 377
- columns attribute, 277
- combination keys, SendKeys method and, 405
- comboBox control(s), 225, 558-562. *See also* dropDown control(s)
 - built-in, 232-234
 - children objects, 232
 - custom, 234-244
 - Access example, 239-244
 - Excel example, 235-236
 - Word example, 237-239
 - dropDown control *v.*, 244, 249, 261
 - callback signature, 252
 - graphical attributes, 232, 233
 - insert attributes, 230
 - item element, 232
 - optional attributes, 229-232
 - callback signatures, 230-232
 - required attributes, 229
 - rxco, 617
- comboBox-Select Sheet.xlsm, 249
- CommandBars, 10
- CommandBars("Styles").Visible = true, 256
- commands, 16
 - accessible, 6
 - keyboard shortcuts/keytips, 17-18
 - buried/hidden, 4-5

- defined, 16
- disabling, 406-408
 - associated with application
 - options/exit controls, 407-408
- order of, 9
- on QAT, 20-22
- repurposing, 408-410
 - associated with generic control, 408-410
 - on QAT, 424-427
- rxcmd, 617
- comments, in XML code, 63-64
- components, Ribbon, 16-17
- condition-n, 108
- container elements, RibbonX, 546-552
- container files, customizations specific to, 6
- contextual controls, 6, 437-458
- contextual menus, 81
- contextual pop-up menus, 447-454
- contextual tabs, 438-439
 - built-in
 - modifying in Excel, 445-447
 - custom
 - creation in Access, 442-445
- contextualTabs collection, 438
- contextualTabs element, 548
- continuity schedule, 176-177
- control elements, Ribbon, 552-585
- controls. *See also* contextual controls; *specific controls*
 - application-unique, 26
 - defined, 420
 - document, 17, 21
 - enabling/disabling, 441-442
 - formatting, 323-353
 - keytips in, 18
 - prefixes/tags for, 617-618
 - on QAT, 17
 - Ribbon, 169-224
 - rxctl, 617
 - shared, 17, 21
 - synergistic effects, 333
- control-specific events, 378
- CopyFace method, 10
- corrupted toolbars, 6
- Count method, 374
- Create tab, 25
- Currency (scaled integer) data type, 113
- Current report/form events, 122
- CurrentProject, 99
- custom
 - box elements, 327-333
 - button controls, 176-182
 - Access example, 181-182
 - Excel example, 176-178
 - Word example, 179-180
 - buttonGroup elements, 337
 - checkBox controls, 188-196
 - Access example, 194-196
 - Excel example, 188-192
 - Word example, 192-194
 - comboBox controls, 234-244
 - Access example, 239-244
 - Excel example, 235-236
 - Word example, 237-239
 - dropDown controls, 249-261
 - Access example, 258-261
 - Excel example, 249-254
 - Word example, 254-257
 - dynamicMenu controls, 314-320
 - editBox controls, 200-209
 - Access example, 205-209
 - Excel example, 200-203
 - Word example, 203-205
- groups, 83-85
 - on built-in tabs, 85
 - creating, 83
 - positioning, 83-84
- item elements, 228
- labelControl elements, 341-344
- menu controls, 291-299
 - Access example, 296-299
 - Excel example, 292-294
 - Word example, 294-295
- menuSeparator element, 350-352
- pictures, 263-275
- separator elements, 346-347
- splitButton controls, 303-309
 - Access example, 306-309
 - Excel example, 303-305
 - Word example, 305-306
- tabs, 72, 74-76
 - built-in groups on, 81-82
 - multiple, 75-76
 - positioning, 75-76
- toggleButton controls, 214-223

634 Index ■ C–D

- Access example, 220-223
 - Excel example, 214-217
 - Word example, 217-220
 - customization(s)
 - Excel 2003/2007 code example, 10-15, 28
 - issues, 8
 - legacy CommandBar, 491-492
 - programming/third party tools for, 8
 - QAT, 418-435
 - Ribbon, 24
 - Access, 48-53
 - CustomUI Editor, 35, 39-43
 - deploying, 459-521
 - example, 27
 - Excel, 30-35
 - Notepad, 30-35
 - preparations, 24-27
 - Word, 30, 39-40
 - XML and, 56
 - specific to container files, 6
 - Customization Old Style.xlsm, 11
 - Customize Quick Access Toolbar options
 - window, 20, 21
 - CustomUI Editor, 27, 35. *See also* XML
 - Notepad
 - callback generation with, 150-151, 167
 - customization templates in, 41-42
 - download/installation, 38-39
 - drawbacks, 48
 - limitations/notes, 42-43
 - Ribbon customization, 35, 39-43
 - XML Notepad *v.*, 48
 - customUI element, 65-67, 546-547
 - children objects, 67
 - errors shown at load time, 26
 - folder, 30-31
 - optional attributes, 66-67
 - callback signatures, 66
 - required attributes, 66
 - customUI.xml, 31
 - code in, 31
 - error in, 35
- D**
- data structure, XML, 56
 - data types, 112-114.
 - See also specific data types*
 - list of fundamental, 113-114
 - Date data type, 113
 - Deactivate event, 222
 - deBruin, Ron
 - QAT website, 622
 - Ribbon website, 622
 - Debug object, 130-131
 - Debug.Assert, 130-131
 - debugging code, 129-137. *See also* window
 - Debug.Print, 130-131
 - Decimal data type, 113
 - decision statements, 143. *See also*
 - If-Then-Else-End If statement;
 - Select Case statement
 - deploying Ribbon customizations, 459-521
 - Access techniques, 504-519
 - ADE add-in, 515-518
 - compression, 514
 - self-extracting zip file, 514
 - Excel vehicles, 460-469
 - add-ins, 463-468
 - templates, 461-463
 - workbooks, 460-461
 - to prior Office versions environment, 491-504
 - call previous version from new add-in, 493-504
 - create separate versions, 492-493
 - shared across files, 477-491
 - shared namespaces, 478-479
 - tabs/groups in Excel, 479-485
 - tabs/groups in Word, 485-491
 - Word vehicles, 469-477
 - documents, 469-470
 - global templates, 472-476
 - templates, 470-472
 - description attribute
 - button control, 171
 - checkBox control, 185
 - dynamicMenu control, 311
 - menu control, 287
 - toggleButton control, 211
 - Developer tab, 24-25
 - dialog boxes. *See* specific *dialog boxes*
 - dialogBoxLauncher control, 356-362, 562
 - built-in, 357-358
 - children object, 356-357
 - custom, with built-in dialogs, 358-360
 - custom, with custom userforms, 360-361

Font dialog box from, 358
 implementation, 357-362
 no attributes, 356
 parent object, 357
 digital certificates, 534-542
 acquiring, 535-536
 adding, to projects, 537-538
 deleting, 540-542
 SELCERT.exe and, 536-537
 trusting, on other machines, 538-540
 workings of, 534-535
 dimmed keytips, 18
 disabling commands, 406-408
 associated with application options/exit
 controls, 407-408
 docking capability, toolbar, 5, 6, 9
 lack of, 8, 9
 document controls, 17, 21, 419-420
 document visibility, Ribbon and, 7
 documentControls element, 419, 549
 sharedControls *v.*, 419-420
 document-level events, 114, 122-123
 class module, 123
 documents
 conversion to global template, 473-474
 deploying Ribbon customizations with,
 469-470
 macro-enabled, 89-90
 Double (double-precision floating-point)
 data type, 113, 204
 double-precision floating-point, 113
 Do-Until loops, 105-106
 Do-While loops, 105-106
 drag-and-drop approach, 33, 34
 onto Watches window, 137
 dropDown control(s), 225, 244-261,
 562-566. *See also* comboBox control(s)
 built-in, 248
 children objects, 247
 comboBox control *v.*, 244, 249, 261
 callback signature, 252
 custom, 249-261
 Access example, 258-261
 Excel example, 249-254
 Word example, 254-257
 graphical attributes, 248
 insert attributes, 245
 optional attributes, 244-247

 callback signatures, 245-247
 parent objects, 247
 required attributes, 244
 dynamic attributes. *See specific attributes*
 dynamic callbacks, 72
 all or nothing approach, 227, 239
 setting up file for, 146-148
 dynamicMenu control(s), 310-320, 566-568
 built-in, 314
 children objects, 313
 custom, 314-320
 graphical attributes, 313-314
 insert attributes, 311
 optional attributes, 311-312
 callback signatures, 311-312
 parent objects, 313
 power/flexibility, 321
 required attributes, 310
 required callback, 311
 rxdmnu, 617

E

early bindings, 128-129
 editBox control(s), 169, 196-209, 568-571
 built-in, 206
 children objects, 199
 custom, 200-209
 Access example, 205-209
 Excel example, 200-203
 Word example, 203-205
 graphical attributes, 200
 insert attributes, 197-199
 onChange callback, 197
 optional attributes, 197-199
 parent objects, 199
 required attributes, 197
 rxtxt, 618
 elements, 59. *See also* components, Ribbon;
 controls; *specific elements*
 Add Watch dialog box, 136
 For Each-Next loop, 103
 For-Next loop, 102
 If-Then-Else-End If statement, 108
 Office Menu, 418
 Select Case statement, 109
 tags *v.*, 59
 With-End With statement, 106
 Else statement, 260

636 Index ■ E-F

- elseifstatements, 108
 - elsestatements, 108, 109
 - enabled attribute
 - button control, 171
 - checkBox control, 185
 - comboBox control, 230
 - dropDown control, 245
 - dynamicMenu control, 312
 - editBox control, 198
 - labelControl, 339
 - menu control, 287
 - splitButton control, 300
 - toggleButton control, 211
 - enabling Developer tab, 24-25
 - Enter Authors button, 182, 222
 - Err property, 236
 - error handling, 137-140
 - enabling features in, 118
 - On Error GoTo, 138-140
 - On Error Resume Next, 138
 - event order, as file opens, 151-152
 - event suffixes, 112, 616
 - events, 114-125. *See also specific events*
 - application-level, 114, 123-125, 378, 382, 383
 - Access, 124-125
 - Excel, 124
 - attributes *v.*, 147
 - chartsheet, 116
 - control-specific, 378
 - defined, 378
 - document-level, 114, 122-123
 - form, 114, 119-122
 - methods *v.*, 379
 - report, 114, 119-122
 - workbook, 114, 115-117
 - working with, 382-383
 - worksheet, 114, 117-119
 - Excel
 - 2003/2007 customization code example, 10-15, 28
 - add-ins
 - 2003 as front-end loader for 2007 add-in, 494-500
 - deploying Ribbon customizations with, 463-468
 - installing, 465-467
 - unloading/removing, 467
 - workbook conversion to, 464-465
 - application-level events, 124
 - built-in contextual tab modification in, 445-447
 - built-in pop-up menu, 448
 - button control example, 176-178
 - checkBox control example, 188-192
 - comboBox control example, 235-236
 - deploying Ribbon customizations, 460-469
 - add-ins, 463-468
 - templates, 461-463
 - workbooks, 460-461
 - dropDown control example, 249-254
 - editBox control example, 200-203
 - idMso identifiers
 - group, 590-595
 - tab, 73, 588
 - imageMso reference tool, 607, 608, 609
 - location of auditing tools, 81
 - macro recording, 91-97
 - Word macro recording *v.*, 94
 - menu control example, 292-294
 - My Tools tab in, 214
 - My Very Own Tab in, 47
 - OpenXML file structure, 30, 48
 - projects, pictures in, 266-270
 - with CustomUI Editor, 267-268
 - on-the-fly, 268-270
 - Ribbon customizations, 30-35
 - sharing of tabs/groups in, 479-485
 - splitButton control example, 303-305
 - table-driven approach, QAT
 - customization, 428-430
 - templates, 461-463
 - toggleButton control example, 214-217
 - Excel Team Blog, 622
 - ExcelGuru.ca, 622
 - Expression element, 136
 - expressionlist-n, 109
 - Extensible Markup Language. *See XML*
 - extensions, showing, 31
 - external objects, 128
- F**
- F10 function key
 - accelerator keys and, 403
 - keytips and, 19, 403

- Face control, 299, 301. *See also* splitButton control(s)
 - File Locations tab, 470
 - file opening, event order in, 151-152
 - file system object (FSO), 317
 - FilePrepareMenu, 291
 - fixed-length string, 113
 - flag, labelControl as, 341
 - Font dialog box, from dialogBoxLauncher, 358
 - Fonts comboBox, 232-234
 - FontSize comboBox, 233-234
 - For Each-Next loops, 103-105
 - form events, 114, 119-122
 - Click, 122
 - Close, 122
 - Current, 122
 - Load, 122
 - NoData, 122
 - OnFormat, 122
 - Open, 122
 - Format Cells dialog box, 403
 - formats
 - BMP, 265
 - GIF, 265
 - ICO, 265
 - JPG/JPEG, 265
 - PNG, 264, 265, 266
 - GDI+ and, 274-275
 - WMF, 265
 - formatting controls, 323-353
 - For-Next loops, 102-103
 - elements, 102
 - frmAuthors display, 182
 - FSO. *See* file system object
 - functions, 97
 - UDF, 101
- G**
- gallery controls, 276-282, 571-575
 - built-in, 280
 - child objects, 278
 - dynamic attributes, 277-278, 571-575
 - on-the-fly creation, 281-282
 - rxgal, 617
 - static attributes, 277, 571-575
 - examples, 278-280
 - GDI+(Graphics Device Interface Plus), 266, 274-275
 - Generate Callbacks button, 150, 164, 178, 180, 183, 193, 195
 - getContent
 - attribute, 311
 - callback, 315-317
 - getDescription
 - button control, 171
 - checkBox control, 185
 - dynamicMenu control, 311
 - menu control, 287
 - toggleButton control, 211
 - getEnabled
 - button control, 171
 - checkBox control, 185
 - comboBox control, 230
 - context-sensitive controls, 441-442
 - dropDown control, 245
 - dynamicMenu control, 312
 - editBox control, 198
 - event, 152
 - labelControl, 339
 - menu control, 287
 - splitButton control, 300
 - toggleButton control, 211
 - getImage attribute, 77, 146
 - button control, 171
 - comboBox control, 230
 - dropDown control, 245
 - dynamicMenu control, 312
 - editBox control, 198
 - event order, 151
 - menu control, 287
 - toggleButton control, 211
 - getImage routine, 219
 - GetImageMso method, 10
 - getItemCount
 - comboBox control, 230
 - dropDown control, 245
 - gallery control, 277
 - getItemID
 - comboBox control, 230
 - dropDown control, 245
 - gallery control, 277
 - getImageImage
 - comboBox control, 230
 - dropDown control, 245
 - gallery control, 277

638 Index ■ G

- getItemLabel
 - callback, 252-253
 - comboBox control, 231
 - dropDown control, 246
 - gallery control, 278
- getItemScreenTip, 231
 - dropDown control, 246
 - gallery control, 278
- getItemSupertip, 231
 - dropDown control, 246
- getKeytip
 - checkBox control, 185
 - comboBox control, 231
 - dropDown control, 246
 - dynamicMenu control, 312
 - editBox control, 198
 - event order, 152
 - group control, 77
 - splitButton control, 300
 - tab control, 71
 - toggleButton control, 211
- getLabel
 - checkBox control, 185
 - comboBox control, 231
 - dropDown control, 246
 - dynamicMenu control, 312
 - editBox control, 198
 - event order, 151
 - group control, 77
 - menu control, 288
 - tab control, 71
 - toggleButton control, 211
- getPressed
 - checkBox control, 185
 - routine, 191, 194, 219, 220, 308, 508
 - toggleButton control, 211
- getRegistry function, 398
- getScreenTip
 - button control, 172
 - checkBox control, 185
 - comboBox control, 231
 - dropDown control, 246
 - dynamicMenu control, 312
 - editBox control, 198
 - event, 152
 - labelControl, 339
 - menu control, 288
 - toggleButton control, 211
- getText, editBox control, 199
- getTitle attribute, menuSeparator element, 348
- getVisible attribute, 146
 - box element, 325
 - button control, 172
 - checkBox control, 186
 - comboBox control, 232
 - contextuality imitation groups and, 439-441
- getSelectedItemID
 - dropDown control, 246
 - gallery control, 278
- getSelectedItemIndex
 - dropDown control, 246
 - gallery control, 278
- GetSetting function, 394
- getShowImage
 - button control, 172
 - comboBox control, 231
 - dropDown control, 246
 - dynamicMenu control, 312
 - editBox control, 198
 - menu control, 288
 - toggleButton control, 211
- getShowLabel
 - button control, 172
 - comboBox control, 231
 - dropDown control, 247
 - dynamicMenu control, 312
 - editBox control, 199
 - labelControl, 339
 - splitButton control, 300
 - toggleButton control, 211
- getSize
 - button control, 172
 - dynamicMenu control, 312
 - menu control, 288
 - toggleButton control, 211
- getSupertip
 - comboBox control, 231
 - dropDown control, 247
 - dynamicMenu control, 312
 - editBox control, 199
 - event, 152
 - labelControl, 339
 - menu control, 288
 - toggleButton control, 212
- getText, editBox control, 199
- getTitle attribute, menuSeparator element, 348
- getVisible attribute, 146
 - box element, 325
 - button control, 172
 - checkBox control, 186
 - comboBox control, 232
 - contextuality imitation groups and, 439-441

- dropDown control, 247
 - dynamicMenu control, 312
 - editBox control, 199
 - event order, 151
 - group control, 78
 - labelControl, 340
 - menu control, 288
 - splitButton control, 301
 - tab control, 71
 - toggleButton control, 212
 - GIF (Graphic Interchange Format), 265
 - global callback handlers, 157-158. *See also*
 - shared callbacks
 - global constants, 376
 - Global Declarations area, 147, 163
 - global templates, 472-476
 - document conversion to, 473-474
 - editing, 475-476
 - as front-end for 2003 template, 500-504
 - removing, 476
 - template conversion to, 474-475
 - global variables, 147, 148
 - Google's Groups interface, 623
 - Graphic Interchange Format. *See* GIF
 - graphical attributes
 - box element, 326-327
 - button control, 173
 - buttonGroup element, 336
 - checkBox control, 186
 - comboBox control, 232, 233
 - dropDown control, 248
 - dynamicMenu control, 313-314
 - editBox control, 200
 - group element, 79
 - item element, 227-228
 - labelControl, 340
 - menu control, 289-290
 - menuSeparator element, 349-350
 - separator element, 346
 - tab, 72
 - toggleButton control, 212-213
 - Graphics Device Interface Plus. *See* GDI+
 - group(s). *See also specific groups*
 - built on-the-fly, 9
 - built-in, 80-82
 - on custom tabs, 81-82
 - names, 80, 590-605
 - contextuality imitation, getVisible
 - and, 439-441
 - custom, 83-85
 - on built-in tabs, 85
 - creating, 83
 - positioning, 83-84
 - defined, 16
 - hiding, 80-81
 - idMso identifiers, 80, 590-605
 - Access, 595-599
 - Excel, 590-595
 - Word, 600-605
 - on QAT, 21-22
 - group controls, 76-79, 551-552
 - children objects, 78-79
 - graphical attributes, 79
 - id attributes, 76
 - idMso, 76
 - idQ, 76
 - optional attributes, 76-78
 - callback signatures, 77-78
 - required attributes, 76
 - rxgrp, 617
- ## H
- Help sources, 317
 - authoring/tech edit team websites, 623
 - Microsoft newsgroups, 623-624
 - Web forums, 624-625
 - JMT Q&A Board, 625
 - Mr Excel.com, 625
 - Office Experts, 625
 - Patrick Schmid's Office UI Forum, 625
 - UtterAccess.com, 625
 - VBAExpress.com, 625
 - websites with RibbonX- related
 - information, 621-622
 - Hennig, Teresa, 623
 - hidden Clipboard group, 80-81
 - Hide Expenses toggleButton, 216, 217
 - hierarchical menus, 4, 27
 - hidden/unused features, 4-5
 - Word 2003, 4
 - high resolution, Ribbon visualization
 - and, 7
 - Hodge, Nick, 623
 - horizontal alignment, box element,
 - 327-328
 - host files, 477

640 Index ■ I

I

- ICO (icon) format, 265
- icon format. *See* ICO format
- icons, for macros, 23
- id attributes, 60-61
 - box element, 324
 - button control, 170
 - buttonGroup element, 334
 - checkBox control, 184
 - comboBox control, 229
 - dropDown control, 244
 - dynamicMenu control, 310
 - editBox control, 197
 - group element, 76
 - item element, 226
 - labelControl, 338
 - menu control, 286
 - menuSeparator element, 347
 - separator element, 344
 - splitButton control, 299
 - tab element, 70
 - toggleButton control, 210
- idMso attribute, 26
 - button control, 170
 - checkBox control, 184
 - comboBox control, 229
 - description, 60
 - dropDown control, 244
 - dynamicMenu control, 310
 - editBox control, 197
 - group element, 76
 - labelControl, 338
 - menu control, 286
 - splitButton control, 299
 - tab element, 70
 - toggleButton control, 210
- idMso identifiers
 - built-in group, 80
 - Access, 595-599
 - Excel, 590-595
 - Word, 600-605
 - built-in tab
 - Access, 73, 588
 - Excel, 73, 588
 - Word, 73, 588
 - contextual tab
 - Access, 589
 - Excel, 588-589
 - Word, 590
- idQ attribute, 60-61, 459, 480, 484, 485
 - box element, 324
 - button control, 170
 - buttonGroup element, 334
 - checkBox control, 184
 - comboBox control, 229
 - dropDown control, 244
 - dynamicMenu control, 310
 - editBox control, 197
 - group element, 76
 - labelControl, 338
 - menu control, 286
 - menuSeparator element, 347
 - separator element, 344
 - splitButton control, 299
 - tab element, 70
 - toggleButton control, 210
- If-Then-Else-End If statement, 107-108
 - elements, 108
- image attribute
 - button control, 171
 - comboBox control, 230
 - dropDown control, 245
 - dynamicMenu control, 312
 - editBox control, 198
 - group control, 77
 - item element, 226
 - menu control, 287
 - toggleButton control, 211
- imageMso, 77
 - button control, 172
 - comboBox control, 230
 - dropDown control, 245
 - dynamicMenu control, 312
 - editBox control, 198
 - item element, 226
 - menu control, 287
 - reference workbook, 608-609
 - Excel/Word/Access tools, 607, 608, 609
 - references, finding, 607-608
 - toggleButton control, 211
- images. *See* pictures
- Immediate window, 91, 130, 132-134
 - querying property in, 133
 - querying variable in, 133
- indexing feature, XML, 56
- individual callback handlers, 155-156
- insertAfterMso
 - box element, 325
 - button control, 171

- checkbox control, 184, 185
 - comboBox control, 230
 - dropDown control, 245
 - dynamicMenu control, 311
 - editBox control, 197
 - group control, 77
 - labelControl, 339
 - menu control, 287
 - menuSeparator element, 348
 - separator element, 345
 - splitButton control, 300
 - tab control, 71
 - toggleButton control, 210
 - insertAfterQ
 - box element, 325
 - button control, 171
 - checkbox control, 185
 - comboBox control, 230
 - dropDown control, 245
 - dynamicMenu control, 311
 - editBox control, 197
 - group control, 77
 - labelControl, 339
 - menu control, 287
 - menuSeparator element, 348
 - separator element, 345
 - splitButton control, 300
 - tab control, 71
 - toggleButton control, 210
 - insertBeforeMso, 483
 - box element, 325
 - button control, 171
 - comboBox control, 230
 - dropDown control, 245
 - dynamicMenu control, 311
 - editBox control, 197
 - group control, 77
 - labelControl, 339
 - menu control, 287
 - menuSeparator element, 348
 - separator element, 345
 - splitButton control, 300
 - tab control, 71
 - toggleButton control, 210
 - insertBeforeQ, 483
 - box element, 325
 - button control, 171
 - checkbox control, 185
 - comboBox control, 230
 - dropDown control, 245
 - dynamicMenu control, 311
 - editBox control, 197
 - group control, 77
 - labelControl, 339
 - menu control, 287
 - menuSeparator element, 348
 - separator element, 345
 - splitButton control, 300
 - tab control, 71
 - toggleButton control, 210
 - comboBox control, 230
 - dropDown control, 245
 - dynamicMenu control, 311
 - editBox control, 198
 - group control, 77
 - labelControl, 339
 - menu control, 287
 - menuSeparator element, 348
 - separator element, 345
 - splitButton control, 300
 - tab control, 71
 - toggleButton control, 210
 - Integer data type, 113, 204
 - IntelliSense, 360
 - Invalidate(), 162
 - InvalidateControl(strControlID), 162
 - invalidation, Ribbon, 147, 162-166
 - individual controls, 165-166
 - IRibbonUI Object, 163-165
 - IRibbonUI object, 147-148
 - invalidation, 163-165
 - methods, 162
 - IsAddin property, 467-468
 - item elements, 225-228, 575. *See also*
 - comboBox control; dropDown control;
 - gallery controls
 - built-in, 228
 - children objects, 227
 - comboBox control, 232
 - custom, 228
 - graphical attributes, 227-228
 - optional attributes, 226-227
 - callback signatures, 226-227
 - parent objects, 227
 - required attributes, 226
 - rxitem, 617
 - Item method, 374, 377
 - item object, 278
 - itemHeight attribute, 277
 - itemSize, menu control, 287
 - itemWidth attribute, 277
- J**
- JMT Q&A Board, 625
 - Joint Photographic Experts Group format.
 - See* JPG/JPEG format
 - JPG/JPEG (Joint Photographic Experts Group) format, 265

642 Index ■ K–M**K**

keyboard shortcuts, 17, 611-613. *See also*
 accelerator keys
 access to commands, 17-18
 keytips *v.*, 410
 overriding, 410-412
 keytip attributes, 18-19, 362-365
 accelerator keys and, 611-613
 Access, 18
 access to commands, 17-18
 button control, 172
 checkBox control, 185
 comboBox control, 231
 in controls, 18
 creation, 363-364
 dimmed, 18
 displaying available, 362-363
 dropDown control, 246
 dynamicMenu control, 312
 editBox control, 198
 F10 function key and, 19, 403
 group control, 77
 idiosyncrasies, 364-365
 menu control, 287
 splitButton control, 300
 tab control, 71
 toggleButton control, 211
 keytip navigation mode, 362
 keytips
 keyboard shortcuts *v.*, 410
 overriding, 410-412

L

label attribute, 61
 button control, 172
 checkBox control, 185
 comboBox control, 231
 dropDown control, 246
 dynamicMenu control, 312
 editBox control, 198
 group control, 77
 item element, 226
 labelControl, 339
 menu control, 288
 tab control, 71
 toggleButton control, 211
 labelControl element(s), 18, 280, 338-344,
 576-577
 child objects, 340
 custom, 341-344

as flag, 341
 graphical attributes, 340
 optional attributes, 338-340
 callback signatures, 339-340
 parent object, 340
 required attributes, 338
 rxlctl, 618
 late bindings, 128-129
 LCase () function, 317
 leech files, 477, 485
 legacy CommandBar customizations,
 491-492
 libraries, referenced, 104, 105, 126-129
 in Object Browser, 127
 line continuations, 257
 Load report/form events, 122
 loadImage attribute, 66
 loadImage function, 274
 LoadPicture function, 265
 Locals window, 134-135
 location, QAT, 24
 logical rules, 129
 Long (long integer) data type, 113, 204
 long integer, 113
 looping statements, 101-106
 Do-Until, 105-106
 Do-While, 105-106
 For Each-Next, 103-105
 elements, 103
 For-Next, 102-103
 elements, 102
 stuck in, 113

M

macro(s)
 Access, 88
 for callback handling, 160-162
 AutoKeys, 411, 425
 icons for, 23
 options, editing in Word, 97
 on QAT, 22-24
 security settings, 532-533
 Macro Designer, 88
 Macro drop-down, 183
 Macro list dialog box, 96
 Macro Names toggleButton, 160, 161
 macro recording, 25, 190, 255
 Access and, 25, 88, 89
 editing, 95-97

- after, 96-97
 - example, 94-95
 - code window, 95
 - Excel/Word, 91-97
 - differences, 94
- macro window, Access, 160
- macro-enabled
 - documents, 89-90
 - file format, 524-525
- macro-free file format, 524-525
- markup, 57
- Martin, Robert, 623
- maximize/minimize Ribbon, 8, 19-20
- maximize/restore button (VBE), 91
- maxLength
 - comboBox control, 231
 - editBox control, 198
- menu(s). *See also* pop-up menus
 - adaptive, 5
 - contextual, 81
 - creation, 285-321
 - division/separation, 349-352
 - hierarchical, 4, 27
 - hidden/unused features, 4-5
 - Word 2003, 4
 - Office, 17
 - pop-up, 10
 - table-driven, 9
 - top-level, 4
- menu bar (VBE), 91
- menu control(s), 286-299, 577-579
 - built-in, 290-291
 - children options, 288-289
 - custom, 291-299
 - Access example, 296-299
 - Excel example, 292-294
 - Word example, 294-295
 - graphical attributes, 289-290
 - optional attributes, 286-288
 - callback signatures, 287-288
 - parent objects, 289
 - required attributes, 286
 - rxmnu, 618
- menuSeparator element(s), 18, 347-352, 579-580
 - built-in, 348, 350
 - children objects, 349
 - custom, 350-352
 - graphical attributes, 349-350
 - optional attributes, 348
 - callback signature, 348
 - parent objects, 349
 - required attributes, 347
 - rxmsep, 618
- menu-type controls, 285. *See also*
 - comboBox control(s); dropDown control(s); dynamicMenu control(s); splitButton control(s)
- message bar security settings, 533-534
- methods. *See also specific methods*
 - defined, 378
 - events *v.*, 379
 - working with, 380-382
- Microsoft .NET Framework 2.0, 36
 - installation on Windows XP, 36-38
 - missing dialog box, 38
- Microsoft Office 12.0 Object Library, 158, 183, 508
- Microsoft Office 2007. *See also* Access; Excel; PowerPoint; Word
 - security, 26, 523-543
- Microsoft Office 2007 Custom UI Editor. *See* CustomUI Editor
- Microsoft SOAP Type Library, 385
- Microsoft Update site, 36
- Microsoft's Community website, 623
- Mini toolbar, 447
- minimize button (VBE), 91
- minimize/maximize Ribbon, 8, 19-20
- modRibbonX, 183
- Module element, 136
- mouse wheel, Ribbon navigation with, 19
- Mozilla's Thunderbird Portable client, 624
- Mr Excel.com, 625
- MSDN Ribbon Developer Portal, 622
- multilingual UI, 455-458
- My Tools tab
 - in Excel, 214
 - in Word, 214
- My Very Own Tab
 - in Access, 49
 - in Excel, 47
 - in Word, 40, 47
- MyFirstUIModification.xlsx, 31-32
 - .zip, 32-33
 - contents, 33

644 Index ■ N–O

N

naming conventions, 61, 111-112, 615-620
 benefits, 111
 prefix, 111, 616
 sample, 617-618
 RVBA, 111, 615, 616
 samples, 617-620
 callback signatures, 618-619
 prefix/tag, 617-618
 shared namespaces, 620
 tags, 112, 616
 sample, 617-618
 navigation tips, Ribbon, 17-19
 nesting box elements, 326, 329-333
 .NET Framework 2.0. *See* Microsoft .NET Framework 2.0
 NewSheet workbook event, 116
 NNTP newsreader, 623, 624
 NoData report/form events, 122
 Normal.dotm template, 476-477
 notation
 A1, 188
 R1C1, 188
 Notepad. *See also* XML Notepad
 Ribbon customization, 30-35
 nsQa, 620
 nsQaShared, 620
 Null value, 208

O

object(s), 58. *See also* children objects;
 parent objects; *specific objects*
 external, 128
 naming convention, 615-620
 root, 98
 Object Browser, 125-126, 360
 referenced library in, 127
 Object data type, 113
 Object Library
 Office 12.0, 158, 183, 508
 object model (OM), 88. *See also* macro
 recording
 defined, 98
 Object Model Map, 98
 ObjectName, 160
 Office 12.0 Object Library, 158, 183, 508
 Office 2007 security. *See* security, Office
 2007

Office 2007 XML schema page, 43
 Office Button, 17, 413
 Office Experts, 625
 Office Menu, 17
 adding items to, 413-418
 child objects, 414
 customization, 413-418
 elements, 418
 XML markup, 414
 Office UI Overview website, 622
 OfficeArt, pop-up menus and, 447
 officeMenu element, 549
 OM. *See* object model
 On Error GoTo error handling, 138-140
 On Error Resume Next error handling, 138
 onAction, 146
 callback
 button control, 170
 checkBox control, 184
 repurposing and, 170
 toggleButton control, 210
 dropDown control, 247
 gallery control, 278
 onChange
 callback, editBox control and, 197
 comboBox control, 230
 one-based arrays, 251, 252
 one-click delay, 260, 261
 OnFormat report/form events, 122
 OnKey method, 411, 412, 425
 arguments, 411
 onLoad
 attribute, 66
 adjusting XML for, 147
 callback, 251
 event, 147
 setting up VBA code for, 147-148
 event order, 151
 Open method, 376
 Open report/form events, 122
 Open workbook event, 116
 OpenDatabase method, 376
 OpenXML file structure, 30, 48
 Word/Excel, 30, 48
 zipped containers, 30, 32
 order, of commands, 9
 Outlook Express, 623, 624

P

parent objects
 box element, 326
 button control, 173
 checkBox control, 186
 dialogBoxLauncher control, 357
 dropDown control, 247
 dynamicMenu control, 313
 editBox control, 199
 item element, 227
 labelControl, 340
 menu control, 289
 menuSeparator element, 349
 separator element, 346
 splitButton control, 301
 toggleButton control, 212
 Patrick Schmid's Office UI Forum, 625
 PERSONAL.XLSB workbook, 468-469
 Picture Tools contextual tabSet, with
 Format tab, 438-439
 PictureDisp, 272, 273, 274
 pictures
 in Access projects, 270-273
 custom, 263-275
 in Excel/Word projects, 266-270
 with CustomUI Editor, 267-268
 on-the-fly, 268-270
 formats, 263-266
 placeholders for, 217-220
 sizing/scaling, 266
 canvas size *v.*, 266
 placeholders, for pictures, 217-220
 PNG (Portable Network Graphics) format,
 264, 265, 266
 GDI+ and, 266, 274-275
 POPNAME, 431
 pop-up menus, 10
 built-in
 adding items to, 453-455
 in Excel, 448
 replacing, 448-452
 contextual, 447-454
 new OfficeArt and, 447
 replacing, 121
 Portable Network Graphics format. *See*
 PNG format
 positioning
 custom groups, 83-84
 custom tabs, 75-76

PowerPoint, 29, 30
 prefixes/tags, for controls, 617-618
 naming convention, 111, 616
 Prepaid Expense schedule, 176-178,
 214-217
 Prepare menu, 290, 291
 privacy options, Trust Center, 534
 Procedure element, 136
 Process Accounts label, 342, 343, 344
 Program FilesCustomUI EditorSamples
 path, 41
 programming, for customizations, 8
 Project element, 136
 Project Explorer window, 91, 361
 properties
 custom
 for built-in objects, 389-394
 defined, 378
 working with, 379-380
 Properties window, 91, 361
 Property Get, 380
 Property Let, 379
 PSchmid.Net, 622
 public variables, 221
 Puls, Ken, 623

Q

QAT. *See* Quick Access Toolbar
 QAT element, 549
 Quick Access Toolbar (QAT), 17, 413
 in Access project, 21, 22
 adding items to, 418-435
 custom/built-in commands, 420-422
 custom/built-in groups, 422-424
 change location, 24
 child elements, 420
 commands on, 20-22
 repurposing, 424-427
 controls on, 17
 custom button/built-in control added to,
 420-421
 custom splitButton added to, 422
 customization, 418-435
 table-driven approach (Access), 430-433
 table-driven approach (Excel/Word),
 428-430
 drawbacks, 433-435
 duplication of controls, 434-435

646 Index ■ Q–R

- inability to load controls, 433-434
 - inability to load custom images to
 - controls, 434
 - groups on, 21-22
 - macros on, 22-24
 - Ron deBruin website, 622
 - starting UI from scratch and, 403
 - quotes, collapsing, 318
- R**
- R1C1
 - formula checkbox, 188
 - notation, 188
 - Reference Style checkbox, 190
 - Record Macro dialog box, 92-93. *See also*
 - macro recording
 - Reddick VBA naming convention (RVBA),
 - 111, 615, 616. *See also* naming
 - conventions
 - website, 111
 - referencing libraries, 104, 105, 126-129
 - in Object Browser, 127
 - regedit, 395
 - Registry. *See* Windows Registry
 - Registry Editor window, 394, 395
 - .rels file, 34
 - contents, 34
 - error, 35
 - _rels folder, 34
 - Remove method, 374
 - RenameSheet, 201
 - report events, 114, 119-122
 - Click, 122
 - Close, 122
 - Current, 122
 - Load, 122
 - NoData, 122
 - OnFormat, 122
 - Open, 122
 - repurpose suffix, 112, 616-617
 - repurposing
 - commands, 408-410
 - associated with generic control, 408-410
 - on QAT, 424-427
 - onAction callback and, 170
 - resizing arrays, 142-143
 - Ribbon. *See also* user interface
 - components, 16-17
 - Access, 16
 - control elements, 552-585
 - controls, 169-224. *See also* controls
 - customizations, 24
 - Access, 48-53
 - CustomUI Editor, 35, 39-43
 - example, 27
 - Excel, 30-35
 - Notepad, 30-35
 - preparations, 24-27
 - sharing/deploying, 459-521
 - Word, 30, 39-40
 - XML and, 56
 - high resolution, 7
 - history/background, 3-9
 - invalidating, 147, 162-166
 - individual controls, 165-166
 - issues
 - non-visual, 8-9
 - visual, 7-8
 - minimize/maximize, 8, 19-20
 - navigation tips, 17-19
 - mouse wheel, 19
 - overriding built-in controls in, 401-412
 - programming
 - other languages, 88-89
 - VBA, 88-89
 - screen space, 7
 - document visibility, 7
 - ribbon element, 67-69, 548
 - children objects, 68
 - optional attribute, 68
 - required attributes, 67
 - RibbonBase template, 41-42, 73-74, 178
 - RibbonX
 - container elements, 546-552
 - related information websites, 621-622
 - Access Freak, 622
 - Access Ribbon Customizations, 622
 - Access Team Blog, 622
 - Avenius Gunter, 622
 - Excel Team Blog, 622
 - ExcelGuru.ca, 622
 - MSDN Ribbon Developer Portal, 622
 - Office UI Overview, 622
 - PSchmid.Net, 622
 - Ron deBruin (QAT), 622
 - Ron deBruin (Ribbon), 622
 - rxrib, 618
 - tags, 545-585

Ron deBruin (QAT) website, 622
 Ron deBruin (Ribbon) website, 622
 root element, 65
 root object, 98
 routines. *See specific routines*
 rows attribute, 277
 RVBA. *See* Reddick VBA naming convention
 rxgrp (buttonGroup control), 617
 rxbox (box control), 617
 rxbtn (button control), 617
 rxbtn_click, 618
 rxbtnCopy, 160, 161, 162
 rxbtnCut, 160, 161, 162
 rxbtn_getEnabled, 618
 rxbtn_getImage, 618
 rxbtn_getKeytip, 619
 rxbtn_getLabel, 619
 rxbtn_getScreentip, 619
 rxbtn_getSupertip, 619
 rxbtn_getVisible, 619
 rxbtnnsQaShared_Click, 620
 rxbtnPaste, 160, 161, 162
 rxcbo (comboBox control), 617
 rxcboSelectSheet_Click, 252, 253
 rxchk (checkBox control), 617
 rxchkR1C1_click, 189
 rxchkR1C1_getPressed, 189
 rxchkStyleInsp_click routine, 193, 194
 rxcmd (command), 617
 rxctl (control), 617
 rxdd (dropDown control), 617
 rxddSelectSheet_Click, 252, 253
 rxdmnu (dynamicMenu control), 617
 rxFileSave_repurpose, 619
 rxgal (gallery control), 617
 rxgrp (group control), 617
 rxIRibbonUI_onLoad, 189, 388
 rxitem (item), 617
 rxlblResult_getLabel, 388
 rxlctl (labelControl), 618
 rxMacroName, 160
 rxMacroName.ObjectName, 619
 rxmnu (menu control), 618
 rxmsep (menuSeparator control), 618
 rxrib (RibbonX), 618
 rxRibbonUI_onLoad, 619
 rxsbtn (splitButton control), 618

rxsep (separator control), 618
 rxshared_getItemCount, 388
 rxshared_getItemLabel, 388
 rxshared_getLabel, 619
 rxshared_onChange, 388
 rxtab (tab), 618
 rxtgl (toggleButton control), 618
 rxtgl_getPressed, 619
 rxtglViewDataSheet_click routine, 221
 rxtxt (editBox control), 618
 rxtxtRenameFrom_change routine, 208
 rxtxtRenameFrom_getText routine, 208
 rxtxtRenameTo_change routine, 208-209
 rxtxtRenameTo_getText callback, 208

S

SaveSetting function, 394
 scaled integer, 113
 scaling/sizing pictures, 266
 Schmid, Patrick, 625
 Office UI Forum, 625
 PSchmid.Net, 622
 screen space, Ribbon, 7
 screentip attribute, 78, 366
 button control, 172
 checkBox control, 185
 comboBox control, 231
 creation, 366-367
 dropDown control, 246
 dynamicMenu control, 312
 editBox control, 198
 item element, 227
 labelControl, 339
 menu control, 288
 toggleButton control, 211
 security, Office 2007, 26, 523-543
 background/history, 524
 digital certificates, 534-542
 acquiring, 535-536
 adding, to projects, 537-538
 deleting, 540-542
 SELCERT.exe and, 536-537
 trusting, on other machines, 538-540
 workings of, 534-535
 macro-enabled/macro-free file formats, 524-525
 Trust Center, 525-534
 ActiveX settings, 531

648 Index ■ S

- add-ins, 529-531
 - macro settings, 532-533
 - message bar settings, 533-534
 - privacy options, 534
 - trusted locations, 526-529
 - trusted publishers, 526
- Select Case statement, 109-110, 498
 - elements, 109
- SelectionChange worksheet event, 119
- SELCERT.exe, 536-537. *See also* digital certificates
- SendKeys method, 405-406, 457
 - combination keys for, 405
 - special keys for, 405-406
- separator element(s), 344-347, 580-581
 - built-in, 344, 346
 - children objects, 346
 - custom, 346-347
 - graphical attributes, 346
 - insert attributes, 345
 - optional attributes, 345
 - callback signatures, 345
 - parent objects, 346
 - required attributes, 344
 - rxsep, 618
 - serious bug, 345
 - whitespace, 346-347
- sFormName variable, 260
- shared callbacks, 150, 151, 153, 158, 167, 330, 331
- shared controls, 17, 21, 419-420
- shared events, 112, 616
- shared namespaces
 - deploying Ribbon customizations with, 478-479
 - naming convention, 620
- sharedControls element, 419, 549
 - documentControls *v.*, 419-420
- sharing Ribbon customizations. *See* deploying Ribbon customizations
- SheetActivate workbook event, 117
- SheetBeforeRightClick workbook event, 117
- SheetChange workbook event, 117
- Show DataSheet View toggleButton, 223
- Show Picture Placeholders, 218
- Show Styles dropDown, 257
- Show System Objects option, 49, 195, 196
- showImage
 - button control, 172
 - comboBox control, 231
 - dropDown control, 246
 - dynamicMenu control, 312
 - editBox control, 198
 - menu control, 288
 - toggleButton control, 211
- showing extensions, 31
- showItemAttribute
 - comboBox control, 231
- showItemImage
 - comboBox control, 231
 - dropDown control, 246
 - gallery control, 277
- showItemLabel
 - dropDown control, 246
 - gallery control, 277
- showLabel
 - button control, 172
 - idiosyncrasy, 175-176
 - comboBox control, 231
 - dropDown control, 247
 - dynamicMenu control, 312
 - editBox control, 199
 - labelControl, 339
 - splitButton control, 300
 - toggleButton control, 211
- shtRename, 201
- Single (single-precision floating-point)
 - data type, 113
- single-precision floating-point, 113
- size attribute
 - button control, 172
 - dynamicMenu control, 312
 - menu control, 288
 - toggleButton control, 211
- sizeString attribute, 202
 - comboBox control, 231
 - default value, 232
 - dropDown control, 247
 - editBox control, 199
 - gallery control, 277
- sizing/scaling pictures, 266
- sNewSheetName variable, 203
- splitButton control(s), 299-309, 581-582
 - built-in, 302-303
 - children objects, 301

- custom, 303-309
 - Access example, 306-309
 - Excel example, 303-305
 - Word example, 305-306
 - graphical attributes, 301-302
 - optional attributes, 300-301
 - callback signatures, 300-301
 - parent, 301
 - required attributes, 299
 - rxsbtn, 618
 - standard modules, 378
 - startFromScratch attribute, 68, 419, 507
 - setting, 402-404
 - statements. *See* looping statements; *specific statements*
 - statements-n, 109
 - static attributes. *See* *specific attributes*
 - static callbacks, all or nothing approach, 227, 239
 - Stohr, Oliver, 623
 - Stop statement, 131
 - String (fixed-length) data type, 113
 - String (variable-length) data type, 113
 - Style Inspector, 192, 193, 194
 - width, 203, 204, 205
 - Style Pane Options dialog box, 256
 - subprocedures, 97, 98-100
 - defined, 98
 - stub, 146. *See also* callback signatures
 - supertip attribute, 78, 366
 - button control, 172
 - checkBox control, 186
 - comboBox control, 231
 - creation, 366-367
 - dropDown control, 247
 - dynamicMenu control, 312
 - editBox control, 199
 - item element, 227
 - labelControl, 339
 - menu control, 288
 - toggleButton control, 212
 - synergistic effects, controls, 333
- T**
- tab(s). *See also* *specific tabs*
 - built on-the-fly, 9
 - built-in, 72-74
 - custom groups on, 85
 - modifying, 73-74
 - names, 72-73, 588
 - contextual, 438-439
 - custom, 72, 74-76
 - creation, 74
 - multiple, 75-76
 - positioning, 75-76
 - defined, 16
 - idMso identifiers
 - Access, 73, 588
 - Excel, 73, 588
 - Word, 73, 588
 - items added to. *See* group controls
 - tab element, 70-71, 71, 550-551
 - children objects, 72
 - graphical attributes, 72
 - id attributes, 70
 - idMso attribute, 70
 - idQ attribute, 70
 - optional attributes, 71
 - callback signatures, 71
 - optional insert attributes, 71
 - required attributes, 70
 - rxtab, 618
 - TabChartToolsDesign, 446
 - TabChartToolsFormat, 446
 - TabChartToolsLayout, 446
 - table-driven approach, QAT customization
 - Access, 430-433
 - Excel/Word, 428-430
 - Word, 428-430
 - tables, Access, 9. *See also*
 - USysRibbons table
 - Ribbon customizations in, 49-53
 - limitations, 51-52
 - tabs element, 69-70, 550
 - children objects, 70
 - required attributes, 69
 - tabSet element, 548
 - renaming, 444-445
 - tags, 57-59. *See also* *specific tags elements v.*, 59
 - naming convention, 112, 616
 - opening/closing, 57
 - /prefixes for controls, 617-618
 - RibbonX, 545-585
 - tblAuthors, 181
 - templates
 - Excel, 461-463

650 Index ■ T-V

- global, 472-476
 - Normal.dotm, 476-477
 - Ribbon customizations deployed with
 - Excel, 461-463
 - Word, 470-472
 - Word, 254, 470-472
 - creating, 471-472
 - directories for, 470-471
 - Test folder, 31
 - testexpression, 109
 - text wrapping, 35
 - third party tools, for customizations, 8
 - ThisDocument, 99
 - ThisWorkbook, 99
 - Thunderbird Portable client, 624
 - title attribute, menuSeparator element, 348
 - title bar, 91
 - toggleButton control(s), 26, 169, 209-223, 582-585
 - built-in, 213-214
 - children objects, 212
 - custom, 214-223
 - Access example, 220-223
 - Excel example, 214-217
 - Word example, 217-220
 - graphical attributes, 212-213
 - insert attributes, 210
 - optional attributes, 210-212
 - callback signatures, 211-212
 - parent objects, 212
 - required attributes, 209-210
 - rxTgl, 618
 - toolbars. *See also* Quick Access Toolbar
 - corrupted, 6
 - docking capability, 5, 6, 9
 - lack of, 8, 9
 - Mini, 447
 - UI and, 3
 - VBE, 91
 - top-level menus, 4
 - transparency, differing color schemes and, 265, 266
 - Trust Center, 525-534
 - ActiveX settings, 531
 - add-ins, 529-531
 - macro settings, 532-533
 - message bar settings, 533-534
 - privacy options, 534
 - trusted locations, 526-529
 - trusted publishers, 526
 - trusted locations, 526-529
 - adding/modifying/removing, 528
 - disabling, 529
 - on network, 529
 - trusted publishers, 526
 - trusting VBA Project access, 533
- U**
- UCase () function, 498
 - UDFs. *See* user-defined functions
 - UI. *See* user interface
 - UIHost file, 485
 - Update Fields button, 180
 - User Access Control feature, 41
 - user interface (UI), 3-28. *See also* Ribbon
 - differing color schemes, 264
 - full transparency, 265, 266
 - issues, 7-9
 - multilingual, 455-458
 - old, 4-6
 - problems, 6
 - solutions for, 6
 - starting from scratch, 402-404
 - activating tab at startup, 404-406
 - additional QAT options, 403
 - controls available, 403
 - table-driven menus, 9
 - toolbars and, 3
 - User Templates folder, 470
 - user-defined data type, 114
 - user-defined functions (UDFs), 101, 274, 397
 - userforms, custom dialogBoxLauncher and, 360-361
 - USysRibbons table, 49-50, 182, 194, 195, 196, 206, 220, 239, 258, 272, 291, 296, 306, 307, 368, 443, 444
 - caveat, 51-52
 - pasting XML code into, 50
 - UtterAccess.com, 625
- V**
- Val () function, 497
 - validity check, XML, 39-40, 65
 - variable-length string, 113
 - variables. *See specific variables*

- Variant (with characters) data type, 114
- Variant (with numbers) data type, 114
- VBA. *See* Visual Basic for Applications
- VBAExpress.com, 625
- VBE. *See* Visual Basic Editor
- vbnulstring constant, 208
- vertical alignment, box element, 328-329
- View Gridlines checkBox, 187
- visible attribute
 - box element, 325
 - button control, 172
 - checkBox control, 186
 - dropDown control, 247
 - dynamicMenu control, 312
 - editBox control, 199
 - group control, 78
 - labelControl, 340
 - menu control, 288
 - splitButton control, 301
 - tag control, 71
 - toggleButton control, 212
- visible Form Tools group, 223
- Visual Basic Editor (VBE), 11, 90-91
 - close button, 91
 - maximize/restore button, 91
 - menu bar, 91
 - minimize button, 91
 - toolbars, 91
 - window elements, 90-91, 92
- Visual Basic for Applications (VBA), 56, 87-143
 - for Access callback handling, 158-160
 - access to Windows Registry, 394-395
 - advanced techniques, 373-399
 - coding techniques, 101-110
 - defined, 89
 - programming for Ribbon, 88-89
 - setting up code for onLoad event, 147-148
- W**
- Watch expression element, 136
- Watches window, 135-137
 - drag-and-drop onto, 137
- Web forums, 624-625
 - JMT Q&A Board, 625
 - Mr Excel.com, 625
 - Office Experts, 625
 - Patrick Schmid's Office UI Forum, 625
 - UtterAccess.com, 625
 - VBAExpress.com, 625
- Web services, 383-389
 - currency conversion UI based on, 385
 - references form, 384
 - subscription fees, 389
 - tools for Office, 383
- Wend keyword, 106
- whitespace, 328, 329
 - buttonGroup, 338
 - separator element, 346-347
- window. *See also specific windows*
 - code, 90
 - Immediate, 91, 130, 132-134
 - Locals, 134-135
 - Project Explorer, 91, 361
 - Properties, 91, 361
 - Watches, 135-137
- Windows Metafile format.
 - See* WMF format
- Windows Registry, 394-399
 - saving/retrieving values from, 394-399, 488
 - VBA access to, 394-395
- Windows Script Hosting Model, 104
- Windows Update site, 36
- Windows XP, 36
 - Microsoft .NET Framework 2.0
 - installation, 36-38
- With-End With statement, 106-107
 - elements, 106
- WMF (Windows Metafile) format, 265
- Word
 - 2003 hierarchical menu, 4
 - Advanced Options window, 192
 - button control example, 179-180
 - checkBox control example, 192-194
 - comboBox control example, 237-239
 - deploying Ribbon customizations, 469-477
 - documents, 469-470
 - global templates, 472-476
 - templates, 470-472
 - dropDown control example, 254-257
 - editBox control example, 203-205
 - global templates, 472-476
 - document conversion to, 473-474

652 Index ■ W-Z

- editing, 475-476
 - as front-end for 2003 template, 500-504
 - removing, 476
 - template conversion to, 474-475
 - idMso identifiers
 - group, 600-605
 - tab, 73, 588
 - imageMso reference tool, 607, 608, 609
 - macro options, editing, 97
 - macro recording, 91-97
 - Excel macro recording *v.*, 94
 - menu control example, 294-295
 - My Tools tab in, 214
 - My Very Own Tab in, 40, 47
 - OpenXML file structure, 30, 48
 - projects, pictures in, 266-270
 - with CustomUI Editor, 267-268
 - on-the-fly, 268-270
 - Ribbon customizations, 30, 39-40
 - sharing tabs/groups in, 485-491
 - splitButton control example, 305-306
 - table-driven approach, QAT
 - customization, 428-430
 - templates, 254, 470-472
 - creating, 471-472
 - template directories, 470-471
 - toggleButton control example, 217-220
 - workbook events, 114, 115-117
 - BeforeClose, 116
 - BeforeSave, 116
 - NewSheet, 116
 - Open, 116
 - SheetActivate, 117
 - SheetBeforeRightClick, 117
 - SheetChange, 117
 - Workbook_Open event, 496
 - workbooks
 - callbacks in different, 153-155
 - deploying Ribbon customizations with, 460-461
 - PERSONAL.XLSB, 468-469
 - Workgroup Templates directory, 470
 - worksheet events, 114, 117-119
 - Activate, 119
 - BeforeDoubleClick, 119
 - BeforeRightClick, 119
 - Change, 119
 - SelectionChange, 119
- X**
- xlSheetHidden, 249
 - xlSheetVeryHidden, 249
 - xlSheetVisible, 249
 - XML (Extensible Markup Language)
 - case sensitive, 27, 31, 40
 - comments in, 63-64
 - consistency, 26
 - core framework, 65-85
 - data structure, 56
 - defined, 56-57
 - indexing feature, 56
 - Ribbon customization and, 56
 - schemas, 56
 - structure, 57-61
 - tips for writing code, 61-63
 - validity check, 39-40, 65
 - XML Notepad, 43-48
 - attribute added to, 46
 - benefits, 47
 - CustomUI Editor *v.*, 48
 - element added to, 45
 - installation, 43
 - viewing XML source code, 47
 - XML schema added, 43
 - XML schema page, Office 2007, 43
 - xmlns attribute, 66
 - xmlns:Q attribute, 66, 478
- Z**
- zero-based arrays, 251, 252

