

# Index

## A

- access control entries (ACEs), 345, 346**
- access control lists (ACLs), 345, 346**
- ACEs (access control entries), 345, 346**
- ACLs (access control lists), 345, 346**
- «Action» element, 439, 466**
  - attributes, 466–472
    - AppliesTo, 470–471, 558
    - Assembly, 467
    - Category, 467
    - ClassName, 466
    - CreatesInList, 469–470
    - CreatesTask, 467–469
    - ListModeration, 471
    - Name, 466
    - UsesCurrentItem, 472
  - «Parameters» child element, 557–558
  - «RuleDesigner» child element, 472–556
- actions, custom (SharePoint Designer), 431–457**
  - deploying, with solution package, 571–577
  - recipe for implementing, 431–432
  - testing, 442–457
- «Actions» element, 465–466. See also «Action» element**
  - attributes
    - Parallel, 465
    - Sequential, 465
  - child elements
    - «Action», 466
    - «Default», 466
- .actions XML file, 432, 465. See also wss.actions file; XML markup language**
  - deploying, 436
  - document element, 465, 558
  - implementing, 435, 465
- activation request, workflow, 49–50**
- activities. See also custom activities; specific activities**
  - composite, 16–17
    - activities added to, Visual Studio and, 72
    - CreateListItemAndWaitForChange, 151–184
  - defined, 5, 16
  - reusability and, 35
  - types of, 16
  - disabled, 16
  - enabled, 16
  - Executing state, 7
  - execution model, 3–4
  - hierarchy, 5
  - Initialized state, 7
  - leaf, 5–15
    - as logical program statements, 2, 5, 9
    - memory and, 3
    - suspension of execution, 3, 4
    - threads and, 3
    - in workflows, Visual Studio and, 72
- Activity base class**
  - Execute method, 11–15
  - Initialize method, 6–9
  - listing 1–1, 6
  - Uninitialize method, 10–11
- activity binding, 50, 62, 66**
  - CallExternalMethodActivity and, 212
- activity execution, 11–15**
- activity initialization, 6–9**
- activity uninitialization, 10–11**
- activity validator, 27**
- ActivityBind class**
  - listing 4–4, 210
  - properties, 210
  - XAML and, 211
- ActivityBind object, 62, 209**
- Activity\_Closed event handler, 19, 20, 21, 22, 23, 28, 29**
- ActivityCondition type (listing 1–10), 27**
- ActivityExecutionContext class, 11, 12, 13, 14, 19, 20, 292**
- ActivityExecutionContextManager type, 25, 27, 29**
- ‘Add a workflow’ link, 85, 87, 89**
- Add button, 479**
- Add Field dialog, 447, 448**
- Add Field wizard, 447**
- Add New Item dialog, 151**
- AddAndCustomizePages, 343**
- AddDelPrivateWebParts, 343**
- AddHandler method, 72**
- AddListItems, 342**
- AddService method, 188**
- AddTimeToDateActivity activity, 507–508**
- AddValue property, 508**
- afterProperties, 136, 148, 304, 307, 311**
- All value, 471, 558**
- AllowAsyncManualStart, 78, 122**
- AllowManual, 78, 122**
- AlterTask, 59**
- Announcements SharePoint list, 500, 501, 502**
- application.master master page, 82–83, 388, 401**
- AppliesTo attribute, 470–471, 558**
  - All value, 471, 558
  - Doclib value, 471, 558
  - List value, 470, 558
  - None value, 558

**ApplyStyleSheets, 342**

**ApplyThemeAndBorder, 342**

**ApproveCallback, 405**

**Approved value, 471**

**ApproveItems, 343**

**.aspx files, 83**

  ButtonSection.aspx file, 83

  InputFormControl.aspx file, 83

  InputForm.Section.aspx file, 83

**asp:Content tags, 401**

**ASP.NET, 94**

**.aspx extension, files with**

  ConferenceRequestWorkflowAssociationForm.aspx

    (listing 4–10), 231–234, 565, 569, 570

  ConferenceRequestWorkflowInitiationForm.aspx page

    (listing 4–13), 244–246, 565, 569

  ConferenceRequestWorkflowModificationForm.aspx,

    386–388, 393–394, 566, 569

  EditForm.aspx, 398

  ManagerContentTypeEditTaskForm.aspx page (listing 7–1),

    399–401, 566, 570

  Workflow.aspx page, 41

  WrkSetng.aspx page, 85, 108, 109, 110

  WrkStat.aspx page, 42, 43, 182, 183, 326, 327, 393

**Assemblies element, 565, 570, 576**

**assembly**

  Chapter9.dll, 571–572, 576

  SharePointWorkflow5.dll, 566. *See also*

    SharePointWorkflow5.dll

  strong-named, 39, 40, 47, 83, 126, 219, 255, 388,

    402, 431, 434, 436, 438, 440, 467

**Assembly attribute, 434, 467, 559**

**AssignedTo, 144**

**association data, 76**

**association workflow input form, 45, 47**

  in action, 96

  code-behind for (listing 2–13), 96–102

  hidden fields. *See* hidden fields

  implementing, 76–111

  listing 2–10, 80–82

**AssociationData, 52, 78**

**AssociationData XML element, 119**

**AssociationId, 56**

**AssociationUrl attribute, 121**

**AssociationUrl property, 122**

**asterisks (\*), 435**

**@Page directive, Inherits attribute on, 83, 234,**

**246, 402**

**authentication**

  Forms, 347

  Windows, 347, 352

**Author, 55, 78**

**Authorized attribute, 435**

**authorizedType element, 434**

  Assembly attribute, 434

  Authorized attribute, 435

  Namespace attribute, 435

  TypeName attribute, 435

**AuthorUser, 55**

**Auto initiation option, 88**

**AutoStartChange, 78–79, 90, 123**

**AutoStartCreate, 79, 90, 123**

**AvailableContentTypes collection property, 105**

## B

**base permissions, 342, 344, 345, 346, 352, 354, 355**

**Baseld, 123**

**BaseTemplate, 77**

**batch file**

  listing 10–7, 571

  listing 10–11, 577

**BCC property, 268, 271**

**beforeProperties, 136, 148, 311**

**best practices**

  CompleteTask activity, 299

  edit workflow form, code-behind file and, 402

  LAYOUTS subfolder, deployment and, 402

  LogToHistoryListActivity activity, 151, 298

  modification form, code-behind file and, 388

  SPSite/SPWeb objects, instantiating, 32

  SPWorkflowManager, instantiating, 337

**Bind 'HistoryDescription' to an activity's property dialog,**

**68, 69, 72, 162, 163**

**Bind 'ListId' to an activity's property dialog, 175**

**Bind 'TaskId' to an activity's property dialog, 216**

**Bind 'TaskProperties' to an activity's property dialog, 217**

**'Bind to a new member' tab, 61, 68, 72, 212, 217**

**Bind 'UserID' to an activity's property dialog, 174**

**Bind 'WorkflowProperties' to and activity's**

**property dialog, 61**

**bindable event, 71–72**

**bindable properties, 63, 66**

**body, 143**

**body activity, 317, 318, 321, 322, 377**

**Body property, 268, 271, 487, 488, 489**

**BodyActivity property, 317**

**bool waitForIdle, 130**

**Boolean (DesignerType attribute), 473**

**BreakRoleInheritance method, 345**

**BrowsableAttribute design-time metadata attribute, 153**

**Browse and Select a .NET Type dialog, 155, 360**

**BrowseDirectories, 343**

**BrowseUserInfo, 343**

**Build Dynamic String action, 451, 452, 453**

**BuildStringActivity activity, 532, 533**

**business**

  activities. *See* activities

  process modeling, 1–4, 17, 21

  processes. *See* workflows

**button**

  Add, 479

  Create Field, 61, 68, 69, 70, 72, 212, 215, 217

  Create Property, 69, 70, 72

  Current Date, 530

  Data Binding, 456, 462, 544

  ellipse, 456, 462, 473

  Finish, 447, 448, 456, 463, 496, 531, 537, 545

  Modify, 479

  Next (listing 2–11), JavaScript function and, 90–93

**ButtonSection.aspx file, 83**

**C****C#**

- catch blocks, 357
- procedural programming model, 1–4, 17, 21
- program statements
  - composite, 5
  - execution model, 3–4
  - flow control, 2
  - hierarchy, 4–5
  - non-flow control, 2
  - threads and, 4

**cab.ddf file (listing 10–1), 562–563****cabinet files, 562–563**

- .ddf files and, 562–563
- makecab utility and, 562–563, 568

**CabinetNameTemplate header, 562****CallExternalMethodActivity, 128**

- activity binding and, 212
- CorrelationToken property, 158
- in CreateListItemAndWaitForChange composite activity, 151–159
- CreateTask activity and, 209
- Execute method of, implementation of, 206–207
- internal implementation of, 204–205
- listing 4–1, 204–205
- methods invoked with, 136–138, 140
- properties/events, 205
- strong typing and, 203

**CallExternalMethodActivity-based SharePoint activities, 203–285**

- custom, 273–285
  - CreateListItem, 275–281
  - DeleteListItem, 281–285
  - eight-step recipe for, 274
- EnableWorkflowModification activity, 272
- sending e-mails, 268–272
- tasks
  - completing, 267–268
  - creating, 208–220
  - creating, with content types, 220–257
  - deleting, 261–267
  - updating, 257–260, 297

**CAML document (listing 2–17), 121****CAML schema (listing 2–16), 117–118****CAML-based file, 46, 47, 117****Cancel method, 14, 22, 189, 356****CancelCheckout, 343****CancelWorkflow method, 336****CanModifyActivities, 17****catch blocks, 357. See also FaultHandlersActivity activity****Categories XML element, 120****Category attribute, 467****CategoryAttribute design-time metadata attribute, 153****CC**

- field, 487
- parameter, 488
- property, 268, 271, 489, 494, 495
- text box, 496

**Chapter1 link, 85****Chapter1 project, 36–42****Chapter2.AssociationForm1, 83, 87. See also association workflow input form****Chapter8 project, 436. See also CustomActivity custom WF activity****Chapter9.dll, 571–572, 576****CheckInItemActivity, 474**

- rule sentence for, 474
- wss.actions excerpt, 475–476

**CheckInListItem method, 148****CheckOutItemActivity, 474, 475–476****CheckOutListItem, 148****ChooseDoclibItem (DesignerType attribute), 474–477****ChooseListItem (DesignerType attribute), 477****ClassName attribute, 466, 558****Closed state, 20, 22, 23, 24, 27, 317, 356, 357****CLR (Common Language Runtime) objects, 9, 11, 24****code listings. See listings****CodeActivity, 261–262, 288****code-behind class**

- ConferenceRequestWorkflowModificationForm, 388–391, 566
- ManagerContentTypeEditTaskForm, 402–404

**code-behind file**

- for association form (listing 2–13), 96–102
- edit task form and, 402
- for initiation form (listing 2–15), 113–115
- modification form and, 388

**CodeBesideAssembly, 121****CodeBesideClass, 120****CollectDataTask activity, 467, 468, 518****command-line utilities**

- gacutil.exe, 434
- guidgen.exe, 226, 229, 373, 565
- makecab, 562–563, 568
- sn.exe, 440
- STSADM, 40, 125, 219, 231, 255

**comment (parameter), 148****Common Language Runtime (CLR) objects, 9, 11, 24****CompleteTask activity**

- best practice, 299
- listing 4–19, 267–268
- properties of, 300

**CompleteTask method, 135****composite activities, 16–17**

- activities added to, Visual Studio and, 72
- CreateListItemAndWaitForChange, 151–184
- defined, 5, 16
- reusability and, 35
- types of, 16

**composite program statements, 5****CompositeActivity (listing 1–6), 16–17****Condition element, 558–559**

- AppliesTo attribute, 558
- Assembly attribute, 559
- child elements, 559
- ClassName attribute, 558
- FunctionName attribute, 558
- Parameters element, 559
- RuleDesigner element, 559
- Type attribute, 559

**Condition property, 27, 29**

## conditions, custom

- developing, 29–43
- SharePoint Designer 2007, 457–464
  - recipe for implementation, 457–458
- Conditions• element, 558–559
- ConferenceRequest folder, 230, 231, 234, 246, 386, 569, 570
- ConferenceRequestInfo class (listing 4–12), 241–243, 566
- ConferenceRequestInfo object, XmlSerializer and, 249, 374, 381, 391, 392, 393
- ConferenceRequestInfo.cs, 243
- ConferenceRequestSiteColumnsandContentTypesFeature.xml, 230–231, 565, 569
- ConferenceRequestSiteColumns.xml file (listing 4–8), 228–229, 565, 569
- ConferenceRequestSiteContentType site content type
  - content type ID of, 224–226, 227
  - GUID in, 226
  - site columns and, 226
- ConferenceRequestSiteContentTypes.xml file
  - listing 4–7, 223–224, 565, 569
  - ManagerContentType in, 227, 406
  - PersonnelContentType in, 227–228
- ConferenceRequestWorkflow workflow
  - in action, 243
  - activities in, 222, 223, 248
  - CodeActivity in, 261–262, 288
  - CreateTaskWithContentType activity in, 222, 223, 248, 249–251
  - DeleteTask activity in, 261, 266–267
  - deployment, with solution package, 565–571. *See also* deployment files
  - EventHandlingScopeActivity in, 313, 315–324, 369, 370
  - files (list) in, 255, 565–566. *See also* deployment files
  - flow control constructs for
    - ListenActivity, 313, 314
    - ParallelActivity, 311, 312, 313
  - IfElseActivity in, 261, 263–265, 288, 289
  - implementation (listing 4–15), 251–253
  - initiation form for, 243
  - modification workflow form for, 384–398
  - OnTaskChanged activity in, 222, 223, 287–303
  - OnWorkflowActivated activity in, 222, 248, 249, 287–303
  - OnWorkflowItemChanged activity in, 311–328
  - OnWorkflowItemDeleted activity in, 329–332
  - overview of, 222–223
  - SendEmail activity in, 270–272
  - UpdateTask activity in, 258–260
  - Visual Studio and, 255–256
- ConferenceRequestWorkflowAssociationForm class (listing 4–11), 235–241, 566
- ConferenceRequestWorkflowAssociationForm.aspx (listing 4–10), 231–234, 565, 569, 570
- ConferenceRequestWorkflowAssociationForm.cs, 243
- ConferenceRequestWorkflow.cs file, 251–253
  - complete code (listing 7–4) for, 408–414, 566
- ConferenceRequestWorkflow.designer.cs file
  - complete code (listing 7–5) for, 414–430, 566
  - listing 4–16, 253–255
- ConferenceRequestWorkflowInitiationForm class (listing 4–14), 246–248, 566
- ConferenceRequestWorkflowInitiationForm.aspx page (listing 4–13), 244–246, 565, 569
- ConferenceRequestWorkflowInitiationForm.cs, 248
- ConferenceRequestWorkflowModificationForm code-behind class, 388–391, 566
- ConferenceRequestWorkflowModificationForm.aspx, 386–388, 393–394, 566, 569
- ContentTypeld, 116, 221, 250
- ContentTypes collection property, 104
- contextData, 185, 272
- ContextData property, 333, 373, 374, 380, 381, 391, 392
- control flow program statements. *See* flow control program statements
- CONTROLTEMPLATES folder, 83
- CopyItemActivity, 469, 470, 477, 508–509
- CopyListItem method, 149
- correlation parameters, 130–131, 134, 135, 186–202
- correlation tokens, 60
  - CreateListItemAndWaitForChange composite activity and, 184
  - names, 184, 214, 259, 295, 373, 382
  - modificationToken, 373
  - taskToken, 214, 250, 267
  - workflowToken, 250, 271, 325, 331, 380
- CorrelationAliasAttribute metadata attribute, 134, 142, 185, 202
- CorrelationInitializerAttribute metadata attribute, 134, 148, 194
  - external data exchange services and, 200–202
- CorrelationParameterAttribute metadata attribute, 130, 134, 141, 147, 185, 192, 193–194, 202
- CorrelationProperty class (listing 3–13), 196
- CorrelationService, 207
- CorrelationToken class (listing 3–12), 195
- CorrelationToken property, 60, 205, 258
  - of CallExternalMethodActivity, 158
  - listing 2–5, 60
- CorrelationTokenEventArgs event data class (listing 3–15), 197
- CountWorkflowAssociations method, 336
- CountWorkflows method, 336–337
- Create Field radio button, 61, 68, 69, 70, 72, 212, 215, 217
- create list item control, 478, 479
- Create New List Item dialog, 479
- Create Property radio button, 69, 70, 72
- Create Strong Name Key dialog, 437, 438
- CreateAlerts, 343
- Created (public property), 56, 77
- CreateDocument method, 149
- CreateExecutionContext method, 27
- CreateGroups, 343
- CreateHistoryDurationEvent, 57–58
  - parameters
    - description, 58
    - duration, 57
    - eventId, 57
    - groupId, 57

- otherData, 58
  - outcome, 57
  - user, 57
  - CreateHistoryEvent, 58**
    - overloads, 58
    - parameters
      - description, 58
      - eventId, 58
      - groupId, 58
      - otherData, 58
      - outcome, 58
      - user, 58
      - web, 58
      - workflowId, 58
  - CreateItemActivity activity, 469–470, 480**
  - CreateListAssociation, 79, 80, 107**
  - CreateListContentTypeAssociation, 79, 80, 110**
  - CreateListItem activity, 275–281**
    - DesignerType attribute, 478–480
    - rule sentence for, 478
  - CreateListItem method, 149**
  - CreateListItemAndWaitForChange composite activity, 151–184**
    - CallExternalMethodActivity in, 153–159
    - correlation token's role in, 184
    - HandleExternalEventActivity in, 160–164
    - IListItemService and, 155, 160, 181, 183
    - in workflow, 171–184
    - workflow1.cs file (code listing), 176
    - workflow1.designer.cs file (code listing), 177–180
  - CreateListItemAndWaitForChange.cs file (code content), 164–167**
  - CreateListItemAndWaitForChange.designer.cs file (code content), 167–171**
  - CreatesInList attribute, 469–470**
  - CreateSiteContentTypeAssociation, 79, 80, 109**
  - CreateSSCSite, 344**
  - CreatesTask attribute, 467–469**
  - CreateTask activity, 135**
    - CallExternalMethodActivity and, 209
    - internal implementation of, 208–209
    - listing 4–3, 208–209
  - CreateTaskWithContentType activity**
    - ConferenceRequestWorkflow. See ConferenceRequestWorkflow workflow
    - listing 4–6, 220–221
    - steps in, 221–222
  - CreateTaskWithContentType method, 135**
  - CreateWorkflow method, 49**
  - cross-page postback mechanism, 94, 113**
  - ctype, 92, 93, 103, 104, 110**
  - ctypes.xml, 225**
  - Current Date button, 530**
  - custom actions (SharePoint Designer 2007), 431–457**
    - deploying, 571–577
    - recipe for implementing, 431–432
    - testing, 442–457
  - custom activities, 4–5**
    - CustomActivity2, 489–494, 495, 496
    - CustomActivity3, 498–502
    - CustomActivity4, 509–511
    - CustomActivity5, 514–515
    - CustomActivity6, 518–520
    - CustomActivity7, 522–525
    - CustomActivity8, 533–535
    - CustomActivity9, 539–542
    - CustomActivity10, 547–549
    - leaf, 5–15
  - custom conditions**
    - developing, 29–43
    - SharePoint Designer 2007, 457–464
    - recipe for implementation, 457–458
  - custom workflows. See workflows**
  - CustomActivity custom WF activity**
    - (listing 8–1), 432–433
    - compiling, to strong-named assembly, 434
    - DateTimeProperty, 433
    - listing 9–1, 522–524
    - registering, as authorized type, 434–435
    - StringOutputProperty, 433
    - StringProperty, 433
    - Visual Studio and, 436–441
  - CustomActivity.actions file, 439**
    - listing 8–2, 435
    - listing 10–8, 571, 572–575
  - CustomActivity.cs, 436**
  - CustomCondition activity condition (listing 1–11), 30–32**
  - CustomConditions.cs, 39**
- ## D
- data (field), 186**
  - Data Binding button, 456, 462, 544**
  - data binding expressions, 453, 527, 528, 531, 532, 537**
  - data description files. See .ddf files**
  - Date value (DesignerType attribute), 480**
  - Date Value dialog, 530**
  - date/time selector control, 480**
  - DateValue property, 508**
  - DateVariable local variable, 526, 528**
  - DateVariable property, 508**
  - .ddf files (data description files), 562–563**
    - cab.ddf file, 562
    - cabinet file and, 562–563
    - components of, 562
    - listing 10–1 (simple), 562–563
    - listing 10–5 (implementation), 568–569
    - listing 10–9, 575–576
    - makcab utility and, 562–563, 568
  - Declarative Rule Condition menu option, 264**
  - .Default element, 466. See also Action element**
  - DefaultValue design-time metadata attribute, 153**
  - DefaultWorkflowLoaderService, 211**
  - Define Email Message dialog, 488, 495**
  - Define Workflow Lookup dialog, 453, 456, 526, 536, 544**
  - DelayActivity activity, 292, 293, 300**
    - properties of, 301
  - DeleteItemActivity, 477**
  - DeleteListItem activity, 281–285**

**DeleteListItem method, 149**

**DeleteListItems, 344**

**DeleteTask activity (listing 4–18), 261**

**DeleteTask method, 135**

**DeleteVersions, 344**

**DenyCallback, 405**

**DependenceProperty object, 62**

**DependencyObject, 209, 211**

**deployment**

LAYOUTS subfolder and, 402

manual approach, 46, 124, 561

limitations of, 561

workflow input forms, 125

workflow template, 124

workflows, 45–126

solution package

ConferenceRequestWorkflow workflow, 565–571

custom actions (SharePoint Designer), 571–577

**deployment files (ConferenceRequestWorkflow workflow)**

ConferenceRequestSiteColumnsandContentTypesFeature.xml, 230–231, 565, 569

ConferenceRequestSiteColumns.xml file (listing 4–8), 228–229, 565, 569

ConferenceRequestSiteContentTypes.xml file (listing 4–7), 223–224, 565, 569

ConferenceRequestWorkflowAssociationForm.aspx (listing 4–10), 231–234, 565, 569, 570

ConferenceRequestWorkflowInitiationForm.aspx (listing 4–13), 244–246, 565, 569

ConferenceRequestWorkflowModificationForm.aspx, 386–388, 566, 569

feature.xml (listing 10–3), 566, 567

ManagerContentTypeEditTaskForm.aspx (listing 7–1), 399–401, 566, 570

SharePointWorkflow5.dll, 566

ConferenceRequestInfo class (listing 4–12), 241–243, 566

ConferenceRequestWorkflowAssociationForm class (listing 4–11), 235–241, 566

ConferenceRequestWorkflow.cs file (listing 7–4), 408–414, 566

ConferenceRequestWorkflow.designer.cs file (listing 7–5), 414–430, 566

ConferenceRequestWorkflowInitiationForm class (listing 4–14), 246–248, 566

ConferenceRequestWorkflowModificationForm, 388–391, 566

feature.xml (listing 10–3), 566, 567

ManagerContentTypeEditTaskForm (listing 7–2), 402–404, 566

WorkflowAssociationTarget.cs, 241–243, 566

workflow.xml (listing 10–4), 566, 567

in Solution Explorer, 566

workflow.xml (listing 10–4), 566, 567

**deployment files (custom activities)**

Chapter9.dll, 571–572, 576

CustomActivity.actions (listing 10–8), 571, 572–575

**description (parameter), 142**

**Description (property), 77, 123, 144**

**description (string), 58**

**Description attribute, 121**

**Description design-time metadata attribute, 153**

**DesignerType attribute (of 'FieldBind' element), 473–551**

Boolean value, 473

ChooseDoclibItem value, 474–477

ChooseListItem value, 477

CreateListItem value, 478–480

Date value, 480

DropDown value, 481–486

Email value, 487–497

FieldNames value, 497–503

Float value, 508

Integer value, 508

ListNames value, 508–512

Operator value, 504–508

ParameterNames value, 512

Person value, 512–517

SinglePerson value, 518–522

StringBuilder value, 522–533

Text/TextArea value, 533–538

UpdateListItem value, 538–547

WritableFieldNames value, 547–551

wss.actions excerpt, 477

**designing workflows. See also SharePoint Designer 2007**

in SharePoint Designer, 431, 442–443

in Visual Studio, 442–443

**DetermineTaskAndHistoryLists, 106**

**dialog boxes**

Add Field, 447, 448

Add New Item, 151

Bind 'HistoryDescription' to an activity's property, 68, 69, 72, 162, 163

Bind 'ListId' to an activity's property, 175

Bind 'TaskID' to an activity's property, 216

Bind 'TaskProperties' to an activity's property, 217

Bind 'UserID' to an activity's property, 174

Bind 'WorkflowProperties' to an activity's property, 61

Browse and Select a .NET Type, 155, 360

Create New List Item, 479

Create Strong Name Key, 437, 438

Date Value, 530

Define Email Message, 488, 495

Define Workflow Lookup, 453, 456, 526, 536, 544

Edit Variable, 451

External Tools, 439–440

New Project, 36, 37, 38, 151, 212, 231, 436

Rule Condition Editor, 265

Select Condition, 265

Select Users, 513, 516, 517, 521, 522

String Builder, 452, 522, 525, 526, 528, 531, 532

Strong Name Key, Create, 437

Update List Item, 544, 545, 547

Value Assignment, 479, 544

Workflow Actions, 444, 454

Workflow Initiation Parameters, 446

Workflow Local Variables, 451

**Direction attribute, 558**

**disabled activity, 16**

**DiskDirectory1 header, 562, 568**

**Dispose methods, 11, 32, 337**

**Doclib value, 471, 558**  
**document element, 465, 558**  
   «Solution», 564–565  
   «Assemblies», 565, 570, 576  
   «FeatureManifests», 565, 570, 571  
   «TemplateFiles», 565, 570, 576  
   «WorkflowInfo», 465, 558  
     child elements, 465  
     Language attribute, 465  
**Documents SharePoint list, 502**  
**DoesUserHavePermissions method, 345**  
**DropDown (DesignerType attribute), 481–486**  
**DropDownMenu, 508, 552**  
**DueDate, 144**  
**duration (parameter), 142**  
**Duration (TimeSpan object), 57, 65**

## E

**ECB (Edit Control Block) menu, 41, 219, 222, 223, 256**  
**Edit Control Block (ECB) menu, 41, 219, 222, 223, 256**  
**edit task workflow input form. See task edit workflow input form**  
**Edit Variable dialog, 451**  
**EditForm.aspx, 398**  
**EditListItems, 343**  
**EditMyUserInfo, 343**  
**element manifest files, 223, 224**  
   ConferenceRequestSiteColumns.xml file (listing 4–8), 228–229, 565, 569  
   ConferenceRequestSiteContentTypes.xml file  
     listing 4–7, 223–224, 565, 569  
     ManagerContentType in, 227, 406  
     PersonnelContentType in, 227–228  
   feature and (listing 4–9), 230–231  
**ElementDefinitionCollection, 118**  
**«Elements» XML element, 118**  
**11-step recipe (developing/deploying workflows), 47–48, 126**  
**ellipse button, 456, 462, 473**  
**Email (DesignerType attribute), 487–497**  
**EmailActivity activity, 488**  
   rule sentence for, 487  
**EmailBody, 144**  
**e-mails**  
   advanced control, 487, 488, 489  
   BCC property, 268, 271  
   Body property, 268, 271, 487, 488, 489  
   CC  
     field, 487  
     parameter, 488  
     property, 268, 271, 489, 494, 495  
     text box, 496  
   Headers property, 268, 271  
   includeStatus, 142, 268, 271  
   To property, 268, 271, 487, 488  
   sending, 268–272  
   Subject property, 268, 271, 487, 488  
**EmptyMask, 343**  
**enabled activity, 16**  
**EnabledActivities collection, 16, 18, 19**  
**EnabledActivities property, 16**  
**EnableWorkflowModification activity**  
   in EventHandlingScopeActivity, 372  
   listing 4–21, 272  
   properties of, 373  
**EnableWorkflowModification method, 185, 186, 272**  
**EngineAssembly attribute, 121**  
**EngineClass attribute, 121**  
**EnqueueItem, 9, 189**  
**EnumeratePermissions, 343**  
**EventDrivenActivity activities, 291**  
**EventHandlersActivity activity, 317, 318, 322, 323, 326, 329, 330, 377**  
**EventHandlingScopeActivity, 186, 313, 315–324, 369, 370, 371, 374**  
   body activity and, 317, 318, 321, 322  
   characteristics of, 384  
   child activities  
     body activity, 317, 318, 321, 322, 377  
     EventHandlersActivity, 317, 318, 322, 323, 326, 329, 330, 377  
   in ConferenceRequestWorkflow workflow, 313, 315–324, 369, 370  
   EnableWorkflowModification activity in, 372  
   Event Handlers view of, 376–377  
   Execute method of, implementation of, 317–318  
   internal implementation of, 315–317  
   listing 5–3, 315–317  
   metadata attribute of, 317  
   properties of, 317  
   SequenceActivity activity and, 318, 321, 371  
**EventHandlingScopeValidator, 317**  
**eventId, 57, 58, 65**  
**EventName property, 288**  
**exclusive filters states, 338**  
**ExclusiveFilterStates, 57**  
**Execute method, 11–15**  
   of CallExternalMethodActivity, implementation of, 206–207  
   of EventHandlingScopeActivity, implementation of, 317–318  
   implementation (listing 1–4), 12  
   Initialize method v., 7  
   of LogToHistoryListActivity, internal implementation of, 65–66  
   of ParallelActivity flow control construct, 22–23  
   steps, 12–13  
**Executing state, 7**  
**execution context, 24–25**  
**ExecutionContextManager, 25, 27, 29**  
**executor, 136, 148**  
**Executor property**  
   of OnTaskChanged activity, 295–297  
   of OnTaskCreated activity, 304  
   of OnTaskDeleted activity, 307  
**ExtendedProperties, 144**  
**«ExtendedStatusColumnValues» XML element, 120**  
**extensibility model, WF, 127–133**

**external data exchange services.** See also  
**IListItemService; ISharePointService; ITaskService;**  
**IWorkflowModificationService**

correlation parameters and. See correlation parameters  
CorrelationAliasAttribute metadata attribute and, 202  
CorrelationInitializerAttribute metadata attribute and,  
200–202  
defined, 128  
events of, 187  
interfaces, 133  
methods of, 187  
registered, via ExternalDataExchangeService, 133, 188  
requirements, 128, 187  
significance of, 187

**External Tools dialog, 439–440**

**ExternalDataEventArgs class**

internal implementation, 128–129  
listing 3–1, 128–129  
public constructors, 130  
public properties, 129–130

**ExternalDataExchangeAttribute metadata attribute, 134,**  
**141, 147, 185, 187**

**ExternalDataExchangeService object, 133, 188**

## F

**fault handling, 356–368**

in workflow (listing 6–7), 362–368

**FaultHandlersActivity activity, 357, 358, 359, 360, 361,**  
**362, 368**

**·Feature· element, 124**

**·FeatureManifests· element, 565, 570, 571**

**features (SharePoint)**

activating, 125  
deploying, 124  
element manifest files and (listing 4–9), 230–231  
implementing, 124  
installing, 125  
site-collection-scoped, 47, 124, 126, 344  
workflow template definition file and (listing 2–19), 124

**FEATURES folder, 48, 117, 124, 218, 230, 255, 565**

**feature.xml, 38**

listing 10–3, 566, 567

**Field attribute, 552**

**·FieldBind· element**

characteristics, 473  
DesignerType attribute, 473–551  
Boolean value, 473  
ChooseDocItem value, 474–477  
ChooseListItem value, 477  
CreateListItem value, 478–480  
Date value, 480  
DropDown value, 481–486  
Email value, 487–497  
FieldNames value, 497–503  
Float value, 508  
Integer value, 508  
ListNames value, 508–512  
Operator value, 504–508  
ParameterNames value, 512

Person value, 512–517  
SinglePerson value, 518–522  
StringBuilder value, 522–533  
Text/TextArea value, 533–538  
UpdateListItem value, 538–547  
WritableFieldNames value, 547–551  
wss.actions excerpt, 477

Field attribute, 552

Id attribute, 552

OperatorTypeFrom attribute, 552

·Option· child element, 481, 554–556

Text attribute, 552

TypeFrom attribute, 552–554

Value attribute, 554

wss.actions excerpt, 497–498

**FieldName property, 504**

**FieldNames (DesignerType attribute), 497–503**

**FIFO (First in-First out) algorithm, 11, 23**

**fileContents, 149, 150**

**filter states**

exclusive, 338

inclusive, 338

**Finish button, 447, 448, 456, 463, 496, 531, 537, 545**

**First in-First out (FIFO) algorithm, 11, 23**

**FlagsAttribute metadata attribute, 55**

**Float value (DesignerType attribute), 508**

**flow control constructs, 2**

EventHandlingScopeActivity. See

EventHandlingScopeActivity

iterative, 17, 24–29

ListenActivity, 313, 314

non-iterative, 17–24

ParallelActivity, 21–24, 311, 312, 313

**flow control program statements, 2**

extensibility, 17, 21

**folder**

ConferenceRequest, 230, 231, 234, 246,  
386, 569, 570

CONTROLTEMPLATES, 83

FEATURES, 48, 117, 124, 218, 230, 255, 565

LAYOUTS, 48, 83, 125, 126, 234, 569

LAYOUTS subfolder, 402, 570

Testing, 563

Workflows, 456, 457

**Form property, 94**

**Forms authentication principal, 347**

**From property, 268, 271**

**fSynchronous, 59**

**FullMask, 343**

**FunctionName attribute, 558**

## G

**GAC (global assembly cache), 39, 47, 431, 434, 458**

**gacutil.exe command-line utility, 434**

**Generate Handlers menu option, 64, 70, 72**

**Get Public Key Token, 440**

**GetExtendedPropertiesAsHashtable, 59**

**GetItemActiveWorkflows method, 337–338**

**GetItemById method, 115**

**GetItemsWorkflows**, 338  
**GetItemTasks** method, 338  
**GetService** method, 12, 13  
**GetValue** method, 63  
**GetWorkflowData**, 59  
**GetWorkflowQueue** method, 12, 14  
**GetWorkflowRoleForGroups** static method, 342, 346–347, 352  
**GetWorkflowRoleForPermission** method  
   first overload, 342, 344, 345, 346  
   second overload, 342, 344, 345, 346  
   SPBasePermissions enumeration values, 342–344  
   third overload, 342, 344, 345, 346  
**GetWorkflowTasks**, 338  
**GetWorkflowTemplatesByCategory**, 338  
**global assembly cache (GAC)**, 39, 47, 431, 434, 458  
**graphical fashion, setting values in**. *See also* **SharePoint Designer 2007**  
   CheckInItemActivity activity, ListId/ListItem  
     properties, 475  
   CustomActivity WF activity  
     input properties, 450  
     output properties, 450, 451  
   CustomActivity2 activity, To/CC/Subject/Body  
     properties, 495  
   input collection property, 512, 513  
   ListId property, 511  
   ListId/ListItem/ItemProperties, 544  
   workflow local variables, 512  
   workflows, 431  
**GroupAssignedTask** activity, 467, 469, 513  
**groupId**, 57, 58  
**groups**  
   GetWorkflowRoleForGroups and, 342, 346–347, 352  
   MyGroup, 353, 354, 355, 357  
   permissions for, 346  
   roles v., 346  
**Guid** **instanceId**, 130  
**'GuidAssoc'** hidden field, 89, 95, 103  
**guidgen.exe** command-line utility, 226, 229, 373, 565  
**GUIDs, generate/copy/paste**, 226, 229

## H

**HandleExternalEventActivity**, 128  
   in CreateListItemAndWaitForChange composite activity, 160–164  
   events handled with, 138–140  
   Roles bindable property of (listing 6–1), 339  
   strong typing and, 203  
**HandleExternalEventActivity-based SharePoint activities**, 287–333  
   OnTaskChanged activity, 287–303  
   OnTaskCreated activity, 303–306  
   OnTaskDeleted activity, 306–309  
   OnWorkflowItemChanged activity, 141, 142, 309–328  
   OnWorkflowItemDeleted activity, 141, 142, 328–332  
   OnWorkflowModified activity, 185, 193, 202, 332–333  
**HandleFault** method, 14, 22, 133, 189, 356  
**HasCustomEmailBody**, 144

**headers**, 143  
**Headers** property, 268, 271  
**hexadecimal numbers**, 225, 227  
   ManagerContentType site content type and, 227  
   PersonnelContentType site content type and, 227  
   Workflow Task site content type and, 225  
**hidden fields**, 94–95  
   'GuidAssoc,' 89, 95, 103  
   'HistoryList,' 89, 95  
   initiation form and, 113  
   'TaskList,' 90, 95  
   'UpdateLists,' 107  
   'WorkflowDefinition,' 88, 95  
   'WorkflowName,' 89, 95, 102  
**hierarchy**  
   of activities, 5  
   of program statements, 4–5  
**history list**, 48, 88  
**HistoryDescription**, 65, 67, 68  
**HistoryDescriptionProperty** **DependencyProperty**, 69  
**HistoryDescriptionProperty** field, of **LogToHistoryList**  
   activity, 68–69  
**HistoryList**, 52, 55  
**'HistoryList'** hidden field, 89, 95  
**HistoryListId**, 52, 55, 77  
**HistoryListTitle**, 77  
**HistoryListUrl**, 52  
**HistoryOutcome**, 65  
**htData**, 59  
**HTML** elements, 88, 89, 90  
<http://microsoft.schemas.com/sharepoint/>, 565  
**HybridDictionary**, 135, 137, 212. *See also* **permissions**

## I

**IActivityEventListener** generic interface (listing 5–2), 292  
**IActivityEventListener.T** generic type (listing 3–14), 196–197  
**IComparable** objects, 9  
**Id** (attribute), 121  
**Id** (property), 77, 123  
**id** (public field), 148, 149, 150  
**ID** (query string parameter), 115, 391, 394, 404  
**Id** attribute, 552  
**Identity** (property), 129  
**IEventActivity** activity, 291–292  
**IfElseActivity**, 261, 263–265, 288, 289, 290  
**IfElseBranchActivity** child activity, 263–264, 289, 290  
**IListItemService**, 133, 145–150, 186–187  
   CorrelationParameterAttribute metadata attribute  
     and, 193  
   CreateListItemAndWaitForChange composite activity and,  
     155, 160, 181, 183  
   events in, 147  
   listing 3–8, 145–147  
   methods in, 148–150  
   SPListItemServiceEventArgs, 148  
**IncludesIdentity** method, 340, 341, 346, 352, 354, 355  
**includeStatus**, 142, 268, 271  
**inclusive filter states**, 338

**InclusiveFilterStates**, 57  
**index**, 143  
**Inherits attribute, on @Page directive**, 83, 234, 246, 402  
**Initialize method**, 6–9, 196  
  Execute method *v.*, 7  
  implementation (listing 1–2), 8  
**InitializeComponent method**, 74  
**Initialized property**, 196, 198  
**Initialized state**, 7, 20, 22, 23, 24, 293, 356  
**InitializeForEvent**, 150  
**InitializeWorkflow**, 142  
**InitialValue attribute**, 557  
**initiation workflow input form**, 45, 47, 77, 123, 243, 446–448, 449, 450, 457, 461, 463, 543–544  
  code-behind for (listing 2–15), 113–115  
  hidden fields and, 113  
  implementing, 111–117  
  listing 2–14, 111–113  
  user interface, 111  
**InitiationData**, 52  
**InitiationForm1**, 115  
**InitiationType** XML element, 119  
**input** element, 89  
**InputFormControl.ascx** file, 83  
**InputForm.Section.ascx** file, 83  
**InstanceId**, 55, 129  
**InstantiationUrl**, 77, 121, 123  
**integer property, non-negative**, 508  
**Integer value (DesignerType attribute)**, 508  
**Intellisense support**, 265  
**InterfaceType property**, 205, 274, 288, 311  
**InternalState**, 55  
**InvalidateCorrelationToken method**, 207  
**Invoked event**, 63  
**IPendingWork workHandler**, 130  
**IsCompleted**, 55  
**IsDeclarative**, 123  
**ISecurableObject interface** (listing 6–5), 345  
**IServiceProvider interface**, 7, 11  
**ISharePointService**, 65, 133, 140–144, 187  
  CorrelationParameterAttribute metadata attribute and, 193  
  events in, 141–142  
  important aspects of, 141  
  listing 3–5, 141  
**IsTaskCompleted workflow field**, 396, 398  
**isUpdatingWorkflowAssociation**, 103  
**ITaskService**, 133–140, 186  
  CorrelationParameterAttribute metadata attribute and, 193  
  CreateTask activity. *See* CreateTask activity  
  listing 3–3, 134  
  members of, 135  
  OnTaskChanged event of, 191  
**Item (public property)**, 52  
**ItemGuid**, 55  
**itemId**, 52, 55, 148, 149, 150  
**itemProperties**, 149, 150  
**ItemUrl**, 52  
**iterative flow control constructs**, 17, 24–29

**IWorkflowModificationService**, 133, 140, 184–186, 187, 332, 333, 374, 378, 384, 393  
  CorrelationParameterAttribute metadata attribute and, 193  
  listing 3–10, 185  
  SPModificationEventArgs class, 186  
**IXPathNavigable object**, 119

## J

**JavaScript function**  
  for click event of Next button (listing 2–11), 90–93  
  \_spFormOnSubmit (listing 2–12), 91–92

## K

**key.snk**, 39

## L

**LAYOUTS folder**, 48, 83, 125, 126, 234, 569  
**LAYOUTS subfolder**, 402, 570  
**\_layouts virtual directory**, 83, 125, 386  
**LayoutsPageBase**, 102, 115, 391, 404  
**leaf activities**, 5–15  
**List (query string parameter)**, 92, 93, 103, 104, 110, 115, 391, 394, 404  
**list content type**, 407  
**list item selector control**, 475, 477  
**list items**  
  creating, 275–281  
  deleting, 281–285  
  updating, 327, 538  
**List value**, 470, 558  
**ListenActivity activity**, 290, 291, 292, 293, 313, 374, 396  
**ListenActivity flow control construct**, 313, 314  
**listId**, 55, 148, 149, 150  
**ListId property**, 476  
**listings**  
  1–1 (Activity base class), 6  
  1–2 (Initialize method, implementation), 8  
  1–3 (Uninitialize method, implementation), 10  
  1–4 (Execute method, implementation), 12  
  1–5 (WorkflowQueue\_QueueItem event handler), 13–14  
  1–6 (CompositeActivity), 16–17  
  1–7 (SequenceActivity), 18  
  1–8 (ParallelActivity flow control construct), 21–22  
  1–9 (WhileActivity activity), 25–27  
  1–10 (ActivityCondition type), 27  
  1–11 (CustomCondition activity condition), 30–32  
  1–12 (Workflow1), 32–35  
  2–1 (SPActivationEventArgs event data class), 50  
  2–2 (OnWorkflowActivated activity), 50–51  
  2–3 (SPWorkflowActivationProperties class), 51–52  
  2–4 (SPWorkflow class), 54  
  2–5 (CorrelationToken object), 60  
  2–6 (LogToHistoryListActivity activity), 64

- 2-7 (Workflow1.cs file, content of), 73-74
- 2-8 (Workflow1.designer.cs file, content of), 74-75
- 2-9 (SPWorkflowAssociation class), 76-77
- 2-10 (association workflow input form), 80-82
- 2-11 (JavaScript function, for click event of Next button), 90-93
- 2-12 (\_spFormOnSubmit JavaScript function), 91-92
- 2-13 (code-behind for association form), 96-102
- 2-14 (initiation workflow input form), 111-113
- 2-15 (code-behind for initiation form), 113-115
- 2-16 (CAML schema for defining workflow template), 117-118
- 2-17 (CAML document that defines workflow template), 121
- 2-18 (SPWorkflowTemplate class), 122
- 2-19 (feature that references workflow template definition file), 124
- 3-1 (ExternalDataEventArgs class), 128-129
- 3-2 (SPWinOeHostServices class), 131-132
- 3-3 (ITaskService interface), 134
- 3-4 (SPTaskServiceEventArgs class), 136
- 3-5 (ISharePointService), 141
- 3-6 (SPItemEventArgs class), 143
- 3-7 (SPWorkflowTaskProperties class), 144
- 3-8 (IListItemService), 145-147
- 3-9 (SPListItemServiceEventArgs event data class), 148
- 3-10 (IWorkflowModificationService), 185
- 3-11 (SPModificationEventArgs class), 186
- 3-12 (CorrelationToken class), 195
- 3-13 (CorrelationProperty class), 196
- 3-14 (IActivityEventListener.T, generic type), 196-197
- 3-15 (CorrelationTokenEventArgs event data class), 197
- 4-1 (CallExternalMethodActivity, internal implementation of), 204-205
- 4-2 (WorkflowParameterBinding class), 205
- 4-3 (CreateTask activity), 208-209
- 4-4 (ActivityBind class), 210
- 4-5 (MethodInvoking event handler), 218
- 4-6 (CreateTaskWithContentType activity), 220-221
- 4-7 (ConferenceRequestSiteContentTypes.xml file), 223-224, 565, 569
- 4-8 (ConferenceRequestSiteColumns.xml file), 228-229, 565, 569
- 4-9 (feature, element manifest files and), 230-231
- 4-10 (ConferenceRequestWorkflowAssociationForm.aspx), 231-234, 565, 569, 570
- 4-11 (ConferenceRequestWorkflowAssociationForm class), 235-241, 566
- 4-12 (ConferenceRequestInfo class), 241-243, 566
- 4-13 (ConferenceRequestWorkflowInitiationForm.aspx), 244-246, 565, 569
- 4-14 (ConferenceRequestWorkflowInitiationForm class), 246-248, 566
- 4-15 (ConferenceRequestWorkflow workflow, implementation), 251-253
- 4-16 (ConferenceRequestWorkflow.designer.cs file), 253-255
- 4-17 (UpdateTask activity), 257-258
- 4-18 (DeleteTask activity), 261
- 4-19 (CompleteTask activity), 267-268
- 4-20 (SendEmail activity), 268-270
- 4-21 (EnableWorkflowModification activity), 272
- 5-1 (IEventActivity activity), 291-292
- 5-2 (IActivityEventListener generic interface), 292
- 5-3 (EventHandlingScopeActivity, internal implementation), 315-317
- 5-4 (OnWorkflowModified activity), 332-333
- 6-1 (Roles bindable property, of HandleExternalEvent Activity), 339
- 6-2 (WorkflowRoleCollection class, internal implementation of), 340
- 6-3 (WorkflowRole class), 340
- 6-4 (SPWorkflowWorkflowRoleCreator class), 341
- 6-5 (ISecurableObject interface), 345
- 6-6 (workflow, with security features), 347-352
- 6-7 (workflow, with fault handling/security features), 362-368
- 7-1 (ManagerContentTypeEditTaskForm.aspx page), 399-401, 566, 570
- 7-2 (ManagerContentTypeEditTaskForm code-behind class), 402-404, 566
- 7-3 (ManagerContentType site content type), 406
- 7-4 (ConferenceRequestWorkflow.cs file, complete code for), 408-414, 566
- 7-5 (ConferenceRequestWorkflow.designer.cs file, complete code for), 414-430, 566
- 8-1 (CustomActivity custom WF activity), 432-433
- 8-2 (CustomActivity.actions file), 435
- 9-1 (CustomActivity activity), 522-524
- 10-1 (data description file, simple), 562-563
- 10-2 (manifest.xml file, portion of), 564-565
- 10-3 (feature.xml), 566, 567
- 10-4 (workflow.xml), 566, 567
- 10-5 (data description file, implementation), 568-569
- 10-6 (manifest.xml file, implementation of), 569-570
- 10-7 (batch file), 571
- 10-8 (CustomActivity.actions file), 571, 572-575
- 10-9 (data description file), 575-576
- 10-10 (manifest.xml file), 576
- 10-11 (batch file), 577
- ListItem property, 476**
- ListModeration attribute, 471**
  - Approved, 471
  - Pending, 471
  - Rejected, 471
- ListNames (DesignerType attribute), 508-512**
- local service interfaces, 127**
- local services, 127**
- Log To History List action, 454, 455**
- logical program statements, 2, 5, 9. See also activities**
- logical programs, 2. See also workflows**
- LogToHistoryList, 142**
- LogToHistoryList method, 66**
- LogToHistoryListActivity activity, 35, 48, 64-72**
  - best practices, 151, 298
  - Execute method, internal implementation of, 65-66
  - HistoryDescriptionProperty field of, 68-69
  - listing 2-6, 64
  - properties, 65
  - public API of, 64
  - using, in Visual Studio, 67-72

## M

**makecab command-line utility**  
 cabinet files and, 562–563, 568  
 .ddf files and, 562–563, 568

**ManageAlerts, 343**

**ManageLists, 344**

**ManagePermissions, 344**

**ManagePersonalViews, 343**

**ManagerContentType site content type, 223**  
 in ConferenceRequestSiteContentTypes.xml file,  
 227, 406  
 content type ID of, 227  
 hexadecimal number and, 227  
 listing 7–3, 406

**ManagerContentTypeEditTaskForm code-behind class,  
 listing 7–2, 402–404, 566**

**ManagerContentTypeEditTaskForm.aspx page,  
 listing 7–1, 399–401, 566, 570**

**ManageSubwebs, 343**

**ManageWeb, 344**

**manifest.xml file**  
 listing 10–2 (portion), 564–565  
 listing 10–6 (implementation), 569–570  
 listing 10–10, 576  
 solution manifest, 564–565

**Manual initiation option, 88**

**‘Manually by users’ option, 38**

**‘MetaData’ XML element, 119, 384, 385, 386**

**MethodInvoking event, 66, 70, 71, 205**

**MethodInvoking event handler (listing 4–5), 218**

**MethodMessage instance, 189, 191**

**MethodName, 205, 274**

**methods. See specific methods**

**Microsoft Office SharePoint. See SharePoint; SharePoint  
 Designer 2007**

**Microsoft Visual Studio. See Visual Studio 2008**

**Microsoft.SharePoint.dll assembly, 83, 436**

**Microsoft.SharePoint.WebControls namespace, 83**

**Microsoft.SharePoint.WorkflowActions.WorkflowContext,  
 458, 459**

**modifications (workflow), 56, 332, 369–383**  
 OnWorkflowModified activity, 185, 193, 202, 332–333  
 internal implementation, 332–333

**ModerationStatus, 471, 481**

**modification workflow input form, 45, 47, 384–398**  
 code-behind file and, 388  
 for ConferenceRequestWorkflow workflow, 384–394

**‘Modification\_GUID\_Name’ XML element, 120**

**ModificationID, 385, 391, 394**

**modificationId, 185, 186, 333**

**Modifications (public property), 56**

**modificationToken, 373**

**ModificationUrl, 77, 121, 123, 384, 385, 386**

**Modified (public property), 56**

**Modify button, 479**

**ModifyWorkflow method, 339, 392, 393**

**MyCustomActions category, 444**

**MyCustomActivity1, 210, 211**

**MyGroup SharePoint group, 353, 354, 355, 357**

**MyImage1.jpg, 563**

**MyProperty property, 482, 486**

**MyTextFiles, 563**

## N

**Name (property), 77, 123, 210**

**Name attribute, 120, 466, 554, 557**

**Namespace attribute, 435**

**namespace, http://microsoft.schemas.com/  
 sharepoint/, 565**

**.NET reflection, 188, 207**

**.NET type, 554**  
 Browse and Select dialog box, 155, 360  
 System.Collection.ArrayList, 513, 514  
 System.DateTime, 508  
 System.Double, 508  
 System.String, 451, 508

**New Project dialog, 36, 37, 38, 151, 212, 231, 436**

**NewItemId output property, 479**

**non-collection string property, 518**

**None value, 558**

**non-flow control program statements, 2**

**non-iterative flow control constructs, 17–24**

**non-negative integer property, 508**

**NumberVariable local variable, 526, 528**

## O

**object initialization, 9**

**object model, SharePoint, 29**

**object workItem, 130**

**Office SharePoint. See SharePoint; SharePoint  
 Designer 2007**

**OKCallback method, 106–111, 116–117**

**OnEvent method, 197**

**OnItemAttachmentAdded, 147**

**OnItemAttachmentDeleted, 147**

**OnItemChanged, 147**

**OnItemCheckedIn, 147**

**OnItemCheckedOut, 147**

**OnItemCreated, 147**

**OnItemDeleted, 147**

**OnItemFileMoved, 147**

**OnItemUncheckedOut, 147**

**OnLoad method, 102–106, 115–116, 391, 392,  
 404, 405**

**OnMethodInvoking method, 66**

**OnTaskChanged activity, 135, 287–303**  
 in ConferenceRequestWorkflow workflow, 222, 223,  
 287–303  
 Executor property of, 295–297  
 of ITaskService, 191

**OnTaskCreated activity, 135, 303–306**  
 Executor property of, 304, 306  
 internal implementation of, 304  
 properties of, 304, 306

**OnTaskDeleted activity, 135, 306–309**  
 Executor property of, 307

internal implementation of, 306–307  
 properties of, 309

**OnWorkflowActivated activity, 35, 48, 49–64**  
 listing 2–2, 50–51  
 using, in Visual Studio, 59–64

**OnWorkflowActivated event, 141, 142**

**OnWorkflowItemChanged activity, 141, 142, 309–328**  
 ConferenceRequestWorkflow workflow and, 311–328  
 internal implementation of, 310–311

**OnWorkflowItemDeleted activity, 141, 142, 328–332**  
 in ConferenceRequestWorkflow workflow, 329–332  
 internal implementation of, 328–329

**OnWorkflowModified activity, 185, 193, 202, 332–333**  
 listing 5–4, 332–333

**Open (permission), 344**

**OpenItems, 344**

**Operator property, 504**

**Operator value (DesignerType attribute), 504–508**

**OperatorTypeFrom attribute, 552**

**OptCreateNewTaskList, 91**

**Option child element, 481, 554–556**  
 Name attribute, 554  
 TypeFilter attribute, 554–555  
 UnaryHides attribute, 556  
 Value attribute, 554

**Originator, 53**

**OriginatorEmail, 53**

**OriginatorUser, 53, 298**

**otherData, 58, 65, 142**

**outcome (string), 57, 58**

**overloads**  
 CountWorkflows method, 336–337  
 CreateHistoryEvent method, 58  
 GetItemTasks method, 338  
 GetItemWorkflows method, 338  
 GetWorkflowRoleForPermission method, 342, 344, 345, 346  
 GetWorkflowTasks method, 338  
 StartWorkflow method, 339  
 WaitForIdle method, 130

**overwrite (parameter), 149**

## P

**Parallel attribute, 465**

**ParallelActivity flow control construct, 21–24, 311, 312, 313**  
 Execute method of, 22–23  
 implementation, 23–24  
 listing 1–8, 21–22

**Parameter element, 557–558**  
 Direction attribute, 558  
 InitialValue attribute, 557  
 Name attribute, 557  
 Type attribute, 557

**ParameterBindings, 205, 207**

**ParameterName, 206**

**ParameterNames (DesignerType attribute), 512**

**Parameters child element, 557–558, 559. See also**  
 Action element; Condition element

**ParentAssociation, 56**

**ParentContentType, 77**

**ParentItem, 55**

**ParentList, 56, 78**

**ParentSite, 78**

**ParentWeb, 56, 78**

**Path (property), 210**

**Pending value, 471**

**PercentComplete, 144**

**permissions, 208**  
 AddAndCustomizePages, 343  
 AddDelPrivateWebParts, 343  
 AddListItems, 342  
 ApplyStyleSheets, 342  
 ApplyThemeAndBorder, 342  
 ApproveItems, 343  
 base, 342, 344, 345, 346, 352, 354, 355  
 BrowseDirectories, 343  
 BrowseUserInfo, 343  
 CancelCheckout, 343  
 CheckPermissions method, 345  
 CreateAlerts, 343  
 CreateGroups, 343  
 CreateSSCSite, 344  
 DeleteListItems, 344  
 DeleteVersions, 344  
 DoesUserHavePermissions method, 345  
 EditListItems, 343  
 EditMyUserInfo, 343  
 EmptyMask, 343  
 EnumeratePermissions, 343  
 FullMask, 343  
 GetWorkflowRoleForPermission and, 342–344  
 groups v. users, 346  
 HybridDictionary, 135, 137, 212  
 ManageAlerts, 343  
 ManageLists, 344  
 ManagePermissions, 344  
 ManagePersonalViews, 343  
 ManageSubwebs, 343  
 ManageWeb, 344  
 Open, 344  
 OpenItems, 344  
 SPBasePermissions enumeration type, values for, 342–344  
 specialPermissions, 137, 209, 212, 221  
 UpdatePersonalWebParts, 344  
 UseClientIntegration, 344  
 UseRemoteAPIs, 344  
 ViewFormPages, 344  
 ViewListItems, 343  
 ViewPages, 343  
 ViewUsageData, 343  
 ViewVersions, 343

**Person object, 105, 106, 116, 117**

**Person value (DesignerType attribute), 512–517**

**PersonnelApproval, 228**

**PersonnelComment, 228**

**PersonnelContentType, 223**  
 in ConferenceRequestSiteContentTypes.xml file, 227–228  
 hexadecimal number and, 227

## placeholder variables, 472–473, 552

- %1, 446, 476, 481, 486, 494, 497, 498, 500, 505, 511
- %2, 446, 506, 508, 509, 518
- %3, 446, 506, 556
- components of, 472, 473
- 'workflow variable,' 528

## post-build event command line, 438, 439

## PrincipalId property, 298

## procedural programming model, 1–4, 17, 21

## ProcessStringField method, 528

## program statements

### C#

- composite, 5
- execution model, 3–4
- flow control, 2
- hierarchy, 4–5
- non-flow control, 2
- threads and, 4

logical, 2, 5, 9. *See also* activities

## programming model, workflow, 1–4, 17, 21

## programming principles, workflow, 1–43

## properties. *See also specific properties*

- ExternalDataEventArgs class, 129–130
- LogToHistoryListActivity activity, 65
- SPWorkflow class, 55–57
- SPWorkflowActivationProperties class, 52–53
- SPWorkflowAssociation class, 77–79
- SPWorkflowTask, 58
- SPWorkflowTaskProperties class, 144
- SPWorkflowTemplate class, 122–124

## properties (parameter), 143

### public API

- CorrelationToken class, 195
- LogToHistoryListActivity activity, 64
- SPWorkflow class, 54
- SPWorkflowActivationProperties class, 51–52
- SPWorkflowAssociation class, 76–80
- SPWorkflowManager, 335–336
- SPWorkflowTaskProperties class, 144
- SPWorkflowTemplate class, 122

## public properties. *See properties*

## PublicKeyToken, 435

## Q

### query string parameters

- cType, 92, 93, 103, 104, 110
- ID, 115, 391, 394, 404
- List, 92, 93, 103, 104, 110, 115, 391, 394, 404
- ModificationID, 385, 391, 394
- TemplateID, 115
- WorkflowInstanceID, 391, 394

## QueueItemAvailable events, 292, 293

## QueueName, 292

## R

### read-only properties

- EnabledActivities, 16

- EventName, 288, 311
- InterfaceType, 205, 274, 288, 311
- MethodName, 274
- ShuttingDown, 336

### recipes

- activities added to workflows/composite activities, 72
- CallExternalMethodActivity-based custom activities, implementation of (eight-step), 274
- custom action, implementation of, 431–432
- custom condition, implementation of, 457–458
- workflows, developing/deploying (11-step), 47–48, 126

## Register static method, 63

## Rejected value, 471

## 'Remove a workflow' link, 85

## RemoveWorkflowFromListItem method, 339

## Request object, 83, 94

## reusability, 16, 35, 72, 163

## role-based security, 340. *See also* security

## Roles bindable property, of HandleExternalEventActivity (listing 6–1), 339

## Roles collection field, 353

## roles, groups v., 346

## RollbackTask, 135

## Rule Condition Editor dialog, 265

### rule sentence

- for CheckListItemActivity, 474
- for CreateListItem activity, 478
- for EmailActivity activity, 487

## RuleDesigner child element, 472–556, 559. *See also* Action element; Condition element; FieldBind element

## RunningInstances, 78

## S

## schemas namespace, <http://microsoft.schemas.com/sharepoint/>, 565

## Scope attribute, 124. *See also* EventHandlingScopeActivity

## securable objects, 345. *See also* SPList; SPListItem;

### SPWeb object

- ACLs and, 345, 346
- CheckPermissions method, 345
- DoesUserHavePermissions method, 345

## security (WF), 339–356. *See also* permissions

- role-based, 340
- workflow, with security features (listing 6–6), 347–352

## security principal, 346, 347

- Forms authentication, 347
- Windows authentication, 347, 352

## Select Condition dialog, 265

## select elements, 88, 89, 90

## Select Users dialog, 513, 516, 517, 521, 522

## Self-Service Site Creation (SSC), 344

## SendEmail activity, 289, 302

- in ConferenceRequestWorkflow workflow, 270–272
- listing 4–20, 268–270

## SendEmail method, 142–143

## SendEmailNotification, 144

## sending e-mails, 268–272

## Sentence attribute, 472

- SequenceActivity activity, 18–21**
  - EventHandlingScopeActivity and, 318, 321, 371
  - listing 1–7, 18
- SequenceActivity.cs, 39**
- Sequential attribute, 465**
- SequentialWorkflowActivity activity, 35, 45, 47, 48, 126**
- service, SharePoint, 49, 65**
- Set Workflow Variable action, 528, 530**
- SetBinding, 209**
- SetFieldActivity, 472, 551, 552**
- SetHistoryList, 80**
- SetModerationStatusActivity activity, 481**
- SetState method, 143**
- SetTaskList, 80**
- SetTimeFieldActivity activity, 507**
- SetValue method, 63**
- SetVariableActivity activity, 554**
- SharePoint**
  - features. *See* features
  - object model, 29
  - service. *See* service
  - solution packages. *See* solution packages
  - tasks. *See* tasks
  - wss.actions file. *See* wss.actions file
- SharePoint Designer 2007, 430**
  - custom actions, 431–457
    - deploying, 571–577
    - recipe for implementing, 431–432
    - testing, 442–457
  - custom condition, 457–464
    - recipe for implementation, 457–458
  - Data Binding button, 456, 462, 544
  - dialog boxes. *See* dialog boxes
  - ellipse button, 456, 462, 473
  - Finish button, 447, 448, 456, 463, 496, 531, 537, 545
  - setting values
    - input collection property, 512, 513
    - input/output properties (CustomActivity WF activity), 450, 451
    - ListId property, 511
    - ListId/ListItem properties (CheckInItemActivity), 475
    - ListId/ListItem/ItemProperties, 544
    - To/CC/Subject/Body properties (CustomActivity2), 495
    - workflow local variables, 512
  - workflows, designing, 431, 442–443
  - wss.actions file. *See* wss.actions file
- SharePointWorkflow5.dll, 566. *See also* deployment files**
  - compiled code
    - ConferenceRequestInfo class (listing 4–12), 241–243, 566
    - ConferenceRequestWorkflowAssociationForm class (listing 4–11), 235–241, 566
    - ConferenceRequestWorkflow.cs file (listing 7–4), 408–414, 566
    - ConferenceRequestWorkflow.designer.cs file (listing 7–5), 414–430, 566
    - ConferenceRequestWorkflowInitiationForm class (listing 4–14), 246–248, 566
    - ConferenceRequestWorkflowModificationForm, 388–391, 566
    - feature.xml (listing 10–3), 566, 567
    - ManagerContentTypeEditTaskForm (listing 7–2), 402–404, 566
    - WorkflowAssociationTarget.cs, 241–243, 566
    - workflow.xml (listing 10–4), 566, 567
- ShuttingDown property, 336**
- SinglePerson value (DesignerType attribute), 518–522**
- Site (public property), 53**
- site-collection-scoped SharePoint feature, 47, 124, 126, 344**
- Siteld, 53, 56, 78**
- SiteUrl, 53**
- sn.exe command-line utility, 440**
- SOAP, 344**
- SoapXml, 78**
- ‘Solution’ document element, 564–565**
  - ‘Assemblies’, 565, 570, 576
  - ‘FeatureManifests’, 565, 570, 571
  - ‘TemplateFiles’, 565, 570, 576
- Solution Explorer, 39, 436, 566, 572. *See also* deployment files**
- solution manifest, 564–565**
  - manifest.xml file (listing 10–10), 576
  - manifest.xml file, implementation of (listing 10–6), 569–570
  - manifest.xml file, portion of (listing 10–2), 564–565
- solution packages (SharePoint), 46, 561–577**
  - cabinet files, 562–563
  - .ddf files, 562–563
  - deployment files. *See* deployment files
  - manual approach v., 46, 124, 561
  - solution manifest, 564–565
  - .wsp extension in, 562, 564
- SolutionId attribute, 565**
- SPActivationEventArgs event data class, 49**
  - listing 2–1, 50
- SPBasePermissions enumeration type, 342**
  - values of, 342–344
- SPContentType object, 77, 80, 104, 105, 108, 109, 110, 116**
- SPContentTypeId object, 78, 116, 124, 224**
- specialPermissions, 137, 209, 212, 221**
- \_spFormOnSubmit JavaScript function, 91–92**
  - listing 2–12, 91
- SPItemEventArgs class (listing 3–6), 143**
- SPItemEventArgs object, 142, 311, 326**
- SPList, 345**
- SPListItem, 31, 52, 55, 345**
  - SPWorkflowTask and, 58–59
- SPListItemServiceEventArgs event data class**
  - listing 3–9, 148
  - public fields, 148
- SPModificationEventArgs class (listing 3–11), 186**
- SPPrincipalInfo object, 298**
- SPSite object, 31, 32**
- SPTaskServiceEventArgs class**
  - listing 3–4, 136
  - public API of, 136
  - public fields, 136
- SPWeb object, 31, 32, 345**
- SPWinOeHostServices class (listing 3–2), 131–132, 188**

## **SPWinOePersistenceService persistence service, 132**

### **SPWinOeTaskService, 133**

### **SPWinOEWSSService, 133, 140, 145, 184**

#### **SPWorkflow class**

- AssociationId, 56
- Author, 55
- AuthorUser, 55
- Created (public property), 56
- Duration (TimeSpan object), 57
- eventId, 57
- groupId, 57
- HistoryList, 55
- HistoryListId, 55
- InstanceId, 55
- InternalState, 55
- IsCompleted, 55
- ItemGuid, 55
- itemId, 55
- listId, 55
- listing 2–4, 54
- methods, 57–58
  - CreateHistoryDurationEvent, 57–58
  - CreateHistoryEvent, 58
- Modifications (public property), 56
- Modified (public property), 56
- ParentAssociation, 56
- ParentItem, 55
- ParentList, 56
- ParentWeb, 56
- public API of, 54
- public properties of, 55–57
- SiteId, 56
- TaskFilter, 57
- TaskList, 57
- TaskListId, 57
- Tasks (public property), 56
- WebId, 56

#### **SPWorkflowActivationProperties class**

- AssociationData, 52
- HistoryList, 52
- HistoryListId, 52
- HistoryListUrl, 52
- InitiationData, 52
- Item (public property), 52
- itemId, 52
- ItemUrl, 52
- listing 2–3, 51–52
- Originator, 53
- OriginatorEmail, 53
- OriginatorUser, 53
- public API of, 51–52
- public properties, 52–53
- Site (public property), 53
- SiteId, 53
- SiteUrl, 53
- SPListItem, 52
- TaskList, 53
- TaskListId, 53
- TaskListUrl, 53
- TemplateName, 53

- Web (public property), 53
- WebId, 53
- WebUrl, 53
- Workflow (public property), 53
- workflowId, 53

#### **SPWorkflowActivationProperties.OriginatorUser.ID, 332**

#### **SPWorkflowAssociation class**

- listing 2–9, 76–77
- methods of, 79–80
- properties of, 77–79
- public API of, 76–80

#### **SPWorkflowFilter, 57**

#### **SPWorkflowHistoryEventType enumeration, 65, 142**

#### **SPWorkflowManager, 117, 131, 335–339**

- instantiating (best practice), 337
- public API of, 335–336
- public methods of, 336–339

#### **SPWorkflowRoleProvider abstract class, 341**

#### **SPWorkflowState enumeration, 55**

#### **SPWorkflowTask**

- methods, 58
- public properties, 58, 59
- SPListItem and, 58–59
- static methods, 59

#### **SPWorkflowTaskProperties class**

- listing 3–7, 144
- properties of, 144
- public API of, 144

#### **SPWorkflowTemplate class, 121**

- AllowAsyncManualStart, 122
- AllowManual, 122
- AssociationUrl property, 122
- AutoStartChange, 123
- BaselId, 123
- Description property, 123
- Id (property), 123
- InstantiationUrl, 121, 123
- IsDeclarative, 123
- listing 2–18, 122
- ModificationUrl, 121, 123
- Name (property), 123
- properties of, 122–124
- public API of, 122
- Scope attribute, 124
- StatusColumn, 78, 123
- StatusUrl, 121, 123
- TaskListContentTypeId, 124
- Xml (property), 124

#### **SPWorkflowWorkflowRoleCreator class**

- GetWorkflowRoleForGroups static method, 342, 346–347, 352
- GetWorkflowRoleForPermission static method overloads, 342
  - SPBasePermissions enumeration values, 342–344
- listing 6–4, 341

#### **SSC (Self-Service Site Creation), 344**

#### **StartDate, 144**

#### **StartWorkflow method, 117, 339**

#### **state (parameter), 143**

#### **StateMachineWorkflowActivity, 45, 47, 48, 126**

#### **StatusColumn, 78, 123**

**StatusPageUrl** XML element, 120  
**StatusUrl**, 78, 121, 123  
**String Builder** dialog, 452, 522, 525, 526, 528, 531, 532  
**string** property, non-collection, 518  
**StringBuilder (DesignerType attribute)**, 522–533  
**StringProperty** property, 533, 534, 535  
**Strong Name Key** dialog, Create, 437  
**strong-named assembly**, 39, 40, 47, 83, 126, 219, 255, 388, 402, 431, 434, 436, 438, 440, 467  
**STSADM** command-line utility, 40, 125, 219, 231, 255  
**Subject** property, 267, 271, 488  
**SubscribeForCorrelationTokenInitializeEvent**, 196, 197  
**System.Collection.ArrayList** .NET type, 513, 514  
**System.DateTime** .NET type, 508  
**System.Double** .NET type, 508  
**System.Exception** type, 360  
**System.Int32** type, 298, 458, 469  
**System.String** .NET type, 451, 508  
**System.String** type, 298, 458, 459  
**system.Workflow.ComponentModel.WorkflowCompiler** element, 434

## T

**tasks (SharePoint)**  
 completing, 267–268  
 creating, 208–220  
     with content types, 220–257  
 deleting, 261–267  
 updating, 257–260, 297  
**task (SPListItem object)**, 59  
**task edit workflow input form**, 45, 47, 398–430  
     code-behind file and, 402  
**task id**, 192  
**task list**, 88  
**TaskFilter**, 57  
**taskId**, 136, 258, 304  
**TaskId** output property, 468  
**TaskItemId**, 144  
**TaskList**, 53, 57  
**'TaskList'** hidden field, 90, 95  
**TaskListContentTypeId**, 78, 121, 124  
**TaskListId**, 53, 57, 78  
**TaskListTitle**, 78  
**TaskListUrl**, 53  
**TaskProperties**, 258  
**Tasks** (public property), 56  
**taskToken**, 214, 250, 267  
**TaskType**, 144  
**TemplateFiles** element, 565, 570, 576  
**TemplateID**, 115  
**TemplateName**, 53  
**testing custom actions**, in SharePoint Designer, 442–457  
**Testing folder**, 563  
**Text** attribute, 552  
**Text/TextArea** value (DesignerType attribute), 533–538  
**This Field Name** link, 550  
**this** keyword, 265

**This List** link, 474  
**This Message**, 455, 487, 495  
**This User** link, 521  
**threads**, 3  
     activities and, 3  
     program statements and, 4  
**time/date selector control**, 480  
**TimeoutDuration**, 302  
**Title (attribute)**, 120  
**Title (property)**, 144  
**To** property, 268, 271, 488  
**ToDoItemTask** activity, 468–469  
**ToDoItemTask** activity, 467  
**toList**, 149  
**ToListId** property, 470, 509  
**Toolbox(false)** metadata attribute, 533  
**tree**. See **hierarchy**  
**Type** attribute, 557, 559  
**TypeFilter** attribute, 554–555  
**TypeFrom** attribute, 552–554  
**TypeName** attribute, 435, 552

## U

**UnaryHides** attribute, 556  
**UndoCheckoutItemActivity**, 474, 475–476  
**UndoCheckOutListItem**, 150  
**Uninitialize** method, 10–11  
     Dispose method v., 11  
     implementation (listing 1–3), 10  
**Units** property, 508  
**Update List Item** dialog, 544, 545, 547  
**UpdateAllTasks** method, 143  
**UpdateDocument**, 150  
**UpdateListItem (DesignerType attribute)**, 538–547  
**UpdateListItem** method, 150  
**'UpdateLists'** hidden field, 107  
**UpdatePersonalWebParts**, 344  
**UpdateTask** activity  
     in ConferenceRequestWorkflow workflow, 258–260  
     listing 4–17, 257–258  
     properties of, 258  
**UpdateTask** method, 135  
**UpdateWorkflowAssociation** method, 107, 108, 109, 110  
**UpdateWorkflowAssociationsOnChildren** method, 108, 109  
 updating list items, 327, 538  
**UseClientIntegration**, 344  
**user (field)**, 186  
**user (SPMember object)**, 57, 58  
**UseRemoteAPIs**, 344  
**userId**, 65, 142  
**UsesCurrentItem** attribute, 472, 550  
**utilities, command-line**  
     gacutil.exe, 434  
     guidgen.exe, 226, 229, 373, 565  
     makecab, 562–563, 568  
     sn.exe, 440  
     STSADM, 40, 125, 219, 231, 255

## V

**Value (property)**, 206, 504  
**Value Assignment dialog**, 479, 544  
**Value attribute (of `FieldBind` element)**, 554  
**Value1, Value2, Value3**, 482  
**variables, placeholder. See placeholder variables**  
**View Source option**, 88  
**'View workflow reports' link**, 86  
**ViewFormPages**, 344  
**ViewListItems**, 343  
**ViewPages**, 343  
**ViewUsageData**, 343  
**ViewVersions**, 343  
**virtual directory, \_layouts**, 83, 125, 386  
**Visual Studio 2008**  
    ConferenceRequestWorkflow and, 255–256. *See also*  
        ConferenceRequestWorkflow workflow  
    CreateListItemAndWaitForChange and, 151–184  
    CustomActivity custom WF activity and, 436–441  
    FaultHandlersActivity activity and, 358–362  
    GUIDS, generate/copy/paste, 226  
    LogToHistoryListActivity and, 67–72  
    New Project dialog, 36, 37, 38, 151, 212, 231, 436  
    OnWorkflowActivated activity and, 59–64  
    Solution Explorer, 39, 436, 566, 572. *See also*  
        deployment files  
    workflows  
        adding activities, 72  
        creating, 36–43  
        designing, 442–443

## W

**WaitForActivity activity**, 504–505, 507, 553  
**WaitForIdle**, 130  
**Web (public property)**, 53  
**web (SPWeb object)**, 58  
**Web Parts**, 343, 344  
**web.config file**, 434, 441  
**WebDAV**, 343, 344  
**WebId**, 53, 56, 78  
**WebUrl**, 53  
**WF (Windows Workflow Foundation)**, 4  
    benefit of, 4  
    extensibility model, 127–133  
    hosting, 127–133  
        fundamental steps, 131  
    programming model, procedural programming v.,  
        1–4, 17, 21  
    security, 339–356  
**'When an item is changed' option**, 38  
**'When an item is created' option**, 38  
**WhileActivity activity**, 395, 396, 398  
    (listing 1–9), 25–27  
    implementation, 27–28  
**WhileActivity.cs**, 39  
**Windows authentication principal**, 347, 352  
**Windows Workflow Foundation. See WF**

## wizard

Add Field, 447  
Workflow Designer, 442, 443, 445, 446, 454  
Workflow Initiation Parameters, 446, 447  
**WordsInTitle custom condition method**, 459, 460  
**work items**, 11, 13, 19, 23  
**workflow(s)**  
    activation request, 49–50  
    activities in, Visual Studio and, 72  
    creating, with Visual Studio, 36–43  
    defined, 45  
    designing  
        in SharePoint Designer, 431, 442–443  
        in Visual Studio, 442–443  
    developing/deploying, 45–126  
    fault handling/security features in (listing 6–7),  
        362–368  
    in graphical fashion, 431. *See also* SharePoint  
        Designer 2007  
    as logical programs, 2  
    management. *See* SPWorkflowManager  
    modifications. *See* modifications  
    programming model, 1–4, 17, 21  
    programming principles, 1–43  
    security features in (listing 6–6), 347–352. *See also*  
        security  
**Workflow (public property)**, 53  
**workflow actions and conditions XML markup language**,  
    460, 464, 465–559. *See also* `Action` element;  
    `Conditions` element  
**Workflow Actions dialog**, 444, 454  
**workflow activities**, 127–128. *See also*  
    `CallExternalMethodActivity`;  
    `HandleExternalEventActivity`  
**Workflow Activity Library option**, 436  
**workflow association**, 46  
**Workflow Designer wizard**, 442, 443, 445, 446, 454  
**workflow feature**  
    activating, 125  
    installing, 125  
**workflow initiation form**, 77, 123, 243, 446–448, 449,  
    450, 457, 461, 463, 543–544  
**Workflow Initiation Parameters dialog**, 446  
**Workflow Initiation Parameters wizard**, 446, 447  
**workflow input forms. See also association workflow input  
form; initiation workflow input form; modification  
workflow input form; task edit workflow input form**  
    defined, 45  
    deploying, 125  
    types of, 45  
    updating list items v., 327  
**workflow instance**, 46  
    initiation options, 88  
**workflow local variables**, 512  
**Workflow Local Variables dialog**, 451  
**workflow queues**, 15, 292  
    creating, 8  
    defined, 7  
**workflow template**, 46, 47  
    CAML document (listing 2–17), 121  
    CAML schema (listing 2–16), 117–118

defined, 46, 117  
 definition file, feature (listing 2–19), 124  
 deploying, 124  
 implementing, 117–124  
 ‘**workflow variable**’ placeholder variables, 528  
 ·**Workflow** XML element, 118, 384, 385, 386  
 attributes, 120–121  
 child elements, 119–120  
**Workflow1**  
 activities in, 35–36  
 listing 1–11, 32–35  
**Workflow1.cs** file, 39  
 content of (listing 2–7), 73–74  
**workflow1.cs** file (code listing), 176  
**Workflow1.designer.cs** file, 39  
 content of (listing 2–8), 74–75  
**workflow1.designer.cs** file (code listing), 177–180  
**Workflow.aspx** page, 41  
**WorkflowAssociation** collection property, 104  
**workflowAssociationTarget**, 104, 105, 106  
**WorkflowAssociationTarget.cs**, 241–243, 566  
**WorkflowAssociationTargetList**, 103, 104  
 ‘**WorkflowDefinition**’ hidden field, 88, 95  
**WorkflowDefinition** schema type, 118  
**workflowId**, 49, 50, 53, 58, 59, 142, 143  
 ·**WorkflowInfo** element, 465, 558  
 child elements, 465. *See also* ‘**Actions**’ element;  
 ‘**Conditions**’ element  
 Language attribute, 465  
**WorkflowInstance** class, 9  
**WorkflowInstanceId**, 391, 394  
**WorkflowManager** property, 117, 339, 392  
 ‘**WorkflowName**’ hidden field, 89, 95, 102  
**WorkflowParameterBinding** class  
 listing 4–2, 205  
 properties of, 206  
**WorkflowProperties**, 49, 50, 60, 61, 62, 74  
**WorkflowQueue\_QueueItem** event handler (listing 1–5), 13–14  
**WorkflowQueuingService**, 7, 15  
**WorkflowRole** class (listing 6–3), 340  
**WorkflowRole** objects, 340, 341, 342, 344, 345, 346, 352, 353, 354, 355  
**WorkflowRoleCollection** class (listing 6–2), internal implementation of, 340  
**WorkflowRuntime**, 127  
**WorkflowTask** site content type, 225  
 definition (in ctypes.xml), 225  
**WorkflowTemplates** collection, 107  
**workflowToken**, 250, 271, 325, 331, 380  
**workflow.xml**, 38  
 listing 10–4, 566, 567

**WorkHandler**, 130  
**WorkItem**, 130  
**WritableFieldNames** value (**DesignerType** attribute), 547–551  
**WrkSetng.aspx** page, 85, 108, 109, 110  
**WrkStat.aspx** page, 42, 43, 182, 183, 326, 327, 393  
 .wsp extension, 562, 564  
**wss.actions** file (excerpts), 468  
 CheckInItemActivity, 475–476  
 CheckOutItemActivity, 475–476  
 CollectDataTask activity, 467, 468  
 CopyItemActivity, 470  
 CreateItemActivity activity, 469–470, 480  
 DesignerType attribute, 477  
 EmailActivity activity, 488  
 ·FieldBind: element, 497–498  
 GroupAssignedTask activity, 469  
 SetFieldActivity, 472  
 SetModerationStatusActivity activity, 481  
 ToDoItemTask activity, 468–469  
 UndoCheckOutItemActivity, 475–476  
 WaitForActivity activity, 504–505  
**wss.xsd** file, 117

## X

**XAML**, 123, 211  
**Xml** (property), 59, 124  
**XML data**, 119  
**XML elements**, 118  
 ·AssociationData:, 119  
 ·Categories:, 120  
 ·Elements:, 118  
 ·ExtendedStatusColumnValues:, 120  
 ·InitiationType:, 119  
 ·MetaData:, 119, 384, 385, 386  
 ·Modification\_GUID\_Name:, 120  
 ·StatusPageUrl:, 120  
 ·Workflow:, 118, 384, 385, 386  
 attributes, 120–121  
 child elements, 119–120  
**XML file**, .actions, 432, 465  
 deploying, 436  
 implementing, 435, 465  
**XML markup language** (workflow actions and conditions), 460, 464, 465–559. *See also* ‘**Action**’ element; ‘**Conditions**’ element  
**XmlDocument**, 119  
**XmlSerializer**, 249, 374, 381, 391, 392, 393  
**XOML file**, 457. *See also* **XAML**  
**XPathDocument**, 119  
 xs anyType schema type, 119, 120