

Index

COPYRIGHTED MATERIAL

Index

NUMERICS

3PCC (Third-Party Call Control), 157

A

access control lists (ACLs), 73–74, 190

Access Proxy server

- functionality, 7
- installation, 138–139
- remote access, 6

accounts, Windows Messenger, 165

ACK method, 17

ACLs (access control lists), 73–74, 190

activation process

- Enterprise Edition server installation, 135
- Standard Edition server installation, 131

Active Directory

- attributes, 65–66
- authentication, 63
- change validation, 215–216
- classes, 64–65
- Domain Add command, 74
- domain prep commands, 66
- functionality, 7
- global security groups, 66–67
- multi-forest organizations, 178–180
- permissions, troubleshooting, 198–200

- Prep Domain command, 71, 73–74
- Prep Forest command, 71–73
- Prep Schema command, 71
- preparation details, pre-sales process, 35
- pre-production environment, 279
- schema, 64, 178
- Test Domain environment, 274

ADAM (Active Directory Application Mode), 119

Add Authorized Host dialog box, 159

Add Connection dialog box, 145–146

Add Standalone Snap-in console, certificate MMC console, 104–105

Add Static Route dialog box, 147–148, 155

Add/Remove Snap-in console, certificate MMC console, 104–105

Address Book service

- access to, 66
- pre-production environment, 282
- pre-sales process, 40
- Test Domain environment, 276–277

address information, static routing configuration, 147

Address Windowing Extensions (AWE), 116

administration console

- MMC (Microsoft Management Console), 168
- MOM (Microsoft Operations Manager), 173

administration tools

- installation, 69–70
- uses for, 69

administrators

- DBAs (database administrators), 182
- pre-sales planning teams, 41–42
- AdminRole access, 115**
- ADSIEdit tool, 73**
- Advanced Connection Settings dialog box, 159–160**
- analog/digital phone lines, PC2Phone calls, 155**
- anti-virus solutions**
 - file transfers, 22
 - security levels, 5
- APIs (Application Programming Interfaces), 7**
- application installation details, pre-sales process, 35**
- application sharing, 25**
- Applications node, MMC, 171**
- approvals/sign-offs, pre-sales process, 34**
- architects, pre-sales planning teams, 41**
- architecture**
 - PIC (Public Instant Messaging Connectivity), 26
 - pre-production environment, 283–284
 - pre-sales process, 32
 - SIP (Session Initiation Protocol), 16–17
 - Test Domain environment, 277–278
 - TLS (Transport Layer Security), 20
- archives, 13, 136, 202–203**
- Archiving Service**
 - installation, 138
 - MMC (Microsoft Management Console), 170
- attributes, Active Directory, 65–66**
- audio calls**
 - computer-to-computer, 85
 - computer-to-phone, 83
 - encryption for, 87
 - limiting bandwidth for, 88
 - phone line control, 163
 - RTC Client API Policies, 88
- audio conversation type, 24**
- authentication**
 - Active Directory, 63
 - Domain Controller Authentication certificate type, 108
 - Kerberos protocol, 68
 - NTLM (NT LAN Manager) protocol, 68
 - security levels, 4
 - TLS (Transport Layer Security), 20

- automatic client configuration, Microsoft Office Communicator 2005 client, 159**
- automatic enrollment, certificates, 102**
- automation configuration, host A records, 75–78**
- availability, edition selection criteria, 126**
- Away presence status, 27**
- AWE (Address Windowing Extensions), 116**

B

- back-end servers**
 - discussed, 9, 13
 - pre-production environment, 281–282
 - requirements for, pre-sales process, 39
 - SQL Server, 113
 - Test Domain environment, 276
 - testing, 264
- backups, 118**
- badge and security access, pre-sales planning teams, 41**
- bandwidth**
 - for audio and video calls, limiting, 88
 - RTC Client API Policies, 88
- baseline administrators, pre-sales planning teams, 41**
- best practices, remote access, 182–183**
- BIG-IP load balancer, pre-production environment, 282–283**
- blocking contacts, 162–163, 251–252**
- breakout sessions, pre-sales process, 32**
- budget analysis**
 - edition selection criteria, 126
 - Microsoft Office Excel 2003 integration, 55
- BYE method, 17**

C

- CA (Certificate Authority), 96**
- calendar integration, Microsoft Office Outlook 2003, 51**
- CANCEL method, 17**
- capacity planning**
 - hardware configurations and requirements, 120
 - network infrastructure, 122
- Certificate Import Wizard, 112**

Certificate Request Wizard, 108–109, 206**Certificate Revocation Listing (CRL) checking, 88****certificate-based encryption, 146****certificates**

- automatic enrollment, 102
- Certsrv website, 99–100
- CN (common name), 96, 98
- configuration validation, 232–233
- creation verification, 109
- deployment, 96, 99–102
- Domain Controller Authentication type, 108
- EKU (Enhanced Key Usage) property, 98
- MMC console, 103–104, 106–107, 405
- personal, 107
- public, 110–113
- subject name property, 98
- templates, 103
- TLS (Transport Layer Security), 20
- troubleshooting, 201–202
- types, 97
- validity period, 99, 201

Certsrv website, 99–100**champions, pre-sales planning teams, 41****Child Domain node, MMC, 170****classes, Active Directory schema, 64–65****clearing house**

- connectivity, 6
- federation configuration and, 152

client configurations, Test Domain environment, 277**client deployment, pre-sales process, 36****client machine roles, pre-sales process, 40****client-to-server communications, TLS, 20****CN (common name), certificates, 96, 98****collaboration features, preventing, 86****commands**

- CreateLcsOuPermissions, 200
- dbbackup, 118
- dirsync, 118
- Domain Add, 74
- domain prep, 66
- ForestPrep, 71
- LcsCmd.exe, 200
- NTBackup, 118

Prep Domain, 71, 73–74

Prep Forest, 71–73

Prep Schema, 71

common name (CN), certificates, 96, 98**communication**

- military and private sector environments, 192
- real-time communication and collaboration solutions, 2
- unified, 2

Communicator 2005 client, Microsoft Office

- application sharing, 25
- conferencing information, 164
- configuration, 159–163
- connectivity testing, 236–238
- contact searches, 22
- conversation types, 24
- file transfers, 22
- IM font and emoticon selection, 162
- installation, 141
- mode types, 23
- Multiple Languages Pack, 162
- Office Integration, 25
- phone number entries, 161
- pre-production environment, 283
- presence status, 25
- tagging feature, 4
- telephony integration, 25
- Test Domain environment, 277
- value of presence, 4
- Whiteboard feature, 25

Communicator 2005 Web Access (CWA)**application, 28****communicator.adm template**

- computer configuration settings, 91–92
- GPO (Group Policy), 91–95
- user configuration settings, 91, 93–94

competitive analysis, pre-sales process, 42**compliance regulations, IBM Sametime domain, 45–46****Computer account option, certificate MMC console, 106****computer configuration settings**

- communicator.adm template, 91–92
- rtcclient.adm client, 82–83

Computer Supported Telecommunications Applications (CSTA), 28

computer-to-computer audio calls, 85

computer-to-phone audio calls, 83

conference calls

Microsoft Office Communicator 2005 client, 164

Microsoft Office Live Meeting 2005 integration, 59

configuration

federation, 151–154

messaging ports, 145–147

Microsoft Office Communicator 2005 client, 159–163

MOM management pack, 173

remote access, 148–150

routing, 147

Windows Messenger, 165–166

Connection Health view (MOM), 175

connectivity testing, 240–241, 243–244

console tree, MMC, 168

consulting services, pre-sales process, 32, 41

contacts

adding to contact list, 162, 249–250

blocking, 162–163, 251–252

Do Not Disturb feature, 262–263

group creation verification, 255–256

IM verification, 256–257, 259

online verification, 53

removing, 253–254

status changes, PIC, 27

tagging verification, 260

conversation types, 24

convert mode type, 23

cost

comparisons, IBM Sametime domain, 43

cost-effectiveness, Live Meeting product, 3

counters, MOM, 175

Create Pool process failure, 195

CreateLcsOuPermissions command, 200

CRL (Certificate Revocation List) checking, 88

CSTA (Computer Supported Telecommunications Applications), 28

custom reports, IM archives, 13

customer/client interaction. See pre-sales process

CWA (Communicator 2005 Web Access)

application, 28

D

DBAs (database administrators), 182

dbbackup command, 118

deliverables, pre-sales process, 32

demilitarized zone (DMZ), 64

demonstration, pre-sales process, 32

dependency, Instant Messaging, 4

deployment

certificates, 99–102

pre-sales process, 32

design document deliverables, pre-sales process, 36

desktop, shared applications, 25

destination locations, Enterprise Edition server

installation, 134

details pane, MMC, 168

dialog boxes

Add Authorized Host, 159

Add Connection, 145–146

Add Static Route, 147–148, 155

Advanced Connection Settings, 159–160

User Advanced Settings, 157

digital certificate details, pre-sales process, 34

direct access, remote access best practices, 183

Director console, 9, 14–15

director servers

federation configuration, 152

installation, 139–140

dirsync function, 118

disaster recovery strategies, 118

disclaimers

notification, federation configuration, 153

pre-sales process, 32

disk configuration requirements, pre-sales process, 39–40

DMZ (demilitarized zone), 64

DNA (Distributed Network Architecture), 173

DNS (Domain Name Service)

configuration validation, 219–223

deployment practices, 81

discussed, 63

host A records, 75–78

multiple domain name spaces, 80

pre-production environment, 283

queries, 78
 record details, pre-sales process, 35
 server names, allowing additional, 87
 SRV records, 78–80
 Test Domain environment, 277

Do Not Disturb feature, 262–263

Domain Add command, 74

**Domain Controller Authentication certificate
 type, 108**

domain information, static routing configuration, 147

Domain Name Service. See DNS

domain prep command, 66

domain-level groups, SQL Server, 115

Domains node, MMC, 170

E

EKU (Enhanced Key Usage), 21, 98

emoticon selection, IM, 162

encryption

for audio and video calls, 87
 certificate-based, 146
 security levels, 5
 TLS (Transport Layer Security), 20

enhanced federation, 153

Enhanced Key Usage (EKU), 21, 98

Enterprise Edition server

discussed, 6
 functionality, 126–127
 installation, 131–133, 135–136
 Standard Edition server versus, 125–126

enterprise-level security, 2

**equipment configuration and order details, pre-sales
 process, 34**

Excel 2003, Microsoft Office

budget analysis, 55
 spreadsheet data, 55–56

Exchange IM (Exchange Instant Messaging)

migration

discussed, 186
 gradual migration, 188
 immediate migration, 187–188

Exchange Messaging Service server, 85

external director server installation, 140

F

facility access, pre-sales planning teams, 41

**FAQs (frequently asked questions), general
 troubleshooting, 195–197**

federated connectivity option, 6

federation configuration

clearing house configuration and, 152
 director servers, 152
 disclaimer notification, 153
 discussed, 151
 domain connections, 154
 enhanced federation, 153
 IM connectivity, 154

file transfers

anti-virus integration capabilities, 22
 preventing, 86

Flat File Logging utility, 207

flexible infrastructure, 2

font selection, IM, 162

forest nodes

configuration validation, 226–227
 Forest Node object, MMC, 168–169
 pre-production environment, 279
 remote access configuration, 148
 Test Domain environment, 275

ForestPrep command, 71

FQDN (fully qualified domain name), 75, 202

**frequently asked questions (FAQs), general
 troubleshooting, 195–197**

Friendly Name field, Certsrv website, 101

front-end servers, 9, 132–133

G

GIS (Geographical Information System), 7

global organizations

security groups, Active Directory, 66–67
 server pools, 10
 settings, Prep Forest command, 72

GPO (Group Policy)

GPO (Group Policy)

- `communicator.adm` template, 91–95
- configuration validation, 224–225, 245–246
- discussed, 41
- registry keys, 82
- RTC Client API Policies, 83, 88
- `rtccclient.adm` administrative template, 82–83
- SIP Communication Service Policies, 83–84, 86–88
- testing template, 89–91
- Windows Messenger Feature Policies, 83–86

GPRS communications, military and private sector environments, 192

GPS communications, military and private sector environments, 192

Group Policy. See GPO

GSM communications, military and private sector environments, 192

H

handwrite mode type, 23

hardware configurations and requirements

- capacity planning, 120
- discussed, 119
- hard drives, 121
- network infrastructure, 122
- processors and memory, 120–121
- test plans, 211
- virtual machines, 122

hardware load balancer configuration details, pre-sales process, 35

hardware requirements, pre-sales process, 37–38

HIPPA compliance policies, 13

host A records, DNS

- automatic configuration, 75–78
- naming, 76

host authorization, VoIP, 158

hot fixes, 141

hypertext log, Standard Edition server installation, 130

I

IBM Sametime domain

- attrition scenarios, 43
- availability and scalability, 46–47
- compliance regulations, 45–46

- cost comparisons, 43
- discussed, 42
- features and functionality, 44–46
- migrating from, 185–186

IIFP (Identity Integration Feature Pack), 75

IM (Instant Messaging)

- advantages/disadvantages, 1–2
- Archiving Service installation, 138
- blocked contacts, 162
- contacts, adding to contact list, 162
- conversations, logging, 192
- dependency on, 4
- features, 22
- federation configuration, 154
- font selection, 162
- PIC interaction, 2
- verification, 256–257, 259

IMlogic third-party provider, 13

incoming messages, average holding time, 175

INFO method, 18

Install This Certificate link, Certsrv website, 101

installation

- Access Proxy server, 138–139
- administration tools, 69–70
- Archiving Service, 138
- director servers, 139–140
- Enterprise Edition server, 131–133, 135–136
- MOM management pack, 173
- Proxy server, 140
- SQL Server, 114–115
- Standard Edition server, 127–131
- Windows Messenger, 141

Instant Messaging. See IM

Instant Messaging Spam (SPIM), 1

instrumentation specification, Windows Messenger Feature Policies, 86

international clients, language versions, 183–184

Internet

- director server installation, 140
- upload time saving benefits, 59

INVITE method, 18

IP addresses

- configuration details, pre-sales process, 34
- static routing configuration, 147

IT security, 181

I386 directory, 128

K

KDC (Key Distribution Center), 68
Kerberos authentication protocol, 68
kick-off meetings, pre-sales process, 42

L

language versions, international clients, 183–184
large organizations, server pools, 10
LCS Diagnostic tool, 206
LcsCmd.exe command, 200
lcsimpac.wsf script, 190
lcsish.wsf script, 189
LcsLog database function, 117–118
lcsmon.wsf script, 189
lcssipen.wsf script, 189
LDIF (Lightweight Directory Interchange Format)
 file, 70
liaisons, pre-sales planning teams, 41
Line of Business (LOB) applications, 7
Listen on the port option (Add Connection dialog box), 146
Listen to Address option (Add Connection dialog box), 146
Live Meeting 2005, Microsoft Office
 advantages, 61–62
 conference call benefits, 59
 cost-effectiveness, 3
 discussed, 55
 Internet upload time saving benefits, 59
 marketing and media benefits, 59
 overview, 3
 remote control feature, 60
 remote desktop feature, 60
 sessions, starting, 60
 training session benefits, 59
load-balancing, 46
LOB (Line of Business) applications, 7
log files
 Enterprise Edition server installation, 133
 Standard Edition server installation, 130
Logged-On End Points view (MOM), 175
logon credentials, SIP Communication Service
 Policies, 87

M

Machine Health view (MOM), 175
management pack installation and configuration, MOM, 173
mapping solutions, military and private section environments, 192
marketing and media benefits
 Microsoft Office Live Meeting 2005 integration, 59
 Microsoft Office PowerPoint 2003 integration, 57
memory
 hardware configurations, 120–121
 requirements, pre-sales process, 39
MESSAGE method, 18
messages, SIP, 19–20
messaging port configuration, 145–147
methods, SIP
 ACK, 17
 BYE, 17
 CANCEL, 17
 INFO, 18
 INVITE, 18
 MESSAGE, 18
 NEGOTIATE, 18
 NOTIFY, 18
 OPTIONS, 18
 REFER, 18
 REGISTER, 18
 SERVICE, 18
 SUBSCRIBE, 18
Microsoft Identity Integration Server (MIS), 75
Microsoft Management Console. See MMC
Microsoft Message Queue (MSMQ), 67, 119
Microsoft Office Communicator 2005 client
 application sharing, 25
 conferencing information, 164
 configuration, 159–163
 connectivity testing, 236–238
 contact searches, 22
 conversation types, 24
 file transfers, 22
 IM font and emoticon selection, 162
 installation, 141
 mode types, 23
 Multiple Languages Pack, 162
 Office Integration, 25

Microsoft Office Communicator 2005 client (continued)

- phone number entries, 161
- pre-production environment, 283
- presence status, 25
- tagging feature, 4
- telephony integration, 25
- Test Domain environment, 277
- value of presence, 4
- Whiteboard feature, 25

Microsoft Office Excel 2003 integration

- budget analysis, 55
- spreadsheet data, 55–56

Microsoft Office Live Meeting 2005 integration

- advantages, 61–62
- conference call benefits, 59
- cost-effectiveness, 3
- discussed, 55
- Internet upload time saving benefits, 59
- marketing and media benefits, 59
- overview, 3
- remote control feature, 60
- remote desktop feature, 60
- sessions, starting, 60
- training session benefits, 59

Microsoft Office Outlook 2003 integration

- advantages, 61
- calendar integration, 51
- contact online determination, 53
- features, 51
- Out of Office option, 52

Microsoft Office PowerPoint 2003 integration

- advantages, 61
- marketing and media coverage benefits, 57
- shared presentations, 56
- training session benefits, 57

Microsoft Office SharePoint Portal Server 2003 integration

- advantages, 61
- real-time communication, 57
- shared workspace, 58

Microsoft Office Word 2003 integration

- advantages, 61
- Live Meeting sessions, 55
- shared workspace, 54

Microsoft Operations Manager. See MOM

Microsoft SQL Desktop Engine (MSDE), 119

Microsoft Unified Communication suite, 2–3

MIIS (Microsoft Identity Integration Server), 75 military and private sector environments

- communication security, 192
- discussed, 190
- GSM, GPRS, and GPS communications, 192
- IM conversations, logging, 192
- mapping solutions, 192
- mobile communications, 193
- satellite connectivity, 191

MMC (Microsoft Management Console)

- Add Standalone Snap-in console, 104–105
- Add/Remove Snap-in console, 104–105
- administration console, 168
- Applications node, 171
- Archiving Services node, 170
- Child Domain node, 170
- Computer account option, 106
- configuration verification, 234
- console tree, 168
- details pane, 168
- discussed, 103
- domains, 144
- Domains node, 170
- Forest Node object, 168–169
- functionality, 167
- panes, moving between, 168
- Pool node, 170
- Pool Server node, 171
- Proxy Servers node, 172
- Request New Certificate option, 107
- Resources tab, 168
- Root Domain node, 170
- root entry, 169
- Select Computer window, 106–107
- snap-in installation, on remote server, 143–145
- Status tab, 168
- task pane, 168
- unassigned user category, 144, 172
- Users node, 171

mobile communications

- call transfers to, 15
- military and private sector environments, 193

MOM (Microsoft Operations Manager)

- administration console, 173
- configuration verification, 235
- Connection Health view, 175
- counters, 175
- flow-controlled connections, 175
- functionality, 172
- incoming messages, average holding time, 175
- Logged-On End Points view, 175
- Machine Health view, 175
- management pack configuration and installation, 173
- pre-production environment, 282
- queue depth, 175
- real-time system monitoring, 172
- website, 173

MSDE (Microsoft SQL Desktop Engine), 119**MSMQ (Microsoft Message Queue), 67, 119****msRTCSIP-Archive Active Directory schema class, 64****msRTCSIP-ArchivingServer Active Directory schema class, 64****msRTCSIP-Domain Active Directory schema class, 64****msRTCSIP-EdgeProxy Active Directory schema class, 64****msRTCSIP-EnterpriseServerSettings Active Directory schema class, 64****msRTCSIP-Federation Active Directory schema class, 64****msRTCSIP-GlobalContainer Active Directory schema class, 64****msRTCSIP-Pool Active Directory schema class, 64****msRTCSIP-Pools Active Directory schema class, 64****msRTCSIP-PoolService Active Directory schema class, 64****msRTCSIP-Registrar Active Directory schema class, 65****msRTCSIP-Search Active Directory schema class, 65****msRTCSIP-Server Active Directory schema class, 65****msRTCSIP-Service Active Directory schema class, 65****msRTCSIP-TrustedServer Active Directory schema class, 65****MTLS (Mutual Transport Layer Security)**

- EKU (Extended Key Usage), 21
- PIC (Public Instant Messaging Connectivity), 26

SSL (Secure Sockets Layer) and, 9

TLS (Transport Layer Security), 20

MUI (Multi User Interface), 183**multi-forest organizations, Active Directory, 178–180****multiple domain name spaces, 80****Multiple Languages Pack, Microsoft Office Communicator 2005 client, 162****N****NEGOTIATE method, 18****.NET Messaging Service**

- automatic updates, 86
- preventing connection to, 85

NetMeeting application, 86**network sniffing device, 145****networks**

- infrastructure, hardware configurations and requirements, 122
- VPN (Virtual Private Network) connection, 6, 182–183

New Resource Record window, 80**NOTIFY method, 18****NTBackup command, 118****NTLM (NT LAN Manager) authentication protocol, 68****O****Office system configuration details, pre-sale process, 36****online presence configuration details, pre-sales process, 36****operating system load details, pre-sales process, 34****OPTIONS method, 18****OU (organizational unit) containers, troubleshooting, 198–199****Outlook 2003 integration, Microsoft Office**

- advantages, 61
- calendar integration, 51
- contact online determination, 53
- features, 51
- Out of Office option, 52

overview presentation, pre-sales process, 32

P

participants, test plan, 210

passwords

Enterprise Edition server installation, 135

SIP Communication Service Policies, 87

patches, edition selection criteria, 126

PBX (Private Branch Exchange) phone system

discussed, 3, 13

Live Communications Server integration, 14–15

telephony integration, 28

PC2Phone (PC-to-Phone) calls

analog/digital phone lines, 155

discussed, 154

RCC features, 157

secure communications, 156

static routing, 155

PDC (primary domain controller), 137

performance, flexible infrastructure, 2

permissions

ACLs (access control lists), 73–74

Active Directory, troubleshooting, 198–200

AdminRole access, 115

Enterprise Edition server installation, 135

pre-sales process, 37

ReadOnlyRole access, 115

ReadWriteRole access, 115

SQL Server, 115

Standard Edition server installation, 129

personal certificates, 107

phone line control

audio signals, 163

RCC (Remote Call Control) feature, 15

phone number entries, Microsoft Office Communicator

2005 client, 161

Phone URI information, static routing configuration, 147

PIC (Public Instant Messaging Connectivity)

architecture, 26

contact status changes, 27

Instant Messaging application interaction, 2

SIP-based communications, 27

Ping utility, 206

PKI (Public Key Infrastructure), 20

planning teams, pre-sales process, 41–42

policies, Windows Messenger Feature, 85–86

pool configuration validation, 227–228, 230–232

Pool node, MMC, 170

Pool Server node, MMC, 171

pool server settings

pre-production settings, 279–281

Test Domain environment, 275–276

ports

messaging port configuration, 145–147

range specification, 88

RTC Client API Policies, 88

static routing configuration, 147

Potential Scripting Violation warning, Certsrv website, 101–102

PowerPoint 2003 integration, Microsoft Office

advantages, 61

marketing and media coverage benefits, 57

shared presentations, 56

training session benefits, 57

Prep Domain command, 71, 73–74

Prep Forest command, 71–73

Prep Schema command, 71

pre-production environment

Active Directory design, 279

Address Book service, 282

architecture, 283–284

back-end servers, 281–282

BIG-IP load balancer, 282–283

DNS (Domain Name Service), 283

forest settings, 279

Microsoft Office Communicator 2005 client, 283

MOM (Microsoft Operations Manager), 282

pool server settings, 279–281

test plans, 212–214

pre-sales process

Active Directory preparation details, 35

Address Book roles, 40

application installation details, 35

approvals/sign-offs, 34

architecture guide, 32

back-end server requirements, 39

breakout sessions, 32

- client deployment, 36
- client machine roles, 40
- competitive analysis, 42
- consulting services, 32, 41
- customer requirements, 33
- deliverables, 32
- demonstrations, 32
- deployment scenarios, 32
- design document deliverables, 36
- digital certificate details, 34
- disclaimers, 32
- discussed, 31
- disk configuration requirements, 39–40
- DNS record details, 35
- equipment configuration and order details, 34
- hardware load balancer configuration details, 35
- hardware requirements, 37–38
- IP address configuration details, 34
- kick-off meetings, 42
- memory requirements, 39
- Office system configuration details, 36
- online presence configuration details, 36
- operating system load details, 34
- overview presentation, 32
- permissions roles, 37
- planning teams, 41–42
- pricing presentation, 32
- rack and mounting of server details, 34
- registration, 34
- required components summary, 37
- schema preparation details, 35
- security details, 34
- server configuration details, 35
- service record details, 35
- shared workspace details, 36
- SQL Server preparation details, 35
- technical planning, 41
- testing details, 36
- work orders, 32
- presence status, 25, 27**
- presentations, shared, 56**
- pricing presentation, pre-sales process, 32**
- primary domain controller (PDC), 137**

- Private Branch Exchange (PBX) phone system**
 - discussed, 3, 13
 - Live Communications Server integration, 14–15
 - telephony integration, 28
- private sector environments. See military and private sector environments**
- processors, hardware configurations and requirements, 120–121**
- production environment, test plans, 211**
- project managers and sponsors, pre-sales planning teams, 41**
- Proxy server**
 - installation, 140
 - MMC (Microsoft Management Console), 144
 - Proxy Servers node, 172
- proxy, SIP, 16**
- PSTN (Public Switched Telephone Network) service, 3, 13, 28**
- public certificates, 110–113**
- Public Instant Messaging Connectivity (PIC)**
 - architecture, 26
 - contact status changes, 27
 - Instant Messaging application interaction, 2
 - SIP-based communications, 27
- Public Key Infrastructure (PKI), 20**

Q

- queries, DNS, 78**

R

- rack and mounting of server details, pre-sales process, 34**
- RAM, hardware configurations and requirements, 120–121**
- ranges, port, 88**
- RCC (Remote Call Control)**
 - discussed, 3
 - PC2Phone calls and, 157
 - phone line control, 15
- ReadOnlyRole access, 115**
- ReadWriteRole access, 115**

real-time communication

- collaboration solutions and, 2
- Microsoft Office SharePoint Portal Server 2003
 - integration, 57
- SIP (Session Initiation Protocol), 16
- real-time system monitoring, MOM, 172**
- recovery strategies, 118**
- redirect servers, SIP, 16**
- REFER method, 18**
- REGEDIT (Registry Editor) command, 155**
- REGISTER method, 18**
- registrar servers, SIP, 16**
- registration, pre-sales process, 34**
- registry keys, GPO, 82**
- remote access**
 - Access Proxy server, 6
 - best practices, 182–183
 - configuration, 148–150
- Remote Call Control. See RCC**
- remote control feature, Microsoft Office Live Meeting 2005 integration, 60**
- remote desktop feature, Microsoft Office Live Meeting 2005 integration, 60**
- reports, IM archives, 13**
- Request New Certificate option, certificate MMC console, 107**
- required components summary, pre-sales process, 37**
- resource kits, troubleshooting, 205–207**
- Resource Record Type window, 79**
- resources**
 - SQL Server, 115
 - website, 207
- Resources tab, MMC, 168**
- Root Domain node, MMC, 170**
- root entry, MMC, 169**
- routing configuration, 147**
- RTC Client API Policies**
 - computer configuration settings, 83
 - policy descriptions, 88
- rtc database function, 116**
- RTCABSDomainServices Active Directory security group, 66**

- RTCArchivingDomainServices Active Directory security group, 67**
- rtccclient.adm administrative template, 82–83**
- rtccconfig database function, 117**
- RTCDomainServerAdmins Active Directory security group, 67**
- RTCDomainUserAdmins Active Directory security group, 67**
- RTCHSDomainServices Active Directory security group, 67**
- RTCProxyDomainServices Active Directory security group, 67**

S

- Sametime domain, IBM**
 - attrition scenarios, 43
 - availability and scalability, 46–47
 - compliance regulations, 45–46
 - cost comparisons, 43
 - discussed, 42
 - features and functionality, 44–46
 - migrating from, 185–186
- SAN (Storage Area Network) systems, 12, 120**
- Sarbanes-Oxley third-party provider, 13**
- satellite connectivity, military and private sector environments, 191**
- scalability**
 - flexible infrastructure, 2
 - IBM Sametime domain comparisons, 46–47
- scheduling, IBM Sametime domain migration, 185–186**
- schema**
 - Active Directory, 64, 178
 - preparation details, pre-sales process, 35
- Schema Master FSMO role holder, 71**
- scripts**
 - lcsimpac.wsf, 190
 - lcsish.wsf, 189
 - lcsmon.wsf, 189
 - lcssipen.wsf, 189
- searches**
 - features, 22
 - test plans, 248–249

**Secured Sockets Layer (SSL), 9
security**

ACLs (access control lists), 73–74
 Active Directory global security groups, 66–67
 anti-virus solutions, 5, 22
 authentication, 4, 20, 63, 68, 108
 badge access, pre-sales planning teams, 41
 details, pre-sales process, 34
 encryption, 5, 20, 87, 146
 enterprise-level, 2
 IT, 181
 military and private sector environments, 192
 MTLS (Mutual Transport Layer Security), 9, 20–21, 26
 PC2Phone call communication, 156
 PKI (Public Key Infrastructure), 20
 server security verification, 232
 SPAM filters, 5
 TLS (Transport Layer Security), 5, 20

**Select computer window, certificate MMC console,
106–107****server configuration details, pre-sales process, 35****server security verification, 232****server specification, SIP Communication Service
Policies, 88****server-to-server communications, TLS, 20****service account selection, Enterprise Edition server
installation, 135****SERVICE method, 18****service record details, pre-sales process, 35****Session Initiation Protocol. See SIP****sessions, starting, Microsoft Office Live Meeting 2005
integration, 60****setup program**

Access Proxy server, 139
 Enterprise Edition server installation, 132
 Proxy server, 140

SETUP . EXE file, 128**shared applications, 25****shared presentations, Microsoft Office PowerPoint
2003 integration, 56****shared workspace**

Microsoft Office SharePoint Portal Server 2003, 58
 Microsoft Office Word 2003 integration, 54
 pre-sales process, 36

**SharePoint Portal Server 2003 integration, Microsoft
Office**

advantages, 61
 real-time communication, 57
 shared workspace, 58
sign-offs/approvals, pre-sales process, 34
Simple Object Access Protocol (SOAP), 18
SIP (Session Initiation Protocol)
 ACK method, 17
 architecture, 16–17
 BYE method, 17
 CANCEL method, 17
 Communication Service Policies, 83–84, 86–88
 high-security mode, 87
 INFO method, 18
 INVITE method, 18
 MESSAGE method, 18
 messages, 19–20
 NEGOTIATE method, 18
 NOTIFY method, 18
 OPTIONS method, 18
 PIC (Public Instant Messaging Connectivity), 27
 proxy, 16
 real-time communications, 16
 redirect servers, 16
 REFER method, 18
 REGISTER method, 18
 registrar servers, 16
 SERVICE method, 18
 SUBSCRIBE method, 18
 URI (uniform resource identifier), 16–17

sites. See websites**SME (subject matter experts), 41****snap-ins, installing of remote server, 143–145****sniffing device, 145****SOAP (Simple Object Access Protocol), 18****software requirements, 118–119, 211****SPAM filters, 5****SPIM (Instant Messaging Spam), 1****spreadsheet data, Microsoft Office Excel 2003
integration, 55–56**

SQL Server

- back-end servers, 113
- domain-level groups, 115
- installation, 114–115
- LcsLog database function, 117–118
- permissions, 115
- preparation details, pre-sales process, 35
- resources, 115
- rtc database function, 116
- rtcconfig database function, 117
- test plans, 264, 266, 268–269, 271
- UR (User Replicator) process, 116, 118

SRV records, DNS, 78–80

SSL (Secured Sockets Layer), 9

Standard Edition server

- discussed, 6
- Enterprise Edition server versus, 125–126
- functionality, 126–127
- installation, 127–131

static routing

- configuration, 147
- PC2Phone calls, 155

status settings, test plans, 260–262

Status tab, MMC, 168

Stepped Out presence status, 27

Storage Area Network (SAN) systems, 12, 120

subdomain verification, 241–242

subject matter experts (SME), 41

subject name property, certificates, 98

Submit button, Certsrv website, 101

SUBSCRIBE method, 18

Sybari Antigen product, 5

T

tablet PC users, handwritten mode type, 23

tagging feature, Communicator 2005 client, 4

task pane, MMC, 168

TCP (Transmission Control Protocol), 78

teams, pre-sales process, 41–42

technical planning, pre-sales planning teams, 41

telephony integration

- conversation types, 24
- features, 25
- PBX integration, 28
- PSTN integration, 28

templates

- certificate, 103
- communicator.adm, 91–95

Test Domain environment. See also test plans

- Active Directory architecture, 274
- Address Book service, 276–277
- architecture, 277–278
- back-end servers, 276
- client configurations, 277
- discussed, 273
- DNS (Domain Name Service), 277
- forest settings, 275
- Microsoft Office Communicator 2005 client, 277
- pool server settings, 275

test plans. See also Test Domain environment

- Active Directory change validation, 215–216
- back-end servers, 264
- blocked contacts, 251–252
- certificate configuration validation, 232–233
- connectivity, 240–241, 243–244
- contact addition verification, 249–250
- contact group creation, 255–256
- contact removal, 253–254
- contact tagging verification, 260
- DNS validation configuration, 219–223
- Do Not Disturb feature, 262–263
- forest configuration validation, 226–227
- GPO configuration validation, 224–225, 245–246
- IM verification, 256–257, 259
- Microsoft Office Communicator 2005 client, 236–238
- MMC configuration verification, 234
- MOM configuration verification, 235
- objectives, 210
- participants, 210
- pool configuration, 227–228, 230–232
- pre-production implementation, 212–214
- pre-sales process, 36
- production environment, 211
- required hardware and software configurations, 211
- searches, 248–249
- server security verification, 232
- SQL Server database, 264, 266, 268–269, 271
- status settings, 260–262
- subdomain verification, 241–242
- URI (uniform resource identifier), 242–243

3PCC (Third-Party Call Control), 157**Tivoli software, 141****TLS (Transport Layer Security)**

- architecture, 20
- authentication and encryption trusts, 20
- certificates, 20
- client-to-server communications, 20
- discussed, 5
- MTLS and, 20
- server-to-server communications, 20

training session benefits

- Microsoft Office Live Meeting 2005 integration, 59
- Microsoft Office PowerPoint 2003 integration, 57

Transmission Control Protocol (TCP), 78**transport information, static routing configuration, 147****Transport Layer Security. See TLS****transport specification, SIP Communication Service Policies, 88****Transport Type option (Add Connection dialog box), 146****triple-stack client, 165****troubleshooting**

- Active Directory permissions, 198–200
- certificates, 201–202
- Create Pool process failure, 195
- FAQs (frequently asked questions), 195–197
- Flat File Logging utility, 207
- LCS Diagnostics tool, 206
- OU (organizational unit) containers, 198–199
- Ping utility, 206
- resource kits for, 205–207

type mode type, 23**U****unassigned user category, MMC, 144, 172****unified communication, 2****upgrades, Enterprise Edition server installation, 132****UR (User Replicator) process, 116, 118****URI (uniform resource identifier)**

- SIP (Session Initiation Protocol), 16
- test plans, 242–243

User Advanced Settings dialog box, 157**users**

- configuration settings, `communicator.adm` template, 91, 93–94
- information, static routing configuration, 147
- population size, edition selection criteria, 126

Users node, MMC, 171**V****validation**

- certificate configuration, 232–233
- change, Active Directory, 215–216
- DNS configuration, 219–223
- forest configuration, 226–227
- GPO configuration, 224–225, 245–246
- pool configuration, 227–228, 230–232
- validity period, certificates, 99, 201

value of presence, Communicator 2005 client, 4**vendors, test plan participants, 210****video calls**

- encryption for, 87
- limiting bandwidth for, 88
- RTC Client API Policies, 88
- Windows Messenger Feature Policies, 85

video conversation type, 24**VIP (Virtual Internet Protocol), 35****virtual machines, hardware configurations and requirements, 122****viruses**

- anti-virus solutions, 5, 22
- Synbari Antigen product, 5

VMWare virtual machines, 122**VoIP (Voice over Internet Protocol), 13, 154****VPN (Virtual Private Network) connection, 6, 182–183****W****websites**

- Certsrv, 99–100
- MOM, 173
- as resource information, 207

Whiteboard feature, 25

Windows Management Instrumentation (WMI)

Windows Management Instrumentation (WMI), 207

Windows Messenger

- accounts, 165
- computer configuration settings, 83
- configuration, 165–166
- installation, 141
- policy options, 85–86
- triple-stack client, 165
- user configuration settings, 84

Windows Scripting Host (WSH), 114

wizards

- Certificate Import, 112
- Certificate Request, 108–109, 206

WMI (Windows Management Instrumentation), 207

Word 2003 integration, Microsoft Office

- advantages, 61
- Live Meeting sessions, 55
- shared workspace, 54

work orders, pre-sales process, 32

workgroup server, Access Proxy server installation, 139

WSH (Windows Scripting Host), 114

