

# Index

---

- Abscess around cover screw, 147
- Abutment  
inability to perfectly connect, to implant, 147  
SynCone, 194, 198–199, 203–204
- Access brush, implant overdentures and, 211
- Accretions, removal of, implant overdentures and, 213
- Acid-etched surface, 154, 169
- Acrylic denture base, clinical and laboratory procedures for VKS-OC rs attachment, 45, 49 embedded in, 45
- Alignment, 37, 172  
of stud attachments, 37  
of trajectory of implant, Maximus OS, overdenture implant and, 168–171
- Alignment drill aligning trajectory of implant and, 172, 175
- Allogeneic bone, bone grafting and, 141
- Allograft, bone grafting and, 140–141
- Alloplast, bone grafting and, 140–141
- Alveolar bone, access to, 33, 144, 171–172, 181–183  
ERA Overdenture Implant and, 171–172, 181–183  
Maximus OS overdenture implant and, 169
- Alveolar ridge  
sagittal relationship of bar to, 66  
vertical relationship of bar to, 66
- Ambassadors, successful implant practice and, 227
- Anchors, retentive. *See* Retentive anchors
- Anesthesia, 147
- Angle correction gauge kit, ERA, 39–40
- Ankylos implant system, 90
- Anterior crestal incision with or without vestibular release, 133–134
- Anterior interferences, elimination of, 124, 127–129
- Anterior mandible, lingual swelling after implant placement in, 146
- Anterior-posterior distance rule, bar attachments and, 68
- Antimicrobials, 212
- Apical portion, tapered, parallel body with, 170
- Artwork, selection of, in waiting room, 229–230
- Aspirin, effect of, on coagulation process, 132
- Astra ball abutment, 57
- Astra implant, 57–58
- Attachment assemblies  
evaluation of components of, 213–214  
factors influencing diagnosis and resiliency level of, 33  
for Straumann implants, 155

- Attachment design  
 classification of overdenture implants based  
 on features of, 168–169  
 cleansable, failure to achieve, 210–211
- Attachments  
 bar. *See* Bar attachments  
 Clix, 57–60  
 combination resilient, 32  
 ERA, 37  
 hinge resilient, 32, 81  
 resiliency of, 76  
 restricted vertical resilient, 32  
 rigid non-resilient, 25, 32, 107  
 rotary resilient, 32  
 stud. *See* Stud attachments  
 universal resilient, 32
- Attachment selection  
 biomechanical considerations and, 33  
 biomechanics of maxillary overdenture and,  
 33  
 criteria for, 32–33  
 different attachment assemblies and, 33  
 distal extension to bar and, 33  
 factors influencing design and resiliency level  
 of attachment assembly and, 33  
 load distribution of stud *vs.* bar attachments  
 and, 33  
 principles of, 31–33  
 types of attachments based on resiliency and,  
 32
- Autograft, bone grafting and, 140–141
- Available bone quantity in diagnosis and  
 treatment planning, 15
- Balanced occlusion, set-up procedure for,  
 utilizing Vita Physiodens teeth, 113
- Balancing excursion, eccentric jaw movements  
 and, 129
- Balancing side, eccentric balance and, 127
- Ball bearings (BBs), 12–13
- Bar  
 distal extension to, 33  
 Dolder. *See* Dolder bar  
 flexibility of, 64  
 Hader. *See* Hader bar  
 parallel, 78–79  
 passive seat of, 82  
 sagittal relationship of  
 to alveolar ridge, 66–67  
 to hinge axis, 67  
 vertical relationship of, to alveolar ridge, 66
- Bar arrangement, 64
- Bar assembly, incorporation of, into denture, 82
- Bar attachments, 33, 63–81  
 bar materials and, 63  
 based on cross-sectional shapes, 63  
 based on nature of their resiliency, 64  
 Dolder bar and, 72–75  
 fundamentals of bar arrangement and, 64  
 Hader bar and, 63, 69–73  
 load distribution of, 33  
 Vario Soft Bar Pattern VSP and, 76
- Bar clips, 63
- Bar joint, 32, 64, 72–73, 75–76
- Bar materials, 63
- Bar riders, 63, 69–73, 213
- Bar unit, 64, 72, 75
- BBs. *See* Ball bearings (BBs)
- Betamethasone, 132
- Bio-Gide, 143
- Biomechanics  
 attachment selection and, 31–33  
 lingualized teeth and, 122–123  
 of maxillary overdenture, 33  
 risk factors for lower implant overdentures  
 and, 106  
 risk factors for upper implant overdentures  
 and, 105
- BioMend, 142
- BioMend Extend, 143
- BIOS. *See* Breda Implant Overdenture Study  
 (BIOS)
- Blood pressure of surgical patient, 132–133
- Bone  
 allogeneic, 141  
 alveolar. *See* Alveolar bone  
 cancellous, 17–18, 144  
 compact, 17–18  
 ERA Overdenture Implant and, 179–180  
 height of, 11–15  
 length of, 15  
 porous, 18  
 shape of, 15  
 thick, 17–18  
 thin, 17–18  
 width of, 15  
 xenogeneic, 141
- Bone grafting, 15, 17, 104, 140–141, 144, 163

- Bone quantity  
 available, in diagnosis and treatment planning, 11–19  
 classification of edentulous ridges based on, 17
- Bone-spreading sequence, split-control system and, 144
- Bone supported surgical guides, 26
- Branding of implant practice, 226–227
- Brand name, successful implant practice and, 227
- Brealloy F 400, 80
- Breda Implant Overdenture Study (BIOS), 5
- Bredent PiKuPlast HP36, 79
- Bredent “Thixo Rock,” 78
- Bredent Vario Soft Bar Pattern, 76
- Bredent VSP bar, 81
- Brush  
 access, 211  
 denture, 212  
 interdental, 211
- Buccal corridor, 117
- Buccal cusp interferences, maxillary, elimination of, 124, 126
- Buccal incision, mandibular surgery and, 136
- Buccolingual position, mandibular teeth and, 124
- Budget, patient’s, successful implant practice and, 226
- Burs, careful handling of, disinfection and, 140
- Calculus, instruments for, 213
- Camlog, 198
- Camtube, 198
- Cancellous bone, classification of edentulous ridges based on, 17–18
- Cap, healing, difficulty inserting, 147
- Case acceptance, successful implant practice and, 225–226
- Castable bar, plastic, advantages of, 77
- Castable ERA attachment, mandibular implant-supported overdenture utilizing Hader bar and, 72
- Castable Hader bar attachment with gold alloy clips/riders, fabrication procedures for, 70–71
- Castable Hader bar attachment with plastic clips/riders, fabrication procedures for, 70–71
- Cawley, Peter, 206
- Center point vision, successful implant practice and, 216–217
- Centric occlusion contacts, reestablishing, 128
- Centric relation, 5, 11, 48, 52, 78, 81, 90, 93, 120, 129
- Centric stops, mandibular, equilibration and, 128
- Chair-side utilization procedures  
 of Astra implant, 57  
 of Clix attachment, 57  
 ERA attachments and, 39  
 ERAOverdenture Implant and, 179  
 Maximus OS overdenture implant and, 169–170  
 prosthetic steps and, 167, 178, 187, 198  
 of retentive anchor abutment and elliptical matrix, 55–56
- Chlorhexidine, 133, 147, 166, 201, 212
- Chrome cobalt framework, clinical and laboratory procedures for VKS-OC rs, 49  
 attachment cast within, 49
- Cleansable attachment design, failure to achieve, 210–211
- Clips  
 bar, 104  
 gold alloy, 71–73  
 Hader, placement of, 82  
 metal. *See* Metal clips  
 metal, *vs.* plastic Hader, 63, 72  
 parallel-sided, for rectangular bar, 77  
 plastic, castable Hader bar attachment with, fabrication procedures for, 70–71  
 snap-on, 77–78  
 with no extension, 78  
 with parallel-sided extension, 77  
 VKS-OC rs stud attachment and, 44–45
- Clix attachment, 57–60  
 design specifications of female component of, 57, 59, 170
- Clix inserts, replacing, 57–58
- Clopidogrel (Plavix), effect of, on coagulation process, 132
- Cobalt framework, chrome, clinical and laboratory procedures for VKS-OC rs, 49  
 attachment cast within, 49
- CO-Comfort GC, 166

- Coe-Comfort, 139
- Collar, polished, Straumann Implant System and, 153, 155, 157, 159
- Combination resilient attachments, 32
- Compact bone, classification of edentulous ridges based on, 17–18
- Compstat, 218
- Computed tomography (CT scan) , 12, 14–15, 26–28, 147, 172, 182
- Consultation room, successful implant practice and, 228, 230
- Continuous sutures, 138–139
- Conventional suture *vs.* implant overdenture, 3
- Cords, flossing, implant overdentures and, 212
- Core principles of successful implant practice. *See* Implant practice, successful, core principles of
- Coumadin. *See* Warfarin (Coumadin)
- Cover screw, 134, 147, 165–167  
abscess around, 147  
exposed, 147
- Crestal incision, 133–134, 136, 167, 194  
anterior, with or without vestibular release, 133–134  
extended, mandibular surgery and, 134  
full arch extended, 134  
mandibular surgery and, 134  
maxillary surgery and, 136  
with vestibular releasing incisions, 134  
without releasing incisions, 134
- Crock, Ray, 220
- CT scan. *See* Computed tomography (CT scan)
- Curve  
of Spee, 125  
of Wilson, 125
- Curved occlusal plane, mandibular teeth and, 122
- Cusps, maxillary lingual, equilibration and, 122–123
- Delayed loading protocol with SynCone concept, 202
- Dentists: An Endangered Species*, 225
- Denture  
conventional, *vs.* implant overdenture, 3  
incorporation of bar assembly into, 82
- Denture base, acrylic, clinical and laboratory procedures for VKS-OC rs attachment, 45  
embedded in, 45
- Denture base extensions, bar attachments and, 68–69
- Denture brushes, 212
- Denture teeth, occlusal schemes formed by, 112–113
- Dexamethasone, effect of, on patient's ability to heal after surgery, 132
- Diabetes, effect of surgery on patient with, 132
- Diagnosis and treatment planning, 11–23  
anatomical considerations during diagnosis and treatment planning process and, 15  
benefits of diagnostic mounting and, 11  
diagnostic workup for implant overdenture and, 11  
joint treatment planning and, 15  
radiographic evaluation and, 12
- Diagnostic mounting, benefits of, 11–12
- Diagnostic stent, surgical guide and. *See* Surgical guides and diagnostic stent
- Diagnostic workup for implant overdentures, 11
- DICOM-3-format, 27
- Disinfection  
of hands, 133  
of instruments, 133
- Distal extension to bar, attachment selection and, 33
- Dolder, Eugen, 72
- Dolder bar, 5, 32, 63, 72–73, 75–76  
contraindications for, 73  
dimensional specifications of, 73  
fabrication procedure for, 75  
indications for, 72–73
- Dolder bar joint, 32, 75–76  
fabrication procedure for, 75
- Dolder bar joint attachment assembly, relining an overdenture with, 76
- Dolder bar unit attachment assembly, relining overdenture with, 75
- Draping of patient for surgery, 133
- Drilling, hemorrhaging during, 146
- Drilling sequence for standard implants, 156  
Straumann Implant System and, 153–159
- Drills  
alignment, aligning trajectory of implant and, 137, 156, 163, 172–173  
careful handling of, disinfection and, 140

- Early loading, mandibular implant, 192  
overdentures and, 192–203
- Eccentric balance, implant-supported, 127  
overdenture and, 127
- Eccentric jaw movements, implant-supported, 129  
overdenture and, 129
- Edentulous ridges, classification of, based on  
bone quantity, 15–17
- Education, patient. *See* Patient education
- Elliptical matrix, retentive anchors and, 53–56
- Emotional pain, 146  
in patient's decision to have treatment, 222  
successful implant practice and, 222
- Emotional values, listening for, successful,  
implant practice and, 221
- Endopore dental implant system, 17, 161–167  
advantages of, 162  
implant uncovering steps for, 167  
post surgical instructions for, 166–167  
prosthetic steps for, 167  
short, mechanical rationale for, 162–163  
surgical steps for, 163
- Endosseous diameters, Straumann Implant  
System and, 154–155
- End-tufted toothbrushes, implant overdentures  
and, 211
- Epinephrine, anesthesia and, 133
- Epoxy, 92
- ePTFE. *See* Polytetrafluoroethylene (ePTFE)
- Equilibration  
after processing, 128  
completion of, by adjusting incline planes of  
mandibular posterior teeth, 129  
sequence of, after processing, 128
- Equipment. *See* Instruments
- ERA angle correction gauge kit, 39–40
- ERA attachment, 37, 72  
castable, mandibular implant-supported, 72  
overdenture utilizing Hader bar and, 72
- ERA implant, 187
- ERA male component, changing, 43, 189
- ERA Overdenture Implant, 179–180  
changing male component of, 168  
design specifications of, 168, 180  
surgical steps and, 171–172
- ERA plastic handle gauges, 39
- Erosion, spark. *See* Spark erosion
- Error, magnification, of panoramic x-rays,  
determining, 11–14
- Excessive retention of overdenture, SynCone  
concept and, 202–203
- Expectations, patient. *See* Patient preferences  
and expectations
- Exposed cover screw, 147
- Exposed implant threads, 146
- Extended crestal incision, full arch, 134
- Extended crestal incision, mandibular surgery  
and, 134–135
- External marketing objectives, successful,  
implant practice and, 227, 228
- Fabrication procedures, 70–75  
for castable Hader bar attachment, 70  
with gold alloy clips/riders, 71  
with plastic clips/riders, 72  
for Dolder bar joint, 72  
of hinge resilient overdenture using Bredent  
VSP bar, 81  
of rigid fully implant-borne overdenture,  
using parallel bar, 78
- Failure to achieve cleansable attachment design,  
210–211
- Female attachments  
implants with, 170  
interchangeable, 170
- First lower premolar, setting up, for balanced  
occlusion, 114, 116
- First upper premolar, setting up, for balanced  
occlusion, 113
- Fishtailing, attachment selection and, 31–32
- Fixed implant-supported prosthesis *vs.* implant  
overdenture, 3–4
- Flap designs  
basic, 133  
incisions and, 133
- Flaps, mini, 134
- Flap technique, gaining access to alveolar bone  
and, 171–172, 181, 187
- Flexibility of bar, bar attachments and, 64
- Flossing cords, implant overdentures and,  
212
- Fluorescent lighting, effect of, on mood, 230

- Follow up and maintenance of implant overdentures, 210–213  
 characteristics of ideal peri-implant tissues and, 210  
 consequences for failure to achieve cleansable, attachment design and, 210  
 home care implements and, 211  
 recommended routines at recall visits and, 213
- “Forgiving” intercuspation, 120–121
- Framework-reinforced overdenture, SynCone abutments and, 202–203
- Front line management concept, 217–218
- Full arch extended crestal incision, 134
- Full implant-supported implant overdenture, 4–5, 68–69
- Full-spectrum lighting, effect of, on mood, 230
- Fully edentulous ridges, classification of, based on bone quantity, 15–16
- Fully implant-supported overdentures, 4–5, 69, 85
- Furniture, selection of, in waiting room, 229
- George Schick Dental Company, 29
- Gingival cuff heights of Astra ball abutment, 38, 57
- Gingiva supported surgical guides, 26
- Giuliani, Rudolph, 218
- Gloves, sterile, 133
- Glucose metabolism, diabetes and, 132
- Gold alloy clips/riders, castable Hader bar attachment with, fabrication procedures for, 69–71
- Gold screw, difficulty inserting, 147
- GORE-TEX, 142
- Grafting, bone, 140–141, 163
- Granulation tissue around implant head, 147
- Guide pins, aligning trajectory of implant and, 46, 49
- Gysi, 123
- Hader, Helmut, 69
- Hader bar, 32, 63, 69–72  
 Castable, 70  
 with gold alloy clips/riders, fabrication, procedures for, 71, 72  
 with plastic clips/riders, fabrication, procedures for, 70, 72  
 mandibular implant-supported overdenture, utilizing, 72  
 metal clips and, 72
- Hader bar attachment assembly  
 troubleshooting for, 72–73
- Hader clip placement, 71–72
- Hader Vertical, 69
- Hard accretions, removal of, implant overdentures and, 213
- Healing cap, difficulty inserting, 147
- Healing period  
 before loading, mandibular implant overdentures and, 192  
 for Straumann implants with SLA surface, 160
- Healing phase, initial, overdenture implants acting as transitional implants during, 169
- Height of bone in diagnosis and treatment planning, 11–17
- Hemoglobin A1C in assessment of glucose control, 132
- Hemorrhaging during drilling, 146
- Hinge axis, sagittal relationship of bar to, 67
- Hinge movement, attachment selection and, 32–33
- Hinge resilient attachments, 32
- Hinge resilient overdenture, fabrication, procedures of, using Bredent VSP bar, 81
- HIPAA, 228–231
- Home care, VKS-OC rs stud attachment and, 44–45
- Homecare implements, plaque-control, 211
- Hygiene and recall operator, successful implant practice and, 228, 231
- Hypertension, effect of surgery on patient with, 132–133
- Ibuprofen, 133
- Immediate loading, mandibular implant overdentures and, 192
- Immediately loaded implants, clinical conditions affecting outcome of, Osstell Mentor and, 208
- Immediate stabilization for overdenture as purpose of overdenture implants, 169

- Implant. *See also* Implant overdentures; Overdenture implants; Overdentures; alignment of trajectory of, Maximus OS overdenture implant and, 169–171, 176 Astra, 57 body of, rough surface on, Straumann Implant System and, 154, 160 Endopore. *See* Endopore dental implant System with female attachments, 168 fracture of, during insertion in osteotomy, 147 immediately loaded, clinical conditions affecting outcome of, Osstell Mentor and, 208 inability to perfectly connect abutment to, 147 with male attachments, 168 marking location of, ERA Overdenture Implant and, 180 mobile, 147 painful, 147 placement of ERA Overdenture Implant and, 179–180 Maximus OS overdenture implant and, 169–170 sensitive but immobile, 147 Straumann. *See* Straumann Implant System successful integration of, with surrounding tissue, 140 supporting, loading of, effect of shape of mandible on, 107 transitional, during healing phase, overdenture implants acting as, 162, 169
- Implant bed, preparation of, Straumann Implant System and, 155
- Implant 3D software, 28
- Implant head, granulation tissue around, 147
- Implant insertion, Straumann Implant System and, 156–157
- Implant mobility after placement, 146
- Implant overdentures, 168–191. *See also* Implant Overdenture implants; Overdentures bar attachments, 75 clinical applications for measurement of implant stability using Osstell Mentor, 206 comparison of treatment strategies for, 4 core principles of successful implant practice, 216–231 diagnosis and treatment planning, 11–19 Endopore Dental Implant System, 161–167 follow up and maintenance of. *See* Follow up and maintenance of implant overdentures fully implant-supported, 4–5, 69 indications for, 4 mainly tissue-supported, 4–5 mandibular, loading approaches for. *See* Mandibular implant overdentures, loading approaches for occlusion and implant-supported overdentures, 112–130 overdenture implants, 168–191 patient preferences and expectations, 3–5 principles of attachment selection, 31–33 spark erosion, 85–100 Straumann Implant System, 153–159 stud attachments, 37–59, 105, 211 surgical considerations for. *See* Surgical considerations for implant overdentures surgical guide and diagnostic stent, 24–29 tissue-implant-supported, 4, 79 treatment success with overdentures, 104–107
- Implant placement, osteotomy and, 137–138
- Implant practice, 216–231 branding of, 226–227 criteria for, 228 successful, core principles of, 216–231 branding of implant practice and, 226–227 design criteria for implant practice and, 228 marketing and, 216–227 restorative practice and, 224 sales and, 220–221 systems and, 217–218 team and, 216–226 vision and, 216–230
- Implant site, tapping of, Straumann Implant System and, 156
- Implant stability, clinical applications for measurement of, using Osstell Mentor, 193, 206–209
- Implant Stability Quotient (ISQ), 207

- Implant-supported overdentures  
 common mistakes in construction of, 6  
 mandibular, utilizing Hader bar and castable ERA attachment, 72  
 occlusion and. *See* Occlusion and implant-supported overdentures
- Implant-supported prosthesis, fixed, *vs.* implant overdenture, 3–4
- Implant survival, 104
- Implant threads, exposed, 146
- Incisions  
 anterior crestal, with or without vestibular release, 133–134  
 buccal, mandibular surgery and, 134  
 crestal. *See* Crestal incision  
 extended crestal, mandibular surgery and, 134  
 flap design and, 133–134  
 full arch extended crestal, 134  
 palatal, mandibular surgery and, 134  
 releasing, crestal incision without, 134  
 vestibular, 133–135
- Incline planes of mandibular posterior teeth, completing equilibration by adjustment of, 129
- Inhalation anesthesia, 133
- INR. *See* International Normalized Ratio (INR)
- Instructions, postoperative. *See* Patient Education
- Instruments, 133  
 for calculus, 213  
 disinfection of, 133  
 treatment room preparation and utilization protocol and, 133
- Insufficient retention, SynCone concept and, 73, 202
- Insulin in assessment of glucose control, 132
- Interchangeable female components, 170
- Intercuspation, “forgiving,” 120–121
- Interdental brushes, implant overdentures and, 211–212
- International Normalized Ratio (INR), 132
- I shape of VSP bar, 77
- ISQ. *See* Implant Stability Quotient (ISQ)
- Ivoclar, 28, 123, 126
- Ivoclar ortholingual teeth, set-up procedure for, 123  
 lingualized occlusion utilizing, 123
- Jaw movements, eccentric, implant-supported overdenture and, 129
- Joint treatment planning, 15
- Language, successful implant practice and, 225
- Leadership, 218, 220
- Leadership*, 218, 220
- Length of bone in diagnosis and treatment planning, 15
- Lighting, effect of, on mood, 229–231
- Lingual contact occlusion, 122–123
- Lingual cusps, maxillary, equilibration and, 122–123, 125, 129
- Lingualized occlusal scheme, 122–123
- Lingualized occlusion, 81, 122, 123  
 history of, 123  
 utilizing Ivoclar ortholingual teeth, set-up procedure for, 123
- Lingualized teeth, 133–134
- Lingual swelling after implant placement in anterior mandible, 146
- Lip, lower, postoperative sensory disturbance of, 147
- Load distribution of stud *vs.* bar attachments, 33
- Loading  
 early, 192  
 healing period before, 192  
 immediate, 192  
 premature, 192  
 progressive, 192  
 of supporting implants, effect of shape of mandible on, 107
- Loading approaches for mandibular implant overdentures. *See* Mandibular implant overdentures, loading approaches for
- Locking sutures, 139
- Loose bone, classification of edentulous ridges based on, 17
- Loosely structured cancellous bone, 17–18  
 classification of edentulous ridges based on, 17
- Lower first molar, 118  
 occlusal contacts of, 114–120  
 setting up, 116
- Lower first premolars, occlusal contacts, 113  
 between upper first premolars and, 113–114
- Lower implant overdentures, biomechanical risk factors for, 105

- Lower lip, postoperative sensory disturbance of, 147
- Lower second molar, 117, 122  
occlusal contacts of, 114-120  
setting up, 116
- Lower second premolars, 116  
occlusal contacts of, 116  
setting up, 113
- Magnetic attachments, 32-33
- Magnification error of panoramic x-rays, determining, 11-14
- Male attachments, implants with, 168
- Mandible  
anterior, lingual swelling after implant placement in, 146  
shape of, effect of, on loading of supporting implants, 107-108
- Mandibular centric stops, equilibration and, 129-130
- Mandibular implant overdentures, loading approaches for, 192  
advantages of immediate loading in implant-supported overdenture cases and, 193  
determining loading strategies and, 192  
healing period before loading and, 192  
premature loading and, 192  
procedural sequences and, 203  
success of premature loaded implants and, 193
- SynCone abutments and framework-reinforced overdenture and, 203
- SynCone concept and, 194  
treatment protocol requirements and, 193  
troubleshooting and, 202
- Mandibular implant-supported overdenture utilizing Hader bar and castable ERA attachment, 72
- Mandibular posterior teeth, incline planes of, completing  
equilibration by adjustment of, 129
- Mandibular surgery, 134
- Mandibular teeth, position of, 124
- Marketing, successful implant practice and, 216, 223
- Matrices  
elliptical, retentive anchors and, 53-54  
parallel-sided, for rectangular bar, 77-78  
snap-on, with no extension, 78  
snap-on, with parallel-sided extension, 77-78  
VKS-OC rs stud attachment and, 44
- Mattress, horizontal, 139
- Maxillary buccal cusp interferences, elimination of, 126
- Maxillary lingual cusps, equilibration and, 129
- Maxillary overdenture, biomechanics of, 33
- Maxillary surgery, 136-146
- Maxillary teeth, position of, 125
- Maximus OS implant, 170-171, 178
- Maxwell, John, 216, 220
- MDI Implant, 168
- med3D technology, components and advantages of, 27
- Meredith, Neil, 206
- Metal clips, 63, 71-72  
advantages of, 72  
disadvantages of, 72  
*vs.* plastic Hader, 72
- Microsaws, surgical, 143
- Mini dental implants, 168
- Mini flaps, 134
- Modified posterior setup, 123
- Molars, setting up, 116
- Mounting, diagnostic, benefits of, 11-12
- Mouth, patient's, preparation of, for surgery, 144
- Mucocitis, peri-implant, 210
- Mucosa, compression of, by bar, 66
- Music, relaxation and, 229-230
- Neomem, 143
- Nimetic-Cem, 203
- No-flap technique, gaining access to alveolar bone and, 172, 182
- Non-anatomic teeth, 120, 121
- Noncurved occlusal plane, mandibular teeth and, 124-125
- Non-locking sutures, 138
- Non-resorbable membranes, bone grafting and, 140, 142
- Non-resorbable materials for suturing techniques, 142-143
- Occlusal adjustment, 43, 57, 78, 113, 120, 123, 128

- Occlusal contacts  
 of lower first molar, 114  
 of lower second molar, 114  
 of lower second premolar, 115  
 between upper and lower first premolars, 114  
 of upper first molar, 117  
 of upper second molar, 119  
 of upper second premolars, 114
- Occlusal plane, height of, mandibular teeth and, 124–125
- Occlusal radiographs, 147
- Occlusal scheme  
 formed by denture teeth, 112  
 lingualized, 122
- Occlusion  
 balanced, set-up procedure for, utilizing Vita Physiodens teeth, 113  
 central, reestablishing, 128  
 and implant-supported overdentures, 112  
 eccentric jaw movements and, 129  
 equilibration after processing and, 128  
 history of lingual contact and, 123  
 history of lingualized occlusion and, 120  
 occlusal adjustment and, 120  
 occlusal schemes formed by denture teeth and, 112  
 set-up procedure for balanced occlusion utilizing Vita Physiodens teeth and, 113  
 set-up procedure for lingualized occlusion utilizing Ivoclar ortholingual teeth and, 123  
 lingual contact, 123  
 lingualized. *See* Lingualized occlusion
- Older patients, attracting, successful implant practice and, 224–225
- Open-ended questions, successful implant practice and, 221
- Operatory  
 prosthetic, 230  
 recall, 231  
 surgical, 230
- Organizational model/systems, successful implant practice and, 217
- Ortholingual teeth, 123  
 Ivoclar, set-up procedure for lingualized occlusion utilizing, 123
- OSHA, 230–231
- Osstell Mentor, clinical applications for measurement of implant stability using, 206–208  
 clinical conditions affecting outcome of immediately loaded implants and, 208  
 clinical stages when ISQ measurement can be recorded and, 208
- Osteoporosis, edentulous ridges and, 15–17
- Osteotomy  
 fraction of implant during insertion in, 147  
 and implant placement, 137  
 preparation of, ERA Overdenture Implant and, 179–180  
 widening of, Maximus OS overdenture implant and, 169
- Overdenture implants, 168–191 *See also* Implant; Implant overdentures
- Overdentures  
 basic purposes for, 169  
 classification of, based on attachment design features, 168  
 ERA, 179  
 Maximus OS, 169  
 Overdentures, 168–191. *See also* Implant; Implant overdentures; Overdenture implants  
 excessive retention of, SynCone concept and, 202  
 framework-reinforced, SynCone abutments and, 203  
 hinge resilient, fabrication procedures of, using Bredent VSP bar, 81  
 immediate stabilization for, as purpose of overdenture implants, 169  
 implant. *See* Implant; Implant overdentures; Overdenture implants  
 implant-supported, occlusion and. *See* Occlusion and implant-supported Overdentures  
 lower implant, biomechanical risk factors for, 106  
 mandibular implant-supported, utilizing Hader bar and castable ERA attachment, 72  
 maxillary, biomechanics of, 33–34  
 relining. *See* Relining an overdenture site preparation for

- treatment success with. *See* treatment success with overdentures
- upper implant, biomechanical risk factors for, 105
- Ownership of problem in patient's decision to have treatment, 222
- Pain
- emotional. *See* Emotional pain postoperative
- Palatal incision, maxillary surgery and, 136
- Panoramic landmarks, 13
- Panoramic radiograph, 12
- Panoramic x-rays, magnification error of, determining, 12–13
- Parallel bar, fabrication procedures of rigid fully implant-borne overdenture using, 78
- Parallel body with tapered apical portion, 170
- Parallel-sided matrices/clips for rectangular bar, 77–78
- Parrelling device aligning trajectory of implant and, 172–173
- Passive seat of bar, verification of, 82
- Patient education, 225–226
- postoperative, SynCone concept and, 201
  - presurgical, 132
  - successful implant practice and, 216–223
- Patient preferences and expectations, 3–5, 32
- Breda Implant Overdenture Study and, 5–6
  - common mistakes in constructing, implant-supported overdentures and, 6
  - comparison of treatment strategies for implant overdentures and, 4–5
  - implant overdenture *vs.* convention denture and, 3
  - implant overdenture *vs.* fixed, 4
  - implant-supported prosthesis and, 4
  - indications for implant overdenture and, 4
  - overdenture treatment strategies and, 6
  - successful implant-supported overdenture and, 6
- Patients
- budget of, successful implant practice and, 226
  - older, attracting, successful implant practice and, 224–225
  - selection of, SynCone concept and, 194
  - successful implant practice and, 216–223
  - treatment room preparation and utilization protocol and, 133
  - treatment success with overdentures and, 104–107
- Peri-implantitis, 210–211
- Peri-implant mucocitis, 210–211
- Peri-implant tissues, ideal, characteristics of, 210
- Personnel. *See* Team
- Plaque-control implements, home-care, 211, 214
- Plastic castable bar, advantages of, 77
- Plastic clips/riders, castable Hader bar attachment with, fabrication procedures for, 70
- Plastic Hader *vs.* metal clips, 72
- Plastic handle gauges, ERA, 39–40, 165
- Plavix. *See* Clopidogrel (Plavix)
- Polished collar, Straumann Implant System and, 153
- Polytetrafluoroethylene (ePTFE), bone grafting and, 139, 142
- Porcelain, spark erosion and, 88
- Porous bone, classification of edentulous ridges based on, 17–18
- Positioning device X1, 29
- Posterior teeth, mandibular, incline planes of, completing equilibration by adjustment of, 129
- Post-healing criteria for successful integration of implant with surrounding tissue, 140
- Postoperative care, 201
- implant overdentures and, 201
- Postoperative instructions. *See* Patient education
- Postoperative pain, 146
- Pound's Triangular, 124
- Prednisone, effect of, on patient's ability to heal after surgery, 132
- Prefabricated titanium bar, advantages of, 77
- Preferences, patient. *See* Patient preferences and Expectations
- Premature loading, mandibular implant overdentures and, 192
- Premolars, setting up, for balanced occlusion, 113
- Presurgical instructions. *See* Patient education
- Presurgical steps, SynCone concept and, 194
- Procedural sequences, SynCone concept and, 203
- Processing, equilibration after, 128

- Progressive loading, mandibular implant, overdentures and, 192
- Prosthesis  
 cleaning of, 213  
 fixed implant-supported, *vs.* implant overdenture, 4
- Prosthetic operator, successful implant practice and, 230
- Prosthetic steps, 167, 178, 187, 198  
 ERA Overdenture Implant and, 179  
 Maximus OS overdenture implant and, 169  
 SynCone concept and, 194–203
- Prosthetic success, 104
- Protrusion, eccentric balance and, 128
- Protrusive contacts, eccentric jaw movements and, 128
- Proxy Tip, implant overdentures and, 212
- Questions, open-ended, successful implant practice and, 242
- Radiographic examination, 213  
 implant overdentures and, 213  
 occlusal, 13  
 panoramic, 12
- RBT. *See* Resorbable blast texturing (RBT)
- Recall visits, recommended routines at, implant overdentures and, 213
- Reception area, successful implant practice and, 229
- Recommended routines at recall visits, implant overdentures and, 213
- Rectangular bar, parallel-sided matrices/clips for, 77–78
- Rectangular shape of VSP bar, 77
- Releasing incisions, 134  
 crestal incision without, 134  
 vestibular, crestal incision with, 134
- Relining an overdenture, 140  
 with Dolder bar joint attachment assembly, 75  
 with Dolder bar unit attachment assembly, 75
- Research, marketing, successful implant practice and, 227
- Resiliency  
 of attachments, 31–33  
 classification of bar attachments based on, 32
- Resilient attachments  
 combination, 32  
 hinge, 32  
 restricted vertical, 32  
 rotary, 32  
 universal, 32
- Resilient Dolder bar, 72
- Resorbable blast texturing (RBT), 169–170
- Resorbable materials, 139  
 bone grafting and, 140  
 for suturing techniques, 138
- Resorbable membranes, bone grafting and, 139
- Restorative practice, successful implant practice and, 224
- Restricted vertical resilient attachments, 32
- Retention  
 excessive, of overdenture, SynCone concept and, 202  
 insufficient, SynCone concept and, 73, 202
- Retentive anchors, 52–56  
 adjusting retention of female component of, 54–55  
 chair-side utilization of, 55–56  
 contraindications for, 58–59, 60, 61  
 design specifications of, 53  
 elliptical matrix of, 53  
 Straumann, 52
- RH-BMP2, bone grafting and, 140–141
- Riders  
 bar, 63  
 gold alloy, castable Hader bar attachment with, fabrication procedures for, 71–72  
 plastic, castable Hader bar attachment with, fabrication procedures for, 70
- Rigid Dolder bar, 72–73
- Rigid non-resilient attachments, 32
- Robot, stationary, 29
- Rotary resilient attachments, 32
- Rotation movement, attachment selection and, 32, 33
- Rough surface on implant body, Straumann, Implant System and, 153
- Rübeling, Günter, 102
- SAE Secotec Spark Erosion technique, 88
- Sagittal relationship  
 of bar to alveolar ridge, 66–67  
 of bar to hinge axis, 67
- Sales, successful implant practice and, 216, 220
- Screw  
 cover, abscess around, 147

- cover, exposed, 147
- gold, difficulty inserting, 147
- transfer, difficulty inserting, 159
- Secotec-System impression copings, 97
- Semi-anatomic teeth, 120–121
- Sendex, Victor, 168
- Sensory disturbance, postoperative, of lower lip, 147
- Shape of bone in diagnosis and treatment planning, 15
- Sheffield test, 85
  - spark erosion and, 85–86
- Site preparation for overdentures, 140
- SLA surface, 160
  - Straumann implants with, healing period for, 160
- Smart Peg, 207, 209
- Snap-on matrices/clips
  - with no extension, 77–78
  - with parallel-sided extension, 77–78
- Soft accretions, removal of, implant overdentures and, 213
- Software, implant 3D planning, 27–29
- Spark erosion, 85–101
  - common reasons for ill fit and, 88
  - process of, 88
  - Sheffield test and, 85
- Spee, curve of, 125
- Spinning, attachment selection and, 31–32
- Split-control system, 144
- Spreaders, split-control system, 144
- Square tread pattern, Maximum OS implant and, 170
- Stability, implant, clinical applications for measurement of, using Osstell Mentor, 206–208
- Stabilization, immediate, for overdenture, as purpose of overdenture implants, 169
- Staff lounge, successful implant practice and, 231
- Standard Plus implants, 153
- Stationary robot, 29
- Stent, diagnostic, surgical guide and. *See* Surgical guides and diagnostic stent
- Sterilization area, successful implant practice and, 26
- Steroids, effect of, on patient's ability to heal after surgery, 132
- Straumann Implant System, 153–159
  - endosseous diameters and, 154
  - healing period for Straumann implants with SLA surface and, 160
  - recommended attachment assemblies for, 155
  - regular neck implants and, 155
  - surgical steps for standard implants, 155
  - wound closure and, 159
- Straumann Retentive Anchor and Abutment, 52–53
- Straumann Standard implants, 153
- Stud attachments, 37
  - alignment of, 37
  - Astra Implant and, 57
  - Clix attachment assembly and, 57
  - ERA attachment and, 37
  - height of, 37
  - load distribution of, 33
  - relationship of, with each other, 37
  - relationship of, with path of insertion, 37
  - Straumann Retentive Anchor Abutment and, 52–53, 55
  - VKS-OC rs Stud Attachment and, 44
- Success, treatment, with overdentures. *See* Treatment success with overdentures
- Successful implant practice. *See* Implant practice, successful, core principles of
- Successful implant-supported overdentures, 6
- Surgical considerations for implant overdentures, 132–147
  - incisions and flap design and, 133
  - mandibular surgery and, 134
  - maxillary surgery and, 136
  - osteotomy and implant placement and, 137
  - post-surgical care and, 139
  - presurgical instructions and, 132
  - procedural considerations during, 137
  - procedural considerations during surgery and, 137
  - site preparation for overdentures and, 140
  - split-control system and, 144
  - surgical-related problems and, 146
  - suturing techniques used for implant overdenture surgeries and, 139
- Surgical guides
  - classification of, 26
  - and diagnostic stent, 26–27
  - components and advantages of med3D technology and, 27

- Surgical hand disinfection, 133
- Surgical microsaws, 143–144
- Surgical operatory, successful implant practice and, 230
- Surgical related problems, 146
- Surgical steps, 163, 171, 180, 194
- ERA Overdenture Implant and, 179
  - Maximus OS overdenture implant and, 169
  - for standard implants, Straumann Implant System and, 155
  - SynCone concept and, 194–203
- Suture material, 139, 160
- Suturing techniques, 149–150
- continuous, 138
  - horizontal mattress, 150
  - locking, 139
  - most commonly used, 139
  - non-locking, 138
  - non-resorbable material for, 139
  - resorbable material for, 139
- SynCone abutment, 203
- and framework-reinforced overdenture, 203
- SynCone cap, 199–201
- SynCone concept, 194–203
- Systems, successful implant practice and, 216
- Tapered apical portion, parallel body with, 170, 179
- Tapered Effect implants, 153
- Tapping of implant site, Straumann Implant System and, 156
- Team
- members of, addition of, team decision on, 240
  - successful implant practice and, 237–245
- Teeth
- denture, occlusal schemes formed by, 112
  - Ivoclar ortholingual, set-up procedure for lingualized occlusion utilizing, 123
  - lingualized, 122
  - mandibular, position of, 124
  - mandibular posterior, incline planes of, completing equilibration by adjustment of, 129
  - maxillary, position of, 125–126
  - non-anatomic, 120
  - semi-anatomic, 120
  - Vita Physiodens, set-up procedure for balanced occlusion utilizing, 113
- Telescopic crown techniques, advantages of, 194
- Telescopic riggings, 33
- The 21 Indispensable Qualities of a Leader*, 216–217
- Thick bone, classification of edentulous ridges based on, 17–18
- Thin bone, classification of edentulous ridges based on, 18
- Thornton bridge and implant cleaner, implant overdentures and, 212
- Threads, exposed, 146
- 3D planning software, implant, 27
- Ti6Al4V alloy, Endopore Dental Implant System and, 161
- Tissue
- granulation, around implant head, 147
  - peri-implant, ideal, characteristics of, 210
  - surrounding, successful integration of implant with, 140
- Tissue-implant-supported implant overdenture, 4, 69
- Tissue punch technique, maxillary surgery and, 136
- Tissue-supported implant overdenture, 4, 69
- Titanium bar, prefabricated, advantages of, 77
- Titanium plasma spray (TPS), 153
- Toothbrushes, implant overdentures and, 211
- TPS. *See* Titanium plasma spray (TPS)
- Trabecular core, bone with, classification of edentulous ridges based on, 17–18
- Trajectory of implant, alignment of, Maximus OS overdenture implant and, 169
- Transfer screw, difficulty inserting, 147
- Transitional implants during healing phase, overdenture implants acting as, 169
- Translation, attachment selection and, 31
- Treatment
- comparisons of, for implant overdentures, 104–107
  - planning of, diagnosis and. *See* Diagnosis and treatment planning, 11
- Treatment room preparation and utilization protocol, 133
- Treatment success with overdentures, 104–107
- biomechanical risk factors for lower implant overdentures and, 105
  - biomechanical risk factors for upper implant overdentures and, 105

- implant survival and, 104
- patient related factors and, 105
- prosthetic success and, 104
- shape of mandible and its effect on loading of supporting implants and, 107
- Trial close, successful implant practice and, 221–222
- Tri-calcium phosphate, resorbable blast texturing and, 170
- 21 Indispensable Qualities of a Leader*, 216–217
- Universal resilient attachments, 32
- Upper first molar
  - occlusal contacts of, 119
  - setting up, 119
- Upper first premolars, occlusal contacts between lower first premolars and, 114
- Upper implant overdentures, biomechanical risk factors for, 105
- Upper second molar
  - occlusal contacts of
  - setting up, 114
- Upper second premolars
  - occlusal contacts of, 115
  - setting up, 115
- Utilization procedures, chair-side. *See* Chair-side utilization procedures
- Vario Ball-Snap-OC, 44
- Vario Soft Bar Pattern VSP, 76–77
  - clips of, shapes of, 76
  - shapes of, 76
- Verification of passive seat of bar, 82
- Vertical movement, attachment selection and, 31
- Vertical relationship of bar to alveolar ridge, bar attachments and, 66
- Vertical resilient attachments, restricted, 32
- Vestibular incision, 135
- Vestibular incisions, mandibular surgery and, 134
- Vestibular release, anterior crestal incision with or without, 133–134
- Vestibular releasing incisions, crestal incision with, 133–134
- Video, lessening of anxiety and, 223, 229–230
- Vision, successful implant practice and, 216
- Vita Physiодens teeth, set-up procedure for balanced occlusion utilizing, 113–114
- VKS-OC rs stud attachment, 44
- Waiting room, successful implant practice and, 229
- Warfarin (Coumadin), effect of, on coagulation process, 132
- Website, successful implant practice and, 227
- Widening of osteotomy, Maximus OS overdenture implant and, 137
- Width of bone in diagnosis and treatment planning, 15
- Wieland Dental-Technik Germany, 92
- Wilson, curve of, 125
- Working excursion, eccentric jaw movements and, 127
- Working side, eccentric balance and, 127
- Workup, diagnostic, for implant overdentures, 11
- Wound closure, Straumann Implant System and, 159–160
- X1, positioning device, 29
- Xanax, 133
- Xenogeneic bone, bone grafting and, 141
- X-rays, panoramic, magnification error of, determining, 11–12

COPYRIGHTED MATERIAL