

Index

- Acceptance function, 333
- Algorithm
 - EM, 320, 322, 331, 333, 334
 - Metropolis, 337
 - Newton-Raphson, 106, 324, 326, 335, 336
 - quasi-Newton, 330
 - stochastic approximation, 336
 - substitution, 324, 332
- All-cells-filled data, 5
- Analysis of covariance, 85, 88, 91, 114
- Analysis of variance, 1, 5, 16, 20, 24, 87, 92, 114, 126, 162, 173, 174
- ANCOVA, *see* Analysis of covariance
- ANOVA, *see* Analysis of variance
- Approximate F test
 - Section 6.4d, 168
- Asymptotic
 - normal distribution, 107, 127, 359
 - variance, 127, 166, 176, 178, 204, 358, 363
- Asymptotic distribution, 32
- Asymptotic variance, 144
- Attenuation, 209
- Balanced data, 5, 81, 88, 94, 173, 178, 185, 212, 213, 216, 232, 239
- Bayes estimation, 23
- Bayesian, 35
- Bernoulli distribution, 101, 102, 104, 108, 136, 156, 199, 209, 307, 330
- Best linear prediction, 306, 313
- Best linear unbiased estimator, 310
 - prediction, 170, 310, 311
- Best prediction, 25, 50, 93, 110, 169, 188, 303, 323
 - estimated, 171, 313
- Beta distribution, 203
- Beta-binomial
 - extended, 61
- Beta-binomial model, 57
- Bias
 - due to informative cluster sizes, 279–281
 - due to misclassified responses, 278
 - due to misspecification of random effects, 282
 - due to misspecified link, 276
 - due to misspecified random effects, 287
- Binomial distribution, 145, 156, 201, 203
- BLP, *see* Best linear prediction
- BLUE, *see* Best linear unbiased estimation

- BLUP, *see* Best linear unbiased prediction
- BP, *see* Best prediction
- Candidate distribution, 333
- Cell means model, 128
- Complete data, 321, 332
- Computing
 - Chapter 14, 320
- Conditional covariance, 12
- Conditional inference, 198, 200, 202
- Conditional maximum likelihood, 201, 288, 295
- Conditional variance, 11
- Constraint, 31, 132
- Correlation, 35, 57
 - first-order autoregressive, 220
 - intra-class, 36, 59
- Covariance, 35, 36, 57
- Covariate decompositions, 297
- Data
 - all-cells-filled, 5
 - balanced, 5, 81, 88, 94, 173, 178, 185, 212, 213, 216, 232, 239
 - complete, 321, 332
 - longitudinal, 14, 163, 212, 243
 - missing, 95, 321, 331, 332
 - some-cells-empty, 5
 - unbalanced, 5, 95, 174, 178, 186, 225, 233, 239, 318
- Departures from assumptions
 - Chapter 12, 271
- Design matrix, 117
- Distribution
 - Bernoulli, 28, 51, 57, 101, 102, 104, 108, 136, 156, 199, 209, 307, 330
 - beta, 57, 203
 - binomial, 145, 156, 201, 203
 - exponential family, 357
 - gamma, 156, 203, 211
 - normal, 107, 127, 359
 - Poisson, 11, 155, 156, 191, 193, 203, 211, 341
 - t, 48, 76
- E-step, 332
- Effect, 4
 - fixed, 4, 6, 19, 28
 - random, 4, 19, 28
- Efficiency, 274, 283
- EM
 - algorithm, 320, 322, 333, 334
 - Monte Carlo, 334
- EM algorithm, 331
- Empirical Bayes, 23
- Equicorrelated, 82, 240
- Estimable function, 129, 134, 135, 185
 - Section 3.7, 121
- Estimated best predictor, 171, 313
- Estimating equations
 - generalized, 239, 242, 244
 - unbiased, 243
- Estimation
 - maximum likelihood, 358
- Estimator
 - shrinkage, 51, 64
 - unbiased, 30
- Examples
 - Phytophthora*, 72, 76, 92, 114
 - cancer treatment, 202
 - chestnut blight, 205
 - clinics, 8, 17, 25, 169
 - corn photosynthesis, 266
 - epilepsy, 6, 8
 - fabric, 13, 18, 20

- hairy leukoplakia, 276
- hospital costs, 188
- humor, 7, 28
- math scores, 159
- medications and clinics, 13
- Osteoarthritis Initiative, 16
- potato, 150
- Potomac River Fever, 14
- Exponential family, 357
- F test, 91, 93, 131
 - approximate, 168
- F-test (or statistic), 24
- Factor, 3
 - crossed, 186, 331
 - levels of, 3
 - nested, 331
- Fisher information, 149, 204, 358
- Fisher scoring, 144, 334
- Fisher's exact test, 56
- Fixed effect, 4-6, 16, 19, 28
 - model, 6
- Flexible parametric mixing distributions, 299
- Gamma distribution, 156, 203, 211
- Gauss-Hermite quadrature
 - Section 13.3a-*i*, 327
- Gaussian quadrature, 278, 327
- Generalized estimating equations, 239, 242, 244
- Generalized inverse, 119, 346
 - Section M.4, 346
- Generalized least squares, 361
 - estimator, 361
- Generalized linear mixed model, 2
 - Chapter 7, 188
 - Section 14.3, 326
- Generalized linear model, 2
 - Generalized linear models (GLMs)
 - Chapter 5, 136
 - GLM, *see* Generalized linear model
 - GLMM, *see* Generalized linear mixed model
- Hypothesis testing, 89, 130
- Incidence matrix, 117
- Incorrect distributional family, 282
- Information, 149, 204, 358
- Interaction, 5, 13, 129, 139, 157, 186
- Intraclass correlation, 36, 59
- Inverse
 - generalized, 119, 346
- Kronecker product
 - Section M.2, 345
- Kullback-Leibler divergence, 285, 288
- Least squares
 - generalized, 361
 - ordinary, 361
- Level, 3
- Likelihood
 - penalized quasi-, 197, 198, 338
 - quasi, 23
 - ratio test, 24
 - restricted, 75, 79, 177, 179, 186, 187, 317, 322-324, 362
- Likelihood function, 357
- Likelihood ratio, 130
- Likelihood ratio test, 31, 89, 107, 110, 130, 148-150, 152, 164, 203, 204, 210, 359
- Linear mixed model, 2, 13
 - Chapter 6, 157
 - Section 13.4, 310

- Section 14.2, 320
- unbiased slope estimates, 283
- Linear model, 1
 - Chapter 4, 114
 - generalized, 2
 - mixed, 2
 - Section 5.2d, 140
- Link function, 80, 139, 190, 229,
273-275, 277
 - log, 286
 - logit, 288
 - misspecified, 278
- Link functions
 - canonical, 295
 - misspecification, 275
- LM, *see* Linear model
- LMM, *see* Linear mixed model
- Logistic regression
 - Section 3.7, 101
- Logit, 101, 103, 108, 145, 201, 236,
243, 245, 330, 343
- Logit-normal model, 64
- Longitudinal data, 14, 163, 212,
243
 - Chapter 8, 212
 - unbalanced, 225
- LRT, *see* Likelihood ratio test
- Main effect, 5
- Marginal models
 - Chapter 9, 236
- Markov chain, 333
- Matched pairs
 - binary, 286
- Matrix derivatives
 - Section M.5, 350
- Matrix results
 - Appendix M, 344
- Maximum likelihood, 21
 - conditional, 201
 - nonparametric, 299
 - restricted, 21, 27, 75, 79, 177-
179, 186, 187, 317, 322-
324, 362
 - simulated, 334, 337
- Maximum likelihood estimation,
358
- Maximum quasi-likelihood, 154
- MCEM, *see* Monte Carlo EM
- MCNR, *see* Monte Carlo Newton-
Raphson
- Mean square error
 - of prediction, 25, 304, 317
- Metropolis algorithm, 337
- Minimum norm quadratic unbi-
ased estimation, 179
- Minimum variance quadratic un-
biased estimation, 179
- MINQUE, *see* Minimum norm quadratic
unbiased estimation
- Misclassified outcomes
 - binary, 276
- Missing data, 95, 321, 331, 332
- Misspecification
 - random effects, 284
- Misspecified random effect, 282
- MIVQUE, *see* Minimum variance
quadratic unbiased esti-
mation
- Mixed model, 13
- ML, *see* Maximum likelihood
 - equations, 30
 - estimators, 30
 - solutions, 30
- ML solutions and estimators, 88
- Model
 - beta-binomial, 57
 - cell means, 128
 - equation, 117

- fixed, 4, 6
- Logit-normal, 330
- logit-normal, 64, 108, 330, 343
- matrix, 117
- mixed, 4
- Poisson-gamma, 203
- probit, 136, 137, 143
- probit-normal, 68, 156, 206, 208, 237, 333
- random, 4
- Modeling
 - marginal, 236
- Moment generating function, 286, 354
- Moments, 353
- Monte Carlo, 334
 - EM, 334
 - Newton-Raphson, 210, 334
- Multivariate models
 - Chapter 10, 249
- Newton-Raphson
 - algorithm, 278
 - Monte Carlo, 334
- Newton-Raphson algorithm, 106, 324, 326, 335, 336
- Nonlinear model
 - Chapter 11, 266
 - Section 3.3, 77
- Normal distribution
 - asymptotic, 107, 127, 359
- Normal equations, 118
 - just one solution, 118
- Nuisance parameter, 149, 359
- Numerical quadrature, 327
- Odds, 103
- Odds ratio, 103, 107, 239
- Omitted covariates
 - bias due to, 275
- One-way classification, see Chapter 2, 28
- Ordinary least squares, 361
- Ordinary least squares estimator, 361
- Outlier, 179
- Overdispersion, 59, 192
- Overparameterized, 29
- Penalized quasi-likelihood, 197, 198, 338
- Pharmacokinetic, 269
- Poisson distribution, 11, 155, 156, 191, 193, 203, 211, 341
- PQL, see Penalized quasi-likelihood
- Prediction, 18, 25, 93, 110, 169, 170, 188, 306, 310, 311, 313, 323
 - best, 25, 50, 93, 110, 169, 188, 303, 323
 - best linear, 306, 313
 - best linear unbiased, 170, 310, 311
 - Chapter 13, 303
- Probit, 136, 139, 143, 156, 206, 208, 237, 333
- Probit-normal model, 68
- Profile likelihood, 175
- Quadratic form
 - in predicted values, 323
 - mean, 354
 - Section S.2c, 356
- Quadrature, 327
- Quasi-likelihood, 23, 152, 198
 - penalized, 197, 198, 338
- Quasi-Newton algorithm, 330
- Random effect, 4, 8, 16, 19
- Random effects, 28
- Random intercepts, 216

- correlated with covariates, 290
 - Section 3.5, 81
 - Section 3.8, 81
- Random slopes, 216
- Ranking, 309
- Regression
 - Chapter 3, 72
 - logistic, 101
- REML, *see* Restricted maximum likelihood
- Repeated measurements, 193, 266
- Restricted maximum likelihood,
 - 21, 27, 75, 79, 177, 179,
 - 186, 187, 317, 322, 324,
 - 362
- Robust variance estimator, 242
- Robustness, 24, 34, 155, 197, 198, 283, 338

- Sandwich variance, 243
- Satterthwaite approximation, 168
- Score function, 152
- Score test, 205
- Scoring, 144, 334
- Shrinkage estimator, 51, 64
- Simulated maximum likelihood, 337
- Slope estimates
 - bias, 291–294
 - consistent estimation, 289, 290, 296, 298
 - matched pairs, 287, 288
 - unbiased, 281
- Slopes estimates
 - unbiased, 280
- Some-cells-empty, 5
- Standard error, 204
- Statistical results
 - Appendix S, 353
- Stochastic approximation algorithm, 336
- Substitution algorithm, 324, 332
- Sufficient statistics, 111, 118, 119, 123, 126, 174, 186, 199, 200, 357

- t distribution, 76
- Taylor series, 53, 289
- Test
 - χ^2 , 52
 - Fisher's exact, 56
 - likelihood ratio, 24, 89, 107, 110, 130, 148–150, 152, 164, 203, 204, 210, 359
 - score, 205
 - Wald, 25, 26, 149–151, 204
- Transformation, 73, 140, 239

- UMVU, *see* Uniform minimum variance unbiased
- Unbalanced data, 5, 95, 174, 178, 186, 233, 239, 318
 - longitudinal data, 225
- Unbiased
 - estimating equation, 243
- Underdispersion, 61
- Uniform minimum variance unbiased, 123, 126, 186

- Variance
 - asymptotic, 166, 176, 178, 204, 358, 363
 - sandwich, 243
 - working, 242–244
- Variance components, 4
- Variance function, 141

- Wald test, 25, 26, 149–151, 204
- Working variance, 242–244

Working variate. 138, 144, 196
198, 334