

Index

- Abdominal pain, implications of, 81
- Accolate, 43, 54
- Acetone, 34
- Acid reflux, 32
- Acidophilus, 181
- Acne, 60, 85, 180, 191
- Acrolein, 35
- Acupuncture, 201
- Adhesion molecule antagonists, 55
- Adolescence, 33–34
- Adrenal steroids, 192
- Advair Diskus, 41, 52
- AeroBID, 41, 52
- Aerosol sprays, as trigger, 27–28
- Age of onset, 23
- Agitation, 52
- AHCC (active hexose correlated compound), 189–190, 198
- Air conditioners, benefits of, 31
- Air pollution, as trigger, 27–28, 177, 196
- Airway, generally
 - constriction, 23
 - inflammation, 24
 - remodeling, 24
- Albuterol, 52
- ALCAT test, 65–67, 75
- Alcohol
 - better-breathing phase
 - basic guidelines, 155–158
 - weight loss guidelines, 161–162
 - weight maintenance, 163, 166–172
 - healing-phase diet
 - basic guidelines, 110, 130
 - weight loss guidelines, 146
 - as trigger, 177
 - yeast overgrowth and, 83
- Allegra, 39
- Allergen extract
 - dosage, 45
 - injection of, 45
 - selection, 45
 - sources of, 44
- Allergen immunotherapy, *see* Allergy shots
- Allergic rhinitis, 11–13, 180
- Allergic rhinoconjunctivitis, 44
- Allergies
 - conventional testing, 17–18
 - diagnostic tests, 14–17
 - mechanics of, 10–11
 - types of, 11–14
- Allergy desensitization techniques, *see* Allergy shots
- Allergy shots
 - allergen extracts, 44–45
 - characteristics of, 43–44
 - clinical uses, 44
 - mechanics of, 46
 - risks, 45
- Allergy supplement program
 - second-tier, 189–190
 - top-tier, 186–190
- Almonds
 - food allergies, 13
 - as vitamin source, 177
- Alphabetic vitamin, 187, 190, 197–198
- Alupent, 52
- American College of Allergy, Asthma, and Immunology, 34
- American College of Gastroenterology, 32
- American Heart Association (AHA), 118–119
- American Journal of Clinical Nutrition*, 176
- American Journal of Respiratory and Critical Care Medicine*, 33
- Amphotericin B, 184
- AMTL Corporation, 65
- Anaphylaxis/anaphylactic shock, 11–13
- Aniline, 34
- Animal dander
 - allergen extract, 44
 - allergy shots, 44
 - as trigger, 22, 27–29
- Antacid medications, 84
- Antiallergy medications
 - anticholinergics, 38, 43
 - decongestants, oral and nasal, 38–40
 - leukotriene modifiers, 38, 43

- nasal antihistamines, 39
- nonsteroidal nasal sprays, 38, 40
- oral antihistamines, 38–39
- steroidal nasal sprays, 38, 41–43
- Antibiotics, 49, 77–78, 82–83
- Antibodies
 - candida, 9–11, 88–89
 - high count, 9–10
 - IgE, 10–11, 23, 45, 55, 68
- Anticandida medications
 - Diflucan (fluconazole), 184–186
 - Lamisil (terbinafine), 184, 186
 - Nizoral (ketoconazole), 184–185
 - Nystatin, 185
 - overview, 184–185
 - Sporonox (itraconazole), 184, 186
- Anticandida supplement program
 - allergy treatment
 - overview, 180–181
 - second-tier, 180, 183–184
 - top-tier, 180–184
 - asthma treatment
 - second-tier, 195
 - top-tier, 195
- Anticholinergics, 38, 43, 53
- Antifungal medications, 181
- Antifungal nutritional supplements, 88
- Antihistamines
 - characteristics of, 12, 16
 - nasal, 38–39
 - oral, 38–39
 - quercetin as, 192
- Anti-inflammatory medications
 - characteristics of, 50
 - glucocorticoids, 51–52
 - nonsteroidal, 51
 - steroids, 51–52
- Antioxidants, 100, 177, 187, 200
- Anxiety, as trigger, 21, 35
- Appetizer recipes, 229–232
- Archives in Pediatrics and Adolescent Medicine*, 31
- Arsenic, 84
- Arthritis, 83, 120
- Aspartate, 198
- Aspirin, 29, 50
- Astelin, 39
- Asthma
 - allergies distinguished from, 26–36
 - attacks, *see* Asthma attack
 - defined, 20
 - diagnosis, 23–25
 - mechanics of, 22–23
 - medications, *see* Asthma medications
 - mild, 21, 26
 - moderate, 21, 26
 - severe, 21–22, 26
 - warning signs and symptoms, 20–21
- Asthma attack
 - food allergens and, 13
 - pathophysiology of, 22–24
- Asthma medications
 - anti-inflammatory, 50–52
 - bronchodilators, 50–53
 - cough medications, 54
 - ephedrine, 53
 - future directions for, 55
 - leukotriene modifiers, 54
 - over-the-counter, 54
- Asthma supplement program
 - overview, 194–195, 201–202
 - second-tier, 199–201
 - top-tier, 195–198
- Atarax, 39
- Athlete's foot, 49
- Atkins Center, 126, 134
- Atrovent, 43, 53
- Avocados, as vitamin source, 177
- Azelastine, 39
- Azmacort, 52

- Bacon, 116
- Bacterial infection, 35
- Baker's yeast, 89
- Basophils, 23, 55, 80
- B cells, 23
- Beclomethasone, 41, 51
- Beclovent, 41, 52
- Bedding guidelines, 29–30
- Beer, 28, 36, 109, 173
- Benadryl, 39
- Beta-adrenergic agents, 52–53
- Beta-blockers, 29, 42, 45, 50
- Beta-carotene, 178, 192
- Beta-2 agonists, 32
- Beverages
 - breathing-better phase, 173
 - healing-phase diet
 - basic guidelines, 128–130
 - weight loss guidelines, 144–146
- Bifidobacterium*, 182
- Bioflavonoids, 200

- Bleach, benefits of, 33
- Bloating, implications of, 81, 85
- Blood sugar level, 53, 145
- Blood tests, 9–10, 48, 64–65
- Body mass index (BMI), 33, 135
- Brain fog, implications of, 80, 86
- Breads
- better-breathing phase, 141
 - healing-phase diet, 124
 - non-yeast-free, 172
 - yeast-free, 163
- Breakfast cereals, 107
- Breakfast recipes, 211–216
- Breathaire, 52
- Breathing-better phase guidelines
- without losing weight, 150–158
 - overview, 173–174
 - for weight loss, 158–163
 - weight maintenance, 163–173
- Breathing difficulty, 12–13, 19, 21, 25, 35, 78, 81
- Breathlessness, 81
- Brewer's yeast, 89
- Broccoli, as vitamin source, 177
- Bronchi inflammation, 29
- Bronchitis, 24, 27, 35
- Bronchodilators
- anticholinergics, 53
 - beta-adrenergic agents, 52–53
 - characteristics of, 21, 50
 - methylxanthines, 53
- Bronitin Mist, 54
- Bronkaid Mist, 54
- Bronkometer, 52
- Budesonide, 41, 51
- Bulgaricus*, 182
- Burping, implications of, 85
- Butter, healing-phase diet
- basic guidelines, 128
 - weight loss guidelines, 143–144
- Caffeine, *see specific sources of caffeine*
- characteristics of, 53
 - elimination, 69, 72
- Calcium
- characteristics of, 198
 - sources of, 178
 - supplements, 70
- Calcium AEP (colamine phosphate), 197–198
- Cancer, 177, 189
- Candida
- antibodies, 9–11, 88–89
 - blood testing, 88–90
 - characteristics of, generally, 49–50, 78
 - foods to avoid, 108–112
 - growth of, 78–79
 - questionnaire, 86–88, 90
 - as side effect, 42
 - symptoms of, 85–86
- Candida albicans*, defined, 78. *See also* Candida
- Candida antibody test, 88–89
- Candida antigen titer test, 89
- Candidiasis, 82–83. *See also* Candida
- Candy bars, high-protein, 127, 143
- Canola oil, 101, 120
- Caprylic acid
- characteristics of, 182–183
 - dosage recommendations, 184, 195
- Carbohydrates, *see* Complex carbohydrates
- characteristics of, 49
 - in healing-phase diet, 106–107, 139–141
 - in standard American diet (SAD), 100–101
 - types of, 107–108
- Carbon monoxide, as trigger, 35
- Carpet, recommendations against, 29–30
- Cashews, food allergies, 13
- Cat allergens, 29
- Cataracts, 41, 52, 177
- CD-4 lymphocyte, 22
- Cereals, 123–124, 141, 163
- Cetirizine, 39
- Cheese
- breathing-better phase
 - basic guidelines, 152–157
 - weight loss guidelines, 159–162
 - weight maintenance, 163, 165–172 - dairy elimination, 69
 - healing-phase diet
 - basic guidelines, 118
 - weight loss guidelines, 138
- Chemotherapy, 189
- Chest x-ray, 23–24
- Childhood asthma, diagnosing, 25. *See also* Adolescence; Children

- Children
 - bronchodilators and, 52–53
 - dietary habits research, 100
 - food sensitivity testing, 76
 - metabolic requirements, 135
 - nutritional requirements, 135
 - peanut allergies, 14
 - steroid use, impact on, 43, 52
 - yeast problem in, 86
- Chlorpheniramine, 39
- Chlor-Trimeton, 39
- Chocolate elimination, 69, 72
- Cholesterol level, 42, 199
- Chromium oxydatum, 34
- Chronic fatigue, 84
- Cigarette smoke, as trigger, 35
- Citrate, 198
- Clarinox, 39
- Claritin, 39
- Claritin-D, 40
- Cockroaches
 - allergen extract, 44
 - allergy shots, 44
 - as trigger, 27, 29–30
- Coenzyme A, 192
- Coffee, 129–130, 145
- Colamine phosphate, 197–198
- Cold-induced attacks, 11, 27, 30, 196
- Colds, implications of, 11, 27, 35, 43, 55, 84
- Complete blood count (CBC), 24
- Complex carbohydrates
 - breathing-better phase
 - weight loss guidelines, 159–162
 - weight maintenance, 164–172
 - healing-phase diet
 - basic guidelines, 122
 - weight loss guidelines, 139–141
- Concentration difficulty, 81, 86
- Condiments
 - foods to avoid, 109
 - healing-phase diet
 - basic guidelines, 128
 - weight loss guidelines, 143–144
- Congo red, 34
- Conjugated linolenic acid (CLA), 102, 119
- Constipation, 81
- Constricted chest, implications of, 20–21, 24, 32
- Contact allergy, 11
- Contact eczema, 13
- Conventional allergy testing, 17–18, 25
- Conventional therapies
 - allergies
 - allergy shots/allergen immunotherapy, 43–46
 - medications, 38–43
 - program development, 46
 - asthma
 - cure research, 55–56
 - medications, 50–55
 - official guidelines, 48–49
 - overview, 47–48
 - step-by-step management, 50
 - yeast/candida, 49
- Copper, 191–192
- Corn elimination, 69, 71
- Cortisol levels, 145, 197
- Cough/coughing
 - implications of, 12, 19, 21–22, 26, 30
 - medications, 54
 - suppressants, 54
- Coulter counter technique, 66
- Crohn's disease, 80, 83
- Cromolyn sodium, 40, 51
- Crook, Dr. William, 49, 86
- Cultures, for yeast testing, 89
- Curtains, recommendations against, 30
- Cytokine(s)
 - antagonists, 55
 - characteristics of, 23, 80
- Cytomegalovirus, 84
- Cytotoxic tests, 65
- Daily medication, 21–22
- Dairy, *see specific dairy products*
 - elimination, 69–70
 - foods to avoid, 108–109
- Decaffeinated beverages, 129
- Decongestants, oral and nasal, 38–40
- Deconsal II, 40
- Dehumidifiers, 31, 33
- Dehydration, symptoms of, 128–129
- Delayed hypersensitivity testing, 17, 25
- Depression, 42, 49, 86
- Desloratadine, 39
- Desserts, healing-phase diet
 - basic guidelines, 130–131
 - weight loss guidelines, 146
- DHA (docosahexaenoic acid), 189
- DHEA
 - characteristics of, 199
 - dosage recommendations, 200

- Diagnosis**
 allergies, testing for
 conventional testing, 17–18
 delayed hypersensitivity testing,
 17, 24
 intradermal testing, 16–17, 24
 in vitro antibody testing, 16–18, 24
 percutaneous testing, 15–16, 24
 asthma
 chest x-ray, 23–24
 childhood asthma, 25
 complete blood count (CBC), 24
 conventional allergy testing, 25
 medical history, 23–24
 pulmonary function tests (PFT),
 23–24
 sputum evaluation, 23–24
 Diarrhea, 13, 61, 81, 102, 179, 189
 Diary/recordkeeping, 46
 Diet, significance of, 85. *See also*
 Breathing-better phase; Healing-
 phase diet; Nutrition
 Diet soda, 129, 145
 Diflucan, 184–186
 Digestive problems, 49
 Dimetapp, 39
 Dinner recipes, 220–225
 Diphenhydramine, 39
 Disturbed behavior, 53
 Diuretics, 200
 Diverticulosis, 177
 Dr. Ohira's 12 Plus, 182, 184
 Doctor's Data, 67
 Dogs, allergies to, 29
 Drewnowski, Dr. Adam, 176
 Drug allergy, 11
 Drug interactions, 50
 Dry mouth, implications of, 12, 20,
 129
 Duodenal ulcers, 83
 Dust allergies, 11
 Dust mites
 allergen extract, 44
 allergy shots, 44
 as triggers, 12, 27, 30

 Earaches, recurring, 85
 Ear infection, 82
 EAV (electroacupuncture device), 75
 Eczema, 11, 13, 27, 44, 60, 80, 85,
 120, 180, 191
 EDS (electrodermal screening), 75

Eggs
 food allergies, 13
 healing-phase diet
 basic guidelines, 117–118
 weight loss guidelines, 138
 Electronic testing, food sensitivities,
 75
Elimination diet technique
 general, 68–73
 specific, 73
Emotional triggers, 12, 28, 35
Entex, 40
Environmental elimination, 12
Environmental measures guidelines,
 48
Environmental toxins/chemicals,
 83–84
Environmental triggers, 12
Eosinophils, 23–24, 80
EPA (eicosapentaenoic acid), 189
Ephedrine, 53–54
Epi-pens, 14
Epstein-Barr virus, 84
Estrogen, as trigger, 27, 31
Excitability, 53
Exercise-induced attacks, 11, 27, 31,
 50, 52, 100, 196
Eyes
 cataracts, 41, 52, 177
 glaucoma, 41
 itchy, 12, 26, 30, 41, 186
 steroid use and, 41, 52
 watery, 26, 30, 129, 186

Fatigue, implications of, 20, 26, 43,
 49, 59–60, 80–81, 84–85, 129
Fats
 healing-phase diet, 118–121
 in standard American diet (SAD),
 101
Fatty acids, 101
Feed Your Kids Well (Pescatore), 34,
 65, 135
Fermented foods
 breathing-better phase, 152–157,
 168–172
 healing-phase diet
 examples of, 109
 foods to avoid, 111–112
Fever, implications of, 43
Fexofenadine, 39
Fiber, 107

- Fibromyalgia, 80
- 55 percent proteins–45 percent complex carbohydrates rule, 114, 124
- Fish
- breathing-better phase, 153–154, 169–172
 - food allergies, 13
 - healing-phase diet
 - basic guidelines, 110, 116–117
 - weight loss guidelines, 138
- Fish oils, 189–190, 192, 197–198
- Flavonoids, 176
- Flavorings, allergy to, 61
- Flonase, 41
- Flooring recommendations, 29–30
- Flour products, 111
- Flovent, 52
- Flu, implications of, 11, 27, 35, 43, 55, 84
- Fluconazole, 83, 184–186
- Flunisolide, 41, 51
- Fluticasone, 41, 52
- Folic acid, 178
- Food additives, 61, 75–76
- Food allergies,
 - characteristics of, 11, 13–14, 44
 - food sensitivities distinguished from, 60–61
 - as trigger, 12, 28, 31–32
- Food coloring/dyes, 61, 75
- Food elimination program, 12
- Food extracts, 65
- Food labels, reading guidelines, 14, 72, 103, 123
- Food preservatives, 35, 61
- Food sensitivities
 - awareness program, 66–67
 - cure steps, 75–76
 - food allergies vs., 60–61
 - general elimination diet technique, 68–73, 76
 - guides/lists
 - better-breathing phase, 159–162, 164–172
 - healing-phase diet, 105–106, 151–157
 - impact of, 11, 49–50
 - specific elimination diet technique, 73
 - symptoms of, 61–64
 - testing for, *see* Food sensitivity testing
- Food sensitivity testing
 - blood tests, 64–65
 - candida, 89
 - drawbacks of, 67–68
 - importance of, 9–11
 - overview, 74–76
- Foreign-body aspirations, 25
- Formaldehyde, 34–35
- Friedman, Dr. Michael S., 28
- Fructooligosaccharide (FOS), 182
- Fruits
 - better-breathing phase
 - basic guidelines, 154–158
 - weight loss guidelines, 161–162
 - weight maintenance, 163, 167–172
 - healing-phase diet
 - basic guidelines, 130
 - weight loss guidelines, 146
- Fungal infection, 78
- Fungi
 - edible, 110–112, 153–157, 167–172
 - sources of, 108
- Furniture recommendations, 30
- Fuzzy thinking, 81
- Gamma-interferon, 55
- Garlic
 - characteristics of, 183
 - dosage recommendations, 184, 195
- Gas, implications of, 81, 85
- Gastric ulcers, 83
- Gastrocrom, 51
- Gastroesophageal reflux disease (GERD), 28, 32
- Gastrointestinal (GI) tract
 - food sensitivities and, 80–81
 - healthy, 79–80
 - yeast infection, 43, 83
 - upset, 43, 52, 186
- Gene therapy, 55
- General elimination diet technique
 - caffeine, 69, 72
 - chocolate, 69, 72
 - corn, 69, 71
 - dairy, 69–70
 - overview, 68–69, 76
 - salicylate, 69, 72–73
 - wheat, 69–71
- Ghee, 144
- Glaucoma, 41
- Glucagon, 115
- Glucocorticoids, 51–52
- Glucose intolerance, 42
- Glucosinolates, 176
- Glutathione levels, 200
- Gluten, 70

- Glycyrrhizin, 200
- Goldenseal
 characteristics of, 183–184
 dosage recommendations, 184, 195
- Gomez-Carneros, Carmen, 176
- Grains
 better-breathing phase
 basic guidelines, 156–157
 weight maintenance, 163,
 167–172
 healing-phase diet
 basic guidelines, 123–124
 weight loss guidelines, 140–141
- Grapefruit seed extract
 anticandida supplement program
 characteristics of, 182
 dosage recommendations, 184, 195
 asthma supplement program
 characteristics of, 200
 dosage recommendations, 201
- Grasses, allergy to, 35, 44
- Great Smokies (food sensitivity test),
 67
- “Guidelines for the Diagnosis and
 Management of Asthma” (National
 Institutes of Health)
 environmental measures, 48
 lung function measurement, 48
 patient education, 48–49
 pharmacologic therapy, 48
- Hay fever, 11–13, 196
- Headache, implications of, 13, 26, 43,
 49, 77, 81, 85–86, 129, 145, 179,
 186
- Healing-phase diet, basics of
 benefits of, generally, 98–99
 beverages, 128–130
 butter, 128
 carbohydrates, 106–108
 cheese, 118
 commitment to, 131
 complex carbohydrates, 122
 components of, generally, 98–99,
 131–133
 condiments, 128
 desserts, 130–131
 eggs, 117–118
 fats, 118–121
 fish, 116–117
 foods to avoid, 108–112
 foods to eat, overview, 112–115
 food sensitivity guides, 105–106
 fruits, 130
 getting started, 102–103
 grains, 123–124
 legumes, 125
 nuts, 125–126
 oils, 128
 overview, 131–133
 poultry, 117
 protein bars/shakes, 126–127
 proteins, 115
 red meats, 115–116
 seeds, 125–126
 snacks, 126
 sugar, 103–105
 vegetables, 122–123
 for weight loss, *see* Weight loss
 guidelines, healing-phase diet
- Heartbeat
 abnormal, 53
 rapid, 21, 53
- Heartburn, as trigger, 28, 32, 42, 85
- Heart disease, 177, 190
- Heat-induced allergy, 11
- Heavy metals, 85, 117
- HEPA (high-efficiency particulate air)
 filter, 29–30
- Herbal teas, 145
- Herbicides, 84
- Heredity, significance of, 28, 32
- High blood pressure, 177
- High-protein diets, 118, 127
- Histamine release test, 65
- Histamines
 antiallergy medications and, 38,
 40–41
 characteristics of, 10, 15
- Hives, 12–13, 27, 38, 43–44, 60, 80,
 85, 180, 191
- Hoarseness, implications of, 12, 42
- Home decor, guidelines for, 29–30
- Homeopathy, 201
- Hormonal imbalances, 83
- Hospitalization, 24, 26
- Household chemicals, as triggers, 11,
 27–28, 34
- Household cleaning guidelines,
 29–30, 33
- Hydrocarbons, 35
- Hydrogen cyanide, 35
- Hydrogenated oils, 106
- Hyperlipidemia, 42

- Hypertension, 42
 Hyperventilation, 35
 Hypoglycemia, 81
- Ibuprofen, 16, 29, 50
 IgA antibodies, 66, 88
 IgE
 antagonists, 55
 antibodies, 10–11, 15–17, 23, 45, 55, 68
 IgG antibodies, 66, 88
 IgM antibodies, 66, 88
 IL-4, 55
 IL-10, 55
 IL-12, 55
 IL-18, 55
 Immune system, influential factors, 10, 23, 66, 85, 100, 182–183
 Indigestion, implications of, 81, 85
 Indoor molds, 32–33
 Infectious allergy, 11
 Information resources
 complementary medical information, 235–237
 general medical information, 233–235
 Ingested allergens, 11
 Inhalation, of allergens, 11, 27
 Injection, of allergens, 11, 16
 Insect allergy, 11, 44
 Insomnia, implications of, 42
 Insulin levels, 107
 Intal, 51
 Interferon, 181
 Intestinal permeability test, 82
 Intradermal testing, 16–17, 25
 In vitro antibody testing, 16–18, 25
 Ipratropium bromide, 43, 53
 Irritability, implications of, 21, 53
 Irritable bowel syndrome, 80, 120
 Irritants, as triggers, 27
 Isoflavones, 176
 Isopropyl glycol, 34
 Itchiness, implications of, 13, 41, 81
 Itraconazole, 184, 186
- Jock itch, 49
 Joint swelling/pain, 13, 86
 Joint Task Force on Practice Parameters in Allergy, Asthma, and Immunology, 39
Journal of Allergy and Clinical Immunology, 82–83
- Ketchup, 104, 143
 Ketoconazole, 83, 184–185
- Labored breathing, implications of, 25
 Lactobacilli, 89
Lactobacillus acidophilus, 181
 Lactose intolerance, 61
 Lactulose, 82
 Lamisil, 184
 Late-onset asthmatics (LOA), 23
Laterospora, 182
 Latex allergies, 11, 34
 Lauric acid, 119
 Lead, impact of, 84
 Leaky gut
 case illustration, 10, 79
 causes of, 83–85
 sources of, 84
 symptoms of, 81–82
 treatment of, 90
 Lecithin, 117
 Legumes
 better-breathing phase
 basic guidelines, 155–157
 weight maintenance, 163, 169–172
 healing-phase diet
 basic guidelines, 125
 weight loss guidelines, 142
 Lemon/lime juice, 128, 141
 Leukotriene(s)
 characteristics of, 10, 23
 modifiers, 38, 43, 54
 Licorice root extract
 characteristics of, 200
 dosage recommendations, 201
 Lifestyle changes, 136
 Life-threatening attacks, 20–21, 26, 68
 Light-headedness, implications of, 129
 Liver, generally
 abnormalities, 186
 damage, 196
 function tests, 185
 Loratadine, 39
 Low-carbohydrate diets, 107, 116, 127, 135–136
 Low-fat foods, 103
 Lunch recipes, 216–220
 Lung(s), generally
 congestion, 21
 disease, 177
 function measurement guidelines, 48

- Lupus, 83, 197
 Lymphocytes, 23–24
- Macadamia nut oil, 101, 120–121, 128
 Magnesium, 178, 188–190, 196, 198
 Malaise, implications of, 81
 Malt products, 109
 Manganese, 192
 Mania, implications of, 42
 Mannitol, 82
 Margarine, 121, 143
 Mast cells, 10, 23, 55
 Mattress pads, 29–30
 Maxair, 52
 Mayonnaise, 109, 128, 144
 Meal plans, 205–210
 Medical history, 23–24, 26, 87
 Medications, *see specific types of medications*
 allergies to, 29
 as triggers, 27
 Medihaler-Epi, 54
 Mediterranean-type diet, 119
 Memory
 difficulty, 81, 86
 loss, 86
 Menopause, 77
 Mercury, 85, 117
 Metaproterenol, 52
 Methylxanthines, 53
 Micronutrients, 177
 Mild asthma, 21, 26, 51
 Mildew, as trigger, 32–33
 Milk
 dairy elimination, 69
 food allergies, 13, 61
 healing-phase diet
 basic guidelines, 130
 weight loss guidelines, 145–146
 Moderate asthma, 21, 26, 51
 Molds/mold spores
 allergen extract, 44
 allergy shots, 44
 as trigger, 12, 28, 32–33
 Mometasone, 41
 Monosodium glutamate (MSG), 109, 144
 Monounsaturated fats, 101, 119–120
 Montelukast, 54
 Mood disorders, implications of, 42
 Mood swings, implications of, 81
- Motor vehicle exhaust, as trigger, 85
 Motrin, 84
 Mouth breathing, 20
 MPOS, 66, 76
 Mucus
 drainage, implications of, 12
 membranes, swelling and inflammation of, 12
 plug formation, 24
 Multiple sclerosis, 197
 Multivitamins, 187
 Muscle
 aches, implications of, 49, 81, 86
 response testing, 74–75
 Mustard, 109, 128, 144
 Myopathy, implications of, 42
- N*-acetyl cysteine
 characteristics of, 200
 dosage recommendations, 201
 NAET (Nambudripad allergy elimination technique), 201
 Nail fungal infection, 49
 Nasacort, 41
 Nasal antihistamines, 38–39
 Nasal congestion, implications of, 12, 26, 30, 38, 41, 77, 81
 Nasal sprays
 nonsteroidal, 38, 40
 steroidal, 38, 41–43
 Nasalcrom, 40
 Nasonex, 41
 National Cancer Institute, 176
 National Health and Nutrition Examination (2000), 29
 Nausea, implications of, 53, 102, 179
 Nedocromil, 40, 51
 Nervousness, as trigger, 52–53, 81
New England Journal of Medicine, 42
 Newsprint, as trigger, 11, 34
 Nitrates/nitrites, 116
 Nitrogen dioxide, as trigger, 35
 Nizoral, 184–185
 Nonsteroidal anti-inflammatory drugs/medications, 29, 50–51, 83–84
 Nonsteroidal medications, 16
 Nonsteroidal nasal sprays, 38, 40
 Nose congestion, 85, 186
 Nurses' Health Study, 31
 Nutrition, as trigger, 33–34

- Nutritional supplements
 - allergy treatment
 - allergy to, 179
 - anticandida supplement program, 180–186
 - benefits of, 48, 175–176, 180
 - how to take, 178–179
 - need for, 176–177
 - overview, 186–190
 - side effects, 179
 - asthma treatment
 - anticandida supplements, 195
 - asthma supplements, 195–201
 - overview, 193–195, 201–202
 - benefits of, 88
 - skin condition program, 191–192
- Nuts
 - food allergies, 13, 61
 - healing-phase diet
 - basic guidelines, 125–126
 - weight loss guidelines, 142
- Obesity, as trigger, 28, 33, 77, 100, 135
- Oils
 - benefits of, 101
 - healing-phase diet
 - basic guidelines, 128
 - weight loss guidelines, 143–144
 - storage of, 121
- Oleuropein, 183
- Oligonucleotide therapy, 55
- Olive leaf extract
 - characteristics of, 183
 - dosage recommendations, 183, 195
- Olive oil, 101, 119–121
- Omega-3 fatty acids, 101, 113, 118, 120, 189
- Omega-6 fatty acids, 101, 113, 118, 120, 189
- Opticrom, 40
- Oral antihistamines, 38–39
- Oral contraceptive therapy, 31
- Oral steroids, 52
- Oral supplement program, 10
- Organic foods, 116–118
- Ornish diet, 118
- Osteoporosis, 42, 47, 52
- Outdoor molds, as trigger, 33
- Ovaltine, 109
- Over-the-counter (OTC) medications
 - for allergies, 26, 40
 - for asthma, 54
- Palpitations, implications of, 81
- Pantethine, 188, 190, 196–198
- Panting, implications of, 25
- Pantothenic acid, 188, 192
- Paramycocidin, 182
- Partially hydrogenated, defined, 121
- Pastas, 124, 141, 163, 167–168
- Patient education, guidelines for, 48–49
- PCN-200, 182
- Peak flow rate test, 24
- Peanuts, food allergies, 13–14, 61
- Pediatrics*, 36
- Peptic ulcer disease, 42
- Percutaneous testing, 15–17, 25
- Perfumes, as triggers, 28, 34
- Periacin, 39
- Perspiration, implications of, 21
- Pesticides, as trigger, 84
- Pharmacologic therapy, for asthma, 48, 50
- Phenergan, 39
- Phenol, 176
- Phenylephrine, 40
- Phenylpropanolamine, 40
- Phosphodiesterase inhibitor, 53
- Physical agent allergy, 11
- Pirbuterol, 52
- Platts-Mills, Dr. Thomas A., 28
- Pneumonia, 24
- Pollens
 - allergen extract, 44
 - allergy shots, 44
 - as triggers, 11, 22, 27–28, 35–36, 129
- Polyester, allergy to, 34
- Polyunsaturated fats, 120
- Portion control, significance of, 136
- Postnasal drip, implications of, 12, 26
- Postum, 109
- Potassium
 - level, importance of, 53
 - sources of, 178
- Poultry, healing-phase diet
 - basic guidelines, 117
 - weight loss guidelines, 138
- Pregnancy
 - antiallergy medications, 40, 45
 - candidiasis and, 83
 - nystatin treatment during, 185
- Pregnenolone
 - characteristics of, 199
 - dosage recommendations, 200
- Prepackaged foods, 103
- Primate Mist, 54

- Proanthocyanidins (PCOs), 200
 Probiotics
 characteristics of, 181–182
 dosage recommendations, 184, 195
 Processed meats, 110
 Progesterone, 83
 Prostaglandins, 23
 Protein bars/shakes, healing-phase diet
 basic guidelines, 126–127
 weight loss guidelines, 143
 Proteins
 better-breathing phase
 weight loss guidelines, 159
 weight maintenance, 163–172
 healing-phase diet
 basic guidelines, 115
 weight loss guidelines, 137–138
 Proventil, 52
 Pseudoephedrine, 40
 Psoriasis, 27, 80, 120, 180, 191
 Pulmicort, 41, 52
 Pulmonary function tests (PFT),
 23–24, 48
 Pulse testing, 74

 Quercetin, 188, 190, 197–198

 Ragweed, 35
 RAST (radioallergosorbent test),
 16–18, 25, 65
 Recipes
 appetizers, 229–232
 breakfast, 211–216
 dinner, 220–225
 lunch, 216–220
 side dishes, 225–229
 soups, 229–232
 Red blood cells, 66
 Red meats, healing-phase diet
 basic guidelines, 115–116
 weight loss guidelines, 137–138
 Respiratory infection, as trigger, 25,
 28, 35
 Retracting respirations, 25
 Rhinitis, 27, 35, 60
 Rhinitis medicamentosa, 40
 Ringworm, 49
 Rosacea, 12
 Runny nose, implications of, 12, 26,
 30, 41, 43, 77, 81, 85, 129, 186
 Ry-vita, 123

 Sacks, Dr. Frank, 121
 Salad bars, 28, 35–36
 Salicylate elimination, 69, 72–73
 Salmeterol, 52
 Salmonella, 118
 Saturated fats, 119
 Seafood allergies, 13, 61
 Seasonal allergies/triggers, 12, 35
 Secondhand smoke, 35
 Seeds, healing-phase diet
 basic guidelines, 125–126
 weight loss guidelines, 142
 Seizures, 53
 Selenium, 178, 190
 Serovent, 52
 Serving size, 141. *See also* Portion
 control
 Severe asthma, 21–22, 26, 51
 Sexual dysfunction, 86
 Shellfish, food allergies, 13
 Shortness of breath, 19, 21, 25–26
 Side dish recipes, 225–229
 Singulair, 43, 54
 Sinus infection/problems, as trigger,
 25, 28, 35, 81–82
 Sinusitis, 27, 35, 180
 Six Cities Study, 135
 Skin condition supplement program
 second-tier, 192
 top-tier, 191–192
 Skin contact, 11
 Skin rash, implications of, 12
 Sleep disturbance, implications of,
 25
 Smell, loss of, 12
 Smog, as trigger, 196
 Smoke, as trigger, 28, 35
 Smoked meats, 110, 153–157,
 169–172
 Snacks, healing-phase diet
 basic guidelines, 126
 weight loss guidelines, 142
 Sneezing, implications of, 12, 26, 38,
 41
 Soda, 129, 145
 Soup(s)
 dehydrated, 28, 36
 recipes, 229–232
 Soy
 dairy elimination, 70
 food allergies, 13
 Specialists, functions of, 50

- Spices, 128, 144
- Splenda, 131
- Sporonox, 184, 186
- Sputum evaluation, 23–24
- Standard American diet (SAD), 85, 100–102, 188
- Starches, 107–108
- Steroid medications/therapy
 - candida and yeast infection, 83
 - characteristics of, 51–52, 200
 - inhaled, 9, 51
 - nasal sprays, 38, 41–43
 - oral, 10
 - side effects of, 41–43
- Stomach pain, implications of, 13, 61
- Stomach ulcers, 84
- Stool testing, 89
- Stress
 - reduction techniques, 12
 - as trigger, 35, 83–85
- Stroke, 177
- Sudafed, 40, 54
- Sugar(s)
 - avoidance of, 148
 - cravings, 102
 - foods to avoid, 112
 - in fruit, 104–105
 - healing-phase diet, 103–105
 - overconsumption of, 85
 - in standard American diet (SAD), 100
- Sulfites, as triggers, 28, 35–36
- Sweeteners, 61
- Symptom questionnaire, 95–98

- Taste, loss of, 12
- Taurine
 - characteristics of, 199–200
 - dosage recommendations, 201
- Tavist, 39
- T-cell lymphocyte, 22
- Tea, 129–130, 145
- Teague, Dr. W. Gerald, 28
- Terbinafine, 184, 186
- Terpenes, 176
- Theophylline, 32, 53–54
- Thin for Good* (Pescatore), 34, 106, 131, 134
- Third-generation B-antagonists, 55
- Thirst, implications of, 43
- Thorax, 100

- Throat
 - itchy, 12
 - scratchy, 12, 21, 26
 - sore, 12
 - steroid use and, 42–43
- Thromboxanes, 23
- Thrush, 42
- TH10, 182
- TH-2 cell, 22–23
- Thunderstorms, as trigger, 28, 36
- Thyroid disease, 197
- Tightness in chest,
 - see* Constricted chest
- Tilade, 40
- Toluene, 34
- Tongue, swelling of, 13
- Transcription factor antagonists, 55
- Transfatty acids, 101, 120–121
- Tree pollen, as trigger, 35, 44
- Triamicinolone, 51
- Triamincinolone acetonide, 41
- Triaminic, 40
- Tricyclic antidepressants, 16
- Triggers, *see specific types of triggers*
 - determination of, 50
 - list of, 94, 97
- Tylenol, 84

- Ulcerative colitis, 80, 83
- Ulcers, 83–84
- Upper respiratory infection, 19, 82
- Urinary tract
 - difficulties in, 53
 - infection, 85–86

- Vacuuming, benefits of, 29–30
- Vagus nerve, 32
- Valium, 16
- Vanceril, 52
- Vegetables
 - breathing-better phase
 - basic guidelines, 154–157
 - weight loss guidelines, 159–162
 - weight maintenance, 163–172
 - healing-phase diet
 - basic guidelines, 122–123
 - weight loss guidelines, 139–140
 - low-carbohydrate, 163
 - medium-carbohydrate, 163
- Ventolin, 52

- Vinegar
 breathing-better phase, 152–157, 167–172
 healing-phase diet, 109, 128
- Viruses, as trigger, 28, 36, 83
- Vistaril, 39
- Vitamin(s), *see specific types of vitamins*
 foods that contain, 177–178
 supplements, need for, 177
- Vitamin A, 187, 190–192, 196, 198
- Vitamin B₆, 178
- Vitamin B₁₂, 188, 190
- Vitamin C, 31, 50, 178, 187, 190, 196, 198
- Vitamin D₃, 191–192, 197–198
- Vitamin E, 190
- Vocal cord dysfunction, 25
- Vomiting, 13, 53
- Walnuts, food allergies, 13
- Wasting syndrome, 42
- Water consumption, 128–129, 144–145
- Weeds, as triggers, 12, 44
- Weight, generally
 loss, implications of, 90
 significance of, 28, 33, 77, 100, 133
 steroid use and, 41, 52
- Weight loss, implications of, 90
- Weight loss guidelines, healing-phase diet
 beverages, 144–146
 butter, 143–144
 complex carbohydrates, 139–141
 condiments, 143–144
 desserts, 146
 fruits, 146
 legumes, 142
 nuts, 142
 oils, 143–144
 overview, 146–147
 portion control, 135–136
 protein bars/shakes, 143
 proteins, 137–138
 seeds, 142
 snacks, 142
- Weiss, Dr., 135
- Western diet, 107
- Wheat
 elimination, 69–71
 food allergies, 13
- Wheezing, implications of, 12, 19–22, 25–26, 30–31, 81
- White blood cells, 23–24, 65–66
- Whole grains, 124
- Wine, 28, 36, 173
- Women
 candidiasis, 83
 DHEA side effects, 199
 estrogen replacement therapy, 27, 31
 menopausal, 77
 osteoporosis, 42, 47
 pregnancy, 40, 45, 185
 yeast problem, symptoms of, 85–86
- X-rays, diagnostic, 23–24
- Yeast, *see Candida*
 characteristics of, 49
 infection
 antibiotics and, 82
 steroid use and, 42–43
 problems, symptoms of, 85–86
 sources of, 108
- Yeast Connection, The (Crook)*, 86
- Yeast-free diet, *see Healing-phase diet*
- Yeast-free grains, 123–124
- Zafirlukast, 54
- Zileuton, 54
- Zinc, 178, 191–192
- Zyflo, 43, 54
- Zyrtec, 39

