

Index

A

- About Pivot option, 335
- Absolute Effect field, 1031
- absolute pasting, 846
- Absolute scale value, 877
- Absolute transform assignments option, 1166
- Absolute Weight option, 793
- Absolute/Offset button, 196
- Absolute/Relative button, 755, 826, 1031
- Abut Selected button, 1134, 1145
- Action Safe option, 62
- Activate 3ds Max command, 34
- Activate Grid Object command, 211
- Activate Home Grid command, 211
- Active Only option, 71
- Active option, 99, 1063
- Active Slot option, 406
- Active Time Segment option, 542, 568
- Active Viewport Only option, 523
- ActiveShade window, 104, 578
- ActiveX Control element, 1190
- Adapt Object Display by Priority section, 64
- Adaptive (Cubic) button, 668
- Adaptive (Linear) button, 668
- adaptive degradation, 52, 63–65
- Adaptive Halton method, 422
- Adaptive option, 306
- Adaptive Path Steps option, 662
- Adaptive Subdivision button, 640
- Adaptive Undersampling option, 1048
- Adaptive Uniform method, 422
- Additional Effects section, 1082
- Additional Help dialog box, 1197
- Additive transparency type, 420
- Adjust Color dialog box, 744
- Adjust Pivot rollout, 203
- Adjust Transform rollout, 204
- Adobe After Effects, 1126–1127
- Adobe Illustrator (AI), 91–92
- Adobe Photoshop, 456–458, 1124–1125
- Adobe Premiere, 1125
- Adobe Premiere Transition filter, 1142
- Advanced Controls rollout, 437, 555
- Advanced Lighting Lightscape material, 462
- Advanced Lighting Override material, 462, 1058–1059
- Advanced Lighting panel, 175, 569, 1045, 1049
- Advanced Options button, 105
- Advanced Options rollout, 640, 674
- Advanced Parameters rollout, 793, 1037–1038, 1099
- Advanced Quad Menu Options dialog box, 105–106
- Advanced Raytraced Shadows option, 494, 505
- Advanced Search dialog box, 186
- Advanced Shaders property, 423
- Advanced Springs rollout, 791, 793
- Advanced Transparency control, 420
- AEC Objects menu, 155
- Affect Region modifier, 283
- After Effects, 1126–1127
- AfterBurn plug-in, 1199–1200
- AI (Adobe Illustrator), 91–92
- Airborne value, 1013
- Align button, 21
- Align Horizontal button, 756
- Align menu command, 250
- Align Objects button, 1024
- Align Parameters rollout, 232–233
- Align Pivot section, 195
- Align Selected Left button, 1133, 1144
- Align Selected Right button, 1134, 1144
- Align Selection dialog box, 207, 238, 250
- Align to Camera button, 21
- Align to Cursor menu command, 843
- Align to View button, 21
- Align to View dialog box, 209
- Align Vertical button, 756
- aligning
 - cameras, 480–482
 - normals, 207–208
 - objects, 206–207
 - pivot points, 203
 - to view, 209

- All IDs drop-down list button, 755
- All Lights option, 498
- All Vertices option, 299
- Allow Edit in Place option, 253
- Allow Multiple Gizmos option, 193
- Allow Upside Down option, 550
- Allow Wheel Penetration, 950
- Along Offset Splines option, 924
- Along Parallel Splines option, 924
- Along Vertex Normals option, 645
- Alpha From RGB Intensity option, 430
- Altitude value, 510
- Ambient Color property, 452
- Ambient color swatch, 392
- ambient light, 495
- ambient occlusion, 50, 777
- Ambient Only option, 504
- Ame-dark interface, 110–111
- Ame-light interface, 110
- Amount spinner, 451
- Amount value, 294, 296
- Amplify value, 292
- Amplitude parameter, Ring Array system, 237
- Amplitude values, Ripple modifier, 289
- Analysis Output panel, 1060
- Analyze World menu command, 941, 955
- and operator, 1177
- Angle Data option, 193
- Angle of Incidence, 499
- Angle Separation value, 575
- Angle Snap Toggle button, 21, 553
- Angular Dashpot button, 948
- Animatable Envelopes option, 1037
- Animate Active Only option, 402
- Animate Background option, 70
- Animate Noise option, 287
- Animated Objects option, 616
- Animated toggle, 839
- animation
 - of bipeds, 1013–1018
 - of cameras, 536
 - commands, 28
 - constraints, 546–552, 554
 - controllers, 556–564
 - ghosting, 533–534
 - IFL Manager Utility, 539
 - Image File Lists, creating, 538–539
 - key values, 528–529
 - keys, 524–527, 954
 - layers, 871–878
 - of lights, 537–538
 - of materials, 538, 820–821
 - modifiers, 785–796
 - Motion panel, 529–531, 533
 - of parameters, 820
 - preferences, 534–536
 - previews, 541–543
 - retargeting, 877–878
 - sequences, loading, 876–878
 - Time Controls, 522–524
 - Track Bar, 527–528
 - of transforms, 819
- Animation Controller dialog box, 822
- Animation Layer Properties button, 870
- Animation Layer Weight button, 870
- Animation Layers toolbar, 179, 869–871, 872
- Animation Modifiers menu, 280
- Animation Offset Keying option, 897–898
- Animation Offset option, 655
- Animation Preferences panel, 126
- Animation Synchronization section, 70
- Anisotropic shader, 413, 416–417
- Anisotropy property, 453
- ANM file format, 875
- anti-alias filters, 421, 572–573
- Antialias option, 402
- Antialiasing Threshold, 505
- anti-virus software, 1209
- Aperture Width drop-down list, 569
- Application Button, 73–74
- Application Frame setting, 107
- Application Menu, 1203
- Applied IK method, 984, 986–987
- Apply Edit Poly modifier, 349
- Arc primitive, 310
- Arc Rotate button, 43, 65
- Arch & Design materials, 732–734
- Architectural materials, 723, 727–728
- Area filter, 572
- Area Light Parameters rollout, 496, 1097
- Area Lights/Shadows as Points option, 569
- Area Omni light, 496
- Area Selection option, 320
- Area Shadows option, 493, 505, 515
- Area Spot light, 496
- Arrange Children option, 606, 610
- Arrange Selected button, 606
- Array dialog box, 234–235

- Array Dimensions section, 234
 - arrays, 219, 234–235, 237
 - artifacts, defined, 421
 - Ask Each Time option, 94
 - Aspect Ratio section, 70
 - assemblies, building, 243–244
 - Asset Browser utility, 93–94, 399
 - Asset Manager interface, 29, 93
 - asset tracking, 597–601
 - Assign Vertex Color utility, 448, 745
 - Assume Preferred Angle button, 988
 - At Background Depth option, 724
 - At Object Depth option, 724
 - Atmosphere Shadows section, 505
 - Atmospheres & Effects rollout, 512, 515, 1067
 - Atmospheric Apparatus gizmos, 1066–1067, 1074–1075
 - Atmospheric option, 569
 - Atmospheric Shaders, 730
 - Attach button, 322, 684–685
 - Attach Controls dialog box, 810
 - Attach List dialog box, 359, 361, 1028
 - Attach Multiple dialog box, 322
 - Attach operation, 673
 - Attach panel, 95
 - attaching objects to groups, 242
 - Attachment constraint, 545–547
 - Attachment controller, 802
 - Attachment Parameters rollout, 546–547
 - Attenuate button, 711
 - Attenuate Lights option, 121
 - Attenuation Color box, 512
 - Attenuation Multiplier control, 513
 - Attenuation options, 508
 - Attribute Holder modifier, 796
 - Attribute rollout, 828
 - Audio Controller dialog box, 798
 - Auto Backup feature, 76, 81–82
 - Auto Display Selected Lights option, 52
 - Auto Expand menu, 839
 - Auto Extract Mesh option, 676
 - Auto Key button, 10–11, 205, 525
 - Auto Key Default Frame option, 535
 - Auto Key mode, 27, 524–525
 - Auto Mesh option, 716
 - Auto Reflect/Refract Maps section, 574
 - Auto Region Selected option, 577
 - Auto Secondary Element rollout, 1086
 - Auto Secondary Lens Effect, 1086–1087
 - Auto Smooth option, 306
 - Auto Snap, 988
 - Auto Termination option, 981
 - Auto Weld option, 322, 384
 - Auto Window/Crossing by Direction option, 118
 - Auto-Align option, 978
 - AutoCAD palette, 95, 133, 155
 - Autodesk, 32–33, 1199
 - Autodesk DWF Viewer, 89–90
 - Autodesk Tool Catalog, 90
 - AutoGrid feature, 154, 211–212, 305
 - Automatic Exposure Controls, 1063–1064
 - Automatic Flatten UVs modifier, 775, 778–779
 - Automatic Map Size option, 777
 - Automatic Mapping rollout, 778–779
 - Automatic Reparameterization, 700
 - Automatic Sub-Material Assignment option, 118
 - Automatic Welding option, 322
 - AutoPlay Preview File setting, 119, 543
 - Auto-Select Texture Map Size option, 403
 - ave variable, 1181
 - average function, 1181
 - AVI (Microsoft Video) file, 538
 - Avoid behavior, 1020, 1022
 - Axial Drop value, 921
 - Axis Alignment option, 554
 - Axis Constraint button, 192
 - Axis Constraints toolbar, 197, 200
 - Axis Scaling option, 146, 147
 - axonometric view, 36
 - Azimuth value, 510
- ## B
- Back Transform Vertices option, 1037
 - Backburner software, 1109, 1111, 1116–1117
 - Backface Cull options, 121, 172, 260–261
 - Background button, 395
 - Background Color swatch, 423
 - Background Image dialog box, 29
 - Background Image section, Schematic View Preferences dialog box, 617
 - Background Intensity value, 403
 - backgrounds, viewport, 68–71
 - backing up files, 81–82
 - Backlight button, 395
 - Backup Interval option, 82
 - Bake Selected Verts button, 1032
 - Baked Material settings, 778

- baked textures, 774–778
- Banking option, 662
- Barycentric Morph controller, 556
- Base Curve setting, 150
- Base Layer, 871
- Base Object, 271–272
- Base Scale, 655
- Base/Apex method, 144, 149
- Basic Parameters rollout, 413, 892, 895, 899, 904–906
- Basic Torque value, 919
- batch rendering, 581, 1107–1109
- Behavior Assignments and Teams dialog box, 1021–1022
- Bend Links Mode button, 1007–1008, 1012
- Bend Links rollout, 1011
- Bend modifier, 283–285, 786, 1185
- Bevel button, 692–693
- Bevel command, 100
- Bevel Deformation, 667–668
- Bevel Edges button, 290
- Bevel modifier, 344–345
- Bevel Spline button, 290
- Bézier controller, 559–560, 851
- Bézier Corner control point, 665
- Bézier Corner type vertex, 325, 697
- Bézier Float controller, 848
- Bézier Scale controller, 556
- Bézier Smooth control point, 665
- Bézier type vertex, 325
- Bias value, 294
- Binary file, 85
- Bind button, 686
- Bind to Space Warp button, 20, 918
- binding skin to skeleton, 1029–1037
- Bind/Unbind button, 328–329
- Biped toolbar, 838
- bipeds, 874, 880, 882–883, 1000–1011, 1013–1018
- Birth Rate value, 889
- Bitmap form element, 1189
- bitmap gamma, setting, 126
- Bitmap Options section, 757
- Bitmap Pager option, 575
- Bitmap Parameters rollout, 432
- Bitmap Proxies dialog box, 570
- Bitmap Select map option, 746
- Bitmap selection, 431–433, 584
- Bitmap/Photometric Path Editor utility, 455
- Blackman filter, 572
- Blend Basic Parameters rollout, 462
- Blend Element Parameters rollout, 1131
- Blend filter, 572
- Blend material, 462–463
- Blending Mode, 740
- Blinn Basic Parameters rollout, 459
- Blinn shader, 413–416
- Blizzard particle system, 887, 902–903
- Blob Objects list, 652
- BlobMesh object, 642, 653
- Block Parameters dialog box, 809
- Blowup Region option, 67
- Blowup Render Type, 577
- blurring, 430, 573, 744, 1089–1091
- Body Horizontal button, 1005–1006, 1028
- Body Rotation button, 1005–1006, 1007
- Body Vertical button, 1005–1006
- Bomb Parameters rollout, 934
- Bomb Space Warp, 933–934
- bone systems, 972–975
- Bone Tools, 976–978
- Bones button, 1005
- Bones IK Chain option, 972
- Bones/Objects button, 1005
- Bookmark Name button, 606
- Boolean button, 322, 333–334
- Boolean Intersection, 278
- Boolean mode, 334
- Boolean object, 642, 672
- Boolean Subtraction operation, 278, 647
- Border rollout, 371
- border subobjects, 351, 368, 371–372, 630
- Both button, Light Navigation control, 501
- Bounce Coefficient, 422
- Bound Hose option, 151
- Bound to Object Pivots option, 151–152
- Bounding Box option, Rendering Level, 54
- Bounding Box snap point, Snap tab, 214
- Box Gizmo, 1075
- Box menu command, 1014
- Box object, 135, 140, 1038
- BoxGizmo gizmo, 1066
- Branches tool, 384
- Break button, 322, 687
- Break Vertex command, 715
- Bridge dialog box, 372
- Bridge Smoothing option, 659
- Bridge Specific Edges option, 369
- Brightness and Contrast render effect, 1091
- Brightness/Contrast control, Photoshop, 458
- Browse Custom Brush Directory button, 740

- Brush Options button, 743
- Brush Options dialog box, 1034
- Brush Preset Manager dialog box, 623
- Brush Selection palette, 739–740
- Brush Size slider button, 710
- Brush Strength value, 622
- brushes, 118, 165, 385, 624–625, 739
- Bubble Motion rollout, 901
- Bubble value, 283
- Buffer Mode button, 1004
- Build Cube rollout, 1193
- Build Only at Render Time option, 652
- BuildCube utility, 1193
- Built-In Section drop-down list, 340
- Bulge Angle Deformer, 1037
- bump maps, 425, 448, 450, 455, 735
- Bump property, 453
- Bump Smoothing value, 438
- button color cues, 29
- Button form element, 1189
- By Angle option, 352
- By Half panel, 387
- By Layer toggle button, 171
- By Normal panel, 386
- By Numeric panel, 388
- By Object button, 171
- By Perspective panel, 387
- By Vertex option, 352, 683
- ByLayer option, 119
- ByObject option, 119

C

- Cache Tools menu, 280
- Calculate All Light Meters Now button, 1060
- Calculation section, 616
- Camera Correction modifier, 485
- Camera Map modifier, 753
- Camera Map Per Pixel map, 448
- Camera Settings option, 954
- Camera Shader section, 1105
- cameras, 47, 476–489, 536
- Cameras menu, 280
- Cancel Expert Mode button, 46
- Cap Holes modifier, 628
- Capsule object, 148
- Caption Bar, 73
- Caption Property, 1188
- Capture Current State option, 788
- capturing images, 458
- Car Paint material, 734–735
- Car-Wheel Constraint button, 957
- Cast Shadows option, 174
- Category drop-down list, 100
- Catmull-Rom filter, 572
- caustics, 1102–1103
- Cavity map option, 746
- Cellular map, 438
- Center Box Handle option, 193
- Center Face snap point, 214
- Center method, 144
- Center mode, 39
- Center of Mass (COM), 1005, 1028
- Center option, Spline subobject mode, 333
- Center Pixel Snap option, 757
- Center-End-End method, 310
- Centers option, Spacing Tool dialog box, 230
- Certified Plug-Ins program, 1200
- C-Ext object, 137, 151
- Chamfer button, 328
- Chamfer Distance, 339
- Chamfer settings dialog box, 368
- ChamferBox object, 136, 146, 148
- ChamferCyl object, 136, 148
- Change Graphics Mode program icon, 124
- Change Operation button, 673
- channels, 397, 578, 752, 774–775, 788–789
- Chaos Speed Factor, 902
- Chaos value, 933
- Character Assembly rollout, 875
- character creation workflow, 997–998
- Character Map application, 312–313
- Character Studio tool, 288, 998
- Characteristic Graph, 561, 807
- Check Box form element, 1190
- Check Button form element, 1189
- Checker map, 433
- Checker Pattern option, 755
- child object, defined, 244
- Child Space, 957
- Chop option, 141
- Circle Base Curve, 151
- Circle menu command, 329
- Circle primitive, 310
- circular array, 236
- Circular Color Falloff curve, 1080
- Circular Crank Rotation method, 193–194

- Circular option, 310
- Circular selection method, 164
- Circular Selection Region button, 20
- Clamp option, 430
- `classof` command, 1173
- Clear button, 577
- Clear Selection option, 333
- Clear Shell Materials button, 778
- Clip Manually option, 484
- clipping planes, 57–58, 484
- Clone and Align tool, 232–233, 238
- Clone brush, 739
- Clone command, 17, 219–220
- Clone Rendered Frame Window button, 577
- clones, 220, 222–224
- Close All rollout, 24
- Close button, 336
- Close Container button, 252
- closed edges, 369
- cloth, 259, 715–719, 943–944, 946–947, 964–967
- Clump button, 710
- Collapse All command, 259, 277
- Collapse Animation Layer button, 870, 872
- Collapse Selected button, 606
- Collapse Selected menu command, 612
- Collapse utility, 277–278, 349
- Collect Bitmaps option, 95
- `collect` keyword, 1180
- collecting parameters, 824–827
- Collection Name button, 825
- Collision Spawn action, 910
- Collision Tolerance, 941
- Collisions rollout, 941
- Color All Weights option, 1037
- Color Balance render effect, 1091
- Color by Elevation rollout, 650–651
- Color Clipboard rollout, 134, 727
- Color Correction map, 446–447
- Color Map graph, 430
- Color Modifier material maps, 446–448
- Color options, 506–508
- Color Palette interface, 743
- Color Picker form element, 1189
- Color Range Limiting, 574
- Color Selector dialog box, 133–134, 215
- Color toggle, 182
- coloring elevations, 650
- Colors panel, 99, 107, 108, 388
- Column Chooser option, 183
- COM (Center of Mass), 1005, 1028
- Combine XRef Record button, 594
- Combo Box form element, 1189
- Combos option, 160
- Combustion application, 434, 1127–1130
- Command Line Options field, 1143
- Command Panel, 14, 23–26
- command-line rendering, 581
- comment line, 540
- Common Local Orientation, 950
- Common panel, 565
- Common Parameters rollout, 567
- Communication Center, 30
- Compare dialog box, 670
- Compass helper, 267–268, 508–510
- Composite Basic Parameters rollout, 463
- Composite map, 444–446
- Composite material, 463–464
- Composite Method option, 714
- compositing
 - events, 1136–1144
 - Lens Effects filters, 1146–1152
 - packages for, 1124–1130
 - ranges, 1144–1145
 - sequences, 1135–1136
- compound materials, 462–467
- compound objects. *See specific compound objects by name*
- Compress on Save option, 80
- Compute Advanced Lighting section, 569
- Compute Mixdown menu command, 882
- Condense Material Editor Slots menu command, 403
- Cone Angle, 823, 1048
- Cone object, 135, 143
- Configure Columns dialog box, 187
- Configure Driver option, 124
- Configure External File Paths dialog box, 77
- Configure Modifier Sets button, 108, 273, 280
- Configure Modifier Sets dialog box, 109
- Configure Paths dialog box, 81, 597
- Configure System Paths dialog box, 113–114, 1197–1198
- Configure User Paths dialog box, 113, 597
- Conform object, 641, 645–646
- Conform Space Warp, 932–933
- Connect Bones button, 976
- Connect button, 326
- Connect Copy feature, 331–332
- Connect Edge Segments setting, 368
- Connect menu command, 658
- Connect object, 659

- Connection rollout, 730
- Conserve Memory option, 574
- Constant Cross-Section option, 662
- Constant Detail value, 435
- Constant option, 854
- Constant Screen Size option, 267
- Constant Speed option, 924
- Constant Update option, 757
- Constant Velocity option, 550, 560
- Constrain Humanoid rollout, 958
- Constraint Solver, 957
- containers, 18, 251–253
- Contents panel, 96
- Continuous tangents, 851
- Contour option, 662
- Contrast filter, 1139
- Control Parameters rollout, 510–511
- control points, 300, 665, 930
- Controller pane, 839–840
- controllers. *See specific controllers by name*
- Controllers option, 616
- Controllers toolbar, 837, 859
- Conversion menu, 280
- Conversion modifiers, 260
- Convert button, 1004, 1016
- Convert Local File Paths to Relative option, 591
- Convert Selected button, 595
- Convert Selected Objects to Xrefs button, 595
- Convert to Transition Track menu command, 883
- Convert Units option, 83
- converting to editable objects, 259–260
- Convexity Test menu command, 946
- Cook Variable filter, 572
- Cookie Cutter option, 647–648
- Cookie option, 673
- Coordinate System, 281
- Coordinates button, 755
- Coordinates rollout, 427–430, 437
- copies, defined, 222
- Copy Animation Layer button, 870
- Copy Bitmap button, 577
- Copy button, 687
- Copy Controller button, 837, 859
- Copy CurvePoints option, 430
- Copy Envelope button, 1031
- Copy Time button, 836
- copying mixed animation to biped, 882
- Copy/Paste rollout, 1009
- Corner control point, 666
- Corner Initial type, 309, 701
- Corner type vertex option, 331
- Create button, 686–687
- Create menu, 129
- Create panel, 23, 130–131, 138, 259, 483
- Creation Method rollout, 135, 140, 156–157, 307–309, 660
- cropping, 432, 577
- Cross Fade Transition compositor, 1143
- Cross Hair Cursor Toggle menu item, 107
- Cross Section feature, 322–324, 1034
- Crossing Selection method, 163
- CrossInsert button, 327
- CrossSection modifier, 279, 345–346, 672, 695–697
- crowds, creating, 1019–1024
- Crunch Borders option, 631
- Cube/Octa option, 139
- Cubic filter, 573
- cubic maps, 450
- Cubic Morph controller, 808
- Current Color swatch, 133
- Current Frame field button, 522
- current selection, isolating, 169
- Current Targets rollout, 642
- Curve Center snap point, 215
- Curve Edge snap point, 215
- Curve Editor layout, 205, 832–834, 837, 842–843
- Curve End snap point, 215
- Curve Normal snap point, 215
- Curve Tangent snap point, 215
- Curve type option, 333
- Curve value, 294, 296
- curves, editing, 847, 850–854
- Custom Attributes rollout, 828
- Custom Background option, 403
- Custom Bounding Box option, 652
- Custom button, Key Tangents, 529
- Custom form element, 1190
- Custom Range option, 542
- Custom Sample Object button, 403
- Custom Scheme dialog box, 109
- Custom Settings option, 473
- Custom Size option, 1137
- Custom UI menu command, 112
- Customer Involvement Program menu command, 33, 1203
- Customize User Interface window, 99–108
- Custom – Locked Handles button, 529
- Cut or Copy command, 274
- Cut Time button, 836
- Cutter Parameters rollout, 676

Cutter Picking Parameters rollout, 676
 CV control lattice, 699
 CV snap point, 215
 Cycle button, 327
 Cycle option, 854
 Cycle Parameter Out-of-Range type, 861
 Cycle Sample Slots option, 397
 Cycles parameter, 237
 CylGizmo gizmo, 1066
 Cylinder light shape, 508
 Cylinder object, 135, 142
 Cylinder option, 340
 Cylinder primitive, 146
 Cylindrical Environment mapping type, 428
 Cylindrical Mapping option, 751

D

Dampen value, Dynamics rollout, 962
 Damping value, Vortex Space Warp, 921
 Dashpot object, 949
 Data Exchange Solutions menu, 33
 data types, defined, 1173
 Daylight Parameters rollout, 9, 510
 Daylight systems, 4, 8, 509–510
 debugging, 1118, 1162, 1169
 Decay value, 926
 Default Ambient Light Color option, 575
 Default In/Out Tangents for New Keys button, 524
 Default Job Handling section, 1117
 Default Lights option, 49, 51
 Default Projection Distance option, 645, 932
 Default Scanline Renderer rollout, 421, 566, 571–573, 1095
 Defaults Switcher menu command, 112
 DefaultUI interface, 110
 Define Script button, 1018
 Define Stroke dialog box, 122–123
 Deflector Space Warps, 927–929
 Deflectors list, 793
 Deformation dialog box, 664–666
 Deformation Engines, 1038
 deformation painting, 623–624, 626
 Deformations rollout, 663, 671
 Deformed Normals option, 624
 Deforming Mesh collection button, 943
 Degrade to Default Lighting option, 65
 degToRad function, 819
 Delegate helpers, 1019
 Delegate menu command, 1019, 1022
 Delete All button, 826
 Delete Animation Layer button, 870
 Delete Bone button, 976
 Delete Bookmark button, 606
 Delete Collection button, 825
 Delete Control Point button, 665, 669
 Delete Controller button, 837
 Delete Current Event button, 1133
 Delete Curve button, 669
 Delete Highlighted Empty Layer button, 181
 Delete Joint button, 991
 Delete LookAt Target button, 554
 Delete Mesh modifier, 628
 Delete Morph Target button, 642
 Delete Note Track button, 837
 Delete Objects button, 605, 610
 Delete Operand button, 659
 Delete Patch modifier, 695
 Delete Schematic View command, 603
 Delete Selected button, 626
 Delete Spline modifier, 338
 Delete Time button, 836
 Delete XRef Entity button, 595
 deleting objects, 138
 Density map option, 746
 Density Multiplier value, 144
 Density value, 1069
 Dent map, 438
 Depth of Field effect, 485–487, 1093–1094
 Depth parameter, 144
 Derived Object Line, 224
 Derived scale value, 877
 Design Web Format (DWF), 89
 destination object, 232
 Detach button, 331, 691
 Detach dialog box, 360
 detaching objects from groups, 242
 Detonation value, 933
 Diagnose Video Hardware menu command, 50, 497
 dialog boxes, 16, 30
 diamond-shaped object, 382
 Die After Collision option, 901
 die model, creating, 469
 Diffuse Color property, 452
 Diffuse color swatch, 392, 404, 423, 751
 Diffuse Level property, 393, 452
 Diffuse map channel, 455
 Diffuse Roughness property, 452

- Digital Fusion, 1130
- Digital Recorder, 542
- Dim Level setting, 421
- Direct Access to Jobs Path section, 1117
- Direct lights, 496
- Direct3D driver, 49, 124, 953
- Direct3D Shading Model, 497
- Direction Chaos value, 901
- Directional Light Parameters rollout, 504
- Directional menu command, 515
- DirectX Manager rollout, 422–423
- DirectX shader, 405, 729, 953
- DirectX Shader map, 1205
- DirectX Shader material, 723, 728–729, 1106
- Disable All Collisions option, 945
- Disable Animation Layer button, 870–871
- Disable Modifiers Below option, 786
- Disable Textures option, 55–56
- disabling viewports, 48, 55
- Disc light shape, 508
- Discard Old Material option, 468
- Discontinuous tangents, 851
- Disp Approx modifier, 472–473
- Displace Combiner material, 735
- Displace modifier, 285–286, 472–473
- Displace Space Warp, 926–927
- displacement maps, 473, 735
- Displacement option, 569
- Displacement property, 453
- Displacement value, 705
- Display Alpha Channel button, 578, 1079, 1124
- Display as Box option, 234
- Display Background option, 70–71, 1098
- Display Children menu, 247
- Display Color rollout, 177
- Display Cross Hair Cursor option, 119
- Display Drivers section, 124
- Display floater, 200, 272, 612–613
- Display Floater button, 605, 613
- Display Floater command, 605, 652
- Display Floater dialog box, 175–176, 178
- Display Hard Radius button, 1022
- Display in Viewports check box, 268
- Display Layout Warning, 618
- Display Length value, 637
- Display Links option, 247
- Display Maps as 2D option, 403
- Display Maps button, 411
- Display Materials button, 411
- Display Multi/Sub-object Material Propagation Warning option, 403
- Display Objects button, 411
- Display Obsolete File Message option, 80
- Display Options section, 626
- Display panel, 177–178, 941
- Display Passes option, 488
- Display Preferences dialog box, 1005
- Display Projection drop-down list, 1035
- Display Properties rollout, 172
- Display Properties section, 119
- Display Render Mesh option, 700
- Display rollout, 709
- Display Rubber Band option, 215
- Display settings, 1036–1037
- Display Subdivision option, 1054
- Display Sub-Materials/Maps button, 411
- Display tab, 23
- Display Thumbnails button, 411
- Display toolbar, 185
- Display Topology-Dependence Warning option, 279
- Display Unused Map Channels button, 411
- Display World Axis option, 121
- Display X-Axis button, 665
- Display XY axes button, 665
- Display Y-Axis button, 665
- Distance Affects option, 1079
- Distance Blend Falloff Type, 439
- Distance Fade button, 710
- Distance Scaling value, 495
- Distortion value, 311
- Distribute Using All Vertices option, 286
- Distribute Using Even option, 655
- Distribution object, 654, 656
- Distribution options, 506
- Dither Strength value, 487
- Divide button, 331
- Division Colors section, 438
- Dodec/Icos option, 138–139
- Dolly buttons, 479, 501
- Donut primitive, 310
- Dope Sheet layout, 832, 834, 841, 843
- Dope Sheet menu, 833
- Double Sided material, 464
- Double Support value, 1013
- DPI (dots per inch), 583
- Drag Height creation method, 998
- Drag Position creation method, 998
- Drag Space Warp, 922–923

- Draggable Tracks button, 879
 - dragging, 29, 381, 399
 - Draw Backfaces during Degrade option, 65
 - Draw Curves button, 834
 - Draw Links as Lines option, 120
 - Draw On tool, 382
 - Draw on Top option, 267
 - Draw Wireframe option, 740
 - .drf (VIZ Render) extension, 77
 - Drift value, 1070
 - Drop Down List form element, 1189
 - Dummy object, 249–250, 266–267
 - Duplicate Collection button, 825
 - Duration Subdivision value, 573, 1138
 - Dust map option, 746
 - DVD (included with book), 1207–1209
 - DWF (Design Web Format), 89–90
 - DX Display of Standard Material option, 422
 - DynaFlect Space Warps, 927
 - Dynamic package, 1041
 - Dynamic Properties rollout, 422
 - dynamics, defined, 940
 - Dynamics & Adaptation rollout, 1014
 - Dynamics Properties rollout, 946
 - Dynamics rollout, 961
 - Dynamics utility, 940
- E**
- Ease Curve Out-of-Range Types dialog box, 854
 - Easter eggs, 404
 - Eccentricity value, 151
 - Edge Breakup option, 148
 - Edge Count statistic, 67
 - Edge Selection to Pelt Seams button, 769
 - Edge Snap feature, 212
 - edge subobjects, 351, 365, 368–371, 683, 689
 - Edge Vertices subobject, 790
 - Edged Faces option, 54, 141
 - Edges Only option, 172
 - Edges option, 230
 - Edge/Segment option, 337
 - Edge/Segment snap point, 214
 - Edit Attributes/Parameters dialog box, 828
 - Edit Box form element, 1189
 - Edit Button Appearance command, 102
 - Edit Container button, 253
 - Edit Current Event button, 1133
 - Edit Envelopes mode, 1029, 1034
 - Edit Event dialog box, 1136
 - Edit Geometry modifiers, 628–636
 - Edit Geometry rollout, 356–357, 361, 372, 1028
 - Edit Keys button, 834
 - Edit Macro Button dialog box, 102–104
 - Edit menu, 162–164, 1161
 - Edit Mesh modifier, 263, 627
 - Edit Modifier Stack dialog box, 918
 - Edit Multiple Delegates dialog box, 1021
 - Edit Named Selection Sets button, 21
 - Edit Named Selections dialog box, 168
 - Edit Normals modifier, 636–637
 - Edit Notes menu command, 827
 - Edit OBJ-Export Presets dialog box, 87
 - Edit Patch modifier, 682, 695–696
 - Edit Poly modifier, 259, 347, 627–628, 973
 - Edit Polygons rollout, 635
 - Edit Range Bar button, 1133
 - Edit Ranges button, 834, 838, 865
 - Edit Ranges mode, 845
 - Edit Region button, 577
 - Edit Rollout menu command, 1165
 - Edit Seams button, 768
 - Edit Soft Selection mode, 263–264
 - Edit Spline modifier, 338
 - Edit Track Set button, 841, 858
 - Edit UVW interface, 753–759, 763, 769, 771, 1205
 - Edit Vertex Colors option, 742
 - Edit Vertices rollout, 365
 - Edit Weight Curve button, 880
 - Edit Working Pivot button, 204
 - Editable Mesh object, 258, 260, 263, 348, 621
 - Editable Patch object, 258, 265, 684–685, 691
 - Editable patches, 682
 - Editable Poly object, 258, 265, 349, 359–361, 674
 - Editable Spline object, 317–318, 323–324, 329, 695, 708
 - Editable Time Warps button, 879
 - Editor interface, 1188
 - editors, defined, 16
 - Effect Balance setting, 294
 - Effects option, 569
 - Effects pane, 1076
 - element subobjects, 351, 373–376, 686, 688, 693
 - element surface properties, 693
 - Ellipse primitive, 310
 - `else` keyword, 1178
 - Email Notifications rollout, 571
 - emitter, 887, 893

- Enable Ambient Occlusion setting, 9, 50–51
 - Enable Animation Layers button, 870, 872
 - Enable Animation Layers dialog box, 871
 - Enable Color Map option, 430
 - Enable Exposure Control viewport, 9, 50
 - Enable Final Gather option, 9
 - Enable Gamma Correction option, 125
 - Enable Global SuperSampler option, 573
 - Enable Hardware Shading option, 9, 49, 51, 1098
 - Enable in Viewport option, 306
 - Enable Shadows option, 51
 - Enable Sheltering option, 950
 - Enable the Viewport Clipping option, 58
 - Enable Viewport Tooltips option, 119
 - Enabled Notifications setting, 1115
 - Enabled SSE option, 572
 - End Effector, 987
 - End Point Auto-Welding section, 322
 - End Time frame, 148
 - End-End-Middle method, 310
 - Endpoint snap point, 214
 - Envelope Properties section, 1030–1032
 - Envelope Visibility button, 1031
 - Environ mapping option, 428
 - Environment and Effects dialog box, 8, 577, 583, 1066–1067, 1075
 - Environment Color Map button, 1072
 - Environment dialog box, 69, 495, 505, 512, 515
 - Environment Map button, 8, 93, 425
 - Environment Maps option, 1063
 - Environment menu command, 8, 1070
 - Environment panel, 584, 1063
 - Environmental Settings dialog box, 29
 - Erase Simulation button, 965–966
 - Eraser Opacity, 739
 - error messages, 1118
 - Essential Skills Movies dialog box, 32
 - Euler Filter utility, 804, 844
 - Evaluation Coarseness setting, 653, 896
 - Event Display pane, 912
 - Event Handlers panel, 1188, 1192
 - Exaggerate tool, 385
 - Exclude Borders option, 631
 - Exclude from Advanced Lighting Calculations option, 1051
 - Exclude Left End Point button, 839
 - Exclude Right End Point button, 839
 - Exclude Selected Vertices button, 1032
 - Exclude/Include dialog box, 502–503
 - Execute Sequence button, 1133, 1135, 1137
 - Execute Video Post interface, 1135, 1152
 - Expand Face Selection to Pelt Seams button, 769
 - Expand Selected button, 606
 - Expand Selected menu command, 612
 - Expand Selection button, 710, 763
 - Expert Mode, 27, 46
 - Explicit Map Channel mapping type, 428
 - Explicit scene object names option, 1166
 - Explicit subobject sets option, 1166
 - Explode button, 336
 - Explode command, 242
 - Explorer pane, 94
 - Explosion check box, 1070
 - Explosion Parameters section, 923
 - Export menu command, 1125
 - exporting, 84–90
 - Exposure Controls, 50, 1047, 1049, 1053, 1064–1066
 - Exposure Value, 1064
 - <expr> expression, 1178
 - Expression controllers, 815–817, 819–821
 - Expression Debug window, 816–820
 - expressions, 813–814
 - Extend command, 336
 - Extend tool, 382
 - Extended Parameters rollout, 420–421
 - Extended Primitives, 144–151
 - Extended Shader, 423
 - Extended Shapes menu, 304
 - Exterior Daylight option, 1064
 - External Files panel, 114
 - external references (XRefs), 589, 591–597
 - Extract Operand button, 647, 654, 659
 - Extrude Along Spline feature, 376
 - Extrude button, 691–692
 - Extrude modifier, 342–343, 628–629
 - Extrude Polygons Along Spline dialog box, 376
 - Extrude settings dialog box, 367
 - Extrusion spinner, 366, 692
- ## F
- Face Extrude modifier, 279, 629–630
 - Face Map option, 414
 - Face Orientation option, 53
 - Face snap point, 214
 - Face subobject mode, 260, 367, 768
 - Face-Center option, 363
 - Facets option, 54

- Facets+Highlights option, 54
- Fade filter, 1139
- Fade Image Control dialog box, 1139
- Fade style slowly type, 106
- Failed Servers section, 1117
- Falloff cone, 500, 504, 506
- Falloff Curve button, 1080
- Falloff Direction, 439
- Falloff Fast Out button, 1031
- Falloff Linear button, 1031
- Falloff map, 438–439
- Falloff On value, 933
- Falloff Parameters rollout, 439
- Falloff Sinual button, 1031
- Falloff Slow Out button, 1031
- Falloff value, 283, 933
- Family Parameters section, 138, 145
- Far Attenuation value, 504
- Fast button, 529
- Fast View, enabling, 58
- Favorite Plants rollout, 155
- FBX Export dialog box, 84
- FBX format, 84
- FBX Version drop-down list, 85
- Feather Falloff curve, 1091
- Feedback On option, 918, 920
- Fence method, 164
- Fence Selection Region button, 20
- FFD (Box) Space Warp, 300, 930
- FFD (Cyl) Space Warp, 300, 930
- FFD (Free Form Deformer) modifiers, 265, 280, 299–300, 930
- FFD Parameters rollout, 300
- FFD Select modifier, 281, 930
- Field of View button, 43, 479
- field of view (FOV), 59, 476, 483, 487
- Field Order option, 575
- Figure Mode button, 1003–1004, 1028
- File dialog box, 70
- file information, 96–98
- File Link Manager utility, 95
- File Load: Units Mismatch dialog box, 116
- File menu, 1161
- File Output Parameters rollout, 1091–1092
- File Output render effect, 1091–1092
- file preferences, 80–82
- File Properties dialog box, 96–97
- file utilities, 93–95
- Files panel, 95, 120
- Fillet button, 327–328
- Fillet dimension, 146
- Fillet Segments, 146
- Fillet value, 147
- Fillet/Chamfer modifier, 338–339
- Film Grain render effect, 1092
- Filter Animated Tracks button, 841
- Filter Color property, 243, 453, 508
- Filter color swatch, 392
- Filter Combinations dialog box, 160
- Filter Environment Background option, 121
- Filter Maps option, 572
- Filter Selected Faces button, 755
- Filter Selected Objects button, 841
- Filter Selected Tracks button, 841
- Filter transparency type, 420
- Filter Unlocked Attributes button, 841
- filtering tracks, 857–859
- filters. *See specific filters by name*
- Filters button, 834, 837
- Filters dialog box, 857–858
- Fin Adjustment Tools rollout, 978
- Final Gather map, 1104
- Final Gather rollout, 1103
- Find Case Sensitive option, 185
- Find Target icon, 912
- Find text field button, 411
- Find Using Regular Expressions option, 186
- Find Using Wildcards option, 185
- Fire Effect Parameters rollout, 1068, 1070–1071
- Fireball shape, 1068
- `fishObj` variable, 1183, 1187
- `fishTail` variable, 1187
- Fit Deformation dialog box, 668–669
- Fix Ambient utility, 404
- Fixed Width Text Buttons spinner, 102
- Flag Properties dialog box, 435
- Flame Detail value, 1069
- Flame Size value, 1069
- Flame Type option, 1068
- Flat Mirror map, 448–449
- Flat Mirror Parameters rollout, 448–449
- Flat option, 54
- Flatten brush, 385
- Flatten Mapping option, 758
- Flex modifier, 790–793, 1041
- flex subobjects, 790
- Flip Horizontal button, 755
- Flip Horizontal menu command, 760

- Flip Light Flux Direction option, 1099
- Flip Normal option, Normal Align dialog box, 208
- Flip Normals option, Skin Parameters rollout, 662
- Flip Vertical button, 755
- Flipped UVW Faces option, 53
- Float Controller rollout, 556, 820
- Float Expression controller, 818, 820
- floaters, 612–613
- Floating toolbars, 15
- Flyout Time spinner, 119
- focal length, 476
- Focal Parameters section, 1093
- Focal Point section, 1093
- Fog Background option, 1072
- Fog Color swatch, 512
- Fog effects, 1074–1075
- Follow/Bank utility, 533, 795
- Footstep Adapt Locks option, 1014
- Footstep Creation rollout, 1013–1015
- Footstep Mode, 1003, 1013–1015
- Footstep Operations rollout, 1013–1014, 1015
- for loop, 1180
- Force 2-Sided option, 56, 290, 569
- Force Space Warps, 919–927
- Force Wireframe, 572
- Forces and Deflectors rollout, 793
- Forces list, 793
- forearm object, 372
- forward kinematics, 979–980
- FPS setting, 65
- Fracture button, 948
- Fracture object, 950
- Frame Rate, 401
- Frames Per Second statistic, 67
- Frames Summary panel, 1119
- Free All button, 606
- free camera, 476
- Free Direct light, 496
- Free Form Deformer (FFD) modifiers, 265, 280, 299–300, 930
- Free Hose option, 151
- Free Rotation option, 193
- Free Selected button, 606
- Free Spot light, 495, 537
- Freeform keys, 1016
- Freeform Mode, 755, 1013, 1016
- Freeform Tools, 381–385
- Freeware programs, 1208
- Freeze Length option, 978

- Freeze option, 171
- Freeze toggle, 182
- Fresnel Falloff Type, 439
- Frizz Parameters rollout, 711
- From Files menu command, 882
- From Pipeline option, 260
- Front orthographic viewport, 37
- Full Navigation Wheel, 39
- function curve, 847–849, 860
- Function List dialog box, 817
- Fur modifier, 259

G

- Gamma settings, 125
- Garment Maker modifier, 715–718, 966
- GBuffer Layers value, 575
- G-Buffer Object Channel value, 174
- General Parameters rollout, 502, 505, 705, 708, 711
- General Properties dialog box, 1115–1116
- General Settings option, 117, 498
- General Settings rollout, 781
- General viewport label, 47
- Generate Alpha Mask option, 740
- Generate Caustics option, 1102
- Generate Mapping Coordinates option, 137, 398
- Generate Path button, 669
- generic units, 4, 115–116
- Gengon object, 137, 148
- Gengon primitive, 358
- Geodesic Base Type option, 143
- Geographic Location dialog box, 510
- Geometric primitives, 305
- Geometric/Deformable Space Warps, 930–934
- Geometry button, 130
- Geometry rollout, 321–323, 684, 689
- Geometry Selection rollout, 780
- Geometry Shadow setting, 707
- GeoSphere object, 135, 143
- Get from Provider menu command, 600
- Get Material button, 396, 405
- Get Material menu command, 400
- Get Path button, 660–661
- Get Shape button, 660–661, 669
- ghosting, 121–122, 533–534
- GI (Global Illumination) Photon, 1100
- GI (Global Illumination) rollout, 1046, 1103
- Gimbal Coordinate System, 197

Gimbal flipping, 844
 Gimbal lock, 844
 gizmo icons, 949
 Gizmo Parameters rollout, 935
 Gizmo subobject mode, 278, 540
 gizmos, 38–40, 192–194, 769
 Gizmos rollout, 1037
 global ambient settings, 495
 Global Illumination (GI) Photon, 1100
 Global Illumination (GI) rollout, 1046, 1103
 Global Multiplier value, 1047
 global parameters, 1058
 Global Parameters tabbed panel, 1078–1079
 Global Scene tabbed panel, 1079–1080
 Global SuperSampling, 573
 Global Tracks, 808
 Global Viewport Rendering Setting, 426
 glossiness, 416, 452, 454
 Glow Element Options tabbed panel, 1081–1082
 Glow Element Parameters tabbed panel, 1080–1081
 Glow Element rollout, 1079–1080, 1084, 1089
 Glow Lens Effect rollout, 1081
 Glow Render Effect, 914, 1084
 GNU software, 1208
 Go Backward to Sibling button, 409
 Go Forward to Sibling button, 396, 409
 Go to Bookmark button, 606
 Go to End button, 522
 Go to Parent button, 396, 409, 454
 Go to Start button, 522
 Goto Time command, 528
 Graded Solid option, 650
 Graded Surface option, 649
 Gradient map, 434
 Gradient Ramp map, 435
 Graph Editors menu, 603–604, 832
 Graphics Driver Setup dialog box, 124
 Graphite Modeling tool, 349–350, 381–382
 Graphite Modeling Tools button, 21–22
 GravAccel value, 1014
 Gravity menu command, 936
 Gravity Space Warp, 925, 936
 Gravity value, 933, 962
 Grid and Snap Settings dialog box, 210, 212–213, 215, 337, 680
 grids, 121, 198, 210–211, 214
 ground plane, 4, 6
 Group Box form element, 1189
 Group command, 241

Group drop-down list, 99
 groups, 241–245
 Grow Time frame, 148
 Guide Settings menu command, 1189
 GuruWare, 85

H

hair, 259, 280, 704–714, 961–963
 Hair and Fur (WSM) modifier, 704, 961
 Half panel, 387
 Hammersley method, 422
 Handle subobject mode, 688–689
 Hardware Display command, 48
 Hardware Display with Maps command, 48
 Hardware Rendering, 50
 Havok physics engine, 939
 HD (History Dependent) IK solver, 984, 990–991
 Hedra menu command, 216
 Hedra object, 136, 138, 144–146, 153
 Height Segment, 148
 Helix primitive, 314
 help resources, 30–34
 helpers, 823, 910–911, 1019
 Helpers category, 267
 Hemisphere value, 140
 HI (History Independent) IK solver, 984, 988–989
 Hidden Line option, 54
 hidden objects, finding, 178
 Hide button, 687
 Hide by Category rollout, 177
 Hide by Controller Type pane, 857
 Hide Distribution Object option, 657
 Hide Footsteps button, 1005
 Hide option, 171
 Hide Selected button, 710
 Hide Selected menu command, 610
 Hide toggle, 182
 Hide/Freeze tab, 176
 Hide/Unhide All button, 328
 Hierarchical SubDivision Surfaces (HSDS) modifier, 639–640, 715
 hierarchies, 247–249, 612–614
 Hierarchy Mode button, 605
 Hierarchy panel, 249, 983
 Hierarchy tab, 23
 High Noise Threshold, 440
 Higher-Level Shader Language (HLSL), 728

Highlight Editable Assets command, 600
 Highlight Selected Object's XRef Records button, 595
 Highlight Text interface appearance, 107
 Hinge Constraint button, 957
 History Dependent (HD) IK solver, 984, 990–991
 History dialog box, 600–601
 History Independent (HI) IK solver, 984, 988–989
 HLSL (Higher-Level Shader Language), 728
 Hold command, 276
 Home Grid, 210
 Horizontal button, 880
 Horizontal Focal Loss option, 1147
 Horizontal Text in Vertical Toolbars option, 119
 Horizontal Vertical button, 880
 Horizontal/Vertical Screen Split button, 580
 Hose object, 137, 151–152
 Hotspot cone, 500, 504, 506
 HSDS (Hierarchical SubDivision Surfaces) modifier, 639–640, 715

I

icons, creating, 103
 Icosa type, 143
 i-drop technology, 95
 IFL (Image File List) file, 538–540
 IFL Manager utility, 539
 Ignore Back Hairs button, 710
 Ignore Backfacing option, 352
 Ignore Background option, 1091–1092
 Ignore Extents option, 173
 Ignore Scene Path setting, 1115
 IK (inverse kinematics)
 Applied IK method, 986–987
 binding objects, 981–982
 building system, 980
 versus forward kinematics, 979–980
 Interactive IK method, 984–985
 joints, 981
 linking system, 980
 precedence, 982
 solvers, 972–974, 980, 984, 987–991, 994–995
 terminator, selecting, 981
 IK Chain Assignment rollout, 972, 974, 990
 IK Controller Parameters rollout, 990–991
 IK Display Options rollout, 988
 IK/FK Snap button, 988
 Illustrator application, 91–92
 Image Alpha filter, 433, 1139
 Image Aspect ratio, 569
 Image File List Control dialog box, 580
 Image File List (IFL) file, 538–540
 image filter events, 1139–1141
 Image Filters section, 1082
 Image Input Options dialog box, 1137
 image layer events, 1142–1143
 Image Motion Blur, 174, 573
 Image Sources section, 1082
 Import dialog box, 83–84
 importing supported formats, 83
 Imprint option, 673
 IMSQ (Image Sequence file), 538, 570
 in `coordsys` construct, 1186
 In Place Mode buttons, 1004
 Include Maps setting, 1115
 Include Selected Vertices button, 1032
 Index of Refraction value, 393, 421, 439
 Indirect Illumination panel, 9, 1104
 Inferno tabbed panel, 1147
 Infinite Bounds option, 336
 info messages, 1118
 InfoCenter toolbar, 18, 30–32, 1203–1204
 Inherit Container button, 252
 Inherit rollout, 248
 Inherit Visibility option, 173
 Initial Quality, 1053
 Initial Sample Spacing option, 1048
 Initially Suspended setting, 1115
 Ink Controls rollout, 726
 Ink 'n' Paint material, 726–727
 Inner Amount value, 290
 Inner Edge setting, 149
 Inner Radius value, 1079
 Input Gamma setting, 126
 Insert Bézier Point button, 665
 Insert button, 323
 Insert Corner Point button, 665
 Insert operation, 673
 Insert Time button, 836, 846
 Instance (Copy) Map dialog box, 584
 Instance Duplicate Maps utility, 455
 Instanced Geometry option, 897–899, 902
 instances, defined, 222
 Intensity options, 508
 Intensity/Color/Attenuation rollout, 503–504
 Interactive IK method, 984–985
 Interactive Tools, 1053

Interactivity section, 171
 Interface Display settings, 119
 Interpolation rollout, 306–307
 Intersection operation, 672
 inverse kinematics. *See* IK
 Inverse Square decay, 504
 Invert Selection button, 710
 Isolated Selection mode, 169
 Isolated Vertices option, 53
 Isoline Display option, 378
 isometric view, 36
 isoparms, 700
 Iterations value, 287, 289

J

Java, 88–89
 Jitter Placement option, 432
 Job Summary panel, 1119
 Joint Angle Deformer, 1037

K

Keep Boundary Points Fixed option, 289, 685
 Keep Initial Offset option, 550, 554
 Keep Polygons Convex option, 259
 Kelvin scale, 507–508
 Kerning value, 312
 Key Controls, 27, 524
 Key Entire Hierarchy, 552
 Key Filters dialog box, 525
 Key Info dialog box, 808, 843
 Key Info rollout, 801
 Key Mode Toggle button, 29, 522
 Key pane, 839–840
 Key Selected button, 826
 Key Stats toolbar, 840–841
 Key Tangents toolbar, 529, 835–836, 851
 key values, 528–529
 Keyable Icons menu, 844
 Keyboard Entry rollout, 137, 307–309
 Keyboard Input Device rollout, 799
 Keyboard panel, 99–100, 104
 Keyboard Shortcut Map, 33
 Keyboard Shortcut Override button, 21, 100, 604, 1136
 keyboard shortcuts, 99–100
 Keyframing Tools rollout, 1017
 keys, 524–527, 842–845, 1016

Keys toolbar, 834
 Keystone option, 950
 Knuckles option, 1002

L

Label form element, 1189
 Labeled Render Element, 1130
 Large Data Optimization option, 653
 Lasso method, 164
 Lasso Selection Region button, 20
 Lathe modifier, 343–344, 701
 Lattice modifier, 286–287
 Launch Magnify Window menu command, 398
 Launch Provider menu command, 597
 layer list, 182
 Layer Manager, 179–182
 Layer Properties dialog box, 872
 Layer Selection drop-down list button, 870
 Layer settings, 119
 layer tracks, 880–881
 Layers palette, 1124
 Layers rollout, 1017
 Layers toolbar, 182
 Learning Movies dialog box, 32
 Left orthographic viewport, 37
 lefties, rearranging interface for, 26
 Leg States button, 1005
 Legacy R4 method, 193–194
 lens effects, 1078–1081, 1085–1088
 Lens Effects filters, 1146–1149, 1151–1152
 Lens Effects Flare dialog box, 1146
 Lens Effects Focus dialog box, 1147–1148
 Lens Effects Globals rollout, 1077, 1079, 1080–1081, 1084
 Lens Effects Glow dialog box, 1148–1149
 Lens Effects Highlight dialog box, 1149–1151
 Lens Effects Parameters rollout, 1077, 1083, 1088
 Lens Effects setup dialog box, 1145
 Level of Detail (LOD) utility, 268–269
 L-Ext object, 136, 151
 License Agreement window, 1208
 Lifespan Value Queue, 902
 Light Affects Shadow Color option, 505
 Light Lister dialog box, 498–499
 Light Navigation control buttons, 500–501
 Light Painting rollout, 1055
 light shapes, 508
 Light Tracer option, 1045–1046
 Light Tracer panel, 1059

- Light Tracer Parameters rollout, 1047
- light tracing, 1046–1048
- Light Type drop-down list, 502
- LightArray array, 1179
- lighting
 - advanced, 504, 1046–1048, 1050, 1057–1059
 - artificial, 491–492
 - configuring, 48–52
 - Daylight systems, 509–510
 - light viewport controls, 500–501
 - natural, 491–492
 - objects, 497–499
 - parameters, 502–505
 - photometric, 496–497, 506–508
 - shadows, 493–494
 - standard method, 492–493
 - Sunlight systems, 509–510
 - types of, 495–497
 - Volume Lights, 512–516
- Lighting Analysis Assistant dialog box, 1059–1061
- Lighting and Shadows panel, 51, 495
- Lighting Data Export utility, 89–90
- Lighting Output panel, 1061
- LightMap DirectX shader, 423
- Lightscape material, 1059
- Limb IK solver, 994
- Limit Controller dialog box, 804–805
- Limit Polygon Size option, 259
- Line light shape, 508
- Line menu command, 718
- Line primitive, 309
- Linear and Exponential option, 923
- Linear button, 529
- Linear controller, 560
- Linear Dashpot button, 948
- Linear Exposure Controls, 1049, 1064
- Linear Interpolation option, 662
- Linear option, 854
- Linear Packing method, 757
- Linear Roll Rotation method, 193–194
- Link constraint, 551–552
- Link Display rollout, 178, 247
- Link Info button, 200, 248
- Link Inheritance utility, 249
- Link Objects button, 1024
- Link Params rollout, 551, 553
- Link Replaces Object option, 178, 247
- Linked XForm modifier, 795–796
- links, 245–249
- List Box form element, 1189
- List Controllers button, 558, 595
- List Frequency option, 471
- List Materials button, 595
- List Objects button, 595
- List Views dialog box, 619–620
- List Views menu, 604
- Listener window, 50
- Lit Wireframes option, 54
- Live Area option, 62
- Live dynamic mode, 962
- Live Edit section, 1130
- Load Container button, 252
- Load Custom UI menu command, 110
- Load File button, 1003
- Load Layout menu, 833
- Load Mix File menu command, 882
- Load Motion button, 875
- Load New Plug-in option, 1199
- Load Plug-Ins When Used option, 118
- Load Startup Scripts option, 1170
- Load XML Animation File dialog box, 875
- Load/Save Presets rollout, 657, 902, 904
- Local Center During Animate option, 534
- Local Control rollout, 638
- Local Coordinate System, 197, 201
- local keyword, 1182
- Local Properties rollout, 1039–1040
- Lock Aspect button, 669
- Lock Aspect Ratio option, 657
- Lock button, 711
- Lock Cell Editing button, 187, 412
- Lock COM Keying button, 1005, 1006
- Lock Handles option, 320, 683
- Lock Initial State option, 991
- Lock Key option, 860
- Lock Range Bar to Scene Range option, 1138
- Lock Selected Vertices button, 755
- Lock Selection button, 835, 838
- Lock Tangents button, 835, 852
- Lock to Video Post Range option, 1138
- Lock to Viewport option, 577
- Lock Transitions button, 879
- Lock UI Layout menu command, 111
- Lock Zoom/Pan option, 70–71, 617–618
- Locks rollout, 201
- LOD (Level of Detail) utility, 268–269
- Loft object, 642, 660–672
- Log in menu command, 598

- Log panel, 1119
- Logarithmic Exposure Controls, 1064
- Logging Properties dialog box, 1118
- Look mode, 39
- LookAt constraint, 554
- Look-up Table (LUT) file, 125
- Loop Mode, 354
- Loop option, 854
- Low Noise Threshold, 440
- Lower Interface Bar interface element, 14, 27
- lower interface toolbars, 840–841
- Lower Limits setting, 284
- Lower Taper Length value, 921
- Low-Res Environment Background option, 121
- Luminaire helper object, 244
- Luminance Center, 926
- Luminosity color swatch, 392
- Lumps value, 151
- LUT (Look-up Table) file, 125

M

- M (Material Editor) button, 21
- M3G (JSR-184) format, 88–89
- Macro Recorder, 1165–1167
- macros command, 1171
- Magnifying Glass material, 450
- Main toolbar, 20–22
- Main UI group, 102
- Maintain Frames Per Second field, 64–65
- Manage Layers button, 21
- Manage Scene States dialog box, 1108–1109
- Manage Selection Sets menu command, 168
- manipulators, 823, 1041
- Manual Secondary Lens Effect, 1088
- Manual Update option, 402, 1054
- Map Animation dialog box, 876–877
- Map Button form element, 1189
- Map Channel Color option, 173
- Map Channel Info dialog box, 774
- Map Export button, 87
- map instances, 455–456
- Map Path utility, 455
- Map Scaler modifier, 753
- Map Track to Track rollout, 877
- Mapping Coordinates section, 286, 398, 777
- maps. *See also specific maps by name*
 - 2D, 427–437
 - 3D, 438–444
 - animated object, 876
 - bump, 425, 735
 - Compositor, 444–446
 - displacement, 735
 - instances of, 455–456
 - modifiers, 446–448, 749–753
 - particle systems, 906
 - pelt, 768–771
 - projector, 515–516
 - removing, 404
 - scanning images, 459
 - surface, 745–747
- Maps rollout, 414, 422, 451–454, 456
- Marble map, 439
- Marker Style drop-down list, 710
- Mask button, 463
- Mask map, 445
- Mask Parameters rollout, 445, 904
- Mask Viewport to Safe Region option, 121
- Master Block Parameters dialog box, 808–810
- Master Point Controller option, 616
- Master radio button, 822
- Master Track Key Info dialog box, 810–811
- Match Bitmap option, 70–71
- Match Rendering Output option, 70
- Material Button form element, 1189
- Material Color option, 404
- Material drop-down list, 396
- Material Editor, 394–404
- Material Editor dialog box, 29
- Material Editor (M) button, 21
- Material Editor menu command, 7
- Material Effect flyout button, 469
- Material Effects ID button, 1083
- Material Explorer, 409–412
- Material ID Channel button, 396
- Material IDs option, 290, 332–333, 377
- Material libraries, 407–408
- Material Library bitmap path, 455
- Material Library option, 406
- Material Library radio button, 400
- material maps. *See maps*
- Material modifier, 471
- Material Parameters rollout, 704, 706–707, 711
- material textures, creating with Photoshop, 456–458
- Material XML Exporter utility, 89–90, 407
- MaterialByElement modifier, 471
- Material/Map Browser, 405–408
- Material/Map Navigator, 400, 408–409, 461
- Material/Map Navigator button, 395, 468

- materials. *See also* Material Editor
 - advanced lighting, 1058–1059
 - assigning to objects, 400
 - compound, 462–467
 - defined, 393
 - dragging, 399
 - getting new, 400
 - Material Explorer, 409–412
 - Material/Map Browser, 405–408
 - Material/Map Navigator, 408–409
 - mental ray, 732–735
 - modifiers, 471–473
 - multiple, 468–470
 - naming, 400
 - picking from scene, 401
 - previewing, 401–402
 - properties of, 391–393
 - removing, 404
 - resetting, 403
 - special, 723–729
 - viewing, 48
 - XRefs, 596
- Materials Editor bitmap path, 455
- Materials/Maps option, 616
- \matlibs subdirectory, 398
- Matte/Shadow material, 723–725
- Max 2.5 Star method, 422
- Max Concurrent Assignments field, 1116
- Max Default Scanline A-Buffer rollout, 1130
- MAX Default Scanline Renderer rollout, 1151
- Max File Finder utility, 94
- Max Fragment Size value, 933
- Max scene files, 73–79
- MAXFinder dialog box, 94
- Maximize Viewport button, 8, 10
- Maximize Viewport Toggle interface, 5–6
- maximizing active viewport, 46–47
- Max.mentalray option, 112
- MAXScript
 - custom rollout, 1191
 - MAXScript Debugger, 1169–1170
 - overview, 1157–1158
 - scripts, 1171–1172
 - setting preferences, 1170–1171
 - tools, 1158–1167
 - Visual MAXScript Editor interface, 1188–1190
 - writing, 1172–1180
- MAXScript button, 822, 958
- MAXScript Editor window, 1164–1165, 1182, 1188
- MAXScript Listener command, 1158
- MAXScript Listener window, 816, 1161–1164, 1166–1167, 1174, 1182
- MAXScript Mini Listener control, 1163
- MAXScript Properties file, 1165
- MAXScript utility rollout, 1158–1159
- Maya, exporting to, 84–85
- measuring coordinate distances, 267–269
- Melt modifier, 547, 793
- mental mill, 1106
- mental ray, 175, 423, 732–735, 1097–1103, 1106
- Menus interface element, 14
- Menus panel, 99, 106
- Merge Atmospheric Effects dialog box, 1067
- Merge Container Source button, 253
- Merge dialog box, 4–5, 78
- Merge Effect dialog box, 1076
- Merge From File button, 339
- Merge Object dialog box, 798
- Merge options, 594–596, 647–648
- Merge Rendering Effects dialog box, 1076
- Merge Selected Hair Groups button, 711
- Merge Transforms option, 595
- Merge Vertices option, 632
- mesh density, 633
- mesh edges, 369
- Mesh Editing menu, 280
- Mesh Modifiers
 - Edit Geometry, 628–636
 - primitive maintenance, 627–628
 - Subdivision Surface, 638–640
- Mesh Object option, 282
- Mesh Select modifier, 279, 464, 629, 653
- Meshes object, 652
- meshes model type, 258
- MeshSmooth command, 224
- MeshSmooth modifier, 368, 628, 638
- MeshSmoothed option, 362
- Metal Bump 9 DirectX shader, 423
- Metal shader, 413, 418
- Metallic Paint library, 734
- Metalness property, 393, 453
- MetaParticles option, 896
- MetaSL shaders, 728, 1205
- Method rollout, 671
- Metronome setting, 866
- Microsoft Video (AVI) file, 538
- middle mouse button, 122–123
- MIDI Time Slider Controls, 534–535
- Midpoint snap point, 214
- Min Fragment Size value, 933

- Minimum Distance value, 384
 - Min/Max Toggle button, 43, 46, 479, 501
 - Mirror command, 225–227, 335, 718
 - Mirror Horizontal button, Edit UVWs interface, 755
 - Mirror Horizontally button, Fit Deformation dialog box, 669
 - Mirror Mode button, 1036
 - Mirror modifier, 287
 - Mirror option, 626
 - Mirror Selected Objects button, 21
 - Mirror settings, 1035–1036
 - Mirror Vertical button, Edit UVWs interface, 755
 - Mirror Vertically button, Fit Deformation dialog box, 669
 - Missing External Files dialog box, 77
 - Missing UVW Coordinates option, 53
 - Mitchell-Netravali filter, 573
 - mix files, 882
 - Mix map, 445–446
 - Mix Parameters rollout, 445
 - Mixer Mode button, 882, 1003
 - Mode Specific Parameters section, 439
 - modeless dialog boxes, 30
 - modeling, 257–260, 263–269
 - Modeling quadmenu, 105
 - Modifier List, 345, 682
 - Modifier Stack, 271–279, 616
 - Modifier Stack pop-up menu, 259
 - Modifier-Based Space Warps, 935–936
 - modifiers, 272, 274–275, 471–473, 752–753. *See also specific modifiers by name*
 - Modifiers menu, 749, 1038, 1054
 - Modify Child Keys button, 835
 - Modify panel, 108–109
 - Modify Selection pane, 354
 - Modify Subtree button, 835, 865
 - Modify tab, 23, 138
 - ModularToolbarsUI interface, 110
 - Monitor, 1110, 1119–1121
 - Monochrome button, 578
 - Morph Angle Deformer, 1037
 - morph keys, 642–643
 - Morph modifier, 643, 787–789, 1041
 - Morph object, 641, 643
 - Morph Targets list, 644
 - Morpher material, 466–467
 - Mosaic Tiles filter, 459
 - Motion Blur, 174–175, 488–489, 573, 1093, 1140
 - Motion Blur section, 119, 171
 - Motion Capture, 799–800, 1017
 - Motion Flow Mode, 1018
 - Motion Mapping Parameters rollout, 876
 - Motion Mixer, 879–882
 - Motion Mixer control, 799–800
 - Motion Mixer menu command, 873
 - Motion Panel, 529–531, 533, 558
 - Motion tab, 23
 - Motion Timing section, 924
 - Motor button, 948
 - Motor object, 949
 - Motor Space Warp, 919–920
 - Mouse Input Device selection, 800
 - MOV (QuickTime) file, 538
 - Move All Mode button, 1004
 - Move Children button, 606
 - Move Children menu command, 611
 - Move Clips button, 879
 - Move Control Point button, 665
 - Move Gizmo, 192
 - Move Horizontal button, 754
 - Move Keys button, 834, 843
 - Move Keys flyout, 863
 - Move Parameters Up/Down button, 826
 - Move Vertical button, 754
 - Move/Rotate Transforms section, 194
 - MSmooth button, 362
 - Mtl Library option, 407–408
 - Multi previewing option, 355
 - Multi-Layer shader, 413, 417–418
 - Multi-Pass Effect option, 487, 489
 - Multi-Pass Effect section, 485
 - Multiple Delegate Editing button, 1021
 - Multiple Edges option, 53
 - Multiple Edits button, 825–826
 - Multiplier curve track, 856
 - Multiplier parameter, 144
 - Multiplier value, 503
 - MultiRes modifier, 631–633
 - Multi-Strand parameter, 707
 - Multi/Sub-Map mental ray shader, 1205
 - Multi/Sub-Object material, 332, 464–465, 469, 471, 693
- ## N
- Name and Color rollout, 131, 160
 - Name Selection Sets dialog box, 168–169
 - Name Selection Sets drop-down list, 21, 262, 320, 364, 683
 - naming objects, 131–132, 611
 - National Television Standards Committee (NTSC), 522, 568
 - natural light, 491–492

navigation controls, 44–47
 Navigation toolbar, 841
 Near Attenuation value, 504
 Negative filter, 1139
 Negative value, 289
 nesting groups, 241
 Net Render option, 571, 1113
 Network Job Assignment dialog box, 1113–1115
 Network Manager, 1116–1117
 Network Queue Manager, 80
 network rendering, 1110–1118
 Network Server window, 1117
 Never Degrade option, 173
 Never Degrade Selected option, 65
 Never Redraw After Degrade option, 65
 New Collection button, 825
 New Feature icon, 1203
 New Floater button, 134
 New Particle Flow operators, 1205
 New Schematic View menu command, 170, 603, 615
 New Script command, 1158
 New Sequence button, 1133, 1135
 New Toolbar dialog box, 102
 New Track View menu command, 170
 New Vertex Type section, 322–324
 Next Frame/Key button, 522
 Next Shape button, 662
 NGon primitive, 310–311
 No Growth option, 148–149
 nodes, 608–610, 613–614
 Noise Amount option, 434
 Noise controller, 560–561, 1041
 Noise map, 440
 Noise modifier, 283, 287–288
 Noise Parameters rollout, 423, 430, 440, 454
 Noise Position track, 856
 Noise Strength track, 856
 Noise tool, 385
 Noise Type Turbulence, 1075
 Non-Quads tool, 385
 Non-Scaling Object Size value, 121
 Non-Uniform Rational B-Splines (NURBS), 212, 215, 258, 271, 699–702
 Non-Uniform Rational Mesh Smooth (NURMS), 368, 378–380, 638
 Normal Align button, 21, 750
 Normal Align dialog box, 208–209
 Normal Bevel button, 668
 Normal Bump map, 449–450, 779

Normal Group option, 692
 Normal Mapping dialog box, 760
 Normal Mapping option, 758
 normal maps, 780–781
 Normal modifier, 638
 Normal panel, 386
 Normalize Clusters option, 757
 Normalize Spline modifier, 338–339
 Normalize Time button, 560
 Normalize Weights option, 487
 normals, 207–208, 260
 not operator, 1177
 Notes dialog box, 860
 Nth Serial Numbering option, 575
 NTSC (National Television Standards Committee), 522, 568
 Num Wave Sets value, 443
 Number parameter, 237
 Number Regathering Rays Multiplier option, 1050
 numbers function, 1181
 Numeric Expression Evaluator, 29
 Numeric panel, 388
 NURBS (Non-Uniform Rational B-Splines), 212, 215, 258, 271, 699–702
 NURBS Creation Toolbox, 701
 NURBS Editing menu, 280
 NURMS (Non-Uniform Rational Mesh Smooth), 368, 378–380, 638

O

OBJ format, 85–87
 Object Channel value, 174
 Object Color dialog box, 132–133
 Object color option, 404
 Object Fragments option, 936
 Object Information section, 170
 Object Level panel, 176
 Object Motion Blur, 174, 573
 Object Motion Inheritance rollout, 900
 Object Multiplier value, 1047
 Object Mutation Queue, 902
 Object Parameters rollout, 981
 Object Properties dialog box, 170–174, 177–178, 260–261, 964–965, 967–968
 Object Properties menu command, 1057
 Object section, 195
 Object Selection list, 251
 Object Setup dialog box, 738–739

- Object Space Modifiers (OSM), 793
- Object Type button, 409
- Object Type rollout, 304
- Object/Delegate Associations button, 1023–1024
- objects. *See also compound objects; specific objects by name*
 - aligning, 206–207
 - colors, assigning to, 132–134
 - converting, 259–260, 701
 - copies of, 222
 - creation methods, 135–137
 - deleting, 138
 - editable, 257–259
 - filling holes, 659
 - grids, 210–211
 - instances of, 222
 - layers, 179–182
 - making visible, 56–57
 - morphing, 642–643
 - naming, 131–132, 611
 - replacing, 78–79
 - rotating, 190
 - scaling, 190–191
 - selecting, 161–170, 185, 401
 - translating, 189–190
- Objects button, 1005
- Objects Compounds category, 102
- Objects to Bake rollout, 776, 778
- Object-Space modifiers, 281, 753
- Occluded Ambient value, 706
- Octa type, 143
- Odd Only check box, 102
- Off Time option, 919
- Off-Center Affects option, 1079
- Offset and Frame fields button, 879
- OilTank object, 136, 147
- `o1dRt` variable, 1186
- Omni light, 492, 495, 500
- Omni menu command, 501, 515
- OmniFlect deflector, 928
- on `createCube` pressed do event, 1193
- On Time option, 919
- One Connected Blob option, 896
- Only In Volume option, 299
- Opacity map, 459–460
- Opacity property, 453
- Opacity spinner, 415
- Opaque Alpha option, 724
- Opaque object, 392
- Open All rollout, 24
- Open Container button, 252
- Open Curve Editor button, 21
- Open Edges option, 53
- Open Fig File button, 1000
- Open Filters Dialog box button, 524
- Open Last Rendered Image button, 580
- Open Mini Curve Editor button, 832
- Open My Files command, 1196
- Open Property Editor, 947, 951–952, 955, 959
- Open Schematic View button, 21
- Open Script command, 1158
- Open Sequence button, 1133
- Open tool, 385
- OpenGL, 67, 123, 953
- opening scene files, 77
- Operand Material option, 674
- Operator button, 434
- Opposite button, 1006–1007
- Optimization Options rollout, 631, 632
- Optimize option, 306
- Optimize Shapes and Paths option, 662
- Optimize tool, 382
- Options button, 395
- Options menu command, 599
- Options panel, 215, 755–757
- Options pop-up interface, 756
- Options rollout, 828
- Options section, 1115
- or operator, 1177
- Orbit button, 479, 501
- Orbit mode, 39
- Oren-Nayar-Blinn shader, 413, 418
- Orientation behavior, 1020
- Orientation constraint, 554
- Orientation Matrix option, 912
- Orientation property, 453
- Orientation value, 417
- orthographic view, 36, 483
- OSM (Object Space Modifiers), 793
- Out Key Tangent setting, 529
- Outer Amount value, 290
- Outer Edge Breakup setting, 149
- Outer Radius value, 1079
- Outline button, 333
- Out-of-Range dialog box, 854
- Out-of-Range Types dialog box, 861
- Output Amount value, 430
- Output Camera Shader, 1105
- Output Dithering option, 575

- Output File Sequencing option, 575
- Output Gamma setting, 126
- Output map, 447
- Output Path field, 95
- Output rollout, 430–431
- Output Sub-Mesh Selection option, 647
- Overall height value, 157
- Overlapping Faces options, 53
- Overlapping Vertices option, 53
- Override Object Properties button, 253
- Override Parametric Controller Range by Default option, 535
- Overrides Active option, 100
- Overshoot option, 504

P

- P Axis Scaling value, 145
- Pack UVs menu command, 757
- Paint brush, 739
- Paint button, 434
- Paint Controls rollout, 726
- Paint Deform tools, 384–385, 743, 1034
- Paint Deformation rollout, 621–623, 625
- Paint method, 164
- Paint Selection Brush, 118, 165
- Paint Selection Region tool, 20, 165–166
- Paint Soft Selection section, 264
- Paintbox palette, 743
- Painter Options dialog box, 626, 1034
- PAL (Phase Alternate Line), 568
- Pan button, 43–44, 607, 665, 841, 879
- Pan Camera button, 479
- Pan Light button, 501
- Pan mode, 39
- Pan to Selected button, 607
- Panel rollout, 716
- Panels subobject mode, 718
- panning, with middle mouse button, 122
- Panorama Exporter rollout, 582
- Pan/Zoom option, 122
- Param Curve Out-of-Range Types dialog box, 854
- Param Out-of-Range Types dialog box, 205
- Parameter Collector dialog box, 813, 824–827
- Parameter controllers, 804–811
- Parameter Curve Out-of-Range Types button, 835, 853, 861
- Parameter Curve Out-of-Range Types dialog box, 854
- Parameter Editor dialog box, 827
- Parameter Out of Range feature, 861
- Parameter track, 842
- Parameter Type drop-down list, 828
- Parameter Wiring dialog box, 527, 813, 821–823
- Parameter Wiring Dialog menu command, 244
- parameter-based modeling, 153
- Parameters rollout, 645–647, 890–891, 1029–1030, 1032, 1034
- Parametric Deformer modifiers. *See specific Parametric Deformer modifiers by name*
- parametric objects, 257–259
- Parent Coordinate System, 197
- parent object, defined, 244
- Parent Space, 957
- Parent to Child button, 982
- Parent track, 842
- parent-child relationships, 246
- PArray menu command, 923, 936
- PArray particle system, 887, 903–905
- particle, defined, 887
- Particle Age map, 440, 906
- Particle Age material, 914
- particle bomb (PBomb) Space Warp, 923–924
- Particle Flow Parameters rollout, 653
- Particle Flow (PF), 908–911, 913
- Particle Flow Source particle system, 887
- Particle Generation rollout, 892–893, 895, 897, 899, 903–906
- Particle Geometry Object button, 913
- Particle MBlur map, 440, 906
- Particle Motion Blur Parameters rollout, 440, 907
- Particle Motion section, 892, 924
- Particle Spawn rollout, 901–902
- particle systems, 887, 888–893, 895–906, 936–938
- Particle Timing group, 893
- Particle Type rollout, 896–897, 899, 904, 906
- Particle View window, 908–909, 912
- Particles & Dynamics subcategory, 918
- Paste buttons, 328, 687–688, 836–877, 1010, 1031
- Paste Weld command, 757
- Patch Grid Parameters rollout, 680
- Patch object, 679
- Patch Select modifier, 695
- Patch Smooth button, 685
- Patch subobject mode, 686, 688–689
- patch surface properties, 693
- PatchDeform modifier, 793–794
- patches, 680, 682–696
- Patches model type, 258
- Patch/Spline Editing menu, 280, 338, 694

- Path and Look At constraint, 555
- Path Commands rollout, 669
- Path constraint, 549–550
- Path Editor rollout, 455
- Path Follow behavior, 1020
- Path Follow Space Warp, 550, 924–925, 937
- Path Parameters rollout, 549, 661, 663
- Path rollout, 662
- Path Steps option, 661
- PathDeform modifier, 795
- `pathObj` variable, 1183
- paths, configuring, 113–114
- PBomb (particle bomb) Space Warp, 923–924
- PCloud particle system, 887, 905
- PDynaFlect menu command, 937
- pelt mapping, 768–771
- Penetration value, 945
- Percent Snap button, 21
- Periodic Variations, 920
- Perlin Marble map, 440–441
- Perlin Marble Parameters rollout, 440
- Permit Playback option, 866
- Perpendicular option, 655–656
- Perpendicular snap point, 214
- persistent dialog boxes, 30
- perspective, defined, 476
- Perspective button, 479
- Perspective panel, 387
- perspective view, 36
- Perspective viewport, 8, 41, 482
- Perturb Speed option, 950
- PF (Particle Flow), 908–911, 913
- Phase Alternate Line (PAL), 568
- Phase parameter, 237
- Phase value, 1070
- Phong shader, 413, 416
- Photographic Exposure Controls, 1065
- photometric lighting, 496–497, 506–508
- Photometric Web distribution type, 506
- Photon map, 1104
- Photon Shader, 423
- Photon Volume Shader, 423
- Photoshop, 456–458, 1124–1125
- Physical Sky environment map, 1098
- Physique modifier, 998, 1027
- Pick button, 382
- Pie Slice option, 310
- Pin Stack button, 273
- Pinch value, 283
- Pinch/Spread tool, 385
- Ping Pong option, 854
- Pivot Distance panel, 387
- Pivot Point Center button, 198
- pivot points, 203–205
- Pivot snap point, 214
- Pixel Aspect ratio, 569
- Pixel Radius value, 1090
- Pixel Selections tabbed panel, 1090–1091
- Place Highlight button, 21, 209, 499
- Planar from Object XYZ mapping type, 428
- Planar from World XYZ mapping type, 428
- planar maps, 760–761
- Plane Angle helper, 823
- Plane button, 948
- Plane object, 136, 144, 949
- Plane Primitive object, 960
- Plant Library, 156
- Plastic/Vinyl Material Parameters rollout, 7
- Plate Match/MAX R2 filter, 573
- Play Animation button, 205, 522, 525, 563, 786
- Play Preview button, 395
- Play Selected button, 522
- Playback Rate, 430
- Plug-In Info button, 96
- Plug-In Info dialog box, 1197
- Plug-in Manager dialog box, 1198
- plug-ins, 118, 1172, 1195–1201
- Point Cache modifier, 785–787
- point curve, defined, 699
- Point Helper object, 208
- Point light shape, 508
- Point object, 266–267
- Point snap point, 215
- Point to Point Seam button, 768
- Point-Path Constraint button, 957
- Point-Point Constraint button, 957
- Point3 controller, 556
- Point-to-Point constraint, 958–959
- PolyDraw tools, 381–384
- Polygon Count statistic, 67
- Polygon Modeling panel, 353, 363
- Polygon Properties rollout, 377, 378, 742
- polygons, 349–355, 357–365, 373–376
- Polyhedra, 144
- Polys model type, 258
- POmniFlect Space Warp, 928–929
- Pop Selected button, 711
- Pop Zero Sized button, 711

- Position, Rotation, Scale (PRS) controllers, 556
- Position constraint, 550–551
- Position Constraint rollout, 550
- Position Controllers menu, 556, 804
- Position Expression controller, 818
- Position List controller, 546, 557
- Position List rollout, 558
- Position Motion Capture selection, 800
- Position Ranges button, 838, 846
- Position Threshold, 984
- Position track, 842
- Position track controllers, 798–803
- Position XYZ controller, 564, 855
- post-render scripts, 571
- Precomputed mode, 962–963
- Preferences button, 606, 880, 1005
- Premiere application, 1125
- Premiere Transition filter, 1142
- Premultiplied Alphas option, 433
- pre-render scripts, 571
- Preserve Luminosity option, 1091
- Preserve modifier, 289
- Preserve UVs option, 358
- Preset panel, 95
- Preset Type drop-down list, 437
- Pressure Options, 626
- Preview Animation button, 953
- Preview Animation option, 951
- Preview Range, 401
- Preview Selection option, 355
- Preview window, 953–954
- Previous Frame/Key button, 522
- Previous Shape button, 662
- Primary Axis, 296
- primary motion, defined, 871
- Primitive object, 135–137, 258
- Print Image button, 577
- Print Size Wizard, 582–583
- printer help, 582–583
- Prism object, 137, 149
- Prismatic Constraint button, 957
- ProBoolean object, 642, 672–675, 1205
- Process Background option, 1063
- ProCutter object, 642, 676
- Progress Bar form element, 1190
- Progress dialog box, 1136
- Progressive Morph section, 788
- Progressive refinement option, 403
- Project Folder, 113
- projection gizmo, 769
- projection map, 425
- Projection Mapping options, 780–781
- Projection Mapping section, 776, 782
- Projection modifier, 750, 780
- Projection Options dialog box, 781
- projector light, 516
- projector map, 515–516
- Projector Map button, 504, 515
- ProMaterials, 7, 734
- Prompt Line, 27
- ProOptimizer modifier, 631–633, 1205
- propagating gamma settings, 126
- Properties button, 826, 838
- Property Editor, 944–945
- ProSound plug-in, 865–867
- Protect Borders option, 631–632
- Protractor helper, 267
- proxies, 232, 596
- Proxy Object rollout, 596
- Proxy System, 570, 601
- PRS (Position, Rotation, Scale) controllers, 556
- PRS Parameters rollout, 530, 797
- Pseudo Alpha filter, 1140
- Pseudo Color Exposure Controls, 1064–1065
- P-type deflector, 927
- Puff Roots button, 710
- puffing, 893
- Push modifier, 288
- Push Space Warp, 920–921
- Push value, 288
- Push/Pull tool, 385
- Push/Pull Value, 625
- Put Image File List in Output Path option, 538
- Put Material in Scene button, 396
- Put to Library button, 396, 400
- Put to Scene menu command, 400
- Pyramid object, 136, 144

Q

- Q Axis Scaling value, 145
- Quad Output, 638
- Quad Patch, 289, 298, 679, 689
- Quad Shortcut field, 105
- Quad Sides option, 663
- Quadify Mesh modifier, 633–634, 1205
- quadmenu, 15, 321

Quadratic filter, 573
 Quads panel, 99
 Quality of the Ambient Occlusion effect, 50
 Quaternions, 844
 Queue pane, 1135
 Quick Access toolbar, 19, 101–102, 138, 1203
 Quick Align tool, 21, 207
 Quick Clone feature, 195, 221–222
 Quick Planar Map, 763
 Quick Render button, 22, 567
 QuickSlice button, 360–361
 QuickTime (MOV) file, 538

R

R Axis Scaling value, 145
 Radial blur method, 1090
 Radial Colors, 1086
 Radial Falloff function curve dialog box, 1080–1081
 Radial option, 305
 Radial Pull value, 921
 Radial Segment, 148
 Radial Squeeze value, 278, 295
 Radial Thickness, 306
 radii value, 142
 Radio Buttons form element, 1190
 radiosity, 182, 280, 1045, 1052–1058
 Radius parameter, 149, 237
 Radius setting, 148
 Radius value, 311
 radToDeg function, 819
 Rag Doll constraint, 957–959
 RAM Player, 568, 578–581
 Rand Scale value, 705
 Random Distribution option, 471
 Random Faces option, 657
 Random panel, 387
 Random Seed value, 437
 Randomize Keys utility, 843–844
 Range Indicators option, 925
 Ranges and Extras toolbar, 838
 Rate value, 892
 Ray Lens Effect, 1085
 Rays/Sample setting, 1048
 Raytrace map, 450
 Raytrace Reflections/Refractions option, 714
 Raytraced Shadows, 493, 505, 515–516
 Reaction Manager dialog box, 802
 reactor, 940–941, 943–946, 948–955, 957–958, 960
 Real Time Control drop-down list, 798
 Real Time option, 523
 Real-World Map Size option, 119, 137, 426
 Real-World Scale option, 119
 Real-World texture, 119, 403
 Reassign Root button, 976
 Recalculate Projection button, 645
 Receive Shadows option, 174
 Receive Shadows section, 724
 Recent Files in File Menu option, 81
 Recomb button, 711
 Recouple Ranges button, 838, 846
 Rectangle light shape, 508
 Rectangle primitive, 310
 Rectangular option, 305
 Rectangular selection method, 164
 Rectangular Selection Region button, 20
 Recursive Packing option, 757
 red, green, and blue (RGB) color system, 133, 446–447
 Redo menu command, 138
 Redraw All Views menu command, 48
 Reduce Keys button, 834
 Reduce Keys option, 799
 Reference Coordinate System, 118, 197–198, 201, 981
 Reference Coordinate System drop-down list, 20, 204, 1006–1007
 Reference Elevation value, 650
 Reference Mode, 606, 611
 Reference Object Bar, 274
 references, 222
 Refine button, 325
 Refine Mesh option, 290
 Refl Level setting, 421
 Reflect color swatch, 392
 Reflection Dimming control, 393, 421
 Reflection property, 453
 Reflection/Refraction method, 505
 Reflect/Refract map, 450
 Refraction property, 453
 refreshing viewports, 48
 Regather Indirect Illumination option, 1056
 Region Fit button, 750
 Region Render Type, 577
 Region Zoom button, 43–44, 607, 615
 Regularity value, 1069
 Relative Floaters option, 618
 relative pasting, 846
 Relative Repeat option, 854

- Relative toggle, 1031
- Relative transforms operations option, 1166
- Relax brush, 624
- Relax modifier, 289, 624
- Relax Tool dialog box, 761
- relaxing patches, 685
- Relax/Soften brush, 385
- Reload Container button, 253
- `relPos` variable, 1183–1184
- Remove Bone button, 976
- Remove Bottom option, 290
- Remove Isolated Vertices button, 368
- Remove Mid-Edge Vertices option, 259–260
- Remove Modifier button, 274
- Remove Modifier from the Stack button, 273
- Remove Selected from Container button, 252
- Remove Top option, 290
- Remove Unused Map Vertices button, 368
- Remove XRef Record button, 594
- Rename Objects menu command, 132
- Render Direct Illumination option, 1056
- Render Effect Per Pass option, 485
- render effects, 1076–1077, 1089–1094
- Render Effects dialog box, 1082–1083
- Render Elements panel, 516, 1119
- Render Elements rollout, 1065, 1130–1132
- Render Frame window, 9, 67, 571
- Render Hidden Geometry option, 569
- Render Iterative button, 22
- Render Map dialog box, 401
- Render Mode, 570
- Render Occluded Objects option, 174
- render options, 569
- Render Options button, 1137
- Render Output File dialog box, 570–571, 1112
- Render Preset file, 581
- Render Preview, 555
- Render Sample Size option, 403
- Render Setup button, 22
- Render Setup dialog box, 421, 577, 1112, 1137, 1151
- Render Setup menu command, 7, 565
- Render Surface Map feature, 746
- Render Termination Alert section, 575
- Render to Fields option, 569
- Render to Texture dialog box, 449, 775–776, 779, 781
- Render types, 576–578
- Render UVs menu command, 747
- Render UVW Template menu command, 747
- Render Viewport drop-down list, 542
- Render Work Area menu command, 1125–1126
- Renderable option, 173, 318
- Renderable Spline modifier, 339
- Rendered Frame Window, 576–578
- Rendered Scene window, 134
- Renderer in Viewport option, 306
- renderers, assigning, 571–572
- Rendering Algorithms rollout, 1104
- Rendering Control section, 119, 171–173
- Rendering Effects dialog box, 397, 1077, 1084, 1088
- rendering farm, 1109
- Rendering Level drop-down list, 542
- rendering levels, 54–55
- Rendering Method panel, 53–55
- Rendering panel, 574
- Rendering Parameters rollout, 1056
- Rendering Preferences panel, 126
- Rendering rollout, 305–306, 318
- rendering scenes
 - assigning renderers, 571–572
 - Bitmap Proxies, 570
 - command-line rendering, 581
 - Email Notifications rollout, 571
 - environment, 584–585
 - initiating job, 566–567
 - panoramic images, 582
 - post-render scripts, adding, 571
 - preferences, 574–575
 - pre-render scripts, adding, 571
 - printer help, 582–583
 - RAM Player, 578–581
 - render options, 569
 - Render Output option, 570–571
 - Rendered Frame Window, 576–578
 - Scanline A-Buffer renderer, 572–574
 - specifying range, 568–569
 - specifying size, 568–569
- rendering server, 1110
- Reorder Ops button, 673
- Re-Orient check box, 234
- Reorient option, 322, 331
- Repeat Last button, 357
- Repel behavior, 1020
- Replace All Instances option, 859
- Replace Material dialog box, 461, 468
- Replace menu command, 79
- replacing objects, 78–79
- Require Planar Polygons option, 259
- Rescale Bitmaps, 89

- Rescale the File Objects command, 116
- Re-scale Time button, 523
- Rescale World Units utility, 117
- Reservoir button, 880
- Reset All Parameters button, 235–236
- Reset Background Transform command, 69–70
- Reset Curve button, 665, 669
- Reset Map/Mtl to Default Settings button, 396
- Reset Material Editor Slots menu command, 403
- Reset Material/Maps to Default Settings button, 403
- Reset menu command, 4, 111, 954
- Reset Pivot button, 203
- Reset Plane button, 360
- Reset Rest button, 711
- Reset Rollout Order rollout, 24
- Reset Sample Slot Rotation menu command, 399
- Reset Scale button, 204
- Reset Selected button, 826
- Reset Stretcher button, 770
- Reset Tangents command, 325
- Reset XForm utility, 205
- Resolve Hit option, 781
- Resource Collector utility, 95
- Respect System Units in Files toggle, 116
- Restore Active Viewport command, 48
- Restore Material Editor Slots menu command, 403
- Restrict to buttons, 200
- Retain Original Material option, 674, 676
- retargeting, 869, 877–878
- Retriangulate option, 650
- Retriangulate Polygons option, 86
- Re-Use Direct Illumination option, 1056
- Reverse button, 333
- Reverse option, 310
- Reverse Time button, 836, 846
- Revert brush, 624
- Revert from Direct3D button, 124
- Revert to Startup Layout command, 110, 111
- Revert to Startup UI Layout command, 114
- Revert tool, 385
- Review Strokes dialog box, 123
- Revit files, 95, 155
- revolutions per minute (RPM), 919
- revolutions per second (RPS), 919
- Rewind mode, 39–40
- RGB (red, green, and blue) color system, 133, 446–447
- Ribbon interface element, 14
- rigging workflow, 971–972
- Right Click Menu Over Selected Only option, 122
- right-click quadmenus, 28
- Rigid Body Collection button, 943
- Rigid Body Collection option, 942, 947, 951–952, 955, 957
- rigid body dynamic, 789
- Rigid Patch Handles option, 1037
- Rigid Vertices option, 1037
- Ring Array system, 237–238
- Ring Lens Effect, 1085
- Ring Mode, 354
- RingWave object, 137, 148–149
- RingWave Timing control, 148–149
- Ripple modifier, 289
- Ripple Space Warps, 930–931
- Riser Height value, 157
- Roll Camera button, 479
- Roll Light button, 501
- Rollout settings, 118–119
- rollouts, defined, 24
- Root Hold value, 962
- Root Name field, 998
- Root Only option, 406
- Rope collection button, 940, 943
- Rope modifier, 944, 946
- Rotate 90 degrees CCW button, 669
- Rotate 90 degrees CW button, 669
- Rotate button, 710, 754
- Rotate Clusters option, 757
- Rotate Gizmo, 192–193, 199
- Rotate Mapping Coordinates dialog box, 429
- Rotate section, 195
- Rotate Selection button, 710
- Rotate transformation, 235
- rotating
 - with middle mouse button, 122
 - objects, 190
 - view, 45–46
- Rotation and Collision rollout, 898–899
- Rotation Axis value, 949
- Rotation controllers, 556, 804
- Rotation Increment value, 194
- Rotation option, 142
- Rotation Threshold, 984
- Rotation track, 842, 856
- Rotational Joints rollout, 981, 992
- Roughness parameter, 417
- Roughness property, 393
- Roughness value, 287
- Round Hose option, 152
- Row and Column Editing section, 437

RPM (revolutions per minute), 919
 RPS (revolutions per second), 919
 Rubber Band Mode button, 1004
 Run Script command, 1158

S

safe frames, 61–63
 Same Shape option, 331
 Sample Screen Color tool, 134
 Sample Type button, 395, 398
 Sample UV Tiling button, 395, 429
 Samples value, 1070
 Save Active Viewport command, 48
 Save As command, 75
 Save Bitmap button, 577, 618
 Save Container button, 252
 Save Copy As menu command, 76
 Save Custom UI Scheme menu, 26, 109–110
 Save File As dialog box, 75–76
 Save File button, 1004
 Save Outer Corners option, 685
 Save Preview button, 395
 Save Preview menu command, 401
 Save Scene State dialog box, 1108–1109
 Save Selected option, 76
 Save Sequence button, 1133
 Save Sequence dialog box, 1135
 Save Viewport Thumbnail Image option, 80
 Save XML Animation File dialog box, 874
 Saved Schematic Views submenu, 603
 saving
 custom interface, 109–111
 files, 75–76, 874–875, 882
 SB Collection Properties rollout, 955
 Scale button, 711, 754
 Scale Chaos Factor button, 902
 Scale Control Point button, 665
 Scale controller, 556
 Scale Deformation window, 664, 666–667, 671
 Scale Factor value, 117
 Scale Gizmo, 192, 194
 Scale Horizontal button, 754
 Scale Keys button, 834, 843
 Scale Luma option, 574
 Scale Multiplier value, 6, 144, 556
 Scale Saturation option, 574
 Scale Stride Mode button, 1004
 Scale Time button, 836, 846
 Scale track controllers, 804
 Scale track key, 842
 Scale value, 287
 Scale Values button, 834
 Scale Vertical button, 754
 Scale XYZ controller, 564
 scaling objects, 190–191
 Scanline A-Buffer renderer, 572–574
 Scanline renderer, 7, 406, 496, 565, 1096
 Scatter object, 641, 654–657
 Scatter Objects dialog box, 1019–1020
 Scatter Objects rollout, 286, 654–655, 657
 Scene Environment setting, 496
 Scene Explorer, 162, 183–187, 253, 409–410, 1204
 scene information, displaying, 96
 Scene Lights, 49
 Scene Options section, 1138
 scene selection settings, 118
 scene states, managing, 1108–1109
 Scene Undo spinner, 118
 scenes. *See* rendering scenes
 Schematic View
 Graph Editors menu, 603–604
 hierarchies, 612–614
 interface, 604–607
 List Views, 619–620
 nodes, 608–610
 renaming objects, 611
 setting preferences, 616–618
 Schematic View option, 80, 170, 248
 Scheme dropdown list, 107
 Screen Coordinate System, 197
 screen gamma, 125
 Screen Handle option, 193
 Screen mapping type, 428
 Script Controller dialog box, 797
 Script Editor window, 1170
 Scripted behavior, 1020
 scripted utilities, 1172
 Scripts rollout, 571
 SDeflector Space Warp, 929
 Seam Tolerance value, 716
 Search icon, 30
 Search Marketplace menu command, 1196
 Search menu, 1161
 Search Name field button, 607
 secondary motion, 871, 1041
 Section Parameters rollout, 314

- Section primitive, 314, 316
- Section Type rollout, 340
- Seed value, 287
- Seek behavior, 1020
- See-Through option, 172
- Segment option, 142
- Segment parameter, 149
- Segment subobject mode, 322, 325
- segments, 331–333
- Segments value, 140–142
- Select Active Layer Objects button, 870
- Select All button, 411
- Select All Maps button, 411
- Select All Materials button, 411
- Select All menu command, 162
- Select and Link button, 20
- Select and Manipulate button, 20
- Select and Move button, 20, 191
- Select and Non-Uniform Scale button, 20
- Select and Rotate button, 20, 191
- Select and Squash button, 20
- Select and Uniform Scale button, 5, 20, 190–191
- Select Bitmap Image dialog box, 584
- Select Bitmap Image File dialog box, 431, 469
- Select Bones dialog box, 1027–1028
- Select Brush button, 739
- Select buttons, 161–162, 595, 605, 710, 879
- Select by Channel modifier, 774–775
- Select by Hair Ends button, 709
- Select by Material button, 170, 395
- Select by Name button, 20, 164, 595
- Select Camera dialog box, 476
- Select Children option, 185
- Select Color eyedropper icon, 739
- Select Displacement Image dialog box, 473
- Select Element option, 756, 764
- Select Excluded Vertices button, 1032
- Select Face subobject mode, 756
- Select Focal Object dialog box, 1147
- Select From Scene dialog box, 162, 164–165, 247
- Select Guide by Root button, 709
- Select Guide Vertices button, 709
- Select Highlighted Objects and Layers button, 181, 183
- Select ID button, 333
- Select Image File for Video Post Input dialog box, 1137
- Select Invert button, 412
- Select Invert menu command, 162
- Select Keys by Time utility, 846
- Select Light dialog box, 500
- Select None button, 412
- Select None menu command, 162
- Select Object button, 20, 131, 161, 166
- Select Object mode, 164
- Select Objects by Material menu command, 401
- Select Objects dialog box, 78, 167, 170, 247, 401
- Select Open Edges option, 684
- Select Output Image Device dialog box, 542
- Select Pelt UVs button, 770
- Select Preset Categories dialog box, 567, 781
- Select Similar command, 162–163
- Select Stretcher button, 770–771
- Select Targets dialog box, 782
- Select the Whole Guide button, 709
- Select Time button, 836, 846
- Select Vertices By section, 688
- Selected Lights option, 498
- Selected Render Type, 577
- selecting, 161–170, 185, 249, 319–321, 401
- selection brackets, 159
- Selection Center button, 199
- Selection Check rollout, 780
- Selection Filter drop-down list, 20, 160, 164
- selection filters, 160–161
- Selection Lock Toggle, 262
- Selection Lock toggle button, 167
- Selection Modifiers, 280, 338
- Selection Paint brush, 165
- Selection Parameters rollout, 753
- Selection Region command, 163
- Selection rollout, 261, 319, 327, 336, 683–684
- Selection Set drop-down list button, 524
- selection sets, 167–168
- Selection Sets drop-down list, 503
- Selection to Bitmap map option, 746
- Selection Tools, 385–388
- Selection-relative scene object names option, 1166
- Selection-relative subobject sets option, 1166
- Self Illumination (Glow) rollout, 734
- Self Shadow value, 707
- Self-Illumination color swatch, 392
- Self-Illumination property, 452
- Self-Illumination value, 414
- Server Properties dialog box, 1120
- Set Controller Defaults dialog box, 535, 559
- Set Current View as Home option, 38
- Set Gray option, 404
- Set In Tangents to... buttons, 835–836
- Set Key button, 524

- Set Key control, 27
- Set Key Filters dialog box, 525
- Set Key mode, 525
- Set Out Tangents to... buttons, 835–836
- Set Position button, 546
- Set Project Folder menu, 113
- Set Range button, 879
- Set Tangents to... buttons, 835–836, 861
- Setup Explosion Phase Curve dialog box, 1070
- Setup rollout, 1019
- Sewing Stiffness value, 716
- Shade Selected Faces option, 56, 160
- Shade Selected menu command, 56
- Shaded Face Toggle button, 265–266
- Shader Basic Parameters rollout, 413–414, 419, 421, 453–454, 1101
- Shader Element, 1130
- shaders, 413, 416–419
- Shading label menu, 50
- Shading viewport label, 47
- Shadow Brightness value, 724
- Shadow Map option, 505
- Shadow Map Params rollout, 505
- Shadow Maps, 493, 515, 1097
- Shadow Parameters rollout, 505, 1097
- Shadow Shader, 423
- Shadow/Matte mask, 1070
- shadows, 48–52, 493–494, 505, 515–516
- Shape and Path Steps option, 662
- Shape Check utility, 341
- Shape Commands rollout, 669–670
- Shape Import dialog box, 91
- shape primitives, 305–314
- Shape Selection Filter, 160
- Shape tools, 314–315
- Shape/Area Shadows rollout, 508
- ShapeMerge object, 642, 647–648
- ShapeMerge tool, 659
- Shapes category, 304
- shapes model type, 258
- Shapes tool, 382–383
- Shape-Shifting Selection Region, 164
- Shareware programs, 1208
- Sharp Quadratic filter, 573
- Shell Material, 467
- Shell modifier, 290, 1054
- Shellac material, 467
- Shift tool, 384
- Shift-clone method, 220
- Short Thumb option, 1002
- Shrink-Wrap Environment mapping type, 428
- Simple Additive Compositor, 1143
- Simple Multi Display Below Top Level option, 403
- Simple Wipe compositor, 1143
- Simple Wipe filter, 1140
- Simplification rollout, 650
- Simulate Local button, 965
- Simulation Geometry rollout, 946
- Simulation Parameters rollout, 965–966, 968
- Single Object option, 277
- Size section, 195
- Sketch Vertices command, 757
- Skew modifier, 292
- Skin Details option, 616
- Skin modifier, 1027, 1029
- Skin Morph modifiers, 1025–1026, 1039–1040
- Skin Parameters rollout, 662–663
- Skin Wrap modifiers, 1025, 1037–1038
- Skin Wrap Patch modifier, 1038
- skinning, 1026, 1029–1039, 1041
- Skip Existing Files option, 776
- Sky Color, 496
- Sky Portal, 496, 1099–1100
- Skylight Portal, 496, 1099
- Slice modifier, 290–292
- Slice option, 141–142
- Slice Plane button, 360
- Slide Clips button, 879
- Slide Keys button, 834, 843
- Slider form element, 1190
- Slider helper, 823
- Sliding Friction, 422
- Sliding Joints constraint, 981
- Sliding Joints rollout, 981, 992
- Slow button, 529
- Smoke map, 441
- Smoke Parameters rollout, 441
- Smooth button, 529
- Smooth modifier, 634
- Smooth option, 54
- Smooth Twist Mode button, 1007
- Smooth+Highlights option, 54
- Smoothing Groups option, 377–378
- SMPTTE (Society of Motion Picture Technical Engineers), 522
- Smudge tool, 385
- Snap Clips button, 880
- Snap feature, 211, 214–216
- Snap Frames button, 835, 837, 843, 880

- Snap Preview Radius, 215
- Snap Radius setting, 215
- Snap Strength value, 215
- Snap toggle button, 213, 216, 329
- Snap Toggle 2D button, 21
- Snap Toggle 2.5D button, 21
- Snap Toggle 3D button, 21
- Snaps panel, 213
- Snaps toolbar, 216
- Snaps Use Axis Constraints toggle button, 200
- Snapshot feature, 227–228
- Snow particle system, 887, 889–891
- Society of Motion Picture Technical Engineers (SMPTE), 522
- Soft Body Collection, 943, 955
- soft body dynamic, 789
- Soft Body modifier, 944, 946, 955
- Soft Select Settings menu command, 843
- Soft Selection option, 653
- Soft Selection rollout, 263–264, 282, 321, 644, 684
- Soft Shadows option, 51
- Soften Diffuse Edge value, 504
- Soften filter, 572–573
- Soften Gizmo Edges value, 1074
- Soften value, 418
- Software Render Style rollout, 729
- Solve rollout, 1021
- Solve Surface button, 382–383
- SOMniFlect Space Warps, 928–929
- SOMniFlect sphere, 910
- Sort by Material button, 411
- Sort by Object button, 411
- Source object, 232, 655
- Source Object Parameters section, 655
- Space Horizontal button, 756
- Space Vertical button, 756
- Space Warps, 917–918, 936–938. *See also specific Space Warps by name*
- Spacing tool, 229–231
- Spawn Effects Only section, 929
- Special Effects rollout, 732
- Specify Length option, 267
- Speckle map, 441–442
- Speckle Parameters rollout, 441
- Specular Color property, 452
- Specular color swatch, 392
- Specular Highlight graph, 417
- Specular Level property, 452
- Specular Level value, 393, 416–418
- Speed By Icon action, 911
- Speed value, 892
- Speed Vary behavior, 1020
- Sphere button, 131
- Sphere light shape, 508
- Sphere menu command, 216
- Sphere object, 135, 140–141, 143
- SphereArray MAXScript utility, 1160
- SphereGizmo gizmo, 1066, 1070
- Spherical Environment map, 428, 584
- Spherify modifier, 292–294
- Spin Time, 897
- Spin value, 933
- Spindle object, 136, 147
- Spinner form element, 1190, 1192
- Spinner settings, 118–119
- Spinner Snap Toggle button, 21, 118
- spinners, interface, 29
- Splat map, 442
- Splat Parameters rollout, 442, 454
- Spline Boolean operators, 334, 342–343
- Spline IK solver, 994–995
- Spline mapping, 765
- Spline Select modifier, 338
- Spline subobject, 333–337
- Spline subobject mode, 333, 335, 342
- Spline Threshold value, 696
- SplineIK Control modifier, 796
- SplineIKSolver option, 995
- splines
 - Edit Spline modifier, 317–318
 - editable, 317–318
 - geometry, 321–323
 - renderable, 318
 - segments, 331–333
 - subobjects, 319–321, 333–336
 - vertices, 325–329
- Splines tool, 384
- Spline-specific modifiers, 338–341, 344–345
- Split Scan Lines setting, 1115
- Split Selected Hair Groups button, 711
- splitting objects into fragments, 904
- Spotlight, 47, 495–496
- Spotlight distribution type, 506
- Spotlight Parameters rollout, 504, 514–516
- Spray menu command, 890
- Spray Parameters rollout, 889
- Spray particle system, 887, 889–891
- Spring button, reactor object, 948
- Spring controller, 561–563

- Spring Controller rollout, 1041
- Spring Dynamics rollout, 561
- Spring menu command, 563
- Spring object, 949
- Spring Properties rollout, 949
- Spring Quick Edit option, 535
- Square method, 144
- Squash option, 141
- Squeeze command, 224, 278
- Squeeze modifier, 278, 294–295
- Stacking Layout section, 437
- Stand button, 710
- stand-alone executables, 1109
- Standard Controls rollout, 437
- Standard Display with Maps command, 48
- Standard Flow, 909–910
- Standard material button, 7
- Standard object, 212
- Standard Particles option, 894
- Standard Primitives, 140–144
- Standoff Distance option, 932
- Star Lens Effect, 1085–1086
- Star primitive, 311
- Starfield filter, 1140–1141
- Stars Control dialog box, 1140
- Start Frame, 430, 924
- Start New Shape check box, 305, 309
- Start Pelt button, 770
- Start Time frame, 148
- Starting Quadrant, 106
- Static Friction, 422
- Static Values option, 616
- Statistics panel, 67
- Statistics rollout, 1056
- Status Bar, 27, 196
- SteeringWheels, 39–40
- Step Build tool, 381
- Step button, 529
- StepLoop option, 354
- Stiffness value, 962
- Stitch Border option, 650
- Stitch Selected menu command, 757
- STL (StereoLithography) format, 638
- Stock Inside Cutter option, 676
- Stock Outside Cutter option, 676
- Strauss shader, 413, 418
- Streak Lens Effect, 1086
- Streaming SIMD (Single Instruction, Multiple Data)
 - Extensions, 572
- Strength value, 926, 933
- Stretch modifier, 292
- Stretch style slowly type, 106
- Stretch value, 292, 1068
- strings, defined, 1173
- Strips tool, 384
- strokes, 122–123
- Structure rollout, 1000
- Stucco map, 442–443
- <stuff> expression, 1178
- Style Hair button, 709
- Style interface, 709–711
- Styling rollout, 709, 712
- S-type deflector, 927
- Sub Region option, 67
- SubComp button, 774
- Subdivide button, 689
- Subdivide modifier, 1054
- Subdivision Contrast, 1048
- Subdivision Surface modifiers, 638–640
- Subdivision Surface rollout, 280, 376, 380
- Submaterial Navigation buttons, 409
- Sub-Material settings, 118
- SubObj preview option, 355
- subobjects
 - borders, 371–372
 - edges, 369–371
 - elements, 373–376
 - Flex, 790
 - gizmos, 278
 - modifying, 265–266, 279
 - NURBS, 700
 - polygons, 373–376
 - Soft Selection, 263–264
 - splines, 333–336
 - vertices, 365–368
- Substitute modifier, 297
- SubSurface map option, 746
- Subsurface Scattering materials, 735
- Subtraction Boolean operation, 343, 672
- Subtractive transparency type, 420
- Summary Info dialog box, 96, 592
- Summary Info menu command, 96
- Summed Area option, 432
- Sun & Sky system, 8–9, 1098–1099
- Sunlight systems, 509–511
- Super Black option, 569
- Super Black Threshold setting, 575
- Super Spray Basic Parameters rollout, 892

- Super Spray menu command, 897, 899, 906
 - Super Spray particle system, 887, 892–893, 896–902
 - SuperSampling, 421–422, 505, 573
 - Surf Center snap point, 215
 - Surf Edge snap point, 215
 - Surf Norm option, 1082
 - Surf Normal snap point, 215
 - Surface Arrive behavior, 1020
 - Surface constraint, 547–548
 - Surface Controller Parameters rollout, 547–548
 - Surface Follow behavior, 1020
 - Surface menu, 280
 - Surface modifier, 279, 672, 696
 - Surface panel, 386
 - Surface Parameters section, 148, 661
 - surface properties, 377–379
 - Surface Properties rollout, 261, 332–333, 448, 693–694, 742
 - Surface settings, 685
 - Surface Shader, 423, 730
 - Surface tool, 384
 - SurfDeform modifier, 793–794
 - Swap Deform Curves button, 665
 - Swap Events button, 1133, 1144
 - Swap Texture Entries option, 437
 - Sweep modifier, 339–340, 765–766
 - Sweep Parameters rollout, 339
 - SwiftLoop button, 360
 - Swirl Location X value, 436
 - Swirl Location Y value, 436
 - Swirl map, 435–436
 - Swivel Angle Manipulator, 988
 - Symmetrical button, 1006–1007
 - Symmetry modifier, 634–635
 - Symmetry panel, 388
 - synchronizing, 185, 412, 608, 617
 - system paths, configuring, 114
 - System Unit Scale option, 116
 - system units, 115–117
- T**
- tailFlapOffset variable, 1185–1186
 - tailFlapRate variable, 1185
 - Tangent Copy button, 328
 - Tangent snap point, 214
 - Tape helper, 267
 - Taper Curve value, 920
 - Taper modifier, 296
 - Target button, 501
 - Target Camera, 476, 480
 - Target Direct light, 496
 - Target light, 497
 - Target object, 642
 - Target Spot light, 495, 537
 - Target Spotlight menu command, 499, 513, 516
 - Target Weld button, 367
 - TCB section, 546
 - TCP/IP section, 1116–1117
 - Teapot object, 136, 142
 - Teeter Deformation, 667
 - Templates rollout, 496
 - Tendril shape, 1068
 - Tension setting control, 362
 - Terrain object, 642, 650–651
 - tessellation, 362, 635
 - Testing Attribute rollout, 828
 - Tetra type, 143
 - Tetrahedron object, 138
 - Text Font attributes, 312
 - Text primitive, 311–313
 - texture baking, 775
 - Texture Channel, 358
 - Texture Coordinates, 148
 - Texture Correction option, 56
 - Texture Element, 775
 - texture map, 48, 763, 766
 - Texture mapping option, 428
 - Texture Tool icon, 88–89
 - Texture Wrap map option, 746
 - textures, creating with Photoshop, 456–458
 - Thin Wall Refraction map, 450
 - 3D Snap toggle button, 213
 - 3DS Import dialog box, 83
 - 3rd Party Plug-Ins panel, 114
 - Threshold spinner, 422
 - Threshold value, 306
 - Tile Bitmap option, 757
 - Tiles map, 437
 - time, editing, 846
 - Time Configuration dialog box, 522–523
 - Time Controls, 27, 522–524
 - Time Offset, 652
 - Time Output, 568, 1136
 - Time rollout, 430
 - Time Ruler, 831, 840
 - Time Scale, 950
 - Time Slider, 27, 526

- Time Tags, 524
- Time toolbar, 836
- Time Warps, 881–882
- Timeline panel, 1125, 1127
- Timer form element, 1190
- Timing value, 889
- Tip Fade option, 707
- Title Safe option, 62
- Toggle Auto Key Mode button, 524
- toggle buttons, 19, 29
- Toggle Collisions button, 711
- Toggle Hair button, 711
- Toggle SteeringWheels, 41
- Toggle UI buttons, 578
- Toolbar elements, 1189–1190
- toolbars, 17–23, 30–32
- Toolbars panel, 99, 101, 104
- Tools menu, 107, 267
- Tools rollout, 712
- Tools toolbar, 837–838
- Top viewport, 10, 37, 139
- Top/Bottom Basic Parameters rollout, 467
- Top/Bottom material, 467–468
- Topology tool, 364, 384
- Tops tool, 385
- Torus Knot object, 136, 149–151
- Torus object, 136, 142
- Total Faces value, 144
- Total value, 892
- Tour Building Wheel, 39
- Toy Car object, 948, 950
- Track Bar, 527–528
- Track Selection rollout, 1005, 1007, 1011, 1028
- Track Selection toolbar, 840–841
- Track Sets, 857–859
- Track Time button, 434
- Track View interface, 558–559, 832–841
- Track View Pick dialog box, 809, 816, 818, 826
- Track View Utilities button, 838, 853
- Track View Utilities dialog box, 840, 843–844, 846
- Track View–Curve Editor, 855
- Track View–Dope Sheet window, 527, 866
- track weights, 881
- Trajectories button, 530, 1005
- Trajectories rollout, 531–532
- Trajectory option, 172
- Transform Axis option, 624
- Transform button, 191, 204
- Transform Center, 190, 197–199
- Transform controllers, 556, 797–798
- Transform Coordinate Center, 199, 237
- Transform Degrade option, 663
- Transform Gizmos, 189, 192–194, 200, 202–203
- Transform Managers, 189, 197–201
- Transform Rule setting, 554
- Transform Toolbox, 194–195, 221
- Transform Type-In dialog box, 30, 189, 195–196
- Transformed Constraints, 216
- Transforms option, 839
- Transforms rollout, 657
- transition tracks, 880–881
- Translate button, 710
- translating objects, 189–190
- Translucent shader, 413, 419
- Transparency Falloff option, 420
- transparency rendering, 55
- Transparent object, 392
- Transparent Shadows, 505
- Tri Patch, 679, 693
- Triangle Count statistic, 67
- Triangle Neck bone, 1002
- Triangle Pelvis option, 1002
- Triangulate command, 633
- Trim button, 335–336
- Trim Clips button, 879
- Trim/Extend modifier, 340
- Truck Camera button, 479
- Truck Light button, 501
- Truncate Simulation button, 965
- Tube object, 136, 144
- Tumble Rate value, 889
- Turbo Squid Tentacles, 1195–1196
- TurboSmooth modifier, 638
- TurboSmooth rollout, 639
- Tutorials command, 30
- T-Vertices option, 53
- 12-Field Grid option, 62
- Twist Deformation, 667
- Twist Individual Mode button, 1007
- Twist Links button, 1005
- Twist Links Mode button, 1007–1008
- Twist modifier, 275, 295
- Twists option, 142, 1002
- 2D Lighting Data Exporter rollout, 90
- 2D Snap toggle button, 213
- 2-Sided option, 414
- 2.5D Snap toggle button, 213
- Type button, 396

U

U values button, 755
 UCS (Universal Coordinate System), 196
 UDeflector Space Warps, 929
 UDynaFlect Space Warp, 928
 UI Display section control, 119
 Unbind button, 686
 UNC (Universal Naming Convention), 80, 600
 Undo button, Hair Styling, 711
 Undo Checkout command, 599
 Undo Levels, 118
 Undo menu command, 138
 Undo View Change menu command, 47
 Unfold Mapping option, 758–759
 Ungroup command, 17, 242
 ungrouping objects, 242
 Unhide All button, 687
 Unhide Objects dialog box, 178
 Uniform blur method, 1090
 Uniform Diffuse distribution type, 506
 Uniform Handle Size value, 194
 Uniform Spherical distribution type, 506
 Union Intersecting option, 339
 Union operation, 672
 units, 115–117
 Units Mismatch dialog box, 116
 Units Setup dialog box, 4, 115–116
 Universal Coordinate System (UCS), 196
 Universal Naming Convention (UNC), 80, 600
 Unlimited Range option, 921–923
 Unlink Selected button, 605
 Unlink Selected menu command, 613
 Unlink Selected object node, 604
 Unlink Selection button, 20
 unlinking objects, 245
 Unload Container button, 252
 Unlock button, 711
 Unshrink All menu command, 610
 Unshrink Selected menu command, 610
 Unwrap button, 434
 Unwrap Options dialog box, 759
 Unwrap UVW menu, 763, 766
 Unwrap UVW modifier, 738, 755–759, 762–763, 765, 777
 UOmniFlect Space Warp, 928–929
 Update Active Only option, 402
 Update Background While Playing option, 121
 Update button, 594
 Update Container button, 252

Update During Spinner Drag menu option, 48
 Update Materials option, 95
 Update Max menu command, 953
 Update On Mouse Up option, 1033
 updating external scene, 591
 Up/Down mode, 39
 Upper Limit value, Squeeze modifier, 295
 Upper Limits, Bend modifier, 284
 User Grids panel, 210
 user paths, configuring, 113–114
 User Reference, 33
 User Safe option, 62
 User viewport, 37
 User-Defined panel, 175
 Utilities drop-down list, 1158
 Utilities panel, 23, 108–109, 404, 533, 1193
 Utility Bump material, 735
 Utils panel, 941
 U-type deflector, 927
 UV Coordinates menu, 280
 UV Templates, 747–748
 UVW coordinate system, 428
 UVW Map modifier, 426, 540, 738, 741, 750
 UVW Mapping Add modifier, 752, 774
 UVW Mapping Clear modifier, 752, 774
 UVW Remove utility, 404
 UVW XForm modifier, 750, 752

V

V values button, 755
 Variable Width option, 726
 Variation value, 889, 892
 Vault files, 599–600
 Vault setup link, 597
 Vector variable, 815
 Vertex Channel Display option, 173
 Vertex Color Channel mapping type, 428
 Vertex Color Display–Shaded button, 744
 Vertex Color icon, 742
 Vertex Color map, 448
 Vertex Count statistic, 67
 Vertex mode, 756
 Vertex Normal settings, 118–119
 Vertex Numbering, 327, 661
 Vertex option, 337
 Vertex Paint dialog box, 742
 Vertex Paint menu command, 448

- Vertex Paint modifier, 448, 470, 626, 742–744, 1034
- Vertex Projection Direction setting, 645
- Vertex Properties rollout, 377, 742
- Vertex snap point, 214
- Vertex subobject button, 644
- Vertex subobject mode, 172, 320–322, 351–352, 683–686, 693–694
- vertex subobjects, 365–368
- vertex surface properties, 688
- Vertex Ticks option, 173
- Vertex Weight value, 793
- Vertex Weld modifier, 635–636
- Vertical Bias option, 807
- Vertical button, 880
- Vertical Focal Loss option, 1147
- Vertical Scale tool, 760
- vertices, 326–329
- Vertices parameter option, 146, 1034
- Video Color Check option, 395, 569, 574
- Video filter, 573
- Video Post, 1133–1135, 1150–1152
- Video Post dialog box, 30, 1082
- Video Post filter, 1141
- Video Post Parameters section, 1136
- Video Transitions folder, 1126
- View Align button, 750
- View Controls rollout, 555
- View Coordinate System, 197
- View File dialog box, 29, 96–98
- View Image button, 432
- View Image File menu command, 97
- View Name field button, 606
- View Object Wheel, 39
- view options, 61
- View panel, 387
- View Preview menu command, 119
- View Render Type, 577
- ViewCube, 38–39
- viewing
 - hierarchies, 247–248
 - links in viewports, 247
 - normals, 260
 - scene information, 96
 - statistics, 67–68
- Viewline Length Absolute option, 554
- Viewpoint Configuration dialog box, 60
- Viewpoint Datalabs, 51, 513–514, 759, 763, 1209
- Viewpoint model, 37
- Viewport Background dialog box, 70, 93, 1041, 1098
- Viewport Background menu command, 8, 69
- Viewport Canvas feature, 738–745, 1204
- Viewport Clipping option, 57
- Viewport Configuration dialog box, 38–41, 49–51, 58–59, 160, 172
- Viewport Display section, 936
- Viewport drop-down list, 567
- Viewport Lighting and Shadows quadmenu, 497
- Viewport Navigation button, 500, 755
- Viewport Navigation Control, 14, 27, 43–44, 47–48, 521
- Viewport Navigation Control button, 29, 53, 607
- Viewport Navigation mode, 29
- Viewport Shading label submenu, 49
- Viewport Shading option, 1098
- Viewport Shadow Intensity, 50
- Viewport Shadows Selected option, 724
- viewports
 - 3D space, 36
 - adaptive degradation, 63–65
 - altering layout, 60–61
 - backgrounds, 68–71
 - changing display, 47–52
 - controlling with scroll wheel, 42
 - defined, 14
 - defining regions, 65–67
 - interface, 23
 - keyboard shortcuts, 37
 - lighting controls, 500–501
 - navigation controls, 44–47
 - navigation gizmos, 38–40
 - parameter options, 120–121
 - safe frames, 61–63
 - setting rendering method, 54–60
 - viewing statistics, 67–68
- Viewports panel, 42, 120
- Views Viewport Background option, 69
- Virtual Viewport feature, 67
- Visible Objects option, 616
- Visual MAXScript Editor interface, 1188–1193
- Visual MAXScript form elements, 1189–1190
- Visual MAXScript window, 1188, 1191
- VIZ Render (.drf) extension, 77
- Volume Fog effect, 1048, 1074–1075
- Volume Light effect, 512–516, 1048, 1075
- Volume Select modifiers, 281–282
- Vortex Space Warp, 921–922
- Voxel Resolution, 714
- VUE File Renderer, 571

W

W values button, 755
Walk Footstep value, 1013
Walk mode, 39
Walk Through button, 43–45, 479
Walkthrough Assistant, 45, 555
Wall Repel behavior, 1020
Wall Seek behavior, 1020
Wander behavior, 1020
warning messages, 1118
Warp Count field, 150
Warp Height field, 150
Watch Manager, 1169
Water button, 948
Water object, 952
Water Parameters rollout, 443
Wave modifier, 298
Wave Space Warp, 930–931
Wave Warp effect, 1127
Waveform Controller dialog box, 806
Waves map, 443
Week Schedule dialog box, 1120
Weight Properties section, 1032, 1034
Weight Table, 1033–1034
Weight Tool, 1032–1033
Weights and Springs subobject mode, 792
Weld button, 326, 687
Weld settings dialog box, 367
Weld Target button, 687
Weld Threshold, 326, 687, 759
Width parameter, 144
Width/Depth/Height Creation Method, 156
Width/Height/Depth Creation Method, 156
Wind button, 948
Wind object, 950
Wind Space Warp, 925–926
Wind Speed value, 950
Window selection method, 163–164
Window/Crossing Toggle button, 20
Windows system requirements, 1207–1208
Wire option, 414
Wire Parameters feature, 614, 821
wireframes, 54–55, 172
Wood map, 443–444
Wood Parameters rollout, 443
Working Coordinate System, 198
Working Pivot, 203–204

World Coordinate System, 197, 203, 210, 467, 554
World object, 244
World Scale, 941
World Space Modifier (WSM), 272, 275, 281, 753, 793–794
Wrap Cursor Near Spinner option, 118
Wrapper object, 644
Wrapper Parameters section, 645–646
Wrap-To object, 644
Write Keyboard Chart button, 100
WSM (Hair and Fur) modifier, 704, 961

X

XAF (XML Animation File) format, 874
XForm modifiers, 282–283, 297
XRef Controller option, 596
XRef Objects dialog box, 593–595, 798
XRef Scenes dialog box, 590–593, 595
XRefs (external references), 589, 591–597
XRefs panel, 114
XSLT template, 90
Xtras section, 1002–1003
xView analysis tool, 52–53

Z

Z-axis points, 152
Z-Buffer Wireframe object, 56
Zero All button, 1007
Zero Twist button, 1007
Zoom About Mouse Pointer preference, 618
Zoom All button, 43–44
Zoom button, 43, 607, 666, 841, 880
Zoom Extents buttons, 43, 607, 665–666, 841, 880
Zoom Horizontally button, 666
Zoom mode, 39
Zoom Region button, 666, 841, 848, 880
Zoom Selected Object button, 841
Zoom Selected Viewport Object button, 607
Zoom Time button, 841
Zoom Values button, 841, 848
Zoom Vertically button, 666
zooming, 44, 122
ZX Plane button, 200
Zygote Media, 423, 480, 1209