

Index

- 16–8 kbps G728-like Codec I, 351–354
- 16–8 kbps G728-like Codec II, 364–365
- 3.1 kBd System
 - Performance, 214–217
 - Summary, 217–218
- 4–8 kbps Low-delay Error Sensitivity, 382–387
- 5.3 kbps Low-rate G.723.1 Excitation, 297–298
- 6.3 kbps High-rate G.723.1 Excitation, 296–297
- 8–16 kbps Codec Performance, 388–389
- 8–4 kbps CELP Codecs, 365–381
- 8–4 kbps Codecs
 - Forward Adaption of the LTP, 368–374
 - Forward Adaption of the STP Synthesis Filter, 367–368
 - With Enlarged Codebooks, 366
- A-law Companding, 21–23
- AAC, 479–481
- AAC Quantisation and Coding, 487–489
- ACELP Codebook Structure, 170–172
- Acknowledgements, xxxv
- Adaptation Speed Control Factor in G.721 Codec, 50
- Adaptation Speed Control in G.721 Codec, 49
- Adaptive Codebook Approach, 81
- Adaptive DECT-like Speech Schemes, 222–223
- Adaptive Differential Pulse Code Modulation, 47
- Adaptive GSM-like Speech Schemes, 220–221
- Adaptive Modulation, 513–514
- Adaptive Multi-slot PRMA Summary, 223–225
- Adaptive One-word-memory Quantisation, 39–40
- Adaptive Post-filtering, 88–90
- Adaptive Predictor in the 32 kbps G.721 Codec, 48
- Adaptive Wideband Transceiver, 427–428
 - Parameters, 428–429
 - Performance, 431–433
- Adaptive Wideband Transmission, 425–427
- Advanced Multirate (AMR) Codec, 302–327
- Algebraic CELP, 170, 257
- Algebraic Codebook, 263
- Algorithmic Buffering Delay, 332
- Aliasing Distortion, 399
- All-pass System, 108
- All-pole Synthesis Filter, 32
- All-zero Filter, 32
- AMR, xxviii, 443, 506
 - ACELP Structure, 308–310
 - Bit Allocation, 310–311
 - Codec Overview, 306–307
 - Error Sensitivity, 312–314
 - LPC Analysis, 307
 - LSF Quantisation, 307–308
 - Mode Switching, 311–312
 - Multimode Subjective Speech Quality, 325–327
 - Pitch Analysis, 308
 - Postprocessing, 310
 - Speech Codec, 306–314
- AMR-WB, 443
- Analysis Filtering, 148, 400–403
- Analysis-by-synthesis, 11
 - Codec Structure, 72–73
 - Coding, 71–192
 - Motivation, 71
 - Principles, 71–99
- Anti-aliasing Filtering, 12
- Asymmetric LPC Windowing, 259
- AT&T, 159
- AT&T Bell Laboratories, 226
- Audio Codec Overview, 435–437
- Audio Frame Error Results, 440
- Audio SEGSR Performance, 440–441
- Autocorrelation Method, 34
- Autoregressive Process, 44
- Backward masking, 473
- Backward-adaptive CELP Coding, 331–392
- Backward-adaptive Codec, 333
- Backward-adaptive Error Sensitivity Issues, 381
- Backward-adaptive G728

- Coding, 336–351
 - Schematic, 334–336
- Backward-adaptive Gain Predictor, 336
- Backward-adaptive Gain Scaling, 334
- Backward-adaptive Prediction, 33, 42–47
- Backward-predictive Scheme, 30
- Bandwidth Expansion, 184, 341
- Binary Pulse Excitation, 164–166
- Bit Allocation
 - LPC Vocoder, 596, 688
 - LSFs, 567
 - MMBE, 688
 - PWI-STC, 732
 - PWI-ZFE, 649, 661, 688
- Bit Masking Block, 55
- Bit Sensitivities for the 4.8 kbps Codec, 168
- Bit-allocation Scheme, 419
- Bitrate
 - Summary, 737
- BSAC, xxx, 471, 481, 490–492

- CDMA, 237
- CELP
 - Adaptive Codebook Delay Robustness, 198
 - Adaptive Codebook Gain Robustness, 199
 - Approach, 160–162
 - Background, 159–160
 - Coder Schematic, 543
 - Coding, 498–500
 - Error Resilience Conclusions, 203–204
 - Error-sensitivity, 192–204
 - Excitation Models, 165–174
 - Excitation Parameters, 175–183
 - Fixed Codebook Gain Robustness, 197–198
 - Fixed Codebook Index Robustness, 197
 - Fixed Codebook Search, 163–165
 - Full Codebook Search Theory, 175–177
 - Full Search Procedure, 178–179
 - Introduction, 174–175
 - Optimisation, 174–192
 - Sequential Search Procedure, 177–178
 - Sub-optimal Search, 180–181
- CELP-based Wideband Codecs, 416
- Characterisation of Speech Signals, 4–8
- Chebyshev
 - Description of LSFs, 109–115
 - Polynomials, 109
- Classification of Speech Codecs, 8–11
- Closed-loop Codebook Training, 359–364
- Closed-loop Optimisation of LTP, 80–85
- CNET, 421
- Codec, 8
- Coding Delay, 332
- Complex Quadrature Mirror Filters, 406
- Computational Complexity
 - LPC Vocoder, 597, 688
 - MMBE, 679–681, 688, 689
 - Pitch Detector, 581–583
- Autocorrelation, 618
 - Dynamic Programming, 616
- PWI-ZFE, 649, 689
- STC, 715–716, 729–730
 - Reduced, 715–720
- Summary, 737
- Wavelet Optimisation, 631
- ZFE Optimisation, 629–630
- Conjugate Structure CELP, 257
- Conjugate Structured Codebooks, 267
- Constant Throughput Adaptive Modulation, 430–431
- Constrained Excitation, 229
- Constrained Search, 634
- Core Bits, 55
- Covariance Coefficient Computation, 33–34
- Covariance Method, 34
- Cox, 755
- Critical Band, 413, 473

- DAB, 506
- DCT, 474, 495
- Decimated Signals, 401
- Decoder Scenarios, 625–627
- Delay
 - Summary, 737
- Detailed Description of the Audio Codec, 437–439
- DFT, 474
- Differential Pulse Code Modulation, 30
- Digitisation of Speech, 11–13
- Diversity, 511
 - Frequency, 511
 - Spatial, 511
 - Temporal, 511
- DoD, 226
- Dolby, 471
 - AC-2, 471
 - AC-3, 471
- DPCM Codec Schematic, 30–31
- DPCM Performance, 40–42
- DSVD, 278
- Dual-mode Speech Transceiver, 204–218
 - Schematic, 204–205
- Dual-rate ACELP
 - Bit Allocation, 172–173
 - Codec Performance, 173–174
- Dual-rate Algebraic CELP
 - Coding, 170–174
- Dual-rate algebraic CELP, 170
- DVB, 506
- Dynamic Bit Allocation, 478
- Dynamic Programming, 613–614

- Effects of LTP on G728, 354–359
- EFR-GSM
 - Adaptive Codebook Search, 286
 - Encoder, 284–287

- Fixed Codebook Search, 286–287
 - Spectral Quantisation, 284–286
- Eigenvalue, 118
- Eigenvector, 118
- EMBE, 548
- Embedded ADPCM, 396
 - Coding, 55–56
- Embedded Coding Motivation, 55
- Encoder Scenarios, 622–626
- Enhanced Full-rate GSM Codec, 282–287
 - Outline, 282–283
- Enhancement Bits, 55
- ERB, 726–727
- Error Concealment, 230, 269
- Error Sensitivity, 649–653
 - Classes, 653
 - Degradation, 652
 - Issues, 388
 - Measure
 - CD, 652
 - SNR, 652
 - Transmitted Parameters, 650–651
 - Boundary Shift, 651
 - LSFs, 650
 - Pitch Period, 651
 - RMS Energy, 651
 - Voiced Unvoiced Flag, 650
 - ZFE, 651
- Error Weighting, 262, 279
- Error Weighting Filter, 336
- Excitation Error Sensitivity Reduction, 196–199
- Excitation Models, 85–88
- FEC
 - Effect on the Spectral Parameters, 195
- FFT, 413, 482
- Filter Memory Contribution, 343
- Filterbank
 - Frequency Response, 673, 675
 - Impulse Response, 673
 - Unvoiced, 678
 - Voiced, 678
- Fine Rate Control, 499
- FIR Filter, 671–672
- Focussed Codebook Search, 266
 - Strategy, 420
- Formant Frequencies, 5
- Forward Masking, 473
- Forward Predictive
 - Coding, 29–30
 - Scheme, 29
- Forward-adaptive CELP Coding, 159–192
- Forward-adaptive Prediction, 33
- Fourier Theory, 599–600
- France Telecom, 257
- Frequency Domain Coding, 473
- Frequency Transition Switch, 725–726
- Frequency-domain Waveform Coding, 10
 - FS-1015, 544
 - FS-1016, 226, 544, 559, 566, 567, 574, 575
 - 4.8 kbps CELP Codec, 225–231
 - Adaptive Codebook, 228–229
 - Decoder Post-filtering, 231
 - Error-concealment Techniques, 230
 - Fixed Codebook, 229–230
 - LPC Analysis and Quantisation, 227
 - Summary, 231
 - FSHC, 545–546
 - Schematic, 546
 - Fullband Wideband ACELP Coding, 420–425
 - Functional G.721 Description, 47–48
- G.721
 - 32 kbps ADPCM Codec, 47–53
 - Adaptation Speed Control, 50–51
 - Adaptive Prediction and Signal Reconstruction, 51–53
 - Adaptive Quantiser, 49
 - Quantiser Scale Factor Adaptation, 49–50
- G.722
 - Adaptive Predictor, 412
 - Adaptive Quantisation and Prediction, 410–412
 - Codec Outline, 396–398
 - Coding Performance, 412
 - Leakage Factor, 412
 - Logarithmic Scaling Factor, 411
 - Specifications, 395–396
 - Sub-band-ADPCM Wideband Coding, 395
 - Subband-ADPCM Wideband Coding, 412
- G.722.1
 - Summary and Conclusions, 441
- G.723.1
 - Bit Allocation, 298–300
 - Dual-rate Codec, 292–302
 - Encoding Principle, 292–294
 - Error Sensitivity, 300–302
 - Formant-based Weighting Filter, 295–296
 - Vector-quantisation of the LSPs, 294–295
- G.726 and G.727 ADPCM Coding, 55–63
- G.727
 - Performance, 57–63
- G.728, 331, 573, 583, 618
 - Adaptive Long-term Post-filtering, 348–350
 - Adaptive Post-filtering, 347–351
 - Adaptive Short-term Post-filtering, 350–351
 - Codebook Gain Adaption, 341–343
 - Codebook Search, 343–345
 - Complexity and Performance, 351
 - Error Weighting, 336–337
 - Excitation Vector Quantisation, 345–347
 - Windowing, 337–340
- G.729, 257, 566, 568–571
 - Adaptive Codebook, 262–263
 - Annex A Codec, 278–282
 - Bit-sensitivity, 270–271

- Codec, 257–278
- Decoder Post-processing, 267–269
- Encoder Pre-processing, 258–259
- Error-concealment Techniques, 269–270
- Fixed Algebraic Codebook, 263–266
- LPC Analysis and Quantisation, 259–262
- Quantisation of the Gains, 266–267
- Schematic and Bit Allocation, 257–258
- Summary, 278
- Weighting Filter, 262
- G.729A, 278
 - Algebraic Codebook Search, 280–281
 - Closed-loop Pitch Search, 280
 - Conclusions, 281–282
 - Decoder Post-processing, 281
 - Open-loop Pitch Search, 280
 - Perceptual Weighting Filter, 279
- Gain Control Tool, 482
 - Gain Detectors, 482
 - Gain Modifiers, 482
- Gain Prediction, 266
- Gain Vector Quantisation, 266
- General Audio Coding, 471–495
- Gibbs Oscillation, 38
- Glottal Pulses, 610
- Glottal Wave
 - Energy Spread, 591
 - Polynomial, 590
 - Triangular, 590
- Granular and Overload Distortion, 14
- GSM
 - Speech Codec, 146
 - Speech Decoder, 151
 - Speech Encoder, 146
- Half-rate
 - GSM Codec, 253–257
 - GSM Codec Outline, 253–255
 - GSM Error Protection, 256–257
 - GSM Spectral Quantisation, 255–256
- Hann Window, 482
- High-band Coding, 418
- High-quality 3.1 kBd Mode, 210–211
- Highband Coding, 419
- Higher-quality Mode, 389–391
- HILN, 494
- Huffman Coding, 414, 487
- Human Speech Production, 540
- HVXC, xxix, 470, 496–498
- Hybrid Coding, 11
- International Telegraph and Telephone Consultative Committee (CCITT), 23
- Interpolated LTP Delay, 263
- Interpolation, 401, 645
 - λ_1 Interpolation, 644
 - Amplitude Interpolation, 642
 - Distance, 640–641
 - Effect, 195–196
 - Example, 641, 642, 645
 - LSFs, 645
 - Position Interpolation, 642–644
 - Position Interpolation Removal, 644
- Interpolation and Decimation, 720
- Inverse Filter, 32
- IS-136
 - Bit-allocation Scheme, 288–290
 - Channel Coding, 291–292
 - Codec Outline, 288
 - Fixed Codebook Search, 290–291
 - Speech Codec, 288–292
- IS-54 DAMPS Speech Codec, 231–235
- IS-95, 237
- ISO, xxix, 469
- IZFPE, 552–553
 - Schematic, 552
- Japanese Half-rate Speech Codec, 245–252
- Jayant Quantiser, 39
- JD-CDMA Transceivers, 318–325
- JDC
 - Half-rate Codec Schematic and Bit Allocation, 245–247
 - Half-rate Encoder Pre-processing, 247–248
 - Speech Codec, 235–237
- Kaiser–Bessel, 479
- Karhunen–Loeve transform, 118
- LAR, 500
- Lattice Analysis Structure, 96
- Lattice Approach, 91
- Lattice-based Linear Prediction, 90–99
- Least Squares Techniques, 184–192
- Line Spectral Frequencies, 103–115
- Line Spectral Pairs, 106
- Line Spectrum Frequencies, 103
- Line Spectrum Pairs, 103
- Linear Predictive Coding, 32, 553–556
 - Analysis-by-synthesis, 556
 - Schematic, 554
 - With Error Weighting, 557
 - Filter Memory, 636
 - Long-term Prediction, 556
 - Short-term Prediction, 554
- Linear Quantiser, 13
- Linearly Separable Speech Generation Model, 32
- Listening Tests, 738–739
- Local Decoder, 31
- Locally Re-constructed Signal, 31
- Log-area Ratio, 99–103
- Long-term (LT) Postfilter, 348
- Long-term Prediction, 76–85
- Low Bitrate Speech Coders
 - Analysis-by-synthesis, 542
- Low-band Coding, 417–418

- Low-bitrate Speech Coders, 539–553
 - Analysis-by-synthesis, 543
 - At 2.4 kbps, 543–552
 - Below 2.4 kbps, 552
- Low-delay ACELP Codec, 378–381
 - Error Sensitivity, 387–388
- Low-delay Codecs at 4–8 kbps, 375–378
- Low-delay Multi-mode Speech Transceiver, 392
- Low-delay Multimode Speech Transceiver, 388
- Low-quality 3.1 kBd Mode, 206–210
- Lower-quality Mode, 391
- LPC Analysis and Quantisation, 500–502
- LPC Vocoder
 - Overview, 565
 - Performance, 592–596
 - Schematic, 542, 566
- LPC-10, 542, 544, 548
- LPC-10e, 544
- LSF, 566–571
 - Derivation, 103–107
 - Determination, 107–109
 - Ordering Policies, 192–194
 - Ordering Property, 111
 - Scalar Quantisation, 566–568
 - Bit Allocation, 567
 - Performance, 568
 - SD
 - PDF, 569
 - Performance, 568
 - Vector Quantisation, 261, 568–571
 - Performance, 571
 - Windowing, 570
- LTP, 481
- Lucent, 471
 - PAC, 471
- Masking, 473
 - Backward, 473
 - Forward, 473
 - Simultaneous, 473
 - Threshold, 473
- Matching Channel Codecs to the Speech Codec, 199–203
- MBE, 547–548
- MDCT, 509
- Mean Opinion Score, 54
- MELP, 549–551
 - Schematic, 550
- Memoryless VQ, 128–131
- Mid-riser Quantiser, 14
- Mid-tread Quantiser, 13
- MMBE, 667–686
 - Conclusion, 699
 - Control Structure, 669, 670
 - Decoder, 676–678
 - Encoder, 673–676
 - Example, 679
 - Higher Bitrate, 686–690
 - Overview, 668–670
 - Performance, 680–685
 - LPC Vocoder, 680–687
 - PWI-ZFE, 683–685, 689–694
 - Schematic, 671
- Motivation of Backward-adaptive Coding, 331–334
- Motivation of Speech Compression, 3–4
- Moving Average Process, 44
- MPE, 499
- MPEG, xxix, 469
- MPEG-1, xxix, 469
 - Layer I, xxix, 469
 - Layer II, xxix, 469
 - Layer III, xxix, 469
- MPEG-2 AAC, xxix, 470
- MPEG-4, 469–535
 - Audio, xxix–xxxi
 - Codec Performance, 503–505
 - Frame Dropping Procedure, 507–510
 - Space–time OFDM Transceiver, 505–516
 - System
 - Overview, 506–507
 - Parameters, 507
 - Performance, 515–516
- MPEG-4 Transceiver Summary and Conclusions, 534–535
- μ -law Compander, 20–21
- Multi Pulse Excitation (MPE), 502
- Multi-slot PRMA Transceiver, 218–225
- Multimode Coding, 443
- Multimode JD-CDMA
 - Overview, 305–306
 - Transceivers, 302–327
- Multimode Transceiver Adaptation, 433
- Multimode Vector Quantisation, 136
- Multiple ZFE, 654–660
 - Control Structure, 655
 - Encoding, 654–656
 - Improved Performance, 656
 - Performance, 657–660
 - Prototype Performance, 657
- Multirate Codecs, 302–327
- Multirate Codecs and Systems, 302–305
- Multirate Coding, 443
- Multiresolution Analysis, 603–604, 606
- Noise Feedback Effects in Backward-adaptive Prediction, 333
- Noiseless Huffman Coding, 489–490
- Non-uniform Quantisation, 16
 - for a Known PDF: Companding, 16–18
- Nonlinear Compander, 17
- NTT, 257, 421
- Nyquist Theorem, 12
- Objective Speech-quality, 54
- OFDM, 506
 - FRAMES Speech/Data Sub-burst, 274–275

- OFDM/G.729
 - Channel Model, 275
 - Parameters, 276
 - System Overview, 272–273
- Open-loop Optimisation of LTP, 76–80
- Optimisation via Powell's Method, 187–188
- Optimum Non-uniform Quantisation, 23–29
- Optimum One-tap Predictor, 37
- Ordering Property of the LSFs, 111
- Orthogonal Rotation, 117

- Packet Reservation Multiple Access, 211–214
- Packetised Voice Protocol (PVP), 55
- Pairwise Nearest Neighbour, 345
- Parametric Audio Coding, 494–495
- PDF-independent Quantisation by Logarithmic Compression, 18–23
- Perceptual Coding, 473
- Perceptually Weighted Error, 72
- Perfect Reconstruction, 474
- Phase Restrictions, 634
- Philips, 471
 - DCC, 471
- Pitch Detection, 571–583, 631–632
 - Autocorrelation, 616–617
 - Oversampled Signal, 574–577, 582
 - Control Structure, 581
 - Example, 577
 - Non-integer Delays, 574
 - Schematic, 576
 - Performance, 577, 617
 - Pitch Doubling, 579
 - Pitch Period Decisions, 576, 615, 618
 - Oversampled Signal, 578, 582
 - Pitch Tracking, 578, 580
 - STC, 713
 - Summary, 619
 - Voiced–Unvoiced Decision, 573–574, 610, 611, 632
 - Voicing Strengths, 575, 679
 - Wavelets, 612–619
 - Control Structure, 617
 - With Tracking, 582–583
- Pitch Detector, 348
- Pitch Frequency, 5
- Pitch Period, 5
- Pitch Sharpening, 299
- Pitch Track
 - AF1, 561
 - AF2, 561
 - AM1, 561
 - AM2, 561
 - BF1, 562
 - BF2, 562
 - BM1, 562
 - BM2, 562
- Pole-zero Predictor, 44
- Polynomial Splines, 604–605
- Postfilter, 585–588, 645–646, 678
 - Adapter, 348
 - AGC, 587
 - Frequency Responses, 589
 - Long Term, 586
 - LPC Vocoder, 588
 - MMBE, 680
 - Schematic, 586
 - Short Term, 586
- Postfiltering, 231, 243, 267
- PQF, 482
- Pre-echo, 482
- Prediction Error, 29
- Prediction Gain, 36
- Prediction Problem Formulation, 31–33
- Predictive Coding, 29–71
- Predictor Coefficient Computation, 34–38
- Predictor Design, 31–38
- PRMA-assisted Multi-slot Adaptive Modulation, 219–220
- Processing Delay, 332
- Pruning Method, 345
- Pseudo-QMF, 475
- PSI-CELP
 - Channel Coding, 251
 - Coder Schematic, 544
 - Decoder Post-processing, 252
 - Excitation Vector 1, 249
 - Excitation Vector 2, 250–251
 - LPC Analysis and Quantisation, 248
 - Weighting Filter, 248–249
- Psycho-acoustic Model, 482–484
- Pulse Code Modulation, 21
- Pulse Dispersion Filter, 588–592
 - Pitch Dependent, 592
 - Pitch Independent, 589–592
 - Principles, 588
- PWI-STC, 709–710
 - Amplitude, 720–725
 - Decoding, 728–729
 - Encoder Schematic, 711
 - Fourier Coefficient Interpolation, 729
 - Fourier Coefficients, 726–727
 - Interpolation, 729
 - Frequency, 729
 - Parameters, 720
 - Performance, 730–736
 - Phase, 725–726
 - Voiced–Unvoiced Decision, 727–728
- PWI-ZFE, 622–649
 - Conclusion, 665
 - Control Structure, 623, 626
 - Interpolation, 639
 - Performance, 646–648
 - Prototype Selection, 633–635, 637
- Pyramidal Algorithm, 605–607

- QCELP
 - Codec Rate Selection, 239
 - Codec Schematic and Bit Allocation, 238–239
 - Decoder Post-filtering, 243–244
 - Error Protection and Concealment Techniques, 244
 - Fixed Codebook, 242–243
 - LPC Analysis and Quantisation, 240–241
 - Pitch Filter, 241–242
 - Rate 1/8 Filter Excitation, 243
 - Summary, 244–245
- QMF, 475
 - Design, 405
 - Design Constraints, 405–410
- QR algorithm, 117
- Quadrature Mirror Filter, 396, 399–410
- Qualcomm, 237
 - Variable Rate CELP Codec, 237–245
- Quantile, 17
- Quantisation
 - Characteristics, 13–14
 - Error, 14
 - LSFs, 566–571
 - MMBE, 677
 - Noise and Rate-distortion Theory, 14–16
- Quantiser Scale Factor Adaptation in G.721 Codec, 49
- Quasi-stationary, 33
- Rate-distortion
 - in Predictive Coding, 63–71
 - Theorem, 15
- Ratio-filter, 107
- Re-configurable Modulation, 205–206
- Reconstruction Level, 13
- Redundancy, 29
- Reflection Coefficients, 500
- Regular Excitation Pulse Computation, 149
- RMS Quantiser
 - PDF, 584
 - SNR Values, 584
- Robust Vector Quantisation Schemes for LSFs, 121–122
- RPE, 499, 502
 - Coding, 139–159
- RPE-LTP
 - GSM Speech Encoder, 146–149
 - Speech Decoder, 151–153
- RRNS
 - Error Correction Coding, 314–318
 - Overview, 314–316
- Sampling Rate Conversion, 720–721
 - Conversion Rates, 721
 - Example, 722
- SBC, 549
 - Excitation Sources, 550
 - Schematic, 549
- SBC-CELP Motivation, 417
- Scalar Quantisation
 - Amplitude, 724
 - LSFs, 566–568
- Segmental Signal-to-noise Ratio (SEGSNR), 54
- Sherbrooke Speech Laboratory, Quebec, Canada, 421
- Sherbrooke University, 257, 419
- Short-term (ST) Post-filtering, 350
- Short-term Synthesis Filter, 73–76
- Simulated Annealing and the Effects of Quantisation, 188–192
- Simultaneous Masking, 473
- Sinusoidal Analysis, 702–704
 - Analysis-by-synthesis, 703–704
 - Peak-picking, 702–703
 - Unvoiced Speech, 703
 - Voiced Speech, 703
- Sinusoidal Coders
 - Decoder, 709
 - Encoder, 709
 - LPC Analysis, 710
 - PWI, 709–710
- Sinusoidal Components, 712
 - Analysis-by-synthesis, 713–720
 - Frequency, 710–712
 - Peak-picking, 712–713
- Sinusoidal Synthesis, 704–705
 - Interpolation, 704
 - Overlap-add, 706
 - Overlap-add Interpolation, 705
 - Overlap-add Windows, 708
 - Voicing Onset, 707
- Smoothly Evolving Speech, 622
- Sony, 471
 - ATRAC, 471
 - MiniDisc, 471
- Source-matched Error Protection, 206–211
- Space-time Coding, 511–513
- Sparse Codebooks, 164
- Speaker-adaptive Vector Quantiser, 115
 - of LSFs, 115–116
- Spectral Error Sensitivity Reduction, 192–196
- Spectral Normalisation, 481
- Spectral Vector Quantisation, 115–123
- Spectral VQ Background, 115
- Speech Codec Specifications, 127
- Speech Coding in MPEG-4 Audio, 495–502
- Speech Coding Introduction, 3
- Speech Coding Scene, xxv
- Speech Database, 560
 - File Details, 560
- Speech Quality, 53–54
- Speech Quality Measures, 557–560
 - 2.4 kbps Selection Process, 558–560

- Objective Measures, 557–558
- Subjective Measures, 558
- Speech Signals, 3
 - and Coding, 3–29
 - and Waveform Coding, 3–71
- Speech Spectral Quantisation, 99–139
- Speech Transceiver Performance, 391–392
- Split Matrix Quantiser, 285
- Standard CELP Codecs, 225–329
- Standard LSF VQs, 122–123
- Stationary Statistics, 33
- STC, 546–547
 - 20 ms Frame Length, 708
 - Low-bitrate, 705–708
 - LPC Analysis, 708–709
 - Schematic, 547
- STC-PWI
 - Decoder Schematic, 728
- Steepest Descent, 43
- Stereo, 481
 - Intensity, 481, 487
 - Mid/Side, 481, 487
- Stereophonic Coding, 486–487
- STFT, 495
- Stochastic Model Processes, 44–47
- Stochastic VQ of LPCs, 117–120
- Sub-band Coding, 399
- Sub-band-based Wideband CELP Coding, 417–419
- Sub-band-split Wideband CELP Codecs, 416–419
- Summary of Standard CELP-based Codecs, 327–329
- Switched-adaptive Vector Quantisation, 120
- Symmetric FIR Filters, 396
- Synthesis Filtering, 403–405
- Synthesis Lattice Structure, 96

- Target Vector, 83, 141, 343
- TBPE
 - Bit Sensitivity, 168–170
 - Excitation Generation, 166–167
- TDMA, 237
- Temporal Noise Shaping (TNS), 484–486
- TIA, 237
- Time Mismatch Effects in Backward-adaptive Prediction, 333
- Time-domain Waveform Coding, 9
- TNS, 481, 484
- ‘Tool-box’ Based Speech Transceiver, 154, 159
- Transceiver Mode Switching, 433–435
- Transform-coding Algorithm, 413–416
- Transformed Binary-pulse Excitation, 164, 166–170
- Transmission Delay, 332
- Turbo Channel Encoding, 273–274
- Turbo-coded G.729 OFDM
 - Performance, 277
 - Speech Transceiver, 271–277
 - Summary, 277
- Turbo-coded Wideband Speech Transceiver, 425–441
- TWINVQ, 492–494
- Uniform and Non-uniform Quantiser, 14
- Unvoiced Sounds, 4
- Unvoiced Speech, 645
 - /s/ Example, 541
 - Excitation, 583–584
- Vector Quantisation, 720
 - Amplitude, 721–723
 - Codebook Design, 723
 - LSFs, 568–571
 - PDF, 724, 725, 794, 795
 - Performance, 723
 - Phase, 725
- Vector Sum Excited Linear Prediction, 164
- Vocal Apparatus, 4
- Vocal Cords, 4
- Vocoders, 10–11
- Voiced Sounds, 4
- Voiced Speech
 - /ε/ Example, 541
 - Autocorrelation, 573
 - Excitation, 584–585
 - Energy, 585
 - Placement, 585
 - Frames, 635–645
 - Energy Scaling, 636–638
 - Transmitted Parameters, 640
 - Fricative /z/, 668
- Voicing Onset, 707
- Voicing Strengths, 668, 674–676
 - PDF, 677
- VSELP, 164, 578

- WATM, 506
- Waveform Coding, 9–29
- Wavelets, 599–610
 - Boundary Effects, 607
 - Discontinuities, 601–602
 - ECG Signals, 602
 - Filter Coefficients, 605
 - Frequency Response, 606
 - Impulse Response, 606
 - Mathematics, 602–604
 - Preprocessing, 607–610
 - Amalgamation, 611
 - Maxima, 609
 - Normalisation, 609–610
 - Spurious Pulses, 609–610
 - Wavelet Theory, 600–601
 - Wavelet Transform Example, 608
- Weighted Synthesis Filter, 83, 161
- WI, 551
 - Schematic, 551
- Wideband 32 kbps ACELP Coding, 422–423
- Wideband 9.6 kbps ACELP Coding, 423–425

- Wideband ACELP Excitation, 420–422
- Wideband Adaptive System Performance, 439
- Wideband G.722.1 Codec, 435–437
- Wideband LSF
 - Statistics, 125–127
 - VQs, 128–136
- Wideband Spectral Quantisation, 123–127
- Wideband Spectral Quantisers, 123–139
- Wideband Speech Coding, 395–467
- Wideband Transform-coding at 32 kbps, 413–416
- Wiener–Knitschin Theorem, 117
- Window Switching, 478
- Zero Input Response, 83
- Zero-memory Quantisation, 28
- zero-state Response, 140
- Zinc Basis Functions, 553
 - Error Minimisation, 628–629
 - Modelling, 627–631
 - Phases, 631
 - Quantisation, 638–639
 - SD Values, 640
 - SEGSNR Values, 639
 - SNR Values, 638
 - Shapes, 632
 - Wavelet Optimisation, 630
 - ZFE Optimisation, 630

