

Index

- 3M 5, 6, 8, 367, 368
3-offset method 290–1
- Abbreviated Profile of Hearing Aid
Benefit (APHAB) 87, 319
- ABEL (Auditory Behavior in Everyday Life) 117
- ABI (auditory brainstem implant)
239–41, 373–4
- ABR *see* Auditory Brainstem Response Test
- abuse, physical child 165
- ACE strategy (advanced combination encoder) 25–7, 31, 35–7, 57, 58
comparison with other strategies 39, 54, 55
programming 279, 290
- acoustic neuroma 90–1, 191–2
- acoustic reflex threshold 263
- acoustics
of signals 343
of speech *see* speech, processing strategies
- acute otitis media (AOM) 180
postoperative 188–9
surgical considerations 229
- Adaptive Dynamic Range Optimization (ADRO) 285
- adenoidectomy 181
- administrative support, cochlear implant teams 77
- adolescents 74
- ADRO (Adaptive Dynamic Range Optimization) 285
- Adult Implant Profile (AIP) 78, 79
- Advanced Bionics Corporation (manufacturer) 14
comfort levels 281
design of implants 13
development of implants 7
ECAP 251
HiRes strategy, evaluation 47–9
interpolation 292
threshold levels 292
X-rays 210
- advanced combination encoder *see* ACE strategy
- Advance Off Stylet (AOS) technique 226
- aetiology
assessment of adult patients 83
auditory neuropathy 112
prediction of implantation outcomes 146
- AEVs (average electrode voltages) 254–6, 259
- AGC *see* automatic gain control
- age
assessment of adult patients 83
candidacy for implantation 107
implanting a child 179
prediction of outcomes 139, 146
and social interaction of implanted children 169
- aided threshold testing 86
- AIP (Adult Implant Profile) 78, 79
- analytical training 302–5
- Analytika 304, 318
- anatomy 23–5
normal hearing 21–3
- animal studies 3, 4, 10
- AOM *see* acute otitis media
- AOS (Advance Off Stylet) technique 226
- APHAB (Abbreviated Profile of Hearing Aid Benefit) 87, 319

- aplasia of the cochlea *see* Michel deformity
- apoptosis 374
- array, electrode 59–60
design 10–12
- articulation tests, children 120–1
- asepsis 216
- assessment
of adults 80, 101
audiologist's role 84–91
candidacy for implantation 80–2
clinical psychologist's role 94–5
future directions 100–1
hearing therapist's role 91–3
optional assessment tools 95–100
procedure 82–4
speech and language therapist's role 93–4
of children 106–8, 125–6
audiological evaluation 108–12
auditory skills 113–19
language skills 113–15, 122–5
speech skills 113–15, 119–22
- ASSR *see* steady-state evoked potential (SSEP)
- attention, and outcome prediction 162
- audiological assessment
of adults 84–91
of children 108–12
- audiological criteria 80–2
- audiological role on the team 75
- audiometry
adults 90
children 108–9, 110
- Auditory Behavior in Everyday Life (ABEL) 117
- auditory brainstem implant (ABI) 239–41, 373–4
- Auditory Brainstem Response Test (ABR)
adults 90, 91
children 108–9, 111, 112
- auditory evoked potentials (AEP) 108–9
- auditory neuropathy
adults 91
children 110, 112
- Auditory Speech Sound Evaluation (ASSE) test 293
- auditory steady-state response *see* steady-state evoked potential (SSEP)
- AUDITRAIN 303–4, 305–6
- automated tuning technique 293
- automatic gain control (AGC)
noise reduction algorithms 285
processing strategies
CIS 28
HiRes 47
SAS 40, 41, 44–5
- Automatic Map Generator 293
- autonomy, and outcome prediction 137
- average electrode voltages (AEVs) 254–6, 259
- balance
assessment 96–7
disorders 194
of loudness 260, 280, 282
organs 21–3
system 97
- Barrier Game 305, 308
- basal turn cochleostomy 230–1
- basilar membrane (BM) 23, 58
- beamforming 60, 285
- Beck Depression Inventory 95
- behavioural method, device programming 278
- behavioural observation audiometry (BOA) 110
- behavioural procedures, assessment of children 110–12
- BICROS hearing aids 355
- Bilateral Contralateral Routing of Signals hearing aids 355
- bilateral implants 338, 361
adding an ear with better S/N 351
adding an ear with poorer S/N 352
benefits 348–50
measuring 347–8
potential 340–2
- binaural hearing in real world 342–4
- binaural interactions, likely mechanisms of 338–40
- candidates 344–6
- cost-effectiveness 359–60
- and directional microphones 355
- fitting 346–7
- and microphones 355–6
- monaural head shadow effect 351
- outcome prediction 97–8
- patient's perspective 384–5
- performance improvement 360
- risks 344
- signal processing 357–9
- spatial quality 352–3
- summation 351

- bimodal hearing 99
 bimodal speech processing 371–2
 binaural hearing 277
 interaction mechanisms 338–40
 optimizing current aiding 85
 in real world 342–4
 selection of ear for implantation 99
 binaural processing 340, 357–9
 binaural squelch 340, 352, 358, 360
 binaural summation 339, 341, 351, 356
 biocompatibility of implants 7–8
 bioelectric middle ear microphone
 (BMEM) 371
 Bionic Ear Institute 13
 bipolar stimulation 10, 60
 BKB sentences scores 89, 318
 ABI 240
 outcome prediction 141, 142, 143–4,
 145–6
 BM (basilar membrane) 23, 58
 BMEM (bioelectric middle ear
 microphone) 371
 BOA (behavioural observation
 audiometry) 110
 British Cochlear Implant Group 275
 BTE (behind the ear) 58
- CII implants *see* Clarion implants
 caloric irrigation 96–7
 canonical babbling 119
 CAP *see* Categories of Auditory
 Performance
 caspase molecules 374
 CA strategy (compressed analog)
 45, 58
 SAS 40, 41–4
 Categories of Auditory Performance
 (CAP) 117–18, 122
 hierarchy of implantation benefits 133
 outcome prediction 146
 CBC (Child Behavior Checklist) 159,
 160, 166, 169
 CDT (Connected Discourse Tracking)
 137
 cerebral anatomy 181
 cerebral injury 96, 136
 channels 58–9
 interaction 265
 number 59
 perceptual 59
 of processing 58, 59
 of reception 58–9
 selection 342
 of stimulation 58–9
 virtual 51, 62
 stimulation 60
 see also current steering
 CHARGE Association 228
 charge density 10
 Child Behavior Checklist (CBC) 159,
 160, 166, 169
 children
 age factors 179
 assessment 93, 106–8, 125–6
 audiological evaluation 108–12
 auditory skills 113–19
 electrically evoked auditory
 brainstem response 95
 language skills 113–15, 122–5
 speech skills 113–15, 119–22
 auditory neuropathy 91
 cortically evoked potentials 266
 design of implants 7, 13, 14
 development of implants 6–7
 habilitation 322, 336
 baseline assessment, authoritative
 and accurate 329–32
 family 332–6
 foundation in normal
 developmental processes 325–9
 reasons for 322–4
 technological mastery 324–5
 hierarchy of implant benefits 133
 loudness, limited understanding of
 282
 medical conditions 179–81, 195–6
 outcome prediction 137, 138–9, 146
 psychological aspects 157–62
 physical abuse 165
 programming of processors 274,
 285–7
 behavioural method 278
 choosing programming parameters
 265
 ECAP 289–90
 equipment 276
 ESRT 288
 establishing appropriate
 programming levels 260, 264
 psychological status of implant
 recipients 164–70
 revision of implant surgery 236
 selection criteria 147
 surgical considerations 181–9, 228–9

- teams, cochlear implant 74, 76
- tinnitus 194
- Children's Implant Profile (CHIP) 78
- CHIP (Children's Implant Profile) 78
- cholesteatoma 191
 - and CSOM 229–30
 - preoperative radiological assessment 199–200
- Chorimac devices 15
 - design 8–9
 - development 5, 6
- chronic suppurative otitis media (CSOM) 190, 229–31
- CI22 implants 26, 39, 224
- CI24 implants 7
 - electrically evoked potentials 259, 262
 - EABR 249, 250, 289
 - ECAP 251
 - insertion 224
 - processing strategies 26
 - CIS 31, 36
 - n-of-m* 36
 - outcome data 54, 55, 56
 - SPEAK 39
- CIS strategy (continuous interleaved sampling) 25–32, 57, 59
 - array design 11
 - comparison with other strategies 45, 48, 49
 - ACE 35, 36
 - CA 45
 - HiRes 47, 49, 50, 51
 - n-of-m* 35, 36
 - outcome data 52–5
 - PPS 34–5, 46
 - SAS 46, 47
 - programming 279, 280, 283
 - psychological predictors of success 155, 156
- Clarion implants 14
 - electrically evoked potentials 251, 252, 262
 - emulation mode 60
 - MRI compatibility 373
 - perimodiolar arrays 13
 - processing strategies 26, 46, 48, 57
 - CIS 31, 34–5
 - HiRes 47, 51
 - outcome data 54, 55, 56
 - PPS 34–5
 - SAS 40, 41, 43, 44, 45
 - psychological predictors of success 155, 156
 - X-rays 211
- Clear Speech 304, 306
- Client Oriented Scale of Improvement (COSI) 319
- Cochlear Corporation 210, 251
- Cochlear Ltd (manufacturer, earlier Cochlear Proprietary Ltd) 14–15, 16
 - design of implants 7, 13
 - development of implants 5–6, 367
- cognitive impairment, assessment 123
- cognitive variables, outcome prediction
 - adults 153–7
 - children 137, 161–2
- COMBI 40 implants 15
 - electrically evoked potentials 259
 - processing strategies 26
 - CIS 31, 32, 36
 - n-of-m* 36
 - outcome data 52–6
 - programming 292
 - X-rays 210
- comfort levels 281–2, 283, 284
 - children 286
 - ECAP 289–91
 - ESRT 287, 288
- common ground stimulation 10, 15
- COMMTRAC 311–13
- communication
 - barriers to 333
 - history taking 82
 - methods 327
 - skills
 - assessment 91, 93
 - see also* habilitation, paediatric; rehabilitation of adults
 - teamwork 77
 - total 107, 122–3
 - training 302–17
- Communication and Symbolic Behavior Scales (CSBS) 123
- compliance variables, outcome prediction 153, 156
- complications
 - ethical 84, 330
 - medical 8, 9, 13, 344
 - perimodiolar electrodes 369
 - programming 284–5, 287, 290
 - surgical 181, 188–9, 238–9, 344

- compressed analog strategy *see* CA strategy
- computed tomography *see* CT scans
- conditioned play audiometry (CPA) 111
- conditioner pulses 59
- congenital deafness 74, 259
- Connected Discourse Tracking (CDT) 137
- consonants
- acoustics 302
 - recognition 303–4
- continuous interleaved sampling *see* CIS strategy
- Contour electrode array 13, 369
- Cooperative Research Centre (CRC) for Cochlear Implant Speech and Hearing Research 13, 14–15
- co-ordinators, cochlear implant teams 77
- cortically evoked potentials, outcome prediction using 265–6
- COSI (Client Oriented Scale of Improvement) 319
- cost issues 80
- bilateral implants,
 - cost-effectiveness 359–60
 - cost/benefit 138
 - psychosocial issues 164
 - and quality of life 163
 - radiological techniques 206–8
- counselling
- of children 109
 - cochlear abnormality 83
 - genetic investigation 97
 - otosclerosis 83
 - outcome prediction 138
 - of parents 112
 - post-operative vertigo 96
 - rehabilitation 301
 - of risks and expectations 92, 93, 96, 100
 - tinnitus 92
- CPA (conditioned play audiometry) 111
- CSOM (chronic suppurative otitis media) 190, 229–31
- CT scans (computed tomography)
- congenital malformations of cochlea 182
 - facial nerve, course of 182
 - ossification 195
 - otospongiosis 192, 193
 - postoperative assessment 211, 212
 - preoperative assessment 203–4
 - vestibulocochlear nerves, absent or attenuated 184, 186
- CUNY Sentence Lists 317, 318, 350
- current localization 9–10
- current steering 59
- see also* channels, virtual
- Dahl 500 Sentence Lists 318
- DAS (Dyadic Adjustment Scale) 156
- data, transmission of 9
- DC currents, safety issues 10
- depression 95, 145
- design of implants 1–3, 7, 16
- array design 10–12
 - biocompatibility 7–8
 - localization of current 9–10
 - multi-channel implants 14–15
 - perimodiolar arrays 12–14
 - placement of electrode array 8–9
 - power and data transmission 9
 - reliability 7
 - safety 10
 - telemetry 12
- Desired Sensation Level (DSL) 87, 112
- Developmental Scoring System (DSS) 125
- development of implants 1–3, 16, 367
- 1950s and 1960s 3
 - 1970s 4–5
 - 1980s 5–7
 - multi-channel implants 14–15
- Digisonic implant 15, 258
- digital signal processing (DSP) 59
- Digital Span test 162
- digital speech processors 59
- directional microphones 355
- discipline, physical 165
- Dizziness handicap inventory 194
- Djourno, Andre 367
- DSL (Desired Sensation Level) 87, 112
- DSP (digital signal processing) 59
- DSS (Developmental Scoring System) 125
- duration of deafness
- assessment of adult patients 83–4
 - outcome prediction 139, 140, 144, 146, 148
 - selection of ear for implantation 97, 98
- Dyadic Adjustment Scale (DAS) 156
- dynamic range 277, 278
- bilateral implants 346

- input (IDR) 277
- threshold level, establishing 279
- validation 282–3
- dysplastic cochlea 233–5
- EABR (electrically evoked auditory brainstem response) 95, 246
 - applications 256, 257–9, 260, 261–3, 265
 - auditory brainstem implant 240
 - future 372
 - programming of processors 288–9
 - recording 247, 249–50
- EAP (electrically evoked compound action potential) *see* ECAP
- Early Speech Perception (ESP) test battery 118
- earmould optimization 85–6
- EART *see* ESRT
- EAS (electric and acoustic stimulation) 56, 57, 59
- ECAP (electrically evoked compound action potential) 246
 - applications 257, 260, 261–3, 264–5
 - programming of processors 289–91
 - recording 251–3
- education
 - of deaf children with implants vs. hearing aids 106
 - paediatric habilitation 325–6, 332, 334
 - trans-disciplinary teams as resource 71
- electrically elicited middle ear reflex (EMR) 372
- electrically evoked auditory brainstem response *see* EABR
- electrically evoked auditory reflex *see* ESRT
- electrically evoked compound action potential *see* ECAP
- electrically evoked long latency responses 253
- electrically evoked middle latency response *see* EMLR
- electrically evoked potentials 245–6, 266
 - applications in clinical practice 256–66
 - recording 246–56
- electrically evoked stapedial reflex thresholds *see* ESRT
- electric and acoustic stimulation (EAS) 56, 57, 59
- electrode array 59–60
 - design 10–12
- electrode coupling configuration 44, 60
- electrodes 59
 - design 368–70
 - insertion
 - auditory brainstem implant 239
 - congenital malformations of cochlea 182–3
 - split electrode insertion 232–3
 - transmastoid facial recess approach 224–6
 - placement 8–9, 369
- electronystagmography 96
- electrophysiological tests 75
- EMLR (electrically evoked middle latency response)
 - applications 258, 263–4
 - recording 253
- emotional state 75
 - see also* psychology
- EMR (electrically elicited middle ear reflex) 372
- emulation mode 60
- environmental sounds
 - benefits of implants 134
 - programming of processors 276
- equipment, demonstration 93
- ESP (Early Speech Perception) test battery 118
- Esprit 382, 404–5
- ESRT (electrically evoked stapedial reflex thresholds)
 - applications 263
 - programming of processors 287–8
 - recording 253–4
- ethical issues 84, 330
- etiology *see* aetiology
- evoked potentials, auditory (AEP) 108–9
- expansion technique, communication training 306
- expectations
 - assessment 92, 93
 - counselling 92, 93, 100
 - outcome prediction 145
- explantation
 - and array design 10–11
 - surgical considerations 236–8
- extracochlear electrodes 4, 216–17
- extracochlear implants 6, 8, 9
- Eyries, Charles 367
- F0/F1/F2 strategy 6, 11
- F0/F2 strategy 5, 6, 11

- facial nerve
 abnormalities 234
 anatomy 230
 course of 200
 congenital malformation of cochlea 184
 congenital malformation of inner ear 182
 exposure 200
 MRI scans 184–8
 preoperative radiological assessment 200
 stimulation
 assessment of adult patients 83
 demineralization of temporal bone 193
- facial weakness, postoperative 238
- FDA
 ABI 373
 approved electrode arrays 369
 approved implants 368
 assessment of adult patients 82, 94
 candidacy for implants 81
 development of implants 6, 7, 13, 14
 risks of implantation 100
- fenestration 60, 184, 191
- fine-structure information 56–7
- fluoroscopy, intraoperative 209
- fMRI 96, 208
- Food and Drug Administration *see* FDA
- fracture
 skull
 assessment of adult patients 96
 non-auditory stimulation 239
 revision of implant surgery 238
 temporal bone 136
- frequency
 allocation tables 283
 boundaries 283, 284
 percepts 283, 285
- fully implantable cochlear implants 371
- functional Magnetic Resonance Imaging (fMRI) 96, 208
- funding 138
see also cost issues
- future developments 16, 367–8, 376–7
 assessment of adult patients 100–1
 engineering 368–74
 molecular biology 374–6
 outcome prediction 148
 speech processing strategies 56–7
- GBI (Glasgow Benefit Inventory) 141, 142, 144, 145–6
- gene therapy 375–6
- genetic causes of deafness 97
- GHABP (Glasgow Hearing Aid Benefit Profile) 87–8
- GHSI (Glasgow Health Status Inventory) 141, 142, 145–6
- Glasgow Benefit Inventory (GBI) 141, 142, 144, 145–6
- Glasgow Health Status Inventory (GHSI) 141, 142, 145–6
- Glasgow Hearing Aid Benefit Profile (GHABP) 87–8
- glossary 58–62
- glue ear (otitis media with effusion) 180–1, 189
- Goldenhar Syndrome 182
- Goldman–Fristoe Test of Articulation 120
- grommets 180–1
- habilitation, paediatric 322, 336
 baseline assessment, authoritative and accurate 329–32
 family 332–6
 foundation in normal developmental processes 325–9
 reasons for 322–4
 technological mastery 324–5
- hair cells
 inner (IHCs) 23, 60
 otoacoustic emissions 110
 outcome prediction 139
 outer (OHCs) 61, 90
- head injury 96, 136
- head shadow effect 351
- health 141
- Health Opinion Survey (HOS) 156
- hearing aids
 amplification 114
 contralateral 353–5
 in adults 99, 274
 in children 107
 evaluation 111–12
 fitting 75, 85, 109
 with implant in other ear 353–5
 ipsilateral 274
 optimizing 84–6, 92, 99
 probe microphone measurement 86–7, 111
 and selection of ear for implantation 98–9

- subjective hearing aid benefit 87–8
- surgical considerations 190
- hearing assessment 84
- Hearing Performance Inventory 319
- hearing therapists (HTs) 75, 91–3
- hearing therapy *see* habilitation,
 - paediatric; rehabilitation of adults
- HELEN Test 318
- HEQ (Home Environment Questionnaire) 159, 166
- HiFocus electrodes 13, 14
 - processing strategies 45, 46
- high-resolution thin-section computed tomography (HRCT) 203–4, 205
- HiRes 90K implants 14
 - emulation mode 60
 - processing strategies 26, 51, 57
- HiRes (high resolution) strategy 26–7, 35, 47–52, 57, 60
 - comparison with other strategies 47, 49, 50, 51
 - outcome data 54, 55
 - programming 279, 283
- history taking 82, 84
- Home Environment Questionnaire (HEQ) 159, 166
- horizontal localization 340, 347, 348
- HOS (Health Opinion Survey) 156
- House Ear Institute 4, 5, 6, 8, 367, 368
- HRCT scanning 203–4, 205
- hybrid devices 371–2

- IAC (internal auditory canal) 200
- Identifying Early Phonological Needs in Children with Hearing Impairment (IEPN) 121
- IDR (input dynamic range) 277
- IEPN (Identifying Early Phonological Needs in Children with Hearing Impairment) 121
- IHCs (inner hair cells) 23, 60
- imaging 199, 213–14
 - congenital malformations of cochlea 182
 - dysplastic cochlea 233
 - otospongiosis 193
 - preoperative assessment 184, 199–208
 - intraoperative assessment 209
 - postoperative assessment 189, 210–13
 - vestibulocochlear nerves, absent or attenuated 188
 - see also* CT scans; MRI scans; X-rays
- immittance measures 84, 109
- incision 217–18
- Ineraid
 - design 11
 - development 6
 - ECAP 252
 - psychological predictors of success 155, 156
 - SAS strategy 40–1, 44
- Infant—Toddler Meaningful Auditory Integration Scale (IT-MAIS) 115–17, 119
- infection 216
 - incision 217
 - and postponement of surgery 179
 - revision of surgery 236, 237–8
 - tympano-mastoid 191
- inner hair cells (IHCs) 23, 60
- input dynamic range (IDR) 277
- insertion of implant
 - auditory brainstem implant 239
 - congenital malformations of cochlea 182–3
 - transmastoid facial recess approach 224–6
- intellectual status 137, 152–3, 157
 - see also* IQ scale
- internal auditory canal (IAC) 200
- interpolation 292
- intonation 5
- Iowa formula 140
- Iowa Phoneme and Sentence Test 155–6
- Iowa Spatial Hearing Questionnaire (ISHQ) 348, 352–3, 366
- IQ scale
 - assessment of adults 95
 - effect of implantation 169
 - outcome prediction
 - adults 152–3, 157
 - children 160–1
 - see also* intellectual status
- ISHQ (Iowa Spatial Hearing Questionnaire) 348, 352–3, 366
- IT-MAIS (Infant—Toddler Meaningful Auditory Integration Scale) 115–17, 119
- Jervell—Lange—Nielsen Syndrome 180, 228
- JNKI-1 molecule 374

- Kaufman Assessment Battery for Children 162
- Klippel Feil deformity 182
- Krantz Health Opinion Survey 141, 144
- Kungl Tekniska Högskolan (KTH) Tracking Procedure 310, 313, 316
- labyrinthine abnormalities 209
- labyrinthitis ossificans 209
- language
 assessment in children 113–15, 122–5
 social interactionist theory of language acquisition 323
- Large Vestibular Aqueduct Syndrome (LVAS) 234
- late-onset auditory deprivation effect 85
- LAURA implants 6, 26
- Lexical Neighborhood Test (LNT) 118
 Multisyllabic 118–19
- lipreading
 assessment of adult patients 91–2
 benefits of implants 134
 paediatric habilitation 333
 prediction of implantation outcomes 145
 training 302–3
- LNT (Lexical Neighborhood Test) 118
 Multisyllabic 118–19
- localization
 bilateral implants 340, 347, 348–9, 356, 385
 binaural hearing in real world 343
- loneliness 163, 164
- loop systems 91
- loudness
 balancing 260, 280, 282
 discomfort level 277, 286
 growth chart 280, 281
 percept 282, 284
 programming of processors 280, 281
 young children's limited understanding of 282
- LVAS (Large Vestibular Aqueduct Syndrome) 234
- MacArthur Communicative Development Inventory (MCDI)
 Words and Gestures 123, 124
 Words and Sentences 123–4
- magnetic resonance imaging *see* MRI scans
- MAIS (Meaningful Auditory Integration Scale) 115, 117
- malformations
 of the cochlea
 adults 83
 children 182–4
 of the ear 181–2
- mastoidectomy 220
- mastoid inflammation 199–200
- MCBC (Missouri Children's Behavior Checklist) 159–60, 166
- MCDI *see* MacArthur Communicative Development Inventory
- Meaningful Auditory Integration Scale (MAIS) 115, 117
- Meaningful Use of Speech Scale (MUSS) 120
- mean length of utterance (MLU) 125
- Med-El (cochlear implant manufacturer) 7, 15
 ABI device 373
 comfort levels 281
 electrically evoked potentials 259
 MRI compatibility 373
 Standard Map fitting technique 293
 threshold level, establishing a 280
 X-rays 210
- medical and surgical considerations 179, 196–7
 adults 195–6
 general fitness for surgery 189–90
 surgical, ear-related considerations 190–4
 tinnitus 194
 children 195–6
 age 179
 medical conditions 179–81
 surgical conditions 181–9
- medical evaluation 75
- MELAS syndrome 190
- Melbourne, University of 14
 assessment of adult patients 90
 design of implants 7, 8, 11, 12–13
 development of implants 5, 6, 367
- memory, and outcome prediction
 adults 153, 154, 156, 157
 children 161–2
- meningitis 25, 181
 age of implantation 179
 assessment of adults 83
 cochlear patency at risk 111

- MRI scans 195–6
- obliterated cochlea 231
- perimodiolar arrays 13
- post-implantation 226, 231
- Michel deformity 182, 188
 - preoperative radiological evaluation 200
- microphone technology 355–6
 - future 371
 - multi-microphones 285
 - probe tube microphones 86–7, 111
 - processing strategies 28
- microtia 181–2
- Minnesota Multiphasic Personality Inventory (MMPI) 166
- mis-matched negativity (MMN) response 253, 266
- Missouri Children's Behavior Checklist (MCBC) 159–60, 166
- MLNT (Multisyllabic Lexical Neighborhood Test) 118–19
- MLU (mean length of utterance) 125
- MMN (mis-matched negativity) response 253, 266
- MMPI (Minnesota Multiphasic Personality Inventory) 166
- modiolus 61
 - preoperative radiological evaluation 200
- molecular biology, future developments 374–6
- monaural head shadow effect 351
- Mondini malformations
 - assessment of adults 83
 - children 182, 183
 - dysplastic cochlea 234
 - preoperative radiological evaluation 201, 202
- monopolar electrode 10
- monopolar stimulation 10, 60
- most comfortable levels 281–2
- MPS strategy (multiple pulsatile sampler) 60
 - see also* PPS strategy
- MRI scans
 - acoustic neuroma 192
 - compatibility 372–3
 - congenital malformations of cochlea 182
 - facial nerve, course of 182
 - functional MRI 96, 208
 - meningitis 195–6
 - ossification 195
 - otospongiosis 193
 - postoperative assessment 211–13
 - preoperative assessment 204–8
 - vestibulocochlear nerves, absent or attenuated 184–8
- multiple pulsatile sampler (MPS) strategy 60
 - see also* PPS strategy
- Multisyllabic Lexical Neighborhood Test (MLNT) 118–19
- music
 - benefits of implants 135, 151
 - EAS 56
 - future developments 367
 - limited access to 58
 - virtual channels 51
 - Visual Monitoring Task 154
- MUSS (Meaningful Use of Speech Scale) 120
- MXM implant 7, 15
- myringoplasty 229
- NAS *see* non-auditory stimulation
- National Acoustic Laboratories (NAL) 87
- NEAP (Nottingham Early Assessment Package) 117
- Neural Response Imaging (NRI) 251
 - applications 260, 262
 - CII Bionic Ear implant 14, 251
 - programming of processors 289
- Neural Response Telemetry (NRT) 251
 - applications 260, 262
 - future 372
 - Nucleus implants 15, 251
- Neurofibromatosis Type 2 (NF2) 191, 192
 - auditory brainstem implant 239, 373
- neurons 25
 - preservation 374–5
 - regeneration 375–6
 - survival 25, 136
- neurotrophins 375
- newborn hearing screening 108, 228
 - auditory neuropathy 91
- NF2 (Neurofibromatosis Type 2) 191, 192
 - auditory brainstem implant 239
- n-of-m* strategy 25–6, 31, 35–7, 61
 - comparison with other strategies 35, 36, 55
- NOHL (non-organic hearing loss) 89–91, 94

- noise
 listening in 277
 reduction algorithms 285
 speech perception in 277, 347, 350, 367
- non-auditory stimulation (NAS)
 auditory brainstem implant 240
 programming of processors 284
 surgical complication 238–9
- non-organic hearing loss (NOHL) 89–91, 94
- normal hearing, aspects of 21–3
- normalization of speech 300
- Nottingham Early Assessment Package (NEAP) 117
- Nottingham Health Profile 164
- NRI *see* Neural Response Imaging
- NRT *see* Neural Response Telemetry
- Nucleus implants 14–15
 ABI device 373
 design 10, 11
 development 5–7
 electrically evoked potentials 259, 262
 EABR 249, 250
 ECAP 251, 252
 Nucleus Crystal System 254, 255
 environmental sounds 134
 insertion 224, 226
 MRI compatibility 372–3
 programming 278, 283
 comfort level 281
 noise reduction algorithm 285
 threshold level 279–80
 psychological predictors of success 155, 156
 X-rays 210
- nurses 76
- OAEs (otoacoustic emissions)
 adults 90–1
 children 110, 112
- objective assessment measures
 adults 90
 children 108–10
- objective programming 372
- obliterated cochlea 231–3
- OHCs (outer hair cells) 61, 90
- OME (otitis media with effusion) 180–1, 189
- oral assessment methods 122
- organ of Corti 23
 otoacoustic emissions 91
- oscillopsia, postoperative 97
- ossification 83, 201
- osteoneogenesis 195
- otic capsule 200
- otitis externa 190
- otitis media
 acute (AOM) 180
 postoperative 188–9
 surgical considerations 229
 chronic suppurative (CSOM) 190, 229–31
 with effusion (OME) 180–1, 189
- otoacoustic emissions (OAEs)
 adults 90–1
 children 110, 112
- otologists 75
- Otorenobranial Syndrome 228
- otosclerosis
 assessment of adults 83
 non-auditory stimulation 238–9
 preoperative radiological evaluation 200
- otoscopy 84
- otospongiosis 192–3
- outer hair cells (OHCs) 61, 90
- oval window 23
- paediatrics *see* children
- Paget's disease 193, 200
- Paired Association Test (PAT) 154–5, 156
- paired pulsatile sampler *see* PPS strategy
- Parental Daily Report (PDR) 159
- parenting as predictor of implant use 158–62
- parent's perspective 387–410
- PAT (Paired Association Test) 154–5, 156
- patient's perspective 380–6
- PB-K test 115
- Peabody Picture Vocabulary Test – III (PPVT) 124
- peak derived timing 359
- pediatrics *see* children
- Pendred's Syndrome 182, 234
- percutaneous link 9
- perimodiolar arrays 7, 12–13
 risks 319
- Personal Adjustment Scale 163
- personality 95
- physical child abuse 165
- physical discipline 165

- picture-based communication training
materials 307–9
- pitch
percepts 5
ranking 260, 284–5
- play audiometry 286
- pneumocephalus 239
- POCIA (Predicting Outcomes of Cochlear Implantation in Adults) study 81, 88, 140–1
- power transmission 9
- PPS strategy (paired pulsatile sampler) 26, 32–5, 57, 61
comparison with other strategies 34–5, 45, 46, 48
HiRes 49, 50
see also MPS strategy
- PPVT (Peabody Picture Vocabulary Test – III) 124
- Predicting Outcomes of Cochlear Implantation in Adults (POCIA) study 81, 88, 140–1
- prediction of outcomes 82, 132–3, 138–46
assessment tools 96
counselling 100
duration of deafness 83
psychological aspects 151–2
selection of ear 97
variables 135–6
cognitive 137
- prelingual deafness 100–1
- Pre-School Language Scale (PLS) 124, 125, 332
- PRISE (Production Infant Scale Evaluation) 119–20
- probe tube microphones 86–7, 111
- processors, future of 370–1
- Production Infant Scale Evaluation (PRISE) 119–20
- programming of processors 274–6, 293–4
choosing parameters 264–5
creating a program 277–84
equipment 276
establishing appropriate levels 260–4
new features for quicker programming 292–3
noise reduction algorithms 285
non-auditory stimulation 284
objective measures 287–91
objective programming 372
- pitch ranking 284–5
- potential difficulties with cochlear abnormality 83
underlying principles 277
young children 285–7
- progressive preset maps 289–90
- Promontory Stimulation Test (PST) 95–6, 246–7
acoustic neuroma 191–2
- promontory stimulation thresholds 136
- psychology 151–2, 170
aspects of 151–70
assessments 94–5
consequences of implantation
in adults 163–4
in children 164–70
effects on outcomes 151–2
in adults 152–7
in children 157–63
role of psychologist 76, 94–5
- psychosocial assessments 163–4
- psychosocial effects of deafness 302
- PULSAR implants 26, 56
- quadrapolar stimulation 60
- questionnaires
for adults 91
subjective hearing aid benefit 87–8
for children 114–15
see also specific questionnaires
- radiology 199, 213–14
preoperative assessment 184, 199–208
intraoperative assessment 209
postoperative assessment 189, 210–13
see also CT scans; imaging; MRI scans
- rating scales, children 121–2
- Raven's Progressive Matrices 156, 157
- RDLS *see* Reynell Developmental Language Scale
- real ear
to coupler difference (RECD) 112
measures 111–12
- RECD (real ear to coupler difference) 112
- receiver/stimulator 61
bed preparation 218–20
- reduced life expectancy, patients with 190
- reduplicated babbling 119
- reflex testing 109

- rehabilitation of adults 299–300, 319
 - analytic approaches 303–5
 - approaches to speech communication training 302–3
 - evaluation of performance 317–19
 - facilities and resources 315–17
 - goals 300–2
 - personnel 314–15
 - picture-based training materials 307–9
 - speech tracking 309–13
 - synthetic training 305–7
 - training modalities 314
- reliability of implants 7
- revision of surgery 236–8
 - parent's perspective 404–7, 409
- Reynell Developmental Language Scale (RDLS) 124, 125
 - and CSBS scores, correlation between 123
 - prediction of implantation outcomes 137
- risk factors
 - candidacy for implants 81–2
 - counselling 96, 100
 - see also* complications
- round window 4, 60
- Round Window Stimulation Test (RWST) 95–6, 136
- safety issues, implant design 10
- SALT (Speech and Language Therapist) 125
- SAS strategy (simultaneous analog stimulation) 26, 40–7, 57, 61
 - comparison with other strategies 46, 47, 48, 49–50
- scala tympani (ST) 61–2
 - design of implants 7–8
 - electrode placement 4–5, 8, 23
 - preoperative radiological evaluation 201
- selection criteria 132–3
 - categories of benefit 133–5
 - development 146–8
 - ear for implantation 97–9, 139
 - expanding candidacy 376
 - patients
 - bilateral implants 344–6
 - teamwork 75
- semicircular canals 184
 - dehiscence 200
- sensorineural hearing loss (SNHL) 369–70
- sentinel cells 221
- Sequence Completion Task 154
- Sequence Learning Task (SLT) 137, 156
- sequential stimulation 31
- shift and tilt method 291
- siderosis, superficial 190
- signal-to-noise ratio (S/N) 61
 - bilateral implants
 - adding an ear with better S/N 351
 - adding an ear with poorer S/N 352
 - binaural hearing 339, 340
 - microphones 356
- sign language
 - paediatric habilitation 334
 - parent's perspective 395–6, 407
- simultaneous analog stimulation (SAS) strategy 26, 40–7, 57, 61
 - comparison with other strategies 46, 47, 48, 49–50
- simultaneous stimulation 31, 34
- SIR (Speech Intelligibility Rating) 121–2
- skull fracture
 - assessment of adult patients 96
 - non-auditory stimulation 239
 - revision of implant surgery 238
- skull thickness in children 181
- SMA (suprameatal approach) 227–8
- S/N *see* signal-to-noise ratio
- SNHL (sensorineural hearing loss) 369–70
- social anxiety 163, 164
- social interactionist theory of language acquisition 323
- sound inventories, child assessment 121
- Soundwave software 292
- spatial hearing 338, 343–4, 352–3, 361
 - see also* bilateral implants
- SPEAK (spectral peak) strategy 25–6, 31, 37–9, 61
 - array design 11
- Spectra 403
- speech
 - assessment 93–4, 113–15, 119–22
 - bimodal processing 371–2
 - discrimination ability 88–9, 135
 - dynamic range 277
 - normalization 300
 - processing strategies 21, 57–8
 - anatomical considerations for implants 23–5

- aspects of normal hearing 21–3
 - in current use 25–52
 - future directions 56–7
 - outcome data 52–6
 - selection 279
 - terminology and glossary 58–62
- production 31, 390–1
- re-acquisition of lost sounds 93
- reading 6
- recognition programs 376–7
- selection criteria 146–7
- tracking 309–13, 318–19
- speech and language assessment 93–4
- speech and language therapy 76, 93–4
- Speech Intelligibility Rating (SIR) 121–2
- Speech, Spatial and Qualities of Hearing Scale (SSQ) 343, 348, 352–3
 - baseline assessment, paediatric habilitation 329–32
- SpeechTrax 312–13
- split electrode insertion, obliterated cochlea 232–3
- SSEP (steady-state evoked potential)
 - adults 90
 - children 109, 111
- SSQ (Speech, Spatial and Qualities of Hearing Scale) 343, 348, 352–3
 - baseline assessment, paediatric habilitation 329–32
- ST *see* scala tympani
- Standard Map fitting technique 293
- stapedectomy 190
 - X-linked deformity 183
- stapedial artery 234
- stapedial reflex 372
- stapes 21–3
- statistical methods, device programming 293
- steady-state evoked potential (SSEP)
 - adults 90
 - children 109, 111
- stem cell research 376
- Stenver's view X-rays 210
- stereocilia 23
- steroids 375
- summation, binaural 339, 341, 351, 356
- superficial siderosis 190
- suprameatal approach (SMA) 227–8
- surgeons, ENT 75
- surgery 216–17, 241–2
 - auditory brainstem implant 239–41
 - chronic suppurative otitis media 229–31
 - complications 238–9
 - dysplastic cochlea 233–5
 - obliterated cochlea 231–3
 - revision 236–8
 - suprameatal approach 227–8
 - transmastoid facial recess approach 217–27
 - very young child 228–9
- surgical considerations *see* medical and surgical considerations
- 'surgical gusher' 182–3, 189
- Symbion Ineraid device *see* Ineraid
- synthetic training 302–3, 305–7
- Syntrain 308–9
- tactile aids 303
- taste disturbance, post-implantation 239
- T/C offset method 290
- teachers of the deaf 76
- teams 70–1, 74
 - assessment of children 106–7
 - challenges 77–8
 - counselling of risks and expectations 100
 - dynamics 72
 - hierarchy vs. democracy 78–9
 - models 70–1
 - roles 72–3, 75–7
 - selection of ear for implantation 99
- tegmen dehiscence 200
- Teletronics 8
- telemetry 277–8
 - CII Bionic Ear implant 14
 - COMBI 40 implants 15
 - design of implants 12
 - development of implants 7
 - impedance 277–8
 - see also* Neural Response Telemetry (NRT)/Imaging (NRI)
- telephones
 - amplified 91
 - training 314
 - use 300, 301
- temporal bone, demineralization 193
- terminology 58–62
- 3-offset method 290–1
- thresholds
 - acoustic reflex 263
 - aided threshold measurement 86, 112

- audiometric 110
- electrical 260, 263
- programming 279–81, 283, 292
 - children 286
 - EABR 289–91
 - ECAP 289
- Tickle-Talker 303
- tinnitus 194
 - counselling 92
 - effects of 84
 - postoperative worsening 239
 - prediction of implantation outcomes 144–5
 - programming of processors as trigger 280
 - suppression of 134, 194
- Tone-Burst Auditory Brainstem Response Test 90
- total communication 107, 122–3
- transcutaneous link 9, 35, 39
- transmastoid facial recess approach
 - closure 226–7
 - cochleostomy, creation 222–3
 - cortical mastoidectomy 220
 - insertion of implant 224–6
 - posterior tympanotomy 220–2
 - preparation of bed for receiver stimulator 218–20
 - skin incision 217–18
 - surgical technique 217
- Treacher Collins Syndrome 182
- tripolar stimulation 60
- tympanic membrane retraction 200
- tympano-mastoid infection 191
- tympanometry 109, 220–2

- Usher's syndrome 83

- vascular anatomy 200
- VDV test materials 318
- vertical localization 340
- vertigo, postoperative 239
- vestibular aqueduct, enlarged 201–2, 203
- vestibular function 96–7
- vestibular investigation 96
- vestibular testing 96–7
- vestibulocochlear nerves, absent or attenuated 184–8
- video assessment of children 168
- Vienna device 5
- virtual channel 51, 62
 - stimulation 60
 - see also* current steering
- vision and visual impairment 83
- visual alarm systems 91
- Visual Monitoring Task (VMT) 137, 153–4, 156
- visual reinforcement audiometry (VRA) 110–11, 286
- visual reinforcement operant conditioning audiometry (VROCA) 286
- VMT (Visual Monitoring Task) 137, 153–4, 156
- vocoders 37, 62
- voice-activated databases 377
- voice skills, maintenance of 93
- voicing information 6, 304
- voltage compliance limit 44, 47
- vowel recognition 303
- VROCA (visual reinforcement operant conditioning audiometry) 286
- VRA (visual reinforcement audiometry) 110–11, 286

- WAIS (Wechsler Adult Intelligence Scale) 137, 163
 - Revised (WAIS-R) 153, 157
- wearable speech processor (WSP) 6
- Wechsler Adult Intelligence Scale (WAIS) 137, 163
 - Revised (WAIS-R) 153, 157
- Wechsler Intelligence Scale for Children (WISC) 160, 162, 169
- Wechsler Memory Scale (WMS) 154
- widened vestibular aqueduct (WVA) 182
- WISC (Wechsler Intelligence Scale for Children) 160, 162, 169
- WMS (Wechsler Memory Scale) 154
- word recognition 304
- WSP (wearable speech processor) 6
- WVA (widened vestibular aqueduct) 182

- X-linked deformity 182
- X-rays
 - postoperative 189, 210–11
 - preoperative 184