

Index

- Antenna arrays, 1
- Antenna parameters and Indices, 4
 - Directivity, 5
 - Efficiency, 5
 - Gain, 6
 - Radiation intensity, 4
 - Radiation pattern, 6, 15, 184–185
 - Bandwidth, 8
 - E-plane, 7
 - Front-to-back ratio (F/B), 8
 - Grating lobe, 9
 - H-plane, 7
 - Half power beam width (HPBW), 8
 - Null beam width, 8
 - Polar plot, 8
 - Rectangular plot, 8
 - Side lobe level (SLL), 8
 - Radiation power, 4
 - Reflection coefficient, 6
- Antennas, 1
- Array factor, 1, 16

- Bandwidth, 8
- Bayliss distribution, 35–37, 39, 95–96
- Bayliss pattern, 95–96
- Beam efficiency, 12
- Binomial array, 20
- Broadening factor, 55
- Broadside array, 9
- Broadside Chebyshev arrays, 78–79, 85–88, 140–142

- Chebyshev array synthesis, 54–55, 113–114, 153–155, 172–173
- Chebyshev arrays, 23, 27, 41–45, 54–55, 113–114, 153–155, 172–173
- Chebyshev error, 31
- Chebyshev patterns, 72–88, 113–114, 153–155, 179, 210
 - Broadside Chebyshev arrays, 78–79, 85–88, 140–142
 - Chebyshev with HPBW, 80–84
 - End-fire Chebyshev arrays, 75–77, 84–85
 - Intermediate Chebyshev arrays, 79–80
- Chebyshev polynomials, 23
- Circular arrays, 44–47, 120–124
- Circular Polarization, 11
- Conformal arrays, 49–50
- Conformal orthogonal method, 142–173
 - Conical conformal arrays, 154–165
 - Circumferential slots, 163, 168–172
 - Lamé functions, 155, 159
 - Radial slots, 164, 167–172
 - Slots, 160
 - Slotted conical arrays, 154–165
 - Cylindrical conformal arrays, 144–154
 - Cavity model, 146–148
 - Optimization scheme, 152
 - Surface current model, 149

- Conformal orthogonal method,
 (*continued*)
 Paraboloid conformal arrays,
 165–173
- Constrained orthogonal method, 96–103
 Constraints on SLL, 101–103
 Null constraints, 98–100, 209
 Pattern level minimization,
 100–101, 211
- Convolution, 63–65
- Corner reflector, 46, 48, 122, 135–137
- Corrugated pyramidal horn, 197–198,
 200–202
- Coupling coefficients, 139, 159, 162
- Cylindrical arrays, 48–49
- Dipoles, 3, 186–189
- Directivity, 5
- Dolph-Chebyshev arrays, 23, 72–88
- Effective aperture, 12
- Efficiency, 5
- Electric field, 2
- Elements, 3, 15
 Dipoles, 3, 186–189
 Horns, 3, 189–202
 Isotropic source, 3, 186
 Loops, 3
 Microstrip patches, 3, 148–157,
 202–207
 Monopoles, 3
 Slots, 160–172
- Elliptical Polarization, 11
- End-fire array, 9
- End-fire Chebyshev arrays, 75–77,
 84–85
- E-plane, 7
- Excitation currents, 80, 86, 104–111,
 180
- Excitation, 3, 15
- Exponential patterns, 88–93
- Fan beam, 9
- Feed voltage, 130
- Fourier transforms, 56
- Front-to-back ratio (F/B), 8
- Gain, 6
- Genetic algorithms (GA), 62
- Geometry synthesis, 104–111
- Gradient method, 60
- Gramian, 117–118
- Gram-Schmidt method, 69
- Grating lobe, 9
- Green's function, 168–169
- Half power beam width (HPBW), 8
- Hansen-Woodyard (HW) end-fire array,
 23, 54
- Horns, 3, 189–202
- H-plane, 7
- Index Optimization, 59–60, 71–72
 Lagrange multiplier, 59,
 98–103
 Mean square error, 98
- Input impedance, 15, 134
- Input voltage, 129–132
- Intermediate array, 9
- Intermediate Chebyshev arrays, 79–80
- Inverse trigonometric patterns, 94–95,
 208
- Isotropic source, 3, 186
- Lagrange multiplier, 59, 98–103
- Lamé functions, 155, 159
- Legendre polynomials, 28
- Line sources, 28, 33
 Space Factor, 56–58
- Linear arrays, 19–40
 Binomial array, 20
 Chebyshev arrays, 23, 27, 41–45,
 54–55, 113–114, 153–155,
 172–173
 Dolph-Chebyshev arrays, 23, 72–88
 Hansen-Woodyard (HW) end-fire array,
 23, 54
 Uniform linear array, 21, 53–54
- Linear Polarization, 11
- Loops, 3
- Magnetic field, 2
- Mean square error, 98

- Microstrip patches, 3, 148–157, 202–207
- MoM orthogonal method, 128–134
 - Feed voltage, 130
 - Input voltage, 130–131
 - Wire grid model, 128–134
- Monopoles, 3
- Mutual admittance, 159

- Non-parallel Orthogonal method, 122–128
 - Optimum directivity, 126–128
 - Schwartz inequality, 127
- Non-uniformly spaced 3-D arrays, 114–122
 - Gramian, 117–118
- Non-uniformly spaced arrays, 69–70
- Non-uniformly spaced planar arrays, 112–114
- Null beam width, 8
- Null constraints, 98–100, 209

- Optimization of an index, 59–60, 71–72
- Optimization scheme, 152
- Optimum directivity, 71–72, 181
- ORAMA computer tool, 177–212
- Orthogonal compensation method, 134–142
- Orthogonal methods 67–176
 - Bayliss pattern, 95–96
 - Chebyshev patterns, 72–88, 113–114, 153–155, 179, 210
 - Broadside Chebyshev arrays, 78–79, 85–88, 140–142
 - Chebyshev with HPBW, 80–84
 - End-fire Chebyshev arrays, 75–77, 84–85
 - Intermediate Chebyshev arrays, 79–80
 - Exponential patterns, 88–93
 - Gram-Schmidt, 69
 - Inverse trigonometric patterns, 94–95, 208
 - Non-uniformly spaced arrays, 69–70
 - Optimum directivity, 71–72, 181
 - Pulse patterns, 93–94
 - Radar pattern, 95
 - Taylor pattern, 95–96
- Orthogonal perturbation method, 104–111
 - Quantized excitation, 104–111
- Patches, 3, 148–157, 202–207
- Pattern synthesis, 53–66
 - Chebyshev array synthesis, 54–55, 113–114, 153–155, 172–173
 - Broadening factor, 55
 - Convolution, 63–65
 - Fourier transforms, 56
 - Genetic algorithms (GA), 62
 - Gradient method, 60
 - Yagi-Uda array, 60–61
 - Optimization of an index, 59–60, 71–72
 - Lagrange multiplier, 59, 98–103
 - Mean square error, 98
 - Root matching, 56
 - Sampling, 56
 - Simplex method, 60
 - Simulated annealing, 61–62
 - Smart antennas, 63
 - Space factor, 56–58
 - Uniform linear array synthesis, 53–54
 - Woodward-Lawson (WL) method, 56–58
- Pencil beam, 9
- Planar arrays, 40–48
 - Circular arrays, 44–47, 120–121
 - Planar Chebyshev arrays, 41–45
 - Rectangular arrays, 40, 119
 - Ring arrays, 47
- Polar plot, 8
- Polarization, 11–12
 - Circular, 11
 - Elliptical, 11
 - Linear, 11
- Pulse patterns, 93–94
- Pyramidal horn design, 193–197, 200–202

- Quality factor, 13
- Quantized excitation, 104–111

- Radar pattern, 95
- Radiation intensity, 4
- Radiation pattern, 6, 15, 184–185
- Radiation power, 4
- Reaction, 10
- Reciprocity theorem, 10–11
- Rectangular plot, 8
- Reflection coefficient, 6
- Riblet arrays, 26, 87–88
- Root matching, 56

- Sampling, 56
- Schwartz inequality, 127
- Sensitivity factor, 14
- Side lobe level (SLL), 8
- Signal-to-noise ratio (SNR), 13
- Simplex method, 60
- Simulated annealing, 61–62
- Slots, 160–172
- Slotted conical arrays, 154–165

- Smart antennas, 63
- Space factor, 56–58
- Surface current model, 149

- Taylor distribution, 31–35, 37, 39, 95–96
- Taylor pattern, 95–96
- Three-dimensional (3-D) arrays, 47–49
 - Cylindrical Arrays, 48–49

- Uniform linear array, 21, 53–54
- Uniform linear array synthesis, 53–54
- UTD, 165–167

- Vector array factor, 16

- Wire grid model, 128–134
- Woodward-Lawson (WL) method, 56–58

- Yagi-Uda array, 60–61