

Index

- 1xRTT 221
- 2 G 221
- 2.5 G 221
- 3 G 221
- 3GPP 54, 221
- 3GPP2 54, 221
- 4 G 221
- 5-way rocker 45
- 12-button keypad 47, 48

- AAC audio 54, 145
- Accelerometers 45
- Access 51, 156, 212
- Access Compact NetFront 203
- Accessibility 162
- Adaptive design 221
 - see also* Automatic translation
- Adobe 52, 155, 212
- Advertising 53–4, 82, 92, 126–32, 160, 205, 211
 - banner ads 131–2
 - double opt in 210
 - fish-eye ads 128–30
 - interstitials 126–8
 - opt in 126, 209
 - opt out 211
- Air travelers 178
- AJAX 51, 59, 68, 85, 96, 106, 222
- Alpha transparencies 138
- Alphabetic content 116–18
- Always connected 10, 35, 71, 80
- Amateur art 136

- Ambient Devices 41–2
- Amp'd Mobile 153
- AMR audio 54
- Anchor frame 144
- Angle of view 206, 207
- Animation 140, 144
- AOL 74, 159, 213
- Application 6
 - platform 6, 52–3, 66–8, 96, 155–8, 186, 228
 - speed 59, 75
- Application developers 1, 29, 38, 155, 158–9
- Application installation 70
- Application launch 123
- Application technologies
 - browsing technologies
 - AJAX 51, 59, 68, 96, 106, 222
 - cHTML 51, 66, 201, 222
 - ECMAScript 68, 85, 224
 - Flash Lite 52, 61, 63, 68, 137, 186, 212, 224
 - HDML 66, 161, 199, 225
 - iMode 20, 24, 160, 203, 225
 - SVG 52, 68, 231
 - WAP 20, 160–1, 182, 186, 199, 233
 - WAP Push 121, 182, 186, 233
 - WML 20, 66, 92, 199–203, 233
 - WML2 66, 161, 199–203, 233

- Application technologies
 - (Continued)
 - XHTML Basic 20, 51, 66, 161, 199–203, 234
 - XHTML Mobile Profile 20, 51, 66, 199–203, 234
- operating systems
 - Linux 53, 68, 158, 227
 - PalmOS 53, 68, 92, 157
 - Windows Mobile 6, 62, 71, 187
- web technologies
 - BREW 52–3, 61, 64, 68, 92, 157, 158, 186, 213, 216, 222
 - Java ME 52, 55, 61, 63, 68, 78, 92, 96, 98, 118, 125, 157, 186, 187, 217, 226
 - MIDP 38, 61, 68, 88, 110, 226
 - MIDP 2 61, 68, 92, 93, 110, 187–8
 - MMS 23, 52, 55, 63, 227
 - MS eMbedded Visual C++ 53, 68
 - OPL 53, 68
 - Python 53
 - SMS 20, 22, 24, 43, 52, 55, 62, 65, 81, 121–2, 175, 186, 190, 231
 - Symbian C++ 53, 68
 - uiOne 53, 54, 65, 68, 137, 216, 232
 - voice SMS 52, 62, 232
 - VoiceXML 74, 175, 176, 233
 - VoIP 35, 56, 57, 183, 190, 232
 - XML 83, 87, 88, 199–202
- Asynchronous applications 59, 66
- AU Systems 51, 156
- Audio 38, 144–6
- Audio quality 144
- Aural displays 60, 167
- Automatic translation 83, 86–9, 222
- Availability 5, 13
- Backlighting 50–1
- Banner ads 131–2
- Bar code 58
- Battery 65, 80
- Beta test 175
- BlackBerry 28, 32, 38, 48, 76, 179, 216, 222
- Bluetooth 6, 18, 42, 49, 51, 55, 61, 77, 82, 222
- Breadcrumbs 110–11, 222
- BREW 52, 53, 61, 64, 68, 89, 157, 186, 213, 216, 222
- Browser, 51, 78, 81, 85, 156
- Buttons 29, 46–8, 54, 56, 57, 58, 77, 231
- Calendar 16, 25, 54, 59, 61, 74, 76, 82, 179
- Calling party pays 20, 22, 27, 222
- Camera 1, 37, 39, 48, 49, 55, 56, 58, 74, 82, 137, 192, 206–8
- Camera sensor 207
- Card sorting 169, 188
- Carrier, *see* Operator
- The Carry Principle 4–5, 44–5, 71, 72, 76, 77, 143, 228, 231
- Cartoon 139
- Cartoonish 140
- CDMA 27, 28, 52, 54, 152, 154, 155, 216
- CDMA EDGE 221
- Certification 123
- China 28, 213
- China Mobile 213
- China Unicom 213
- CHTML 51, 66, 201, 222
- Churn 150, 228
- Cingular 63, 64, 152, 213
- Class based design 63, 84, 88–90, 99, 171, 187, 196–7, 222
- Cliffhanger 141–2
- Color 134, 137, 138, 140, 145, 148
- Column layout 103
- Commands 45

- Communications and control device
 - 34, 36
- Community 17, 18
- Composition 133
- Connection speed 54, 146, 154
- Connectivity
 - 1 G
 - AMPS 27
 - 2 G 221
 - CDMA 27, 28, 52, 54, 152, 155, 157, 216
 - GSM 21, 27, 28, 52, 152, 154, 155, 160, 179, 218, 223
 - iDEN 221
 - PDC 221
 - TDMA 27, 221
 - 2.5 G 221
 - 1xRTT 221
 - CDMA EDGE 221
 - GPRS 223
 - 3 G 221
 - EVDO 154, 221
 - TD-SCDMA 221
 - W-CDMA 221
 - 4 G 221
 - WiMAX 51, 81, 154, 221
 - near field, 18
 - Bluetooth 6, 18, 42, 49, 51, 55, 61, 77, 82, 222
 - pico net 42–3, 51, 228
 - RFID 6, 48, 82, 229
 - Wi-Fi 6, 18, 51, 55, 81, 154, 181, 185, 223, 233
- Content developers 158
- Content distributors 159
- Content management 147
- Context, *see* User context
- Cookies 61, 79, 124, 125
- Corporate UI patterns 95, 98–9, 100–1, 192
- Cost of deployment 62, 65
- Coverage 59, 63
- Crop 137–9, 142, 147
- CSS 51, 66, 85, 103, 187, 199, 200–2, 221
- CTIA 160, 161
- Cultural influences 15
- Customization 79
- Danger 213
- Data plan 63, 166, 178, 223
- Data storage 59–60
- Deck 152, 159, 223
- Design guidelines 91–2
- Design pattern 95–132, 223
- Desktop 5, 9
- Detailed design 91, 196
- Device capabilities 62–3, 68
- Device content management 147
- Device description repository 97, 98, 223
- Device form 32
- Device hierarchy 96–7, 99, 163, 166, 223
- Device proliferation 79, 83, 165, 166, 171, 223
- Device targeted design 84, 223
- Device taxonomy 31–43
- Digital rights management 146
- Distance from lens 206
- Distribution 62, 182
- Domain name 204
- Dot mobi 204, 205
- Double opt in 210
- Downloaded media 146
- Dynamic range 145
- EA (Electronic Arts) 213
- ECMAScript 68, 85, 224
- Electronic paper 50, 224
- Electrowetting 50–1, 224
- Emulator 90, 172, 224
- Entertainment devices 34
- Episode 141–2
- Ethnographic research 13, 164, 168, 224
- Europe 21

- EVDO 154, 221
 EZiText 74, 219

 Face recognition 74
 Fastap 47, 73, 158, 224
 FCC 161
 Fetch delay 107
 Field testing 168, 173–4
 Fisheye ads 128–30
 Fitt’s law 69, 224
 Flash Lite 52, 61, 63, 68, 137,
 186, 212, 224
 Flexible display 51, 74
 Flight status 16, 41, 189
 Focal length 207
 Focus control 44, 45, 56
 Focus groups 2, 168
 Forum Nokia 93, 215
 Frame rates 140–7

 Game 9, 14, 15, 19, 25, 27, 28,
 34, 59, 76, 114, 173
 Garmin 214
 General purpose devices 33, 34, 44
 Generic design 85–6, 99
 Geotagging 18, 186, 225
 Gesture control 33, 45, 47, 48, 62,
 82, 89
 Glare 51, 75, 135, 140
 Global positioning system, *see* GPS
 Gossip 17, 225
 GPRS 223
 GPS 43, 61, 74, 77, 82, 192, 225
 Graceful degradation 83, 85, 103
 Gradients 138
 Graphics 50, 129, 133–48
 GSM 21, 27, 28, 152, 155, 160, 223
 GSM Association 160

 H.263 54
 Handango 64, 159
 Handheld 3, 4, 35
 Handwriting recognition 48
 HDML 66, 161, 199, 225

 Hierarchy of devices, *see* Device
 hierarchy
 High-fidelity testing 171, 225
 High level design 188, 196
 Hiptop 76, 225
 Home server 43

 iDEN 221
 Image recognition 49, 74, 192
 iMode 20, 24, 160, 203, 225
 iMode ecosystem 2, 26, 225
 India 28
 Industrial design 34
 Information appliance 36, 37, 76,
 225
 Information architecture 86, 89,
 120, 169
 Infrared 42, 51
 Input mechanisms 38, 45, 47, 49,
 57, 69
 Instant messaging 63
 Interaction responsiveness 58
 International differences 20
 Interoperability 23, 28, 52, 160,
 225
 Interruptible 12
 Interstitial ads 126–8
 iPod 3, 32, 38, 39

 J2ME, *see* Java ME
 J2ME Polish 84, 97, 121, 187,
 196, 226
 Jamdat 214
 Japan 20, 24
 Java ME 52, 55, 61, 63, 68, 78,
 83, 92, 96, 98, 118, 125, 186,
 187, 217, 226
 Java Mobile Edition, *see* Java ME
 JavaScript 224
 Jog dial 45
 JSR 37 61
 JSR 75 61
 JSR 118 61
 JSR 179 61

- Juan 178
- Justine 178

- KDDI 214
- Keiretsu 24, 152, 226
- Ketai 24, 226
- Key frame 144
- Keypad 4, 6, 33, 34, 47–8, 56, 73, 107, 155, 158, 224, 231, 232
- KiloByte Virtual Machine, *see* KVM
- Korea 19, 26, 29, 152, 226
- KVM 78, 156, 157, 186, 226

- Landline 17, 22, 24, 226
- Latency 54
- Launch process 123
- LCD screens 50, 74
- Least common denominator design 83, 85, 92, 163, 204, 226
- Lens 206–8
- Letter prediction 48
- LG 155, 214
- License 123, 155, 158
- Likert scale 175, 226
- Linux 53, 68, 158, 227
- List-based UI design 96, 97, 99, 101
- List navigation 112
- List of commands 107
- Little Springs Design 93
- Local applications 66
- Local data 60
- Location based services 48, 61, 74, 226
- Location selection 104, 190
- Logo 140
- Lossless encoding 144
- Lossy encoding 144
- Low-fidelity testing 171, 226
- Lucent 214

- Managing content 147
- Market acceptance test 175–6
- Market analysis 61, 63–5, 163
- Matsushita 25

- Media 53, 62, 93, 133–48
- Menu 107
- Messaging
 - email 9, 63, 183, 219, 222, 223
 - instant messaging 63
 - MMS 23, 43, 52, 55, 63, 227
 - premium SMS 65, 126, 209–10, 229
 - short code 65, 66, 209–11, 230
 - SMS 20, 22, 24, 52, 55, 63, 65, 81, 121, 175, 186, 190, 231
 - voice SMS 52, 62, 232
 - WAP Push 121, 182, 186, 233
- Meta data 147
- Microcontexts 15
- Microsoft 53, 68, 92, 214
- Microsoft PocketPC 157
- Microsoft SmartPhone 31, 157
- Microsoft Windows Mobile, *see* Windows Mobile
- MIDP 38, 61, 68, 88, 110, 226
- MIDP 2 61, 68, 92, 93, 110, 187
- Miniaturizing 2, 70
- Minimum object resolution 206
- Minimum viewable object 208
- MMS 23, 24, 52, 55, 63, 227
- .mobi 205
- Mobile 2–7, 227
- Mobile as status 19, 79
- Mobile Data Association 160
- Mobile Information Device Profile, *see* MIDP
- Mobile Marketing Association 131, 160
- Mobile Monday 160
- Mobile search 46, 55, 148, 159, 192, 194
- Mobile users 9–28, 177–9
- Mobile Virtual Network Operator, *see* MVNO
- Mobile wallet 25
- Mobilizing 2, 70, 89, 96, 99, 227
- MobiTV 215
- Motorola 19, 93, 121, 155, 215

- Motricity 159, 215
- Movie 141
- Movie poster 49, 58
- MPEG-4 54, 140, 144, 221
- MS eMbedded Visual C++53 68
- Multi-modal 57, 74, 167, 170
- Multi-purpose device 1, 32, 37, 39, 44, 71, 75–7
- Multimedia 133–48
- Multimedia Message Service, *see* MMS
- MVNO 153, 227

- Native application 68
- Natural language search 46
- Navigation 109, 112–20
- NEC 25
- Negative space 75, 134
- Network, *see* Connectivity
- Network speed, *see* Connection speed
- Network usage 65
- Nielsen, Jakob 81, 227
- Nokia 51, 92, 154, 156, 215, 217
- Nokia-style softkeys 46, 77, 113, 119, 127, 187, 196, 227
- NTT DoCoMo 20, 25, 26, 152, 160, 200, 202, 215

- Off-deck content 177
- OLED screen 50, 227
- One-handed operation 72
- Open Mobile Alliance 25, 92, 160, 199, 202
- Openwave 51, 92, 156, 160–1, 199, 203
- Opera Mobile 51, 68, 85, 125, 156
- Operating system 227
- Operator 6, 53, 150, 227
- Operator's portal 53, 150
- OPL 53, 68
- Opt in 126, 209
- Opt out 211
- Orange 215

- Page 112, 227
- Pagers 27
- Palm 187, 216
- PalmOS 53, 68, 92, 157
- Password 125
- Pattern library 95, 96, 100
- PayPal 126
- PCD 4, 7, 35, 44, 55, 71, 228
- PDA 31, 227
- PDA profile in Java ME 61, 187
- PDC 221
- Persona 168, 178, 228
- Personal communications device, *see* PCD
- Personal device 71, 79
- Personal identification 16
- Personalization 153
- Perspective 136
- Phone book 43, 58, 74
- Physical and mobile integration 18
- Pico net 42, 51, 228
- Pixelation 147
- Place-shifting 49
- Platform 6, 52, 57, 59, 66, 73, 155, 228
see also Application technologies
- PocketPC 61, 157, 218
- Podcasts 18
- Portal 64–5, 228
- Porting 157–8, 228
- Portrait miniatures 135–6
- Post-paid 228
- Post-production 143–4, 145
- Power consumption 50, 51, 138, 141, 143
see also Battery
- Pre-fetch data 75, 81, 228
- Pre-paid 228
- Predictive text
 - eZiText 74, 219
 - letter 73
 - Tegic T9 74, 158, 218, 231
 - word 48, 75
- WordLogic 48, 231

- Premium SMS 65, 126, 209–10, 229
- Preprocessing 142–3
- Privacy 15, 43, 57, 60, 61, 105, 190, 228
- Product development process 163–76
- Product requirements 163–6, 182–8
- Production 142–6
- Programming complexity 62
- Proliferation 5, 83, 166
- Public interaction points 44
- Python 53

- QCELP audio 54, 145, 146
- QUALCOMM 52, 156, 157, 216
- Questionnaire 175
- QuickTime 54, 140
- QVGA 101, 102, 229
- QWERTY 48, 64, 73, 107, 229

- Radio Frequency Identification, *see* RFID
- Raskin, Jef 37
- Receiving party pays 23, 229
- Reliance Infocomm 216
- Remote data 60
- Rendering engine 62, 63, 88, 223, 229
- Rendering idiosyncrasies 78, 87, 88, 190, 229
- Repurposing 141, 142, 229
- Requirements gathering 177
- Research in Motion 216
- Results UI design 105–6, 192
- RFID 6, 48, 82, 229
- RIM 32, 157
- Ring tones 19, 25, 28, 80, 86, 156, 169
- Roaming 54, 179, 183

- Samsung 155, 216
- Samsung-style softkeys 46
- Sanyo 153
- Scalable Vector Graphics, *see* SVG
- Scanning behavior 75
- Screen 54, 74, 101, 193, 229
- Screen display 65, 80, 130, 194, 206
- Screen navigation 102
- Scripting 51, 68, 85, 111, 126, 225
- Scroll and select 32, 45, 69, 70, 77, 89, 97, 99, 103, 104, 230
- Scrolling softkeys 46
- Scrolling versus fetching 105, 107
- Section 255 of the Telecommunications Act of 1996 162, 230
- Section 508 of the Rehabilitation Amendment Act of 1998 162, 230
- Security 79, 123, 154, 185
- Semantic differential scale 175, 230
- Sensor dimension 207
- Serco Usability Services 93
- Series 40 93
- Series 60 93
- Series 80 93
- Server 6, 40, 43, 49, 56, 57, 59, 60, 66, 125, 146, 148, 175–6, 190, 209–11
- Service messages, *see* WAP Push
- Shared displays 43
- Short code 65, 66, 209–11, 230
- Short Message Service, *see* SMS
- Sidekick 230
- Signposting 173, 230
- SIM 21, 230
- Simple softkeys 46
- Simulator 90–1, 172, 230
- Single window interaction 72
- Size of the target 69, 207, 224
- SK Telecom 217
- Small device 72–5
- Small screen 74–5, 133–40
- Smart phone 31, 228
- SmartPhone 31, 157

- SMS 20, 22, 24, 52, 55, 63, 65, 81, 121, 175, 186, 190, 231
- Sociability 15
- Social context 15
- Softkey management 97, 98, 118–21, 173
- Softkeys 46, 77, 78, 113, 118–21, 195, 231
- Sony 25
- Sony Ericsson 93, 152, 154, 155, 217
- Sound, *see* Audio
- Speaker phone 51
- Speech control 33, 46, 56, 60, 74
- Splash screen 114, 139
- Sprint Nextel 64, 93, 217
- Standard softkeys 189
- Standby screen 54, 65, 186
- State management 122
- Status symbol 17, 19, 154
- Storyboard 143, 145
- Streaming media 146
- Style guidelines 93
- Stylus device 97, 102, 110, 187, 195, 196, 231
- Subdomain 204–5
- Sun 52, 92, 155, 217
- SVG 52, 68, 231
- Swiss Army knife 1, 4, 45
- Symbian 53, 68, 154, 155, 157, 158, 217, 231
- Symbian C++ 53, 68
- Symbol Technologies 39, 218
- Synchronization 49, 160
- SyncML 160

- Tab 109–10
- Table-based UI design 102
- Tactile displays 60
- Tags 148, 168
- Targeted design, *see* Device targeted design
- Targeted devices 32–3, 36–41
- Tata Indicom 218

- TDMA 27, 221
- TD-SCDMA 221
- Tegic 158, 218
- Tegic T9 218, 231
- Telco 231
- Television 10, 23, 49, 141–2, 146
- Telus Mobility 218
- Text comprehension 75
- Text entry 73, 74
- Texting 17–18, 19, 231
- Theme 77, 79, 102, 134, 231
- Thumb keyboard 47, 231
- T-Mobile 218
- Touch screen, *see* Stylus device
- Transient data 122
- Traveler tool 177
- Treo 32, 38, 144
- Triple tap 47, 73, 231

- Ubiquitous computing 40–4, 82, 232
- Ubiquitous web 85, 232
- UI pattern library 100, 101
- UiOne 53, 65, 68, 137, 232
- UIQ 84, 89, 92, 187
- Unified messaging 190
- United States 26–8
- Universal pattern 96, 100
- UPS Diad 40
- Usability 23, 93, 171–4
- Usability design pattern, *see* Design patterns
- Usability testing
 - emulator 172–3
 - field 167, 173–4
 - high-fidelity 171, 225
 - laboratory 173, 176
 - low-fidelity 171, 226
 - paper prototypes 170, 196
 - Wizard of Oz 167, 170, 171
- Usage trends 176
- User
 - availability 5, 13
 - context 1, 10, 15, 49, 82–3

- distraction 12, 174
- interruptibility 12, 14
- mobility 10
- sociability 15, 19
- User context 82–3
- User experience design deliverables 163
- User-generated content 136–7
- User goals 179
- User interface design pattern 95–132, 232
- User interface style 77–8, 96, 222, 232
- User interviews 168
- User needs 179–82
- User requirements 177–82
- User research 168–9

- Value chain 149
- Verizon 63, 64, 93, 121, 152, 218
- Vertical orientation 102
- Vibration 16, 51, 60, 61, 65, 66, 80, 114
- Video 25, 140–8
- Virgin Mobile 153
- Virtual keyboard 47, 48
- Visto 219
- Visual design 51, 75, 100, 133–48, 231, 232
- Visual input, *see* Camera
- Vodafone 219
- Voice over IP, *see* VoIP
- Voice SMS 52, 62, 232
- VoiceXML 74, 175, 176, 233
- VoIP 35, 56, 57, 190, 232

- W3C 92, 97, 200–1
- Walled garden 24, 64, 152–3, 233
- Wallpapers 54, 79, 137, 139, 159, 169
- WAP 92, 160, 199, 201, 233
- WAP Forum 160, 199, 201
- WAP Push 121–2, 182, 186, 233
- W-CDMA 221
- Web site 70, 75, 85, 92, 96, 98, 99, 102, 103, 111, 115, 149
- Wi-Fi 6, 18, 51, 55, 81, 154, 181, 185, 233
- WiMAX 51, 81, 154, 221
- Windows Mobile 6, 72, 78, 84, 94, 157, 187, 214, 216
- Wireframe 170, 188, 194, 233
- Wireless 3, 6, 26, 54, 81, 161, 199–200
- Wireless Application Protocol, *see* WAP
- Wireless Markup Language, *see* WML
- Wireless Universal Resource File, *see* WURFL
- Wizard of Oz 170, 171
- WML 20, 66, 92, 199–203, 233
- WML 2 66, 161, 199–203, 233
- WML namespace 96, 202, 203, 233
- Women 9
- Word prediction 48, 219
- WordLogic 48
- Work devices 33, 34, 39
- World Wide Web Consortium, *see* W3C
- Write once, run anywhere 52, 78, 83, 92
- WURFL 63, 84, 88, 97, 234

- XHTML Basic 20, 51, 66, 161, 199–203
- XHTML Mobile Profile 20, 51, 66, 199–203
- XML 83, 87, 88, 199–202

- Yahoo! 100, 159, 190, 191

- Zi Corporation 219

