

Index

- Abbott-Firestone curve, surface texture 76
- Abrasion wear, bearing materials selection 93
- Absolute viscosity, defined 29
- Additives breakdown 545
- Adhesion wear, bearing materials selection 92
- Adjusted rating life, rolling element bearing selection 415–20
- Air bearing materials, 103–6
- Air-oil systems, semilubricated bearing 476
- Aluminum, oil-film bearing materials 99–100
- American Bearing Manufacturers Association (ABMA) 400, 402, 406, 416
- American Gear Manufacturers Association (AGMA), viscosity 30
- American Society for Testing and Materials (ASTM), viscosity 29
- American Society of Lubrication Engineers (ASLE) 3
- American Society of Mechanical Engineers (ASME) 3, 64, 69, 77
- Amplitude density function, surface texture 75, 76
- Amplitude parameters, surface texture 65
- Angular-contact ball bearings 396, 415, 421, 462, 465
- Angular misalignment, rolling element bearings 406, 429, 456
- Antiwear and extreme pressure agents, lubricant fortification 25
- Asperity contact pressure, mean, real area of contact and, contact between surfaces 81–2
- Asperity plastic deformation, contact between surfaces 81–2
- Asperity, single, elastic deformation of, contact between surfaces 90
- Atmospheric effects 531–2, 536
- Atmospheric pressure, elastohydrodynamic pressure-viscosity coefficients 36, 37
- Average roughness (R_a), surface texture parameters 64, 65
- Axial clearance, rolling element bearings 429
- Axial groove, journal bearing lubricant supply 233–4
- Babbitt melting 545
- Babbitts, oil-film bearing materials 96–7
- Balance ratio 510–12, 518
- Balanced mechanical seals 108, 487, 506–7
- Balanced vs. unbalanced seals 509–10
- Ball and roller bearing failure analysis 539–42
- Ball bearings, types of 391–6
- Ball contact, curvature and, rolling element bearings 426
- Ball-raceway contacts, surface stresses and deformation 430–4
- Bearing area curve, surface texture 75–6
- Bearing frequencies, vibration 447
- Bearing jamming 541
- Bearing materials
- dry and semilubricated 101
 - carbon-graphite 102
 - plastics 101–2
 - rubber 102
 - wood 102
 - high-temperature 95–6
 - oil-film
 - aluminum 99–100

- Bearing materials (*Continued*)
 - babbitts 96–8
 - cast iron and steel 100
 - copper alloys 98–9
 - silver 100
 - zinc 100–1
- rolling materials 109
- selection factors
 - compatibility 93
 - corrosion resistance 95
 - embedability and conformability 93–4
 - friction 90–1
 - generally 92
 - strength 95
 - thermal properties 95–6
 - wear 91–3
- Bearing principles
 - classifications 12
 - comparisons 14
 - economics 18
 - environmental requirements 17–18
 - mechanical requirements 14–16
 - modernization of applications 19
- Bearing ratio, surface texture 76
- Bearing stiffness, journal bearings 245–9
- Bellows mechanism 507
- Bingham solid, lubricating greases 41–2
- Blade passing frequency 535
- Boundary conditions
 - journal bearings
 - full-Sommerfeld 207–8
 - generally 207
 - half-Sommerfeld 211
 - Sommerfeld number defined 210–11
 - Swift-Stieber (Reynolds) 216–19
 - Reynolds equation 215
- Boundary dimensions, rolling element bearing selection 401–3
- Boundary lubrication, principles 11–12
- Brinelling 540
- Brush seals 494
- Buffer fluids 502–5, 509
- Bushing shaft seals 488–9
- Cage
 - considerations 444–6
 - noise of 450–2
 - speed of 452–4
- Cage failure 540
- Cage jamming failure 540–1
- Capacitance discharge 549
- Capillary-compensated hydrostatic bearings 308–10
- Capillary tube viscometer 129–30
- Carbon-graphite, dry and semilubricated bearing materials 102
- Cartesian coordinates 116, 118, 119, 120, 122
 - conservation of energy, viscous flow 121
 - conservation of mass, viscous flow 116
 - conservation of momentum, viscous flow 117
 - squeeze-film bearings 144
- Cast iron, oil-film bearing materials 100
- Cavitation erosion 544, 548
- Cavitation phenomena, journal bearings 215
- Centralized lubricant supply systems 59
- Chamfer dimensions
 - internal clearance 404–6
 - precision classifications 406
- Circular step thrust bearings
 - flow rate requirement 304
 - friction torque 305
 - load capacity 304
 - optimization 306
 - power losses 305–6
 - pressure distribution and load 302–4
 - stiffness 302
 - thermal effects 306–8
- Circulating oil systems
 - lubricant supply 54–5
 - rolling element bearings 477–8
- Circumferential groove, journal bearing lubricant supply 205
- Clearance seals 488–95
- Closed-form solutions
 - gas bearings 329–30
 - limiting cases and, Reynolds equation 327–9
- Closing force 508, 512
- Codes, rolling element bearing selection 166
- Compatibility, bearing materials selection 93
- Compensated hydrostatic bearings
 - capillary-compensated 308
 - design procedure for 312
 - orifice-compensated 310–11
- Compressibility, density and, lubricants 43–4
- Computer hard disks 105–6
- Condition monitoring 531–49
- Cone-and-plate viscometer 132
- Conformability, bearing materials selection 93–4
- Conservation laws
 - Reynolds equation, mass 146
 - viscous flow
 - energy 121
 - mass 116
 - momentum 117
- Contact between surfaces, surface texture 75–80
 - see also* Surface texture
- Contact seals 503–6
- Contacting methods, surface texture measurement 70–1
- Contamination 531–2, 536, 539, 541, 542–3, 545, 547

- Conversion tables
 - units 551
 - viscosity 555
- Copper alloys, oil-film bearing materials 98–9
- Corrosion resistance, bearing materials
 - selection 95
- Corrosion 531, 536, 538–9, 541, 542–3, 544, 546, 547–8
- Corrosion, hydrostatic bearings 301
- Corrosive contamination 543
- Cost, bearing principles 12
- Couette flow, viscous flow, conservation of energy 123
- Cracked rings 540
- Curvature, ball contact and, rolling element bearings 426–8
- Cutoff lengths, surface texture measurement 72
- Cylindrical coordinates
 - conservation of energy, viscous flow 121
 - conservation of mass, viscous flow 116
 - conservation of momentum, viscous flow 117
 - squeeze-film bearings 265
- Cylindrical roller bearings 397
- Cylindrical viscometer 131

- Debris denting 539, 541
- Deep-groove single-row ball bearings 391
- Deformation, surface stresses and, rolling element bearings 7
- Density, compressibility and, lubricants 43
- Density wedge, Reynolds equation 149
- Detergents, lubricant fortification 25
- Diametral (radial) internal clearance, rolling element bearings 404–6
- Diffuser stall 535
- Disk-oiled bearings, partially starved oil-film bearings 373–4
- Dispersants, lubricant fortification 25
- Double seal 507, 509
- Drop-feed oiling, semilubricated bearings 380
- Dry and semilubricated bearings
 - materials
 - carbon-graphite 361
 - plastics 361–4
 - porous metal bearings 364–7
 - rubber 362
 - wood 362
 - minimal oil supply
 - drop-feed oiling 380
 - mist, air-oil, and grease feed 382
 - wick oiling 380
 - overview 101–10
 - partially starved bearing analysis 374
 - partially starved oil-film bearings 367
 - disk-oiled bearings 373–4
 - oil-ring bearings 368
 - ring-speed and oil delivery 370
 - temperature 365–7
- Dry sliding, principles 7–8
- Dynamic seals 487–8, 489

- Eccentricity ratio, minimum film thickness and, journal bearing design 253
- Economics, bearing principles 18
- Elastic deformation, of single asperity, contact between surfaces 78–9
- Elasticity, rolling element bearings 448
- Elastohydrodynamic lubrication (EHL)
 - principles 10
 - rolling element bearings 6
- Elastohydrodynamic pressure-viscosity coefficients, calculation of 36–9
- Electrical damage 548–9
- Elevated temperature 541
- Embedability, bearing materials selection 93–4
- Emission spectrographic wear monitoring 538
- Energy equation, nondimensional, viscous flow 135–6
- Energy, conservation laws, viscous flow 115
- Environmental requirements, bearing principles 17–18
- Erosion 548
- Experimental modal analysis (EMA) 535
- Externally pressurized feed, principles 9
- Extreme pressure agents, lubricant fortification 25

- Failure analysis 539–49
- Failure analysis, rolling element bearings 531
- Falling body viscometer 133
- Fatigue 539, 540–1, 542–5, 548
- Fatigue, bearing principles 18
- Ferrofluid seals 494–5
- Ferrography 539
- Filling-notch ball bearings 396
- Film thickness profile, journal bearings 224
- Finite thrust gas bearings
 - rectangular 331
 - sector-pad 332
 - tilting-pad design 335
- Flat-land thrust bearings 190–1
 - described 190
 - performance of 190–1
- Flaws, defined, surface texture 64
- Floating bushing seal leakage 490–2, 493
- Floating bushing seals 490–2
- Floating ring seals 490
- Flooded condition, starved condition compared, journal bearing design 251
- Fluid-film bearings
 - gas bearings 320–54
 - see also* Gas bearings

- Fluid-film bearings (*Continued*)
 history 165–6
 hydrostatic bearings 299–319
 see also Hydrostatic bearings
 journal bearings 201–59
 see also Journal bearings
 Reynolds equation 143–71
 see also Reynolds equation
 squeeze-film bearings 263–96
 see also Squeeze-film bearings
 thrust bearings 173–98
 see also Thrust bearings
 viscous flow 115–42
 see also Viscous flow
- Fluid-film lubrication, principles 8–10
- Flush plan 508, 514, 515, 516
- Foam inhibitors, lubricant fortification 25
- Foil gas bearing 350–6
 analysis 352–4
 bump foil 353
 limiting load and speed analysis 354–6
 top foil 353
- Frequencies, bearings, vibration 447
- Fretting 540
- Friction
 bearing materials selection 4–5
 history 4
 power loss and
 bearing principles 8
 piston rings 287
 rolling element bearings 6
- Friction modifiers, lubricant fortification 25
- Friction moments, rolling element bearings 461
- Friction torque, circular step thrust bearings 305
- FT-IR 538
- Full-arc plain journal bearings, with infinitely long approximation (ILA) 206
- Full-Sommerfeld boundary condition
 half-Sommerfeld condition compared 211
 journal bearings 207
- Gas bearings 321–57
 applications of 321–2
 closed-form solutions 329
 equation of state 322
 finite thrust bearings;
 rectangular 331
 sector-pad 332
 tilting-pad design 335
 journal bearings
 finite 223–4
 tilting-pad 201, 204
 Reynolds equation 324–5
 viscous properties 322–4
see also Fluid-film bearings
- Gas ingestion in visco-seals 500
- Gaseous cavitation, journal bearings 215
- Geometric characterization, of surface texture 63–4
- Geometric squeeze, Reynolds equation 148
- Gravity, order-of-magnitude analysis, viscous flow 136
- Grease bleed loss 540
- Grease feed systems, semilubricated bearing 49
- Grease hardening 540
- Greases
 mechanical properties 49
 oils in 47–8
 rolling element bearings 50
 thickeners 48–9
- Grease lubrication 384–5
- Half-Sommerfeld boundary condition
 full-Sommerfeld condition compared 206–11
 journal bearing 211
- Hard elastohydrodynamic lubrication (EHL), principles 10
- High-temperature bearing materials 12
- Holes, *see* Supply hole
- Housing and shaft fits, rolling element bearing selection 96
- Hyaluronic acid 277
- Hybrid parameters, surface texture 70
- Hydraulic lift, hydrostatic bearings 316
- Hydrodynamic lubrication, principles 10
- Hydrostatic bearings 299–319
 applications 300
 circular step thrust bearings 302
 flow rate requirement 304
 friction torque 305
 load capacity 304
 optimization 306
 power losses 305
 pressure distribution and load 302–3
 stiffness 305
 thermal effects 306
 compensated
 capillary-compensated 308
 design procedure for 312
 orifice-compensated 310
 configurations, generalization to 313
 hydraulic lift 316
 overview 317
 types and configurations 301–2
 see also Fluid-film bearings
- Hydrostatic oil lifts 300–1
- Hydrostatic thrust bearings, described 302
- Impeller stall 535
- Infinitely long approximation (ILA)
 full-arc plain journal bearings 206
 Reynolds equation 206

- Infinitely long journal bearings, gas bearings 331
- Infinitely long tapered-step and slider bearings, gas bearings 329–30
- Infinitely short approximation (ISA)
 - journal bearings 219–20
 - Reynolds equation 219
- Infrared (IR) spectral analyses 538
- Inside mechanical seals 508, 518
- Installation analysis 531–2
- Instrument ball bearings 396
- Instrumentation 532
- Interfacial seals 488–9
- Internal clearance, chamfer dimensions 404–6
- International Organization for Standardization (ISO), viscosity 29
- Interstitial seals 488–9
- ISO 7919 534

- Journal bearings 201–59
 - attitude angle for configurations 201–2
 - boundary conditions
 - full-Sommerfeld 207
 - generally 207
 - half-Sommerfeld 211
 - Sommerfeld number defined 210–11
 - Swift-Stieber (Reynolds) 216–19
 - cavitation phenomena 215
 - design guides
 - bearing load and dimensions 251–3
 - eccentricity and minimum film thickness 253
 - effective temperature 249
 - flooded and starved conditions compared 251
 - maximum temperature 249–50
 - misalignment and shaft deflection 257
 - operating clearance 254
 - turbulent and parasitic loss effects 250–1
 - film thickness profile 202
 - finite bearing design and analysis 223–4
 - full and half short solutions 221
 - full-arc plain (with ILA) 206
 - gas bearings
 - finite 223–4
 - infinitely long 206–7
 - tilting-pad 204–5
 - infinitely short approximation (ISA) 219–20
 - lubricant supply methods 232
 - axial groove 233–4
 - circumferential groove 234
 - flow considerations 235
 - supply hole 233
 - performance parameters 225
 - principles 245–9
 - stiffness vibration, and oil-whirl instability 245–9
 - types of 204
 - see also* Fluid-film bearings

- Kinematic viscosity, defined 29
- Kurtosis, surface texture parameters 68

- Labyrinth shaft seals 492–3
- Laminar 59, 123, 127, 130, 132, 143, 152, 155, 196–7, 223, 248, 250, 311, 312, 382, 491, 492, 495, 497, 498–9, 502, 515–16
- Lantern ring packing seals 506
- Lay, defined, surface texture 64
- Leakage of packing seals 505–6
- Life limit
 - bearing principles 12
 - maintenance, bearing principles 16
 - oil life 16
 - rolling element bearings
 - adjusted rating life 415–20
 - grease life 479–82
 - load-life relations 409–12
 - wear 465–7
- Lift off speed 251
- Limiting cases, closed-form solutions and, Reynolds equation 158–60
- Line contact, rolling element bearings 470–3
- Lip Seals 502–5
- Load-life relations, rolling element bearing selection 409
- Load
 - bearing principles 15
 - circular step thrust bearings 302
 - rolling element bearings 15
- Local expansion, Reynolds equation 148, 149
- Lubricant friction, rolling element bearings 459
- Lubricants 22–59
 - base stock categories 23–5
 - density and compressibility 43–4
 - greases
 - mechanical properties 49–51
 - oils in 47–8
 - thickeners 48–9
 - history 5, 23
 - mineral oils 23–5
 - oil life 45–7
 - solid 51
 - supply methods
 - centralized systems 59
 - circulating oil systems 54–8
 - journal bearings 201, 233–45
 - see also* Journal bearings
 - partially starved oil-film bearings 368
 - rolling element bearings 16
 - self-contained units 53–8
 - synthetic oils 25
 - thermal properties 44–5
 - viscosity
 - classifications 29

- Lubricants (*Continued*)
 defined 29–31
 elastohydrodynamic pressure-viscosity coefficients 36–9
 pressure and 34–6
 shear rate relations (non-Newtonian) 39–42
 temperature and 31–4
 viscoelastic effect 42
- Lubricating greases, viscosity-shear rate relations 41–2
see also Greases
- Lubrication, bearing principles 16
- Lubrication regime, surface roughness 85–7
- Magnetic particle screening 539
- Maintenance 531
- Maintenance, bearing principles 18
- Mannich base 538
- Mass conservation law
 Reynolds equation 144
 viscous flow 116
- Mating (stationary) rings 507–9, 513, 517–19, 521, 522, 525, 527
- Mean asperity contact pressure, real area of contact and 81–2
- Mean peak spacing (S_m), surface texture parameters 67
- Measurement, of surface texture 70–3
see also Surface texture
- Mechanical properties, greases 49–51
- Mechanical requirements, bearing principles 14
- Mineral oils, lubricants 23–5
- Miniature ball bearings 396
- Minimum film thickness, eccentricity ratio and, journal bearing design 253
- Misalignment
 rolling element bearings 455–6
 shaft deflection and, journal bearing design 257
- Mist systems
 rolling element bearings 476
 semilubricated bearing 59, 234, 380, 383
- Moisture contamination 543
- Momentum, conservation laws, viscous flow 117
- Multiple (segmented) floating ring seals 490
- Nanotribology and surface effects 6–7
- Navier-Stokes equations, Reynolds equation 144
- Needle roller bearings 397–8
- Newtonian fluids, viscous flow, conservation of momentum 119
- Noise, rolling element bearings 450
- Nomenclature, rolling element bearing selection 398–400
- Non-Newtonian lubricants, viscosity-shear rate relations 39
- Noncontacting methods, surface texture measurement 73
- Nondimensional energy equation, viscous flow 135–6
- Nondimensional flow equation, viscous flow 133–5
- Nondimensional Reynolds equation 155–6
- Nonplanar squeeze-film bearings
 expressions for geometries 272–7
 finite surfaces 277–81
 sphere approaching plate 271–2
- Nonpusher seal 508
- Normal squeeze, Reynolds equation 148
- Numerical method, Reynolds equation 163–6
- O-rings 487, 508
- Oil analysis 535–8
- Oil delivery, ring-speed and, partially starved oil-film bearings 370–3
see also Lubrication
- Oil film bearing failure analysis 542–9
- Oil-film bearing materials
 aluminum 99–100
 babbitts 96–8
 cast iron and steel 100
 copper alloys 98–9
 silver 100
 zinc 100–1
- Oil oxidation 531, 536, 547
- Oil-ring bearings, partially starved oil-film bearings 367–8
- Oil sampling frequency 536
- Oil sampling points 537
- Oil sludging 531
- Oil-whirl instability, journal bearings 245–9
- On-line monitoring 532–5
- Opening force 508, 511, 518–19, 527
- Operating temperature, rolling element bearings 467–9
- Optimization of seal head coefficient 496–7
- Order-of-magnitude analysis (viscous flow)
 gravity contribution 137–8
 inertia and viscous terms compared 136–7
 pressure and viscous forces compared 138–40
 pressure contribution 138
- Orifice-compensated hydrostatic bearings 310
- Outside Mechanical Seals 509
- Overload 540, 543
- Oxidation inhibitors, lubricant fortification 25
- Packing Seals 505–6
- Packing seals automatic-type 505–6
- Packing seals compression 505
- Packing Seals Jam-packed type 505, 540
- Parallel disk viscometer 130
- Parameters, surface texture 65–70
see also Surface texture

- Parasitic power loss
 - journal bearing design 250
 - thrust bearings 175
- Partially starved oil-film bearings 367–70
 - analysis 367–8
 - disk-oiled bearings 373–4
 - oil-ring bearings 368–70
 - ring-speed and oil delivery 370–3
 - see also* Dry and semilubricated bearings
- Particle embedding 547
- Peak sharpness (kurtosis), surface texture parameters 69
- Peak-to-peak shaft displacement 534
- Peak-to-valley height, surface texture parameters 66–7
- Performance parameters, Reynolds equation 156–8
- Petroff's formula, viscous flow 128–9
- Physical stretch, Reynolds equation 148
- Physical wedge, Reynolds equation 148
- Piston rings
 - described 287–92
 - friction force and power loss 292–5
- Pivoted-pad thrust bearings
 - described 184–7
 - performance of 184
- Planar squeeze-film bearings
 - elliptical disks 267–8
 - finite surfaces 277–81
 - generalization for 268–71
 - two parallel circular disks 265–7
- Plastics, dry and semilubricated bearings 101–2
- Point contact, rolling element bearings 471–3
- Polymer viscosity index improvers, shear rate relations (non-Newtonian) 39–41
- Pour-point depressant 538
- Pour-point depressants
 - lubricant fortification 25
- Power loss 497, 512–13, 533
 - friction and 292
 - bearing principles 14
 - piston rings 287–91
 - parasitic, thrust bearings 175
- Precision machinery, heavily loaded, hydrostatic bearings 300
- Pressure
 - order-of-magnitude analysis, viscous flow 138
 - viscosity and 138
- Pressure gradient factor 511–12, 519
- Pressure-Velocity (PV) factor 512, 516
- Pressure-viscosity coefficient, calculation of 36–9
- Primary (rotor) rings 517
- Pump MTBM 487
- Pushing Mechanism 507–8
- Radial contact seal 502–6
- Radial (diametral) internal clearance, rolling element bearings 404–6
- Radially loaded rolling bearings
 - load distribution 438
 - thrust loaded combined, load distribution 440–2
- Rayleigh-step bearing, Reynolds equation 161–3
- Real area of contact, mean asperity contact pressure and 81–2
- Remaining additive concentration 538
- Resistance temperature detector (RTD) 532
- Reynolds equation 143–71
 - application (Rayleigh-step bearing) 161–3
 - assumptions 143–4
 - derivations
 - boundary conditions 145
 - conservation of mass 146
 - cylindrical coordinates 151
 - general equation 149–50
 - Navier-Stokes equations 144–5
 - standard equation 151
 - gas bearings 324–9
 - limiting cases and closed-form solutions 158–60
 - nondimensionalization 155–6
 - numerical method 163–6
 - performance parameters 156–8
 - squeeze-film bearings 151
 - surface roughness 153–5
 - Swift-Stieber (Reynolds) boundary condition, journal bearings 216
 - turbulent flows 152–3
 - see also* Fluid-film bearings
- Rib wear 540
- Ring-speed, oil delivery and, partially starved oil-film bearings 370–3
- Roller bearings, types of 397–8
- Roller-raceway line contacts, surface stresses and deformation 434–6
- Rolling element bearing selection
 - adjusted rating life 415–20
 - ball bearings, types of 391–6
 - boundary dimensions 401–3
 - chamfer dimensions 403–4
 - internal clearance 403–6
 - precision classifications 406
 - load-life relations
 - combined radial and thrust load 412–13
 - minimum load 415
 - varying load 414–45
 - nomenclature 398
 - roller bearings, types of 397–8
 - shaft and housing fits 406
 - static load capacity 420–1
 - thrust bearings, types of 398

- Rolling element bearings
 - cage considerations 444–6
 - elasticity 448
 - failure analysis 531
 - friction 459–61
 - friction moments 461–5
 - history 6, 391
 - internal geometry
 - angular misalignment 429–30
 - axial clearance 429
 - curvature and ball contact 426–8
 - point and line contact 426
 - radial (diametral) internal clearance 428–9
 - load distribution
 - combined radial and thrust loads 438–40
 - radially loaded 438
 - thrust loaded 440
 - load limit 454
 - lubrication
 - EHL lubrication 469
 - grease life 479–82
 - grease selection and application 478–9
 - greasing and regreasing 482–3
 - oil application 476–7
 - materials for
 - misalignment limit 455
 - noise 450
 - oil change intervals
 - oil viscosity selection 473–6
 - solid lubricants 483
 - operating temperature 467–9
 - speed limit 452
 - speed of cage and rolling elements 443–4
 - subsurface stresses 436–8
 - surface stresses and deformation
 - ball-raceway contacts 430–4
 - roller-raceway line contacts 434–6
 - temperature limit 454
 - vibration 446–7
 - wear 465–7
- Rolling friction, rolling element bearings 459
- Root-mean-square roughness (R_q), surface texture parameters 65–7
- Rotational viscometers 130–2
- Rotor vibration, journal bearings 245–9
- Roughness
 - defined, surface texture 63
 - see also* Surface texture
 - Reynolds equation 153–5
- Rubber, dry and semilubricated bearing materials 102
- Rust inhibitor 537, 539
- Rust inhibitors, lubricant fortification 25
- Screw pump 502, 503
- Scuffing failure 301
- Seal chamber 515, 519
- Seal classifications 487–8
- Seal face flatness 513
- Seal face materials 509, 513
- Seal face surface finish 513, 544
- Seal face temperature 517–26
- Seal failure 487, 507
- Seal flushing system 514–16
- Seal gland 515
- Seal head 496–7, 508, 509, 510, 512, 518
- Seal heat generation 512–13
- Seal laminar flow 490, 495, 498, 502, 516
- Seal leakage 493
- Seal maintenance cost 487
- Seal materials and coefficient of friction 513–14
- Seal power loss 512–13, 518–19, 533
- Seal ring shapes 522–6
- Seal thermal analysis 26, 488, 492, 505, 513, 518, 520
- Seals and shields, ball bearings 396
- Seals API flush plans 515
- Sector-pad finite thrust gas bearings 332–5
- Seizure 544, 545
- Self-contained lubricant supply 54
- Self-excited vibration 535
- Self-propagating wear 545, 546–7
- Semilubricated bearing materials, *see* Bearing materials; Dry and semilubricated bearings
- Sensors 532, 533
- Shaft and housing fits, rolling element bearing selection 406
- Shaft deflection, misalignment and, journal bearing design 257
- Shaft magnetization 549
- Shaft whip instability 535
- Shear rate relations (non-Newtonian), viscosity 39
- Signal processing 532
- Silver, oil-film bearing materials 100
- Single asperity, elastic deformation of, contact between surfaces 78
- Skewness, surface texture parameters 68
- Skid/skidless instruments, surface texture measurement 72
- Sleeve bearings, *see* Journal bearings
- Sliding friction, rolling element bearings 459
- Society of Automotive Engineers (SAE), viscosity 29–30
- Soft elasto-hydrodynamic lubrication (EHL), principles 11
- Solid lubricants
 - described 51
 - rolling element bearings 483

- Sommerfeld number, defined 210–11
- Soot 537, 538
- Space requirement, bearing principles 16
- Spacing and shape parameters, surface texture 67
- Speed
 - bearing principles 15
 - rolling element bearings, grease life 479–82
- Speed limit, rolling element bearings 452–4
- Spherical roller bearings 394, 397, 398, 426, 463, 464
- Spiral groove 234
- Spring-mounted thrust bearings
 - described 189
 - performance of 190
- Squeeze-film action, principles 263
- Squeeze-film bearings 263–96
 - equations governing 264–5
 - finite surfaces
 - nonplanar 281–7
 - planar 277–81
 - nonplanar
 - expressions for geometries 272–7
 - sphere approaching plate 271–2
 - overview 263
 - piston rings
 - described 287
 - friction force and power loss 292–5
 - planar
 - elliptical disks 267–8
 - generalization for 268–71
 - two parallel circular disks 265–7
 - see also* Fluid-film bearings
- Squeeze film, Reynolds equation 151
- Stadium mover/converter, hydrostatic bearings 301
- Starved condition, flooded condition compared, journal bearing design 251
- Static load capacity, rolling element bearing selection 420–1
- Static seals 487–8
- Statistical descriptions, surface texture 75–6
- Steady film, Reynolds equation 151
- Steel, oil-film bearing materials 100
- Step thrust bearings
 - described 187
 - performance of 188
- Strength, bearing materials selection 95
- Stuffing box 505–6
- Stylus sensitivity, surface texture measurement 72–3
- Subsurface stresses, rolling element bearings 436–8
- Sulfate detergent 538
- Supply hole, journal bearing lubricant supply 233
- Surface drag loss, thrust bearings 194
- Surface effects, history 6–7
- Surface fatigue wear, bearing materials selection 92–3
- Surface pitting 540, 545
- Surface stresses, deformation and, rolling element bearings 430–4
- Surface texture
 - contact between surfaces 78
 - asperity plastic deformation 79–81
 - elastic deformation of single asperity 78–9
 - mean asperity contact pressure and real area of contact 81–2
 - geometric characterization 63–5
 - lubrication regime 85–7
 - measurement
 - contacting methods 70–3
 - noncontacting methods 73
 - parameters
 - amplitude 65
 - hybrid 70
 - spacing and shape 67–9
 - Reynolds equation 82
 - statistical descriptions 75–6
 - symbols 76
- Swift-Stieber (Reynolds) boundary condition, journal bearings 216
- Symbols, surface texture 76–7
- Synthetic oils, lubricants 25
- Tandem mechanical seals 507, 509
- Tapered-land thrust bearings
 - described 178
 - performance of 179
- Tapered roller bearings 397
- Tapered-step and slider bearings, infinitely long, gas bearings 329–30
- Temperature
 - circular step thrust bearings 306–8
 - dry and semilubricated bearing 249–50
 - flash temperature in sliding contacts 83
 - gas bearings, viscous properties 322
 - high-temperature bearing materials 106–8
 - hydrostatic bearings 306–8
 - journal bearing design 249–50
 - low temperature limits 47–8, 55–7
 - monitoring 532–3
 - Reynolds equation, thermohydrodynamic analyses 166
 - rolling element bearings 454–5
 - tapered-land thrust bearings 181–4
 - thermal properties
 - bearing materials selection 95–6
 - lubricants 44–5, 95–6
 - viscosity and 31–4
- Thermal breakdown 545
- Thermally induced seizure 254

- Thermocouple 533
- Thermohydrodynamic analyses, Reynolds equation 166
- Thickeners, greases 48–9
- Three-body abrasion wear, bearing materials selection 93
- Through-flow loss, thrust bearings 192
- Thrust bearings 173–97
- design factors 176–7
 - flat-land thrust bearings 190–1
 - parasitic power loss 191–2
 - performance analysis 177–8
 - pivoted-pad thrust bearings 184–7
 - principles 173
 - spring-mounted thrust bearings 189–90
 - step thrust bearings 187–9
 - tapered-land thrust bearings 178–81
 - turbulence 196–7
 - types of 173–6
 - see also* Finite thrust gas bearings; Fluid-film bearings
- Thrust loaded rolling bearings
- load distribution 438
 - radially loaded combined, load distribution 440
- Tilting-pad journal bearings, design of 204
- Tilting-pad thrust gas bearings, design of 335
- Total acidity number (TAN) 538
- Total base number (TBN) 537
- Tribology
- defined 3
 - history of 3–4
 - principles of 7–12
 - see also* Bearing principles
- Troubleshooting 535, 543
- Turbulent flows
- journal bearing design 250–1
 - Reynolds equation 152
 - thrust bearings 196–7
- Turbulent seal flow coefficient, 152
- Two-body abrasion wear, bearing materials selection 93
- Unbalanced mechanical seals 507, 509–10
- Unit conversion factors 551
- Vane passing 535
- Vapor cavitation, journal bearings 215–16
- Vibration 531, 532, 534–5
- journal bearings 245–9
 - rolling element bearings 446–7
- Vibration monitoring 532, 535
- Visco-seal friction resistance coefficient 498–9
- Visco-seal leakage-flow coefficient 487, 490, 491, 492, 497
- Visco seals 495–502
- Viscoelastic effect, described 42
- Viscometers 129–33
- Viscosity
- classifications 29–31
 - defined 29
 - elastohydrodynamic pressure-viscosity coefficients 36–9
 - pressure and 34–6
 - shear rate relations (non-Newtonian) 39
 - temperature and 31–4
 - viscoelastic effect 42
- Viscosity conversion table 555–6
- Viscosity index improvers
- lubricant fortification 25
 - shear rate relations (non-Newtonian) 39
- Viscosity index, use of 33–4
- Viscosity-temperature coefficient, calculation of 34
- Viscous flow 115–42
- conservation laws 115
 - energy 121
 - mass 116
 - momentum 117
 - energy equation, nondimensionalization of
 - flow equation, nondimensionalization of 133–5
 - order-of-magnitude analysis 136–7
 - gravity contribution 137–8
 - inertia and viscous terms compared 136–7
 - pressure and viscous forces compared 138–40
 - pressure contribution 138
 - Petroff's formula 128
 - viscometers 129
 - see also* Fluid-film bearings
- Warning limits 536–7
- Water contamination 547
- Water content 537
- Waviness, defined, surface texture 63–4
- Wear
- bearing materials selection 92
 - history 91
 - monitoring 538–9
 - rolling element bearings 465–7
- Whirl instability, gas bearings, finite journal bearings 344–5
- Wick oiling, semilubricated bearing 368
- Wire wool wear 545, 546
- Wood, dry and semilubricated bearing materials 101
- Zinc, oil-film bearing materials 100–1

