

# Index

## *Numerics*

- 3-D spatial sound, 170, 172
- 3-D video card, 31, 95, 97
- 3DMark Vantage utility, 94
- 802.11g wireless networking standard, 217
- 802.11n wireless connection, 199
- 802.11n wireless networking standard, 217

## • A •

- AAC format, 171
- AC line noise, 252
- accelerated card, 94
- accelerated graphics port (AGP)
  - adapter card, 22
  - slot, 101, 279
  - video card, 94
- access point, 216
- access time
  - Blu-ray drive, 157
  - defined, 279
  - DVD drive, 157
  - hard drive, 119
- adapter card
  - AGP, 22
  - basic description of, 21
  - common sense assembly rules, 13
  - defined, 279
  - installation, 86–88
  - ISA, 87
  - PCI, 22, 87
  - PCI-Express, 22, 101, 285
- Advanced Micro Device. *See* AMD
- AGP (accelerated graphics port)
  - adapter card, 22
  - slot, 101, 279
  - video card, 94
- AIFF format, 171
- airflow rating, fan, 240
- algorithm, 227
- AMD (Advanced Micro Device)
  - Athlon 64 X2 processor, 64
  - basic description of, 18
  - Phenom processor, 64–65
  - Sempron processor, 63–64
- amplified power, speaker, 176
- analog dial-up technology, 189
- analog plug, 176
- animated GIF, 256
- Antec Twelve Hundred tower case, 51
- antiglare coating, 104
- antistatic strip, 51
- APC Biometric Biopod USB device, 141
- application
  - defined, 279
  - uninstall program, 267–268
- archival storage
  - optical drive, 150
  - removable storage drive, 121
- assembly
  - case, 261
  - common sense assembly rules, 12–14
  - experience, 2
  - instructions, reading first, 257
  - resources, 259–260
  - taking your time, 261
  - workspace considerations, 257–258
- ASUS P5N-D LGA775 motherboard, 51
- AT-class, 279
- Athlon Phenom, 279
- Athlon processors, 64–65
- Athlon Sempron, 279
- Athlon 64 FX, 279
- Athlon 64 FX Dual-Core, 279
- Athlon 64 X2 motherboard, 49
- Athlon 64 X2 processor, 64
- Athlon XP, 279
- ATX-class, 279
- AU format, 171
- audio. *See* sound card
- audio controls, 157
- audiophile sound card, 31

automated backup, 253  
automatic configuration, NIC, 214  
AVerTV Combo PCI-E TV card, 100

## • B •

background image, 264  
backup  
  automated, 253  
  mirror, 241  
  regular, 253  
  tape backup drive, 287  
Baig, Edward C. (*Macs For Dummies*), 277  
ball-bearing fan, 47  
bank, 56, 72, 116, 280  
bargain shopping, 35  
basic input-output system. *See* BIOS  
beep code descriptions, 75  
binder, CD, 255  
Biopod USB device, 141  
BIOS (basic input-output system)  
  basic description of, 50  
  defined, 280  
  Flash, 50, 283  
bit, 280  
bit rate, 170  
bits per second (bps), 280  
Blu-ray drive  
  access time, 157  
  audio controls, 157  
  CD and DVD compatibility, 160  
  cost, 162  
  defined, 280  
  memory, 157  
  quality, 160  
  support, 157  
  transfer rate, 156  
boom microphone, 174, 177, 186  
boot drive, 145  
boot password, 141  
boxes, saving, 13  
bps (bits per second), 280  
brands  
  CPU, 18  
  retail packages versus building your own, 3–4  
bridge connector, video card, 238

Briere, Danny (*Wireless Home Networking For Dummies*, 3rd Edition), 217  
broadband  
  basic description of, 187  
  cost, 191–192  
  defined, 280  
  determining if needed, 188  
  ISP sources, 192  
Bruce, Walter (*Wireless Home Networking For Dummies*, 3rd Edition), 217  
bubble jet printer, 230  
buffer, 120  
building your own versus retail package  
  brand consideration, 3–4  
  common myths, 12  
  cost consideration, 1, 3  
  ease of building, 8  
  foolish assumptions, 5–6  
  repair consideration, 2–3  
built-in speaker, 104  
burning CDs, 155  
bus  
  bus slot, 101  
  defined, 280  
  speed, 63  
Business edition (Vista operating system), 138  
buttons, case, 47  
byte, 280

## • C •

CA (Commonsense Assembly), 12–14, 280  
cable  
  checking connection of, 261–262  
  coax, 281  
  flat-ribbon cable connector, 124  
  network, 214–215  
  patch, 215  
  Pin 1 Rule, 261–262  
  SATA, 117  
  twisted-pair, 213, 287  
  twisted-pair crossover, 213  
  VGA, 112, 287  
  Y power cable adapter, 259  
  Y-splitter, 240  
cable modem, 189–190, 280

- cache
  - Blu-ray drive, 157
  - controllers and, 121
  - defined, 280
  - DVD drive, 157
  - hard drive, 120
  - memory, 63
- cage, fan, 239
- caller ID, voice modem, 196
- camera, digital
  - compression, 228
  - cost, 227
  - defined, 281
  - flash RAM memory, 227–228
  - pictures, loading into computer, 228
  - point-and-shoot, 228
  - resolution, 228
  - special effects, 228
  - Web cam, 229
  - zoom control, 228
- canned air, 48
- carpal tunnel syndrome, 84
- case
  - assembly, 261
  - bare-bones computer requirements, 26
  - buttons, 47
  - cleaning, 256
  - color, 42, 245
  - cooling fan, 42
  - custom case example, 15–16
  - customizing, 244–245
  - defined, 280
  - desktop, 44–45
  - digital readout, 47
  - dusting, 48
  - front cutout, 42
  - gaming PC, 244–245
  - with hinged doors, 42
  - lighting, 47
  - midrange computer requirements, 27
  - minitower, 45
  - pizza-box type, 42–44
  - power supply, 46
  - selection consideration, 41–42
  - shoe-box, 43–44
  - shuttle box, 43–44
  - sizes, 16
  - slot covers, installing, 52–53
  - space-saver, 41–45
  - speaker, 47
  - top-of-the-line computer requirements, 28
  - tower, 45, 51
  - with transparent panel, 245
- CD
  - binder, 255
  - Blu-ray drive compatibility, 160
  - burn, 155
  - care and maintenance, 155
  - computer needs assessment, 31
  - laser, 159
  - racks, 255
- CD-R (compact disc-recordable), 155
- CD-ROM drive, 156, 280
- CD-RW drive, 280
- Celeron processor
  - basic description of, 63–64
  - defined, 280
- central processing unit (CPU)
  - bare-bones computer requirements, 26
  - Celeron processor, 63–64
  - comparison between, 63
  - Core 2 Duo processor, 64
  - Core 2 Quad processor, 64–65
  - CPU socket, 68
  - defined, 18, 281
  - installation, 67–69
  - midrange computer requirements, 27
  - Phenom processor, 64–65
  - popular brands, 18
  - RAM and, 61
  - Sempron processor, 63–64
  - speed, 18
  - top-of-the-line computer requirements, 28
  - ZIF (zero insertion force) socket, 68, 288
- cfm (cubic feet per minute), 240
- CGA (color graphics display), 280
- Chambers, Mark
  - iMac For Dummies*, 277
  - PCs All-in-One Desk Reference For Dummies*, 4th Edition, 138
  - Scanners For Dummies*, 2nd Edition, 224
- Check Disk feature, 266–267
- chipset, 95
- circuit board, 13

- clean install, 242
- cleaning
  - computer components, 256
  - Disk Cleanup program, 268
- client, 211
- client-server network, 211, 280
- clip-on microphone, 174, 186
- CMOS (complementary metal-oxide semiconductor), 132, 281
- CNET Web site, 32
- coax cable, 281
- color
  - case, 42, 245
  - color configuration support, monitor, 104
  - printing in, 231
- color depth
  - defined, 281
  - scanner, 226
  - video card, 94, 96
- color graphics display (CGA), 280
- color-coded connections, 20
- COM port, 81, 281
- commands, 4–5
- Commonsense Assembly (CA), 12–14, 280
- communication, network, 210
- compact disc-recordable (CD-R), 155
- compatibility, RAM, 66
- complementary metal-oxide semiconductor (CMOS), 132, 281
- components. *See* computer components
- compression
  - defined, 281
  - digital camera, 228
- computer case. *See* case
- computer components
  - careful use of, 13
  - case, 15–16
  - common connection concerns, 20–21
  - monitor, 18
  - motherboard, 17–18
  - ordering, 33–35
  - ports, 18–19
  - researching, 32–33
  - standardized, 15
  - storage, 19–20
  - video card, 18
  - warranty for, 34
- computer needs assessment (what type to build)
  - bare-bones computers, 25–26
  - discussed, 23
  - drawing tablet, 29
  - gaming, 31
  - high-quality video, 24
  - home office, 30
  - midrange designs, 26–27
  - music files, 30–31
  - primary application consideration, 24
  - secondary application consideration, 24
  - top-of-the-line computers, 27–28
- computer store, as assembly resource, 260
- configuration
  - hardware-auto configuration, 136
  - NIC, 214
  - System Configuration Utility, 265
- connection. *See also* port
  - built-in port, 89–90
  - bus slot, 101
  - color-coded, 20
  - common concerns about, 20–21
  - double checking all, 14
  - drive controller, 123–124
  - female connector, 81
  - flat-ribbon cable, 124
  - light, 58–59
  - male connector, 81
  - microphone, 185–186
  - monitor, 112–113
  - motherboard power supply, 57
  - speaker, 58–59, 181–182
  - switch, 58–59
  - testing, 85
- controller
  - cache, 121
  - gaming, 31
  - hard drive, connecting, 123–124
- controller card, 120–121
- convenience
  - network, 210
  - operation system selection, 36
  - shared Internet connection, 196
- cookie, Web, 142
- cooling fan
  - additional, 42
  - ball-bearing, 47

- extended overheating, 46
  - heatsink combination, 70–71
  - installation, 70–71
  - troubleshooting, 75
  - copyright
    - guidelines, 229
    - hidden, 229
    - violation, 271
  - core clock
    - defined, 94
    - speed, 236
  - Core 2 Duo motherboard, 49
  - Core 2 Duo processor
    - basic description of, 64
    - defined, 281
  - Core 2 Extreme Edition processor, 281
  - Core 2 Quad processor
    - basic description of, 64–65
    - defined, 281
  - Corel Web site, 256
  - cost
    - Blu-ray drive, 162
    - broadband, 191–192
    - bundled software, 3
    - digital camera, 227
    - inkjet printer, 230
    - joystick, 246
    - laser printer, 230
    - modem, 194
    - operating system, 135
    - PCI bus sound card, 169
    - retail packages versus building your own, 1, 3
    - scanner, 223
  - CPU (central processing unit)
    - bare-bones computer requirements, 26
    - Celeron processor, 63–64
    - comparison between, 63
    - Core 2 Duo processor, 64
    - Core 2 Quad processor, 64–65
    - CPU socket, 68
    - defined, 18, 281
    - installation, 67–69
    - midrange computer requirements, 27
    - Phenom processor, 64–65
    - popular brands, 18
    - RAM and, 61
    - Sempron processor, 63–64
    - speed, 18
    - top-of-the-line computer requirements, 28
    - ZIF (zero insertion force) socket, 68, 288
  - CPU chip, 17
  - Creative Labs Web site, 170
  - credit card purchases, mail-order, 33
  - CRT monitor, 18, 103–104
  - cubic feet per minute (cfm), 240
- D •
- data buffer, 157
  - data packet, 215
  - data transfer, 264
  - DDR2 (double data rate) memory, 65–66, 281
  - DDR3 (double data rate) memory, 65–66
  - defragmentation, 263–264
  - desktop
    - case, 44–45
    - Linux operating system, 139
    - Vista operating system, 137
  - DHCP (Dynamic Host Configuration Protocol), 197
  - diagnostics package, 253
  - dial-up technology, 189
  - dictation, voice, 173
  - digital camera
    - compression, 228
    - cost, 227
    - defined, 281
    - flash RAM memory, 227–228
    - pictures, loading into camera, 228
    - point-and-shoot, 228
    - resolution, 228
    - special effects, 228
    - Web cam, 229
    - zoom control, 228
  - digital controls, monitor, 104
  - digital data, optical drive, 158
  - digital effects and encoding, sound card, 173
  - digital photo album, 154
  - digital plug, 176
  - digital readout feature, 47
  - digital subscriber line (DSL)
    - basic description of, 190
    - defined, 282
    - splitter, 190–191
  - digital visual interface (DVI), 98, 282

- DIMM (dual inline memory module), 281
- DIP (dual inline packaging) switch, 56, 86, 281
- DirectX program, 137, 281
- disk
  - checking for errors, 266–267
  - Disk Cleanup program, 268
- disk operating system (DOS), 266, 282
- disk-scanning utility, 253
- display power management signaling (DPMS), 99, 282
- distinctive ring, 281
- DL (dual-layer) media, 156
- DL DVD (dual layer digital video disc), 281
- Dolby DTS playback, 170
- DOS (disk operating system), 266, 282
- dot pitch, 282
- double data rate (DDR2) memory, 65–66, 281
- double data rate (DDR3) memory, 65–66
- dpi (dot per inch), 231
- DPMS (display power management signaling), 99, 282
- drawer, keyboard, 254
- drawing tablet
  - computer needs assessment, 29
  - defined, 282
  - freehand drawing, 83
  - as pointing device, 83, 251
- drive bay, 16
- drive cage, 120
- drive controller, 50
- driver
  - keeping updated, 266
  - video card support, 95
- DriverZone Web site, 95
- DSL (digital subscriber line)
  - basic description of, 190
  - defined, 282
  - splitter, 190–191
- dual display features, video card, 99
- dual inline memory module (DIMM), 281
- dual inline packaging (DIP) switch, 56, 86, 281
- dual layer digital video disc (DL DVD), 281
- dual-layer (DL) media, 156
- dusting, 48
- DVD (*Build Your Own PC Do-It-Yourself For Dummies*)
  - system requirements, 277
  - technical support, 278
  - troubleshooting, 278

- DVD drive
  - access time, 157
  - audio controls, 157
  - Blu-ray drive compatibility, 160
  - care and maintenance, 155
  - digital data, 158
  - external, 161–162
  - internal, 160–161
  - laser, 159
  - memory, 157
  - quality, 160
  - support, 157
  - transfer rate, 156
- DVD recorder, 155–156
- DVD+RW drive, 282
- DVD-RW drive, 282
- DVI (digital visual interface), 98, 282
- Dynamic Host Configuration Protocol (DHCP), 197

## • E •

- EDO (extended data output), 282
- EIDE (Enhanced Integrated Drive Electronics)
  - business end of, 116
  - controller, 50
  - defined, 282
  - hard drive installation, 125–127
  - master/slave jumper, 116
  - optical drive, 161
  - SATA hard drive comparison, 118–119
- 802.11g wireless networking standard, 217
- 802.11n wireless connection, 199
- 802.11n wireless networking standard, 217
- e-mail, 173
- emulator, 136
- encoding and digital effects, sound card, 173
- Energy Star/DPMS compliance, 104
- Enhanced Integrated Drive Electronics. *See* EIDE
- ergonomic keyboard, 19, 84, 254
- error, 266–267
- eSATA port, 80
- Ethernet network, 211–215
- Ethernet port, 19
- extended data output (EDO), 282
- external DVD drive, 161–162
- external modem installation, 202–203
- external peripheral, 282

external ports, installing, 89–90  
 external speaker, 175  
 extra parts, 260–261

## • F •

fan  
 additional, 42  
 airflow rating, 240  
 ball-bearing, 47  
 cage, 239  
 CPU, 240  
 extended overheating, 46  
 gaming PC, 230–231, 238–239  
 heatsink combination, 70–71, 241  
 installation, 70–71  
 lighted, 242  
 multiple use, 240  
 power supply, 240  
 troubleshooting, 75  
 fax modem, 282  
 fax support, 195  
 female connector, 81, 282  
 file server, 211  
 file size, removable storage drive, 121  
 filter, Norton, 142  
 fingerprint scanner, 141  
 fingertip mouse, 251, 282  
 firewall  
   defined, 282  
   Symantec Norton Internet Security 2008, 142  
   Vista operating system, 141  
 FireWire port  
   basic description of, 19  
   defined, 282–283  
   external optical drive, 161  
   standard, 80  
 Flash BIOS  
   basic description of, 50  
   defined, 283  
 Flash drive, 283  
 flash RAM memory, 227–228  
 flatbed scanner, 224–225  
 flat-panel monitor, 102–104, 283  
 flat-ribbon cable connector, 124  
 floppy disk drive  
   alternatives to, 120  
   basic description of, 19–20

defined, 283  
 disadvantages of, 271  
 installation, 129–131  
 magnetic fields, 270  
 shelf life, 270  
 top-of-the-line computer requirements, 28  
 formatting hard drive, 134  
 fps (frames per second), 236  
 frame rate, 94  
 freehand drawing, 83  
 freeware, 277  
 Futuremark Web site, 94

## • G •

game port  
   as optional port, 81  
   defined, 283  
   PCI bus sound bard, 170  
 gaming PC  
   audiophile sound card, 31  
   broadband needs assessment, 188  
   case customization, 244–245  
   computer needs assessment, 31  
   controllers, 31  
   DirectX program, 137  
   fan, 230–231, 238–239  
   GPU performance, 236  
   joystick, 245–246  
   lighted fan, 242  
   lighted feet, 243  
   modding, 235  
   RAID array, 241–242  
   rope light, 242  
   sound card, 31  
   speaker, 31  
   temperature gauges, 243  
   textures (graphic designs), 236  
   3D video card, 31  
   UV light, 242  
   video card, 31, 235–237  
   visual extras, 242–243  
 gateway, Internet, 211  
 GB (gigabyte), 20, 283  
 GeForce 8400 GS video card, 94  
 GeForce GTX 200-series chipset, 95  
 general information about this book, 4  
 GHz (gigahertz), 18, 62, 283

GIF (graphic interchange format), 256  
 gigabyte (GB), 20, 283  
 glare, monitor, 104  
 GNU software, 277  
 Gookin, Dan (*PCs For Dummies*), 277  
 GPU (graphics processing unit)  
   graphics functions, 94  
   speed, 236  
 graphic interchange format (GIF), 256  
 graphics, 36. *See also* video card  
 grounding, 14  
 GUI (graphical user interface), 139

## • H •

hacker, 283  
 hard drive  
   access time, 119  
   bare-bones computer requirements, 26  
   basic description of, 20, 115  
   cache, 120  
   controllers, connecting, 123–124  
   defined, 283  
   defragmentation, 263–264  
   drive cage kit, 126  
   floppy disk drive, 120, 129–131  
   formatting, 134  
   midrange computer requirements, 27  
   partitioning, 134  
   PC configuration, 132–133  
   removable storage drive, 121  
   REV cartridge drive, 122  
   rpm, 119  
   size, 120  
   storage capacity, 119  
   storage capacity, scanner, 224  
   top-of-the-line computer requirements, 28  
 USB Flash drive, 122  
 warranty, 120  
 WD3000GLFS, 122  
 hardware  
   auto-configuration, 136  
   network, 213–215  
   operating system selection considerations, 36  
   refurbished, 269–270  
   support, 136  
   voice modem, 196

HD LED, 59  
 HD support, TV card, 109  
 HDD light, 59  
 headphone speaker, 175  
 headset microphone, 174  
 heatsink and fan combination, 70–71, 241  
 high-speed access. *See* broadband  
 Home Basic edition (Vista operating system), 138  
*Home Networking For Dummies*, 4th Edition (Ivens), 211  
 home office  
   computer needs assessment, 30  
   home phone line network, 215  
   modem, 30  
   printer, 30  
   scanner, 30  
 Home Premium edition (Vista operating system), 138  
 HomePNA network, 215–216  
 hub, USB, 216  
 Hurley, Pat (*Wireless Home Networking For Dummies*, 3rd Edition), 217

## • I •

icons, about this book, 7  
 ICS (Internet Connection Sharing), 204  
 IDG Web site, 32  
*iMac For Dummies* (Chambers), 277  
 image editor, 256  
 image-acquisition software, 224  
 image-editing software, 224  
 Industry Standard Architecture (ISA) slot, 50, 283  
 infrared port, 81, 283  
 ink cartridge, 230–231  
 inkjet printer  
   advantages of, 230–231  
   color printing, 231  
   cost, 230  
   defined, 283  
   ink cartridges, 230  
   multifunction printer, 230  
 input  
   bare-bones computer requirements, 26  
   midrange computer requirements, 27  
   top-of-the-line computer requirements, 28

- installation
    - adapter card, 86–88
    - CPU, 67–69
    - EIDE hard drive, 125–127
    - external modem, 202–203
    - external port, 89–90
    - fan, 70–71
    - floppy disk drive, 129–131
    - internal modem, 200–201
    - keyboard, 91
    - Linux operating system, 147–150
    - motherboard, 54–56
    - mouse, 92
    - NIC (network interface card), 218–219
    - optical drive, 163–166
    - pointing device, 92
    - printer, 232–233
    - RAM, 72–73
    - SATA hard drive, 128
    - scanner, 232–233
    - slot cover, 52–53
    - sound card, 178–180
    - TV card, 109–111
    - video card, 106–108
    - Vista operating system, 143–146
  - instructions, reading first, 257
  - integrated audio hardware, sound card, 170
  - Intel
    - Celeron processor, 63–64
    - Core 2 Duo processor, 64
    - Core 2 Quad processor, 64–65
    - Intel Core 2 series, 18
  - interface, 283
  - internal DVD drive, 160–161
  - internal modem installation, 200–201
  - Internet
    - broadband needs assessment, 188
    - parts research, 32–33
    - router, 211
    - Satellite Internet connection, 190
    - shared network, 196–199, 206
    - telephone, 174
  - Internet Connection Sharing (ICS), 204
  - Internet gateway, 211
  - Internet service provider. *See* ISP
  - interpolated resolution, 227
  - ISA adapter card, 87
  - ISA (Industry Standard Architecture) slot, 50, 283
  - ISP (Internet service provider)
    - Internet telephone and, 174
    - locating, 192
  - Ivens, Kathy (*Home Networking For Dummies*, 4th Edition), 211
- 7 •
- joystick
    - cost, 246
    - defined, 284
    - game-dependent, 246
    - Logitech Force 3D Pro, 245
    - resistance/movement in, 245
  - jumper
    - defined, 284
    - settings, 116
- K •
- KB (kilobyte), 284
  - keyboard
    - cleaning, 256
    - desk space, 84
    - drawer, 254
    - ergonomic, 19, 84, 254
    - extra keys, 84
    - installation, 91
    - Logitech Cordless Trackman Wheel, 85
    - Logitech G15 Gaming, 85
    - mouse combination, 85
    - multifunction buttons, 84
    - PS/2 standard connector, 78–79
    - shelves for, 84
    - standard, 84
    - trying before buying, 85
    - wireless, 84
  - keyboard port, 78, 284
  - keying, 127
  - kilobyte (KB), 284

## • L •

- LAN (local area network), 209, 284
- laser printer
  - advantages of, 231
  - cost, 230
  - defined, 284
  - ink cartridges, 231
  - toner, 230–231
- LCD monitor
  - basic description of, 18
  - size, 102–103
  - widescreen format, 102
- leasing, 273
- legacy applications, 136
- licensing, 144
- lighting
  - assembly rules, 13
  - case, 47
  - gooseneck lamp, 257–258
  - power, 58–59
  - well-equipped workspace, 257
- LightScribe drives and media, 158
- linked cards, 238
- Linux operating system
  - advantages of, 139
  - defined, 284
  - desktop, 139
  - history of, 138–139
  - installation, 147–150
  - Linux Kernel Archive, 139
  - Mandriva, 135, 140
- Linux operating system
  - Red Hat Enterprise, 135, 140
  - shell, 135, 139
  - TCP/IP support, 139
  - Unix operating system, 138
  - X graphical user interface, 139
- liquid, keeping away from computer and components, 15
- LITE-ON 20X Dual-Layer DVD Burner optical drive, 162
- local area network (LAN), 209, 284
- lockups, 253
- Logitech Cordless Trackman Wheel, 85
- Logitech Force 3D Pro joystick, 245
- Logitech G15 Gaming keyboard, 85

## • M •

- Macs For Dummies* (Baig), 277
- magazine, as parts research, 32–33
- magnetic screwdriver, 14, 260
- mail-order, 33–34
- maintenance
  - background image, keeping it simple, 264
  - Check Disk feature, 266–267
  - data transfer, 264
  - defragmentation, 263–264
  - Disk Cleanup program, 268
  - driver, keeping updated, 266
  - hidden programs, removing, 264–265
  - native file system, 266
  - resident programs, removing, 264–265
  - System Configuration Utility, 265
  - system registry, 268
- male connector, 81, 284
- Mandriva operating system, 135, 140
- manual, storing for easy reference, 13
- manufacturer, as assembly resource, 260
- master/slave jumper, EIDE hard drive, 116
- MB (megabyte), 284
- megahertz (MHz), 62, 284
- memory. *See also* RAM
  - Blu-ray drive, 157
  - cache, 63
  - DDR2, 65–66, 281
  - DDR3, 65–66
  - DVD drive, 157
  - SDRAM, 65
  - troubleshooting, 278
  - TV card, 100
  - video card, 94–96, 235–236
- message base, 210
- messages, 5
- MHz (megahertz), 62, 284
- microphone
  - boom, 174, 177, 186
  - clip-on, 174, 186
  - connection, 185–186
  - headset, 174
  - Internet telephone, 174
  - placement, 186
  - USB Desktop, 177
  - voice command and dictation, 173

- voice e-mail, 174
- voice recording application, 173
- MIDI (Musical Instrument Digital Interface)
  - defined, 284
  - instrument, 30
  - MIDI port, 81
  - port, 284
- millisecond (ms), 119
- minitower case, 45
- mirror backup, 241
- MLC Books Online Web site, 34
- modding, 235, 284
- modem
  - basic description of, 193
  - cable, 189–190
  - cost, 194
  - defined, 284
  - fax support, 195, 282
  - home office, 30
  - installing external, 202–203
  - installing internal, 200–201
  - midrange computer requirements, 27
  - speed, 193–194
  - status light, 194
  - top-of-the-line computer requirements, 28
  - voice modem hardware and software, 195–196
- monitor
  - antiglare coating, 104
  - bare-bones computer requirements, 26
  - basic description of, 18
  - cleaning, 256
  - color configuration support, 104
  - connecting, 112–113
  - CRT, 103–104
  - defined, 284
  - digital controls, 104
  - elevating, 105
  - Energy Star/DPMS compliance, 104
  - flat-panel, 102–104, 283
  - LCD, 18, 102–103
  - midrange computer requirements, 27
  - placement, 105
  - response time, 104
  - size, 102–103
  - speaker, built-in, 104
  - SVGA, 226, 287
  - top-of-the-line computer requirements, 28
  - troubleshooting, 114
  - ViewSonic 20-inch Widescreen LCD, 105
  - warranty, 105
  - widescreen display, 102
- motherboard
  - ASUS P5N-D LGA775, 51
  - AT-class, 279
  - Athlon 64 X2, 49
  - bare-bones computer requirements, 26
  - BIOS chip, 50
  - contents of, 17–18
  - Core 2 Duo, 49
  - CPU socket, 68
  - defined, 284
  - DIP switch, 56
  - drive controller, 50
  - features, 49–50
  - Flash BIOS, 50
  - installation, 54–56
  - midrange computer requirements, 27
  - PCI slot, 50
  - PCI-Express slot, 50
  - populated, 61
  - power supply connection, 57
  - RAM, 50
  - size, 48
- mouse
  - cleaning, 256
  - defined, 284
  - fingertip, 251, 282
  - installation, 92
  - keyboard combination, 85
  - optical, 252
  - pointing device versus, 251–252
  - standard, 82
  - wireless, 82, 252, 288
- mouse port, 79
- movies, 154
- Moving Pictures Expert Group (MPEG), 97, 285
- MP3 file
  - defined, 285
  - as digital music standard, 171
  - handheld personal players, 31
  - popularity of, 30
- MPEG (Moving Pictures Expert Group), 97, 285
- ms (millisecond), 119
- multifunction keyboard buttons, 84

- multifunction printer, 230
- multiple drive
  - master unit, 125, 163
  - slave unit, 164, 166
- music file, computer needs assessment, 30–31
- Musical Instrument Digital Interface (MIDI)
  - defined, 284
  - instrument, 30
  - MIDI port, 81
  - port, 284

## • N •

- native file system, 266
- native resolution, 97
- needs assessment, computers (what type to build)
  - bare-bones computers, 25–26
  - discussed, 23
  - drawing tablet, 29
  - gaming, 31
  - high-quality video, 24
  - home office, 30
  - midrange design, 26–27
  - music file, 30–31
  - primary application considerations, 24
  - secondary application considerations, 24
  - top-of-the-line computers, 27–28
- negative/slide scanner, 226
- network
  - cable, 214–215
  - client-server, 211, 280
  - communication advantage, 210
  - convenience of, 210
  - data packets, 215
  - defined, 285
  - Ethernet, 211–215, 282
  - groupware system advantage, 210
  - hardware needed for, 213–215
  - home phone line, 215
  - HomePNA, 215–216
  - Internet connection advantage, 210–211
  - LAN (local area network), 209, 284
  - message base, 210
  - operating system, 136

- peer-to-peer, 212
- powerline, 216
- software, 213
- switches, 213
- twisted-pair cable, 213
- twisted-pair crossover cable, 213
- USB, 216
- uses for, 209
- wireless, 216–217
- network interface card. *See* NIC
- Newegg Web site, 32, 34
- newsgroup
  - as parts research, 32–33
  - defined, 285
- NIC (network interface card)
  - automatic or software configuration, 214
  - basic description of, 213
  - driver support, 214
  - installation, 218–219
  - testing, 220–221
- noise, AC line, 252
- Norton AntiVirus 2008 software, 254
- Norton Internet Security 2008 firewall, 142
- Norton SystemWorks Premier Edition diagnostic package, 253
- Nuance Communications Web site, 173
- NVIDIA GeForce 8400 GS video card, 94, 237
- NVIDIA Web site, 95

## • O •

- OCR (optical character recognition) feature
  - defined, 285
  - memory requirements, 29
  - scanners and, 224
- old software, 273
- online ordering, 34
- onscreen display (OSD) controls, 104
- operating system (OS). *See also* Linux operating system; Vista operating system
  - cutting-edge technology, 136
  - DL (dual-layer media), 156
  - hardware auto-configuration, 136
  - hardware support, 136
  - installation preparation, 140–141

- legacy applications, 136
  - networking, 136
  - security, 136, 141
  - selection consideration, 36–37, 135–136
  - software compatibility, 136
  - speed, 135
  - stability, 136
  - technical support, 141
  - optical character recognition (OCR) feature
    - defined, 285
    - memory requirements, 29
    - scanners and, 224
  - optical drive
    - archival storage, 150
    - bare-bones computer requirements, 26
    - care and maintenance, 155
    - cleaning, 256
    - digital data, 158
    - EIDE technology, 161
    - installation, 163–166
    - LightScribe drives and media, 158
    - LITE-ON 20X Dual-Layer DVD Burner, 162
    - midrange computer requirements, 27
    - SATA technology, 161
    - speed, 156
    - testing, 167
    - top-of-the-line computer requirements, 28
  - optical mouse, 252
  - optical trackball, 82, 252
  - ordering parts/components, 33–35
  - organization, about this book, 6–7
  - OS. *See* operating system
  - OSD (onscreen display) controls, 104
  - overclocking
    - basic description of, 236
    - defined, 285
    - RivaTuner utility, 237
    - settings, testing, 238
    - when to overclock, 237
- *p* ●
- packaging, saving, 13
  - Paint Shop Pro Photo X2 image editor, 256
  - panning features, video card, 98
  - paper, printer, 230–231
  - parallel ATA (PATA) device, 116
  - parallel printer port, 80, 285
  - partitioning, 134
  - parts. *See also* computer components
    - ordering, 33–35
    - researching, 32–33
    - saving extra, 13
    - storage box, 259–261
    - warranties, 34
  - parts manual
  - password
    - boot, 141
    - Linux installation, 149
    - unnecessary use of, 271
    - Vista installation, 145
  - PATA (parallel ATA) device, 116
  - patch cable, 215
  - PC, configuring to accept hard drive, 132–133
  - PC Magazine Web site, 32
  - PC World Web site, 32
  - PCI adapter card
    - basic description of, 22
    - defined, 285
    - FireWire port, 87
  - PCI bus sound card, 169–170
  - PCI slot, 50
  - PCI-Express adapter card, 22, 101, 285
  - PCI-Express slot, 50
  - PCI-Express video card, 94
  - PCs All-in-One Desk Reference For Dummies*, 4th Edition (Chambers), 138
  - PCs For Dummies* (Gookin), 277
  - peer-to-peer network, 212, 285
  - Pentium 4 design, 270
  - peripheral
    - defined, 16
    - external, 282
  - personalized mailbox, 196
  - Phenom processor, 64–65
  - phishing, 142
  - photo album, digital, 154
  - photo scanner, 226
  - Photoshop Elements image editor, 256
  - Pin 1 Rule, 261–262
  - pirated software, 272

- pitfalls to avoid
  - copyright violation, 271
  - floppy disk, 270–271
  - leasing, 273
  - old architecture and components, 270
  - old software, 273
  - passwords, unnecessary use of, 271
  - pirated software, 272
  - power supply, 272
  - refurbished hardware, 269–270
  - young children using PC, 272
- pixel
  - defined, 285
  - resolution and, 96
- pizza-box type case, 42–44
- plug
  - analog, 176
  - digital, 176
  - powerline adapter, 216
- PNY GeForce 9800 GX2 card, 105
- point-and-shoot digital camera, 228
- pointing device
  - cleaning, 256
  - drawing tablet, 251
  - installing, 92
  - mouse versus, 251–252
  - selection considerations, 82–83
  - touchpad, 251, 287
  - trackball, 251–252, 287
- populated motherboard, 61
- port. *See also* connection
  - adapter card, installing, 86–88
  - bare-bones computer requirements, 26
  - basic description of, 77
  - built-in, connecting, 89–90
  - COM, 81
  - defined, 18, 285
  - eSATA, 80
  - Ethernet, 19
  - external, installation, 89–90
  - FireWire, 19, 80, 282–283
  - game, 81
  - infrared, 81, 283
  - keyboard, 78, 284
  - label marking, 82
  - MIDI, 81, 284
  - midrange computer requirements, 27
  - mouse, 79
  - printer, 80
  - serial, 81
  - top-of-the-line computer requirements, 28
  - USB, 19, 79
- portability, removable storage drive, 121
- power connector, SATA, 117, 128
- power LED, 59
- power light, 75
- power supply
  - AC line noise, 252
  - defined, 286
  - fan, 240
  - loss of power, 252
  - motherboard, 57
  - pitfalls to avoid, 272
  - preinstallation, 46
  - recommended, 46
  - surge protector, 252
  - UPS, 252
- power user
  - computer needs assessment, 41
  - experienced, 251
- powering up, 74–75
- powerline adapter plug, 216
- powerline network, 216
- preinstallation power supply, 46
- Price Watch Web site, 1, 32, 34, 102
- printer
  - bubble jet, 230
  - defined, 286
  - home office, 30
  - inkjet, 230–231, 283
  - installation, 232–233
  - laser, 230–231, 284
  - multifunction, 230
  - paper, 230–231
  - usefulness of, 229
- printer port, 80
- processor
  - Athlon 64 X2, 64
  - Celeron, 63–64
  - Core 2 Duo, 64, 281
  - Core 2 Quad, 64–65
  - Phenom, 64–65
  - Sempron, 63–64
- product key, Vista installation, 144

PS/2 mouse port, 286  
PS/2 standard keyboard connector, 78–79  
public domain, 229

• **R** •

rack, CD, 255  
RAID (Redundant Array of Independent Disks)  
  defined, 286  
  performance variety, 241  
  support, 121  
RAM (random access memory). *See also*  
  memory  
  bare-bones computer requirements, 26  
  compatibility, 66  
  CPU and, 61  
  defined, 17, 286  
  flash, 227–228  
  installation, 72–73  
  midrange computer requirements, 27  
  motherboard, 50  
  RDRAM, 66  
  top-of-the-line computer requirements, 28  
  troubleshooting, 278  
rambus dynamic random access memory  
  (RDRAM), 66, 286  
random access memory. *See* RAM  
Rathbone, Andy  
  *Windows Vista For Dummies*, 277  
  *Windows XP For Dummies*, 277  
raw resolution value, 227  
RDRAM (rambus dynamic random access  
  memory), 66, 286  
ReadMe file, 140  
receipt, saving, 13  
recorder, personal video, 100  
recording, voice, 173  
Red Hat Enterprise operating system, 135, 140  
Redundant Array of Independent Disks (RAID)  
  defined, 286  
  performance variety, 241  
  support, 121  
refresh, 286  
refund, mail-order, 33  
refurbished hardware, 269–270  
Registry cleanup utility, 268  
removable storage drive, 121

rendering, 286  
researching parts, 32–33  
Reset button, 59  
resident programs, 264–265  
resolution  
  defined, 286  
  digital camera, 228  
  higher, 96–97  
  interpolated, 227  
  lower, 96  
  medium, 96  
  native, 97  
  pixel, 96  
  raw value, 227  
  scanner, 227  
  video cards, 94, 96–97  
resources, assembly, 259–260  
response time, monitor, 104  
restocking fee, 33  
retail packages versus building your own  
  brand considerations, 3–4  
  common myths, 12  
  cost considerations, 1, 3  
  ease of building, 8  
  foolish assumptions, 5–6  
  repair considerations, 2–3  
REV cartridge drive, 122  
RivaTuner utility, 237  
rope light, 242  
router, Internet, 211  
rpm (revolutions per minute), 119, 286

• **S** •

salespeople, avoiding computer sales experi-  
  ence, 3  
SATA (serial ATA) hard drive  
  advantages of, 117  
  cable, 117  
  defined, 286  
  drive controller, 50  
  EIDE hard drive comparison, 118–119  
  installation, 128  
  interface, 117  
  optical drive, 161  
  power connector, 117, 128  
  support, 121

- Satellite Internet connection, 190
- Scalable Link Interface (SLI)
  - configuring for video card, 247–248
  - defined, 286
  - linked cards, 238
- scanner
  - color, 223
  - color depth, 226
  - cost, 223
  - defined, 286
  - desktop publishing application, 224
  - fingerprint, 141
  - flatbed, 224–225
  - hard drive storage capacity, 224
  - home office, 30
  - image-acquisition software, 224
  - image-editing software, 224
  - installation, 232–233
  - memory requirements, 29
  - negative/slide, 226
  - OCR feature, 29
  - photo, 226
  - resolution, 227
  - sheetfed, 225
  - software, 224
  - true color advertised, 226
  - uses for, 223
- Scanners For Dummies*, 2nd Edition (Chambers), 224
- screwdriver
  - magnetic, 14, 260
  - need for, 12
  - Phillips, 260
- SDRAM (synchronous DRAM) memory, 65
- security
  - boot password, 141
  - operating system, 141
  - operating system selection considerations, 36, 136
  - removable storage drive, 121
  - shared Internet connection, 197
  - Symantec Norton Internet Security 2008 fire-wall, 142
- seek time, 119
- Sempron processor, 63–64
- serial ATA (SATA) hard drive
  - advantages of, 117
  - cable, 117
  - defined, 286
  - drive controller, 50
  - EIDE hard drive comparison, 118–119
  - installation, 128
  - interface, 117
  - optical drive, 161
  - power connector, 117, 128
  - support, 121
- serial port, 81, 286
- server, 211
- shared Internet connection
  - advantage of, 196–197
  - ICS (Internet Connection Sharing), 204
  - security, 197
  - through hardware, 206
  - wired sharing device, 197–198
  - wireless sharing device, 197
- shareware, 277
- sheetfed scanner, 225
- shell, Linux operating system, 135, 139
- shoe-box case, 43–44
- Shopper Web site, 34
- shuttle box case, 43–44
- SIMM (single inline memory module), 286
- single drive, master unit, 125, 163
- site. *See* Web site
- size
  - computer case, 16
  - hard drive, 120
  - LCD monitor, 102–103
  - monitor, 102–103
  - motherboard, 48
- SLI (Scalable Link Interface)
  - configuring for video card, 247–248
  - defined, 286
  - linked cards, 238
- slide show, 154
- slot cover installation, 52–53
- software
  - bundled software cost, 3
  - diagnostics package, 253
  - GNU, 277

- network, 213
- old, pitfalls to avoid, 273
- operating system compatibility, 136
- pirated, 272
- scanner, 224
- sound card, 170
- unneded, removing, 267–268
- video card, 98
- voice modem, 196
- software configuration, NIC, 214
- Sound Blaster X-Fi Elite Pro sound card, 170
- Sound Blaster X-Fi Xtreme PCI sound card, 177
- sound card
  - audiophile, 31
  - bare-bones computer requirements, 26
  - bit rate, 170
  - defined, 286
  - encoding and digital effects, 173
  - format, 171
  - installation, 178–180
  - integrated audio hardware, 170
  - midrange computer requirements, 27
  - PCI bus, 169–170
  - software, 170
  - Sound Blaster X-Fi Elite Pro, 170
  - Sound Blaster X-Fi Xtreme PCI, 177
  - surround sound, 172
  - testing, 183–184
  - 3-D spatial sound, 170, 172
  - top-of-the-line computer requirements, 28
  - voice command and dictation, 255
- space-saver case, 41–45
- speaker
  - amplified power, 176
  - analog plug, 176
  - case, 47
  - connection, 58–59, 181–182
  - controls, 176
  - digital plug, 176
  - external, 175
  - flat-panel design, 177
  - headphone, 175
  - monitor, 104
  - subwoofer, 31, 177
  - USB plug, 176
  - volume control, 176
  - X-540 5.1 speaker system, 177
- speakerphone, voice modem, 196
- special effects, digital camera, 228
- speed
  - bus, 63
  - core clock, 236
  - CPU, 18
  - GPU, 236
  - modem, 193–194
  - operating system selection considerations, 36, 135
  - optical drive, 156
  - video card, 94
- splitter, DSL, 190–191
- Spybot Search & Destroy application, 255
- spyware removal program, 255
- stability, operating system, 136
- standard mouse, 82
- standardized computer components, 15
- static
  - antistatic strip, 51
  - defined, 287
- status light, modem, 194
- stereo positioning, 31
- storage capacity, hard drive, 119
- subwoofer speaker, 31, 177, 287
- super video graphics array (SVGA) monitor, 226, 287
- support
  - Blu-ray drive, 157
  - DVD drive, 157
  - hardware, 136
  - NIC, 214
  - RAID, 121
  - video card, 98
  - Wiley Product Technical Support, 278
- surge protector, 252
- surround sound, 172
- SVGA (super video graphics array) monitor, 226, 287
- switch
  - connection, 58–59
  - network, 213
- Symantec
  - Norton Internet Security 2008 firewall, 142
  - Norton SystemWorks Premier Edition diagnostic package, 253
  - Web site, 142, 253

- synchronous DRAM (SDRAM) memory, 65
- System Configuration Utility, 265
- system registry maintenance, 268
- system requirements, 277

## • T •

- tape backup drive, 287
- TB (terabyte), 20, 119
- TCP/IP communications protocol, 139
- technical support, operating system, 141
- technician, as assembly resource, 260
- telephone, Internet, 174
- temperature gauges, 243
- terabyte (TB), 20, 119
- testing
  - connection, 85
  - NIC (network interface card), 220–221
  - optical drive installation, 167
  - overclock settings, 238
  - sound care, 183–184
- texture (graphic designs), 236
- 3-D spatial sound, 170, 172
- 3-D video card, 31, 95, 97
- 3DMark Vantage utility, 94
- throughput, 264
- time zone setting
  - Linux installation, 148
  - Vista installation, 146
- Tom's Hardware Web site, 32, 95, 236
- toner, 230
- topology, 287
- touchpad pointing device, 251, 287
- tower case, 45, 51
- trackball pointing device
  - cleaning, 256
  - defined, 287
  - ease of use, 251–252
  - optical, 82, 252
- transfer rate, 156
- troubleshooting
  - fan, 75
  - monitor, 114
  - power light, 75
  - video card, 114

- true color advertised scanner, 226
- TV card
  - basic description of, 98
  - installation, 109–111
  - tuner card, 100–101
- TV output, as video card feature, 98
- TweakNow RegCleaner Professional utility, 268
- twisted-pair cable, 213, 287
- twisted-pair crossover cable, 213

## • U •

- Ultimate edition (Vista operating system), 138
- uninstall program, 267–268
- Unix operating system, 138, 287
- UPS (uninterruptible power supply), 252
- USB connector, 287
- USB Desktop microphone, 177
- USB Flash drive
  - advantage of, 122
  - basic description of, 20
  - ease of use, 122
- USB hub, 216
- USB network, 216
- USB port
  - basic description of, 19, 79
  - external optical drive, 161
- user group, as parts research, 32–33
- UV light, 242

## • V •

- VESA (Video Electronics Standards Association), 104
- VGA cable, 112, 287
- VGA-to-DCI converter, 112
- video card
  - accelerated card, 94
  - AGP, 94
  - bare-bones computer requirements, 26
  - basic description of, 18, 93
  - bridge connector, 238
  - bundled software features, 98
  - color depth, 94, 96
  - defined, 287

- DPMS support, 99
  - driver support, 95
  - dual display features, 99
  - DVI output, 98
  - features adding value to, 98–99
  - frame rate, 94
  - GPU performance, 236
  - installation, 106–108
  - manufacturer, 94–95
  - memory, 94–96, 235–236
  - midrange computer requirements, 27
  - MPEG format, 97
  - NVIDIA GeForce 8400 GS, 94, 237
  - overclocking, 236–238
  - panning features, 98
  - PCI-Express, 94
  - personal video recorder, 100
  - resolution, 94, 96–97
  - reviews and benchmarks, 95
  - running multiple, 238
  - selection consideration, 94–95
  - SLE (Scalable Link Interface), 238
  - SLI configuration, 247–248
  - speed, 94
  - support, 98
  - 3D, 31, 95, 97
  - top-of-the-line computer requirements, 28
  - troubleshooting, 114
  - TV output, 98, 100
  - Windows utilities features, 98
  - Video Electronics Standards Association (VESA), 104
  - videoconferencing, 188
  - ViewSonic 20-inch Widescreen LCD monitor, 105
  - virtual private network (VPN), 191
  - virus
    - Norton AntiVirus 2008 software, 254
    - signature update, 254
    - Spybot Search & Destroy application, 255
    - spyware removal program, 255
  - Vista operating system
    - automatic hardware detection feature, 137
    - Business edition, 138
    - clean install, 242
    - defined, 288
    - desktop, 137
    - ease of use, 137
    - firewall, 141
    - Home Basic edition, 138
    - Home Premium edition, 138
    - installation, 143–146
    - new features, 137
    - Ultimate edition, 138
  - voice command and dictation, 173, 255
  - voice e-mail, 173
  - voice modem, 287
  - voice modem hardware and software, 195–196
  - voice recording application, 173
  - VoIP (Voice-over-IP), 174
  - volume control, speaker, 176
  - VPN (virtual private network), 191
- *W* •
- WAN (wide area network), 191
  - warranty
    - computer component, 34
    - hard drive, 120
    - monitor, 105
  - WAV format, 171, 287
  - wavetable, 287
  - WD3000GLFS hard drive, 122
  - Web cam, 229
  - Web cookie, 142
  - Web site
    - CNET, 32
    - Corel, 256
    - Creative Labs, 170
    - documents for, 229
    - DriverZone, 95
    - Futuremark, 94
    - IDG, 32
    - MLC Books Online, 34
    - Newegg, 32, 34
    - Nuance Communications, 173
    - NVIDIA, 95
    - PC Magazine, 32
    - PC World, 32
    - Price Watch, 1, 32, 34, 102
    - Shopper, 34
    - Symantec, 142, 253
    - Tom's Hardware, 32, 95, 236
    - ZDNet, 32

Western Digital VelociRaptor 300GB hard drive, 122

wide area network (WAN), 191

Wiley Product Technical Support, 278

Windows 2008 server, 287

Windows utilities

Registry cleanup utility, 268

video cards support, 98

*Windows Vista For Dummies* (Rathbone), 277

Windows Vista operating system

automatic hardware detection feature, 137

Business edition, 138

clean install, 242

defined, 288

desktop, 137

ease of use, 137

firewall, 141

Home Basic edition, 138

Home Premium edition, 138

installation, 143–146

new features, 137

Ultimate edition, 138

*Windows XP For Dummies* (Rathbone), 277

wired sharing device, 197–198

wireless access point, 216

wireless base station, 216

*Wireless Home Networking For Dummies*, 3rd Edition (Briere, Bruce, and Hurley), 217

wireless keyboard, 84

wireless mouse, 82, 252, 288

wireless network, 216–217

wireless sharing device, 197

WMA format, 171

workspace

assembly rules, 13

extension lamp, adjustable, 257

importance of well-equipped workspace, 257–258

smooth surface, 258

## • X •

X graphical user interface (Linux), 139

X-540 5.1 speaker system, 177

## • Y •

Y power cable adapter, 259

Y-splitter, 240

## • Z •

ZDNet Web site, 32

ZIF (zero insertion force) socket, 68, 288

zoom control, digital camera, 228