
Index

A

- ACGs (adjusted clinical groups), 215
- Active surveillance, 151
- Adams, E. K., 215
- ADL (activities of daily living), 174
- Admissions department: patient satisfaction, 257*fig*; waiting time in, 256*fig*
- Affinity diagrams (or checklists), 190*fig*
- Age differences: average length of stay by, 254*fig*; cancer death rates by, 20*t*; crude case-fatality rates by, 106*t*; emergency department service area by, 235*t*; emergency department visits by, 49, 50*t*, 238*t*, 239*t*; expected cases by, 120*t*; expected cases using combined population by, 121*t*; frequency of cancer by, 25*t*; injury-related emergency department visits by, 19*t*, 22*t*, 23*t*; mortality rates for malignant neoplasm by, 63*t*; number of discharges by, 22*t*, 250*t*, 251*t*, 252–255; number of physician office visits by, 47–49*t*; outpatient department visits by, 99*t*, 110*t*; PMR for malignant neoplasms by, 68*t*; PMR for white male plant/system operators by, 68*t*; prevalence rate of women reporting pap test by, 58*t*; self-assessed health status and, 280*t*; tuberculosis cases by, 21*t*; uninsured by, 20*t*, 26*t*; as variable, 18–19
- AIDS: case counts of, 44–46, 45*t*, 47*t*; rate of cases, 47, 48*t*
- Alcohol use: community relations and population, 275*t*; lung cancer and, 101*t*
- Allen, S. T., 144
- Allocation, 81
- Allotey, P. A., 226
- ALOS (average length of stay), 252*t*, 253*t*, 254*fig*, 255. *See also* LOS (length of stay)
- AMA (American Medical Association), 33–34
- American Society for Quality, 182
- Analytic study designs, 83
- Anzalone, D. A., 84
- Anzalone, F. L., 84
- APC (ambulatory patient classification), 7

- Armstrong, G. L., 145
- Arthritis screening tests, 131*fig*, 132*fig*
- Assessment: best practices, 185–187; health outcomes, 172–179; health status, 175–176; uses in managing health outcomes, 181–182; patient satisfaction/expectations, 176–179
- Association: between risk factors, health, and disease, 86–87; between smoking and CHD, 90*t*; measuring in prospective studies, 87–90*t*; measuring in retrospective studies, 90–92*t*
- Attack rate, 147
- Attributable risk, 88
- Attributes data, 160
- AUC (area under the curve), 141–142
- Austin, C. J., 202
- B**
- Babo, D. L., 177
- Balanced Budget Act (1997), 7
- Baldrige Award. *See* Malcolm Baldrige National Quality Program
- Becker, E. R., 215
- Beeson, W. L., 86
- Benchmarking: described, 182–183; five stages in process of, 183–184
- Bennayan, J. C., 189
- Bergner, M., 176
- Berkman, L. F., 9
- Berkowitz, E. N., 206, 207
- Best practices: application of, 186–187; defining, 185; developing of guidelines for, 185–186
- Bevan, G., 227
- Bias, 81
- Bioterrorism, 151–152
- Birth certificates, 35–36, 71
- Births/cesarean sections study, 93*t*, 94*t*
- Blackman, D., 133
- Blakely, C., 176
- Blinding, 81
- BMI (body mass index), 277*t*, 278*t*
- Bogalusa Heart Study, 3
- “Bounds of control,” 163
- Bowen, F. W., 186
- Bowie, C., 227
- BRFSS (Behavioral Risk Factor Surveillance Survey) [CDC], 32, 56–57
- Broadhead, W. E., 176
- Bronstein, J. M., 215
- Brooks-Gunn, J., 30
- Budgeting issues, 159–160
- Burden-of-disease analysis, 225–227*e*
- Butcher, A. H., 92
- C**
- CABGs (coronary artery bypass grafts) report card, 184
- CAHPS (Consumer Assessment of Health Plan Survey), 178–179
- Cancer: death rates by age, 20*t*; frequency of, 25*t*; prevalence of, 281–282*t*
- Carcinoma standardized incidence rates, 112, 113*t*–114
- Cardinal utility theory, 225–226
- Case counts, 44–46, 45*t*, 47*t*
- Case-control study designs, 86
- Case-fatality rate, 62–63
- Causal relationships: direct and indirect, 78; four types of, 78
- Causation: contributing cause and, 77–78; exposure and, 78; four possible association situations and potential, 76; risk and, 76–78; study designs used to study, 78–86. *See also* Disease
- Causation study designs: clinical trials, 79–82*fig*; described, 78–79; experimental studies, 79, 80*fig*; observational studies, 82–94*t*
- Cause-and-effect (or fishbone) diagrams, 190, 191*fig*
- CDC BRFSS (Behavioral Risk Factor Surveillance Survey), 32, 56–57
- CDC (Centers for Disease Control and Prevention): bioterrorism preparations by, 151–152; descriptive data provided by, 33–34; on frequency of selected respiratory diseases, 23*t*, 24; on injury-related emergency department visits, 23*t*; recommended isolation of individuals with SARS by, 149; reportable diseases data collected by, 37. *See also* Public health policies
- CDC *MMWR* (*Mortality and Morbidity Weekly Report*), 33, 34
- CDC National Center for Health Statistics (NCHS), 34, 35, 36
- CDC Web site, 34
- CDC WONDER, 34
- Cesarean sections/births study, 92–93, 94*t*
- Checklists (or affinity diagrams), 190*fig*
- Children’s Health Insurance Program (CHIP), 7

- CHIP (Children's Health Insurance Program), 7, 167
- Chuk, M. G., 159
- Cigarette smoking. *See* Smoking status
- Clarke, A., 21
- Cleary, P. D., 176
- Clinical effectiveness, 127–128
- Clinical protocols, 186
- Clinical trials, 79–82*fig*
- Cluster sampling, 203
- CMS (Centers for Medicare and Medicaid Services), 16, 62, 71, 83, 105, 133, 172–173, 180, 188
- CMS Hospital Quality Incentive Demonstration Project, 188–189
- Cobb, J., 228
- Coefficient alpha (or Cronbach's alpha), 211
- Cohen, J., 136
- Cohort (prospective) studies: measuring association in, 87–90*t*; overview of, 83, 85–86
- Collins, C. H., 3
- Common-source epidemic, 148*fig*
- Communities: concept of populations and, 8–9; managing health care for populations and, 9–10. *See also* Hospital service area community relations
- CON (certificate of need), 166, 168, 236*e*
- Concurrent validity, 209
- Consumer Reports*, 184
- Content validity, 208
- Contributing cause, 77–78
- Convergent validity, 210
- COOP Charts for Primary Care Practice, 71, 176
- Cooper, J. K., 180
- “Coronary Artery Bypass Surgery in New York State” (New York State Department of Health), 184
- Cost analysis, 216–218*t*, 217*t*
- Cost-benefit analysis, 218–219
- Cost-effectiveness analysis, 219–220*t*
- Cost-utility analysis, 223–225
- Counts (disease cases), 44–46, 45*t*, 47*t*
- Cox, D., 215
- CPHA (Commission on Professional and Hospital Activities), 36
- CPT (Current Procedural Terminology), 39
- Criterion validity, 209
- Critical pathways, 186
- Cronbach's alpha (or coefficient alpha), 211
- Cross-sectional studies, 83–85
- Crude birth rate, 71
- Crude case-fatality rates, 106*t*
- Crude death rate, 60–61*t*
- Crude rates for outpatient visits, 118*t*
- Cummins, R. A., 226
- D**
- DALE (disability-adjusted life expectancy), 195
- DALYs (disability-adjusted life years), 195, 226–227
- Darwin's theory, 2
- Data analysis, 203–205
- Davis, M., 7
- Dearry, A., 29
- Death certificates, 35
- Death rates: age-specific mortality rate for malignant neoplasm, 63*t*; crude death rate or total, 60–62; fetal, 66; infant mortality rate by race of mother, 64*t*; neonatal mortality rate by race of mother, 64–65*t*; postnatal mortality rate by race of mother, 66*t*–67*t*; ten leading causes of death, 62*t*. *See also* Mortality rates
- Decision science theory, 166
- Demand estimation (forecasting), 206–208
- Descriptive data: additional variables included in, 32–33; collection of, 18; on emergency department use, 237–239*t*; epidemiological, 12*fig*, 204–205; matching, 100–102; person variables included in, 18–28*fig*; place variables included in, 28–30; for population health evaluation/monitoring, 160–161; primary and secondary forms of, 17–18; on reimbursement approaches, 39–40; reportable diseases, 36–38*t*; sources of, 33–36, 204; standardization of information, 102–114; stratification of, 100, 203; time variable included in, 30–32*t*; types of, 160. *See also* Market research
- Descriptive studies, 83
- Diagnostic and Statistical Manual of Mental Disorders* (APS), 209
- Direct causal relationship, 78
- Direct method of standardization, 102–108*t*, 104*fig*
- Direct transmission, 146
- Discounting, 220–223
- Discriminant validity, 210

- Disease: bioterrorism using, 151–152; definitions of, 15; as health status measurement, 14–17*e*; international classification of, 15–16, 17*e*; managing chronic, 143–144; managing infectious epidemics, 144–151; reportable, 36–38*t*, 37*e*; risk factors, health, and, 86–87. *See also* Causation
- Disease prevention, 126–127
- Doctor office visits, 279*t*
- Doll, R., 3
- Donabedian, A., 173
- “DRG creep,” 40
- DRGs (diagnosis-related groups): establishment of, 7; reimbursement through, 39–40
- Drummond, M. F., 195
- Duke Health Profile, 176
- Dupaquier, J., 3
- Dupaquier, M., 3
- E**
- East Bank Regional Hospital System: background information on, 234; expansion of emergency services in, 234–245*t*; quality of care improvement strategy by, 248–258; recovery distribution, 116*t*; risk of an urgent visit to, 244–245*t*; severity of illness distribution, 115*t*; standardization of outpatient department visit, 105–108*t*; stratum-specific rates, 116*t*. *See also* Hospitals
- East Coastal County, 262, 263*fig*
- Ecologic studies, 83, 85
- Econometric models, 208
- Economic analysis: burden-of-disease analysis, 225–227*e*; cost analysis, 216–218*t*, 217*t*; cost-benefit analysis, 218–219; cost-effectiveness analysis, 219–220*t*; cost-utility analysis, 223–225; discounting, 220–223; economic evaluation, 216; example of, 228–229; sensitivity analysis, 225
- Edwards, W., 186
- Eichorn, A., 133
- Ellerbeck, E. F., 162
- Emergency department: CON (certificate of need) regulations for, 166, 168, 236*e*; description of hospitals wanting to expand, 240; gathering information for planning expansion of, 236; payment sources of, 241–242*t*; planning department data on use of, 237–239*t*; recommendations for expanding services in, 234, 236; service area population, 235*fig*; service area population by age and sex, 235*t*. *See also* Hospitals
- Emergency department visits: by age, 49, 50*t*, 238*t*–239*t*; alcohol- and drug-related, 244*t*; by hospital, 240*t*; injury-related, 19*t*, 22*t*, 23*t*; patient disposition in, 243*t*; primary payment source for, 242*t*; reason for, 243–244*t*; relative risk of alcohol- or drug-related, 245*t*; risk of urgent, 244–245*t*; time analysis of, 240–241*t*
- Endemic, 30
- Enzenauer, R. W., 189
- Epidemic, 30, 31*fig*. *See also* Infectious epidemics
- Epidemiological data, 12*fig*, 204–205
- Epidemiology: described, 2, 14; focus and uses of, 4–6; health care administration and issues of, 6–8; health care systems and role of, 10–11; history of, 2–3; infectious disease, 145–147; philosophic framework of, 4; strategic planning and role of, 159; terrorism preparedness role of, 152
- Epstein, R. S., 143
- Erickson, P., 16
- Error: random, 127, 128; systematic, 128
- Ethnicity. *See* Race/ethnicity
- Evaluating population health, 160–161
- Experimental epidemiology, 5
- Experimental studies, 79, 80*fig*
- Exposure: absolute effect to risk factor by, 87, 88; defining, 78; study designs used to study, 78–86
- Eyler, J. M., 3
- F**
- Farnum, N., 163
- Farr, W., 3
- Federal/Provincial/Territorial Advisory Committee on Population Health, 173
- Feldman, S. R., 31
- Fertility rate, 71
- Fetal death rate, 66

Fishbone (or cause-and-effect)
 diagram, 190, 191*fig*
 Fleischer, A. B., 31
 Fletcher, R. H., 138
 Fletcher, S. W., 138
 Flowcharts, 190, 191*fig*
 FN (false negatives), 128
 Ford, E. S., 32
 Forecasting (demand estimation), 206–208
 Fos, P. J., 84, 92, 166, 177, 186, 248
 FP (false positives), 128
 FP ratio (false positive ratio), 130
 Framingham Heart Study, 3
 Frank, J. W., 27
 Fraser, G. E., 86
 Frenzt, G. D., 177
 Friede, A., 24
 Frumkin, H., 30
 Functional Status
 Questionnaire, 176

G

Gaynes, R., 144
 GBD (Global Burden of Disease), 196, 226
 Generation time, 147
 Gingrich, N., 214
 Global Burden of Disease study (2000), 145
 Goedert, J., 190
 Gold, M. R., 223
 Goldsmith, G., 206
 Gordon, T., 3
 Graham, E. A., 3
 Graunt, J., 2
 Gray, R., 159
 Greenfield, S., 176
 Group Health Association of America Consumer Satisfaction Survey, 177
 Grunbuam, J. A., 33

H

HALE (health-adjusted life expectancy), 195
 HALYs (health-adjusted life years), 195
 Hancock Regional Hospital Network, 118*t*–121*t*
 Hancox, J. G., 31
 Harrison Hospital System, 118*t*, 120*t*, 121*t*
 Harvard School of Public Health College Alcohol Study, 85
 Harvard University School of Public Health, 226
 Hauri, A. M., 145
 HCAHPS (Agency for Healthcare Research and Quality), 178, 179
 Health: definitions of, 15; descriptive disease measurement of, 14–17*e*; disease, risk factors, and, 86–87
 Health care planning: administration population issues and, 6–8; objectives of, 165–166; role of epidemiology in, 10–11; strategic, 158–160; two primary activities during process of, 158; weighted variables used in model of, 166–168, 167*t*
 Health insurance: number of people by age, poverty status lacking, 26*t*; number of people by educational status lacking, 27*t*; number of person by age lacking, 20*t*
 Health Maintenance Organization Act (1973), 6
 Health measurements: case counts as, 44–46, 45*t*, 47*t*; crude birth rate, 71; fertility rate, 71; health-related quality of life (QoL), 70–71; proportions as, 51; rates as, 46–49*t*; ratios as, 49–50*t*; survival rate, 70. *See also* Mortality rates; Morbidity rates
 Health risk behaviors: alcohol use, 101*t*, 275*t*; overweight/obesity trends, 278*t*; smoking status as, 101*t*, 275–276*t*; YRBSS used to estimate, 32–33. *See also* Risk factors
 Health status: cancer prevalence and, 281–282*t*; community relations and, 279–282*t*; described, 16; factors determining, 175; mortality rates used as indicator of, 175; reported change over past twelve months, 281*t*; self-assessed, 280*t*; SF-36 assessment of, 175–176. *See also* Population health
 HEDIS (Health Plan Employer Data Information Set), 71
 Hiebler, R., 185
 Hill, A. B., 3
 Hippocrates, 2
 Histograms, 192, 193*fig*
 Hlady, W. G., 144
 HMOs (health maintenance organizations): formation/proliferation of, 6–7; increasing numbers of patients covered by, 215; primary care model used by, 144
 Hollinghurst, S., 227
 Hopkins, R. S., 144
 HOS (Medicare Health Outcomes Survey), 180

- Hospice care discharges, 25*t*
 Hospital Quality Incentive Demonstration Project (CMS), 188–189
 Hospital service area community relations: adult population and, 274–276; alcohol drinking status of population in, 275*t*; cancer prevalence in areas and, 281–282*t*; cigarette smoking status of population in, 276*t*; health status of population and, 279–282*t*; objectives of, 272; pediatric population and, 272–274*t*; population characteristics and, 272; population health characteristics and, 276–278; resource utilization and, 278–279*t*. *See also* Communities
 Hospitals: best practice assessment of, 185–187; cost analysis of, 216–218*t*, 217*t*; cost-benefit analysis of, 218–219; Harrison Hospital System, 118*t*, 120*t*, 121*t*; Mid-City Hospital, 240*t*, 241*t*, 242*t*, 248–258*fig*; North Suburbia Hospital, 240*t*–242*t*; patient satisfaction/expectations of, 176–179; pediatric inpatient services, 262–269*t*; performance scoring of, 187; relative risks calculated for, 187; Riverview Medical Center, 115*t*, 116*t*; South Suburbia Hospital, 240*t*–242*t*; Uptown Medical Center, 240*t*, 241*t*, 242*t*; Westside Memorial Hospital, 105–108*t*, 262–269*t*. *See*
- also* East Bank Regional Hospital System; Emergency department; Outpatient department visits; Quality of care
 Howard, J., 206
 Howland, J., 228
 HRQL (health-related quality of life), 70–71
 Hunt, S. M., 176
 Hutin, Y. J., 145
- I**
- ICD (International Classification of Diseases and Related Conditions), 3, 15–16, 17*e*, 35
 ICD-9, Clinical Modification (ICD-9-CM), 16, 40, 174
 Iezzoni, L. I., 114
 Immunogenicity, 146
 Incidence rate: described, 52–54*fig*, 55*t*; relationship between prevalence and, 57
 Indirect causal relationship, 78
 Indirect method of standardization, 108–109*fig*, 110–114
 Indirect transmission, 147
 Infant mortality rates, 63–64*fig*
 Infectious epidemics: attack rate of, 147; categorizing, 148; defining, 147; SARS as example of, 148–150*t*; secondary attack rate of, 147. *See also* Epidemic
 Infectious epidemics management: infectious disease epidemiology, 145–147; sources of nosocomial infection outbreaks, 144–145; surveillance as part of, 150–151
 Infectivity, 146
 Institute of Medicine, 173, 188
 Integrated health care services, 161
 Internal consistency data analysis, 210–211
- J**
- Jackson, M. E., 133
 Jassal, S. V., 185
 Jefferson County: MI complications, 122*t*, 124*t*; population distribution, 123*t*
 Jette, A. M., 176
 Joint Commission on Accreditation of Healthcare Organizations (CAHPS Consortium), 179
 Jollis, J. G., 174, 188
- K**
- Kaluzny, A. D., 4
 Kappa statistic, 136, 138
 Kawachi, I., 9
 Keeney, R. L., 186
 Kelly, T., 185
 Ketterman, C., 185
 Kindig, D. A., 9
 King, L. R., 159
 Koontz, H., 160
 Koumane, A., 226
 Kramer, S., 2
 Kuntz, K. M., 9
- L**
- Lanyi, B., 215
 Last, J. M., 210
 Latent TB medication completion rate, 165*fig*, 192
 Lau, J.T.F., 11
 LCL (lower control limit), 189
 Leading causes of death, 62*t*, 227*e*

- Leading causes of death
ranked by DALYs, 227*e*
- Lee, J. E., 225
- Leventhal, T., 30
- Levin, M. L., 3
- Li, S., 27
- Lifetime prevalence rate, 56
- Likelihood ratios, 138–142
- Lilienfeld, D. E., 3
- Lloyd, R. C., 189
- Loh, C. H., 228
- Lopez, A. D., 196, 226, 227
- LOS (length of stay),
267–269*t*, 274*t*. *See also*
ALOS (average length
of stay)
- M**
- McDowell, I., 175
- McEwen, J., 176
- McHorney, C. A., 210
- McKenna, P., 176
- McLaughlin, C. P., 159
- Malcolm Baldrige Award, 184
- Malcolm Baldrige National
Quality Program, 192,
194–195
- Managed care contracting, 259
- Managing chronic diseases,
143–144
- Managing health outcomes:
benchmarking used for,
182–184; benefits of, 180;
best practices and practice
guidelines for, 185–187;
uses of outcomes assess-
ment in, 181–182
- Marginal cost-effectiveness
ratio, 228–229
- Marital status: as data variable,
24–25; home health and
hospice care discharges by,
25*t*; home health/hospice
care discharges by, 51*t*
- Market research: data analy-
sis, 203–205; demand esti-
mation (forecasting),
206–208; described, 202;
epidemiological data used
in, 12*fig*, 204–205; internal
and external data used in,
204; patient satisfaction
data used in, 205–206;
sampling, 202–203;
validity and reliability of,
208–211. *See also* Descrip-
tive data
- Marketing: in context of
health care, 200–201;
defining, 200; of the health
care system, 202; health
care system and role of,
201–202
- Marmagas, S. W., 159
- Marshall, E. C., 2, 3
- Masking, 81
- Matching, 100–102
- Mausner, J. S., 2
- Medicaid: births/cesarean
sections among beneficia-
ries of, 92–93, 94*t*; creation
of, 6; Oregon Basic Health
Services Act to control ex-
penditures of, 214–215; ra-
tioning of medical care
among beneficiaries of,
214–215
- Medical management: clinical
effectiveness as part of,
127–128; likelihood ratio
and, 138–142; managerial
aspects of validity,
133–135; practice analysis
as part of, 142–143; reli-
ability measurements and,
135–138; validity param-
eters and, 128–133*fig*
- Medical Outcomes Study
(MOS), 175, 208, 209–210
- Medical Outcomes Study
Short Forms, 71
- Medical record data, 36
- Medicare+Choice: contracts
for, 180; student on benefits
and performance of, 215
- Medicare: creation of, 6;
HOS (Health Outcomes
Survey), 180; Pneumonia
National Project of, 174;
PPS (prospective payment
system) of, 7, 39–40; risk
adjustment repercussions
for providers of, 114
- Medicare Cost Report, 40
- Medicare Discharge file, 40
- Medicare Prescription Drug,
Improvement, and Mod-
ernization Act (2003), 7
- Medicine department, 257*fig*
- MEDPAR data file, 40, 83
- Meikle, S., 24
- Meynell, G. G., 3
- MI complications: crude rate
for, 122*t*; expected rates of,
124*t*; standard population
crude rates for, 123*t*
- Mid-City Hospital: duration
of emergency department
visits, 241*t*; emergency de-
partment visits, 240*t*; pri-
mary payment source,
242*t*; quality-of-care im-
provement strategy by,
248–259
- Mills, P. K., 86
- Misoprostol prophylaxis cost-
effectiveness, 228–229
- MMWR (Mortality and Morbid-
ity Weekly Report)* (CDC),
33, 34
- Monitoring health outcomes,
179–180
- Monitoring population health,
160–161

- Morbidity rates: described, 51; incidence rate, 52–54*fig*, 55*t*; nosocomial infections as major cause of, 145; period prevalence, 59–60; prevalence rate, 54–59*t*; reportable diseases as part of, 36–38*t*, 37*e*; SMR (standardized morbidity or mortality ratio), 108–114. *See also* Health measurements
- Morganstern, O., 224
- Mortality rates: case-fatality rate, 62–63; used as health status indicator, 175; leading causes of death, 62*t*, 227*e*; leading causes of death ranked by DALYs, 227*e*; for malignant neoplasms, 63*t*, 68*t*; nosocomial infections as major cause of, 145; PMR (proportionate mortality rate), 66–67; PYLL (potential years of life lost), 67, 69*t*; SMR (standardized morbidity or mortality ratio), 108–114; standardization of, 103; study on Medicare reimbursement for HMO preventive services and, 179–180*t*; types of death rates, 60–67. *See also* Health measurements
- MOS (Medical Outcomes Study), 175, 208, 209–210
- Multistage sampling, 203
- Murray, C.J.L., 196, 226, 227
- N**
- Nas, T., 219
- National Center for Health Statistics, 98, 102–103
- National Committee for Quality Assurance, 71
- National Health Interview Survey (1997–2003) [CDC], 25
- National Health Interview Survey (2001) [CDC], 24
- National Health Interview Survey (2003) [CDC], 18
- National Home and Hospice Care Survey (2000), 50, 51, 52*t*
- National Hospital Ambulatory Medical Care Survey (2001), 18, 21, 33, 48
- National Hospital Discharge Survey (1998), 21, 34, 28, 31, 36
- National Household Interview Survey, 151
- National Voluntary Hospital Reporting Initiative, 173
- NCBD (National CAHPS Benchmarking Database), 178, 179
- NCHS (National Center for Health Statistics) [CDC], 34, 35, 36
- NCQA (National Committee for Quality Assurance), 179
- Necessary but not sufficient causal relationship, 7
- Necessary and sufficient causal relationship, 78
- Nelson, E. C., 176
- New York State Cardiac Advisory Committee, 184
- Newcomb, R. D., 2, 3
- Newell, C., 175
- NHAMCS (National Hospital Ambulatory Medical Care Survey), 98
- NHAMCS Outpatient Department Summary, 110
- NHANES (National Health and Nutrition Examination Survey), 34, 277
- NICU (neonatal intensive care unit), 162
- NIOSH (National Institute of Occupational Safety and Health), 67
- NNIS (National Nosocomial Infections Surveillance) system, 145
- NOMS (National Occupational Mortality Surveillance) system, 67
- Nonrandom allocation, 81
- Nosocomial infection outbreaks, 144–145
- North Coast County, 264*fig*
- North Suburbia Hospital: duration of emergency department visits, 241*t*; emergency department visits, 240*t*; primary payment source, 242*t*
- Nottingham Health Profile, 176
- O**
- Obesity trends, 278*t*
- Observational epidemiology, 5
- Observational studies: application to population health management, 92–94*t*; cross-sectional (prevalence) studies, 83–85; described, 82–83; descriptive studies, 83; ecologic studies, 83, 85; prospective (cohort) studies, 83, 85–86, 87–90*t*; retrospective studies, 83, 86, 89, 90*t*–92*t*
- O’Carroll, P. W., 34
- Odds ratio, 91–92*t*, 93*t*
- O’Donnell, C., 160
- O’Fallon, L. R., 29

- Ogilby, T. E., 144
 “On Airs, Waters, and Places” (Hippocrates), 2
 Onwuyani, A. E., 21
 OPS (Outpatient Satisfaction) survey, 177
 Oregon Basic Health Services Act, 214–215
 Outcomes. *See* Population health outcomes
 Outpatient department visits: by age and race, 110*t*–111; by age and sex, 99*t*; crude rates for, 118*t*; indirect standardization of, 111*t*–112; standard population crude rates for, 119*t*; standardization by sex, 105*t*. *See also* Hospitals
 Overweight trends, 278*t*
- P**
- Panne, G., 92
 Pareto charts, 192, 193*fig*
 Parkerson, G. R., Jr., 176
 Passive surveillance, 151
 Pathogenicity, 146
 Patient satisfaction: admissions department, 256*fig*, 257*fig*; assessment of, 176–179; market research using, 205–206; medicine department, 257*fig*; quality improvement and, 256, 258; surgery department, 258*fig*
 Patient satisfaction control chart, 177–178*fig*
 Patrick, D. L., 16, 179
 Pediatric inpatient services: expected primary payment sources for, 266*t*, 267*t*; historical utilization trends and, 267–269*t*; hospital population characteristics, 262–265*fig*
 Pediatric population: age information for, 273*t*; community relations and, 272–274; inpatient services and, 262–265*fig*; length of stay for, 274*t*; payment sources for, 274*t*
 Performance improvement: importance of continuous, 161–162; quality control charts used for, 163, 164*fig*; rapid cycle improvement process, 162, 163; statistical process control, 162–164
 Period prevalence rate, 59–60
 Person variables: age, 18–19*t*, 20*t*–21*t*, 22*t*–23*t*; described, 18; marital status, 24, 25*t*; population pyramids, 27–28*fig*; race or ethnicity, 21, 23*t*–24, 25*t*; SES (socioeconomic status), 24–27*t*; sex, 19, 21*t*, 22*t*
 Petitti, D. R., 219
 Phase I clinical trials, 79–80
 Phase II clinical trials, 80
 Phase III clinical trials, 80
 Phillips, R. L., 86
 Place variables, 28–30
 Planning for need, 164–168
 Planning. *See* Health care planning
 Plsek, P. E., 189
 PMR (proportionate mortality rate), 66–67
 Pneumonia National Project, 174
 Pol, L. G., 206, 207
 Population distribution: Hancock Regional Hospital system, 118*t*; Harrison Hospital system, 119*t*; Jefferson County, 123*t*; Washington County, 123*t*
 Population health: BMI (body mass index), 277*t*, 278*t*; community relations and characteristics of, 276–278*t*; evaluation and monitoring of, 160–161; objectives of improved, 165–166; performance improvement to meet needs of, 161–164*fig*; planning for needs of, 164–168; process of planning for, 158; strategic planning for, 158–160; weighted variables used in planning model of, 166–168, 167*t*. *See also* Health status
 Population health care: economic analysis of, 214–230; integrated services for, 161; marketing, 200–211; outcomes of, 172–187; planning, 6–8, 10–11, 158–168
 Population health outcomes: assessing, 172–179; managing, 180–187; monitoring, 179–180; quality of life and, 195–196; two broad objectives for, 172. *See also* Quality of care
 Population pyramids, 27–28*fig*
 Population-based models, 207
 Populations: community relations and characteristics of, 272–282*t*; concept of communities and, 8–9; epidemiology definitions related to, 2; managing health care for communities and, 9–10; pediatric, 262–265*fig*, 272–274*t*
 Postneonatal morality rate, 64–66, 65*t*

PPS (Prospective Payment System): creation of Medicare, 7; epidemiologic information available through, 200; reimbursement through, 39–40

Practice analysis, 142–143

Preadmission screening, 133–135*fig*

Predictive validity, 209

Predictive values: of preadmission screening, 134–135*fig*; of screening tests, 132

Prevalence (cross-sectional) studies, 83–85

Prevalence rate: described, 54–59*t*; period prevalence rate, 59–60; relationship between incidence rate and, 57; validity of screening test and, 130, 131; of women reporting having a pap test by age, 58*t*

Preventive medicine, 5–6

Primary care model, 144

Primary data, 17, 204

Primary payment sources: for emergency visits, 242*t*; for hospital stays, 255*t*; for pediatric population, 274*t*; Westside Memorial Hospital, 266*t*, 267*t*. *See also* Reimbursement approaches

Primary prevention, 126

Probability theory, 162–163

Propagated epidemics, 148, 149*fig*

Prophylactic therapy, 228

Proportions, 51

Prospective (cohort) studies: measuring association in, 87–90*t*; overview of, 83, 85–86

Prospective data, 160

Public health policies: on bioterrorism/terrorism preparedness, 151–152; current issues in, 6–8; future focus of, 8. *See also* CDC (Centers for Disease Control and Prevention)

PYLL (potential years of life lost), 67, 69*t*

Q

QoL (quality of life), 70–71

Quality of care: assessing patient satisfaction, 176–179; case-fatality rate as indicator of, 63–64; definition of, 188; measurement of, 187–188; Mid-City Hospital strategy for improving, 248–258; outcomes assessment objectives regarding, 172–173; programs illustrating, 167; setting criteria for, 188–189; six-sigma technologies used in, 189–192, 193*fig*, 194*fig*; statistical process control to improve, 162–164, 189; using structural measure of health care settings to assess, 173–174. *See also* Hospitals; Population health outcomes

Quality of care improvement strategy: age/demographics data, 249*t*–250; ALOS (average length of stay) data, 252*t*, 253*t*, 254*fig*, 255; average length of stay by age/sex, 254*fig*; days of care indicator used in, 250–252*t*, 251*t*; managed care contracting and, 259; number of discharges by

age data, 250*t*, 251*t*, 252–255; number of discharges by sex data, 252–255; population characteristics information for, 249

Quality control charts, 163, 164*fig*, 195*fig*

Quality of life: GBD (Global Burden of Disease) and, 196, 226; measures of, 195–196

Quality of Life Index, 176

Quality-adjusted healthy life years (QAHLYs), 195, 196

Quality-adjusted life years (QALYs), 195, 196, 223–224

Quality-of-life trials, 79

R

Race/ethnicity: asthma prevalence rate by, 57*t*; crude death rate by, 60–61*t*; as data variable, 21, 23*t*–24, 25*t*; emergency department visits by, 49, 50*t*, 239*t*; home health/hospice care discharges by, 51*t*; incidence rate of selected diseases by, 55*t*; infant mortality rate by mother's, 64*t*; injury-related emergency department visits by, 23*t*; neonatal mortality rate by mother's, 64–65*t*; North Coastal County/Southside County populations by, 264*fig*–265*fig*; number of physician office visits by, 47–49*t*; outpatient department visits by, 110*t*–111; self-assessed health status and, 280*t*

- Raczek, A. E., 210
- Raiffa, H., 186
- RAND Health Insurance Experiment, 175
- Random allocation, 81
- Random error, 127, 128
- Randomized controlled clinical trial, 82
- Rapid cycle improvement process, 162, 163
- Raskind-Hood, C., 215
- Rates, 46–48
- Ratios, 49–51*t*
- RBRVS (resource-based relative value scale), 7
- Reid, J. A., 34
- Reidpath, D. D., 226
- Reimbursement approaches:
 - CPT (Current Procedural Terminology), 39; data on payment sources, 33, 34*t*;
 - DRGs (diagnosis-related groups), 7, 39–40; PPS (prospective payment system), 7, 39–40, 200. *See also* Primary payment sources
- Reinke, W. A., 160
- Relative risk, 87–89*t*, 90*t*, 93, 94*t*, 187
- Reliability: calculation of reliability index, 136–137*fig*, 138; defining, 135; market research validity and, 208–211; variation in measurements of, 135–136
- Reportable diseases, 36–38*t*, 37*e*
- Resource utilization, 278–279
- Retrospective data, 160
- Retrospective studies: illustration of, 89, 90*t*; measuring association in, 90–92*t*; overview of, 83, 86
- Rich, M. W., 143
- Risk: attributable, 88; causation and, 76–78; defining, 76; odds ratio, 91–92*t*, 93*t*; relative, 87–89*t*, 90*t*, 93, 94*t*, 187; 2-by-2 contingency table, 77*fig*
- Risk adjustment, 114–116*t*, 175
- Risk factors: absolute effect of exposure to, 87, 88; described, 77; health, disease, and, 86–87. *See also* Health risk behaviors
- Riverview Medical Center: recovery distribution, 116*t*; severity of illness distribution, 115*t*; stratum-specific rates, 116*t*
- ROC (receiver-operating characteristic) curve, 141, 142*fig*
- Rothman, K. J., 77, 78
- Russell, L. B., 223
- S**
- Sampling, 202–203
- SARS (severe acute respiratory syndrome), 11, 148–150*t*
- Scatter diagrams, 192, 194*fig*
- Schauffler, H. H., 228
- SCHIP (State Children's Health Insurance Program), 7, 179
- Screening program data, 113*t*
- Screening tests: clinical effectiveness criteria of, 127–128; impact of information/likelihood ratio from, 138–142; preadmission, 133–135*fig*; predictive values of, 132, 134–135*fig*; reliability of, 135–138; sensitivity of, 129, 130, 134; specificity of, 130, 134; techniques for determining efficacy of, 133–135; validity of, 128–135*fig*; validity parameters for arthritis, 131*fig*, 132*fig*; validity parameters for colorectal cancer screening, 133*fig*
- Secondary attack rate, 147
- Secondary data, 17–18, 204
- Secondary prevention, 126
- Self, C. A., 189
- Self-assessed health status, 280*t*
- Sensitivity: analysis of, 225; of preadmission screening test, 134; of screening tests, 129, 130
- September 11, 2001, 3, 151, 152, 159
- SES (socioeconomic status), 24–27*t*
- Sex differences: asthma prevalence rate by, 57*t*; average annual age-adjusted cancer incidence rates by, 55*t*; average length of stay by, 254*fig*; crude death rate by, 60–61*t*; emergency department service area by, 235*t*; emergency department visits by, 49, 50*t*, 238*t*–239; home health/hospice care discharges by, 517; injury-related emergency department visits by, 22*t*; number of discharges by, 22*t*, 252–255; number of physician office visits by, 47–49*t*; outpatient department visits by, 99*t*, 105*t*; self-assessed health status and, 280*t*. *See also* Women

- Sex variable, 19, 21*t*, 22*t*
 SF-8 (Short-Form 8) survey, 175, 176
 SF-12 (Short-Form 12) survey, 175–176
 SF-36 (Short-Form 36) survey, 175, 176, 180
 Shah, V. A., 225
 Sherbourne, C. D., 175
 Sheridan, S. C., 31
 Sherwood, L. M., 143
 Shortell, S. M., 4
 Sick Impact Profile, 71
 Sickness Impact Profile, 176
 SIDS (sudden infant death syndrome), 65
 Siegel, J. E., 223
 Singer, C., 2
 Six-sigma technologies, 189–192, 193*fig*, 194*fig*
 Slozan, J. G., 8
 Smoking status: community relations and population, 275–276*t*; stratification by, 101*t*
 SMR (standardized morbidity or mortality ratio), 108–114
 Snow, J., 3
 Social epidemiology, 9
 Social Security Act Amendment (Title XIX), 6
 Social Security Act Amendment (Title XVIII), 6
 South Suburbia Hospital: duration of emergency department visits, 241*t*; emergency department visits, 240*t*; primary payment source, 242*t*
 Southside County, 265*fig*
 Special-cause variation, 189
 Specificity: of preadmission testing, 134; of screening testing, 130
 Spitzer, W. O., 176
 Sriniasan, S., 29
 Standard Certificate of Death, 35
 Standard (combined) population, 107*t*, 108*t*
 Standardization of information: described, 102; direct method of, 102–108*t*, 104*fig*; indirect method of, 108–109*fig*, 110–114; risk adjustment and, 114–116*t*
 Standardized case-fatality rates, 107*t*, 108*t*
 Stason, W. B., 219
 State Children's Health Insurance Program (SCHIP), 7
 Statistical process control, 162–164, 189
 STDs (sexually transmitted diseases), 146
 Stewart, A. L., 209, 210
 Stoddart, G. L., 195
 Stokols, D., 70
 Strabic, A., 215
 Strategic planning, 158–160
 Stratification, 100, 203
 Study designs. *See* Causation study designs
 Subpopulation units, 8
 Sufficient but not necessary causal relationship, 78
 Surgery department, 258*fig*
 Surveillance programs, 150–151
 Survival rate, 70
 Swanson, K., 16
 SWOT (strengths, weaknesses, opportunities, and threats), 159
 Sydenham, T., 3
 Systematic allocation, 81
 Systematic error, 128
 Systematic sampling, 203
- ## T
- Ten leading causes of death (2001), 62*t*
 Tertiary prevention, 126–127
 Testing. *See* Screening tests
 Thomas, R. K., 206, 207
 Thralls, R. B., 34
 Time trade-off, 225
 Time variable, 30–32*t*
 Title XIX (Social Security Act Amendment), 6
 Title XVIII (Social Security Act Amendment), 6
 TN ratio (true negative ratio), 129
 TN (true negatives), 128
 Tobacco use. *See* Smoking status
 Torpy, J. M., 190
 Torrance, G. W., 195
 TP ratio (true positive ratio), 129
 TP (true positives), 128
 Transmission: direct, 146; indirect, 147
 Tromp, M., 176
 Trumble, A., 24
 Tse, C.K.J., 176
 Tsevat, J., 8
 Tuberculosis cases, 21*t*
 2-by-2 contingency table, 77*fig*
- ## U
- UCL (upper control limit), 189
 Underwood, E. A., 2
 Uninsured status, 20*t*, 26*t*, 27*t*
 Uptown Medical Center: duration of emergency department visits, 241*t*; emergency department visits, 240*t*; primary payment source, 242*t*

U.S. Census Bureau, 34–35,
46, 61, 62, 102, 207
Utility values, 224
Utilization projections, 207

V

Validity 2-by-2 contingency
table, 129*fig*
Validity: defining, 128;
determining parameters
of, 128–132; managerial
aspects of, 133–135;
market research reliability
and, 208–211;
parameters for arthritis
screening tests, 131*fig*,
132*fig*; parameters for col-
orectal cancer screening,
133*fig*; prevalence rates
and, 130, 131
Vanderbush, E., 21
Variables data, 160
Vector-borne transmission, 147
Vehicle-borne transmission,
147
Virulence, 146
Vital statistics sources, 35–36
von Neumann, J., 224
Voors, A. W., 3

VSS (Visit Specific Satisfac-
tion) survey, 177

W

Wagner, E. H., 138
Walker, M. W., 162
Ward, K., 206
Ware, J. E., Jr., 175, 209, 210
Washington County: MI com-
plications, 122*t*, 124*t*; pop-
ulation distribution, 123*t*
Wechsler, H., 85
Wehrich, H., 160
Weinstein, M. C., 219, 223
West Nile virus, 149–150
Westside Memorial Hospital:
background information
on, 266; case-fatality rates
of, 105–108*t*; historical uti-
lization trends, 267–268;
length of stay in, 268*t*,
269*t*; population character-
istics of areas covered by,
262–265*fig*; primary pay-
ment sources for, 266*t*, 267*t*
WHO (World Health Organi-
zation): GBD (Global Bur-
den of Disease) established
by, 196, 226; international

classification of disease by,
15–16, 17*e*

WHO *World Health Report*,
2002, 196

WHO's International Health
Regulations, 37

Winkelstein, W. A., Jr., 3

Women: prevalence rate of
reported mammograms,
59*t*; prevalence rate of re-
ported pap test by age, 58*t*.
See also Sex differences

World Bank, 226

Wynder, E. L., 3

X

Xu, K. T., 206

Y

YRBSS (Youth Risk Behavior
Surveillance System), 32–33

Z

Zelman, W. N., 159

Zhang, J., 24

Zúniga, M. A., 92, 176,
177, 186

