

INDEX

- Abstraction practice, 24–26
- Abstraction type, 117, 118
- ACID model, 283, 284
- Adapter technology, 343, 355–357
- Agent technology, 356, 357
- Aggregation analysis, 134, 139, 140, 152, 153, 156, 158–167
- Alignment of technology and business, 156, 167, 169–171, 173, 175, 176, 308
- Analysis assets, 131–133, 153
- Analysis modeling
 - analysis proposition, 155, 156
 - augmentation, 160, 161, 167
 - deliverables, 167
 - elimination, 159–162, 166, 167
 - exchange, 160, 162, 163, 167
 - modeling environment, 21–23, 25–27
 - modeling services, 9–10, 27
 - notation, 157–159
 - operations (use cases), 160–167
 - overview, 17, 112, 155–156, 167
 - principles, 156, 167
 - process, 160
 - proposition diagrams, 157, 167, 240, 243, 254
 - reduction, 160–162, 167
 - rules, 159
 - substitution, 160, 161, 167
 - time-to-market, 1, 156, 167
- Analysis services, 112
- Asset decoupling, 269, 352, 354
- Asset directory, 350, 358
- Asset utilization diagram, 342–346
- Association methods, 97–103, 136, 137
- Atomic service structure
 - and analysis modeling, 156, 157, 159–167
 - atomic service set, 132, 133, 153
 - and business integration modeling, 213, 215, 222, 224, 225, 228
 - conceptual service identification, 103, 105, 110
 - decomposition analysis, 140, 159
 - intersection analysis, 146
 - and logical design composition, 258, 259, 282
 - notation, 157
 - and service-oriented transaction model, 286
 - subtraction analysis, 147, 148, 159
 - and typing and profiling, 116, 120, 121, 124
 - unification analysis, 143, 144
- Atomicity, 283, 284, 289, 303
- Attribution
 - analysis, 78, 80–82, 86, 88, 89
 - core attributes, 75–78, 86
 - deliverables, 85
 - goals, 76, 77
 - model, 78–80, 86
 - overview, 15, 72, 75
 - selection, 82–86
- Augmentation, 160, 161, 167, 237, 239, 250
- Autonomous business tier structure, 204, 205, 210
- Backward elimination, 80–83
- Balanced Scorecard, 170, 171
- Bass, Len, 308
- Benchmarks, 170, 171, 175
- Bittner, Kurt, 308
- Booch, Grady, 308
- Budgen, David, 230
- Business architecture
 - alignment of technology and business, 169–171, 173, 175, 176
 - benchmarks, 170, 171, 175
 - benefits of using architecture perspectives, 175, 176
 - business control structures, 192, 207–210
 - business domains, 191–194, 199–203, 209, 313–315
 - business model perspective, 177–187, 190
 - business tier distribution, 192, 203–207
 - business tier integration structure, 195, 196, 209
 - and categorization mechanisms, 172, 173
 - contextual perspective, 177–190
 - deliverables, 189, 208, 209
 - enterprise architecture, 169
 - granularity alignment, 191
 - integration structures, 192–199
 - multidimensional domain integration structures, 196–199
 - and organizational architecture, 170, 209
 - overview, 17, 18, 169–176, 190, 209, 210
 - perspectives, 170–210
 - portfolio solution, 169, 173, 174, 176
 - principles, 169–170
 - problem-solving perspective, 187–190
 - standards, 169, 171, 175
 - structural integration model, 192
 - structural perspective, 191–210
 - taxonomy, 173–175
- Business cluster structures, 205, 210
- Business control structures, 192, 207–210
- Business domains
 - business architecture, 191–194, 199–203, 209, 313–315, 332, 342
 - geographic boundaries, 192, 199, 209
 - integration layered structure, 193, 194, 209
 - layers, 215–217
- Business environment, 235, 312–315
- Business integration
 - and analysis environment, 26, 27
 - business architecture. *See* Business architecture
 - contextual, 18
 - integration of analysis services, 170

360 INDEX

- Business integration (*contd.*)
 - modeling. *See* Business integration modeling
 - overview, 18, 169
 - perspectives, 170
 - principles, 169, 170
 - properties, 170
 - and realization practice, 26
 - structural, 18. *See also* Business architecture
- Business integration modeling
 - business integration diagram, 213–215
 - business tiers, 219, 220
 - combining domains, layers, and tiers, 220–222
 - contextual perspective, 18, 211, 213, 226–228
 - deliverables, 228
 - disciplines, 15
 - domain layers, 215–218
 - modeling environments, 22
 - notation, 213–215, 228
 - overview, 18, 211, 228
 - partitioned domain levels, 217
 - principles, 211–212
 - process, 215–228
 - rules, 215
 - structural perspective, 18, 211–213, 222–226, 228
 - swapping domain layers, 217, 218
 - swapping domains between tiers, 222
- Business model perspectives, 177–187, 190
- Business performance assessment, 170, 171
- Business Process Execution Language for Web Services (BPEL4WS), 247
- Business process modeling (BPM), 185, 187
- Business profiling, 125–128
- Business requirements
 - and abstraction type, 117
 - and aggregation analysis, 139
 - and analysis service, 10
 - and atomic structure type, 120
 - and attribution analysis, 15, 75–82, 84–86
 - and business architecture, 18, 191
 - business integration modeling, 211, 228
 - and conceptual architecture, 329, 330
 - and conceptual services, 71, 87, 89–94, 104, 105, 109
 - core attributes, deriving, 75–77
 - and logical architecture, 342, 357
 - stakeholders modeling view, 8
 - and subtraction analysis, 148, 150
- Business service type, 121–123
- Business stakeholders, 7–9, 27, 312
- Business tiers
 - business integration modeling, 219–222
 - distribution, 192, 203–207
 - integration structure, 195, 196, 209
- Cauchy, Augustin-Louis, 155
- Center of Excellence, 7, 8, 21, 312
- Chappell, David, 181
- Chief information officers (CIOs), 8
- Chief technology officers (CTOs), 8
- Circular design
 - circular association methods, 102, 103, 136
 - logical design composition, 259, 260, 262, 263, 282, 295, 300
- Client-facing architecture, 181, 182
- Cluster service structure
 - and analysis modeling, 156–159, 163–165, 167
 - and business integration modeling, 213, 215, 219, 222, 224, 225, 228
 - conceptual service identification, 103–110
 - decomposition analysis, 140
 - intersection analysis, 145, 146, 159
 - logical design composition, 258, 259, 282
 - notation, 157
 - service cluster set, 132, 133, 153
 - service-oriented transaction model, 286
 - subtraction analysis, 148, 159
 - typing and profiling, 116, 121
- Cluster tier structure, 205–207
- Coarse-grained services. *See also* Granularity
 - aggregation, 139, 140
 - coarse-grained business domains, 194, 213
 - and composite services, 120
 - and conceptual services, 89, 93, 97, 98, 103, 104
 - and consolidation of services, 56
 - decomposition, 140, 142, 165, 352
 - generally, 13
 - granularity analysis, 128, 135
 - and logical design composition, 265, 266, 268, 269, 272, 276, 277, 280, 281
 - subtraction analysis, 148
- Community enabled architecture, 182, 184, 186
- Compliance activities, 186, 187
- Composite services
 - and analysis modeling, 156–167
 - and business integration modeling, 213, 215, 222, 224, 225, 228
 - conceptual service identification, 103–105, 110
 - and granularity analysis, 136, 137
 - intersection analysis, 146
 - logical design composition, 258, 259, 282
 - notation, 157
 - service-oriented transaction model, 286
 - subtraction analysis, 147, 159
 - typing and profiling, 116, 120, 121, 124
 - unification analysis, 144, 145
- Conceptual affiliations, 258
- Conceptual architecture modeling
 - architectural concepts, 312, 313, 316–320, 329
 - architectural concepts as machines, 320–328, 339
 - architecture layers, 312–320
 - bottom-up, 335
 - business environment, 312–315
 - combined diagram, 337–339
 - conceptualization, 335–337
 - deliverables, 339
 - dependencies, 335–337
 - diagram, 329
 - and logical architecture, 341, 342
 - modeling environment, 21, 22, 25, 27
 - modeling services overview, 9, 12, 15, 16, 27, 71, 72, 87, 88

- notation, 329–332
- overview, 20, 21, 27, 308, 309, 311, 312
- perspectives, 311, 312, 329, 332, 339
- technical functionality, 334
- technological environment, 312–316
- technology stack, 316, 329, 333, 334, 339
- top-down, 335
- Conceptual service identification
 - atomic structure, 103, 105, 110
 - and attribution analysis, 80, 82, 88, 89
 - circular method of concept association, 102, 103, 136
 - cluster service structure, 103–110
 - composite structure, 103–105, 110
 - concept aggregation, 89
 - concept association, 88, 96–103
 - concept classification, 88, 89–96
 - concept extraction, 75
 - concept generalization, 89
 - concept specification, 89
 - concepts, 70
 - conceptual service structure, 103–109
 - decision trees, 89–94, 96, 109, 110
 - deliverables, 109, 110
 - hierarchies method of concept association, 97–99, 136, 137
 - network method of concept association, 100–102, 136
 - overview, 15, 16, 72, 257
 - principles, 87, 88
 - star method of concept association, 99, 100, 136
- Conceptualization, service-oriented
 - attribution analysis. *See* Attribution
 - conceptual service defined, 70
 - conceptual service identification. *See* Conceptual service identification
 - conceptual services hot spots, 84–86, 89, 91, 93, 94
 - conceptual services sweet spots, 84–86, 89, 91, 93
 - model, 71, 72
 - overview, 15, 16, 27, 69–72
 - principles, 72, 73
- Conditional workflow style, 53, 56, 57, 67
- Consolidation, 3, 13, 14, 17, 22, 44, 56, 67, 87, 89, 90, 108, 110, 115, 116, 121, 134, 136, 139, 145–147, 156, 167, 178, 184, 199, 204, 206, 212, 259, 271, 280, 281, 308, 332, 341, 350
- Content management system (CMS), 183
- Continuous disciplines, life cycle model, 42, 46, 47, 66, 67
- Control objectives for information and related technology (COBIT), 186, 187
- Cost effectiveness, 113
- Customer data integration (CDI), 185
- Data hubs, 185, 203
- Decision trees, 89–94, 96, 109, 110
- Decomposition
 - and analysis modeling, 23, 156, 159–163, 165–167
 - atomic services, 103, 120, 140, 159
 - coarse-grained service, 269, 277
 - discovery and analysis, 134, 140–143, 153
 - and layered architecture, 180
 - logical design composition, 270, 277, 278, 351
 - notation, 158, 159
 - and structure transformation, 156
 - workflow, 53, 55, 56, 67
- Deliverables
 - analysis modeling, 167
 - attribution phase, 85
 - business architecture, 189, 208–209
 - business integration modeling, 228
 - conceptual service identification, 109, 110
 - discovery and analysis, 153
 - logical architecture, 357
 - logical design composition, 281
 - project deliverables, 14, 15
 - service-oriented transaction model, 303, 304
 - typing and profiling, 126–128
- Department of Defense Architecture Framework (DODAF), 169
- Design
 - and architecture, 308
 - Law of Demeter (LoD), 233
 - models, 9–11, 18–19, 26–27, 230. *See also* Logical design model
 - overview, 18, 19
 - service behavioral modeling, 19, 20
 - service relationship modeling, 19
 - views, 230
- Design-time disciplines
 - life cycle model, 42–44
 - life cycle workflows, 50–52
- Design-time iteration view, 67
- Dijkstra, Edsger, 5
- Dini, Dino, 229
- Discovery and analysis
 - aggregation analysis, 134, 139, 140, 152, 153
 - and analysis environment, 22, 25, 26
 - analysis modeling. *See* Analysis modeling
 - atomic service set, 132, 133, 153
 - combined service analysis methods, 150–152
 - composite service set, 132, 153
 - cost effectiveness, 113
 - decomposition analysis, 134, 140–143, 153
 - deliverables, 153
 - granularity analysis, 133–138, 153
 - integration of proposed services with business architecture, 170. *See also* Business integration
 - intersection analysis, 134, 145–147, 153
 - and modeling disciplines, 15–17, 27
 - modeling strategy, 113
 - overview, 111–113, 131, 153
 - principles, 113
 - and realization practice, 26
 - service cluster set, 132, 133, 153
 - service-oriented analysis assets, 131–133, 153
 - service typing. *See* Typing and profiling
 - and set theory, 131–133
 - solution assessment process, 113
 - subtraction analysis, 135, 147–150, 152, 153
 - typing and profiling. *See* Typing and profiling
 - unification analysis, 134, 143–145, 152, 153

362 INDEX

- Distributed architecture, 179, 181, 234
Distributed domain cluster, 219–221
Distribution method, technological assets, 353, 354
Domain layers, 215–218, 222
- Elimination, 159–162, 166, 167
Enterprise architecture, 169
Enterprise service bus (ESB), 45, 181, 182, 185, 248, 250, 315, 332, 334, 348, 352, 354, 355, 357
- Federal Enterprise Architecture (FEA), 169
Federated business tier structure, 204, 210
Federated modeling, 4
Fine-grained services
 aggregation, 139, 140
 and atomic structure, 103
 and composite structure, 104
 decomposition of coarse-grained services, 140
 fine-grained business domains, 194
 generally, 13
 granularity analysis, 98, 120, 128, 136
 and service consolidation, 56
 unification analysis, 144
Fisher, Douglas H., 109
Forward attribute collection, 80, 81, 83
Foundation software, 6, 7, 27
Fully qualified service names (FQSN), 124, 127, 129, 254
Functionality
 and conceptual architecture, 318, 330, 331, 334, 335
 discovery and analysis, 131, 134–136, 140–142, 144, 147, 148, 150, 153
 redundancy reduction, 13, 25, 47, 115, 212, 271, 277, 281, 348, 350, 351
 and service relationships, 234
 and transaction model, 285–287, 290, 291, 293–297, 304
 typing and profiling, 115, 116, 120, 122
Funding, 118, 125, 126, 128
Funding principle, life cycle model, 31, 32, 34, 48
- Galoris, Évariste, 155
Governance, 1, 7, 8, 21, 32, 34, 48, 186–187, 312
Granularity
 alignment, 159, 160, 191, 194, 213, 259, 280–282
 analysis, 133–138, 148, 153, 157
 assessment, 98
 and conceptual services, 97–98, 110
 integration phase, matching granularity levels, 194, 195
 levels, 56, 120, 125, 136–138, 191, 194, 195, 217
 logical design composition, 259, 264, 266, 269, 271, 280–282
 matrix, 98, 136–138, 194
 overview, 13, 17
 technical profiling, 126, 128
Group theory, 155
- Haerder, Theo, 283
Hierarchical design, 259, 260, 263–266, 282, 295, 300, 301, 302
- Horizontal design, 266
Horizontal modeling, 25
Hume, David, 96, 97
Hybrid service types, 123, 124
- Information technology (IT)
 alignment of business and IT strategy, 156, 167, 170.
 See also Business architecture
 and modeling process stakeholders, 8
Infrastructure architecture, 179, 181
Integrated development environment (IDE), 23
Integration structures, 192–199
Intermediaries, 234–239, 244, 247–252, 254, 255, 344, 346, 352, 354–357
International Electrotechnical Commission (IEC), 354
International Standards Organization (ISO), 193, 354
Interoperability
 and analysis modeling, 155, 156, 165, 167
 business products, 181, 207, 212
 and conceptual architecture, 315, 324
 and logical architecture principles, 341, 349, 354–357
 logical design composition, 257, 259, 266, 267, 271, 281, 282
 overview, 1, 3–5, 14, 21
 perspective, 308, 341, 349, 354–357
 portal architectures, 183
 and typing and profiling, 124, 126, 128
Intersection analysis, 134, 145–147, 153, 163–165, 167
Intranet architectures, 186
ISO/IEC 2382-01, 354
Iteration, 5, 27, 61–65, 67, 80, 83, 84
- Jordan, Camille, 155
- Kaplan, Robert S., 170, 171
Kayley, Arthur, 155
Keyser, Cassius J., 155, 156
Knuth, Donald, 5
Krucchten, Philippe, 307
- Law of Demeter (LoD), 233
Layered architecture, 179, 180
Learning and validation process, 3, 4
Legacy software
 and analysis service, 10
 discovery and analysis, 111. *See also* Discovery and analysis
 and future of SOA, 1, 2
 inspection, 16
 and logical architecture modeling, 21
 organizational assets, 6–8, 27
 reuse of software assets. *See* Reusability
 typing and profiling, 117–119, 125. *See also* Typing and profiling
Life cycle model
 disciplines, 31, 34, 35, 42–48, 50, 52, 53, 59, 66, 67
 events, 34–40, 48, 59
 funding principle, 31, 32, 34, 48
 governance principle, 32, 34, 48

- metamorphosis principle, 31–33, 48
- model structure, 34–42, 48
- overview, 29–31, 48
- principles, 31–34, 48
- project deliverables, 14, 15
- return on investment principle, 31, 32, 34, 48
- seasons, 34, 35, 40–42, 48, 50–53
- service defined, 29
- service states, 48
- strategy principle, 31–33, 48
- structure principle, 32, 34, 48
- timeline, 31, 34–36, 48, 59
- Life cycle workflows
 - design-time season, 50–52
 - iteration view, 61–65, 67
 - overview, 49–53
 - planning, 53–59
 - progress view, 59–61, 67
 - run-time season, 50, 52, 53
 - styles, 53–59
 - touch-points view, 66, 67
 - workflows view, 67
- Literate modeling, 4–6, 27
- Logical affiliation, service relationships, 234, 235
- Logical architecture
 - adapter technology, 343, 355–357
 - agent technology, 356, 357
 - asset decoupling, 352, 354
 - asset directory, 350, 358
 - asset utilization diagram, 342–346
 - building blocks, 341, 342
 - deliverables, 357
 - distribution method, technological assets, 353, 354
 - enabling service-oriented architecture section, 344
 - enterprise service bus (ESB), 348, 352, 354, 355, 357
 - intermediaries, 344, 346, 352, 354–357
 - notation, 346, 347
 - overview, 20, 21, 27, 309, 341, 357, 358
 - and packaged software solutions, 341, 342, 346–353, 357, 358
 - perspectives, 341–357
 - reusable asset section, 344
 - stateless operations, 352–354
 - technology foundation section, 343, 344
 - transaction directory diagram, 346, 347, 349, 350, 357, 358
- Logical design composition
 - and architectural concepts, 20, 21, 27, 318
 - atomic services, 258, 259, 282
 - beam symbols, 261, 262
 - circular design, 259, 260, 262, 263, 282, 295, 300
 - components, 258–259
 - composite services, 258, 259, 282
 - deliverables, 281
 - described, 257
 - granularity, 259, 266, 269, 280, 281
 - hierarchical design, 259, 260, 263–266, 282, 295, 300, 301, 302
 - horizontal design, 266
 - integrated, 269–270
 - interoperability, 257, 259, 281
 - loose coupling, 257, 259, 276–280
 - message exchange, 257–259, 270, 282
 - network design, 259, 260, 266, 267, 282, 295, 302
 - overview, 231, 257
 - pattern formations, 257–259, 282
 - reusability, 257, 259, 271–276
 - service associations, 257–258, 282
 - service clusters, 258, 259, 282
 - service family approach, 265–266
 - and service-oriented transaction diagram, 295, 303, 304
 - star design, 259, 260, 267–269, 282, 295, 303
 - strategies, 270–282
 - styles, 259–269, 282
 - supporting beams, 259–262
 - vertical design approach, 264, 265
- Logical design model
 - composition structure. *See* Logical design composition
 - design assets, 231, 232
 - design relationship. *See* Logical design relationship
 - logical solution, 10
 - logical structure modeling, 19
 - notation, 232
 - overview, 19, 229–232
 - service-oriented transactions. *See* Service-oriented transaction model
- Logical design relationship
 - any-order service synchronization, 249, 255
 - consumer role, 237, 252, 255
 - deliverables, 255
 - diagram, 252–255
 - implied design, 238, 239
 - in-order service synchronization, 247, 248, 255
 - intermediaries, tagging, 249–252
 - intermediary roles, 234, 237, 249, 250, 252, 255
 - internal design, 241–243
 - isolated design, 239–241
 - many-to-many relationship, 246, 247, 255, 296–299
 - many-to-one relationship, 244–246, 255, 296, 297, 298
 - message authentication and authorization, 234, 255
 - message propagation, 233, 255
 - message routing, 234–236, 238, 240, 250
 - message synchronization, 235, 247, 248, 249, 252, 255
 - notation, 235, 236, 252, 255
 - one-to-many relationship, 243–245, 255, 296–298
 - one-to-one relationship, 243, 255, 296
 - overview, 230, 231, 255, 258
 - public design, 238
 - relationship connectors, 236
 - same-time service synchronization, 248, 249, 255
 - service cardinality, 243–247, 252, 255
 - service contract, 234, 255
 - service design visibility, 236–243, 252, 255
 - service isolation, 233, 255
 - and service-oriented transaction diagram, 295, 303, 304
 - service relationships, influences on, 234, 235
 - service role, 237, 252, 255
 - shared knowledge, 233, 255
- Logical modeling environment, 21, 23, 27

364 INDEX

- Loose coupling, 87, 100–102, 110, 128, 141, 156, 165, 167, 182, 233, 257, 259, 268, 276–284, 305, 308, 341, 348–349, 351–354, 357
- Management
business control structures, 192, 207–210
business model perspective, 178, 186, 187
- Message
authentication and authorization, 233, 234, 255
and conceptual architecture modeling, 319, 322–325, 327, 328, 330, 331, 334–336
exchange, 47, 257–259, 270, 282, 285–287, 290, 291, 295–303, 327, 353, 355–357
intermediaries, 181
intranet architectures, 186
names, 294
orchestration and choreography. *See* Orchestration and choreography
propagation, 233, 255
routing, 234–238, 240, 250, 287, 291–293, 323, 334, 335, 354, 355
security, 187, 357
synchronization, 235, 247, 248, 249, 252, 255
- Metamorphosis
life cycle model, 31–33, 48
modeling principles, 4, 5, 8–14, 27
service, 137, 138
- Michalski, Ryszard S., 69, 70
- Microkernel, 184
- Middleware, 2, 6–8, 21, 25, 27, 44, 45, 47, 123, 128, 179, 181, 182, 185, 199, 207, 209, 248, 312–319, 322, 323, 325, 327, 329, 330, 332, 334, 335, 341, 343, 344, 346–348, 352, 354
- Model-view-controller (MVC), 182
- Model-view-presenter (MVP), 182
- Modeling approaches, service-oriented transaction model, 295–303
- Modeling disciplines
business integration modeling, 15. *See also* Business integration modeling
conceptual architecture, 20, 21, 27
conceptualization, 9, 12, 15, 16, 27
design, 18, 19, 26, 27
discovery and analysis. *See* Discovery and analysis
generally, 2, 3, 14, 15, 27
and life cycle model, 31, 34, 35, 42–48, 50, 52, 53, 59, 66, 67
logical architecture, 20, 21, 27, 318
and project deliverables, 14
- Modeling environments generally, 21–23, 25–27
- Modeling framework generally, 23–27
- Modeling language, 2, 4–6, 8
- Modeling practices generally, 23–27
- Modeling principles generally, 2, 4–6, 8–14, 26–27
- Modeling services generally, 8–14, 17, 18, 27
- Modeling strategies generally, 2, 3, 23
- Multidimensional domain integration structures, 196–199
- Multidimensional service structures, 121, 122
- Multiple workflow style, 53, 54, 67
- Namespaces, 124, 129
- Network design, 259, 260, 266, 267, 282, 295, 302
- Newell, Allen, 179, 180, 193, 320
- Newman, James R., 111
- Nonmodeling disciplines, 29, 30
- Norton, David, 170, 171
- Notation
analysis asset notation, 157
analysis modeling, 157–159
analysis operations notation, 158, 159
business integration modeling, 213–215, 228
conceptual architecture modeling, 329–332
logical architecture, 346, 347
logical design model, 232
logical design relationship, 235, 236, 252, 255
service-oriented transaction model, 294
- Open System Interconnection (OSI), 193
- Orchestration and choreography, 6, 10, 14, 20, 23, 26, 181, 184, 185, 187, 234, 247, 252, 272, 284, 285, 289, 295, 298, 303, 308, 322, 323
- Organizational architecture, 170, 209
- Organizational concepts, 6
- Origin of SOA model, 1
- Overlapped services, 158, 159
- Partitioned domain levels, 217
- Physical architecture, 308, 309, 311
- Physical modeling environment, 27
- Planning, life cycle workflows, 53–59
- Plug-and-play architecture, 184, 185
- Portal architecture, 182, 183, 185, 186, 325, 339
- Portfolio solution, 169, 173, 174, 176
- Portfolio type (software assets), 117, 119
- Portlet container technology, 183
- Potel, Mike, 182
- Problem-solving perspectives generally, 177, 187–190
- Process stakeholders, 7, 8, 27
- Product questionnaire, 77, 78
- Profiling. *See* Typing and profiling
- Programming languages, 2, 5
- Progress view, 59–61, 67
- Proof-of-concept, 3, 15, 23
- Proposition diagrams, 157, 167, 240, 243, 254
- Public Company Accounting Reform and Investor Protection Act of 2002 (Sarbanes-Oxley), 187
- Realization practice, 24, 26, 27
- Reduction, 160–162, 167
- Redundancy. *See* Functionality
- Reengineering, 12, 24
- Reenskaug, Trygve, 182
- Reitman, Rich, 308
- Repositories, 6, 7, 27
- Return on investment (ROI), 31, 32, 34, 48, 126
- Reusability
and analysis modeling, 155–157, 160, 163–165, 167
assessment, 98
and conceptual services, 71

- generally, 1, 3–6, 8, 11, 13, 14, 16, 17, 19, 21, 25
- logical design composition, 257, 259, 271–276
- and logical design composition, 257, 282
- perspective, 341–344, 347–349, 351, 352, 354, 356, 357
- software architecture modeling, 308
- technical profile, 126, 128
- typing and profiling, 115, 116, 118–121, 126, 128
- Reuter, Andreas, 283
- Ross, Harold W., 112
- Run-time, 42, 44–46, 50, 52–53, 67
- Sarbanes-Oxley, 187
- Season
 - disciplines, 42, 50, 66, 67
 - iteration view, 67
 - life cycle model, 34, 35, 40–42, 48, 50–53
- Security, 45, 126, 128, 147, 181, 185, 187, 235, 237–239, 250, 272, 324, 325, 355, 357
- Segmentation, 75, 178, 181–184
- Service behavioral modeling, 19, 20
- Service clusters. *See* Cluster service structure
- Service context, 116, 122, 124, 127, 128
- Service defined, 29
- Service-level agreements (SLAs), 7, 10, 19, 49, 125, 126, 128, 286, 356
- Service life cycle. *See* Life cycle model; Life cycle workflows
- Service metamorphosis, 11–14, 137, 138
- Service-oriented analysis assets, 131–133, 153
- Service-oriented modeling generally, 2–4
- Service-oriented transaction model
 - ACID model, 283, 284
 - activity connectors, 292–293
 - activity section, 287–294, 304
 - and architectural concepts, 318
 - asynchronous activities, 284, 288
 - atomic services, 286
 - atomicity, 283, 284, 289, 303
 - compensation policy, 284, 304
 - composite services, 286
 - consumer and service section, 285–286, 305
 - deliverables, 303, 304
 - functionality descriptors format, 293–294, 304
 - and logical design compositions, 304
 - long-lived transactions, 283–284, 289–290, 304
 - loosely coupled capabilities, 283, 284, 305
 - modeling approaches, 295–303
 - notation format, 294
 - orchestration and choreography, 284, 285, 289, 295, 298, 303
 - overview, 231, 283, 285, 304, 305
 - planning criteria, 284, 304
 - planning transactions, 294–304
 - service clusters, 286
 - service composition styles shape transaction activities, 294, 295, 299–303
 - service relationship shape transaction activities, 296–299
 - and service relationships, 304
 - sessions, 285–287, 290, 304
 - short-lived activities, 284, 304
 - synchronous activities, 284
 - tightly coupled capabilities, 283–284, 305
 - transaction activities, 287, 304
 - transaction diagram, 284–291, 295, 304
 - transaction isolation, 283–284, 304
 - transaction timeline, 291, 292, 305
- Service relationships
 - alteration to and redesign of solution service, 14
 - and architectural concepts, 318
 - conceptual, 257
 - influences on, 234, 235
 - logical, 257
 - and logical design, 230, 231
 - and logical environment, 23
 - modeling, 19
 - and service-oriented transaction model, 295–299, 304
- Service source, 116, 127, 128
- Service states, 48
- Service structure, 116, 119–122, 127, 128, 156, 235
- Service transformation. *See* Transformed services
- Service typing and profiling. *See* Typing and profiling
- Set theory, 131–133
- Simons, Herb, 179, 180
- Simulation process, 2, 4. *See also* Virtualization
- Single workflow style, 53, 54, 67
- Software architecture, 307, 308. *See also* Conceptual architecture modeling; Logical architecture
- Software assets
 - and design model, 230
 - discovery and analysis. *See* Discovery and analysis
 - foundation software, 6, 7, 27
 - legacy software. *See* Legacy software
 - organizational concepts, 6
 - repositories, 6, 7, 27
 - reusability. *See* Reusability
 - role of, 6
 - software utilities, 6, 7, 27
 - typing and profiling. *See* Typing and profiling
- Software generalization, 70
- Software platforms, 2, 3, 5–8, 21, 27
- Software solutions, packaged, 341, 342, 346–353, 357, 358
- Software utilities, 6, 7, 27
- Solution assessment process, 113
- Solution service, 11–15, 27
- Standards, 169, 171, 175, 193, 247, 354
- Star design, 259, 260, 267–269, 282, 295, 303
- Stateless operations, 352–354
- Strategy
 - alignment of business and IT strategy, 156, 167, 170, 308. *See also* Business architecture
 - granularity. *See* Granularity
 - interoperability. *See* Interoperability
 - life cycle model, 31–33, 48
 - logical design composition, 270–282
 - loose coupling. *See* Loose coupling
 - problem-solving perspectives, 188, 189
 - reusability. *See* Reusability

- Structural integration model, 192
- Structure principle, life cycle model, 32, 34, 48
- Substitution, 160, 161, 167
- Subtraction analysis
- and analysis modeling process, 160–162, 167
 - atomic services, 147, 148, 159
 - composite service, 159
 - discovery and analysis, 135, 147–151, 153
 - notation, 158, 159
 - service clusters, 159
 - and structure transformation, 156, 159
- Synchronization, 235, 247, 248, 249, 252, 255
- Tanenbaum, Andrew S., 181, 203
- Taxonomy, 4, 9, 22, 90, 95, 109, 110, 127, 173–175, 178, 189, 317, 335
- Technical profiling, 125–128
- Technical service type, 123
- Technological environment, 312–316
- Technology stakeholders, 7–9, 27, 312
- Tight coupling, 283, 284, 305, 351–353
- Time-machine workflow style, 53, 58, 67
- Time-to-market, 1, 156, 167, 189
- Timeline
- life cycle model, 31, 34–36, 48
 - life cycle progress, 67
 - transaction timeline, 291, 292, 305
- Touch-points view, 66, 67
- Transaction diagram, 284–291, 295, 304
- Transaction directory diagram, 346, 347, 349, 350, 357, 358
- Transaction model. *See* Service-oriented transaction model
- Transformed services
- and analysis modeling, 152, 156, 161–163, 166, 167
 - notation, 157–159
- Typing and profiling
- analysis service source type, 116–119
 - deliverables, 126–128
 - discovery and analysis discipline, 16, 17, 113, 115, 153
 - goals of service typing and profiling, 115
 - namespaces, 124, 129
 - overview, 115
 - profiling, 124–126, 129
 - service context, 121–124
 - service structure, 119–121
 - service typing, 134
 - typing, 115–124
- Unification analysis
- and analysis modeling, 152, 160, 163, 167
 - atomic services, 143, 144, 159
 - discovery and analysis, 134, 143–145, 153
 - notation, 158, 159
- Universal description discovery and integration (UDDI), 181, 201, 344, 348, 349
- Validate, enrich, transform, and operate (VETRO), 181
- Van Steen, Maarten, 203
- Vertical design approach, 264, 265
- Virtualization, 2, 4, 5, 26, 27
- Visualization, 2, 5, 10, 22, 25
- Von Neumann, John, 320
- Waterfall model, 61
- Web Service Description Language (WSDL), 294, 295
- Web Services Choreography Description Language (WS-CDL), 247
- Web Services Choreography Interface (WSCI), 247
- Web Services for Remote Portlets (WSRP), 325
- Workflow machine, 322, 323
- Workflow styles, 53, 55, 56, 67
- Workflows view, 67
- Zachman, John, 169, 308, 311
- Zachman Framework for Enterprise Architecture, 169
- Zuse, Konrad, 320