

INDEX

Symbols

!, 158
!=, 155
#, 37, 73, 88, 324, 327, 386
##, 324, 327
%, 152
&, 156, 158
&&, 158
*, 152
+, 152, 156
, 152
, 152
=, 155, 409
==, 155
^, 152
|, 158
||, 158
<=, 155, 409
>, 155, 409
>=, 155, 409

A

<a>, 11, 60–62, 240
absolute URLs, 244, 269
abstract classes, 191
Access Key Highlighter plugin, 561
access keys, 577
access modifiers, 171, 184, 191–192
 internal (Friend), 192
 Private, 184, 191, 192
 Protected, 192
 Public, 171, 191, 192
Access Rules, 605, 608
AccessDataSource control, 435. *See also*
 SqlDataSource control
AccessKey, 111
active item tracking, 384

Active Server Pages. *See* ASP
Add New Item dialog box, 200, 201, 218, 233, 272, 274, 341, 347, 741
Add Style Rule window, 87–90
addClass, 382, 383
AddEditReview.aspx, 459, 470, 473
 creating, 460–464
 new version, 555–565
addHandler, 354, 357, 360, 361, 383
ADO.NET
 Entity Data Model, 44, 481, 528, 575, 641
 LINQ to ADO.NET and, 479–480
ADO.NET Entity Framework. *See* Entity Framework
AdRotator control, 125
advanced data topics, 529–577
Advanced Security Settings dialog box, 719, 720
Advanced Settings dialog box, 715, 716
Advanced SQL Generation Options dialog box, 454
AJAX (ASP.NET AJAX), 2, 331–365
 benefits of, 333
 client data binding, 363
 client-side Library, 333, 360, 361–362, 372, 394
 Control Toolkit, 362
 extensions, 127–128
 interoperability and, 331
 introduction, 332–334
 jQuery and, 331
 Master Page, 341
 Membership and Role Services, 363
 online information, 363
 Page methods, 358–360, 365
 pageLoad method, 393, 394, 395, 401, 744
 parts of, 333
 Professional ASP.NET 3.5 AJAX, 333, 338, 362, 728
 ScriptManager control, 338–340, 364, 365
 contact form and, 341–344
 properties, 339–340
 UpdatePanel and, 338
 web services and, 351–352

AJAX (ASP.NET AJAX) (*continued*)

- ScriptManagerProxy, 334, 346, 352, 353, 354, 355, 358, 364, 365, 741
 - purpose of, 352
 - web services and, 352–358
- server controls, 333–346
- Timer control, 345–346, 364
- tips for, 363
- UpdatePanel control, 334–338, 364, 365
 - caveats, 338
 - contact form and, 341–344
 - flicker-free pages with, 334–338
 - properties, 337–338
 - ScriptManager and, 338
- UpdateProgress control, 340–344, 364, 365
 - contact form and, 341–344
 - properties, 340
- Ajax (Asynchronous JavaScript And XML), 128, 331, 332, 365
- All.aspx, 509, 568, 572, 573, 620, 636
- AllByGenre.aspx, 247, 255, 493, 636, 639, 640, 652
- AllowCustomErrorsRedirect, 339
- AlternateText, 296
- ◁AlternatingItemTemplate>, 503
- AlternatingRowStyle, 532
- Alt+Letter, 560
- AND, 158, 409
- AndAlso, 158
- angle brackets, 7, 8, 9, 10, 14, 31, 69, 180, 347
- animate(), 391
- animating contact form, 392–396
- anonymous identification, 645–647, 653
- anonymous types, 491–496, 528
- AnonymousTemplate, 588
- ANSI 92 SQL standard, 405
- answers. *See* exercises/answers
- App_Code folder, 172–176
- AppConfiguration, 701, 702, 703, 704, 705
- AppendAllText, 323
- Application Mapping, 9
- application pools, 715, 716, 717, 730
- application services (ASP.NET). *See also* Profile configuring, 771–775
 - defined, 618
 - introduction, 581–582
 - overriding settings of, 773–775
 - ScriptManager control and, 338
- applicationName, 599, 600, 602, 774, 775
- Apply Styles window, 87, 98–101, 103, 204, 734
 - App_Themes folder, 218, 219, 220, 221, 222, 224, 342, 535, 536
- arithmetic operators, 152–154
- arrays, 146–148
 - collections *v.*, 148–149
- as keyword, 146, 570, 574
- asp: prefix, 14, 106
- ASP (classic ASP, Active Server Pages), 1, 106, 129, 132, 139, 346
- ASP.NET 2.0 *Instant Results* (Spaanjaars, ISBN: 978-0-471-74951-6), 526, 604
- ASP.NET 4
 - AJAX, 331–365
 - books
 - Beginning ASP.NET MVC 1.0*, 35
 - Professional ASP.NET 2.0 Design: CSS, Themes, and Master Pages*, 86, 728
 - Professional ASP.NET 3.5 AJAX*, 333, 338, 362, 728
 - Professional ASP.NET 3.5 Security, Membership, and Role Management with C# and VB*, 613
 - Professional ASP.NET 4 in C# and VB*, 125, 126, 132, 351, 363, 436, 505, 555, 565, 566, 568, 576, 604, 672, 728
 - earlier versions
 - ASP.NET 1.0, 1–2, 581
 - ASP.NET 2.0, 2, 86, 127, 128, 198, 249, 526, 581, 604, 728
 - ASP.NET 3.5, 2, 333, 338, 434, 613
 - event-driven environment, 192
 - history, 1–2
 - introduction, 9–15
 - markup, 14–15. *See also* server controls
 - Profile feature, 619–653
 - server controls. *See* server controls
 - user controls, 271–296
- ASP.NET application services. *See* application services
- ASP.NET page life cycle, 208–210, 238
 - control life cycle and, 540–545
 - data control events and, 545–549
- ASP.NET pages. *See* ASPX pages
- ASP.NET runtime, 10
- ASP.NET SQL Server Setup Wizard, 771
- ASP.NET state engine, 128–135, 136
- ASP.NET styles, 530–539, 577
- ASP.NET Web Service (template), 36
- ASP.NET Web Site (template), 36
- ASP.NET web sites. *See* Planet Wrox; web sites

ASP.NET WebParts, 128
 aspnetdb.mdf database, 585, 607, 626, 722, 726, 757, 762, 767, 769, 770, 771, 772, 773, 775
 aspnet_regsql.exe, 771, 772, 773
 .aspx files. *See* Web Forms
 ASPX pages (ASP.NET pages), 8. *See also* consistency; Web Forms
 page life cycle, 208–210, 238
 user controls *v.*, 271, 272
 assemblies (.NET), 176, 177, 179, 216, 709, 710, 730
 assignment operators, 152
 AssociatedControlID, 556, 561, 567, 629, 631
 AssociatedUpdatePanelID, 340
 Asynchronous JavaScript And XML. *See* Ajax
 AsyncPostBackErrorMessage, 339
 @ Register directive, 276, 279, 280, 296
 Attachment class, 317
 Attention class, 75, 102, 396
 [attribute], 381
 attributes, 31, 347, 365. *See also specific attributes*
 HTML, 12
 ID, 106
 media, 84
 Runat, 106, 110, 111, 126
 Src, 276
 style, 12, 60, 85, 99, 101, 104, 112, 235, 508, 523, 534, 743
 TagName, 276
 TagPrefix, 276
 ValidateRequest, 316
 [attribute=value], 381
 authentication
 defined, 580, 618
 Forms authentication, 617, 717
 SQL Server Authentication, 758, 759, 764–768
 third-party, 617
 Windows Authentication, 758–759, 768–770
 authorization, 580–581, 618
 authorization rules, 580
 Auto Format feature, 532–533
 AutoID (ClientIDMode), 282
 automatic paging, 434
 automatic properties, 185, 285, 286, 623, 738
 AutoPostBack property, 115, 119, 120, 227, 229, 447, 451, 521, 524, 734
 Autos Window, 679, 680–684
 Average (operator), 488–489
 avoiding
 hardcoded settings, 698
 inline style sheets, 112

B

·b>, 11
 back tick (`), 624
 BackColor, 111
 background-color (CSS property), 75
 background-image (CSS property), 75
 backing variables, 183, 184, 185, 186, 189, 191, 738
 backlash, 214, 323, 445
 Banner control
 creating, 273–276
 horizontal banner and, 283–288
 master page and, 277–279
 NavigateUrl and, 288–293
 registration of, 279–280
 base page, 208–218, 237, 238, 256, 319, 737
 creating, 210–214
 modifying, 231–232
 reusable page templates and, 214–218
Beginning ASP.NET MVC 1.0, 35
Beginning CSS: Cascading Style Sheets for Web Design, Second Edition, 76, 86
Beginning Microsoft SQL Server 2008 Administration, 764
Beginning Microsoft SQL Server 2008 Programming, 415
Beginning Microsoft Visual Basic 2010, 140
Beginning Microsoft Visual C# 2010, 140
Beginning Regular Expressions, 306
Beginning Web Programming with HTML, XHTML, and CSS, 2nd Edition, 14
 BETWEEN, 410
 bigint, 422
 bind method, 382, 383, 384, 390, 393
 black boxes, 191
 Blue Screen of Death, 658
 blueprints, classes as, 145, 182, 196
 ·body>, 11
 Books Online, 766, 769
 bool/Boolean (data types), 143, 145, 155, 168, 169, 248, 264, 361, 409, 492, 616, 621, 705
 border (CSS property), 75, 78–79
 BorderColor, 111, 531
 BorderStyle, 111, 531
 BorderWidth, 111, 531
 BoundField, 453
 Box Model, CSS, 78–79, 94, 104
 breadcrumb trail, 127, 246, 261–263, 269, 270
 breakpoints, 673, 674, 675, 676, 677, 679, 680, 681, 683, 684, 685, 686, 687, 696
 Breakpoints Window, 679, 680–684

browsers

- Firefox, 48, 82, 91, 92, 117, 274, 300, 337, 351, 560, 673, 684
- Google Chrome, 48, 92, 252, 300, 312, 510
- Internet Explorer, 7, 19, 48, 91, 92, 262, 274, 300, 332, 337, 351, 673, 675
 - debugging JavaScript in, 684–687
 - Planet Wrox and, 48
- Opera, 48, 92, 255, 300, 560, 673, 684
- Safari, 48, 92, 300, 354, 517
- Bug Base chapter, 604. *See also ASP.NET 2.0 Instant Results*
- bulleted lists, 12, 57, 59, 60, 218, 496, 503, 507, 512, 522
- BulletedList, 113, 114, 493, 495, 496, 639
- :button, 381
- Button control
 - exercise, 107–109
 - named skin for, 235–236
 - skins for, 234–235
 - state engine and, 129–133
 - UpdatePanel and, 334–338
- Button1_Click, 193
- ButtonField, 453
- ByRef, 171
- byte/Byte (data types), 143
- ByVal, 171

C

- Cache API, 566, 570–575
- cache invalidation, 577
- caching, 565–575, 577
 - with data source controls, 568
 - output caching, 567–568, 577
 - pitfalls with, 565–566
 - programmatic caching, 568–570
 - types of, 566–575
- calculator (web-based), 163–166
 - optimizing, 173–176
- Calculator class
 - creating, 173–176
 - static methods and, 358
- Calendar control, 125, 129–133
- Call Stack Window, 679–684
- Cascading Style Sheets. *See* CSS
- casting, 145–146
- catching exceptions, 658–666
- Catch/Try Finally blocks, 658, 660, 662, 663, 664, 665, 666, 694, 754
- CDN (Content Delivery Network), 369
- chain, inheritance, 213, 719
- chaining, 375, 384, 390, 396, 402
- ChangePassword, 596–599
- char/Char (data types), 141, 144, 421, 422
- Chart control, 436
- :checkbox, 381
- CheckBoxField, 453
- CheckBoxList, 113, 114, 115, 116, 117, 137, 632, 633, 634, 636
 - exercise, 115–117
- checkboxlist, deployment, 698, 727–728
- Chiaretta, Simone, 35
- ChildrenAsTriggers, 337
- Chrome (Google Chrome), 48, 92, 252, 300, 312, 510
- class(es), 182–183
 - abstract, 191
 - Attachment, 317
 - Attention, 75, 102, 396
 - as blueprints, 145, 182, 196
 - Calculator class
 - creating, 173–176
 - static methods and, 358
 - Convert, 145
 - CssClass, 111, 233, 234, 235, 236, 248, 257, 304, 531
 - defined, 196
 - event arguments, 193
 - File, 322–328, 330
 - methods, 323
 - MailAddress, 317, 322, 740
 - MailMessage, 317, 321, 322, 325, 327
 - Object, 144, 189, 190, 191
 - Page, 177
 - ProfileCommon, 626, 648, 650, 651
 - properties. *See* properties
 - removeClass, 382, 383
 - Review, 480, 491, 570
 - SmtplibClient, 317, 320, 329, 662
 - toggleClass, 382, 383
 - WebConfigurationManager, 700–705
- class selector, 73–74, 90, 98, 104, 258, 281, 376, 378, 733
- classic ASP, 1, 106, 129, 132, 139, 346. *See also* ASP.NET 4
- <clear />, 601, 603, 726, 767, 770, 773, 774, 775
- client data binding, 363
- client IDs, 281
- ClientID, 110, 281, 314
- ClientIDMode, 110, 207, 281, 282, 314, 386, 435, 517, 743
- client-side ASP.NET AJAX Library, 333, 360, 361–362, 372, 394
- client-side JavaScript framework, 331, 346, 362, 364, 401, 402
- client-side script, debugging, 684–687

- client-side validation, 300, 311–316, 330. *See also*
 - server-side validation
 - CustomValidator and, 311, 313, 314, 315
 - ValidationSummary and, 311, 312, 313
 - warning on, 300
- Code Behind, 10, 49–54, 62, 64, 68, 179, 200
- code files, 43
- code organization, 170–181. *See also* comments;
 - functions; namespaces; subroutines
- code reuse. *See* reuse
- code snippets, 25, 62, 68
- CodeFiles, 173
- CollapseImageToolTip, 257
- CollapseImageUrl, 257
- collection initializers, 151
- collections, 148–149
 - arrays *v.*, 148–149
 - defined, 148, 196
- collisions, name, 176
- colon, Inherits keyword and, 177, 189
- color (CSS property), 75
- combining selectors, 74–75
- CommandField, 453
- comments, 142, 179–181, 194
- CompareValidator, 306–307
 - properties, 306–307
 - TextBox controls and, 307
- comparison operators, 154–156, 409
- compile errors, 656–657
- CompositeScript, 340
- concatenation operators, 156–157
- conditions. *See* decisions/conditions
- Connect Timeout, 446
- connecting pages. *See* links
- connection strings. *See also* SQL Server Authentication;
 - Windows Authentication
 - defined, 475
 - LocalSqlServer, 585, 599, 600, 602, 608, 626, 726, 767, 770, 771, 773, 775
 - parts of, 445–446
 - PlanetWroxConnectionString1, 445, 448, 481, 726, 773
 - in web.config, 445–446, 473
- connectionStringName, 600
- consistency (in web pages), 197–238
 - base page, 208–218, 237, 238, 256, 319, 737
 - creating, 210–214
 - reusable page templates and, 214–218
 - master pages, 198–207, 238
 - caveats, 206
 - content pages and, 198, 201–207, 238
 - DropDownList and, 227–231
 - nesting, 206, 207
 - user controls and, 276–279
 - skins, 232–236
 - themes, 218–232, 238
 - applying, 220–223
 - creating, 219
 - defined, 218
 - extending, 224–226
 - StyleSheetTheme, 219, 220, 221, 222, 223, 231, 237, 250, 251, 277, 728, 736
 - switching, 226–232
 - Theme property, 219, 237, 260, 737
 - types of, 219
 - themes and, 218–232
 - tips for, 236
- constructors, 187–189
 - object initializers and, 189
 - overloaded, 188, 189, 317
- contact form (ContactForm.ascx)
 - animating, 392–396
 - creating, 301–303
 - extending, 307–310
 - flicker-free pages and, 341–344
 - sending e-mail from, 323–328
 - watermark and, 386–390
 - Watermark plugin and, 397–400
- container controls, 118–124, 137
- :contains (text), 381
- Content Delivery Network (CDN), 369
- content pages, 198, 201–207, 238. *See also* master pages
 - user controls and, 276–279
- ContentPlaceHolder, 201, 202, 205, 206, 207, 237, 250, 264, 335, 374, 377, 437, 537, 538, 736
- ContentTemplate, 338
- ContextTypeName, 497
- ContinueDestinationPageUrl, 592
- Control Toolkit (AJAX), 362
- ControlParameter, 446
- controls. *See also* data controls; server controls; *specific controls*
 - login controls, 127, 582–599, 617, 618
 - ChangePassword, 596–599
 - CreateUserWizard, 592–596, 617
 - PasswordRecovery, 596–599, 617
 - working with, 590–592
 - navigation controls, 127, 245–263
 - architecture of, 245
 - Menu control, 245, 248–257, 269, 270
 - SiteMapPath control, 261–263, 269, 270
 - TreeView control, 105, 127, 236, 257–261, 269, 270
 - Web.sitemap and, 246–248

controls (*continued*)

- user controls (ASP.NET), 271–296
 - ASPX pages *v.*, 271, 272
 - caveats, 280–282
 - content page and, 276–279
 - creating, 272–276
 - encapsulation and, 272, 295
 - introduction, 272–282
 - logic added to, 282–294
 - master page and, 276–279
 - site-wide registration of, 279–280
 - tips for, 294
 - validation controls, 127, 299–316, 330
 - benefit of, 329
 - CompareValidator, 306–307
 - contact form and, 307–310
 - CustomValidator, 303, 311, 313, 314, 315
 - ErrorMessage property, 304, 305, 328
 - properties of, 304–305
 - RangeValidator, 300, 305–306
 - RegularExpressionValidator, 306
 - RequiredFieldValidator, 300–303
 - standard, 303–316
 - Text property, 304, 305, 328
 - using, 300–303
 - ValidationSummary, 299, 305, 311, 312, 313
 - ControlToCompare, 306
 - ControlToValidate, 304
 - Convert class, 145
 - converting data types, 144–146
 - CookieParameter, 446
 - cookies, 227, 238
 - Copy (File class), 323
 - Copy Web Site option, 706, 707–709, 729
 - Count (operator), 488–489
 - CreateUserText, 587
 - CreateUserUrl, 587
 - CreateUserWizard, 592–596, 617
 - confirmation e-mail and, 593–596
 - properties, 592–593
 - creating data, 417. *See also* CRUD
 - Cross Page PostBacks, 132
 - CRUD (create, read, update, delete), 407–421, 431, 432.
 - See also* DELETE; INSERT; SELECT; UPDATE
 - css(name), 382
 - css(name, value), 382
 - css(properties), 382–383
 - CSS (Cascading Style Sheets), 65–104. *See also* style sheets
 - adding to pages, 84–86
 - books
 - Beginning CSS: Cascading Style Sheets for Web Design, Second Edition*, 76, 86
 - Beginning Web Programming with HTML, XHTML, and CSS, 2nd Edition*, 14
 - Professional ASP.NET 2.0 Design: CSS, Themes, and Master Pages*, 86, 728
 - Professional CSS: Cascading Style Sheets for Web Design, 2nd Edition*, 728
 - Box Model, 78–79, 94, 104
 - declarations, 71, 104
 - exercise, 68–71
 - formatting and, 66–67
 - HTML formatting *v.*, 66–67
 - introduction, 68–86
 - jQuery and, 382–383
 - Planet Wrox home page and, 79–84
 - properties, 75–76
 - shorthand versions, 77–78
 - reasons for using, 66–67
 - selectors, 71, 72–75, 104
 - class, 73–74, 90, 98, 104, 258, 281, 376, 378, 733
 - element, 104, 376, 378
 - grouping/combining, 74–75
 - ID, 73, 80, 87, 98, 281, 375, 378, 386, 733
 - universal, 73, 104, 375
 - tips for, 102
 - values, 76–77
 - VWD and, 87–101
- CSS Properties Grid, 87, 95, 96, 97, 102
- CssClass, 111, 233, 234, 235, 236, 248, 257, 304, 531
- CssDemo.aspx, 68, 70, 74
- Ctrl+F4, 275, 418
- Ctrl+F5, 7
- Ctrl+S, 20, 203, 275, 424, 425, 428, 624
- Ctrl+Shift+B, 625
- Ctrl+Shift+Enter, 714
- Ctrl+Shift+F, 22
- Ctrl+Shift+F5, 677
- Ctrl+Shift+F9, 673, 680
- Ctrl+Shift+H, 22, 212
- custom error pages, 666–673
- customizing
 - data controls (appearance), 452–459
 - DetailsView, 464–472
 - Document Window, 25
 - GridView columns, 453–459
 - IDE, 22–27, 30
 - Listview templates, 515–520
 - toolbars, 25–26
- CustomValidator, 303, 311, 313, 314, 315

D

- DarkGrey, creating, 220–223
- data. *See also* databases; validation
 - added to traces, 691–693
 - advanced topics, 529–578
 - anonymous types and, 491–496, 528
 - caching. *See* caching
 - deleting data, 418. *See also* CRUD; GridView
 - ListView control and, 505–514
 - WHERE clause (SQL) and, 408–410, 431
 - displaying/updating, 433–476
 - filtering data
 - data controls and, 446–452
 - WHERE clause and, 408–410, 431
 - SQL and
 - creating, 417
 - deleting, 418
 - filtering, 408–410, 431
 - joining, 414–417
 - ordering, 410
 - reading, 408–417
 - retrieving/manipulating, 407
 - sample database and, 418–421
 - selecting, 408, 411–414
 - updating, 418
 - working with, 405–407
 - stale, 566, 577
 - tips for, 575–576
 - updating data, 418. *See also* CRUD; displaying/
 - updating data
 - DetailsView and, 459–473
 - GridView and, 437–442
 - UPDATE and, 408, 417, 418, 419, 420, 421, 431, 440, 442, 462, 562, 744, 745
 - user input
 - importance of, 298–299, 329
 - never trust user input*, 299
 - validation of, 297–330
- data access code, hand-coding, 554–565
- data controls, 127, 433–475. *See also* server controls
- Chart control, 436
- customizing appearance of, 452–459
- data source controls, 435–436, 474, 475
 - caching with, 568
 - handling errors in, 550–554
- data-bound controls, 434–435, 474, 475
 - columns/fields, configuration of, 453–459
 - formatting, 530–539
 - list controls, 434–435
- filtering data and, 446–452
- life cycle, 459–460, 540–545
- LINQ queries and, 496–526
- markup and, 554
- data files, 43–44
- data model mapping, to object model, 481–486
- data source, 435
- Data Source Configuration Wizard dialog box, 499
- data source controls, 435–436, 474, 475
 - caching with, 568
 - handling errors in, 550–554
- data tips (tooltip windows), 676, 678, 683, 696
- data types, 141–146. *See also specific data types*
 - arrays and, 146–149
 - casting, 145–146
 - converting, 144–146
 - non-standard, Profile feature and, 623–624
 - in SQL Server, 421–422
- data validation. *See* validation
- Database Explorer, 18
- Database Publishing Wizard, 723–725
- databases (relational)
 - aspnetdb.mdf database, 585, 607, 626, 722, 726, 757, 762, 767, 769, 770, 771, 772, 773, 775
 - attaching to SQL server, 761–763
 - recreating, 725–727
- databases (relational databases), 403–432. *See also* SQL
 - Server 2008
 - defined, 404–405, 432
 - sample database, 406–407, 418–421
 - tables, 421–430, 432
 - defined, 404
 - tips for, 430
 - types of, 405
- data-binding expression syntax, 445, 475
- DataBindings dialog box, 468
- data-bound controls
 - columns/fields, configuration of, 453–459
 - formatting, 530–539
 - list controls, 434–435
- DataFormatString, 456, 457, 458
- DataPager, 173, 434, 435, 477, 496, 520–526, 527
 - defined, 434, 435
 - ListView control and, 521–526
- DataSource, 435, 495, 496
- DataSourceID, 248, 441, 450, 486, 504
- Date (data type), 143, 305, 306, 361
- date (SQL data type), 421
- datetime, 421
- datetime2, 421

- debugging, 673–687, 696
 - basics, 673–676
 - breakpoints and, 673, 674, 675, 676, 677, 679, 680, 681, 683, 684, 685, 686, 687, 696
 - client-side script, 684–687
 - Firebug and, 337
 - JavaScript, in Internet Explorer, 684–687
 - keyboard shortcuts for, 677
 - moving around in, 677–678
 - tips for, 694–695
 - tools for, 677–684
- debugging windows, 678–684
 - Autos Window, 679, 680–684
 - Breakpoints Window, 679, 680–684
 - Call Stack Window, 679–684
 - Immediate Window, 680–684
 - Locals Window, 679, 680–684
 - Watch Window, 678–684
- decimal/Decimal (data types), 143, 421
- decisions/conditions, 151, 159–166
- declarations (CSS), 71, 104
- default documents, 244–245
- DELETE, 418, 420, 421, 429, 431, 440, 454, 462, 553, 744
- Delete (File class), 323
- DeleteParameters, 475
- deleting data, 418. *See also* CRUD; GridView
 - ListView control and, 505–514
 - WHERE clause (SQL) and, 408–410, 431
- deliveryMethod, 317, 318, 320, 328, 594
- deployment (web site deployment), 697–730
 - avoiding hardcoded settings, 698
 - checklist, 698, 727–728
 - Copy Web Site option and, 706, 707–709, 729
 - expression syntax and, 699–700
 - IIS and, 706
 - options for, 706
 - preparation for, 698–705
 - Publish Web Site option and, 706, 709–710, 729
 - web.config file and, 699, 701–705
 - WebConfigurationManager class and, 700–705
- Design View, 18, 19, 20, 48, 64
- designers
 - Entities Designer, 481, 482, 484, 575
 - HTML Designer, 48
 - object-relational designer (EF), 484
 - Query Designer, 411, 414, 416, 419, 420, 429
 - Table Designer, 423–426
- designing Web pages. *See* CSS
- DestinationPageUrl, 587
- DetailsView
 - customizing, 464–472
 - FormView *v.*, 435
 - inserting data with, 442–444, 459–473
 - managing data with, 460–464
 - updating data with, 459–473
- developer profiles, 16
- dialog box
 - Add New Item, 200, 201, 218, 233, 272, 274, 341, 347, 741
 - Advanced Security Settings, 719, 720
 - Advanced Settings, 715, 716
 - Advanced SQL Generation Options, 454
 - Data Source Configuration Wizard, 499
 - DataBindings, 468
 - Fields, 455, 458, 464
 - Installation Options, 4, 5
 - ListItem Collection Editor, 115, 118, 126, 447
 - Modify Style, 80, 82, 88, 89, 92
 - New Web Site, 5, 19, 34, 35
 - Open Web Site, 39
 - Release Properties, 720
 - Styles, 98. *See also* Apply Styles window
 - VWD Options dialog box, 27, 30, 233, 234
- DirectCast, 145, 146
- DisableCreatedUser, 592
- DisappearAfter, 248
- display (CSS property), 75
- Display property (validation controls), 304
- DisplayAfter, 340
- DisplayDirection, 285, 286, 287, 288, 289, 291, 292, 295, 739
- displaying/updating data, 433–476
 - tips for, 473
- DisplayRememberMe, 587
- <div>, 12
- DOCTYPE, 14
- document object model. *See* DOM
- document ready function (jQuery), 371, 372, 374, 388, 393, 394, 395, 401, 744
- Document Window, 18–19
 - customizing, 25
- Document! X, 181
- \$(document).ready function(). *See* document ready function
- documents, default, 244–245
- Dojo, 368
- \$ method, 374, 375, 376. *See also* jQuery
- DOM (document object model)
 - defined, 374
 - jQuery and, 374, 382–390, 402
- double hash symbols (##), 324, 327
- double/Double (data types), 143, 144, 145, 146, 165
- DropDownList, 113
 - exercise, 114–115
 - GridView and, 47–450
 - master page and, 227–231
- dynamic data, 126, 297, 568

Dynamic Data Web Sites, 2, 37, 128
 dynamic files, 9, 686, 687
 dynamically switching themes, 226–232
 DynamicEnableDefaultPopOutImage, 248
 DynamicLayout, 340

E

each (method), 385, 388, 389
 <EditItemTemplate>, 504
 EditRowStyle, 532
 EF. *See* Entity Framework
 effects (jQuery), 391–396
 element selector, 104, 376, 378
 elements (HTML), 10–12
 Else block (else), 160–161
 else if ladder, 161
 ElseIf, 161
 e-mail
 CreateUserWizard and, 593–596
 creating, 319–322
 exception handling and, 660–666
 sending
 from control form, 323–328
 from web site, 317–322
 embedded style sheets, 84, 85–86, 104
 exercise, 92–97
 inline/external style sheets *v.*, 85–86
 <style> element and, 73, 80, 87, 98, 281, 375, 378, 386, 733
 Empty Web Site (template), 36
 EmptyDataRowStyle, 533
 <EmptyDataTemplate>, 504
 <EmptyItemTemplate>, 504
 EnableCdn, 339
 EnableClientScript, 304
 Enabled (server control property), 111
 EnableDelete, 497
 EnableInsert, 497
 EnablePageMethods, 339
 EnablePartialRendering, 339
 enablePasswordReset, 600
 enablePasswordRetrieval, 600
 EnableSsl property, 320, 594, 595
 EnableUpdate, 497
 EnableViewState, 131, 133, 134, 135, 233, 551
 encapsulation, 131, 184, 191, 272, 294, 295, 549, 582
 defined, 184, 196
 properties and, 184
 user controls and, 272, 295
 EndRequest, 627, 653
 endsWith, 361
 Entities Designer, 481, 482, 484, 575
 Entity Data Model file (ADO.NET), 44, 481, 528, 575, 641
 Entity Framework (EF, ADO.NET Entity Framework), 2, 477–478, 480–528
 introduction, 480–481
 object-relational designer, 484
 Programming Entity Framework Second Edition, 565
 tips for, 526–527
 entity sets, 528
 EntityDataSource, 436, 528
 application, 497–503. *See also* Gig Pics section
 properties, 497
 strong typing and, 502
 EntitySetName, 497
 enumerations (enums), 77, 283, 284, 285, 295, 504, 548, 739
 enums. *See* enumerations
 :eq (index), 380
 equals operator (=), 409
 Error List, 21
 ErrorMessage property (validation controls), 304, 305, 328
 errors. *See also* exceptions
 compile, 656–657
 custom error pages, 666–673
 logic, 657–658
 runtime, 658
 syntax, 656–657
 web server, 721–723
 escaping, 214, 318, 323
 Eval, 471, 495, 514, 639
 :even, 380
 event arguments class, 193
 event handlers, 192, 193
 event handling, 539–554
 DataView and, 464–472
 jQuery and, 383–385, 402
 postback event handling phase, 209
 event wiring syntax, 193
 EventArgs, 193, 194, 550
 event-driven environment, 192
 events, 192–194
 Events tab, 123, 137, 193, 227, 468, 500, 509, 534, 541, 546, 551, 594, 614, 642, 748
 Everyone account, 721
 Evjen, Bill, 333, 338, 362
 exception handling, 656–673, 696
 data source controls and, 550–554
 e-mail addresses and, 660–666
 global, 666–673
 site wide, 667–673

Exception property, 550, 553, 577

ExceptionHandled, 550, 551, 552, 553, 750

exceptions, 577

- catching, 658–666
- compile errors, 656–657
- defined, 696
- logic errors, 657–658
- runtime errors, 658
- swallowing, 694
- syntax errors, 656–657

Try Catch Finally blocks, 658, 660, 662, 663, 664, 665, 666, 694, 754

Yellow Screen of Death, 554, 658, 662, 670, 695, 750, 755

execution path, 656, 687, 754

exercises/answers. *See also specific exercises*

- chapter 1, 30, 731–732
- chapter 2, 63, 732–733
- chapter 3, 103, 733–734
- chapter 4, 136, 734–735
- chapter 5, 195, 735
- chapter 6, 237, 736–737
- chapter 7, 269, 737–738
- chapter 8, 295, 738–739
- chapter 9, 329, 739–741
- chapter 10, 364, 741–742
- chapter 11, 401, 743–744
- chapter 12, 431, 744–745
- chapter 13, 474, 745–746
- chapter 14, 527, 746–748
- chapter 15, 576, 749–750
- chapter 16, 617, 751
- chapter 17, 652, 752–753
- chapter 18, 695, 754–755

Exists (File class), 323

ExpandDepth, 257

ExpandImageToolTip, 257

ExpandImageUrl, 257

Export Template feature, 215, 236

Express edition. *See* SQL Server 2008; Visual Web Developer 2010

expression syntax, 445, 475, 698, 699–700, 730

Ext JS, 368

eXtensible Markup Language. *See* XML

extensions, AJAX, 127–128

external style sheets, 84, 85–86, 104, 112

- exercises
 - attaching new style sheet to document, 90–92
 - creating new styles in style sheets, 87–90
 - inline/embedded style sheets *v.*, 85–86
 - link· element and, 82, 84, 201, 221, 222, 240, 734

external web services, 351

F

F2 shortcut key, 482, 499

F4 shortcut key, 18, 108, 123, 130, 227, 243, 247, 251, 302, 443, 449, 468, 482, 491, 541, 643, 732

F5 shortcut key, 380, 674, 675, 676, 677, 681, 683, 684, 685, 686, 687

F7 shortcut key, 259, 319, 456, 649

F8 shortcut key, 657

F9 shortcut key, 673, 674, 680, 684

F10 shortcut key, 675, 676, 677, 681, 682, 683, 685

F11 shortcut key, 676, 677, 682, 683

fadeOut(), 391

fadeOut(), 391

fadeTo(), 391

feedback, to users, 340–344

Fields dialog box, 455, 458, 464

:file, 381

File class, 322–328, 330

- methods, 323

File ⇄ New Project, 35, 38

File ⇄ New Web Site, 19, 34, 35, 38, 42, 242

file system (deployment option), 706

files/file types (ASP.NET web sites), 40–47, 64. *See also* databases; JavaScript; master pages; Web Forms

- adding existing files, 44–47
- code files, 43
- data files, 43–44
- organizing, 46
- special file types, 47
- web files, 41–43

FileUpload control, 125

filtering data

- data controls and, 446–452
- WHERE clause and, 408–410, 431

filters (jQuery), 379–382, 401, 402

- advanced, 381–382
- basic, 379–381

Finally/Try Catch blocks, 658, 660, 662, 663, 664, 665, 666, 694, 754

Find Results window, 22

Firebug, 337

Firefox, 48, 82, 91, 92, 117, 274, 300, 337, 351, 560, 673, 684

:first, 380

First (operator), 490–491

first web site creation, 5–9

FirstOrDefault, 490

flicker-free pages, 333, 334–344

float (CSS property), 75, 82, 513

float (data type), 143, 153, 422

Font (server control property), 111, 531

font family, 54
font properties (CSS)
 font-family, 75
 font-size, 75
 font-style, 75
 font-weight, 75
font size, 54
FooterStyle, 533
For Each loop, 168
For loop, 166–168
foreach loop, 168
ForeColor, 111, 531
foreign key, 426, 427, 432, 482, 562
foreign key constraint error, 553, 554, 577
Foreign Key Table, 427, 498
<form>, 11
<form> element, 79, 131, 199, 437
Format menu, 57–60, 62
format method, 361
formatting. *See also* CSS
 CSS and, 66–67
 data-bound controls, 530–539
 HTML and, 66–67
Formatting toolbar, 54–57, 61, 62, 70, 90, 732
FormParameter, 447
Forms authentication, 617, 717
FormView, 434, 435, 459, 747. *See also* DetailsView
forward slashes, 11, 180, 224, 241, 242, 244, 247, 611
Framework64, 714, 771
Friend (access modifier), 192
From clause, 487–488
FTP site (deployment option), 706
functions, 170–176
 code reuse and, 176
 parameterized, 170
 subs *v.*, 170
 tips for, 194

G

generics, 150–151
 back tick (`) and, 624
 collection initializers and, 151
 List type and, 150, 151, 623
 Professional .NET 2.0 Generics, 151
Genre table, 405, 411
 joining data and, 414–417
 for Planet Wrox, 423–430
 selecting data and, 411–414
GET, 131, 137, 298, 332, 688

Get block, 183
Gig Pics section, 28
 building, 497–503
 ListView control and
 customizing templates, 515–520
 DataPager, 521–526
 inserting/deleting data, 505–514
global error handling, 666–673
Global.asax, 646, 653, 667, 668, 672, 696, 698, 703
Golding, Todd, 151
Google Chrome, 48, 92, 252, 300, 312, 510
Google Code, 369
greater than (>), 155, 409
greater than or equal (>=), 155, 409
Greeting Cards chapter, 526. *See also* ASP.NET 2.0
 Instant Results
GridView, 105
 columns, customizing, 453–459
 DropDownList and, 447–450
 skins and, 233, 236
 SqlDataSource control and, 436–442
 styles and, 533–535
grouping selectors, 74–75
grouping/combining selectors, 74–75, 376–377
<GroupSeparatorTemplate>, 504
<GroupTemplate>, 504
:gt (index), 380

H

Haidar, Bilal, 613
hand-coding data access code, 554–565
Handler Mapping, 9
Handles keyword, 52, 116, 193, 213, 313, 345
handling events. *See* event handling
handling exceptions. *See* exception handling
hard refresh, 222
hardcoded settings, avoidance of, 698
:has (element), 381
hasClass, 382
hash symbol (#), 37, 73, 88, 324, 327, 386
hashing, 599, 600
Hashtable, 149
<head>, 11
:header, 380
height
 CSS property, 76
 server control property, 111, 532
“Hello World” web service, 348–351
hexadecimal, 76, 77, 80, 677

- :hidden, 381
- HiddenField control, 125
- hide(), 391
- horizontal banner, 283–288. *See also* Banner control
- HorizontalAlign, 532
- :hover, 89, 90, 92, 254, 256
- <html>, 11
- HTML (HyperText Markup Language), 10–14, 31
 - attributes, 12
 - Beginning Web Programming with HTML, XHTML, and CSS, 2nd Edition*, 14
 - controls, 126–127
 - elements, 10–12
 - formatting and, 66–67. *See also* CSS
 - tables, 57–60
 - tags, 10–12
 - XHTML *v.*, 13–14, 731
- HTML Designer, 48
- HTTP (HyperText Transfer Protocol), 9, 31
- Hungarian Notation, 142
- Hyperlink control, 60, 240
- HyperLinkField, 453
- HyperText Markup Language. *See* HTML
- HyperText Transfer Protocol. *See* HTTP

I

- Ⓜ, 11
- ID attribute, 106
- ID selector, 73, 80, 87, 98, 281, 375, 378, 386, 733
- IDE (VWD integrated development environment), 15–27, 31
 - customizing, 22–27, 30
 - Database Explorer, 18
 - developer profiles, 16
 - Document Window, 18–19
 - main menu, 16
 - Properties Grid, 18
 - restoring/resetting, 26–27
 - Solution Explorer, 17
 - Start Page, 19
 - toolbar area, 16–17
 - Toolbox, 17
- identity, security and, 580
- identity columns, 422–426, 432
- If statement, 159–160
- IIS (Internet Information Services)
 - deployment and, 706
 - installing/configuring, 711–714
 - Network Service and, 446, 715, 717, 720, 762, 768
 - Professional IIS 7*, 728
 - roles and, 604
 - security in, 717–718
 - web site running under, 710–718
 - Windows Authentication and, 768–770
- IL (Intermediate Language), 140
- :image, 381
- image (data type), 422
- Image control, 125
- ImageButon, 125
- ImageField, 453
- ImageMap control, 125
- images, added to themes, 224–226
- , 11
- Immediate Window, 680–684
- Imports keyword, 178
- IncludeStyleBlock, 249
- informational windows (VWD), 21–22
- Inherit (ClientIDMode), 282
- inheritance, 189–191, 195, 208, 213, 719
- inheritance chain, 213, 719
- Inherits keyword, 177, 189
- initializers
 - collection, 151
 - object, 189
- inline code, 49–54, 62, 64, 68, 179, 200
- inline comments, 179–180
- inline style sheets, 85–86, 104, 112
 - avoidance of, 112
 - embedded/external style sheets *v.*, 85–86
 - exercise, 92–97
- INNER JOIN, 414, 415, 416
- Innovasys, 181
- :input, 381
- <input>, 11
- INSERT, 408, 417, 418, 419, 420, 426, 431, 440, 444, 454, 462, 502, 562, 725
- inserting data, ListView control and, 505–514
- inserting data, with DetailsView, 442–444, 459–473
- InsertItemPosition, 504
- <InsertItemTemplate>, 504
- InsertParameters, 475
- Installation Options dialog box, 4, 5
- instances, 175, 182
 - named, 445, 475, 758, 767, 770, 773
 - unnamed, 758
- instantiating, 182
 - abstract classes and, 191
 - arrays, 147
 - definition of, 182, 196
 - Person instance, 189
- int, 422
- integrated development environment. *See* IDE
- Integrated Pipeline mode, 717, 718, 730
- IntelliSense, 12, 50, 51

Intermediate Language (IL), 140
 internal (access modifier), 192
 Internet Explorer, 7, 19, 48, 91, 92, 262, 274, 300, 332, 337, 351, 673, 675
 debugging JavaScript in, 684–687
 Planet Wrox and, 48
 Internet Information Services. *See* IIS
 interoperability
 ASP.NET AJAX and, 331
 CTS and, 143
 SQL and, 405
 int/Integer, 141, 142, 143
 Is/is (comparison operators), 155
 IsUserInRole, 613–616
 IsValid, 304
 ItemDeleted, 460
 ItemDeleting, 460
 ItemInserted, 460
 ItemInserting, 460
 ItemPlaceholderID, 504
 <ItemSeparatorTemplate>, 504
 <ItemTemplate>, 503
 ItemUpdated, 460
 ItemUpdating, 460
 iteration, 148. *See also* loops

J

JavaScript, 10, 18, 31. *See also* Ajax; jQuery
 debugging, in Internet Explorer, 684–687
 framework, 331, 346, 362, 364, 401, 402
 limitations of, 367
 Professional JavaScript for Web Developers, 2nd Edition, 303
 strongly typing and, 362
 JOIN, 414–417, 431, 432
 joining data, 414–417
 jQuery, 367–402
 Access Key Highlighter plugin, 561
 AJAX and, 331
 chaining and, 375, 384, 390, 396, 402
 core functionality, 374
 CSS methods and, 382–383
 demo page, 379–380
 document ready function, 371, 372, 374, 388, 393, 394, 395, 401, 744
 \$ method, 374, 375, 376
 DOM and, 374, 382–390, 402
 effects, 391–396
 event handling and, 383–385
 events, 373
 extensibility, 396–400

filters, 379–382, 401, 402
 advanced, 381–382
 basic, 379–381
 introduction, 368–373
 location (in web site) for, 368–369
 master pages and, 370–373
 matched set, 374, 375, 377, 380, 382, 383, 384, 385, 388, 389, 390, 396, 402, 743
 mistakes with, 386
 online information, 400
 plugins, 396–400, 402
 Access Key Highlighter plugin, 561
 Watermark plugin, 397–400
 selectors, 375–378, 402
 syntax, 373–382
 tips for, 400
 versions, 368

K

keyboard shortcuts
 Alt+*Letter*, 560
 Ctrl+F4, 275, 418
 Ctrl+F5, 7
 Ctrl+S, 20, 203, 275, 424, 425, 428, 624
 Ctrl+Shift+B, 625
 Ctrl+Shift+Enter, 714
 Ctrl+Shift+F, 22
 Ctrl+Shift+F5, 677
 Ctrl+Shift+F9, 673, 680
 Ctrl+Shift+H, 22, 212
 customizing, 26
 debugging, 677
 F2, 482, 499
 F4, 18, 108, 123, 130, 227, 243, 247, 251, 302, 443, 449, 468, 482, 491, 541, 643, 732
 F5, 380, 674, 675, 676, 677, 681, 683, 684, 685, 686, 687
 F7, 259, 319, 456, 649
 F8, 657
 F9, 673, 674, 680, 684
 F10, 675, 676, 677, 681, 682, 683, 685
 F11, 676, 677, 682, 683
 Shift+Alt+*Letter*, 560
 Shift+Esc, 560
 Shift+F11, 677, 683
 keys
 foreign key, 426, 427, 432, 482, 562
 foreign key constraint error, 553, 554, 577
 Foreign Key Table, 427, 498
 Primary Key Table, 427, 498
 primary keys, 422–426

keywords. *See also specific keywords*

- as, 146, 570, 574
- Handles, 52, 116, 193, 213, 313, 345
- Imports, 178
- Me, 214, 682
- MetaKeywords, 577
- New, 176, 182, 187, 188, 358, 491, 527, 746
- Preserve, 148
- ref, 172
- Select/select, 487
- Then, 160
- this, 214, 682
- TryCast, 146, 546, 574
- using, 178
- var, 486, 491
- Klein, Scott, 37

L

Label control

- exercise, 49, 53, 54, 107–109
- state engine and, 129–133
- UpdatePanel and, 334–338

language-integrated query. *See* LINQ

:last, 380

Last (operator), 490–491

LastOrDefault, 490

⋈LayoutTemplate⋈, 503

lazy loading, 485, 528

LEFT OUTER JOIN, 415, 545, 547

Lerman, Julia, 565

less than (<), 155, 409

less than or equal to (<=), 155, 409

⋈li⋈, 12

libraries. *See also* jQuery

- client-side AJAX Library, 333, 360, 361–362, 372, 394
- JavaScript, 367–368

life cycle

- data controls life cycle, 459–460, 540–545
- page life cycle (ASP.NET), 208–210, 238
 - control life cycle and, 540–545
 - data control events and, 545–549

LIKE, 410

⋈link⋈ element, 82, 84, 201, 221, 222, 240, 734

LinkButton, 125

links, 60–62, 63. *See also* Hyperlink control

- ⋈a⋈ and, 60–62, 240
- breadcrumb trail and, 127, 246, 261–263, 269, 270

LINQ (language-integrated query)

- introduction, 478–479
- .NET Framework and, 478

queries

- anonymous types and, 493–496

- data controls and, 496–526

- operators, 487–491

- syntax, 487–496

- tips for, 526–527

LINQ to ADO.NET, 479–480

LINQ to DataSet, 479

LINQ to Entities, 479, 481–487

LINQ to Objects, 479

LINQ to SQL, 479, 480. *See also* Entity Framework

LINQ to XML, 479

LinqDataSource, 436, 568

Linux, 346

list controls

- ASP.NET server controls, 113–118, 137

- data-bound controls, 434–435

ListItem Collection Editor, 115, 118, 126, 447

lists. *See also specific lists*

- bulleted, 12, 57, 59, 60, 218, 496, 503, 507, 512, 522

- ordered, 12, 60, 434

- unordered, 60, 249, 434

ListView control, 435

- DataPager and, 521–526

- inserting/deleting data, 505–514

- properties, 504

- templates, 503–504

- customizing, 515–520

Literal control, 125

load phase, 209

local IIS (deployment option), 706

Localize control, 125

Locals Window, 679, 680–684

LocalSqlServer connection string, 585, 599, 600, 602,

608, 626, 726, 767, 770, 771, 773, 775

LoggedInTemplate, 588

logic, added to use controls, 282–294

logic errors, 657–658

logical operators, 157–159, 409–410

Login (login control), 587–588, 617

- properties, 587–588

login controls, 127, 582–599, 617, 618

- ChangePassword, 596–599

- CreateUserWizard, 592–596, 617

- confirmation e-mail and, 593–596

- properties, 592–593

- PasswordRecovery, 596–599, 617

- working with, 590–592

Login page, 583–587

LoginCreatedUser, 592

LoginName, 590–592

LoginStatus, 589–590
 LoginView, 588–589
 long/Long (data types), 143
 loops, 151, 166–170
 :lt (index), 380

M

machine.config, 178, 296
 MailAddress class, 317, 322, 740
 MailDefinition, 593
 MailMessage class, 317, 321, 322, 325, 327
 main menu, 16
 Manage Styles window, 17, 87, 90–92, 99–101, 103, 734
 Managed Pipeline Mode, 715
 ManagedPipelineHandler, 722
 Management folder (Planet Wrox), 437–442
 blocking access to, 608–612
 Management Studio (SQL Server), 759–760
 attaching databases to SQL Server, 761–763
 manipulating/retrieving data, 407–421
 margin (CSS property), 76, 78–79
 markup, 8, 63. *See also* HTML; server controls; user controls
 adding, 54–60
 ASP.NET, 14–15
 data controls and, 554
 Markup View, 18, 19, 20, 24, 25, 48, 49, 54
 master pages, 198–207, 238
 AJAX, 341
 caveats, 206
 content pages and, 198, 201–207, 238
 DropDownList and, 227–231
 jQuery added to, 370–373
 nesting, 206, 207
 user controls and, 276–279
 matched set, 374, 375, 377, 380, 382, 383, 384, 385, 388, 389, 390, 396, 402, 743
 Max, 488–489
 MaximumDynamicDisplayLevels, 248
 MaximumValue, 305
 maxInvalidPasswordAttempts, 600
 Me keyword, 214, 682
 media attribute, 84
 Membership and Role Services (AJAX), 363
 membership configuration (Planet Wrox), 601–603
 membership provider, 582, 586, 587, 601, 603, 617, 618
 Menu control, 245, 248–257, 269, 270
 creating basic version of, 249–253
 properties, 248–249
 styling, 253–257
 MetaDescription, 577
 MetaKeywords, 577
 methods, 186–187. *See also* functions; subroutines
 bind, 382, 383, 384, 390, 393
 CSS, jQuery and, 382–383
 defined, 170, 196
 deliveryMethod, 317, 318, 320, 328, 594
 \$ method, 374, 375, 376. *See also* jQuery
 each method, 385, 388, 389
 EnablePageMethods, 339
 File class, 323
 format method, 361
 Page methods, 358–360, 365
 pageLoad, 393, 394, 395, 401, 744. *See also* document ready function
 parent, 385, 387, 388, 389, 401
 parse, 361
 prev method, 385, 387, 388, 389, 401
 properties *v.*, 186
 Replace method, 327, 330
 signature and, 171, 187, 188, 192, 360, 740
 String.Format, 327, 350, 749
 validation, 311, 312, 313
 Microsoft Passport, 586, 617
 Microsoft Visual Web Developer. *See* Visual Web Developer 2010
 MicrosoftAjaxMode, 339
 Microsoft.Word.Document, 177
 Min, 488–489
 MinimumValue, 305
 minRequiredNonalphanumericCharacters, 600
 minRequiredPasswordLength, 600
 Mod, 152
 Model View Controller (MVC), 35, 368
 Modify permissions, 406, 718, 720, 722, 762
 Modify Style dialog box, 80, 82, 88, 89, 92
 Monochrome theme, creating, 220–223
 Move (File class), 323
 Mozilla Firefox, 48, 82, 91, 92, 117, 274, 300, 337, 351, 560, 673, 684
 MultiView control, 118, 119
 MVC (Model View Controller), 35, 368
 MVC 2 Web Application, 35
 myEntities, 484, 487

N

name collisions, 176
 named instance, 445, 475, 758, 767, 770, 773
 named skins, 235–236, 238

- namespaces, 144, 176–179
 - defined, 196
 - Microsoft.Word.Document, 177
 - PlanetWroxModel, 483, 494, 509, 557, 571, 634, 638, 642
 - System, 177, 178
 - System.Collections.Generic, 623, 624
 - System.IO, 322, 519
 - System.Linq, 478, 479
 - System.Net.Mail, 317, 319, 321, 329, 330, 594, 661, 667
 - System.Web.Configuration, 700, 701
 - System.Web.UI, 177, 213
 - System.Web.UI.WebControls, 177, 178, 531
 - naming
 - CSS classes, 102
 - data controls, 473
 - folders, 268
 - variables, 142, 194
 - naming container, 281
 - NavigateUrl, 240, 288–293, 295, 458, 639, 747
 - navigation controls, 127, 245–263
 - architecture of, 245
 - Menu control, 245, 248–257, 269, 270
 - creating basic version of, 249–253
 - properties, 248–249
 - styling, 253–257
 - SiteMapPath control, 261–263, 269, 270
 - breadcrumb and, 261–263
 - properties, 261
 - TreeView control, 105, 127, 257–261, 269, 270
 - navigation system and, 258–261
 - properties, 257
 - skins and, 236
 - Web.sitemap and, 246–248
 - navigation system, 239–270
 - default documents and, 244–245
 - programmatic redirection, 263–268
 - structure and, 239, 268
 - tips for, 268
 - TreeView control and, 258–261
 - URLs and, 240–244, 269
 - Nayeri, Keyvan, 35
 - nchar, 421
 - nested
 - BulletedList, 493
 - elements, 14
 - master pages, 206, 207
 - Repeater, 637, 639
 - single/double quotes, 13
 - .NET assemblies, 176, 177, 179, 216, 709, 710, 730
 - .NET Framework. *See also* ASP.NET 4
 - data types, 141. *See also* data types
 - history, 1–2, 30
 - IL, 140
 - LINQ and. *See* LINQ
 - runtime, 10, 140
 - Network Service, 446, 715, 717, 720, 762, 768
 - never trust user input*, 299
 - New keyword, 176, 182, 187, 188, 358, 491, 527, 746
 - New Web Site dialog box, 5, 19, 34, 35
 - non-standard data types, 623–624
 - NOT, 158
 - not equals (\neq), 155, 409
 - ntext / text, 422
 - NTFS settings, for Planet Wrox, 718–721
 - nvarchar, 422
- O**

 - Object class, 144, 189, 190, 191
 - object initializers, 189
 - object model, data model mapped to, 481–486
 - object oriented (OO) programming, 181–194
 - defined, 181, 196
 - encapsulation, 131, 184, 191, 272, 294, 295, 549, 582
 - defined, 184, 196
 - properties and, 184
 - inheritance, 189–191, 195, 208, 213, 719
 - terminology, 182–194
 - ObjectContext, 484, 487, 497
 - ObjectDataSource, 435, 436, 473
 - object-relational designer (EF), 484
 - objects, 182
 - :odd, 380
 - ol, 12
 - one-way algorithm, 600
 - one-way data binding expression, 459, 471
 - one-way relationship, 744
 - OnMigrateAnonymous, 646, 647, 653
 - OO programming. *See* object oriented programming
 - Open Web Site dialog box, 39
 - Opera, 48, 92, 255, 300, 560, 673, 684
 - operator precedence, 154
 - Operator property (CompareValidator), 306
 - operators, 151, 152–159
 - arithmetic, 152–154
 - assignment, 152
 - comparison, 154–156, 409
 - concatenation, 156–157
 - logical, 157–159, 409–410
 - query operators, 487–491

Options dialog box

- Advanced SQL Generation Options dialog box, 454
- Installation Options dialog box, 4, 5
- VWD, 27, 30, 233, 234
- OR, 158, 409
- ORDER BY, 408, 410, 413, 414, 419, 420, 431, 450, 466, 489
- Order By (operator), 488
- OrderBy, 497
- orderby, 488
- ordered lists, 12, 60, 434
- ordering data, 410
- OrElse, 158
- organizing code, 170–181. *See also* comments; functions; namespaces; subroutines
- Orientation property, 249, 251, 257
- output caching, 567–568, 577
- Output window, 21
- overloaded constructors, 188, 189, 317
- overriding, 190–191, 196
 - application services settings, 773–775
 - LocalSqlServer connection string, 773

P

- padding (CSS property), 76, 78–79
- Page class, 177
- page directive, 134, 135, 198
- page initialization (phase), 209
- page life cycle (ASP.NET), 208–210, 238
 - control life cycle and, 540–545
 - data control events and, 545–549
- Page methods, 358–360, 365
- page request (phase), 209
- page templates, 214–218
- pageLoad method, 393, 394, 395, 401, 744. *See also* document ready function
- PagerStyle, 533
- paging controls, 435. *See also* DataPager; ListView
- Panel control, 118
 - exercise, 119–120
- parameter list, 171, 468
- Parameter value, 447
- parameterized functions/subs, 170
- parent method, 385, 387, 388, 389, 401
- parse method, 361
- Passport, Microsoft, 586, 617
- :password, 381
- passwordAttemptWindow, 601
- passwordFormat, 600
- PasswordRecovery, 596–599, 617
 - PasswordRecoveryText, 587
 - PasswordRecoveryUrl, 587
 - passwordStrengthRegularExpression, 601
 - PathDirection, 261
 - PathSeparator, 261
 - performance
 - tracing and, 694
 - View State and, 134–135, 136
 - permanent redirect, 263–264, 269, 270
 - permissions, 580
 - defined, 618
 - Modify permissions, 406, 718, 720, 722, 762
 - personalization. *See also* Profile
 - defined, 620, 653
 - tips for, 651
 - personalized content, 619. *See also* Profile
 - photo album. *See* Gig Pics section
 - PHP, 106, 128, 129, 132, 139, 346, 357
 - pipeline
 - control pipeline, 539
 - Integrated Pipeline mode, 717, 718, 730
 - Managed Pipeline Mode, 715
 - ManagedPipelineHandler, 722
 - Placeholder control, 118
 - Planet Wrox (sample site)
 - contact form (ContactForm.ascx)
 - animating, 392–396
 - creating, 301–303
 - extending, 307–310
 - flicker-free pages and, 341–344
 - sending e-mail from, 323–328
 - watermark and, 386–390
 - Watermark plugin and, 397–400
 - deployment and. *See* deployment features, 28
 - Gig Pics section, 28
 - building, 497–503
 - ListView control and, 505–526
 - home page, 28
 - CSS and, 79–84
 - Internet Explorer and, 48
 - Login page, 583–587
 - Management section, 437–442
 - blocking access to, 608–612
 - membership configuration, 601–603
 - My Profile page, 28, 29
 - NTFS settings for, 718–721
 - online running example, 29
 - source code, 29
 - tables for, 423–430
 - web site creation, 38–40
 - PlanetWroxConnectionString1, 445, 448, 481, 726, 773

- PlanetWroxModel, 483, 494, 509, 557, 571, 634, 638, 642
- plugins (jQuery), 396–400, 402
 - Access Key Highlighter plugin, 561
 - Watermark plugin, 397–400
- POST, 131, 137, 298, 332, 688
- postback event handling phase, 209
- postbacks, 20, 21, 109, 120, 125, 128, 131, 137, 738
- PostBacks, Cross Page, 132
- practical tips. *See* tips/suggestions
- precedence, operator, 154
- precompilation, 709, 710, 730
- Predictable (ClientIDMode), 282
- PreferredTheme, 228, 229, 230, 231, 232
- PreInit, 209, 226, 231, 232, 540, 652, 737
- Preserve keyword, 148
- prev method, 385, 387, 388, 389, 401
- Primary Key Table, 427, 498
- primary keys, 422–426
- primitive types, 143
- privacy statement, 227
- Private, 184, 191, 192
- Professional ADO.NET 2*, 555
- Professional ASP.NET 2.0 Design: CSS, Themes, and Master Pages*, 86, 728
- Professional ASP.NET 3.5 AJAX*, 333, 338, 362, 728
- Professional ASP.NET 3.5 Security, Membership, and Role Management with C# and VB*, 613
- Professional ASP.NET 4 in C# and VB*, 125, 126, 132, 351, 363, 436, 505, 555, 565, 566, 568, 576, 604, 672, 728
- Professional CSS: Cascading Style Sheets for Web Design, 2nd Edition*, 728
- Professional IIS 7*, 728
- Professional JavaScript for Web Developers, 2nd Edition*, 303
- Professional LINQ*, 728
- Professional Microsoft SQL Server 2008 Administration*, 764
- Professional .NET 2.0 Generics*, 151
- Professional Search Engine Optimization with ASP.NET: A Developer's Guide to SEO*, 575
- Professional WCF Programming: .NET Development with the Windows Communication Foundation*, 37
- Professional Web Parts and Custom Controls with ASP.NET 2.0*, 128
- Profile (ASP.NET Profile), 619–653
 - anonymous identification and, 645–647, 653
 - configuring, 621–627
 - non-standard data types and, 623–624
 - other users and, 648–650
 - Reviews folder and, 636–641
 - simple profile properties, 621–622
 - storing genre preferences in, 632–636
 - storing user data in, 628–632
 - understanding, 620–621
 - using, 627–645
 - WAPs and, 621
 - WSPs and, 621
- profile creation, 624–627
- profile groups, 621, 622, 653
- Profile provider, 582, 626, 627, 651, 653
- ProfileCommon class, 626, 648, 650, 651
- ProfileParameter, 447
- programmatic caching, 568–570
- programmatic redirection, 263–268
 - permanent, 263–264, 269, 270
 - Response.Redirect, 263–266, 269
 - Response.RedirectPermanent, 263–264, 269
 - server-side, 266–268, 270
 - Server.Transfer, 263, 266–268, 269
 - temporary, 264, 270
- programming, 139–196. *See also* object oriented programming
 - Beginning Microsoft Visual Basic 2010*, 140
 - Beginning Microsoft Visual C# 2010*, 140
 - tips for, 194
- Programming Entity Framework Second Edition* (Lerman), 480, 565
- ProgressTemplate·, 340
- project templates, 35–37, 64
- project types, 34–35, 64. *See also* Web Application Projects; Web Site Projects
- properties, 183–186. *See also specific properties*
 - automatic, 185, 285, 286, 623, 738
 - CSS, 75–76
 - shorthand versions, 77–78
 - defined, 196
 - encapsulation and, 184
 - EntityDataSource, 497
 - ListView control, 504
 - Login, 587–588
 - Menu control, 248–249
 - methods *v.*, 186
 - read-only, 186
 - of server controls, 110–112
 - SiteMapPath control, 261
 - of styles, 531–532
 - TreeView, 257
 - UpdatePanel, 337–338
 - UpdateProgress, 340
 - of validation controls, 304–305
 - View State, 288–293, 296
 - write-only, 186

Properties Grid, 18
 Protected, 192
 Prototype (JavaScript library), 367
 provider model, 582, 618
 membership provider, 582, 586, 587, 601, 603, 617, 618
 Profile provider, 582, 626, 627, 651, 653
 role provider, 582, 613
 <providers>, 599, 601, 603, 773, 774, 775
 pseudo class selectors, 90, 256
 : hover, 89, 90, 92, 254, 256
 : visited, 89, 90, 92
 Public, 171, 191, 192
 Publish Web Site option, 706, 709–710, 729

Q

queries (LINQ)
 anonymous types and, 493–496
 data controls and, 496–526
 operators, 487–491
 syntax, 487–496
 Query Designer, 411, 414, 416, 419, 420, 429
 QueryStringParameter, 447

R

:radio, 381
 RadioButtonList, 113
 range variables, 487, 528
 RangeValidator, 300, 305–306
 ReadAllText (File class), 323
 reading data, 408–417. *See also* CRUD
 ReadOnly, 186, 443, 500, 540
 read-only properties, 186
 rearranging windows, 22–23
 recreating database (deployment), 725–727
 red green blue. *See* RGB value
 redirects, 263–268
 permanent, 263–264, 269, 270
 Response.Redirect, 263–266, 269
 Response.RedirectPermanent, 263–264, 269
 server-side, 266–268, 270
 Server.Transfer, 263, 266–268, 269
 temporary, 264, 270
 ref keyword, 172
 refresh, hard, 222
 registration, of user controls, 279–280
 regular expressions, 330
 Beginning Regular Expressions, 306
 VWD and, 306
 RegularExpressionValidator, 306
 relational databases. *See* databases
 relationships, between tables, 426–430, 432
 relative URLs, 240–244, 269
 root-based, 241
 in server controls, 241–242
 Release Properties dialog box, 720
 RememberMeSet, 587
 remote connections, SQL Server and, 760–763
 remote site (deployment option), 706
 removeClass, 382, 383
 renaming. *See* naming
 RenderCurrentNodeAsLink, 261
 rendering phase, 209
 RenderingMode, 249, 260
 RenderMode property, 338
 RenderOuterTable, 435
 Repeater control, 433, 434, 459, 493, 495, 496, 503, 527, 530, 533, 572, 637, 639, 640, 745, 747
 Replace method, 327, 330
 request validation, 316
 request/response relationship, 9
 RequiredFieldValidator, 300
 declaring, 300
 using, 301–303
 RequireEmail, 593
 requiresQuestionAndAnswer, 600
 requiresUniqueEmail, 600
 :reset, 381
 Resig, John, 368
 Response.Redirect, 263–266, 269
 Response.RedirectPermanent, 263–264, 269
 response/request relationship, 9
 retrieving/manipulating data, 407–421
 reuse. *See also* master pages; skins; templates; themes;
 user controls
 functions and, 176
 generics and, 150
 subs and, 176
 Review class, 480, 491, 570
 Review table, 405, 411
 joining data and, 414–417
 for Planet Wrox, 423–430
 selecting data and, 411–414
 Reviews folder, 241, 254
 All.aspx, 509, 568, 572, 573, 620, 636
 AllByGenre.aspx, 247, 255, 493, 636, 639, 640, 652
 Profile feature and, 636–641
 RGB (red green blue) value, 76, 77
 RIGHT OUTER JOIN, 415
 Role Manager, 603–616, 618
 configuring, 603–604
 WSAT tool and, 604–608, 617

role provider, 582, 613
 RoleGroups, 589
 roles
 IIS and, 604
 IsUserInRole and, 613–616
 programmatic checking of, 612–616
 WSAT and, 604–608
 root-based relative URLs, 241
 RowDataBound, 545–549
 RowStyle, 532, 533
 rule sets (rules), 71, 102, 104
 Runat attribute, 106, 110, 111, 126
 runtime errors, 658
 runtime files, 9, 686, 687

S

Safari, 48, 92, 300, 354, 517
 sample database, 406–407, 418–421
 sample web site. *See* Planet Wrox
 Sandcastle, 181
 Sanford, J., 86, 728
 sbyte/SByte, 144, 735
 Scriptaculous, 367
 ScriptManager, 338–340, 364, 365
 contact form and, 341–344
 properties, 339–340
 UpdatePanel and, 338
 web services and, 351–352
 ScriptManagerProxy, 334, 346, 352, 353, 354, 355,
 358, 364, 365, 741
 purpose of, 352
 web services and, 352–358
 Scripts property (ScriptManager control), 339
 security, 579–618
 authentication
 defined, 580, 618
 Forms authentication, 617, 717
 SQL Server Authentication, 758, 759, 764–768
 third-party, 617
 Windows Authentication, 758–759, 768–770
 authorization, 580–581, 618
 authorization rules, 580
 connection strings and, 446
 identity and, 580
 IIS and, 717–718
 importance of, 616
 introduction, 580–581
 tips for, 616–617
 tracing and, 694
 SELECT, 408, 409, 410, 411, 412, 413, 414, 416, 418,
 419, 420, 426, 431, 452

 <select>, 11
 SELECT *, 408, 412, 416, 430, 452, 458
 Select Case statement, 161–166
 Select property (EntityDataSource), 497
 SelectedIndexChanged, 209, 227, 228, 229, 544, 753
 <SelectedItemTemplate>, 503
 SelectedRowStyle, 532
 selecting data, 408, 411–414
 selectors
 class, 73–74, 90, 98, 104, 258, 281, 376, 378, 733
 CSS, 71, 72–75, 104
 class, 73–74, 90, 98, 104, 258, 281, 376,
 378, 733
 element, 104, 376, 378
 grouping/combining, 74–75
 ID, 73, 80, 87, 98, 281, 375, 378, 386, 733
 universal, 73, 104, 375
 element, 104, 376, 378
 grouping/combining, 74–75, 376–377
 ID, 73, 80, 87, 98, 281, 375, 378, 386, 733
 jQuery, 375–378, 402
 universal, 73, 104, 375
 SelectParameters, 475
 Select/select (keywords), 487
 SendEmailMessage(), 168, 169, 171, 180
 sending e-mail (from web site), 317–322
 server controls (AJAX), 333–346
 ScriptManager, 338–340, 364, 365
 contact form and, 341–344
 properties, 339–340
 UpdatePanel and, 338
 web services and, 351–352
 ScriptManagerProxy, 334, 346, 352, 353, 354, 355,
 358, 364, 365, 741
 purpose of, 352
 web services and, 352–358
 Timer control, 345–346, 364
 UpdatePanel, 334–338, 364, 365
 caveats, 338
 contact form and, 341–344
 flicker-free pages with, 334–338
 properties, 337–338
 ScriptManager and, 338
 UpdateProgress, 340–344, 364, 365
 contact form and, 341–344
 properties, 340
 server controls (ASP.NET), 10, 14–15, 105–137. *See also*
 data controls
 defining, in your pages, 110
 introduction, 106–110
 online information, 124
 properties of, 110–112
 relative URLs in, 241–242

- Standard, 113–127, 137
 - tips for, 135
 - types of, 113–128
 - View State and, 133
 - working with, 107–110
- server-side redirects, 266–268, 270
- server-side validation, 300, 311–328, 330
 - client-side validation *v.*, 300
 - CustomValidator and, 311, 313, 314, 315
 - ValidationSummary and, 311, 312, 313
- Server.Transfer, 263, 266–268, 269
- Services property (ScriptManager), 340
- SessionParameter, 447
- Set block, 183
- SetFocusOnError, 304
- Shift+Alt+Letter, 560
- Shift+Esc, 560
- Shift+F11, 677, 683
- shortcut keys. *See* keyboard shortcuts
- shorthand versions (CSS properties), 77–78
- short/Short (data types), 143
- show(), 391
- ShowExpandCollapse, 257
- ShowLines, 257
- ShowToolTips, 261
- Sign up page, 583–587
- signature, 171, 187, 188, 192, 360, 740
- Silverlight 1.0 Web Site (template), 37
- simple controls, 113
- simple profile properties, 621–622
- Single (data type), 143. *See also* float
- Single (operator), 489–490
- single item controls, 435
- SingleOrDefault, 489–490
- site wide exception handling, 667–673
- SiteMapDataSource, 246, 248, 251, 252, 258, 260, 270, 435, 568
- SiteMapPath control, 261–263, 269, 270
 - breadcrumb and, 261–263
 - properties, 261
- site-wide registration, of user controls, 279–280
- SkinID, 235, 236, 238, 736
- skins, 232–236
 - Button control and, 234–235
 - creating, 233–234
 - disabling, 236
 - GridView and, 233, 236
 - named, 235–236, 238
 - styles/themes and, 535–539
 - TreeView and, 236
- Skip (operator), 489
- SkipWhile, 489
- slideDown, 377, 378, 391, 393, 401, 743
- slideToggle(), 391
- slideUp, 378, 391, 393, 394, 395, 743
- smallint, 422
- Smart Tasks panel, 114–115, 137
- SMTP server, 330
- SmtpClient class, 317, 320, 329, 662
- SmtpException, 660
- Solution Explorer, 17
- SortedAscendingCellStyle, 533
- SortedAscendingHeaderStyle, 533
- SortedDescendingCellStyle, 533
- SortedDescendingHeaderStyle, 533
- Source View, 18, 48, 733
- Spaanjaars, Imar, 526, 604
- , 12
- SpecifiedPickupDirectory, 318, 321, 328, 594
- Split View, 48, 54, 64, 70, 272, 699, 733
- SQL (Structured Query Language)
 - data and
 - creating, 417
 - deleting, 418
 - filtering, 408–410
 - joining, 414–417
 - ordering, 410
 - reading, 408–417
 - retrieving/manipulating, 407
 - sample database and, 418–421
 - selecting, 408, 411–414
 - updating, 418
 - working with, 405–407
 - defined, 403, 405
- SQL Server 2008
 - attaching databases to, 761–763
 - books
 - Beginning Microsoft SQL Server 2008 Administration*, 764
 - Beginning Microsoft SQL Server 2008 Programming*, 415
 - Professional Microsoft SQL Server 2008 Administration*, 764
 - Books Online, 766, 769
 - configuration, 407, 757–775
 - connecting application to
 - using SQL Server Authentication, 764–768
 - using Windows Authentication, 768–770
 - data types in, 421–422
 - Express edition, 405, 757
 - remote connections enabled in, 760–763
- SQL Server Authentication, 758, 759, 764–768. *See also* Windows Authentication
- SQL Server Management Studio. *See* Management Studio
- SQL Server membership provider, 582

- SQL Server profile provider, 582
- SQL Server role provider, 582
- SqlDataSource control, 436, 474
 - AccessDataSource *v.*, 435
 - GridView and, 436–442
 - limitations of, 473
- square brackets, 147, 171, 293, 347, 408, 442, 624
- Src attribute, 276
- SSL, 318, 320, 330, 594
 - EnableSsl property and, 320, 594, 595
 - SendingMail event and, 594, 595–596, 598
 - SmtClient and, 320, 662
- stack trace, 696
- stale data, 566, 577
- Standard controls, 113–126
 - container controls, 118–124, 137
 - HTML controls *v.*, 126–127
 - list controls. *See* list controls
 - simple controls, 113
- standard validation controls, 303–316
- Start Page, 19
- start phase, 209
- startsWith, 361
- state, 128–129. *See also* View State
- state engine (ASP.NET), 128–135, 136
- stateless, 128–129
- statements, 151–170. *See also* decisions/conditions; loops; operators
- Static (ClientIDMode), 282
- static methods, 358
- static text, 10
- StaticEnableDefaultPopOutImage, 248, 251
- StepType, 122, 124
- storing (in Profile feature)
 - genre preferences, 632–636
 - user data, 628–632
- String.Format method, 327, 350, 749
- string/String data type, 144
- strong typing, 528. *See also* Entity Framework
 - allReviews and, 486
 - ArrayList and, 149
 - defined, 486
 - EF and, 528
 - EntityDataSource and, 502
 - JavaScript and, 362
 - ObjectDataSource and, 473
 - Picture object, 512
 - ProfileCommon and, 626
 - Review class, 480, 491, 570
 - Single/SingleOrDefault operators and, 489
 - type inference and, 528
- Structured Query Language. *See* SQL
 - style attributes, 12, 60, 85, 99, 101, 104, 112, 235, 508, 523, 534, 743
- Style Builder, 83, 87, 103
- <style> element, 73, 80, 87, 98, 281, 375, 378, 386, 733
- Style Sheet toolbar, 87
- style sheets
 - defined, 72
 - embedded, 84, 85–86, 104
 - exercise, 92–97
 - inline/external style sheets *v.*, 85–86
 - <style> element and, 73, 80, 87, 98, 281, 375, 378, 386, 733
 - external, 84, 85–86, 104, 112
 - attaching new style sheet to document, 90–92
 - creating new styles in style sheets, 87–90
 - inline/embedded style sheets *v.*, 85–86
 - <link> element and, 82, 84, 201, 221, 222, 240, 734
 - inline, 85–86, 104, 112
 - avoidance of, 112
 - embedded/external style sheets *v.*, 85–86
 - exercise, 92–97
- styles (ASP.NET), 530–539, 577
 - applying, 533–535
 - Auto Format feature and, 532–533
 - GridView and, 533–535
 - introduction, 531–535
 - properties of, 531–532
 - themes/skins and, 535–539
- Styles dialog box, 98. *See also* Apply Styles window
- StyleSheetTheme, 219, 220, 221, 222, 223, 231, 237, 250, 251, 277, 728, 736
- styling, Menu control, 253–257
- :submit, 381
- subroutines (subs), 170–176
 - code reuse and, 176
 - functions *v.*, 170
 - parameterized, 170
 - tips for, 194
- subs. *See* subroutines
- Substitute control, 125
- suggestions. *See* tips/suggestions
- Sum, 488–489
- swallowing exceptions, 694
- switches, 161–166
- switching themes, 226–232
- syntax
 - errors, 656–657
 - expression syntax, 699–700
 - jQuery syntax, 373–382
 - query syntax, 487–496
- System namespace, 177, 178
- System.Boolean, 143, 421, 622

System.Byte, 143, 283, 295, 422
 System.Char, 144
 System.Collections.Generic, 623, 624
 System.DateTime, 143, 144, 145, 421, 622
 System.Decimal, 143, 421
 System.Double, 143, 177, 422
 System.Int16, 143, 144, 422
 System.Int32, 143, 422
 System.Int64, 143, 422
 System.IO namespace, 322, 519
 System.Linq, 478, 479
 System.Net.Mail namespace, 317, 319, 321, 329, 330, 594, 661, 667
 System.Object, 144, 182, 189
 System.SByte, 144
 System.Single, 143
 System.String, 144, 421, 422, 621, 622, 626
 System.UInt16, 144
 System.UInt32, 144
 System.UInt64, 144
 System.Web.Configuration, 700, 701
 System.Web.UI, 177, 213
 System.Web.UI.Page, 177, 178, 191, 207–208, 210, 211, 212, 215
 System.Web.UI.WebControls, 177, 178, 531

T

TabIndex, 111
 <table>, 12
 table control, 126
 Table Designer, 423–426
 Table menu, 57–60, 62
 TableDemo.aspx, 57, 61, 62
 tables
 database, 421–430, 432
 defined, 404
 for Planet Wrox, 423–430
 relationships between, 426–430, 432
 HTML, 57–60
 TagName attribute, 276
 TagPrefix attribute, 276
 tags, 10–12, 31
 Take (operator), 489
 TakeWhile, 489
 <td>, 12
 TemplateField, 453
 templates. *See also* base page
 ListView templates, 503–504
 customizing, 515–520
 page templates, 214–218

 project/web site templates, 35–37, 64
 temporary redirect, 264, 270
 terminology, OO programming, 182–194
 :text, 381
 text / ntext, 422
 Text property (validation controls), 304, 305, 328
 <textarea>, 11
 TextBox control
 CompareValidator and, 307
 exercise, 107–109
 inline styles and, 112
 state engine and, 128
 themes, 218–232, 238
 applying, 220–223
 creating, 219
 defined, 218
 extending, 224–226
 images added to, 224–226
 skins and, 232–236
 StyleSheetTheme, 219, 220, 221, 222, 223, 231, 237, 250, 251, 277, 728, 736
 styles/skins and, 535–539
 switching, 226–232
 Theme property, 219, 237, 260, 737
 types of, 219
 Then (keyword), 160
 third-party authentication, 617
 this (keyword), 214, 682
 Throw ex, 694, 695
 Timer control, 345–346, 364
 tinyint, 422
 tips/suggestions
 ASP.NET AJAX, 363
 comments, 194
 consistent pages, 236
 CSS, 102
 data, 575–576
 data tips (tooltip windows), 676, 678, 683, 696
 databases, 430
 debugging, 694–695
 deployment checklist, 727–728
 displaying/updating data, 473
 Entity Framework, 526–527
 functions, 194
 jQuery, 400
 LINQ, 526–527
 navigation, 268
 personalization, 651
 programming, 194
 security, 616–617
 SEO, 575

tips/suggestions (*continued*)

- server controls, 135
- subroutines, 194
- user controls, 294
- validation of user input, 328
- VWD, 29–30
- Web Forms, 62–63
- <title>, 11
- toggle(), 391
- toggleClass, 382, 383
- toolbars, 16–17
 - customizing, 25–26
- Toolbox, 17
 - modifying, 23–25
 - resetting, 27
- ToolTip, 111
- ToString(), 144–145
- <tr>, 12
- tracing, 687–694, 696
 - data added to, 691–693
 - with individual pages, 688–689
 - performance and, 694
 - security and, 694
 - for web site, 689–691
- Transact SQL (T-SQL), 406. *See also* SQL
- TreeView control, 105, 127, 257–261, 269, 270
 - navigation system and, 258–261
 - properties, 257
 - skins and, 236
- Triggers property, 337
- trim, 361
- trimEnd, 361
- trimStart, 361
- troubleshooting web server errors, 721–723
- Try Catch Finally blocks, 658, 660, 662, 663, 664, 665, 666, 694, 754
- TryCast, 146, 546, 570, 574
- T-SQL (Transact SQL), 406. *See also* SQL
- type inference, 528
- Type property
 - CompareValidator, 306
 - RangeValidator, 305
- type safe, 150
- Type selector, 73
- Uniform Resource Locators. *See* URLs
- uniqueidentifier, 422
- universal selector, 73, 104, 375
- unload phase, 209
- unnamed instance, 758
- unordered lists, 60, 249, 434
- UPDATE, 408, 417, 418, 419, 420, 421, 431, 440, 442, 462, 562, 744, 745
- UpdateMode property, 338
- UpdatePanel, 334–338, 364, 365. *See also* ScriptManager
 - caveats, 338
 - contact form and, 341–344
 - flicker-free pages with, 334–338
 - properties, 337–338
 - ScriptManager and, 338
- UpdateParameters, 475
- UpdateProgress, 340–344, 364, 365
 - contact form and, 341–344
 - properties, 340
- updating data, 418. *See also* CRUD; displaying/updating data
 - DetailsView and, 459–473
 - GridView and, 437–442
 - UPDATE and, 408, 417, 418, 419, 420, 421, 431, 440, 442, 462, 562, 744, 745
- upper bound, 147, 148, 410
- URLs (Uniform Resource Locators), 240–244, 269
- user controls (ASP.NET), 271–296
 - ASPX pages *v.*, 271, 272
 - caveats, 280–282
 - content page and, 276–279
 - creating, 272–276
 - encapsulation and, 272, 295
 - introduction, 272–282
 - logic added to, 282–294
 - master page and, 276–279
 - site-wide registration of, 279–280
 - tips for, 294
- User Instance, 445, 585, 722, 746, 761, 762
- users. *See also* security
 - feedback to, 340–344
 - Profile feature and, 628–632, 648–650
 - user input. *See also* validation
 - importance of, 298–299, 329
 - never trust user input*, 299
 - validation of, 297–330
 - WSAT and, 604–608
- ushort/UShort, 144
- using keyword, 178
- <u>, 11
- uint/UInteger, 144
- , 12
- ulong/ULong, 144

U

V

- ValidateRequest attribute, 316
- validation (of user input), 297–330
 - client-side, 300, 311–316, 330
 - CustomValidator and, 311, 313, 314, 315
 - ValidationSummary and, 311, 312, 313
 - warning on, 300
 - request validation, 316
 - server-side, 300, 311–328, 330
 - client-side validation *v.*, 300
 - CustomValidator and, 311, 313, 314, 315
 - ValidationSummary and, 311, 312, 313
 - tips for, 328
- validation controls, 127, 299–316, 330
 - benefit of, 329
 - CompareValidator, 306–307
 - properties, 306–307
 - TextBox controls and, 307
 - contact form and, 307–310
 - CustomValidator, 303, 311, 313, 314, 315
 - ErrorMessage property, 304, 305, 328
 - properties of, 304–305
 - RangeValidator, 300, 305–306
 - properties, 305
 - RegularExpressionValidator, 306
 - RequiredFieldValidator, 300
 - declaring, 300
 - using, 301–303
 - standard, 303–316
 - Text property, 304, 305, 328
 - using, 300–303
 - ValidationSummary, 299
 - ErrorMessage and, 305
 - Text property and, 305
 - validation methods and, 311, 312, 313
- validation methods, 311, 312, 313
- validation phase, 209
- ValidationGroup, 304
- ValidationSummary, 299
 - ErrorMessage and, 305
 - Text property and, 305
 - validation methods and, 311, 312, 313
- value parameter, 184, 185
- values (CSS), 76–77
- ValueToCompare, 307
- var keyword, 486, 491
- varchar, 422
- variables
 - backing variables, 183, 184, 185, 186, 189, 191, 738
 - data types and, 141–146
 - declaring, 141–142
 - names for, 142, 194
 - range variables, 528
 - ranges for, 143–144
- VerticalAlign, 532
- Vieira, Robert, 415
- View State, 133, 137
 - considerations, 294
 - performance and, 134–135, 136
 - properties, 288–293, 296
 - server controls and, 133
 - turning off, 134–135, 137
 - Wizard control and, 124
- views (Web Forms), 47–49. *See also specific views*
 - _VIEWSTATE, 132, 133, 134, 137, 292, 336, 734
- ViewState collection, 296
- ViewStateMode, 134–135
- virtual path, 327, 498, 691
- Virtual Path property, 224, 242–244
- visibility (CSS property), 76
- Visible (server control property), 111
- VisibleWhenLoggedIn, 587
- :visited, 89, 90, 92
- Visual Aids, 48, 58, 277
- Visual Studio 2005, 2, 34, 35
- Visual Studio 2010, 2, 3, 4, 15, 18, 31, 41, 217, 436, 684. *See also Visual Web Developer 2010*
- Visual Web Developer 2010 (VWD), 2–5, 31
 - CSS in, 87–101
 - downloading, 3
 - IDE, 15–27, 31
 - customizing, 22–27, 30
 - Database Explorer, 18
 - developer profiles, 16
 - Document Window, 18–19
 - main menu, 16
 - Properties Grid, 18
 - restoring/resetting, 26–27
 - Solution Explorer, 17
 - Start Page, 19
 - toolbar area, 16–17
 - Toolbox, 17
 - installing (Express version), 3–5
 - Options dialog box, 27, 30, 233, 234
 - Table Designer, 423–426
 - tips for, 29–30
 - Visual Studio 2010 and, 2, 3, 4, 15, 18, 41, 217, 436, 684
 - web service creation, 347–351
 - web site creation, 5–9
- Vogel, Peter, 128
- vsdoc file, 370, 372, 373, 393
- VWD. *See Visual Web Developer 2010*

W

- W3C (World Wide Web Consortium), 12, 14, 68
- WAPs. *See* Web Application Projects
- Watch Window, 678–684
- Watermark plugin, 397–400
- watermarking, 386–390, 402
- Watt, Andrew, 306
- WCF Service (template), 37
- Web Application Projects (WAPs), 35
 - App_Code folder and, 173
 - File ⇨ New Project and, 35, 38
 - Profile feature and, 621
 - web packaging and, 706
 - WSPs *v.*, 706
- web applications
 - application services and, 581–582
 - configuring, 599–603
 - roles and, 608–612
- web files, 41–43
- Web Forms (.aspx files), 47–63
 - Code Behind and, 10, 49–54, 62, 64, 68, 179, 200
 - inline code and, 49–54, 62, 64, 68, 179, 200
 - tips for, 62–63
 - views on, 47–49
- web packaging, 706
- web pages. *See* ASPX pages; consistency; page life cycle
- web server errors, 721–723
- web services, 346–358, 365
 - configuring, 351
 - creating, 347–351
 - defined, 346–347
 - external, 351
 - “Hello World,” 348–351
 - ScriptManager and, 351–352
 - ScriptManagerProxy and, 352–358
 - using, 351–358
- Web Site Administration Tool (WSAT), 604–608, 617
- Web Site Projects (WSPs), 34–35
 - App-Code folder and, 173
 - File ⇨ New Web Site and, 19, 34, 35, 38, 42, 242
 - Profile feature and, 621
 - WAPs *v.*, 706
- web site templates, 35–37, 64
- web sites (ASP.NET). *See also* Planet Wrox
 - creation, 34–40
 - deployment. *See* deployment
 - files/file types, 40–47. *See also* Web Forms
 - adding existing files, 44–47
 - code files, 43
 - data files, 43–44
 - organizing, 46
 - special file types, 47
 - web files, 41–43
 - first, 5–9
 - opening, 39–40
 - Planet Wrox, 38–40
 - tracing for, 689–691
- web-based calculator. *See* calculator
- web.config file
 - connection strings stored in, 445–446, 473
 - deployment and, 699, 701–705
 - registering user controls in, 279–280
- WebConfigurationManager class, 700–705
- WebParts, 128
- Web.sitemap, 246–248
- Where clause (LINQ), 488
- WHERE clause (SQL), 408–410, 431
- Where property (EntityDataSource), 497
- While loop, 168–170
- width
 - CSS property, 76
 - server control property, 111, 532
- windows. *See* debugging windows; *specific windows*
- Windows Authentication, 758–759, 768–770
 - IIS and, 768–770
 - SQL Server Authentication *v.*, 759
- wiring syntax, 193
- Wizard control, 118, 119, 120–121
 - exercise, 121–124
 - state engine and, 128
 - View State and, 124
- World Wide Web Consortium (W3C), 12, 14, 68
- Wrap, 532
- WriteAllText (File class), 323
- WriteOnly, 186
- write-only properties, 186
- Wrox
 - ASP.NET 2.0 Instant Results*, 526, 604
 - Beginning CSS: Cascading Style Sheets for Web Design, Second Edition*, 76, 86
 - Beginning Microsoft SQL Server 2008 Administration*, 764
 - Beginning Microsoft SQL Server 2008 Programming*, 415
 - Beginning Microsoft Visual Basic 2010*, 140
 - Beginning Microsoft Visual C# 2010*, 140
 - Beginning Regular Expressions*, 306
 - Beginning Web Programming with HTML, XHTML, and CSS, 2nd Edition*, 14
 - Professional ADO.NET 2*, 555

Professional ASP.NET 2.0 Design: CSS, Themes, and Master Pages, 86, 728
Professional ASP.NET 3.5 AJAX, 333, 338, 362, 728
Professional ASP.NET 3.5 Security, Membership, and Role Management with C# and VB, 613
Professional ASP.NET 4 in C# and VB, 125, 126, 132, 351, 363, 436, 505, 555, 565, 566, 568, 576, 604, 672, 728
Professional CSS: Cascading Style Sheets for Web Design, 2nd Edition, 728
Professional IIS 7, 728
Professional JavaScript for Web Developers, 2nd Edition, 303
Professional LINQ, 728
Professional Microsoft SQL Server 2008 Administration, 764
Professional .NET 2.0 Generics, 151
Professional Search Engine Optimization with ASP.NET: A Developer's Guide to SEO, 575
Professional WCF Programming: .NET Development with the Windows Communication Foundation, 37
Professional Web Parts and Custom Controls with ASP.NET 2.0, 128
Programming Entity Framework Second Edition, 565
 WSAT (Web Site Administration Tool), 604–608, 617

X

XHTML, 13–14, 15, 31. *See also* HTML
Beginning Web Programming with HTML, XHTML, and CSS, 2nd Edition, 14
 defined, 13–14, 31
 HTML *v.*, 13–14, 731
 XML control and, 126
 XML (eXtensible Markup Language). *See also* Ajax
 comments, 180–181
 LINQ to XML and, 479
 XML control, 126
 XmlDataSource, 435

Y

Yellow Screen of Death, 554, 658, 662, 670, 695, 750, 755
 York, Richard, 76

Z

Zakas, Nicholas C., 303
 zero-based
 arrays, 147, 167
 index, 114, 147
 string indexing, 185