

# Index

- Acids and bases:  
  biomaterial solubilization into ionic liquids,  
    DNA solvent design, 158–159  
  chloroaluminate electrodeposition, main group  
    elements, 113–119  
  DNA ionic liquidization:  
    basic principles, 341–343  
    future applications, 344  
    low molecular weight model compounds,  
      338–341  
    structure and properties, 337–338  
Adenine, DNA ionic liquidization, 337–343  
Aldolase antibody 38C2:  
  aldolase reaction, 138–140  
  fluoromethylated imine reaction,  
    140–141  
  Michael reaction, 140  
Aldol reaction, aldolase antibody 38C2-promoted  
  reaction, 138–140  
Alkali halides:  
  inorganic entities, 8  
Alkali metal ionic liquids (AMILs):  
  basic properties, 259–261  
  gelation, 262–263  
  triple ion-type imidazolium salt, 263–265  
  zwitterionic liquids, 245–257  
Alkali nitrates, low-temperature liquid behavior,  
  8–11  
Alkylated imidazolium ions, electrodeposition,  
  126–127  
Alkylimidazolium cation-fluorinated anion  
  combination, lithium-ion batteries, ionic  
  liquid applications, 177–178  
*N*-Alkyl-*N*-methylpiperidinium (RMPip),  
  fluoroanion salts, 230–234  
*N*-Alkyl-*N*-methylpyrrolidinium (RMPyr),  
  fluoroanion salts, 230–234  
Alkyl spacer, amphoteric polymers, 356–358  
Alternating current impedance, liquid crystal ionic  
  liquids, anisotropic ionic conductivities,  
  315–317  
Aluminum current, lithium-ion batteries, ionic  
  liquid applications, 182–184  
Aluminum-niobium alloys, electrodeposition,  
  121–123  
Amine neutralization:  
  ionic conductivity, 240–242  
  ion species effects, 240  
  neutralization techniques, 238–240  
  preparation requirements, 237–238  
  quaternized onium salts, model systems,  
    242–243

- Amphiphilic molecular assemblies:  
 charged bilayer membranes, 148–151  
 ionophilic-ionophobic interactions, 151–154  
 molecular self-assembly, 144–145
- Amphoteric polymers:  
 basic properties, 355–356  
 copolymers, 356–358  
 poly(zwitterionic liquid)s, 358–360
- Anhydrous hydrogen fluoride, room-temperature ionic liquids, 227–234
- Anionic conductive polyether/salt hybrid, basic properties, 274–275
- Anion radical salts, low melting points, 280–283
- Anisotropic ionic conductivity:  
 basic principles, 80  
 liquid crystal ionic liquids, 314–317
- Anodic fluorination, selective anodic techniques, 93–101
- Anodic limiting potential, room-temperature ionic liquids, 51
- Antimony, electrodeposition, 118–119, 124
- Aprotic organic cations:  
 basic properties, 6  
 cohesion-fluidity trade-off, 19–21  
 electrolytic reactions, 89–90
- Aqueous media:  
 biomaterial solubilization into ionic liquids, protein solubilization, 159–160  
 molecular self-assembly, ionic liquids, 144–145
- Arrhenius plots:  
 amine neutralization, ionic conductivity, 240–242  
 amphoteric polymers, copolymers, 357–358  
 electrical conductivity and vapor pressure, 17–18  
 ionic conductivity, 77–80  
 ionic liquid diffusion, 58  
 low-temperature liquid behavior, 8–11  
 polymer brushes, 370–373  
 self-diffusion coefficient and viscosity correlation, 63–69
- Z-Aspartame, enzyme-catalyzed synthesis, ionic liquids, 136
- Avogadro's number, molar conductivity-diffusion coefficient correlation, 70–72
- Bilayer formations, molecular self-assembly:  
 aqueous and organic media, 144–145  
 charged bilayer membranes, 148–151
- Binary diffusion, ionic liquid diffusion as, 58
- Binary fluorides, RTIL fluorohydrogenates, 233–234
- Biomaterial ionic liquids, solubilization:  
 basic principles, 157  
 DNA solvent design, 158–159  
 PEO-modified cytochrome *c*, 161–162  
 polyether modification, 159–160
- Biotransformation, aldolase antibody 38C2-promoted reaction, 138–140
- Bipyridinium cation, liquid crystalline ionic liquids, 310–312
- Bismuth, electrodeposition, 119
- Bis*-trifluoromethanesulfonyl imide (HTFSI):  
 proton transfer, 18–19
- Bis*(trifluoromethylsulfonyl)imide (BPTFSI):  
 ionic transport, 60–62  
 molar conductivity-diffusion coefficient correlation, 69–72  
 self-diffusion coefficient and viscosity correlation, 62–69
- Blocking electrodes, ionic conductivity, 77–80
- Boiling point elevation, protic ionic liquids, 6–7
- Boltzmann's constant:  
 electrical conductivity and low vapor pressure, 13–18  
 self-diffusion coefficient and viscosity correlation, 67–69
- 9-Borabicyclo[3.3.1]nonane (9-BBN), polyether/alminate and borate salt hybrids, 274
- Borate salt hybrids, ionic conductivity, 272–274
- Brønsted acids and bases:  
 fuel cell technology, 200–202  
 ionic liquids, 6–7
- Brownian motion, ionic liquid diffusion and, 55–56
- N*-Butylpyridinium chloroaluminate (BP) systems:  
 cation, self-diffusion coefficient and viscosity correlation, 65–69  
 photoelectrochemical cells, in-volatile solvent ionic liquids, 190–191
- N-n*-Butylisoquinolinium (TCNQ)<sub>2</sub>, magnetic ionic liquids, electrical conductivity, 278–283
- 1-Butylpyridinium tetrafluoroborate (BPF<sub>4</sub>):  
 ionic transport, 60–62  
 molar conductivity-diffusion coefficient correlation, 69–72  
 self-diffusion coefficient and viscosity correlation, 62–69
- Cadmium, electrodeposition, 122–123, 125–126
- Candida antarctica* lipase, enzymatic reactions, 135–136
- Capacitance, double-layer capacitance, 206–207

- Carbinols, lipase-catalyzed enantioselective acylation, 136–137
- Carbohydrate dissolution, molecular self-assembly, 146–148
- Carbon dioxide, electrochemical fixation, 105
- Carboxylate anion, zwitterionic liquids, 246–257  
melting points, 252
- Cathodic limiting potential, room-temperature ionic liquids, cation reduction, 48–51
- Cation-anion pairs:  
cohesion-fluidity trade-off, 19–21  
novel fluoroanions, room-temperature ionic liquids, 228–234
- Cationic transference numbers, self-diffusion coefficient and viscosity correlation, 65–69
- Cation radical salts, magnetic ionic liquids, low melting point, 280
- CCD spectrometry, ionic liquid redox reactions, 85–86
- Cell design, electrolytic reactions, 90–91
- Cetyltrimethylammonium bromide (CTAB), molecular self-assembly, 144–146
- Charged bilayer membranes, molecular self-assembly, 148–151
- Charge transfer:  
magnetic ionic liquids, electrical conductivity, neutral DA charge transfer complex, 278–280  
polyether/salt hybrids, 269
- Charging voltage, double-layer capacitance characteristics, 216–218
- Chemical diffusion, ionic liquid diffusion as, 58
- Chemical modification, liquid crystalline ionic liquids, 308–312
- Chloroaluminate systems:  
electrodeposition, 112–123  
main group elements, 113–119  
transition metals, 119–123  
ionic liquid electrochemistry, 32  
lithium-ion batteries, ionic liquid applications, 175  
room-temperature ionic liquids, electrochemical windows, 43–46
- Chlorozincate systems:  
electrodeposition, 125–126  
ionic liquid electrochemistry, 32
- Chromium, electrodeposition, 120–123
- Cobalt, electrodeposition, 120–123, 126–127
- Cohesion in ionic liquids, fluidity trade-off, 19–21
- Complex-impedance method, ionic conductivity, 76–80
- Constant current-constant voltage (CCCV), lithium-ion batteries, ionic liquid applications, 184
- Constant current electrolysis:  
basic techniques, 92  
lithium-ion batteries, ionic liquid applications, 184
- Constant potential electrolysis, basic techniques, 92
- Copolymers:  
amphoteric properties, 356–358  
liquid/polymer gels, 332–335
- Copper, electrodeposition, 121–123, 124–127
- Copper iodide, quasi-solid-state DSSC system, RTILs, 196–197
- Critical micelle concentration (CMC), molecular self-assembly, 145–146
- Cross-linkers, polymer brushes, 367–373
- Crystalline structures, electrical conductivity and low vapor pressure, 13–18
- Current-voltage characteristics:  
in-volatile solvent ionic liquids:  
*N*-butylpyridinium chloroaluminate system, 190–191  
low-viscous ionic liquids, Grätzel cells, 193–195  
photoelectrochemical cell, performance evaluation, 196–197
- Cut-off current, room-temperature ionic liquids, voltammetric reduction/oxidation potential evaluation, 37–38
- Cyclic carbonates, electrochemical fixation, 105
- Cyclic voltammetry (CV):  
electrochemical polymerization, 101–105  
redox reactions of protein, 165–168  
room-temperature ionic liquids:  
basic principles, 36  
novel fluoroanions, 232–234  
reduction/oxidation potential evaluation, 36–38  
scan rate effects, 42–43
- Cytochrome *c*:  
PEO-modified biomaterial solubilization into ionic liquids, 161–162  
protein redox reactions, 167–168
- Cytosine, DNA ionic liquidization, 337–343
- DA complexes, magnetic ionic liquids, electrical conductivity, neutral charge transfer, 278–280
- Dahms-Ruff equation, short-circuit photocurrents, liquid media viscosity, 195–196

- Dark-field optical micrography, molecular self-assembly, 148–149  
 ionophilic-ionophobic interactions, 151–154
- DCA compounds, plastic crystal electrolytes, 294–296
- Decomposition voltage:  
 double-layer capacitance, 211–213  
 double-layer capacitance dependence, 218–219  
 high double-layer capacitance, electrolyte materials, 207–208
- Decoupling index:  
 conductivity and fluidity relaxation times, 15–19
- Degrees of freedom, plastic crystal ionic conductivity, 289–290
- Dehydration, room-temperature ionic liquids, voltammetric measurements, 40–42
- Dehydrocoupling reactions, polyether/alminate and borate salt hybrids, 273–274
- Dicationic iron complexes, EMI salts, 284
- Dicyanoethenolate anion, zwitterionic liquids, 246–257  
 melting points, 255–257
- Diethylmethyl(2-methoxyethyl)ammonium (DEME<sup>+</sup>) cation, 221
- Differential scanning calorimetry (DSC):  
 ionic conductivity, 78–80  
 zwitterionic liquids, 247–257
- Diffusion coefficient:  
 ionic liquid self-diffusion and ionic transport, 58–59  
 pulsed-gradient spin-echo NMR, 59–60  
 molar conductivity and, 69–72
- Diffusion in ionic liquids:  
 basic processes, 56–58  
 diffusivity principles, 55–56  
 future research issues, 72–73  
 ionic transport behavior, 60–62  
 molar conductivity and, 69–72  
 pulsed-gradient spin-echo NMR, self-diffusion coefficient measurements, 59–60  
 self-diffusion and ionic transport, 58–59  
 viscosity and self-diffusion coefficient, 62–69
- N,N*-Dimethylpyrrolidinium cation, plastic crystal ionic conductivity, 300–302
- Dissociation:  
 electrical conductivity and low vapor pressure, 13–18  
 polyether/salt hybrid, ionic conductivity, 270–272
- Divalent anions, alkali metals, 259–261
- DMABP cation, room-temperature ionic liquid voltammetry, electrochemical window comparisons, 46
- DNA:  
 ionic liquidization:  
 acids and bases, 341–343  
 basic properties, 337–338  
 future applications, 344  
 low molecular weight model compounds, 338–341  
 solvent design, biomaterial solubilization into ionic liquids, 158–159
- Dopant species:  
 ionic plastic crystals, conductivity, 295–299  
 plastic crystal ionic conductivity, 290  
 transport mechanisms, 300–302
- Double ionic liquid system, selective anodic fluorination, 98–101
- Double-layer capacitors:  
 fabrication, 215  
 initial characteristics, 216–218  
 ionic liquid applications:  
 basic properties, 208–214  
 decomposition voltage, 211–213  
 electrolyte characteristics, 216–218  
 electrolyte materials, 207–208  
 electrolytic conductivity, 209–211  
 energy density, 219–221  
 ionic liquid preparation, 214–215  
 life characteristics, 218  
 mercury capacitance, 213  
 outline, 205–207  
 performance evaluation, 214–221  
 recent developments, 221  
 voltage dependence, 218–219
- Dropping mercury electrode (DME), double-layer capacitance, 213–214
- DSSC cells:  
 iodide-based ionic liquids, 191–192  
 low-viscous ionic liquids, Grätzel cells, 193–195  
 quasi-solid-state system, iodide-based RTILs, 196–197  
 short-circuit photocurrents, liquid media viscosity, 195–196
- Dye-loaded semiconductor electrode, photoelectrochemical cells, 189
- Einstein's equation, ionic liquid diffusion, 56–58
- Electrical conductivity:  
 double-layer capacitance:  
 electrolyte materials, 207–208

- initial characteristics, 217–218
- temperature dependence, 209–211
- fluoroanion salts, 229–234
- ionic liquid gels, 326–327
- low-temperature liquid behavior, 10–11
- low vapor pressure and, 12–18
- magnetic ionic liquids:
  - basic properties, 277–278
  - cationic radical salts, low melting point, 280
  - EMI salts, paramagnetic metals, 283–284
  - neutral DA charge transfer complex, 278–280
  - TCNQ anionic radical salts, low melting point, 280–283
- Electrical double-layer, basic properties, 205–207
- Electric charge, molar conductivity-diffusion coefficient correlation, 70–72
- Electrocapillary curve measurements, double-layer capacitance, 213–214
- Electrochemical techniques:
  - carbon dioxide fixation, 105
  - ionic liquids:
    - chloroaluminate systems, 32
    - chlorozincate systems, 32
    - electrolyte preparation, 28–29
    - equipment, 27–28
    - nonchloroaluminate systems, 32–33
    - reference electrodes, 29–33
    - working electrodes, 29
  - polymerization, 101–105
  - zwitterionic liquids, 245–257
- Electrochemical window (EW):
  - novel fluoroanions, room-temperature ionic liquids, 230–234
  - room-temperature ionic liquids:
    - defined, 35–36
    - mutual comparisons, 43–51
      - chloroaluminate systems, 43–46
      - nonchloroaluminate systems, 46–51
    - reference electrode, 38–40
    - residual water effects, 40–42
    - selective anodic fluorination, 95–101
- Electrodeposition, metal complex catalysts:
  - basic principles, 111–112
  - chloroaluminate ionic liquids, 112–123
    - main group elements, 113–119
    - transition metal, 119–123
  - metal variants, 126–127
  - nonchloroaluminate ionic liquids, 123–126
    - chlorozincate ionic liquids, 125–126
    - main group metals, 124
    - transition metals, 124–125
- Electrode potential, ionic liquid electrochemistry, 29–33
- Electrolyte materials:
  - double-layer capacitance, 207–208
  - ion conductive polymers, 347–353
  - ionic liquid gel conductivity, 326–327
  - liquid/polymer gels, 331–335
  - plastic crystal electrolytes, thermal properties and synthesis, 292–294
  - polymer brushes, 363–373
- Electrolyte preparation:
  - basic principles, 28–29
- Electrolyte solutions:
  - electrical conductivity and vapor pressure, 15–18
  - ionic conductivity, 75–80
  - properties of, 1
- Electrolytic reactions:
  - basic principles, 89–90
  - carbon dioxide fixation, 105
  - cell design, 90–91
  - constant current and potential electrolysis, 92
  - electrochemical polymerization, 101–105
  - electropolymerization, 92
  - electroreductive coupling, metal complex catalysts, 106
  - future research issues, 107
  - mediated indirect electrolysis, 92
  - selective anodic fluorination, 93–101
- Electron paramagnetic resonance (EPR), magnetic ionic liquids, electrical conductivity, 279–280
- Electropolymerization, electrolytic reactions, 92
- Electroreductive coupling, metal complex catalysts, 106
- EMI cations, lithium-ion batteries, ionic liquid applications, 177–178
- Enantioselective acylation, lipase catalysis, 136–137
- Energy density, double-layer capacitance, 219–220
- Enthalpy fluctuations, electrical conductivity and low vapor pressure, 13–18
- Enthalpy of fusion, electrical conductivity and low vapor pressure, 13–18
- Entropy of fusion, plastic crystal ionic conductivity, 289–291
- Enzymatic reactions:
  - aldolase antibody 38C2 promoted aldol reaction, 138–140
  - antibody aldolase promoted Michael reaction, 140

- Enzymatic reactions (*Continued*)  
 fluoromethylated imines, antibody aldolase  
 38C2-ionic liquid system, 140–141  
 lipase (*Candida antarctica*) catalyzed reactions,  
 135–136  
 lipase-catalyzed enantioselective acylation,  
 136–138  
 Z-aspartame synthesis, 136
- Esterification, lipase-catalyzed enantioselective  
 acylation, 137–138
- Ether-based ionic liquids, molecular self-  
 assembly, ionophilic-ionophobic  
 interactions, 154
- Ethylene oxide (EO), polymer brushes, 363–373
- 1-Ethyl-3-methylimidazolium fluoro-hydrogenate  
 (EMIm(HF)<sub>2.3</sub>F):  
 development of, 227–234
- Ethylimidazolium tetrafluoroborate (EMImBF<sub>4</sub>),  
 DNA ionic liquidization, 342–343
- 1-Ethyl-3-methylimidazolium (EMI):  
 double-layer capacitance:  
 initial characteristics, 216–218  
 ionic properties, 208–214  
 fluoroanion salts, 228–234  
 low-viscous ionic liquids, Grätzel cells, 193–  
 195  
 paramagnetic metal complexes, 283–284
- 1-Ethyl-3-methylimidazolium tetrafluoroborate  
 (EMIBF<sub>4</sub>):  
 ionic transport, 60–62  
 molar conductivity-diffusion coefficient  
 correlation, 69–72  
 self-diffusion coefficient and viscosity  
 correlation, 62–69
- 1-Ethyl-3-methylimidazolium  
*bis*(trifluoromethylsulfonyl)imide  
 (EMITFSI):  
 ionic transport, 60–62  
 molar conductivity-diffusion coefficient  
 correlation, 69–72  
 self-diffusion coefficient and viscosity  
 correlation, 62–69
- Eutectic systems:  
 inorganic ionic liquids, 7–8  
 low-temperature liquid behavior,  
 8–11
- Evanescence wave characteristics, optical  
 waveguide spectroscopy, 83–86
- Excess boiling point, protic ionic liquids,  
 6–8
- Faradaic current, double-layer capacitance,  
 electrolyte materials, 207–208
- Faraday constant:  
 ionic liquid dissociation, Nernst-Einstein  
 equation, 13–18  
 molar conductivity-diffusion coefficient  
 correlation, 70–72
- Ferrocenium/ferrocene redox potential:  
 ionic liquid electrochemistry, 30–33  
 photoelectrochemical cells, in-volatile solvent  
 ionic liquids, 190–191  
 room-temperature ionic liquids:  
 electrochemical window comparisons, 46–51  
 reference electrode, 38–40
- Fick's first and second laws, ionic liquid diffusion  
 and, 56
- Fill factor, photoelectrochemical cells, 190
- Fluidity of ionic liquids, cohesion trade-off with,  
 19–21
- Fluorination, selective anodic techniques,  
 93–101
- Fluoroanion salts, room-temperature ionic liquids,  
 227–234
- Fluoromethylated imines, aldolase antibody 38C2  
 reaction, 140–141
- Fuel cells. *See* Ionic liquid fuel cell
- Fusion entropy, plastic crystal ionic conductivity,  
 289–291
- Gallium, electrodeposition, 117–119
- Gallium-arsenide (GaAs), photoelectrochemical  
 cells, in-volatile solvent ionic liquids,  
 190–191
- Gelation:  
 alkali metal ionic liquids, 262–263  
 ionic liquids:  
 conductivity, 326–327  
 low molecular weight gelators, 323–326  
 polymer gels, 327–329  
 liquid/polymer gels, 331–335
- Gel strength, ionic liquid gelation, low-molecular  
 weight gelators, 324–326
- Germanium, electrodeposition, 124
- Gibbs free energy, ionic liquid melting points,  
 11–12
- Glass transition temperature:  
 alkali metal ionic liquids, 260–261  
 amine neutralization, ionic conductivity,  
 241–242  
 cohesion-fluidity trade-off, 19–21  
 fuel cell technology, 202  
 ionic liquid melting point, 5–6  
 low-temperature liquid behavior, 8–11  
 low molecular weight model compounds,  
 338–341

- low-temperature liquid behavior, conductivity, 11  
 polycations, 351–352  
 polymer brushes, 364–373  
 zwitterionic liquids, 251–257
- Glassy carbon electrodes:  
 double-layer capacitance, 209  
 electrocatalytic reactions, 107  
 ionic liquid electrochemistry, 29  
 polymer brushes, 365–373  
 room-temperature ionic liquids:  
 residual water effects, 41–42  
 scan rate effects, 43
- Global warming, fuel cell technology, 199–202
- Glucose oxidase (GOD), molecular self-assembly, 147–148
- Glycolipid bilayer membranes, molecular self-assembly, 146–148
- Gold, electrodeposition, 123
- Grätzel cell:  
 basic properties, 189  
 in-volatile solvent ionic liquids:  
 cell I, iodide-base IL, 191–192  
 low-viscous ionic liquids, 192–195  
 short-circuit photocurrents, liquid media  
 viscosity, 195–196
- Green chemistry, ionic liquids and, 21
- Grotthus mechanism:  
 photoelectrochemical cells, 189  
 short-circuit photocurrents, liquid media  
 viscosity, 195–196  
 superionic electrolytes, 17–19
- Hahn spin-echo pulse sequence, ionic liquid self-diffusion and ionic transport, 59–60
- Haven ratio, ionic liquid self-diffusion and ionic transport, 59
- $\text{HBF}_4$ :  
 amine neutralization, 238–240  
 ion species effects, 240  
 DNA ionic liquidization, 339–341  
 polycations, 348–352
- Hexafluorophosphate ( $\text{PF}_6^-$ ), electrodeposition, 123–125
- 1-Hexyl-3-methylimidazolium iodide (HMI-I), photoelectrochemical cells, in-volatile solvent ionic liquids, 191–192
- High double-layer capacitance, electrolyte materials, 207–208
- Honda Fujishima effect, photoelectrochemical cells, 187–189
- Host polymer structures, alkali metal ionic liquid gelation, 262–263
- HTFSI mixture:  
 DNA ionic liquidization, 339–341  
 fuel cell technology, 200–202
- Hydrocarbon (HC) spacer, polymer brushes, 363–373
- Hydrofluoric acid, low-viscous ionic liquids, Grätzel cells, 192–195
- Hydrogen-bonded solvents, electrical conductivity and vapor pressure, 17–18
- Hydrogen chloride (HCl) elimination:  
 room-temperature ionic liquids, novel fluoroanion salts, 227–234
- Hydrogen electrodes, proton transfer ionic liquids, 18–19
- Hysteresis effects, ionic conductivity, 80
- Imidazole compounds:  
 fuel cell technology, 200–202  
 liquid crystalline ionic liquids, 308–312  
 polycations, 349–352  
 poly(zwitterionic liquid)s, 360  
 quaternized onium salts, amine neutralization, 242–243  
 TCNQ anion radical salts, low melting points, 281–283  
 triple ion-type imidazolium salt, 263–265
- Impedance spectroscopy:  
 ionic conductivity, 76–80  
 ionic liquid self-diffusion and ionic transport, 58–59
- Indirect electrolysis, mediators for, 92
- Indium, electrodeposition, 117–119
- Indium tin oxide surface, liquid crystal ionic liquids, anisotropic ionic conductivities, 314–317
- Inorganic cation contamination, ionic liquid electrolyte preparation, 29
- Inorganic ionic liquids:  
 basic properties, 7–8  
 low-temperature liquid behavior, 10–11
- Intermolecular interactions, liquid crystal ionic liquids, anisotropic ionic conductivities, 316–317
- In-volatile solvent ionic liquids, photoelectrochemical cells, 190–196
- N*-butylpyridinium chloroaluminate systems, 190–191
- Grätzel cell, low-viscous IL, 192–195  
 Grätzel cell I, iodide-based IL, 191–192  
 short-circuit photocurrents, liquid media  
 viscosity, 195–196

- Iodide-based ionic liquids:  
 electrochemistry, 33  
 Grätzel cell I, 191–192  
 quasi-solid-state DSSC system, 196–197  
 short-circuit photocurrents, liquid media  
 viscosity, 195–196
- Ion conductive polymers:  
 basic properties, 347  
 polyanions, 352–353  
 polycations, 348–352  
 poly(zwitterionic liquid)s, 358–360
- Ion gels, formation of, 329
- Ionic conductivity:  
 alkali metal ionic liquid:  
 gelation, 262–263  
 triple ion-type imidazolium salt, 264–265  
 amine neutralization, 240–242  
 amphoteric polymers, 356–358  
 anionic conductive polyether/salt hybrid, 274–275  
 basic principles, 75–80  
 DNA ionic liquidization, 341–343  
 fuel cell technology, 202  
 ionic liquid gels, 326–327  
 liquid crystal ionic liquids, 314–317  
 liquid/polymer gels, 333–335  
 plastic crystals:  
 background phases, 290–291  
 basic properties, 289–290  
 electrolyte synthesis and thermal properties, 292–294  
 future research issues, 302  
 organic crystals, 294–299  
 transport mechanisms, 299–302  
 polyanions, 352–353  
 polycations, 349–352  
 polyether/salt hybrids:  
 improvement of, 269–272  
 ionic liquid properties, 267–268  
 polymer brushes, 364–373  
 poly(zwitterionic liquid)s, 360  
 zwitterionic liquids, 255–257
- Ionic liquid fuel cell (ILFC):  
 electrolytes, proton transfer ionic liquids as, 18–19  
 ionic liquid applications, 199–202  
 proton transfer ionic liquids as, 18–19
- Ionic liquids:  
 basic properties, 1–2  
 classes of, 5–8  
 electrical conductivity and vapor pressure, 12–18  
 future research, 375–376  
 industrial process applications, 6  
 low-temperature liquid behavior, 8–11  
 melting point, 5–6  
 lattice energy and, 11–12  
 zwitterionic liquids, 247–257  
 physical properties, 2  
 potential applications, 2–3  
 preparation, 214–215
- Ionic solvates, basic properties, 8
- Ionic transport, ionic liquid self-diffusion and, 58–59, 60–62
- Ionogels, molecular self-assembly, 146–148
- Ionophilic-ionophobic interactions, molecular self-assemblies, 151–154
- Ion species, neutralized amines, 240
- “IR drop,” room-temperature ionic liquids, voltammetry measurements, 36  
 reduction/oxidation potential evaluation, 37–38
- Iron, electrodeposition, 120–123, 126
- Lambda-like transition, plastic crystal electrolytes, 293–294
- Lamellar structure, liquid crystalline ionic liquids, 309–312
- Lanthanum, electrodeposition, 122–123
- Lattice energy, melting points and, 11–12
- Layered assemblies, liquid crystalline ionic liquids, 309–312
- Lead, electrodeposition, 118–119
- Lewis acids:  
 chloroaluminate electrodeposition, 112–123  
 polyether/aluminate and borate salt hybrids, 273–274  
 room-temperature ionic liquids:  
 novel fluoroanions, 233–234
- Life characteristics, double-layer capacitance, 218
- Linear sweep voltammetry (LSV), room-temperature ionic liquids, 36  
 reduction/oxidation potential evaluation, 36–38  
 residual water effects, 41–42  
 scan rate effects, 42–43
- Lipase catalysis:  
 biomaterial solubilization into ionic liquids, 157  
*Candida antarctica*-catalyzed reactions, 135–136  
 enantioselective acylation, 136–137
- Liquid crystal ionic liquids:  
 anisotropic ionic conductivities, 314–317  
 basic properties, 307–308  
 chemical modification, 308–312  
 metallomesogens, 317–318

- molecular self-assembly, 145–146  
mechanisms of, 312–314
- Liquid fluoride salts, selective anodic fluorination, 95–101
- Liquid/polymer gels, 331–335
- Li/DMFP(or EMP)BF<sub>4</sub>-LiBF<sub>4</sub>, lithium-ion batteries, ionic liquid applications, 179–180
- Lithium compounds:  
alkali metal ionic liquids, 261  
gelation, 262–263  
triple ion-type imidazolium salt, 263–265  
amphoteric polymers, copolymers, 357–358  
electrodeposition, 127  
inorganic entities, 7–8  
liquid/polymer gels, 332–335  
plastic crystal ionic conductivity, 290  
future applications, 302  
organic media, 295–299  
polycations, 348–352  
polyether/salt hybrid, ionic conductivity, 270–272  
poly(zwitterionic liquid)s, 359–360  
zwitterionic liquids, 251–257
- Lithium-ion batteries, ionic liquid applications:  
alkylimidazolium cation-fluorinated anion combination, 177–178  
chloroaluminate anions, 175–177  
Li/AlCl<sub>3</sub>-EMIC-LiCl-SOCl<sub>2</sub>/graphite, 175–176  
Li-Al/MeEtImCl-AlCl<sub>3</sub>-LiCl-C<sub>6</sub>H<sub>5</sub>SO<sub>2</sub>Cl/LiCoO<sub>2</sub>, 176–177  
future applications, 184–185  
non-imidazolium cation-fluorinated anion combination, 179–184  
safety issues, 173–174
- Li/AlCl<sub>3</sub>-EMIC-LiCl-SOCl<sub>2</sub>/graphite, lithium-ion batteries, ionic liquid applications, 175–176
- Li-Al/MeEtImCl-AlCl<sub>3</sub>-LiCl-C<sub>6</sub>H<sub>5</sub>SO<sub>2</sub>Cl/LiCoO<sub>2</sub>, lithium-ion batteries, ionic liquid applications, 176–177
- LiAsF<sub>6</sub>/LiMn<sub>2</sub>O<sub>4</sub>, lithium-ion batteries, ionic liquid applications, 179–180
- Li/LiTFSI+PP13-TFSI/LiCoO<sub>2</sub>, lithium-ion batteries, ionic liquid applications, 180–184
- Li<sub>4</sub>Ti<sub>5</sub>O<sub>12</sub>/EMIBF<sub>4</sub>-LiBF<sub>4</sub>/LiCoO<sub>2</sub>, lithium-ion batteries, ionic liquid applications, 177–178
- Low-melting eutectics:  
conductivity measurements, 11
- Low-molecular weight gelators, ionic liquid gelation, 323–326
- Low-molecular weight model compounds, DNA ionic liquidization, 338–341
- Low-temperature behavior:  
ionic liquids, 8–11  
magnetic ion liquids:  
cation radical salts, 280  
TCNQ anion radical salts, 280–283  
melting point of ionic liquids, 6
- Low vapor pressure:  
electrical conductivity and, 12–19
- Low-viscous ionic liquids, Grätzel cells, 192–195
- Luggin capillary, constant current and potential electrolysis, 92
- Luggin-Haber capillary, ionic liquid electrochemistry, 31–33
- Lyotropic liquids, layered assembly, 309–312
- Madelung energy, electrical conductivity and low vapor pressure, 13–18
- Magnesium, electrodeposition, 117–119
- Magnetic ionic liquids, electrical conductivity:  
basic properties, 277–278  
cationic radical salts, low melting point, 280  
EMI salts, paramagnetic metals, 283–284  
neutral DA charge transfer complex, 278–280  
TCNQ anionic radical salts, low melting point, 280–283
- Main group elements:  
chloroaluminate electrodeposition, 113–119  
electrodeposition, 124, 126
- Mass transfer process, ionic liquid diffusion and, 56–58
- Mediators, indirect electrolysis, 92
- Melting points:  
ionic liquid gelation, low-molecular weight gelators, 323–326  
low molecular weight model compounds, 338–341  
magnetic ion liquids:  
cation radical salts, 280  
TCNQ anion radical salts, 280–283  
plastic crystal electrolytes, 292–294  
polycations, 348–352  
zwitterionic liquids, 247–257
- Mercury:  
double-layer capacitance, dropping mercury electrode, 213–214  
electrodeposition, 123

- Mesogenic compounds. *See also* Metallomesogens, liquid crystal ionic liquids  
 liquid crystal ionic liquids, 317–318  
 molecular self-assembly, 154–155
- Metal complex catalysts:  
 electrodeposition:  
   basic principles, 111–112  
   chloroaluminate ionic liquids, 112–123  
     main group elements, 113–119  
     transition metal, 119–123  
   metal variants, 126–127  
   nonchloroaluminate ionic liquids, 123–126  
   chlorozincate ionic liquids, 125–126  
     main group metals, 124  
     transition metals, 124–125  
 electroreductive coupling, 106  
 liquid crystalline ionic liquids, 310–312
- Metallomesogens, liquid crystal ionic liquids, 317–318. *See also* Mesogenic compounds
- Metathesis, fluoroanion salts, 233–234
- Micelle layers, molecular self-assembly:  
 aqueous and organic media, 144–145  
 formation mechanisms, 145–146
- Michael reaction, aldolase antibody 38C2  
 promotion, 140
- Microelectrodes:  
 ionic liquid electrochemistry, 29  
 short-circuit photocurrents, liquid media  
 viscosity, 195–196
- Microscopic interfaces, molecular self-assembly, 154–155
- Minimum gel concentration (MGC), ionic liquid gelation, low-molecular weight gelators, 324–326
- Molar conductivity:  
 diffusion coefficient, 69–72  
 liquid crystal ionic liquids, self-assembly, 314
- Molecular packing, zwitterionic liquids, 249–257
- Molecular self-assembly, ionic liquids:  
 aqueous and organic media, 144–145  
 basic principles, 143–144  
 charged bilayer membranes, 148–151  
 ionophilic-ionophobic interactions, 151–154  
 liquid crystals:  
   anisotropic ionic conductivities, 314–317  
   basic properties, 307–308  
   chemical modification, 308–312  
   mechanisms of, 145–146, 312–314  
   metallomesogens, 317–318  
 micelle and liquid crystal formation, 145–146  
 sugar-philic ionic liquids, carbohydrate  
 dissolution, glycolipid bilayer membranes  
 and ionogel formation, 146–148  
 summary and future research issues, 154–155
- Mole ratio, room-temperature ionic liquids,  
 chloroaluminate systems, electrochemical  
 windows, 43–46
- Molten hydrates, low-temperature liquid behavior, 9–11
- Monomer structures:  
 polyanions, 352–353  
 polycations, 348–352  
 polymer brushes, 363–373
- Monovalent cations and anions, alkali metals, 259–261
- Multivalent ions, alkali metals, 259–261
- Mutual diffusion, ionic liquid diffusion as, 57–58
- Nanostructures:  
 liquid crystal ionic liquids, anisotropic ionic  
 conductivities, 316–317  
 polymer brushes, 373
- Nernst-Einstein equation:  
 ionic liquid dissociation, 13–18  
 molar conductivity-diffusion coefficient  
 correlation, 70–72
- Network polymers, polymer brushes, 368–373
- Neutral DA charge transfer complex, magnetic  
 ionic liquids, electrical conductivity, 278–280
- Neutralized amines:  
 ionic conductivity, 240–242  
 ion species effects, 240  
 low molecular weight model compounds, 338–341  
 neutralization techniques, 238–240  
 preparation requirements, 237–238  
 quaternized onium salts, model systems, 242–243
- Nickel catalysts:  
 electrodeposition, 120–123  
 electroreductive coupling, 106
- N,O-acetals, fluoromethylated imine reactions,  
 aldolase antibody 38C2, 140–141
- Nonaqueous liquid electrolytes, double-layer  
 capacitance, 208
- Nonaromatic heterocyclic cations:  
 room-temperature ionic liquids, 230–234
- Nonblocking electrodes, ionic conductivity, 77–80
- Nonchloroaluminate ionic liquids:  
 chlorozincate compounds, 125–126  
 electrochemistry, 32–33  
 main group elements and transition metals, 126

- room-temperature ionic liquids, electrochemical window comparisons, 46–51
- tetrafluoroborate/hexafluorophosphate compounds, 123–125
- Non-imidazolium cation-fluorinated anion combination, lithium-ion batteries, ionic liquid applications, 179–184
- N-type semiconductors, photoelectrochemical cells, 187–189
- Nuclear magnetic resonance (NMR) measurements:
  - DNA ionic liquidization, 339–341
  - plastic crystal ionic conductivity, 291
  - transport mechanisms, 299–302
- Nucleic acids, DNA ionic liquidization:
  - acids and bases, 341–343
  - basic properties, 337–338
  - future applications, 344
  - low molecular weight model compounds, 338–341
- Nyquist plots, ionic conductivity, 77–80
- Ohmic drop:
  - ionic liquid electrochemistry, 30–33
  - room-temperature ionic liquids, voltammetry measurements, reduction/oxidation potential evaluation, 37–38
- One-dimensional ion conduction, liquid crystal ionic liquids, anisotropic ionic conductivities, 317
- Onium cations, amine neutralization:
  - basic techniques, 238–240
  - quaternized model systems, 242–243
- Open-circuit photovoltage, photoelectrochemical cell, performance evaluation, 197
- Optical waveguide spectroscopy (OWG):
  - basic principles, 83–85
  - protein redox reactions, 165–168
  - redox reactions in ionic liquid, 85–86
- Organic media:
  - ionic liquid gelation, low-molecular weight gelators, 323–326
  - ionic plastic crystals, conductivity, 294–296
  - magnetic ionic liquids, electrical conductivity, 277–283
  - molecular self-assembly, ionic liquids, 144–145
  - polyether/salt hybrids, 268–269
- Organic semiconductive condenser (OSCON), magnetic ionic liquids, electrical conductivity, 278
- Orientational disorder, plastic crystal ionic conductivity, 291
- ORTEP diagram, RTIL fluorohydrogenates, 234
- Oxidation potential:
  - voltammetry evaluation of RTILs, 36–38
- Oxygen solubility, ionic liquid electrochemistry, 27–28
- Palladium, electrodeposition, 122–123
- Paramagnetic metals, EMI salts with, 283–284
- Perfluorinated ionic liquids, cohesion-fluidity trade-off, ionic liquids, 19–21
- Performance evaluation:
  - double-layer capacitors, 214–221
  - photoelectrochemical cells, 189–190, 196–197
- Phase diagrams, inorganic ionic liquids, 7–8
- Phase transition behavior, liquid crystal ionic liquids, self-assembly, 312–314
- 3-Phenylthiophthalide, selective anodic fluorination, 99–101
- Photoelectrochemical cells (PEC):
  - in-volatile solvent, ionic liquids as, 190–196
    - N*-butylpyridinium chloroaluminate systems, 190–191
    - Grätzel cell, low-viscous IL, 192–195
    - Grätzel cell I, iodide-based IL, 191–192
    - short-circuit photocurrents, liquid media viscosity, 195–196
  - ionic liquid applications, basic principles, 187–189
  - performance evaluation parameters, 189–190
  - quasi-solid-state DSSC system, iodide-based RTILs, 196–197
- Phthalide, selective anodic fluorination, 97–101
- Plastic crystals, ionic conductivity:
  - background phases, 290–291
  - basic properties, 289–290
  - electrolyte synthesis and thermal properties, 292–294
  - future research issues, 302
  - organic crystals, 294–299
  - transport mechanisms, 299–302
- Platinum electrodes:
  - electrocatalytic reactions, 107
  - electrodeposition, 122–123
  - ionic liquid electrochemistry, 29
  - room-temperature ionic liquids, residual water effects, 41–42
- Polarography, ionic liquid electrolyte preparation, 28–29
- Polar solvents, ionic liquid gel conductivity, 326–327

- Polyanions:  
 ion conductive polymers, 352–353  
 polyether/salt hybrids, electrolyte materials, 272–274  
 polymer brushes, 370–373
- Polycations:  
 ionic liquids, 348–349  
 polymer brushes, 366–373
- Polyether/alminate hybrids, ionic conductivity, 272–274
- Polyether salt hybrids, salt synthesis:  
 anionic conductive hybrids, 274–275  
 design criteria, 268–269  
 ionic conductivity, 269–272  
 ionic liquid properties, 267–268  
 polyether/alminate or borate salt hybrids, 272–274  
 polymerized hybrids, 272
- Polyethylene oxide (PEO):  
 anionic conductive polyether/salt hybrid, 274–275  
 biomaterial solubilization into ionic liquids, 159–160  
   cytochrome *c* modification, 161–162  
 liquid crystalline ionic liquids, 307–308  
 protein redox reactions, 165–168  
 salt hybrids:  
   design criteria, 268–269  
   ionic conductivity, 269–272  
   ionic liquid properties, 267–268  
   polyether/alminate and borate salt hybrids, 272–274  
   polymerized hybrids, 272
- Polymers. *See also* Plastic crystals  
 amphoteric polymers:  
   basic properties, 355–356  
   copolymers, 356–358  
   poly(zwitterionic liquid)s, 358–360  
 brushes, 363–373  
 DNA as, 337–338  
 electrochemical polymerization, 101–105  
 fuel cell technology, 201–202  
 ion conductive polymers:  
   basic properties, 347  
   polyanions, 352–353  
   polycations, 348–352  
 ionic conductivity, 76–80  
 ionic liquid gels, 327–329  
 liquid crystalline ionic liquids, 310–312  
 liquid/polymer gels, 331–335  
 polyether/salt hybrids, 272
- Poly(propylene oxide) (PPO):  
 polyether/alminate and borate salt hybrids, 274  
 polyether/salt hybrid, ionic conductivity, 271–272
- Polypyrrole matrix, electrochemical polymerization, 104–105
- Polythiophene films, electrochemical polymerization, 104–105
- Poly(vinyl pyrrolidone) (PVP), ionic plastic crystals, conductivity, 297–299
- Poly(zwitterionic liquid)s, amphoteric polymers, 358–360
- Porous materials, double-layer capacitance, 206–207
- Potassium chloride (KCl), protein redox reactions, 166–168
- PP13-TFSI compound, lithium-ion batteries, ionic liquid applications, 180–184
- Proper resistance, ionic conductivity, 75–80
- Propylene carbonate (PC), ionic liquid gel conductivity, 327
- Proteins:  
 biomaterial solubilization into ionic liquids, polyether modification, 159–160  
 redox reactions, 165–168
- Protic ionic liquids:  
 basic properties, 6–8  
 electrical conductivity and vapor pressure, 18
- Proton-conducting membranes:  
 amphoteric polymers, 358  
 ionic liquid applications, 200–202
- Proton transfer ionic liquids, fuel cell electrolytes, 18–19
- P-type semiconductors, photoelectrochemical cells, 187–189
- Pulsed-gradient spin-echo (PGSE) NMR:  
 ionic liquid self-diffusion coefficients, 59–60  
 molar conductivity-diffusion coefficient correlation, 70–72  
 self-diffusion coefficient and viscosity correlation, 62–69
- Purification techniques, ionic liquid electrolyte preparation, 29
- Pyridinium salts, liquid crystalline ionic liquids, 308–312
- Pyrrolidinium cations, plastic crystal ionic conductivity, 290
- Quasi-lattice structures, electrical conductivity and low vapor pressure, 13–18
- Quasi-reference electrode (QRE), room-temperature ionic liquids, voltammetric measurements, 40

- Quasi-solid-state DSSC system, iodide-based RTILs, 196–197
- Quaternary ammonium cations:  
 ionic liquid electrolyte preparation, 28–29  
 low-viscous ionic liquids, Grätzel cells, 192–195  
 room-temperature ionic liquids, 51
- Quaternization:  
 low molecular weight model compounds, 337–338  
 onium salts, amine neutralization, onium salts, 242–243
- Quenching behavior, plastic crystal electrolytes, 293–294
- Radical polymerization, ionic liquid gels, 329
- Radio frequency (RF) pulses, ionic liquid self-diffusion and ionic transport, 59–60
- Redox reactions:  
 biomaterial solubilization into ionic liquids, protein solubilization, 160  
 chloroaluminate electrodeposition, main group elements, 113–119  
 ionic liquid electrochemistry, 30–33  
 optical waveguide spectroscopy, 84–86  
 protein, 165–168
- Reduction potential:  
 voltammetry evaluation of RTILs, 36–38
- Reference electrodes:  
 ionic liquid electrochemistry, 29–33  
 room-temperature ionic liquid voltammetry: configuration, 38–40  
 electrochemical window comparisons, 46  
 reduction/oxidation potential evaluation, 36–38
- Refractive indexes, ionic liquid redox reactions, 85–86
- Residual water effects, room-temperature ionic liquids, voltammetric measurements, 40–42
- Room-temperature ionic liquids (RTILs):  
 electrochemical window comparisons, 43–51  
 chloroaluminate systems, 43–46  
 nonchloroaluminate systems, 46–51  
 electrodeposition, 111–112  
 electrolyte applications, 35–36  
 fluoroanion salts, 227–234  
 in-volatile solvent ionic liquids:  
*N*-butylpyridinium chloroaluminate system, 190–191  
 iodide-based Grätzel cell, 192  
 low-viscous ionic liquids, Grätzel cells, 193–195  
 iodide-based, quasi-solid-state DSSC system, 196–197  
 paramagnetic metal complexes, 283–284  
 photoelectrochemical cells:  
 basic principles, 189  
 performance evaluation, 189–190  
 short-circuit photocurrents, liquid media  
 viscosity, 195–196  
 thermogravimetry/differential thermal analysis (TG-DTA), 61–62  
 voltammetry measurement conditions, 36–43  
 reduction or oxidation potential evaluation, 36–38  
 reference electrodes, 38–40  
 residual water effects, 40–42  
 scan rate effects, 42–43
- Rotary pump evacuation:  
 room-temperature ionic liquids, novel fluoroanion salts, 227–234
- Rotating disk electrode (RDE), room-temperature ionic liquids, voltammetry measurements, 37–38
- Rotational behavior:  
 ionic liquid diffusion and, 56  
 plastic crystal ionic conductivity, 290–291
- Rotator phases, plastic crystal ionic conductivity, transport mechanisms, 300–302
- RTMS:  
 lattice energy characterization, 11–12  
 low-temperature liquid behavior, 8–11  
 melting points and lattice energy, 11–12
- Safety procedures:  
 double-layer capacitance, electrolyte materials, 208  
 lithium-ion batteries, ionic liquid applications, 173–174
- Salt hydrates, melting points and lattice energy, 11–12
- Salt synthesis:  
 neutralized amines, 237–238  
 polyether salt hybrids:  
 anionic conductive hybrids, 274–275  
 design criteria, 268–269  
 ionic conductivity, 269–272  
 ionic liquid properties, 267–268  
 polyether/aluminate or borate salt hybrids, 272–274  
 polymerized hybrids, 272

- Scaled Arrhenius plot, low-temperature liquid behavior, 9–11
- Scanning electron microscopy (SEM), electrochemical polymerization, 102–105
- Scan rate effects, room-temperature ionic liquids voltammetric measurements, 42–43
- Schottky-junction, photoelectrochemical cells, 187–189
- Selective anodic fluorination, 93–101
- Selective charge transfer, polyether/salt hybrids, 269
- Self-assembly mechanisms, liquid crystal ionic liquids, 145–146  
mechanisms of, 312–314
- Self-diffusion coefficient:  
ionic liquid diffusion:  
defined, 57–58  
ionic transport and, 58–59  
viscosity correlation, 62–69  
ionic transport behavior, 72–73  
pulsed-gradient spin-echo NMR measurement, 59–60
- Short-circuit photocurrents ( $J_{SC}$ ):  
ionic liquid viscosity, 195–196  
liquid media viscosity, 195–196  
low-viscous ionic liquids, Grätzel cells, 193–195  
photoelectrochemical cell, performance evaluation, 189–190
- Silver halides:  
inorganic entities, 8
- Silver/monovalent silver species:  
electrodeposition, 122–123, 125, 127  
ionic liquid electrochemistry, 32–33
- Single-walled carbon nanotube (SWNT), polymer brushes, 373
- Smectic phases, liquid crystal ionic liquids:  
anisotropic ionic conductivity, 314–317  
self-assembly, 314
- Solar energy conversion, photoelectrochemical cells, 187–189
- Solid-solid transition, plastic crystal ionic conductivity, 289–290
- Sol-to-gel phase diagram, ionic liquid gelation, low-molecular weight gelators, 325–326
- Solvent systems:  
biomaterial ionic liquids:  
basic principles, 157  
DNA solvent design, 158–159  
PEO-modified cytochrome *c*, 161–162  
polyether modification, 159–160  
electrolytic reactions, 89–90  
enzymatic reactions, 135–136  
room-temperature ionic liquids, electronic window data comparisons, 52
- Sonovoltammography, selective anodic fluorination, 94–101
- Spectroelectrochemistry, optical waveguide spectroscopy, 83–86
- Spin concentration, magnetic ionic liquids, electrical conductivity, 278–280
- Stokes-Einstein equation:  
ionic liquid diffusion, self-diffusion, 58  
ionic liquid dissociation, 13–18  
self-diffusion coefficient and viscosity correlation, 67–69
- Stokes radius, self-diffusion coefficient and viscosity correlation, 67–69
- Subionic liquids, electrical conductivity and vapor pressure, 15–18
- Sugar-philic ionic liquids, molecular self-assembly, 146–148
- Sulfonate anion:  
polyether/salt hybrid, ionic conductivity, 270–272  
zwitterionic liquids, 246–257, 247–257  
melting points, 248–249
- Super-Arrhenius behavior:  
ionic liquid melting point, 6  
low-temperature liquid behavior, 8–11
- Supercoupled behavior, ionic liquid dissociation, 14–18
- Superionic liquids, electrical conductivity and vapor pressure, 15–18
- Superoxide reduction, ionic liquid electrochemistry, 27–28
- Superprotonic conduction:  
ionic salts, 17–19
- Surface passivation layer, room-temperature ionic liquids, 52
- Tellurium, electrodeposition, 119, 126
- Temperature dependence:  
alkali metal ionic liquids, 260–261  
double-layer capacitance, electrolytic conductivity, 209–211  
fluoroanion salts, 229–234  
ionic liquid diffusion, 58  
ionic transport, 62  
liquid/polymer gels, 333–335  
low molecular weight model compounds, ionic liquidized DNA, 339–341  
plastic crystal electrolytes, 292–294  
polymer brushes, 370–373

- self-diffusion coefficient and viscosity correlation, 65–69
- triple ion-type imidazolium salt, 264–265
- Tertiary amines, neutralization, 239–240
- Tetracyanoquinodimethane (TCNQ), magnetic ionic liquids, electrical conductivity: anionic radical salts, low melting point, 280–283
- basic properties, 277–278
- cationic radical salts, low melting point, 280
- EMI salts, paramagnetic metals, 283–284
- neutral DA charge transfer complex, 278–280
- Tetrafluoroborate (BF<sub>4</sub>), electrodeposition, 123–125
- Tetrathiafulvalene (TTF), magnetic ionic liquids, electrical conductivity: basic properties, 277–278
- cationic radical salts, low melting point, 280
- EMI salts, paramagnetic metals, 283–284
- neutral DA charge transfer complex, 278–280
- TCNQ anionic radical salts, low melting point, 280–283
- Thallium, electrodeposition, 117–119
- Thermal properties: amphoteric polymers, 356–358
- ionic liquids, 61–62
- plastic crystal electrolytes, 292–294
- triple ion-type imidazolium salt, 264–265
- zwitterionic liquids, 247–257, 252–257
- Thermogravimetry/differential thermal analysis (TG-DTA): ionic liquids, 61–62
- polymer brushes, 367–373
- Thermotropic columnar phases, liquid crystalline ionic liquids, 310–312
- Time-averaging, molar conductivity-diffusion coefficient correlation, 71–72
- Titanium compounds, electrodeposition, 119–123
- Titanium dioxide electrodes, short-circuit photocurrents, liquid media viscosity, 196
- TMPA-TFSI compound: lithium-ion batteries, ionic liquid applications, 180–184
- room-temperature ionic liquids, reference electrode, residual water effects, 41–42
- p*-Toluenesulfonic acid ethyl ester (*p*-TSE), polycations, 350–352
- Total internal reflection technique, optical waveguide spectroscopy, 84–86
- Transition metals, electrodeposition, 119–123, 124–126
- Translational diffusion, ionic liquid diffusion as, 56–57
- Translation motion, ionic liquid diffusion and, 56
- Transport mechanisms, plastic crystal phases, 299–302
- Triflate salts, amine neutralization, 240
- bis*-(Trifluoromethanesulfonyl)amide (TFSA), plastic crystal ionic conductivity, 290, 295–296
- bis*-(Trifluoromethanesulfonyl)imide (TFSI): biomaterial solubilization into ionic liquids, protein solubilization, 160
- DNA ionic liquidization, 341–343
- liquid/polymer gels, 332–335
- molar conductivity-diffusion coefficient correlation, 82
- molecular self-assembly, 147–148
- liquid crystalline ionic liquids, 308–312
- neutralized amines, 237–238
- polycations, 349–352
- polymer brushes, 364–373
- self-diffusion coefficient and viscosity correlation, 65–69
- zwitterionic liquids, 252–257
- Trimethylammonio propane sulfonate, zwitterionic liquids, 249–257
- Triple ion-type imidazolium salt, alkali metal ionic liquids, 263–265
- TSAC cation, room-temperature ionic liquids, electrochemical window comparisons, 51
- Tungsten electrodes: ionic liquid electrochemistry, 29
- room-temperature ionic liquids, residual water effects, 41–42
- Two-department cell, electrolytic reactions, 90–91
- Ultrasonication, selective anodic fluorination, 94–101
- Vacuum-stable room-temperature ionic liquids: novel fluoroanion salts, 231–234
- Vacuum systems, ionic liquid preparation, 27–28
- Van der Waals interaction: cohesion-fluidity trade-off, 19–21
- molecular self-assemblies, charged bilayer membranes, 150–151
- novel fluoroanions, room-temperature ionic liquids, 228–234
- Vapor pressure, electrical conductivity of ionic liquids and, 12–18

- Viscosity:  
  ionic liquid self-diffusion coefficient and, 62–69  
  selective anodic fluorination, 94–101
- Vogel-Fulcher-Tammann (VFT) equation:  
  ionic conductivity, 78–80  
  ionic liquid diffusion, basic principles, 57  
  low-temperature liquid behavior, 10–11  
  molar conductivity-diffusion coefficient correlation, 69–72  
  self-diffusion coefficient and viscosity correlation, 63–69
- Voltage requirements:  
  double-layer capacitance dependence, 218–219  
  electrolytic reactions, 90–91
- Voltammetry measurements, room-temperature  
  ionic liquids, 36–43  
  reduction or oxidation potential evaluation, 36–38  
  reference electrodes, 38–40  
  residual water effects, 40–42  
  scan rate effects, 42–43
- Vycor glass plugs, constant current and potential electrolysis, 92
- Walden rule, ionic liquid dissociation, 14–18
- Warburg impedance, ionic conductivity, 77–80
- Wide operational temperature range, double-layer capacitance, electrolyte materials, 208
- Working electrodes:  
  ionic liquid electrochemistry, 29  
  ionic liquid redox reactions, 85–86
- Wunderlich's "bead" notation, cohesion-fluidity trade-off, ionic liquids, 21
- Zinc, electrodeposition, 121–123, 125–126
- Zinc-nickel alloys, electrodeposition, 126
- Zwitterionic liquids:  
  amphoteric polymers:  
    basic properties, 355–356  
    copolymers, 356–358  
    poly(zwitterionic liquid)s, 358–360  
  basic properties, 245–257  
  ionic liquid gels, 327–329  
  liquid/polymer gels, 331–335