

# Index

**Note to the Reader:** Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

---

## Symbols

- (minus sign) parameter in Alta Vista searches, 364
- @ symbol in e-mail addresses, 391–392
- + (plus sign) parameter in Alta Vista searches, 363
- <BODY> tag color attributes, listed, 602
- <FONT> tags, 604–606
- <FORM> tags, 633–635, 636
- <FRAME> tags, 653
- <FRAMESET> tags, 653
- <HR> tags attribute values, 592–593
- <META> tags, 576
- <NOFRAMES> tags, 656
- <PRE> tags, 580–581
- <STYLE> tags in CSS, 667

---

## A

- acceptable use policies, 728
- access control lists (ACLs), defined, 217
- access controls
  - with FTP, 224
  - and server accounts, 218
  - to web sites, 217
- Acrobat Reader, 454–458, 456, 458
- ACTION attribute, 634
- active content. *See also* media and active content
  - defined, 306, 439
- Active Server Pages (ASP)
  - basics, 277–279
  - as interpreted language, 692
- ActiveX Data Objects (ADO)
  - and ASP, 278–279
  - defined, 728
- ActiveX technology, 441–443
  - adapters, defined, 728
  - address books, for e-mail, 393
- Address Resolution Protocol (ARP)
  - defined, 728
  - described, 135
  - Internet layer and, 165
- addresses. *See also* IP addresses
  - address books for e-mail, 393
  - e-mail address availability, 401–402
- addressing. *See* IP addressing
- ADO (ActiveX Data Objects)
  - and ASP, 278–279
  - defined, 728
- Adobe Acrobat Reader, 454–458, 456, 458
- Advanced Research Projects Agency Network (ARPANET), history, 38, 38–39
- adware, defined, 728
- AIFF (Audio Interchange File Format), 460
- Alexa, 368
- aliases, 218
- all-subnets-directed broadcast addresses, 178
- ALT attribute
  - labeling images and, 598–599
  - using in HTML, 597

- Alta Vista
    - advanced search techniques, 363–365, 365
    - basic search techniques, 358–360
    - graphic searches, 373, 373
    - performing keyword searches,
      - 358–359, 359
    - using Boolean operators with, 360–362
  - America Online client application, 304
  - analog, defined, 728
  - analog modems, defined, 47
  - anchor, defined, 728
  - anchor tags, 607–609
  - AND/OR operators in Alta Vista searches,
    - 364–365, 365
  - anonymous access, defined, 217
  - anonymous FTP
    - anonymous FTP sites, 409
    - defined, 728
  - Apache web server, 241–242
  - Apple QuickTime, 449–450
  - applets, defined, 728
  - Application layer, 162–164
  - application-level gateways, 490, 729
  - application program interface (API),
    - defined, 271
  - Archie, 376–377
  - architecture, of databases, 261, 261–262
  - ARP (Address Resolution Protocol)
    - defined, 728
    - described, 135
    - Internet layer and, 165
  - arp command, 190
  - ARPANET (Advanced Research Projects Agency Network), history, 38, 38–39
  - Ask.com search features, 368, 369
  - ASP (Active Server Pages)
    - basics, 277–279
    - as interpreted language, 692
  - assembly language, 439
  - Assessment Text, xxxiv–lii
  - asymmetric-key encryption, 505–506, 506
  - asynchronous, defined, 729
  - asynchronous transfer mode (ATM), 89–91, 91
  - asynchronous vs. synchronous
    - transmission, 106
  - attachments to e-mail
    - basics, 406–408, 408
    - security scanning, 498
  - attributes
    - <BODY> tag color attributes, listed, 602
    - alignment attributes for table elements, 631
    - changing attribute values in
      - <HR> tags, 592–593
    - changing fonts attributes in HTML, 604–606
    - HTML attributes, listed, 702–725
    - tags and, 570
    - TEXTAREA element attributes,
      - listed, 642
    - WARP attribute, 643
  - AU, 460, 729
  - Audio Interchange File Format (AIFF), 460
  - auditing, and network security, 485–486
  - authentication
    - e-commerce and, 528
    - network security and, 486
    - smart cards and, 538
- 
- B**
- backbones
    - defined, 17, 730
    - described, 54
  - background colors in HTML, 601–603

- bandwidth, defined, 4, 44
  - BASE targets, 657–658
  - base two arithmetic, 41
  - baseband transmission method, 108
  - bastions
    - defined, 730
    - dual-homed bastions, 494, 494–495
    - single-homed bastions, 493, 493–494
  - Bayonet Neill-Concelman (BNC) connectors, 103, 104
  - Berners-Lee, Tim, 562
  - binary files
    - defined, 730
    - and FTP, 409–410
  - binary numbers, and IP addresses, 41–42
  - BinHex, 407
  - bitmap, defined, 461, 730
  - block-level elements. *See also* paragraph
    - formatting in HTML
    - defined, 730
    - HTML, 582–583
    - vs. text-level elements, 576
  - BNC connectors, 103, 104
  - bookmarks, 326–331, 327, 329–330
  - Boolean operators
    - AND/OR operators, 364–365, 365
    - NEAR operators, 366–368, 367
    - AND NOT operators, 366–368, 367
    - web searches and, 360, 361, 362
  - boot sector, defined, 484
  - boot sector viruses, 484
  - BOOTstrap Protocol (BOOTP), 164
  - bridges, 94, 94
  - British Naval Connector (BNC), 103, 104
  - broadband routers, defined, 500
  - broadband transmission method, 108
  - broadcast addresses, 177–178
  - brouters, 95
  - browser cache, 322–326, 324–325
  - browser plug-ins
    - document viewers, 454–459
      - Acrobat Reader, 454–458, 456, 458
      - PowerPoint Viewer, 458–459
    - multimedia players, 451–454, 452, 454
    - streaming media, 445–459
      - basics, 445–446
      - questions about using, 446–447
      - streaming media players, 447–451, 449
  - browsers. *See* web browsers
  - brute-force attacks, 481
  - buffers, defined, 222
  - bus topology
    - basics, 12–14, 14
    - converting from bus to star networks, 15–16
  - business
    - business process/functionality design in
      - e-commerce, 546
    - business rules or business logic, 260
  - businesses
    - business-to-business model of
      - e-commerce, 528
    - business-to-consumer model of
      - e-commerce, 528–529
    - extranets and, 9
    - installing bus networks in small
      - offices, 13–14
    - intranets and, 8
    - Linux use and, 24
- 
- C**
- C, 439, 690
  - C++
    - as compiled language, 690
    - and object-oriented programming, 439–440

- cable modems
  - connecting to the Internet with, 50–51
  - defined, 731
- caching servers, 235–236, 731
- Carrier Sense Multiple Access/Collision Detection (CSMA/CD), 83
- Cascading Style Sheets (CSS), 663–669
  - basics, 663–664
  - browser compatibility and, 669
  - creating embedded, 667
  - CSS1
    - CSS1 and CSS2 declarations, 665
    - CSS1 and HTML, 666
    - CSS1 terminology, 664, 664–666
  - declaring inline styles, 666–667, 667
  - defined, 565
  - imported, 668
  - linking to external style sheets, 668
- case sensitivity
  - CSS1 and CSS2 declarations and, 665
  - tags and, 570
- cash model, 536–537
- catalogue servers, 239
- CD-ROM that comes with this book,
  - contents, xxx–xxx1
- certificate servers, 236–237
- Certified Internet Webmaster (CIW) program
  - Basic program, xxv–xxix
    - CIW associate, xxv–xxvi
    - Master CIW Administrator, xxvii–xxviii
    - Master CIW designer, xxvii
    - Other CIW certifications, xxviii–xxix
- exam objectives
  - e-commerce, 524, 526
  - e-mail and other clients, 389
  - HTML, advanced, 623
  - HTML, basic, 561, 567
  - the Internet, 37
  - Internet security, 475
  - internetworking servers, 209
  - LANs and WANs, 77
  - media and active content, 437
  - networking basics, 1
  - OSI reference model, 123
  - TCP/IP protocol, 157
  - web search engines, 349
  - web servers and databases, 257
  - the World Wide Web, 301, 306–307
- exam registration, xxxii
- exam tips, xxxii–xxxiii
- general exam topics for, xxv, 2
- web site for CIW, 58
- CGI (Common Gateway Interface), 271–275
  - advantages and disadvantages, 272–274
  - basics, 271–272, 272
  - real world scenario, 274–275
- Channel Service Unit/Data (or Digital) Service Unit (CSU/DSU), 97–98, 98
- check boxes in HTML forms, 640
- check model, 537
- circles, defining in HTML, 647–648, 648
- circuit-level gateways, 489, 489, 732
- CIW program. *See* Certified Internet Webmaster (CIW) program
- Class A addresses, 175–176
- Class B addresses, 176
- Class C addresses, 176
- Class D addresses, 176
- Class E addresses, 176
- classes of Internet addresses, 175–176
- client/server model
  - in databases, 260–263, 261
  - described, 5, 5–7, 732
  - on the Internet, 44–45, 45

- client/server vs. peer-to-peer networks, 10
- client-side scripting, 268
  - combining with server-side scripting, 269
  - defined, 633
- clients (Internet)
  - configuring for e-mail, 394–397, 395–396
  - exam preparation, 426–428
  - FTP, 409–414
    - basics, 409–410
    - downloading files with, 410–413, 412
    - uploading files with, 413–414, 414
  - newsgroups, 414–425
    - basics, 415
    - configuring with Outlook Express, 418–420, 419
    - etiquette, 417–418
    - Google Groups, 420–423, 421–422
    - newsgroup hierarchy, 415–417
    - Telnet, 423–425, 425
  - review questions and answers, 429–436
  - selecting for e-mail, 393–394
  - summary, 425–426
- coax. *See* coaxial cable
- coaxial cable, 102–104, 104, 732
- coding HTML, 568–589. *See also* paragraph
  - formatting in HTML
  - <META> tags, 576
  - adding hidden comments, 589
  - document structure tags, 571–572
  - Document Type Declaration (DTD), 573–575
  - good coding practice, 589
  - lists, 586–588
  - markup tags, 569–571
  - text-level elements, 583–586
- ColdFusion, 283
- collaborative computing,
  - defined, 8
- color blindness, and web page
  - colors, 604
- colors, specifying in HTML, 600–604
  - changing colors and backgrounds, 603
  - page colors and backgrounds, 601–602
  - web-safe color palette, 600–601
- columns
  - creating frames with, 654–656
  - spanning in tables, 632
- comments, hiding in HTML code, 589
- commerce. *See also* e-commerce
  - traditional vs. electronic, 528
- Common Gateway Interface (CGI), 271–275
  - advantages and disadvantages, 272–274
  - basics, 271–272, 272
  - real world scenario, 274–275
- Common Object Request Broker Architecture (COBRA), described, 281
- companies
  - extranets and, 9
  - installing bus networks in small offices, 13–14
  - intranets and, 8
  - Linux use and, 24
- compiled languages
  - basics, 690–691
  - defined, 273
- computers. *See* PCs
- connection-oriented protocols, 131–132
- connectionless protocols, 132
- container tags, 569
- cookies, 509–510
- copyrights
  - copyright protection with JavaScript, 672
  - e-commerce and, 541–543
    - copyright law, 542–543
    - defined, 541, 733

- Information Infrastructure Task Force (IITF), 542
- World Intellectual Property Organization (WIPO), 542
- corporations
  - extranets and, 9
  - intranets and, 8
- country codes
  - TLDs and, 61–62
  - web site for list of, 60
- country-specific encryption
  - standards, 507–508
- CPU, and networking speed, 130
- crackers
  - vs. hackers, 477
  - Internet security and, 477–478
- CRC (Cyclical Redundancy Check), 130–131
- credit model, 537
- CSMA/CD (Carrier Sense Multiple Access/ Collision Detection), 83
- CSS (Cascading Style Sheets), 663–669
  - basics, 663–664
  - browser compatibility and, 669
  - creating embedded, 667
  - CSS1
    - CSS1 and HTML, 666
    - CSS1 terminology, 664, 664–666
  - declaring inline styles, 666–667, 667
  - defined, 565
  - imported, 668
  - linking to external style sheets, 668
- CSS1
  - and HTML, 666
  - terminology, 664, 664–666
- CSU/DSU (Channel Service Unit/Data (or Digital) Service Unit), 97–98, 98
- currencies, international, 535

- customs, and e-commerce, 533
- Cyclical Redundancy Check (CRC), 130–131

---

## D

- daemon, defined, 211
- data
  - data alignment in tables, 629–631, 630
  - data management, and e-commerce, 527
  - data validation, defined, 268
  - transmitted data security, 503–511
    - cookies, 509–510
    - digital certificates, 510–511
    - encryption, 504–506, 504–508
    - secure web forms, 508–509
    - SSL, 508
- Data Link Control (DLC), 137
- databases
  - architecture, 261, 261–262
  - defined, 733
- databases and web servers, 258–299
  - CGI, 271–275
    - advantages and disadvantages, 272–274
    - basics, 271–272, 272
    - real world scenario, 274–275
  - client-side scripting, 268–271
  - database connectivity, 284–285
  - databases, 258–267
    - basics, 258–259
    - client/server model, 5–6, 260–263, 261
    - database management systems (DBMS), 264–267
    - reliability, 263–264
    - transactions, 260
  - exam preparation, 286–290

- gateways for web servers, 267–271
- review questions and answers, 291–299
- Server Application Programming Interfaces (SAPIs), 275–276
- server-side scripting technologies, 276–283
  - Active Server Pages (ASP), 277–279
  - ColdFusion, 283
  - HTML, 279–280
  - Java and Java servlets, 280–282
  - JavaServer Pages (JSP), 282, 282–283
  - Personal Home Page (PHP), 279
  - Server-Side JavaScript (SSJS), 277
- summary, 286
- datagrams. *See also* packets
  - defined, 128
- DBMS (database management systems), 264–267, 266
- DDoS (distributed denial-of-service attack), 480
- demilitarized zones (DMZs), 495, 495
- demultiplexing, 167, 167
- denial-of-service (DoS) attacks, 479–480
- design/development project cycle, 545–548
- DHCP (Dynamic Host Configuration Protocol)
  - Application layer and, 164
  - IP addressing and, 181–183, 182
- DHTML (Dynamic HTML), 672–673
- dial-up connections, 48–49
- dictionary programs, defined, 505
- digital certificates
  - basics, 510–511
  - defined, 508
- digital, defined, 734
- Digital Subscriber Line (DSL), 51
- direct routing, defined, 168–169
- directories
  - defined, 734
  - vs. search engines, 351–352
- directory servers, 237–239
- distributed computing. *See* client/server model
- distributed denial-of-service attack (DDoS), 480
- distributions, defined, 24
- dithering, defined, 601, 734
- DLC (Data Link Control), 137
- DLL (dynamic link library), 275
- DMZs (demilitarized zones), 495, 495
- DNS (Domain Name System), 58–63
  - Application layer and, 163
  - described, 58–59
  - syntax, 59–60, 60
  - top-level domains, 60–63
- DNS (Domain Name System) servers, 226–234
  - components, 230
  - DNS hierarchy, 229, 229–230
  - hosts file, 227–228
  - records, 231–234
  - server types, 231
- document file formats, 461–463
  - HTML, 462
  - RTF, 462–463
  - text files, 462
- Document Object Model (DOM), 673–674
- document structure
  - tags, 571–572
  - tree structure of SML documents, 676, 676–677
- Document Type Declaration (DTD)
  - HTML and, 573–575
  - XML documents and, 677–678
- document viewers, 445, 454–459
  - Acrobat Reader, 454–458, 456, 458
  - PowerPoint Viewer, 458–459

DOM (Document Object Model), 673–674  
Domain Name System. *See* DNS (Domain Name System)  
domain names, registering, 63–65  
dongles, defined, 92  
DoS (denial-of-service) attacks, 479–480  
dotted quad, defined, 42  
download time  
    browser caches and, 323  
    disabling images and, 331–335  
draft protocol state, 159–160  
DSL (Digital Subscriber Line), 51  
DTD (Document Type Declaration)  
    HTML and, 572, 573–575  
    XML documents and, 677–678  
dual-homed bastions, 494, 494–495  
Dynamic Host Configuration Protocol (DHCP)  
    Application layer and, 164  
    IP addressing and, 181–183, 182  
Dynamic HTML (DHTML), 672–673  
dynamic link library (DLL), 275  
dynamic routers, defined, 170

---

## E

E-carrier system, 110  
e-commerce, 524–559  
    basics, 526–540  
        advantages of, 532–533  
        defined, 527  
        EDI, 529–530  
        electronic vs. traditional commerce, 528  
        international currencies, 535  
        international shipping and supply, 535–536  
        issues in, 533–534  
        multi-language support, 534  
        payment processing, 536–538  
        security, 538–539  
        SET, 530–532  
        solutions, 539–540  
        types, 528–529  
        visitor tracking, 534–535  
    copyrights, 541–542  
    exam preparation, 550–552  
    licensing, 543–544  
    project management, 544–549  
        described, 544–545  
        design/development project cycle, 545–548  
        further considerations, 548–549  
        scope and scope creep, 545  
    review questions and answers, 553–559  
    summary, 549  
    trademarks, 544  
e-mail, 390–408  
    attachments, 406–408, 408  
    basics, 390–392  
    e-mail signatures, 404–405  
    exam preparation, 426–428  
    privacy, 405–406  
    protocols, 56  
    review questions and answers, 429–436  
    sending and receiving, 392–399  
        address books, 393  
        basics, 392–393  
        configuring clients, 394–397, 395–396  
        copying messages, 399  
        receiving, 398, 398  
        selecting clients, 393–394  
        sending, 397, 397–398  
    summary, 425–426  
    web-based e-mail, 399–403

- address availability, 401–402
- determining senders, 400–401
- netiquette, 402–403
- Electronic Data Interchange (EDI), 529–530
- elements
  - HTML elements and attributes, listed, 701–725
  - of tags, 570
- embedded files, 444
- embedded style sheets, creating, 667
- empty tags, 569
- Encapsulated PostScript (EPS), 460–461
- encryption, 504–506, 504–508
  - asymmetric-key encryption, 505–506, 506
  - country-specific encryption standards, 507–508
  - defined, 504
  - one-way encryption, 506–507
  - Pretty Good Privacy (PGP), 507
  - symmetric-key encryption, 504, 504–505
- end-to-end layer. *See* Transport layer
- enterprise networks, 12
- ephemeral port numbers, defined, 174
- EPS (Encapsulated PostScript), 460–461
- errors, “Undefined Object Error”, 674
- Ethernet, 82–83
- etiquette for newsgroups, 417–418
- exam preparation
  - (HTML) Hypertext Markup Language, 613–615
  - Assessment Text, xxxiv–lii
  - databases and web servers, 286–290
  - e-commerce, 550–552
  - e-mail and other clients, 426–428
  - HTML (Hypertext Markup Language), advanced, 679–681
  - the Internet, 66–68
  - Internet security, 512–515
  - internetworking servers, 244–247
  - LANs and WANs, 111–115
  - media and active content, 464–466
  - networking basics, 26–28
  - OSI/RM, 145–147
  - TCP/IP, 194–197
  - web search engines, 379–381
  - the World Wide Web, 339–340
- executables viruses, 484
- exercises
  - domain names, reading, 63
  - e-mail
    - attachments to e-mails with Outlook Express, 407–408, 408
    - creating e-mail signatures, 404
    - FTP servers, accessing and downloading files, 411–413, 412
    - Google Groups as news clients, 420–423, 421–422
    - library databases, accessing with Telnet, 424–425, 425
    - Outlook Express, configuring as a news client, 418–420, 419
    - Outlook Express, configuring as an e-mail client, 391–396, 395–396
    - Outlook Express, configuring signature files in, 405
    - Outlook Express, configuring to send e-mail, 397, 397
    - Outlook Express, receiving mail with, 398, 398
- HTML
  - assigning attribute values in <HR> tags, 592–593
  - changing page colors and backgrounds, 603
  - fonts, changing attributes, 604–606

- frames, creating, 654–656
- images, incorporating into Web pages, 595
- images as links, 609–611
- images, labeling with the ALT attribute, 598
- JavaScript, incorporating into web pages, 671
- lists, creating, 587–588
- local text hyperlinks, creating, 607–608
- simple HTML pages, creating, 575
- simple tables, creating, 626–629, 626–629
- simple web forms, creating, 638–643
- text, indenting and centering, 582
- text-level formatting tags, 585–586
- using HTML headings, 579–580
- web pages, creating in GUI editors, 661–662
- media and active content
  - downloading Acrobat Reader, 455–457, 456
  - downloading and installing Shockwave and Flash, 451–453, 452
  - downloading and viewing PDF files, 457–458, 458
- NICs, binding network protocols to, 142–145, 143, 144
- safety levels on Internet Explorer, 502–503, 502–503
- TCP/IP
  - identifying IP configuration and hardware addresses, 189, 189
  - ping command, 184–185, 185
- web search engines
  - AND/OR operators in searches, 364–365, 365
  - keyword searches, 359, 359
  - keywords, combining with quotation marks, 359–360
  - minus sign (–) parameter in Alta Vista, 364
  - plus sign (+) parameter in Alta Vista, 363–365
  - quotation marks, using with search engines, 359–360
  - static index searches, 357, 357
- World Wide Web
  - bookmarks, creating in Internet Explorer, 328–330, 329–330
  - bookmarks, creating in Netscape Navigator, 327, 327–328
  - browser cache, configuring with Internet Explorer, 325–326, 326
  - browser cache, configuring with Netscape Navigator, 324, 324–325
  - font size, configuring in Internet Explorer, 315
  - font size, configuring in Netscape Navigator, 314
  - home pages, setting with Internet Explorer, 318, 318–319
  - home pages, setting with Netscape Navigator, 316–317, 317
  - image loading, controlling with Internet Explorer, 333–335, 334–335
  - image loading, controlling with Netscape Navigator, 332–333, 332–333
  - linking to external sites, 608–609
  - managing Internet Explorer history folder, 321–322, 322

- managing Netscape Navigator history
  - folder, 319–321, 320
  - using Internet Explorer, 312
  - using Netscape Navigator, 313
- experimental protocol state, 159–160
- Extensible Hypertext Markup Language (XHTML), 566, 566–567
- Extensible Markup Language (XML), 566, 566
- extranets and businesses, 9

---

## **F**

- Fast Ethernet, 83–84
- fast packet switching, 88–91, 89, 91
- fault tolerance, defined, 263
- favorites, in web browsers, 326–331, 327, 329–330
- FDM (frequency division multiplexing), defined, 108
- Fiber Distributed Data Interface (FDDI), 87, 87–88
- fiber optic cable, 104–105
- fields
  - database fields described, 259
  - defined, 736
- File Transfer Protocol (FTP), **409–414**
  - Application layer and, 162
  - basics, 55–56, 409–410
  - downloading files with, 410–413, 412
  - servers, 223–224
  - uploading files with, 413–414, 414
  - Windows servers and FTP servers, 213
- files
  - appearance when interpreted by plug-ins, 444
  - binary files, 409–410
  - document file formats, 461–463
  - downloading with FTP, 410–413, 412–413
  - file compression, 697–698
  - file types found on FTP servers, 411
  - uploading with FTP, 413–414, 414
- firewalls, **487–496**
  - firewall functions, 487–491, 489
  - firewall topology, 492–495, 492–496
  - personal firewalls, 498–500
- fixed-width fonts, 580
- Flash, 452, 452
- flat file database model, 265
- fonts
  - changing with <FONT> tag, 604–606
  - customizing browser font size, 314–315
  - fixed-width, 580
  - font style elements vs. phrase elements in HTML, 583–586
  - proportional-width, 580
  - serif and sans serif, 578
  - specifying font information in HTML, **604–606**
- forms in HTML, **632–643**
  - <FORM> tags, 633–635, 636
  - creating simple web forms, 638–643
  - web form fields, 635–638, 636
- FQDN (fully qualified domain name), defined, 60
- frame relay, 88–89, 89
- frames. *See also* packets
  - defined, 128
  - HTML, **652–658**
    - <FRAME> tag, 653
    - <FRAMESET> tag, 653
    - <NOFRAMES> tag, 656
    - basics, 652, 652–653
    - borderless frames, 658

- creating frames, 654–656
- frameset document, 654
- specifying BASE targets, 657–658
- targeting with hyperlinks, 657
- frameset documents, 654
- fraud, and e-commerce, 533
- freeware
  - availability, 697
  - defined, 410
- Frena. *See* Playboy Enterprises vs. Frena
- frequency division multiplexing (FDM),
  - defined, 108
- front-door attacks, 481
- FTP (File Transfer Protocol), 409–414
  - basics, 409–410
  - downloading files with, 410–413, 412
  - uploading files with, 413–414, 414
- full duplex data transmission method, 107
- full-screen mode, 444
- full standards protocols, 160
- full-text indexes, and search engines, 355
- fully qualified domain name (FQDN),
  - defined, 60

---

## G

- gateways
  - basics, 95–96, 96
  - circuit-level and application-level and security, 489, 489–490
- GIFs
  - animated, 651
  - GIF file format, 594
- gigabit Ethernet, 84
- glossary, 726–756
- Google
  - Google Groups
    - mailing lists, 376

- and newsgroups, 420–423, 421–422
- toolbar, 371, 372
- Gopher
  - Application layer and, 163
  - basics, 57–58
  - as search tool, 377–378, 378
- government regulations, and e-commerce, 533
- graphical user interfaces (GUIs). *See also* GUI
- HTML editors
  - basics, 23
- graphics, searching the Web for, 373, 373–374
- GUI HTML editors, 658–663
  - basics, 658–659
  - creating web pages, 661–662
  - functionality of, 660
  - text editors vs. GUI editors, 662–663
  - types of, 659–660
- Guide to the Project Management Body of Knowledge (PMBOK), 548
- GUIs (graphical user interfaces). *See also* GUI
- HTML editors
  - basics, 23

---

## H

- hackers, vs. crackers, 477
- half duplex data transmission method, 107
- Handheld Device Markup Language (HDML), 337
- Handheld Device Transport Protocol (HDTP), 337
- hardware-based personal firewalls, 500
- headers, and packets, 128–130, 129
- heading levels, formatting in HTML,
  - 578–580
- hexadecimal numbers, defined, 42, 600
- hidden plug-ins, 444
- hijacking attacks, 480–481

- historic protocol state, 159–160
- history lists, customizing, 319–322, 320, 322
- history of the Web, 302–304, 303
- home pages, customizing, 315–319, 317–318
- host computers, defined, 10
- host-to-host layer. *See* Transport layer
- hosts file, 227–228
- hot links, testing at project pilot stage, 547
- HTML (Hypertext Markup Language), 562–622
  - anchors, 303–304
  - basics, 562–568
    - HTML 3.2 standard and HTML 4.01, 565
    - HTML 4.01 variants, 565–566
    - HTML standards, 564
    - web browsers standards, 567–568
    - XHTML, 566, 566–567
  - coding, 568–589. *See also* paragraph formatting in HTML
    - <META> tags, 576
    - adding hidden comments, 589
    - document structure tags, 571–572
    - Document Type Declaration (DTD), 573–575
    - good coding practice, 589
    - lists, 586–588
    - markup tags, 569–571
    - text-level elements, 583–586
  - colors, specifying, 600–604
    - changing colors and backgrounds, 603
    - page colors and backgrounds, 601–602
    - web-safe color palette, 600–601
  - databases and, 279–280
  - exam preparation, 613–615
  - file format, 462
  - font information, specifying, 604–606
  - forms and form processing, 270–271
  - horizontal rules, 590–593
  - HTML elements and attributes, listed, 702–725
  - HTML hyperlinks, 606–612
    - accessing internal links, 612
    - anchor tags, 607–609
    - internal links, creating, 611
    - using images as links, 609–611
  - hypertext pages, 302–303, 303
  - incorporating images, 593–599
    - aligning images relative to text, 596–597
    - exercise, 595–596
    - image file formats, 594–595
    - labeling images with the ALT attribute, 598–599
    - resizing images, 597–598
    - using the ALT attribute, 597
  - introduction to, 562–564
  - links, 303–304
  - proprietary code, 309
  - review questions and answers, 616–622
  - special characters, 599–600
  - summary, 612
- HTML (Hypertext Markup Language), advanced, 623–688
  - 4.01 and DOM, 674
  - exam preparation, 679–681
  - GUI HTML editors, 658–663
    - basics, 658–659
    - creating web pages in GUI editors, 661–662
    - functionality of, 660
    - text editors vs. GUI editors, 662–663
    - types of, 659–660
  - HTML extensions, 663–678. *See also* Cascading Style Sheets (CSS)
  - DHTML, 672–673

- Document Object Model (DOM),  
673–674
  - JavaScript, 669–672
  - XHTML, 675
  - XML, 675–678, 676
  - HTML forms, 632–643
    - <FORM> tags, 633–635, 636
    - creating simple web forms, 638–643
    - web form fields, 635–638, 636
  - HTML frames, 652–658
    - <FRAME> tag, 653
    - <FRAMESET> tag, 653
    - <NOFRAMES> tag, 656
    - basics, 652, 652–653
    - borderless frames, 658
    - creating frames, 654–656
    - frameset document, 654
    - specifying BASE targets, 657–658
    - targeting frames with hyperlinks, 657
  - HTML image techniques, 643–651
    - animated GIFs, 651
    - defining client-side image maps,  
646–648, 647–648
    - image maps, 643–646, 644–645
    - image transparency, 649–650, 649–650
    - interlacing, 651
  - HTML tables, 624–629
    - column and row spanning, 632
    - creating simple tables, 626–629,  
626–629
    - table and data alignment options,  
629–631, 630
    - table basics, 624, 624–626
    - review questions and answers, 682–688
    - summary, 678–679
  - HTTP (Hypertext Transfer Protocol)
    - Application layer and, 162
    - basics, 55
    - Windows servers and, 213
  - HTTP servers
    - and MIME, 214–216
    - and the OS, 216–219
  - hubs
    - basics, 93, 93
    - switching hubs, defined, 139
  - hybrid connections, 52
  - hybrid networks, 17–18, 18
  - hybrid topology. *See* hybrid networks
  - hyperlinks in HTML, 606–612
    - accessing internal links, 612
    - anchor tags, 607–609
    - creating internal links, 611
    - targeting frames with, 657
    - using images as links, 609–611
  - hypertext
    - defined, 562
    - hypertext links feature of GUI  
editors, 660
  - Hypertext Markup Language. *See* HTML  
(Hypertext Markup Language)
  - Hypertext Transfer Protocol (HTTP)
    - Application layer and, 162
    - basics, 55
    - Windows servers and, 213
- 
- I**
- IAPs. *See* Internet Service Providers (ISPs)
  - ICANN (Internet Corporation for Assigned  
Names and Numbers)
    - about, 63–64
    - Internet addressing and, 174
  - ICMP (Internet Control Message  
Protocol), 165
  - icon bars feature of GUI editors, 660

- IEEE 802.2 standard, 81–82
- IEEE 802.3, 82–83
- IEEE 802.3u, Fast Ethernet basics, 83–84
- IEEE 802.3z and 802.3ab, 84
- IEEE 802.5, 85, 85
- IEEE (Institute of Electrical and Electronics Engineers), 79
- IETF (Internet Engineering Task Force), 159
- IGMP (Internet Group Management Protocol), 165
- IITF (Information Infrastructure Task Force), 542
- images
  - advanced HTML image techniques, **643–651**
  - animated GIFs, 651
  - defining client-side image maps, 646–648, 647–648
  - image maps, 643–646, 644–645
  - image transparency, 649–650, 649–650
  - interlacing, 651
  - image loading, 331–335, 332–335
  - image searches, defined, 373
  - incorporating images in HTML, **593–599**
    - aligning images relative to text, 596–597
    - exercise, 595–596
    - image file formats, 594–595
    - labeling images with the ALT attribute, 598–599
    - resizing images, 597–598
    - using the ALT attribute, 597
  - using as links, 609–611
- IMAP (Internet Message Access Protocol), 56
- IMAP4, 56
- import HTML pages feature of GUI editors, 660
- indexes (database), 259
- indirect routing, defined, 169
- inetd, 211–212
- Information Infrastructure Task Force (IITF), 542
- informational protocol state, 160–161
- inheritance, and CSS, 665–666
- inline images, and Netscape, 601
- insider attacks, 481
- Institute of Electrical and Electronics Engineers, 79
- Integrated Services Digital Network (ISDN), 48
- intellectual property
  - defined, 542
  - e-commerce issue of, 533
  - World Intellectual Property Organization (WIPO), 542
- interlacing, 651
- international currencies, 535
- International Organization for Standardization (ISO) 9000 series, 549
- international shipping and supply, 535–536
- the Internet, 38–76. *See also* networking
  - basics
  - architecture, **161–167**
    - Application layer, 162–164
    - basics, 161–162, 166
    - Internet layer, 165–166
    - multiplexing, 167, 167
    - Network Access layer, 166–167
    - Transport layer, 164–165
  - ARPANET, 38, 38–39
  - basics, 65
  - connecting to, **45–53**
    - direct connections, 49–53
    - ISPs, 46–47
    - modems, 47–49

- DNS, 58–63
    - described, 58–59
    - syntax, 59–60, 60
    - top-level domains, 60–63
  - domain names, 63–65
  - exam preparation, 66–68
  - exam topics, 39
  - functioning of, 39–45
    - client/server model on, 44–45, 45
    - IP addresses, 41–44
  - history, 38–39
  - Internet addressing. *See* IP addresses;  
IP addressing
  - Internet protocols, 55–58
    - e-mail, 56
    - FTP, 55–56
    - Gopher, 57–58
    - HTTP, 55
    - NNTP, 57
    - Telnet, 57
  - network access points, 53–54, 54
  - review questions and answers, 69–76
  - summary, 66
  - technology, 696–699
    - file compression, 697–698
    - Internet indexes and search engines, 699
    - protocol syntax, 696–697
    - shareware and freeware, 697
  - vs. the World Wide Web, 40
- Internet Access Providers (IAPs). *See* Internet Service Providers (ISPs)
- Internet Archive, advanced search features, 368, 369
- Internet clients. *See* e-mail
- Internet commerce. *See* e-commerce
- Internet Control Message Protocol (ICMP), 165
- Internet Corporation for Assigned Names and Numbers (ICANN)
  - about, 63–64
  - connecting to the Internet and, 47–49
  - Internet addressing and, 174
- Internet Engineering Task Force (IETF), 159
- Internet Explorer
  - accessing FTP servers and downloading files, 411–413, 412
  - accessing web pages with, 309–312, 310–311
  - advanced search features, 370, 370–371, 372
  - differences from Netscape Navigator, 306–307
  - security notifications, 500, 500
  - setting safety levels on, 502–503, 502–503
- Internet Group Management Protocol (IGMP), 165
- Internet layer, 165–166
- Internet Message Access Protocol (IMAP), 56
- Internet Network Information Center (InterNIC), 63
- Internet Protocol (IP) addresses, 41–44
- Internet Protocol (IP) addressing, 175–179
  - classes, 175–176
  - reserved IP addressing, 178–179
  - rules, 177–178
- Internet Protocol (IP), and Internet layer, 165
- Internet security, 476–523
  - basics, 476–477

- cracker process, 477–478
- defending computers, 496–503
  - browser security, 500–503, 501–503
  - personal firewalls, 498–500
  - virus protection software, 496–498
- defending networks, 484–486
  - auditing, 485–486
  - authentication, 486
- defending transmitted data, 503–511
  - cookies, 509–510
  - digital certificates, 510–511
  - encryption, 504–506, 504–508
  - secure web forms, 508–509
  - SSL, 508
- exam preparation, 512–515
- firewalls, 487–496
  - firewall functions, 487–491, 489
  - firewall topology, 492–495, 492–496
- review questions and answers, 516–523
- summary, 511–512
- types of attacks, 478–484
  - brute-force attacks, 481
  - denial-of-service (DoS) attacks, 479–480
  - insider attacks, 481
  - man-in-the-middle (hijacking) attacks, 480–481
  - replay attacks, 482
  - social-engineering attacks, 482–483
  - software-based attacks, 483
  - spoofing or masquerade attacks, 480
  - trapdoor attacks, 481–482
  - Trojan horse attacks, 482
  - virus types, 484
- Internet Server Application Programming Interface (ISAPI), 276
- Internet Service Providers (ISPs), 46–47
- Internet standards protocols, 160
- internetworking, defined, 210
- internetworking servers, 210–256
  - content servers, 213–226
    - FTP servers, 223–224
    - HTTP servers and MIME, 214–216
    - HTTP servers and the OS, 216–219
    - mail servers, 219–222
    - news servers, 224–226
    - streaming media servers, 222–223
    - web gateways, 214
    - web servers, 213–214
  - database servers, 236–240
    - catalogue servers, 239
    - certificate servers, 236–237
    - directory servers, 237–239
    - transaction servers, 239–240
  - exam preparation, 244–247
  - mirrored servers, 240–241
  - performance servers, 226–236
    - caching servers, 235–236
    - DNS servers. *See* DNS (Domain Name System) servers
    - proxy servers, 234–235
  - review questions and answers, 248–256
  - server implementation, 211–213
    - UNIX and Linux, 211–212, 212
    - Windows, 213
  - server products, 241–243
  - summary, 244
- InterNIC (Internet Network Information Center), 63
- interoperability
  - defined, 740
  - NOSs and, 25, 25
- interpreted languages
  - basics, 691–693
  - defined, 273
- interpreters, defined, 273

intranets  
  defined, 567  
  in schools and the workplace, 8  
intranets, and businesses, 9  
IP addresses, 41–44  
  basics, 41–42  
  IPv6, 42–44  
IP addressing, 175–179  
  classes, 175–176  
  reserved IP addressing, 178–179  
  rules, 177–178  
IP protocol, 134  
IP Security (IPSec), and VPN security, 491  
ipconfig command, 188  
iPlanet, 243  
IPv6, 42–44  
IPX/SPX, 136  
ISAPI (Internet Server Application  
  Programming Interface), 276  
ISDN (Integrated Services Digital Network), 48

---

## J

Java  
  applets, 441  
  C and C++ and, 440–441  
  as a language, 693–694  
  servlets, 280–282, 694  
Java Database Connectivity (JDBC), 285  
Java Virtual Machine (JVM), 280  
JavaScript  
  HTML and, 669–672  
  as interpreted language, 691  
JavaServer Pages (JSP), 282, 282–283  
JDBC (Java Database Connectivity), 285  
JPEG file format, 594  
JScript, 692

---

## K

keys, defined, 237  
keyword indexes, 355  
keywords  
  defined, 350–351  
  performing keyword searches, 359, 359

---

## L

L2TP (Layer-2 Tunneling Protocol), and VPN  
  security, 491  
languages  
  assembly language, 439  
  C, 439  
  C++  
    as compiled language, 690  
    and object-oriented programming,  
      439–440  
  compiled languages  
    basics, 690–691  
    defined, 273  
  interpreted languages  
    basics, 691–693  
    defined, 273  
    machine language, 439  
languages (spoken), multi-language support  
  and e-commerce, 534  
LANs. *See* local area networks (LANs)  
latency, defined, 4  
Layer-2 Tunneling Protocol (L2TP), and VPN  
  security, 491  
Layer-4 switches, defined, 139  
layers in OSI/RM, 125–127, 127  
LDAP (Lightweight Directory Access  
  Protocol), and directory servers, 238–239

legacy applications, 306–307  
 licensing, 543–544  
 Lightweight Directory Access Protocol (LDAP), and directory servers, 238–239  
 limited broadcast addresses, 177  
 lines  
     horizontal ruling lines in HTML, 590–593  
     line breaks in HTML, 577–578  
 links. *See* hyperlinks in HTML  
 Linux  
     basics, 23–25  
     server implementation, 211–212, 212  
 listings, sample HOSTS file, 228  
 lists, creating in HTML, 586–588  
 LLC (Logical Link Control), 81  
 load balancing, defined, 263  
 local area networks (LANs). *See also* transmission media; transmission types  
     basics, 50, 78, 79  
     exam preparation, 111–115  
     IEEE LAN standards, 79–86  
         basics, 79–80, 80  
         Ethernet and IEE 802.3, 82–83  
         Fast Ethernet, 83–84  
         gigabit Ethernet, 84  
         IEEE 802.2 standard, 81–82  
         IEEE 802.3u, 83–84  
         IEEE 802.3z and 802.3ab, 84  
         IEEE 802.5, 85, 85–86  
         token ring network, 85, 85–86  
     LAN switches, defined, 139  
     review questions and answers, 116–122  
     summary, 111  
 logging  
     with FTP, 224  
     web servers and, 219  
 Logical Link Control (LLC), 81

logical topologies  
     defined, 19  
     vs. physical topologies, 19–20  
 loopback addresses, 177  
 Lotus Domino, 243  
 Lycos, advanced search features, 368

---

## M

MAC (Media Access Control)  
     basics, 81  
     MAC addresses, 81–82  
 machine language, 439  
 Macromedia Shockwave, 451–453, 452  
 macros viruses, 484  
 mail bombing attack, 479  
 mail servers, 219–222  
 Mailing List Managers (MLMs), 221–222  
 mailing list servers, 221–222  
 mailing lists, searching for, 375, 375  
 mainframes  
     described, 3–4  
     limitations of, 2–3  
     mainframe model, 4  
 man-in-the-middle (hijacking) attacks, 480–481  
 MANs (municipal area networks), defined, 87  
 MAPHIA. *See* Sega Enterprises Ltd.  
     vs. MAPHIA  
 markup tags, 569–571  
 masquerade attacks, 480  
 MAUs (Multistation Access Units)  
     connecting ring networks and, 16  
     token ring networks and, 85, 85–86  
 Media Access Control (MAC)  
     basics, 81–82  
     MAC addresses, 81–82

- media and active content, 438–474
  - document viewers, 454–459
    - Acrobat Reader, 454–458, 456, 458
    - PowerPoint Viewer, 458–459
  - exam preparation, 464–466
  - multimedia players, 451–454, 452, 454
  - objects and active content, 439–444
    - ActiveX technology, 441–443
    - C, assembly, and machine language, 439
    - C++ and object-oriented programming, 439–440
    - Java, 440–441
    - plug-in technology, 443–444
  - other image file formats, 460–463
    - basics, 460–461
    - document file formats, 461–463
  - other media file formats, 459–460
    - AIFF, AU and WAV, 460
    - MP3, 459–460
    - MPEG, 459
  - review questions and answers, 467–474
  - streaming media, 445–451
    - basics, 445–446
    - streaming media players, 447–451, 449
    - using, 446–447
    - summary, 463–464
- media, defined, 742
- merchant systems, defined, 528
- mesh topology, 18–19, 19
- META tags, 352–354
- METHOD attribute, 634
- Microsoft. *See also* Windows
  - operating systems, 21–22
- Microsoft Internet Explorer
  - accessing FTP servers and downloading files using, 411–413, 412
  - accessing web pages with, 309–312, 310–311
  - advanced search features, 370, 370–371, 372
  - differences from Netscape Navigator, 306–307
  - security notifications, 500, 500
  - setting safety levels on, 502–503, 502–503
- Microsoft Outlook Express
  - attachments to e-mails using, 407–408, 408
  - configuring as e-mail client, 391–396, 395–396
  - configuring signature files in, 405
  - configuring to send e-mail, 397, 397
  - using to receive e-mail, 398, 398
- Microsoft PowerPoint Viewer, 458–459
- MIDI (Musical Instrument Digital Interface)
  - players, 444
- MIME (Multipurpose Internet Mail Extensions)
  - e-mail and, 220–221
  - HTTP servers and, 214–216
- minus sign (–) parameter, in Alta Vista searches, 364
- mirrored servers, 240–241, 241
- mirroring, defined, 240, 240
- MLMs (Mailing List Managers), 221–222
- modems
  - cable modems, 50–51
  - defined, 47
- Mosaic web browser, 304
- MP3, 459–460
- MPEG-1, 459–460
- MPEG (Moving Picture Experts Group), 459–460
- multi-language option, 459–460
- multimedia players, 445, 451–454, 452, 454

multimode fiber optic cable, 104  
 multiplexing, 167, 167  
 Multipurpose Internet Mail  
   Extensions (MIME)  
   e-mail and, 220–221  
   HTTP servers and, 214–216  
 Multistation Access Units (MAUs)  
   connecting ring networks and, 16  
   token ring networks and, 85, 85–86  
 municipal area networks (MANs), defined, 87  
 Musical Instrument Digital Interface (MIDI)  
   players, 444

---

## N

name resolution systems, and TCP/IP  
   configuration, 181  
 name resolver software, and DNS, 230  
 name servers, and DNS, 230  
 NAPs (Network Access Points), 53–54, 54  
 Napster. *See* Recording Industry Association of  
   American (RIAA) vs. Napster  
 natural language queries, 368  
 NEAR operators, in Alta Vista searches,  
   366–368, 367  
 net-directed broadcast addresses, 177  
 net masks. *See* subnet masks  
 NetBEUI, 137  
 NetBIOS, 137  
 netiquette, 402–403  
 Netscape Navigator  
   for accessing web pages, 312–313  
   advanced search features, 370–371, 371  
   differences from Internet Explorer, 306–307  
   PDF files, downloading and viewing using,  
     457–458, 458  
   web address, 315  
 netstat command, 187–188  
 NetWare  
   basics, 20–21, 744  
   products, 243  
 Network Access layer, 166–167  
 Network Access Points (NAPs), 53–54, 54  
 network adapter cards. *See* network interface  
   cards (NICs)  
 network analyzers, 190–192, 191  
 network interface cards (NICs)  
   basics, 91, 91–92  
   binding protocols to, 142–145, 143, 144  
   defined, 50  
 Network News Transfer Protocol (NNTP)  
   Application layer and, 162–163  
   basics, 57  
   news servers and, 224  
 network operating systems (NOSs), 20–25  
   described, 20  
   interoperability, 25, 25  
   Linux, 23–25  
   Microsoft operating systems, 21–22  
   Novell NetWare, 20–21  
   UNIX, 22–23  
 network services  
   computer networks and, 9–10  
   defined, 210  
 networking basics, 2–36  
   evolution of, 2–7  
     client/server model, 5, 5–7  
     mainframes, 3–4, 4  
   exam preparation, 26–28  
   network addresses, 178  
   network assets, defined, 476  
   network elements, 9, 158  
   network operating systems (NOSs),  
     20–25  
     interoperability, 25, 25

- Linux, 23–25
- Microsoft operating systems, 21–22
- Novell NetWare, 20–21
- UNIX, 22–23
- network resources and security, 477
- network security, 484–486
- network topologies, 12–20
  - bus topology, 12–14, 14
  - hybrid networks, 17–18, 18
  - mesh topology, 18–19, 19
  - physical vs. logical topologies, 19–20
  - ring topology, 16–17, 17
  - star topology, 14, 14–16
- networking categories, 9–12
  - enterprise networks, 12
  - peer-to-peer networks, 10, 10
  - server-based networks, 11, 11
- review questions and answers, 29–36
- summary, 25–26
- web-based networking, 8–9
- news servers, 224–226
- newsfeed, defined, 225
- newsgroups
  - configuring with Outlook Express, 418–420, 419
  - defined, 744
  - etiquette, 417–418
  - Google Groups, 420–423, 421–422
  - moderated newsgroups defined, 225
  - news servers and, 224–225
  - policies and security, 225–226
  - protocols for, 57
  - public newsgroups defined, 225
  - searching for, 376
  - Telnet, 423–425, 425
- NICs (network interface cards)
  - basics, 91, 91–92

- binding protocols to, 142–145, 143, 144
- defined, 50
- NNTP (Network News Transfer Protocol)
  - Application layer and, 162–163
  - basics, 57
  - news servers and, 224
- non-relational database model, 265
- nonrepudiation
  - defined, 744
  - e-commerce and, 528
- nonroutable protocols, 132–133
- NOSs (network operating systems), 20–25
  - described, 20
  - interoperability, 25, 25
  - Linux, 23–25
  - Microsoft operating systems, 21–22
  - Novell NetWare, 20–21
  - UNIX, 22–23
- NOT operators, in Alta Vista searches, 366–368, 367
- Novell NetWare
  - basics, 20–21, 744
  - products, 243

---

## O

- object-based programming languages, 440
- object database management system (ODBMS), 265, 267
- object-oriented database model, 265
- object-oriented programming (OOP) and C++, 439–440
  - object-oriented programs, defined, 669
- objects, 439–444
  - active content and, 439–444
  - ActiveX technology, 441–443

- C, assembly, and machine language, 439
  - C++ and object-oriented programming, 439–440
  - Java, 440–441
    - plug-in technology, 443–444
    - security issues and, 442–443
  - defined, 439
  - octets, defined, 42
  - ODBC (Open Database Connectivity), 284–285
  - one-way encryption, 506–507
  - online cataloging, 539–540
  - Online Transaction Processing (OLTP), defined, 260
  - OOP (object-oriented programming) and C++, 439–440
    - object-oriented programs, defined, 669
  - Open Database Connectivity (ODBC), 284–285
  - Open Shortest Path First (OSPF) routing protocol, 172
  - open source computing, defined, 23
  - Open Systems Interconnection Reference Model. *See* OSI reference model (OSI/RM)
  - Opera web browser, 305
  - operating systems (OSs). *See also* network operating systems (NOSs) and HTTP servers, 216–219
  - ordered lists in HTML, 586–587
  - OSI reference model (OSI/RM), 124–155
    - basics, 124–125
    - binding protocols, 141–145, 142
    - choosing and combining protocols, 140–145
    - exam preparation, 145–147
    - layers, 125–127, 127
    - mapping, 138–140
    - networking protocols and, 131–138
      - Data Link Control, 137
      - IPX/SPX, 136
      - NetBEUI and NetBIOS, 137
      - protocol categories, 131–133
      - SNA, 137–138
      - TCP/IP, 133–135
    - packets, 128–131
      - basics, 128–130, 129
      - CRC, 130–131
      - review questions and answers, 148–155
  - OSI/RM. *See* OSI reference model (OSI/RM)
  - OSPF (Open Shortest Path First routing protocol), 172
  - out-of-process events, defined, 273
  - Outlook Express
    - attachments to e-mails using, 407–408, 408
    - configuring as news client, 418–420, 419
    - configuring as e-mail client, 391–396, 395–396
    - configuring newsgroups in, 418–420, 419
    - configuring signature files in, 405
    - configuring to send e-mail, 397, 397
    - receiving e-mail with, 398, 398
- 
- P**
- packet filters
    - defined, 488
    - packet filtering firewall option, 492, 492
  - Packet Internet Groper. *See* ping utility
  - packets
    - CRC, 130–131
    - OSI/RM and, 128–131

- basics, 128–130, 129
- CRC, 130–131
- TCP/IP and, 39
- pages. *See* web pages
- paragraph formatting in HTML, 576–583
  - additional block-level elements, 582–583
  - heading levels, 578–580
  - indenting and centering text, 581–582
  - paragraph and line breaks, 577–578
  - primitive formatting with the <PRE> tag, 580–581
- passwords
  - changing FTP passwords, 409
  - password sniffing, defined, 505
- patch cords, defined, 99
- patch panels, 98–99, 99
- payment processing, 536–538
- PCs
  - Linux and, 24
  - networking history and, 3
  - security, 496–503
    - browser security, 500–503, 501–503
    - personal firewalls, 498–500
    - virus protection software, 496–498
- PDF files (Portable Document Format)
  - described, 455
  - downloading and viewing, 457–458, 458
- peer-to-peer networks, 10, 10
- people searches, 374
- Perl, 694
- Permanent Virtual Circuits (PVCs), defined, 89
- permissions, defined, 216
- personal computers. *See* PCs
- personal firewalls, 498–500
- Personal Home Page (PHP), 279, 693
- Personal Web Server (PWS), 242
- PGP (Pretty Good Privacy), 507
- PHP (Personal Home Page), 279, 693
- phrase elements in HTML, 583–585
- physical topologies
  - defined, 19
  - vs. logical topologies, 19–20
- pilot stage of project management, 547–548
- ping flood attack, 479
- ping utility, 183–185, 185
- plaintext, defined, 462
- Playboy Enterprises vs. Frena, 543
- plug-in technology, 443–444
- plus sign (+) parameter, in Alta Vista
  - searches, 363
- PMBOK (Guide to the Project Management Body of Knowledge)*, 548
- PMI (Project Management Institute), 548–549
- PMI Scalable Project Management Methodology Guide*, 548
- PNG file format, 594
- Point-to-Point Protocol, 48
- Point-to-Point Tunneling Protocol (PPTP), and
  - VPN security, 491
- polygons, defining in HTML, 648, 648
- polymorphic viruses, 484
- POP (Post Office Protocol), 392
- POP3, 56
- port numbers, and TCP/IP, 173–174
- Portable Document Format (PDF files)
  - described, 455
  - downloading and viewing, 457–458, 458
- Post Office Protocol (POP), 392
- PowerPoint Viewer, 458–459
- PPP (Point-to-Point Protocol), 48
- PPTP (Point-to-Point Tunneling Protocol), and
  - VPN security, 491
- Pretty Good Privacy (PGP), 507
- price margins, 528, 529
- primary servers, and DNS, 231
- privacy (e-mail), 405–406

Process layer. *See* Application layer

process logic, and the client/server model, 260

project management in e-commerce, **544–549**

- basics, 544–545
- design/development project cycle, 545–548
- further considerations, 548–549
- scope and scope creep, 545

Project Management Institute (PMI), 548–549

proportional-width fonts, 580

proposed protocol state, 159–160

protocols for networking, **131–138**

- categories of, 131–133
- choosing and combining, **140–145**
  - basics, 140–141
  - binding protocols, 141–145, 142
- computer networks and, 9–10
- Data Link Control, 137
- defined, 9, 12
- Internet protocols
  - e-mail, 56
  - FTP, 55–56
  - Gopher, 57–58
  - HTTP, 55
  - listed, 696–697
  - NNTP, 57
  - Telnet, 57
- IPX/SPX, 136
- NetBEUI and NetBIOS, 137
- for newsgroups, 57
- protocol states, 159–161
- protocol syntax, 696–697
- routing protocols, 171–172
- SNA, 137–138
- TCP/IP, 133–135

proxy servers

- basics, 234–235
- security and, 489, 490

PVCs (Permanent Virtual Circuits), defined, 89

PWS (Personal Web Servers), 242

---

## Q

QuickTime (Apple), 449–450

QuickTime VR (QTVR), 454, 454

quotation marks, using with search engines, 359–360

---

## R

racks, defined, 211

radio buttons, and HTML forms, 640

RAM, and networking speed, 131

ranking systems, **352–354**

RARP (Reverse Address Resolution Protocol), 165

real world scenarios

- CGI use, 274–275
- client/server model, 45
- load balancing, 264
- N-tier database architecture, 262
- network traffic on LANs, 97
- NICs, 92
- sending e-mail messages, 233, 233–234

RealNetworks RealOne Player, 448

RealOne Player, 448

RealPlayer, 448

Recording Industry Association of American (RIAA) vs. Napster, 543

records (database), 259

rectangles, defining in HTML, 646–647, 647

referential integrity, defined, 264

registered port numbers, defined, 174

registering web sites, 354

relational database management system (RDBMS), 265, 266  
relational database model, 264–265  
repeaters, 92–93, 93  
replay attacks, 482  
Requests for Comments (RFCs), 159–161  
reserved IP addressing, 178–179  
resources, and security, 477  
Reverse Address Resolution Protocol (RARP), 165  
review questions and answers  
  databases and web servers, 291–299  
  e-commerce, 553–559  
  e-mail and other clients, 429–436  
  HTML (Hypertext Markup Language), 616–622, 682–688  
  the Internet, 69–76  
  Internet security, 516–523  
  LANs and WANs, 116–122  
  media and active content, 467–472  
  networking basics, 29–36  
  OSI/RM, 148–155  
  TCP/IP, 200–207  
  web search engines, 382–388  
  World Wide Web, 341–347  
RFCs (Requests for Comments), 159–161  
Rich Text Format (RTF), 462–463  
ring topology, 16–17, 17  
RIP (Routing Information Protocol), basics, 171–172  
RJ-45 connectors, 101–102, 102  
robots  
  catalogue servers and, 239  
  search engines and, 351  
  web site for information on, 354  
root servers, and DNS, 231  
routable protocols, described, 132

routers  
  basics, 94–95, 95, 98  
  defined, 40, 168  
  router switches, defined, 139  
routing, 168–172  
  basics, 168–169  
  defined, 134  
  the process, 169–170, 170  
  protocols, 171–172  
  routing information tables, 169  
  static vs. dynamic, 170  
Routing Information Protocol (RIP), basics, 171–172  
rows  
  creating frames with, 654–656  
  spanning in tables, 632  
RTF (Rich Text Format), 462–463  
ruling lines in HTML, 590–593

---

## S

sans serif fonts, 578  
schools, and intranets, 8  
scope and scope creep, defined, 545  
scope matrix documents, 546  
screened-subnet firewalls with DMZ, 495, 495–496  
script kiddies, defined, 499  
scrolling text area boxes, in HTML forms, 642  
search engines, 350–351. *See also* web search engines  
search indexes, 354–355  
search operators, 360–362  
secondary servers, and DNS, 231  
Secure Electronic Transaction (SET), 530–532

- Secure Sockets Layer (SSL)
  - and e-commerce security, 539
  - Internet security and, 508
- secure web forms, 508–509
- security. *See also* Internet security
  - e-commerce and, 527, 538–539
  - newsgroups and, 225–226
- Sega Enterprises Ltd. vs. MAPHIA, 542–543
- segments, defined, 54
- select lists, and HTML forms, 641–642
- selectors, defined, 665
- Serial Line Internet Protocol. *See* SLIP (Serial Line Internet Protocol)
- serif fonts, 578
- Server Application Programming Interfaces (SAPs), 275–276
- server-based networks, 11, 11
- server farms, defined, 263
- Server-Side JavaScript (SSJS), 277
- server-side scripting
  - combining with client-side scripting, 269
  - defined, 633
  - technologies, 276–283
    - Active Server Pages (ASP), 277–279
    - ColdFusion, 283
    - HTML, 279–280
    - Java and Java servlets, 280–282
    - JavaServer Pages (JSP), 282, 282–283
    - Personal Home Page (PHP), 279
    - Server-Side JavaScript (SSJS), 277
- servers. *See also* internetworking servers
  - defined, 11, 210, 211
  - server resources and security, 477
- servlet chaining, defined, 281
- SET (Secure Electronic Transaction), 530–532
- security, e-commerce and, 533
- shareware
  - availability, 697
  - defined, 410
- shielded twisted pair (STP), 100
- shipping, international, 535–536
- Shockwave, 451–453, 452
- Simple Mail Transfer Protocol. *See* SMTP (Simple Mail Transfer Protocol)
- Simple Network Management Protocol (SNMP), and Application layer, 163
- simplex data transmission method, 107
- single-homed bastions, 493, 493–494
- single-mode fiber optic cable, 104
- site maps, defined, 355
- SLIP (Serial Line Internet Protocol), 48
- smart cards, 538
- SMTP (Simple Mail Transfer Protocol)
  - Application layer and, 163
  - basics, 56
  - sending e-mail and, 392
  - Windows servers and, 213
- SNA (Systems Network Architecture), 137–138
- SNMP (Simple Network Management Protocol), Application layer and, 163
- social-engineering attacks, 482–483
- sockets, defined, 187
- software
  - anti-virus software, 496–498
  - software-based personal firewalls, 499–500
  - for web browsers, 304–307
  - software-based attacks, 482–483
  - source-to-destination layer. *See* Transport layer
- spam
  - dealing with, 400–401
  - defined, 226

special-case source addresses, 178  
special characters in HTML, 599–600  
speed  
    computer speed and networking  
        performance, 130–131  
    connection speed testing, 548  
    download time and browser cache, 323  
    Internet speed  
        dial-up connections and, 49  
        disabling images and, 331–335,  
            332–335  
        need for, 53  
spiders  
    defined, 239, 576  
    search engines and, 351  
spoofing, 480  
SSJS (Server-Side JavaScript), 277  
SSL. *See* Secure Sockets Layer (SSL)  
standard protocol state, 159–160  
star topology, 14, 14–16  
stateful protocols, 131–132  
stateless protocols, 132  
static indexes  
    performing static index searches, 357, 357  
    search engines and, 355  
static routers, defined, 170  
stealth viruses, 484  
STP (shielded twisted pair), 100  
stranded cable  
    defined, 751  
    STP and UTP and, 100  
streaming media servers, 222–223  
strong authentication, defined, 486  
style sheets  
    and CSS, 667–669  
    and XML, 678  
subnet-directed broadcast addresses, 177  
subnet masks, 179–180  
summaries of topics

databases and web servers, 286  
e-commerce, 549  
e-mail and other clients, 425–426  
HTML (Hypertext Markup Language),  
    advanced, 678–679  
Hypertext Markup Language  
    (HTML), 612  
the Internet, 66  
Internet security, 511–512  
internetworking servers, 244  
LANs and WANs, 111  
media and active content, 463  
networking basics, 25–26  
web search engines, 379  
switches  
    basics, 96–97, 97  
    LAN switches, defined, 139  
    Layer-4 switches, defined, 139  
    router switches, defined, 139  
    switching hubs, defined, 139  
symmetric-key encryption, 504, 504–505  
SYN flood attack, 479  
synchronous, defined, 752  
synchronous vs. asynchronous  
    transmission, 106  
system snooping, 480  
Systems Network Architecture (SNA),  
    basics, 137–138

---

## T

T-carrier system, 109–110  
T1 T-carrier service, 109  
T2 T-carrier service, 109  
T3 T-carrier service, 110  
tables  
    database tables, 259

- table creation feature of GUI editors, 660
- tables in HTML
  - basics, 624, 624–626
  - column and row spanning, 632
  - creating simple tables, 626–629, 626–629
  - table and data alignment options, 629–631, 630
- Tagged Image File Format (TIFF), 460–461
- tags
  - <FORM> tags, 633–635, 636
  - <FRAME> tag, 653
  - <FRAMESET> tag, 653
  - <META> tags, 576
  - <NOFRAMES> tag, 656
  - container tags, 569
  - document structure tags, 571–572
  - empty tags, 569
  - HTML tags, listed, 702–725
  - markup tags, 569–571
  - tables tags, listed, 625
- targets and frames, 657–658
- taxation, and e-commerce, 533
- TCP handshake attack, 479–480
- TCP/IP (Transmission Control Protocol/Internet Protocol), 158–207
  - basics, 133–135
  - exam preparation, 194–199
  - Internet addressing, 174–179
    - address classes, 175–176
    - basics, 175–176
    - IP addressing rules, 177–178
    - reserved IP addressing, 178–179
  - Internet architecture, 161–167
    - Application layer, 162–164, 166
    - basics, 161–162, 166
    - demultiplexing, 167, 167
    - Internet layer, 165–166, 166
    - Network Access layer, 166, 166–167
    - Transport layer, 164–165, 166
  - Internet functioning and, 39–40
  - normal TCP/IP desktop configurations, 180–183
    - basic configurations, 180–181
    - DHCP, 181–183, 182
    - name resolution systems, 181
  - port numbers, 173–174
  - review questions and answers, 200–207
  - RFCs, 159–161
  - routing, 168–172
    - basics, 168–169
    - the process, 169–170, 170
    - protocols, 171–172
    - static vs. dynamic, 170
  - subnet masks, 179–180
  - summary, 192–193
  - tools for troubleshooting, 183–192
    - arp command, 190
    - ipconfig command, 188
    - netstat command, 187–188
    - network analyzers, 190–192, 191
    - ping utility, 183–185, 185
    - tracert command, 185–187
    - winipcfg command, 189, 189
  - Transport layer and, 164
- TCP protocol, 133–134
- technical architecture document, defined, 547
- Telnet
  - Application layer and, 162
  - basics, 57
  - newsgroups, 423–425, 425
  - templates feature of GUI editors, 660

- text
  - aligning images relative to in HTML, 596–597
  - bold, italic and underline in HTML, 583
  - indenting and centering in HTML, 581–582
  - text boxes in HTML forms, 638
  - text style options feature of GUI editors, 660
- text editors vs. GUI editors, 662–663
- text files, formats, 462
- text-level elements
  - defined, 576
  - in HTML, 583–586
- TFTP (Trivial File Transfer Protocol), 163
- thick coaxial cable, 103
- thicknet, 103
- thin client solutions, defined, 262–263
- thin coaxial cable, 103
- thinnet, 103
- thumbnail images, defined, 373
- TIFF (Tagged Image File Format), 460–461
- TLDs (top-level domains), 60–63
- token passing, defined, 85
- token ring network, 85, 85–86
- Tomlinson, Ray, 391
- toolbars, in search engines, 371
- top-level domains (TLDs), 60–63
- Topica, and mailing lists, 374, 374
- topologies, defined, 753
- tracert command, 185–187
- tracking visitors on web sites, 534–535
- trademarks, 544
- trailers, and packets, 128–129, 129
- transaction servers, 239–240
- transactions in databases
  - described, 260
  - transaction processing defined, 260
- transceivers, defined, 91
- Transmission Control Protocol/Internet Protocol. *See* TCP/IP (Transmission Control Protocol/Internet Protocol)
- transmission media, 99–105
  - coaxial cable, 102–104, 104
  - computer networks and, 9–10
  - defined, 9
  - fiber optic cable, 104–105
  - twisted-pair cable, 99–102, 102
  - wireless media, 105
- transmission types, 105–110
  - baseband and broadband transmissions, 107–108
  - data transmission flow, 107
  - E-carrier system, 110
  - synchronous vs. asynchronous transmission, 106
  - T-carrier system, 109–110
- transparency of images, 649–650, 649–650
- Transport layer, 164–165
- trapdoor attacks, 481–482
- Trivial File Transfer Protocol (TFTP), 163
- Trojan horse attacks, 482
- troubleshooting the Internet, 183–192
  - arp command, 190
  - ipconfig command, 188
  - netstat command, 187–188
  - network analyzers, 190–192, 191
  - ping utility, 183–185, 185
  - tracert command, 185–187
  - winipcfg command, 189, 189

tunneling protocols, 491, 754  
 twisted-pair cable, 99–102, 102  
 two-tier computing, 6–7

---

## U

UCE (unsolicited commercial e-mail), 400–401  
 UDP (User Datagram Protocol)  
   described, 134–135  
   Transport layer and, 164–165  
 “Undefined Object Error” and DOM, 674  
 Unicode, multi-language option, 534  
 Uniform Resource Locators (URLs).  
   *See* URLs (Uniform Resource Locators)  
 UNIX  
   basics, 22–23  
   server implementation, 211–212, 212  
 unordered lists in HTML, 586–587  
 unshielded twisted pair (UTP) cable, 100  
 unsolicited commercial e-mail (UCE), 400–401  
 URLs (Uniform Resource Locators)  
   defined, 310  
   protocol syntax, listed, 696–697  
   and secured sites, 509  
   URL protocol syntax, listed, 696–697  
 user agents. *See* web browsers  
 User Datagram Protocol (UDP)  
   described, 134–135  
   Transport layer and, 164–165  
 user interface, and the client/server model, 260  
 UTP (unshielded twisted pair), 100  
 uuencode, 407

---

## V

values, and tags, 570  
 VBScript, 691  
 Veronica, 378  
 viewers, defined, 454  
 virtual directories, 218  
 Virtual Private Networks (VPNs), and security, 490–491  
 Virtual Reality Markup Language (VRML), 692  
 Virtual Reality Modeling Language (VRML), 453  
 viruses  
   defined, 483  
   types of, 484  
   virus protection software, 496–498  
 Visual Basic, 691  
 Visual Basic Script (VBScript), 691  
 VPNs (Virtual Private Networks), and security, 490–491  
 VRML (Virtual Reality Markup Language), 692  
 VRML (Virtual Reality Modeling Language), 453

---

## W

W3C (World Wide Web Consortium)  
   described, 303  
   HTML standards and, 564  
   various technologies’ standards, 564, 565  
 WANs. *See* wide area networks (WANs)  
 WAP (Wireless Application Protocol), 335

- WAV (waveform audio), 460
- the Web. *See* networking basics; World Wide Web
- web-based e-mail, 399–403
  - address availability, 401–402
  - determining senders, 400–401
  - netiquette, 402–403
- web browsers
  - access to web pages, 308–309, 308–313
    - Internet Explorer, 309–312, 310–311
    - Netscape Navigator, 312–313
  - accessing DOM, 674
  - advanced search features, 370–372, 370–372
  - compatibility and CSS, 669
  - customizing, 314–330
    - bookmarks and favorites, 326–331, 327, 329–330
    - the browser cache, 322–326, 324–325
    - font size, 314–315
    - history lists, 319–322, 320, 322
    - home pages, 315–319, 317–318
  - defined, 304
  - differences between, 306–307
  - generation defined, 568
  - image loading and, 331–335, 332–335
  - images and, 331–335, 332–335
  - security, 500–503, 501–503
  - software
    - basics, 304–307
    - legacy browser issues, 306–307
    - standards for, 567–568
- web commerce. *See* e-commerce
- web gateways, 214
- web pages
  - changing fonts with <FONT> tag, 604–606
  - defined, 568
  - import HTML pages feature of GUI editors, 660
  - incorporating images into, 593–599
    - aligning images relative to text, 596–597
    - image file formats, 594–595
    - incorporating images in web pages, 595–596
    - labeling images with the ALT attribute, 598–599
    - resizing images, 597–598
    - using the ALT attribute, 597
  - JavaScript in, 671
  - page colors in HTML, 601–603
  - using web browsers to access, 308–309, 308–313
    - Internet Explorer, 309–312, 310–311
    - Netscape Navigator, 312–313
- web search engines, 350–388
  - advanced search techniques, 360–369
    - advanced Alta Vista search, 363–365, 365
    - AND NOT and NEAR operators, 366–368, 367
    - other advanced features, 368–369, 369
    - search operators, 360–363
    - sorting results, 365–366
  - basic search techniques, 355–360
    - Alta Vista, 358–360
    - Yahoo!, 355–357
  - browser search features, 370–372, 370–372

- directories, 351–352
- exam preparation, 379–381
- getting websites listed, 354
- listed, 699
- the META tag, 352–354
- other search tools, 376–378
  - Archie, 376–377
  - Gopher, 377–378, 378
  - Veronica, 378
- ranking systems, 352–354
- review questions and answers, 382–388
- search engines, 350–351
- search indexes, 354–355
- searching for graphics, 373, 373–374
- searching for information on
  - people, 374
- searching for mailing lists, 375, 375
- searching for newsgroups, 376
- summary, 379
- web servers, 213–214. *See also* databases and web servers
- web sites
  - Apache products, 242
  - CIW
    - CIW certification program, 58, 310
    - CIW exam preparation, xxxiii
  - copyright forms, 541–543
  - country codes, 60
  - Google Groups, 376
  - HTML, application for image map
    - creation, 646
  - ICANN, 174
  - IEEE, 80
  - IETF (Internet Engineering Task Force), 159
  - Netscape Navigator, 315
  - people searches, 374
  - personal firewall programs, 499
  - PMBOK guides, 549
  - port numbers, 173
  - robots information, 354
  - server products, 242, 243
  - testing for failure and corruption, 548
  - W3C, 564
  - W3C validation tool, 573
  - web search engines, 699
- well-known port numbers, defined, 174
- what you see is what you get (WYSIWYG).
  - See also* GUI HTML editors
  - defined, 755
- WHOIS, URLs, 64–65
- wide area networks (WANs). *See also* transmission media; transmission types
  - exam preparation, 111–115
  - review questions and answers, 116–122
- standards, 86–99
  - basics, 86, 86
  - bridges, 94, 94
  - brouters, 95
  - CSU/DSU, 97–98, 98
  - fast packet switching, 88–91, 89, 91
  - FDDI, 87
  - Fiber Distributed Data Interface (FDDI), 87–88
  - gateways, 95–96, 96
  - hubs, 93, 93
  - NIC, 91, 91–92
  - patch panels, 98–99, 99
  - repeaters, 92–93, 93
  - routers, 94–95, 95
  - switches, 96–97, 97
  - X.25, 88
  - summary, 111
- Windows
  - FTP command-line client, 413
  - server implementation, 213

Windows 2000  
and binding protocols, 142  
described, 21–22  
ODBC and, 284

Windows Media Player, 448–449, 449

Windows NT  
and binding protocols, 142  
described, 21

Windows XP  
described, 22  
Network dialog box, and binding protocols, 141–142, 142  
ODBC and, 285  
personal firewall feature, 499

winipcfg command, 189, 189

WIPO (World Intellectual Property Organization), 542

Wireless Application Protocol (WAP), 335, 336, 336

wireless connections, 52

Wireless Markup Language (WML), 336

wireless media  
basics, 105  
LANs and WANs and, 105

wireless web protocols, 335–337, 336

wizards feature of GUI editors, 660

WML (Wireless Markup Language), 336

working groups, defined, 160

the workplace, and intranets, 8

workstations, and PCs, 3

World Intellectual Property Organization (WIPO), 542

World Wide Web, 302–347. *See also* web-based e-mail  
browsers to access web pages, 308–309, 308–313  
Internet Explorer, 309–312, 310–311

Netscape Navigator, 312–313

customizing browsers, 314–330  
bookmarks and favorites, 326–331, 327, 329–330  
the browser cache, 322–326, 324–325  
font size, 314–315  
history lists, 319–322, 320, 322  
home pages, 315–319, 317–318  
exam preparation, 339–340  
images and web browsers, 331–335, 332–335  
legacy browser issues, 306–307  
review questions and answers, 341–347  
summary, 338–339  
web browser software, 304–307  
web history, 302–304, 303  
the Web vs. the Internet, 40  
wireless web protocols, 335–337, 336

World Wide Web Consortium (W3C)  
described, 303  
HTML standards and, 564  
Various technologies' standards, 564, 565

worms, defined, 483

WYSIWYG. *See also* GUI HTML editors  
defined, 755

---

## X

X.25 WAN standard, 88

XHTML (Extensible Hypertext Markup Language), 566, 566–567, 675

XHTML Frameset, 567

XHTML Strict, 567

XHTML Transitional, 567

XML (Extensible Markup Language)

- basics, 675–678, 676

- vs. HTML, 462

- as interpreted language, 692

- relationship to HTML and XHTML,  
566, 566

## **Y**

Yahoo!

- basic search techniques using, 355–357

- performing static index searches

  - using, 357, 357

- toolbar, 371