

# INDEX

**Note to the Reader:** Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

## A

---

- a command
  - for arcs, 102
  - for selections, 194
- abbreviations for commands, 126
- Above dimension option, 411
- absolute coordinates, 30, 628
- acad.ctb file, 573
- Acad\_ISO linetype family, 183
- acad.lin file, 184
- acad.stb file, 576
- access roads, 459, 462, *463*
- accuracy
  - in 3D drawings, 582
  - in Architectural units, 53–56
  - in dimensions, 413
  - of units, 636
- acquired tracking points, 243
- Add-A-Plot Style Table Wizard, 572
- Add Layers command, 262
- Add Profile dialog box, 20, *20*
- Advanced tab, 343
- Advanced Wizard, 68
- alias keys
  - defined, 628
  - modifying, 20
- Align button, 437
- Aligned command, 437
- Aligned With Dimension Line button, 411
- aligning
  - dimensions, 411, 437–441, 628
  - viewports, 517–518, *518*
- alignment paths
  - temporary, 130
  - tool tips for, 130–131, 136, *137*
- Alt key for hotkeys, 126
- Alternate Units tab, 413, 416, *417*
- Ambient Light area, 618
- American Institute of Architects, 177
- American National Standards Institute (ANSI), 316–317
- Angle setting, 68
- Angle Direction setting, 68
- Angle Measure setting, 68
- angles
  - Advanced Wizard, 68
  - arcs, 102, 109
  - dimension orientation, 432
  - hatches, 314
  - isometric views, 615
  - leader lines, 436
  - polar coordinates, 31–32, *32*
  - Polar Tracking, 208, *208*
  - rotation
    - blocks, 223, 238
    - doors, 100
    - external references, 466
    - sun, 236, 617, *617*
    - surveyor units, 459
- Angular button, 437

- Angular command, 437
  - angular dimensions, 437–441, 438, 628
  - Angular Dimensions area, 412–413
  - angular units, 52, 55, 69–70, 628
  - ANSI (American National Standards Institute), 316–317
  - ANSI A (portrait) template, 384, 384
  - ANSI patterns, 316–317
  - ANSI tab, 313, 314, 316
  - ANSI31 pattern, 313, 335, 345
  - appearance
    - of external references, 468–470, 469
    - of windows, 236
  - Apply To Layout button, 564
  - AR-PARQ1 pattern, 333, 333
  - AR-RROOF pattern, 314, 317
  - AR-RSHKE pattern, 320, 343
  - Arc command and arcs
    - grips for, 186–187, 186
    - options for, 102–103
    - start points for, 102, 109
    - for swinging doors, 96, 96
  - arcballs, 601
  - Architectural Ticks option, 409
  - Architectural units, 53–55, 54, 69
    - entering distances in, 80
    - inch sign in, 59
    - switching from decimal units to, 56
  - Area command and areas, plot, 552
    - Display option, 549, 550
    - extents for, 550, 550
    - limits for, 551–552, 551
    - views, 552, 553
    - windows, 554
  - Area setting with wizards, 68
  - arranging toolbars, 14–18, 14–17
  - Array button, 324
  - Array dialog box, 324
  - arrow keys, 21
  - Arrowheads area, 409
  - arrows for dimensions, 406, 409–410, 409
  - assigning
    - color, 211–212
    - linetype scale factors, 205–211, 207–208, 210
    - linetypes, 181–184, 182–183, 211–212
    - objects to layers, 185–194, 186, 188–191, 193
    - plot style tables, 576–579, 576–578
  - associative dimensions, 628
  - associative hatches, 336, 628
  - at symbols (@) for coordinates, 31
  - attribute definitions, 628
  - attribute extraction files, 628
  - attribute prompts, 628
  - attribute tags, 629
  - attribute values, 629
  - attributes, 628
  - Auto-Hide option, 271, 271
  - AutoCAD background, 621
  - AutoCAPS option, 395
  - automatic window selection, 194
  - AutoSnap Marker Color drop-down list, 155
  - Autosnap symbol, 157
  - AutoSnaps
    - defined, 629
    - setting for, 155–156
- 
- ## B
- B button, 389
  - b command, 218
  - back steps, 132–135, 134–135
  - background
    - drawing area, 8–9, 9
    - hatches, 312
    - layers and objects, 211
    - in rendering, 621–622, 621–623
  - Background dialog box, 621–622, 621
  - Background Image dialog box, 622, 622
  - Background Mask option, 395

- balcony
  - in 3D drawings, 598–601, 599–600, 602
  - dimensioning, 430, 431, 434–435, 434, 445, 446
  - drawing, 138–142, 139–141
- base command, 490
- base lines for height, 278
- Base Point option, 266
- base points
  - in block insertion, 266
  - in copying, 104
  - defined, 629
  - with grips, 282
- Base row in justification, 368
- Baseline command, 425–427, 425–427
- baseline dimensions
  - angular, 438
  - defined, 629
  - horizontal, 425–427, 425–427
- Basic tolerance method, 418
- bathrooms, 154, 154
  - Object Snaps for, 154–156, 155–156
  - selecting fixtures in, 192–193, 193
  - shower units, 156–157, 157
  - sinks, 158–159, 158
  - toilets, 159–162, 161–162
- bearings, 459
- bedrooms, 448, 448
- Begin page, 512, 513
- Bind button, 489
- Bind command, 488
- Bind Type area, 489
- Bind Xrefs dialog box, 489, 489
- binding external references, 488–490, 629
- bitmap images, 621
- Block Definition dialog box, 218–220, 219, 228
- block definitions, 217, 629
- block references, 220, 629
- blocks, 211, 216, 216
  - for doors, 217–228, 218–223, 225–226, 228
  - vs. external references, 458
  - finding, 229–233, 230–232
  - flipping, 223–225, 225
  - guidelines for, 240–242, 240–242
  - previewing, 262, 263
  - revising, 251–254, 252–253
  - rotating, 222–223, 222, 237–238, 237–239, 251
  - for sharing information
    - Design Center for, 259–266, 259–264
    - dragging and dropping for, 255–258, 255, 257–258
    - inserting drawings, 267–268
    - Wblock for, 266–267, 266
  - title, 384–385, 384–385
  - tracking for, 242–243, 244
  - ungrouping, 250–251, 386
  - views of, 122–123, 122
- window
  - creating, 233–236, 233–235
  - inserting, 236–251, 237–242, 244, 247–250
- Blue color, 178
- Bold button, 394
- boldface text, 389
- borders
  - drawing, 371–373, 371–373
  - on Layouts, 501–502, 501–502
  - in printing, 564
  - text for, 370–383, 371–373, 375–381
- boundaries
  - pattern, 336
  - printable area, 564
- boundary edges in extending, 42–44
- Boundary Hatch and Fill dialog box, 313–316, 313–314
- box command, 589
- boxes
  - in 3D modeling, 585
  - drawing. *See* drawing
- br command, 359
- Break At Point button, 361
- Break command, 359–361
- breaking lines of text, 359–361, 360
- building position, 463–464, 464

burners, stove, 147–151, *148–151*

buttons, 42

ByBlock button, 178

Bylayer property

defined, 629

for logical colors, 178

settings for, 212

## C

canceling commands, 37, 95

Cartesian coordinates

defined, 629

relative, 30–33, *31, 33*

Center justification, 353, 367

Center option and centers

arcs, 102–103, 109

circles, 138–139

dimensioning to, *454–456, 454, 456*

ellipses, 158

Center The Plot option, 555–556, 564

centering text, 353, 367, 380–382, *381*

Change Case option, 395

Character Set option, 395

child dimensioning styles, *432–434, 433*

chimneys, *343–344, 344*

Circle menu, 138

circles, 138–142, *139–141, 147*

civil engineering, ordinate dimensions for, *438, 441*

cleaning up wall lines, 81–82, *82–83*

Clear All button, 162

climate considerations for windows, 236

closing shapes, 33

color

AutoSnaps, 155

background, 211, 312

current, 212

cursor, 8–9

hatches, 312

layers, 173–180, *174–175, 177, 211–212*

objects, 211–212

in rendering, 619, 621

standard, 178

text, 386, 394

viewports, 508

Color Books tab, 175, 180, *180*

color-dependent plot styles, 572–573

Color Options dialog box, 8–9, 9

Color property

for layers, 173

for plot styles, 574, *575*

Colors button, 312

Column Heads tab, 397–398

Combine Paragraphs option, 395

command lines, 629

Command: prompt, 26, 630

Command window, 6, 10

commands, 24, *24*

abbreviations for, 126

canceling, 37, 95

palettes for, 341–343, *342*

restarting, 40

transparent, 106, 638

Commands tab, 341–342, *342*

complex linetypes, 184

compound trims, 91, *91*

concrete hatches, 318, *319*

cone primitive, 610

context menus, 127, 200

Continue command, *424–425, 425*

continued dimensions

defined, 630

placing, *424–425, 425, 438*

Convert to Block option, 228

convertctb command, 577

converting

plot styles, 577

polylines to lines, 386

convertpstyles command, 577

coordinate readout, 7, 29

- coordinates
  - for cursor, 29–30
  - for external references, 490
  - in Line command, 28–32, 29
  - for points, 25, 28–29
  - for property lines, 459
  - relative, 30–32, 31–32
  - User Coordinate System and icon,
    - 5, 6, 297–298, 584
    - defined, 638
    - saving, 301
    - turning off, 57
    - visibility of, 57, 530
  - World Coordinate System, 297–298, 638
- Copy button, 105
- Copy command and copying
  - blocks, 251
  - with grips, 280
  - lines, 280, 281
  - multiple, 149
  - objects, 104–106, 105–106
  - text, 379, 394
- Copy option, 280
- Copy tool, 257
- Copy With Base Point command, 504
- corners, rounding off, 38–41, 39–40
- counters, 143–145, 145
- cp command, 105
- Create Icon From Block Geometry option, 219
- Create Layout dialog box, 512, 514
- Create Layout Wizard, 512–514, 513
- Create New Dimension Style dialog box, 408–409, 408, 433
- Create New Drawing dialog box, 25, 52
- Create New Folder button, 67
- Create New Table Style dialog box, 397, 397
- Create New Tool Palette option, 345
- crosshair cursor, 5, 6
  - color of, 9
  - defined, 630
  - for Direct Entry method, 136
  - in Layouts, 500–501, 500
- Crosshair Size setting, 501
- crossing windows
  - for cutting edges, 116, 116
  - defined, 630
  - for objects, 187, 188
- ctb files, 572
- Ctrl key for selections, 152
- current color and linetype, 212
- Current Display option, 623
- current layer, 185
- current UCS, 298, 630
- cursors
  - color of, 8–9
  - coordinates for, 29–30
  - crosshair, 5, 6
    - color of, 9
    - defined, 630
    - for Direct Entry method, 136
    - in Layouts, 500–501, 500
  - defined, 630
  - Zoom Realtime, 160
- curved surfaces, 323–327, 323–327
- Custom linetypes, 184
- Custom tab for hatch patterns, 317
- custom toolbars, 18
- Customize dialog box, 341–342, 342
- Cut button, 394
- cutting
  - doorway openings, 589, 590
  - wall openings, 88–94, 88–94
- cutting and pasting, 504–505, 506
- cutting edges
  - defined, 630
  - selecting, 116, 116, 285
  - in trimming, 44–47, 45, 47
- Cyan color, 178
- cycling
  - defined, 630
  - in selections, 152
- Cylinder tool, 593, 599
- cylinders, 593

**D**

- 
- Data tab for tables, 397–398, *398*
  - ddedit command, 370, 379, 442, 539
  - deactivating external references, 491
  - Decimal Degrees setting, 54, 413
  - decimal form
    - for distances, 80
    - for units, 53, 56
  - Decimal units, 69
  - Default Plot Style Table drop-down list, 576–577
  - defaults
    - defined, 630
    - dimensions, 407
    - layers, 172
    - viewport size, 507, *507*
  - Define Viewports page, 512, *513*
  - Define Window button, 552
  - defining
    - text styles, 351–352
    - viewports, 512, *513*
    - views, 552
  - Deg/Min/Sec units, 54, 70
  - Delete option and deleting
    - block objects, 228
    - layer states, 476
    - toolbars, 18
  - Delete source objects?: prompt, 107
  - Demand Loading, 490
  - Descartes, Rene, 31
  - descenders in justification, 367–368
  - Description button, 265
  - Design Center, 259–266, *259–264*
  - designing tables, 399–402, *399–402*
  - Destination area in rendering, 624–625
  - detaching external references, 490
  - Deviation tolerance method, 418
  - Device and Document Settings tab, 497–498, *498*
  - di command, 249
  - dialog boxes, 2
    - diameter dimension, 432
    - diameters, circles, 138
    - Dimension Lines area, 410
    - Dimension menu, 11, 432
    - Dimension Style button, 408, 433
    - Dimension Style dialog box, 433
    - Dimension Style Manager dialog box, 408, *408*, 433–434, 433, 448
    - Dimension toolbar, 406
    - dimensions
      - aligned, 412, 438
      - angular, 412, 437, *438*
      - to center lines, 454–456, *454, 456*
      - for garage addition, 453, *453*
      - leader lines for, 435–436, *436*
      - modifying, 441, *442*
        - overrides, 447–449, *447–448*
        - short distances, 449–452, *449–452*
        - text, 442–446, *444, 446*
      - ordinate, 438–441, *440–441*
      - placing, 421–422
        - horizontal, 422–427, *422–427*
        - vertical, 428–431, *428–431*
      - radial, 431–434, *433–434*
      - styles for, 406
        - creating, 406, *407*
        - defined, 630
        - lines and arrows for, 409–410, *409*
        - names for, 407–409, *408–409*
        - parent and child, 432–434, *433*
        - scale factor for, 411–412, *412*
        - for text, 410–411, *411*
        - units for, 412–415, *413*
      - text for, 348, 386
        - defined, 630
        - modifying, 442–446, *444, 446*
        - styles, 410–411, *411*
        - variables for, 630
  - Dimlinear command, 422
  - DimPlan command, 408–409

- dimradius command, 432
- Direct Entry method
  - defined, 630
  - for distances, 131, 133, *134*, 138
  - with temporary tracking points, *143–144*, *143*
- direction
  - for arcs, 109
  - in UCS, 297–298
  - for units, 55
- Direction button, 55
- Direction Control dialog box, 55
- Display AutoSnap Aperture Box option, 156
- Display AutoSnap Tool Tip option, 155–156
- Display Locked command, 508
- Display option, *549*, *550*
- Display Screen Menu option, 8
- Display Scroll Bars in Drawing Window option, 8
- Display tab
  - for background color, 312
  - for crosshair cursor, 501
  - for scroll bars, 8–9, 8
- displaying toolbars, *14–18*, *14–17*
- Distance command, 249
- distances. *See also* dimensions
  - in Architectural units, 80
  - Direct Entry method for, 131, 133, *134*, 138
  - formats for, 79
  - between objects, 249
  - with Offset command, 38, 79
- Distant Lights, 616–617
- Do Not Show a Startup Dialog option, 4, 76, 384
- docked Design Center, 259, *259*
- docked Properties palette, 233
- docked toolbars, 16, 25, 26, 631
- doglegs, 436
- donuts, 610, 631
- doors, *96*, *96*
  - blocks for, *217–228*, *218–223*, *225–226*, *228*
  - copying, *104–106*, *105–106*
  - in elevation, *289–294*, *290–295*
  - finishing, *108–110*, *109–110*
  - hatches for, *319–320*, *319–320*
  - mirroring, *106–108*, *107–108*
  - rotating, *100–101*, *101*
  - sliding glass doors
    - in 3D drawings, 603, *604–606*
    - drawing, *110–118*, *111–117*, 120
  - swinging, *96–104*, *98–99*, *101*
    - in 3D drawings, 603
    - selecting, *189–192*, *190–191*
- doorway openings, *589*, *590*
- Double option, 329–330
- dra command, 432
- Drafting Settings dialog box
  - for drawing size, 60–61, *61*
  - for headers, 198
  - for Object Snaps, *97*, *97*, 154, 207–208
  - for polar tracking, 130
- Drafting tab, 155–156
- dragging and dropping, *255–258*, *255*, *257–258*
- Draw menu, 11
  - Arc command, 102
  - Block command, 218
  - Circle command, 138, 364
  - Hatch command, 313
  - Line command, 26
  - Polyline command, 374
  - Rectangle command, 98
  - Region command, 614
  - Solids command, 585, 589, 593
  - Surfaces menu
    - 3D Face command, 603, 608
    - 3D Surfaces command, 611–612
  - Text menu
    - Multiline Text command, 386
    - Single Line Text command, 353, 537
- Draw toolbar, 16, 18, 25, 26
- drawing
  - boxes, 32
    - extending lines in, *42–44*, *43–44*
    - Fillet command for, *38–41*, *39–40*
    - Offset command for, *35–38*, *36–37*

- openings in, 41–42, 41–42
- relative Cartesian coordinates in, 32–33, 33
- relative polar coordinates in, 34–35
- trimming lines in, 44–48, 45–48
- with grid and snap, 60–66, 62–65
- strategies, 126
- drawing areas, 5, 6
  - background of, 8–9, 9
  - defined, 631
- drawing extents, 631
- drawing limits, 59–62, 60–62, 631
- Drawing Limits setting, 59–62, 60–62
- Drawing Orientation area, 498
- drawing size, 56
  - grid for, 56–59, 57–58
  - limits for, 59–62, 60–62
- drawing templates, 52
- drawing units
  - defined, 631
  - for printing, 554–555
  - setting up, 52–56, 53–55
- Drawing Units dialog box, 53–56, 53–55
- Drawingn.dwg drawing, 52
- drawings
  - 3D. *See* 3D drawings and modeling
  - inserting, 267–268
  - saving, 66–68, 66
- driveways, 462–465, 463–465
- drop-down lists, 54
- drop-down menus, 11, 126
- dt command, 353, 378
- Dtext command, 353–356, 378–381
- dwg files, 76, 631

## E

---

- eaves, 201–204, 202–203
- eaves lines, 201, 201
- ed command, 369, 379
- Edge surface tool, 613
- edgemode command, 116
- Edgemode variable, 116
- edges
  - boundary, 42–44
  - cutting
    - defined, 630
    - selecting, 116, 116, 285
    - in trimming, 44–47, 45, 47
  - defined, 631
  - of roofs, 607, 607
- Edit menu, 11
- Edit Text command, 370
- Edit Text dialog box, 369, 379
- editing
  - blocks, 251–254, 252–253
  - objects, 282
  - text, 369–370, 379, 442–443, 444
- effects, hatches
  - curved surfaces, 323–327, 323–327
  - shading, 321–322, 322
- eighth-inch scale, 370
- elevation views, 631
- elevations, 276
  - copying lines for, 280, 281
  - door, step, and windows in, 289–294, 290–295
  - front, 276–277, 276–277
  - hatching. *See* hatches
  - interior, 308, 309
  - left and right, 301–306, 303–305, 307
  - lines for heights in, 278–279, 278–279, 281
  - rear, 296–301, 297–298, 300
  - roof in, 285–289, 286–289
  - scale considerations in, 307–308
  - trimming lines in, 283–285, 283–284
- Ellipse command, 158–160
- ellipses, 158–159
- Enable Grips within Blocks option, 229
- ending points
  - for arcs, 102–103
  - in copying, 104
- Endpoint button, 98
- Endpoint Object Snap, 98, 156

Engineering units, 69  
Enter an option: prompt, 367  
Enter key, 40, 119  
Enter next line of annotation text: prompt, 435  
Enter style name: prompt, 356  
Enter type of dimension editing: prompt, 443  
Enter X scale factor: prompt, 222  
Entire Drawing option, 267  
Erase command, 34  
erasing

- blocks, 251
- lines, 34

Esc key, 37, 40, 95  
ex command, 43  
Exit option for Realtime commands, 163  
exiting AutoCAD, 48, 67  
Explode command and exploding

- blocks, 250–251
- defined, 631
- external references, 490
- multiline text, 386
- polylines, 373
- title blocks, 505

Export option, 476  
exporting layer states, 476  
Extend Beyond Dim Lines setting, 410  
Extend Beyond Ticks setting, 410  
Extend button, 43  
Extend command, 42–44, 43–44

- errors with, 95
- tips for, 285

extending lines, 42–44, 43–44  
Extension Line area, 410  
extension lines

- for dimensions, 406
- suppressing, 447–449, 447

extents

- for plot area, 550, 550
- zooming to, 81, 163

Extents option, 550

exterior walls

- lines for, 75–79, 76–78
- openings for, 88–92, 89–92

External Reference dialog box, 466–468, 467  
external reference host files, 631  
external references, 458, 458

- appearance of, 468–470, 469
- applications for, 485–486, 485–486
- binding, 488–490
- defined, 631
- features of, 490–491
- layer filters for, 470–473, 471–472
- modifying, 476–477
  - as current drawing, 477–481, 478–481
  - within host drawing, 481–484, 483–484
- moving and rotating, 474–475, 474–475
- paths for, 486–488, 488
- setting up, 466–468, 467

Extrude tool, 610  
extrusions, 631

---

## **F**

f command

- for breaks, 361
- for Fillet, 38

families, dimension style, 433  
Favorites button, 265  
feature control frames, 420  
feet in Architectural units, 53  
File menu, 11

- Close command, 25
- Exit command, 48, 67
- Open command, 76
- Plot Style Manager command, 573
- Print command, 547
- Save command, 66

File Output Configuration dialog box, 624–625, 624  
files

- in Design Center, 261, 261

- plot style, 571–579, 572–578
- rendering to, 624–625, 624
- Fillet command, 38–41, 39–40
  - for counters, 145
  - vs. Offset, 78–79
  - vs. Trim, 82
- fills
  - defined, 632
  - hatches. *See* hatches
- filters for layers, 470–473, 471–472
- Find And Replace option, 395
- finding
  - blocks, 229–233, 230–232
  - files, 265
  - text, 395
- Fine Tuning area, 412
- Fit Options area, 412
- Fit tab, 411–412, 412
- Fit To Paper option, 549, 554
- flipping blocks, 223–225, 225
- floating Design Center, 259, 259
- floating Properties palette, 233
- floating toolbars, 16, 632
- floating viewports, 510, 632
- floor plan, room labels for, 355–360, 356–360
- floors
  - in 3D drawings, 595–598, 596–598
  - hatching, 329–334, 330, 332–334
- flyouts, toolbar, 12–14
- folders
  - in Design Center, 261, 261
  - for drawings, 66–67
- Font drop-down list, 394
- fonts
  - defined, 632
  - for tables, 398
  - for text, 351–352, 382–383, 387
- foot signs (!)
  - in Architectural units, 59
  - in distance formats, 79
- Form View tab, 574, 575

- Format menu, 11
  - Drawing Limits command, 59
  - Text Style command, 350, 378
  - Units command, 53, 256, 460, 462
- Fraction button, 394
- Fraction Format setting, 413
- Fractional units, 69
- fractions
  - in dimensions, 413
  - in distance formats, 79
  - in Multiline Text Editor, 394
- Freeze column, 174
- freezing
  - in 3D drawings, 591
  - defined, 632
  - layers, 195–197, 196–197
    - for external references, 490
    - indicator for, 174
- front door, hatches for, 319–320, 319–320
- front elevation, 276–277, 276–277
  - door, step, and windows in, 289–294, 290–295
  - finishing, 295, 295
  - hatching. *See* hatches
  - lines for heights in, 278–279, 278–279, 281
  - roof in, 285–289, 286–289
  - trimming lines in, 283–285, 283–284
- front steps, 128–132, 129–132
- full color palette, 178
- Full Preview button, 552
- function keys, 20–21
- furniture, 164, 165

---

## G

- gaps in text lines, 361
- garage addition
  - creating, 120–121, 121
  - dimensions for, 453, 453
- gaskets, 165–166, 165–166
- General Options area for startup, 4

General tab for plot styles, 573, 573  
Geographic Location dialog box, 617–618, 618  
Geometric Tolerance dialog box, 420–421, 420–421  
geometric tolerancing, 419  
ghosting, 34, 632  
glass doors  
    in 3D drawings, 603, 604–606  
    drawing, 110–118, 111–117, 120  
glazing, 235  
grab bars, 16  
gradients, 621  
Grads units, 70  
Graphics window, 2, 3, 5–9, 6, 632  
gray shades, 178  
Green color, 178  
Grid button, 60  
Grid On option, 61  
Grid Snap option, 61  
Grid too dense to display message, 58, 60  
Grid X spacing setting, 61  
Grid Y spacing setting, 61  
grids  
    defined, 632  
    for drawing size, 56–59, 57–58  
    drawing with, 60–66, 62–65  
    text in, 361–370, 362–370  
grips  
    for arcs, 186–187, 186  
    for block detection, 229  
    for circles, 150  
    for copying lines, 280, 281  
    defined, 632  
    operation of, 282  
    toggles with, 372  
    zooming and panning with, 290  
ground lines for height, 278, 278  
grouping objects. *See* blocks  
GUI (Graphical User Interface), 2, 3, 5–9, 6, 632  
guidelines  
    for blocks, 240–242, 240–242  
    for dimensions, 428–429, 429

## H

---

h command, 313  
hard-edged shadows, 618  
Hatch command, 312  
Hatch Edit dialog box, 328, 343  
Hatch icon, 313  
Hatch Pattern Palette dialog box, 313–314, 314, 316–317  
Hatch tab, 313, 313  
hatches, 312  
    concrete, 318, 319  
    floor plan, 329–335, 330, 332–334  
    front elevation, 312–316, 313–316, 318–321, 319–321  
    door and wall, 319–320, 319–320  
    foundation, 318, 319  
    modifying, 327–329, 328–329  
    solid, 320–321, 321  
    origins for, 331–332, 332  
    palettes for, 339–341, 340–341, 345  
    patterns, 316–318, 632  
    roof, 343–344, 344  
    shape of, 336, 337  
    special effects  
        curved surfaces, 323–327, 323–327  
        shading, 321–322, 322  
    user-defined, 329–330, 330  
headers, 197–201, 200  
heavy lineweight, 558  
height  
    cylinders, 593  
    fonts, 351–352  
    lines for, 278–279, 278–279, 281  
    text, 382–383, 388, 410  
Height drop-down list, 394  
Help option, 395  
hidden lines, 587, 588  
highlighting, 34  
hip lines, 201, 201  
    in 3D drawings, 608, 608  
    drawing, 206–211, 207–208, 210

hip roofs, 201  
hook lines, 436  
horizontal alignment for dimensions, 411  
horizontal dimensions, 422–427, 422–427  
Horizontal option for viewports, 517  
host drawings, modifying external references  
    within, 481–484, 483–484  
hotkeys, 21, 126  
House button, 265  
HSL (Hue, Saturation, Luminance) color  
    model, 179  
hue, 179–180  
hyperlinks, 633  
hyphens (-) in distance formats, 79

---

## I

i command, 221  
icons, 42, 633  
images for rendering backgrounds, 621–622  
implied windowing, 194  
Import option, 476  
Import Text button, 395  
importing  
    layer states, 476  
    word processing and text files, 395  
inch sign (") in Architectural units, 59  
inches  
    in Architectural units, 53, 59  
    in distance formats, 79  
Increment Angle drop-down list, 208  
Indents And Tabs option, 395  
Index Color tab, 175, 175  
Indexing for external references, 490  
Insert Block button, 220  
Insert command, 221  
Insert dialog box, 220–221, 221, 224, 489  
Insert menu, 11  
    Block command, 221, 489  
    External Reference command, 466

    Layout command, 512  
    Xref Manager command, 466  
Insert Table dialog box, 399, 399  
Insert Units drop-down list, 266  
inserting  
    blocks, 220–221, 221, 489  
    drawings, 267–268  
    external references, 489  
insertion points  
    for blocks, 217, 223  
    defined, 633  
    for external references, 490  
IntelliMouse, 21, 129  
interior elevations, 308, 309  
interior walls  
    lines for, 79–87, 79–87  
    openings for, 92–94, 93–94  
International Standards Organization (ISO), 317  
Intersect tool, 611  
Intersection Osnap, 149–150  
intersections  
    breaks at, 361  
    cleaning up, 82  
Invert Filter option, 470  
Island Detection area, 343, 344  
ISO (International Standards Organization), 317  
ISO Standard option, 411  
ISO tab, 317  
isometric views, 615, 633  
Italic button, 394  
italic text, 389

---

## J

jamb, 88, 633  
justification points  
    defined, 633  
    for multiline text, 392, 393  
    for text, 353  
justifying text, 367–368, 368, 395

**K**

---

keyboard, 20–21, 126  
Keyboard Entry Except Scripts option, 157  
kitchens  
    counters, 143–145, 145  
    laying out, 142, 143  
    selecting, 192–193, 193  
    sinks, 152–154, 152–153  
    stoves and refrigerators, 146–151, 146, 148–151

**L**

---

L command, 26  
label command, 350  
labels  
    for floor plan, 355–360, 356–360  
    text for, 350–352, 350  
landscape orientation  
    in printing, 556–557  
    in viewports, 512  
large-format printers, 567–568, 567–568  
lateral tolerances, 417  
Layer Control drop-down list, 186, 186  
Layer Filter Properties dialog box, 470–472, 471–472  
Layer Properties Manager dialog box, 172, 173  
    for color, 174–178, 174–175, 177  
    for creating layers, 174–176, 174–175, 177  
    for cross references, 468–469  
    for current layer, 185  
    for filters, 470–472, 472  
    for linetypes, 181–184, 183  
    for lineweights, 184, 559, 561  
    for listing layers, 173–174  
    size of, 470  
Layer Setting To Restore area, 469, 473  
Layer States area, 469  
Layer States list box, 476  
Layer States Manager dialog box, 468, 468, 473, 475–476  
Layering Standards, 177  
layers, 170  
    assigning objects to, 185–194, 186, 188–191, 193  
    for blocks, 217  
    color for, 173–180, 174–175, 177, 211–212  
    creating, 174–176, 174–175, 177  
    current, 185  
    defined, 633  
    filters for, 470–473, 471–472  
    freezing, 195–197, 196–197  
        for external references, 490  
        indicator for, 174  
    for hatches, 312–313  
    linetypes for, 181–184, 182–183  
    lineweights for, 184, 559  
    listing, 173–174  
    names for, 177  
    as organizational tool, 170–171, 171  
    setting up, 172, 173  
    turning off, 195–197, 196–197  
    in viewports, 531–536, 532–533, 535–536  
Layers Menu, Add command, 473  
Layout tab, 6, 633  
Layout1 tab, 496, 499  
Layouts, 349, 494  
    borders on, 501–502, 501–502  
    defined, 633  
    and model space, 509–511  
    printing using, 565–566, 565  
    setting up, 494–500, 495–500  
    title blocks for, 503–505, 503  
    viewports for, 507–508, 507–508. *See also*  
        multiple viewports  
leader lines, 435–436, 436  
Leaders And Tolerances option, 435  
Left Arrow button, 265  
left elevation, 301–306, 303–305, 307  
Left justification, 367  
length of text lines, 386  
less than symbols (<) for polar coordinates angles,  
    32, 32

- light lineweight, 558
  - light sources for rendering, 616–618, 616–618
  - Lights dialog box, 616, 616, 618–619
  - limits
    - for drawing size, 59–62, 60–62
    - for plot area, 551–552, 551
  - Limits tolerance method, 418
  - lin files, 184
  - Line button, 26
  - Line command, 24–28, 25–27
    - coordinates in, 28–32, 29, 31–32
    - errors with, 95
  - Linear button, 422
  - Linear Dimensions area, 412–413
  - linear units, 52, 69
  - lines
    - cleaning up, 81–82, 82–83
    - converting polylines to, 386
    - coordinates for, 28–32, 29, 31–32
    - copying, 280, 281
    - for dimensions, 406, 409–410, 409
    - drawing, 24–28, 25–27
    - erasing, 34
    - extending, 42–44, 43–44
    - for exterior walls, 75–79, 76–78
    - for heights, 278–279, 278–279, 281
    - for interior walls, 79–87, 79–87
    - leader, 435–436, 436
    - offsetting, 41–42, 41–42
    - trimming, 44–48, 45–48, 283–285, 283–284
  - Lines and Arrows tab, 409–410, 409
  - lines of text, breaking, 359–361, 360
  - linetype command, 184
  - Linetype property, 173
  - Linetype Scale Factor setting, 204
  - linetypes
    - current, 212
    - defined, 633
    - for layers, 173, 181–184, 182–183
    - for objects, 211–212
    - scale factors for
      - assigning, 205–211, 207–208, 210
      - setting up, 204–206, 205
    - styles for, 634
  - Lineweight dialog box, 560
  - Lineweight property, 173
  - Lineweight Settings dialog box, 560, 564
  - lineweights
    - defined, 634
    - for layers, 173, 184
    - for printing, 558–561
  - links
    - hyperlinks, 633
    - between Xref and host drawings, 480
  - List command, 229–230, 230–231
  - listing
    - layers, 173–174
    - text styles, 356, 356
  - Load button, 265
  - Load Or Reload Linetypes dialog box, 182, 182, 184
  - loading
    - external references, 491
    - linetypes, 182, 182, 184
  - Lock column for layers, 174
  - locking viewports, 508
  - logical colors, 178
  - Lower Value setting for tolerance, 418
  - lowercase letters for layer names, 177
  - ltscale command, 204
  - luminance, 179–180
  - lw command, 560
- 
- ## M
- 
- Magenta color, 178
  - Magnet option, 155
  - Make Block button, 218
  - Make Block command, 217
  - Make Object's Layer Current button, 207
  - Marker option, 155

- Material Condition window, 420
- Maximize icon, 257
- mechanical engineering, ordinate dimensions
  - for, 438
- medium lineweight, 558
- menu bars, 5, 6, 634
- menus, 5
  - context, 127, 200
  - drop-down, 11, 126
- Mesh tool, 612
- Method drop-down list, 417, 418
- mi command, 107
- Middle Center justification, 367–368
- Middle justification, 367–368
- Middle Right (MR) justification, 367
- Midpoint Autosnap symbol, 157
- Midpoint option for Object Snaps, 156
- Mirror button, 107
- Mirror command, 106–108, 107–108
  - defined, 634
  - with grips, 282
- mirror lines, 106, 634
- mirroring objects, 106–108, 107–108
- mistakes, correcting, 95
- Model button, 500
- model space
  - activities in, 541
  - defined, 634
  - and Layouts, 509–511
- Model tab
  - for background, 6, 9
  - for Layouts, 496, 499–501, 510
- Modify Distant Light dialog box, 618
- Modify Hatch command, 328–329
- Modify menu, 11
  - Break command, 359
  - Copy command, 105
  - Extend command, 43
  - Fillet command, 38
  - Mirror command, 107
  - Object command, 369, 539
  - Offset command, 35
  - Rotate command, 100
  - Scale command, 462
  - Solids Editing menu
    - Subtract command, 587, 589, 591, 595
    - Union command, 597
  - Trim command, 44
  - Xref And Block Editing command, 252, 482, 536
- Modify Standard Paper Sizes area, 497
- Modify toolbar, 16, 18, 25, 26
- monochrome file, 574–576, 578
- mouse, 21–22, 129
- Move button, 139
- Move command and moving
  - blocks, 251
  - cylinders, 595
  - dimension text, 445–446, 446
  - external references, 474–475, 474–475
  - with grips, 282
  - text, 357–359, 358–359
  - title blocks, 505, 506
- MR (Middle Right) justification, 367
- ms command, 511
- Mtext command, 385
- MText Editor, 387–392, 388–392, 442–443
- Mtext menu, 394–395
- multiline text, 348, 634
  - justification points for, 392, 393
  - special characters, 394
  - tools for, 394–395
  - working with, 385–392, 387–392
- Multiline Text button, 386
- Multiline Text Editor dialog box, 387–392,  
388–392, 442–443
- Multiple Copy command, 150
- Multiple option for text copying, 379
- multiple viewports, 511–512
  - adding, 528–537, 529–530, 532–533, 535–536
  - aligning, 517–518, 518
  - creating, 519–522, 520, 522
  - layers in, 531–536, 532–533, 535–536

printing, 566–567  
 scales for, 522–528, 523, 525, 527  
 setting up, 512–515, 513–514, 516  
 text in paper space in, 537–540, 538–539  
 turning off, 540–541, 540

mvsetup command, 517

## N

named objects, 255  
 named plot style tables, 573  
 named plot styles, 572  
 named views, 634  
 names  
   blocks, 217  
   dimension styles, 407–409, 408–409  
   drawings, 67  
   layers, 177  
   views, 301, 623  
 Nearest Osnap button, 234  
 negative numbers for arcs, 109  
 nested Xrefs, 490  
 New Dimension Style dialog box, 409  
   Alternate Units tab, 416, 417  
   Fit tab, 411–412, 412  
   Lines and Arrows tab, 409–410, 409  
   Primary Units tab, 412–415, 413  
   Text tab, 410–411, 411  
   Tolerance tab, 417–421, 418–419  
 New Distant Light dialog box, 617, 617  
 New Group Filter button, 473  
 New Layer State To Save dialog box, 469, 469, 473  
 New Page Setup dialog box, 496, 515, 522  
 New Page Setup Name setting, 496  
 New Property Filter button, 470  
 New scale factor: prompt, 204  
 New Scene dialog box, 623–624, 623  
 New Style Name text box, 408  
 New Table Style dialog box, 397–398, 398  
 New Text Style dialog box, 350–352

New Tool Palette button, 339  
 New View dialog box, 301, 552, 623  
 non command, 249, 286  
 north arrow, 459  
 Notepad for Custom linetypes, 184

## O

o command, 35  
 Object Snap flyout, 98, 129  
 Object Snap menu, 129  
 Object Snap mode, 634  
 Object Snap On option, 207  
 Object Snap tab, 97, 97, 154–156, 162, 198  
 Object Snap toolbar, 111, 112, 129  
 Object Snaps (Osnaps), 98  
   for blocks, 242–243  
   setting, 154–156, 155–156  
   for text, 353  
   using, 129  
 objects  
   assigning to layers, 185–194, 186, 188–191, 193  
   color of, 211–212  
   converted to blocks, 228  
   copying, 104–106, 105–106  
   defined, 634  
   editing, 282  
   grouping. *See* blocks  
   linetypes for, 211–212  
   mirroring, 106–108, 107–108  
   named, 255  
   selecting, 187–189, 188–189, 194  
   unblocking, 250–251, 386  
 Objects option in block insertion, 267  
 off command, 57  
 Offset command, 35–38, 36–37  
   for counters, 144, 145  
   distance with, 38, 79  
   errors with, 95  
   vs. Fillet, 78–79

- Offset From Dim Line setting, 411
  - offsets
    - lines, 41–42, 41–42
    - plot, 555–556, 556
    - polylines, 148
  - OK button, 394
  - On column for layers, 174
  - Open a Drawing button, 76
  - Open button, 265
  - openings
    - doorway, 589, 590
    - marking, 41–42, 41–42
    - walls, 88–94, 88–94
  - Options dialog box
    - Autosnaps, 155–156
    - background color, 312
    - crosshair cursor, 501
    - grips, 229
    - plot styles, 576, 576
    - profiles, 19–20
    - scroll bars, 7–8, 7–8
    - squares, 157
    - startup, 4
    - title blocks, 384
  - ordinate dimensions, 438–441, 440–441
  - orientation
    - changing, 297–298, 298
    - dimensions, 432
    - Layouts, 511
    - printing, 498, 556–557
    - viewports, 512
  - origins, 29, 29
    - defined, 634
    - for hatch patterns, 331–332, 332
    - in printing, 555–556, 556
    - for UCS, 297
  - Ortho button, 100
  - Ortho mode, 635
  - orthogonal drawings, 635
  - orthogonal lines, 35
  - Osnap Cursor menu, 353
  - Osnap Flyout toolbar, 111
  - Osnap Settings dialog box, 353
  - Osnaps (Object Snaps), 98
    - for blocks, 242–243
    - setting, 154–156, 155–156
    - for text, 353
    - using, 129
  - Osnaps tab, 207
  - Other Predefined tab, 314, 316, 318, 320
  - Outer option for hatches, 343
  - Over The Dimension Line, Without A Leader
    - option, 412
  - overlapping lines, 24, 25
  - overlays
    - for external references, 490
    - transparent, 170
  - Override button, 448
  - overrides, dimension, 447–449, 447–448
- 
- ## P
- 
- p command, 163
  - Page Setup Manager dialog box, 496–497, 496–497, 515, 522–523
  - palettes, 4
    - for commands, 341–343, 342
    - for hatches, 339–341, 340–341, 345
    - working with, 268–272, 268–271
  - Pan button, 242, 245–246
  - Pan command
    - defined, 635
    - with grips, 290
    - Realtime, 159, 162–163
  - Pan Realtime button, 159
  - PANTONE color groups, 179
  - Paper button, 500
  - Paper Size area, 497, 515, 549
  - paper space
    - activities in, 541
    - defined, 635
    - text in, 537–540, 538–539

- parent dimensioning styles, 432–434, 433
- parking lots, 167, 167
- parquet pattern, 333, 333
- Paste As Block command, 505
- Paste tool, 257, 394
- paths, 5
  - alignment
    - temporary, 130
    - tool tips for, 130–131, 136, 137
  - defined, 635
  - for external references, 486–488, 488
- patterns, hatch, 316–318, 632
- pe command, 377, 524
- pedit command, 524
- pen plotters, 546
- Perpendicular Osnap, 118, 135
- perspective views, 635
- Photo Raytrace option, 620
- Pick button, 635
- Pick Location, 514
- Pick Point setting, 219
- pickboxes, 34, 139, 635
- picking objects, 194
- pl command, 374
- placing dimensions, 421–422
  - horizontal, 422–427, 422–427
  - vertical, 428–431, 428–431
- Plan command, 298
- plan views, 635
- Pline command, 373–378, 375–378
- plot area, 552
  - Display option, 549, 550
  - extents for, 550, 550
  - limits for, 551–552, 551
  - views, 552, 553
  - windows, 554
- Plot button, 547
- plot command, 547
- Plot dialog box, 547–548, 548
  - for and scale, 554–555
  - expanded options in, 556–557, 557
    - for offset and options, 555–556, 556
    - for paper size, 549
    - for plot area, 549–554, 550–551, 553–554
    - for printer and plotters, 548–549
- Plot Offset area, 555–556
- Plot Scale area, 498, 555–556
- Plot Style Manager, 576
- Plot Style property, 173
- Plot Style Table area, 557
- Plot Style Table Editor, 573–576, 573–575
- plot style table files, 572, 572
  - assigning, 576–579, 576–578
  - defined, 635
  - organization of, 573–576, 573–575
- plot styles, 571–579, 572–578, 635
- Plot Styles dialog box, 573
- Plot Styles folder, 572, 572
- Plot to File option, 549
- Plotter Configuration Editor, 497–498, 498, 515, 523, 549
- plotters, 498, 546, 548–549
- plotting. *See* printing
- Plotting tab, 576, 576
- plus or minus tolerances, 417
- point filters, 635
- Point Filters menu, 353
- Point Lights, 616
- Polar Array option, 324
- polar coordinates
  - for property lines, 459
  - relative, 31–32, 32, 34–35
- Polar Tracking, 130, 133, 134
  - angles in, 208, 208
  - for blocks, 242–243
  - defined, 635
  - with temporary tracking points, 143–144, 143
- Polar Tracking On option, 130, 207
- Polar Tracking tab, 130, 207, 207
- Polyline Edit command, 377
- polylines
  - converting to lines, 386

- defined, 636
- offset, 148
- selecting, 147
- for title blocks, 373–378, 375–378

portrait orientation, 498, 556–557

position

- of arcs, 102
- of buildings, 463–464, 464

precision

- in 3D drawings, 582
- in Architectural units, 53–56
- in dimensions, 413
- in tolerance, 418
- of units, 636

Precision setting, 418

Preview button, 262, 265

previewing

- blocks, 262, 263
- printing, 562–565, 563–564

Previous option in zooming, 85–86

Primary Units tab, 412–415, 413

primitives, 593

print command, 547

printable area, 497, 501

Printer page, 512, 513

Printer/Plotter area, 497

printers, 494, 548–549

printing, 497–498, 546

- with large-format printers, 567–568, 567–568
- Layouts for, 565–566, 565
- lineweights for, 558–561
- multiple viewports, 566–567
- offset and options in, 555–556, 556
- orientation in, 556–557
- paper size in, 549
- parameters for, 562
- plot area in, 549–554, 550–551, 553–554
- plot styles for, 571–579, 572–578
- previewing, 562–565, 563–564
- printer and plotter configuration for, 548–549

- scale in, 554–555
- site plans, 569–571, 569–571

Priority for Coordinate Data Entry area, 157

profiles for toolbars, 19–20, 19–20

Profiles tab, 19–20, 19

Projection menu, Perspective command, 615, 625

prompts, 636

properties of layers, 475–476

Properties palette

- for block detection, 232–233, 232
- for circles, 150–151, 151
- for extension lines, 447
- for text, 366, 370
- for viewports, 540

Properties toolbar, 5, 5, 172

property lines, 459–461, 461

prototype drawings, 52

ps command, 511

purging drawings, 267

---

## Q

---

QNew button, 384–385

Quadrant button, 139

Quadrant Osnap, 139, 140

quarter-inch scale, 318

Quick Leader button, 435

Quick Setup Wizard, 68

---

## R

---

r command for selections, 194

radial dimensions, 431–434, 433–434

Radians units, 70

radio buttons, 2

radius

- arcs, 102
- circles, 138–139

- cylinders, 593
- Fillet, 38–39
- Radius Dimension button, 432
- Realtime Pan, 162–163
- Realtime Zoom, 162–163, 298
- rear elevation
  - making, 296–298, 297–298
  - revising, 299–301, 300
- rec command, 98
- Rectangle command, 98
- Rectangular Snap option, 61
- Red, Green, Blue (RGB) color model, 179
- Red color, 178
- Redo command, 145, 394
- Redraw command, 588, 636
- Refedit toolbar, 253, 482, 484
- Reference Edit dialog box, 252, 482
- Reference toolbar, 466
- references, external. *See* external references
- refreshing screen, 588
- refrigerators, 146–147, 146
- regeneration, 588, 636
- regions, 614
- registration points, 170
- regular windows, 187, 636
- relative coordinates, 30–31
  - Cartesian, 30–33, 31, 33
  - defined, 636
  - polar, 31–32, 32, 34–35
  - for property lines, 459
- Reload button, 480, 491
- Remove Formatting option, 395
- Rename option for layer states, 476
- Render dialog box, 620, 620, 624–625
- rendering 3D drawings, 613
  - background in, 621–622, 621–623
  - to files, 624–625, 624
  - light sources for, 616–618, 616–618
  - preliminary, 619–620, 620
  - saving setups for, 623–624, 623–624
  - shadows for, 618–619, 619
  - views for, 614–615, 614–616, 625–626, 625
- Rendering File dialog box, 625
- Repeat command, 40, 127
- Repeat List command, 230
- restarting commands, 40
- Restore State button, 476
- Retain option, 228
- revising
  - blocks, 251–254, 252–253
  - objects, 282
  - text, 369–370, 379, 442–443, 444
- Revolve tool, 611
- Revolved surface tool, 612
- RGB (Red, Green, Blue) color model, 179
- ridge lines, roof, 201, 201
  - in 3D drawings, 608, 608
  - drawing, 206–211, 207–208, 210
- Right Arrow button, 265
- right-click menus, 21, 126, 200
- right elevation, 301–306, 303–305, 307
- Right justification, 367
- ro command, 100
- romanc.shx font, 352
- romand.shx font, 352
- romans.shx font, 352
- romant.shx font, 352
- roofs, 201
  - in 3D drawings, 607–609, 607–609
  - dimensioning, 426–427, 437–438, 438
  - eaves, 201–204, 202–203
  - in elevation, 285–289, 286–289
  - hatches for, 343–344, 344
  - hip and ridge lines, 206–211, 207–208, 210, 608, 608
- room labels
  - for floor plan, 355–360, 356–360
  - text for, 350–352, 350
- Rotate command and rotating, 100
  - with angular displacement, 55

blocks, 222–223, 222, 237–238, 237–239, 251  
doors, 100–101, 101  
external references, 466–467, 474–475, 474–475  
with grips, 282  
text, 353, 381  
views, 614–615  
rounding off corners, 38–41, 39–40  
rubberbanding, 636  
Ruled surface tool, 613  
running Object Snaps, 636

## S

---

Sample Office Project palette, 269, 269  
SansSerif fonts, 389  
saturation, 179–180  
Save Back Changes To Reference button, 484  
Save Drawing As dialog box, 66, 66, 385  
Save Layer States dialog box, 468  
Save To Current Style command, 448  
saving  
    drawings, 66–68, 66  
    rendering setups, 623–624, 623–624  
    styles, 352  
    User Coordinate System, 301  
    views, 301  
sc command, 462  
scale and scale factors  
    blocks, 222–223, 251  
    defined, 636  
    dimension styles, 411–412, 412  
    elevations, 307–308  
    external references, 466–467  
    with grips, 282  
    hatch patterns, 314–315, 317  
    linetypes  
        assigning, 205–211, 207–208, 210  
        defined, 634  
        setting up, 204–206, 205  
    printing, 498, 554–555  
    site plans, 462  
    text, 349–350  
    title blocks, 504–505  
    viewports, 522–528, 523, 525, 527  
Scale command, 282, 462, 505  
Scale For Dimension Features area, 412  
Scaling For Height setting, 418–419  
Scenes dialog box, 623–624, 624  
Scientific units, 69  
scroll bars, 8–9  
Search button, 265  
Second Point option, 103  
Select All command, 197  
Select All But Current command, 437  
Select all option, 395  
Select Color dialog box, 175–176, 175, 178–181, 179, 181  
Select File dialog box, 76  
Select internal point: prompt, 321  
Select Linetype dialog box, 181–182, 182–183  
Select Location button, 514  
Select nested objects: prompt, 482  
Select object to offset: prompt, 35, 76  
Select object whose layer will become current: prompt, 207  
Select Objects: prompt, 43, 194  
Select Reference File dialog box, 466–467  
Select Template dialog box, 52–53  
selecting  
    cutting edges, 116, 116, 285  
    cycling in, 152  
    doors and swings, 189–192, 190–191  
    kitchen and bathroom fixtures, 192–193, 193  
    objects, 194  
    polylines, 147  
    with windows, 187–189, 188–189  
selection modes, 636  
selection sets, 194, 636  
Selection tab, 229  
selection windows, 636

- Set Current button, 20, 414, 448
- Setup Wizards, 68
- Shaded Viewport Options area, 557
- shading
  - in 3D modeling, 601
  - surfaces, 321–322, 322
- Shadow On option, 618
- Shadow Options dialog box, 618
- Shadow Volumes/Ray Traced Shadows
  - option, 619
- Shadows area, 618
- shadows for rendering, 618–619
- Shadows option, 620
- shakes, 320
- shapes
  - closing, 33
  - hatch patterns, 336, 337
- sharing information
  - Design Center for, 259–266, 259–264
  - dragging and dropping for, 255–258, 255, 257–258
  - inserting drawings, 267–268
  - Wblock for, 266–267, 266
- sheet size, 370
- Shift key
  - with mouse, 21
  - with Object Snap tools, 129
  - for selections, 194
  - with Trim and Extend, 285
- shingles, 320
- short distances, dimensioning, 449–452, 449–452
- shortcut menus, 126, 200, 637
- Show Startup Dialog Box option, 76
- Show Traditional Startup Dialog option, 4
- shower units, 156–157, 157
- sides of openings, 88
- single-line text, 348, 352
  - defined, 637
  - in grids, 361–370, 362–370
  - room labels, 355–360, 356–360
  - title blocks and borders, 370–383, 371–373, 375–381, 383, 503
  - titles of views, 352–355, 353–355
- sinks
  - bathroom, 158–159, 158
  - kitchen, 152–154, 152–153
- site plans, 458–459, 458, 486, 486
  - printing, 569–571, 569–571
  - surveyor units for, 459–461, 459, 461
  - viewports for, 526–528, 527
- size. *See also* dimensions
  - arcs, 102
  - Command window, 10
  - crosshair cursor, 501
  - default viewports, 507, 507
  - dimension arrows, 409
  - drawing, 56
    - grid for, 56–59, 57–58
    - limits for, 59–62, 60–62
  - Layer Properties Manager dialog box, 470
  - Multiline Text Editor dialog box, 388, 392, 392
  - paper, 494, 497, 549
  - sheet, 370
  - title blocks, 503–504, 503
- Slice button, 599, 600
- sliding glass doors
  - in 3D drawings, 603, 604–606
  - drawing, 110–118, 111–117, 120
- snap, drawing with, 62–66, 62–65
- Snap And Grid tab, 60
- snap mode, 637
- Snap On option, 61
- Snap To Insert button, 254, 293
- Snap tool, 58
- Snap X spacing setting, 61
- Snap Y spacing setting, 61
- Snapbase setting, 331–332, 637
- snaps. *See* Osnaps (Object Snaps)
- soffits, 279, 637
- soft-edged shadows, 618

- solid colors for backgrounds, 621
- solid hatches, 320–321, 321
- solids, 583
  - defined, 637
  - modeling, 610–611, 610–611
  - primitives, 593
- Solids toolbar, 589
- spacebar
  - for Enter key, 119
  - with grips, 372
- spaces in distances, 79
- spacing for grid dots, 60–61
- special characters, 394
- special effects, hatches
  - curved surfaces, 323–327, 323–327
  - shading, 321–322, 322
- Specify a second extension line origin: prompt, 424–425
- Specify axis endpoint of ellipse: prompt, 160
- Specify base point: prompt, 505
- Specify base point or displacement: prompt, 105
- Specify basepoint: prompt, 517
- Specify first corner: prompt, 514
- Specify first corner point: prompt, 98
- Specify first extension line origin: prompt, 422
- Specify first part of mirror line: prompt, 107
- Specify first point: prompt, 26, 133
- Specify height: prompt, 585, 589
- Specify insertion point: prompt, 243, 245–246
- Specify next point: prompt, 27
- Specify offset distance: prompt, 35, 38
- Specify On-screen option, 221, 245
- Specify opposite corner: prompt, 386
- Specify other corner point: prompt, 99
- Specify point on side to offset: prompt, 36
- Specify rotation angle: prompt, 101, 222
- Specify scale factor: prompt, 462
- Specify second extension line origin: prompt, 422
- Specify second part of mirror line: prompt, 107
- Specify second point of arc: prompt, 103
- Specify second point of displacement: prompt, 105
- Specify start point: prompt
  - for polylines, 374
  - for text, 367
- Specify start point of arc: prompt, 103
- Specify temporary OTRACK point: prompt, 133
- Specify text width: prompt, 435
- Specify third point: prompt, 608
- sphere primitive, 610
- Spotlights, 616
- squares, 156–157
- st command, 350
- stacking dimensions, 425, 425
- standard AutoCAD linetypes, 184
- standard colors, 178
- Standard dimension style, 407
- Standard toolbar, 5, 5, 12
- Start from Scratch button, 2
- Start the Line command, 254
- starting AutoCAD, 2–4, 3
- starting points for arcs, 102, 109
- Startup dialog box, 2, 3
- states of layers, 475–476
- status bar, 6–7
- stb files, 572
- steps, 127, 127
  - in 3D drawings, 598–601, 599–600, 602
  - back, 132–135, 134–135
  - in elevation, 289–294, 290–295
  - front, 128–132, 129–132
- stoves, 146–151, 146, 148–151
- strategic zooming, 289
- Stretch command, 280
  - with grips, 282
  - for text, 357
- structural grids, 361
- studs, 424, 637
- style command, 348, 350
- Style Name area, 350
- Style option, 356

Style Overrides option, 448

Style settings for multiline text, 394

styles

- dimension, 406
  - creating, 406, 407
  - defined, 630
  - lines and arrows for, 409–410, 409
  - names for, 407–409, 408–409
  - parent and child, 432–434, 433
  - scale factor for, 411–412, 412
  - for text, 410–411, 411
  - tolerances for, 417–421, 418–419
  - units for, 412–416, 413, 417
- plot, 571–579, 572–578
- text, 386
  - dimension, 410–411, 411
  - setting up, 348–352, 349–350
  - tables. *See* tables

Subtract Solids command, 599

subtracting window openings, 591–595, 591–595

Sun Angle Calculator dialog box, 617, 617

sun angle for windows, 236

suppressing extension lines, 447–449, 447

surface modeling tools, 611–613, 612

surfaces

- in 3D modeling, 583
- hatches for
  - curved, 323–327, 323–327
  - shading, 321–322, 322

surveyor points, 441, 441

Surveyor units, 70, 459–461, 459, 461, 637

swinging doors

- in 3D drawings, 603
- drawing, 96–104, 98–99, 101
- selecting, 189–192, 190–191

switching between model space and layouts, 509–511

Symbol button, 395, 443

Symbol window, 420

Symmetrical tolerance method, 417

System tab for title blocks, 384

## T

t command, 386

T intersections, cleaning up, 82

Table Style dialog box, 396–398, 397, 399

Table View tab, 574, 574–575

tables

- creating, 396
- designing, 399–402, 399–402
- styles for, 396–399, 397–399

Tabulated surface tool, 613

Template Description dialog box, 385, 385

templates, 52

- defined, 637
- for title blocks, 384–385, 384–385

temporary alignment paths, 130

temporary tracking points

- Direct Entry with, 143–144, 143
- for steps, 132–136

text, 348

- breaking lines of, 359–361, 360
- dimensions, 348, 386
  - defined, 630
  - modifying, 442–446, 444, 446
  - styles, 410–411, 411
- justifying, 367–368, 368
- moving, 357–359, 358–359
- multiline, 348, 634
  - justification points for, 392, 393
  - special characters, 394
  - tools for, 394–395
  - working with, 385–392, 387–392
- in paper space, 537–540, 538–539
- for room labels, 350–352, 350
- scale for, 349–350
- single-line, 348, 352
  - defined, 637
  - in grids, 361–370, 362–370
  - room labels, 355–360, 356–360

- title blocks and borders, 370–383, 371–373, 375–381, 383, 503
- titles of views, 352–355, 353–355
- style setup for, 348–352, 349–350
- tables
  - creating, 396
  - designing, 399–402, 399–402
  - styles for, 396–399, 397–399
- title blocks, 384–385, 384–385
- Text Color drop-down list, 394
- Text Formatting toolbar, 394
- Text Height setting, 388, 410
- Text Placement area, 410, 412
- text style, 637
- Text Style dialog box
  - for dimensions, 410
  - for labels, 350, 350
  - for tables, 398
  - for title blocks, 378, 380
- Text tab, 410–411, 411
- Text Window, 229–230, 230–231
- Thaw setting, 637
- thickness, 637
- three-button mouse, 21, 129
- 3D drawings and modeling, 582
  - doorway openings in, 589, 590
  - finishing up, 603–606, 604–606
  - floors in, 595–598, 596–598
  - rendering. *See* rendering 3D drawings
  - roofs in, 607–609, 607–609
  - solids modeling, 610–611, 610–611
  - steps and balcony in, 598–601, 599–600, 602
  - surface modeling tools, 611–613, 612
  - viewing in, 583–584, 584–585
  - walls in, 585–588, 586–588
  - window openings in, 591–595, 591–595
- 3D Faces, 603, 628
- 3D meshes, 628
- 3D models, 628
- 3D Objects dialog box, 611
- 3D Orbit, 163, 601, 602
- thresholds, 136–138, 137
- Through option for offsets, 38
- tick marks, 406, 438
- tiled effect, 329
- tiled viewports, 510
- title bars, 5, 5
- title blocks, 384–385, 384–385
  - for Layouts, 503–505, 503
  - polylines for, 373–378, 375–378
  - text for, 373–383, 379–381, 383, 503
- Title tab for tables, 397–398
- titles of views, 352–355, 353–355
- TL (Top Left) justification, 367
- toggles
  - function keys, 20–21
  - with grips, 372
- toilets, 159–162, 161–162
- Tolerance button, 420
- tolerances for dimension styles, 417–421, 418–419
- Tolerances tab, 413, 417–421, 418–419
- tool palettes
  - creating, 337–339, 338–339
  - for hatches, 339–341, 340–341, 345
- Tool Palettes Window, 268–272, 268–271
- Tool Properties dialog box, 340–341, 340
- tool tips for alignment paths, 130–131, 136, 137
- toolbars, 5, 5, 12
  - custom, 18
  - displaying up and arranging, 14–18, 14–17
  - flyouts, 12–14
  - profiles for, 19–20, 19–20
- Toolbars menu, 14–15, 14
- tools, 42
- Tools menu, 11
  - Drafting Settings command, 97
  - Inquiry command, 229
  - Options command. *See* Options dialog box
  - Tool Palettes Window command, 268
- Top Left (TL) justification, 367

- torus primitive, 610
  - tr command, 44
  - Track Point tool tip, 136, *137*
  - tracking
    - for blocks, *242–243, 244*
    - defined, 638
  - tracking points
    - defined, 638
    - for hatches, 331
  - Transparency palette, *270, 270*
  - transparent commands, 106, 638
  - transparent overlays, 170
  - Tree View, 261, 265
  - Trim command and trimming, 44
    - Edgemode variable for, 116
    - errors with, 95
    - vs. Fillet, 82
    - lines, *44–48, 45–48, 283–285, 283–284*
    - picking lines with, 85
    - tips for, 285
    - zooming for, *83–84, 84*
  - True Color tab, *175, 179–180, 179*
  - true ratios, 638
  - TrueType fonts, 389
  - Turn Off Window Transparency option, *270–271*
  - turning off
    - layers, *195–197, 196–197*
    - UCS, 57
    - viewports, *540–541, 540*
  - two-car garage
    - creating, *120–121, 121*
    - dimensions for, *453, 453*
- 
- ## U
- U button, 389
  - u command, 40, 145
  - UCS (User Coordinate System) and icon, 5, 6,
    - 297–298, 584*
    - defined, 638
    - saving, 301
    - turning off, 57
    - visibility of, 57, 530
  - ucsicon command, 57
  - un command, 53
  - unblocking objects, *250–251, 386*
  - Underline button, 394
  - underlined letters for hotkeys, 21
  - Undo button and command
    - for lines, 40, 46
    - for Multiline Text Editor, 394
    - options for, 145
    - for Trim and Extend, 95, 285
  - ungrouping blocks, *250–251, 386*
  - Unit Format setting, 413
  - units
    - angular, *69–70*
    - defined, 631
    - dimension styles, *412–416, 413, 417*
    - linear, *69*
    - printing, *554–555*
    - setting up, *52–56, 53–55*
    - surveyor, *459–461, 459, 461*
    - wizards, 68
  - Units For Listing area, 560
  - Unload button, 491
  - Up button, 265
  - Upper Value setting for tolerance, 418
  - uppercase letters for layer names, 177
  - Use For drop-down list, 408, 433
  - Use Overall Scale Of option, 412
  - User Coordinate System (UCS) and icon, 5, 6,
    - 297–298, 584*
    - defined, 638
    - saving, 301
    - turning off, 57
    - visibility of, 57, 530
  - user-defined hatches, *329–330, 330*
  - User Preferences tab, 157

## V

---

v command, 301

vertex coordinates, 30

vertical bars (|) for external references, 468

vertical dimensions, 428–431, 428–431

Vertical Position setting for tolerance, 419

very light lineweight, 558

View command, 301

View dialog box, 552

View Control dialog box, 301

View menu, 11

- 3D Orbit command, 601
- 3D Views menu
  - Plan View command, 298, 301, 614
  - SE Isometric command, 598, 614
  - SW Isometric command, 584
  - Viewpoint Presets command, 614
- Display command, 57, 297–298, 530, 584
- Hide command, 587, 588, 589, 595
- Named Views command, 301, 552, 623
- Redraw command, 588
- Regen command, 588–589, 591, 596
- Shade menu
  - 2D Wireframe command, 601
  - Gourard Shaded command, 601
- Viewports command, 520
- Zoom menu
  - All command, 60
  - Out command, 57

viewing 3D drawings, 583–584, 584–585

Viewpoint Presets dialog box, 614–615

Viewport Scale drop-down list, 512

Viewport Setup area, 512

viewports, 494, 499

- adjusting, 507–508, 507–508
- defined, 638
- multiple. *See* multiple viewports

views

- of blocks, 122–123, 122
- defined, 638

- printing to, 552, 553
- for rendering, 614–615, 614–616, 625–626, 625
- saving, 301
- titles of, 352–355, 353–355

Views button, 265

Views dialog box, 623

visibility of UCS icon, 57, 530

visretain command, 476

## W

---

walls

- in 3D drawings, 585–588, 586–588
- dimensioning, 424–425
- exterior, 75–79, 76–78
- hatches for, 319–320, 319–320, 334–335, 335
- interior, 79–87, 79–87
- laying out, 74–75, 75
- openings for, 88–94, 88–94

Wblock command, 266–267, 266

WCS (World Coordinate System), 297–298, 639

wedge primitive, 610

White/Black color, 178

width of polylines, 373

window blocks

- creating, 233–236, 233–235
- inserting, 236–251, 237–242, 244, 247–250

Window Elements area, 8

Window menu, 11

- open drawings on, 257–258, 258
- Tile Vertically command, 255

Window option, 554

window selection, automatic, 194

windowing viewports, 514, 514

windows

- in 3D drawings, 591–595, 591–595, 606, 606
- appearance of, 236
- for cutting edges, 116, 116
- in elevation, 289–294, 290–295
- hatches for, 320–321, 321

- for plot areas, 554
- selecting objects with, 187–189, 188–189

Windows menus, 5  
wireframes, 585, 638  
wooden shingles, 320  
World Coordinate System (WCS), 297–298, 639  
wrapping text, 386  
Write Block dialog box, 266–267, 266  
WYSIWYG, 639

## X

---

x coordinates

- for cursor, 30
- for ordinate dimensions, 438–440, 440
- for points, 25, 28–29, 29

X direction in UCS, 297–298  
X origin setting, 556  
X scale factor

- for blocks, 223, 245
- for external references, 466

xr command, 466  
Xref Manager dialog box, 466, 480, 480,  
487–488, 488  
Xrefs. *See* external references  
XY plane, 639

## Y

---

y coordinates

- for cursor, 30
- for ordinate dimensions, 438–440, 440
- for points, 25, 28–29, 29

Y direction in UCS, 297–298  
Y origin setting, 556  
Y scale factor

- for blocks, 223, 245
- for external references, 466

Y scale factor: prompt, 222  
Yellow color, 178

## Z

---

z-axes, 583–584  
z command, 84, 163  
z coordinates, 29  
Z factor for blocks, 223  
0 layer, 172, 217  
Zero Suppression sub-area, 413, 419  
Zoom command and zooming

- defined, 639
- with grids, 58–60
- with grips, 290
- strategic, 289
- for trimming, 83–84, 84

Zoom All, 13  
Zoom Extents, 81, 163  
Zoom In, 56  
Zoom Original, 163  
Zoom Out, 56–57  
Zoom Previous, 85–86, 223  
Zoom Realtime, 160, 162–163  
Zoom toolbar, 14–15, 15, 17  
Zoom Window, 298  
Zoom Window option, , 223  
zoom windows, 84, 84, 163, 223