

## Index

- Abnormals, 239
- Academic department, design
  - principles usage
  - (example), 106–111
- Active signals, examples, 209–210
- Altshuller, G.S., 127
- Ambidextrous organization, 14–17
- Analyze. *See* Define measure
  - analyze design and verify
- Apple (company)
  - iPod, success, 31
  - preservation/evolution, management, 14
- Applications, example, 157
- Auto marketing
  - case study, 240–244
  - introduction, 240–241
  - measurement scale, validation, 241
  - MS, construction, 241
  - variables, identification, 242–244
- Average completion rate, 50
- Axiomatic design (AD), 8, 39, 91
  - zigzag decomposition, 96
- Balanced innovation portfolio, 30–32
- Baseline creation, 50
- Black belts. *See* Design
  - usage, 44
- Brokers/intermediaries,
  - product transfer, 77
- Business capability
  - assessment, questions, 63
- Business model innovation, 18
- Capability flow up, questions, 65
- Changes, implementation, 51
- Circuit stability design,
  - robustness design
  - (example), 180–183
- Classification principles
  - database, development, 161
  - usage. *See* Robustness
- Client experience
  - improvement
    - recommendations
    - (usage), MTS
    - analysis (basis), 246–247
  - improvement, case study, 245–247
  - methodology, 245–246

- Cofactor, 283
- Cognitive style, arrangement, 33–34
- Collaboration, effective teams (usage), 32–35
- Combination effects, obtaining, 214
- Combination tables, construction, 213–215
- Communications process. *See* Design for Lean Six Sigma
- Compensation by symmetry principle, 168–169
- Competitive benchmark, questions, 64
- Complexity, minimization, 2
- Component list, example, 149, 153
- Concept design, 172
  - phase, 5
- Conceptual robustness, 130
- Conceptual solution, questions, 64
- Configuration management, questions, 65
- Conflict domain, example, 149, 154
- Conflict intensification, example, 149, 153
- Conflict time, 150
- Contradictions, 139–144
  - identification, objective, 141–142
  - types, 140
- Control
  - factors, 181–182
  - noise factors, interactions, 174
  - Control-factor-based robust invention, 169–170
- Control factors (C), 176
- Convergent thinking, 36
- Coordinate measuring machine (CMM) support problem, 152–157
- Core team, 68
- Corporations, turnover rate, 16
- Correlation coefficient, definition, 287
- Correlation matrix, definition, 287
- Costs/harm, minimization strategies, 118
- Coupon holes, 187
  - panel placement, 189
- Creative destruction, process, 16
- Critical quality characteristic (CTQs), 5
- Critical to quality (CTQ), 75
- Critical to satisfaction (CTS), 75
- Culture, paradox, 22
- Customer attributes (CAs), 94
- Customer critical to (CTs) components, 58
- Customer expectations, 78–83
  - approach, usage, 88
  - collection methods, 83–89
  - concept, 75
  - phase, 5
- Customer needs
  - gathering, 60
  - identification, 5
  - questions, 63

- Customer-producer
  - relationship, elements (defining), 75–78
- Customers
  - defining, 76–77
  - invoice problem, nine ways (usage), 138
  - orientation, paradox, 26–28
  - products, providing, 148–152
  - promise
    - delivery, 11–12
    - improvement, creation, 12–13
  - quality, 171
  - research, initiation, 84
  - technology, questions, 63
  - value-added perspective, 53
- Decoupled design, 95, 99
- Define Measure Analysis Improve and Control (DMAIC), 7, 35, 44–45
  - problem-solving methodology, 57
- Define measure analyze
  - design and verify (DMADV), 5
  - phases, involvement, 37
- Degrees of freedom, definition, 287
- Department of Mechanical Engineering. *See* Massachusetts Institute of Technology
- Deployment champions, 68
- Design. *See* Define measure analyze design and verify
  - activity
    - measureability, 2
    - phases, 158
  - architecture, modules, 100–101
  - axioms, 91–93
    - usefulness. *See* Design for Lean Six Sigma
  - black belts, 68
    - life, 69
    - training needs/logistics, 71
  - domains, 93
  - failure modes/effects analysis, 39
  - FMEA, 65
  - green belts, training needs/logistics, 71
  - logic, traceability, 2
  - matrix, questions, 64–65
  - principles, actions, 109–111
  - project champions, 68
  - scorecard, 39
  - thinking, back-end process, 36
- Design for Lean Six Sigma (DFLSS)
  - activities/deliverables, merger, 61
  - communications process, 71
  - deployment, 59–66
  - design axioms, usefulness, 91
  - methodology, 5
    - application, 2
  - philosophy, 42

- Design for Lean Six Sigma (DFLSS) (*continued*)
  - projects, financial assessments/validation, 70
  - questions, 62
  - roadmap, 4
- Design for Six Sigma (DFSS)
  - approach, 3–6
  - book guide, 7–9
  - goal, 1–2
  - state of the art, 2–3
  - strategy, proposal, 2
- Design parameters (DPs), 94–95
  - decomposition, 102–104, 112–114
- Design process
  - end-to-end aspects, 36
  - illustration, 60
  - mapping, 116
  - phases, 158
- Deterioration/wear, 172
- D4 innovation methodology, 38–39
- D4 methodology, 37
- Diabetes mellitus, 253
- Discontinuity, generation, 16
- Divergent thinking, 36
- Domain thinking, 93–96
- Domain vectors, 94
- Drops of oil, example, 251
- Dynamic S/N ratios, 279–280
- Dynamic type S/N ratio, 233–234
  
- Eastman Kodak, performance (deterioration), 15
  
- Effective teams, usage. *See* Collaboration
- Effects database, 145
- End-to-end DFSS deployment process, 1
- End users, 77
  - expectations, sample, 81
- Energy transformation, 178
- Engineered quality, 171–173
- Ethnographic research, 84
  - focus, 88–89
  - method, 88
- Euclidean distance, 226
- Evolution, laws, 146
- Executive sponsors, 67
- Existing resources, use (example), 150
- Experimental design cycle, 177
- Experiments, design, 176–177
- Extended team, 69
- External (outer) noise, 5
  
- Failure mode and effect analyses (FMEA), 3
- Fan belt/pulley system, design example, 104–106
- Fasting plasma glucose (FPG) prediction
  - introduction, 252–253
  - MTS, application, 253–254
  - repetitive annual health check-up data, usage, 252–254
- Field/energy resources, 133
- Final design phase, 6
- Final products, 76

- Financial
  - assessments/validation.  
*See* Design for Lean Six Sigma
- Finite Element Analysis
  - model, usage. *See* Valveless micropump design
- Finite element modeling, relationship. *See* Working principle
- Fixer/modifier, impact, 77
- Flow, 49
- Fluorination process,
  - 147–148
  - improvement, 147–152
- Focus group
  - assembly, 85–86
  - format, 86–87
  - method, impact, 87
  - session, 86
- Ford, Henry, 48
- Fractional factorial
  - experiments, 177
- Full factorial experiments, 177
- Functional analysis, TRIZ
  - analysis tool, 132, 134–136
- Functional
  - requirement-design parameter (FR-DP) identification, 108–109
- Functional requirements (FRs), 92, 94–95
  - actions, 109–111
  - decomposition, 102–104, 112–114
  - questions, 64
- Functional resources, 133
- Function evaluation, energy transformation (usage), 173
- Gates review, 61
- Gilbreth, Frank, 48
- Gilbreth, Lillian, 48
- Governance system, 40
- Growth
  - driving, innovation (usage), 11
  - inventiveness, 2
  - platforms, 17–18
  - processes, management, 29–30
  - sustaining, difficulties, 17–18
- Hidden factory, 53
- Human resources (HR), 133
  - usage, 70
- Ideal final result (IFR), 116, 131
  - example, 148, 153
- Ideal function, 178
- Ideality, 82–83
  - equation, 131
  - denominator, 117–118
- ideation phase, 19
- Illumination, innovation process, 36
- Improvement, opportunity establishment/gap identification, 51
- Inch-long-and-mile-deep problems, 56
- Incubation, innovation process, 36

- Independence axiom, 92
- Independence requirements, 100
- Individual, cognitive style, 32
- Information axiom/content, 92
- Information content, formula, 93
- Information resources, 133
- Information technology (IT), usage, 70
- Innovation. *See* Business model innovation; Process innovation; Service innovation
  - acceleration, 79
  - climate, 39–40
  - design, relationship, 18–28
  - end-to-end aspects, 36
  - focus, 2
  - phases, 19–20
  - portfolio. *See* Balanced innovation portfolio
  - processes, management, 29–30
  - projects
    - execution process, 35–38
    - four-stage process, 36
    - scientific effects, usage, 145
- Integrated Lean Six Sigma methodology, 57
- Intellect, 52, 54
- Internal (inner) noise, 5
- Internal rate of return (IRR), 39
- Interview method, 84–85
- Interview techniques, focused approach, 85
- Inventions. *See* Robustness analysis, 160
  - collection, 160
  - discoveries, 128
- Inventory, 52, 54
- Inverse matrix, 286
- Itself method, 132
- Jobs to be done, 27
- Just-in-time (JIT) inventory system, 124
- Just-in-time (JIT) thinking, 48
- Kaizen, 50–51
  - blitz, 56
  - events, 50
- Koji-molding/molds. *See* Soy sauce
- Laboratory for Manufacturing and Productivity (LMP), creation, 107–108
- Larger the better S/N ratio, 204, 232, 279
- Leadership, paradox, 28
- Lead time, 50
- Lean design
  - implementation, 115
  - principles, 115–118
- Lean Six Sigma, 41
  - approach, adoption, 56
  - design, deployment, 59
  - enterprise, design, 66–71
  - improvement, 55–58
  - methodology. *See* Integrated Lean Six Sigma methodology
  - origination, 41–42, 47–55
  - principles, 49

- techniques, 55
- Lean thinking, focus, 116
- Login module, usage, 121
- Long-run competitive advantage, 14–15
- Mahalanobis distance (MD),
  - 97–98
  - introduction, 226
  - problems, 218
  - sample values, 237
- Mahalanobis space (MS), 227
  - usage. *See* Measurement scale
- Mahalanobis-Taguchi Strategy (MTS), 9
  - application. *See* Fasting plasma glucose application; Water emulsion
  - data analysis, 220
  - definition, 226–229
  - experimental
    - layout/results, 219
  - methodology
    - application, 245–246
    - usage, 247
  - results, analysis, 221
  - S/N ratios, types, 232–234
  - software system, design, 96–101
  - software testing, case studies, 215–222
  - stages, 97, 229–231
  - usage. *See* Multivariate measurement system
- Marketing process, usage, 20
- Market orientation, paradox, 26–28
- Massachusetts Institute of Technology (MIT),
  - Department of Mechanical Engineering (design principles usage), 106–108
- Matrix. *See* Inverse matrix; Nonsingular matrix; Singular matrix; Square matrix
  - definition, 281
  - determinants, 282–283
  - theory, related topics, 281–284
  - transposition, 281–282
- MD. *See* Mahalanobis distance
- Measure. *See* Define measure analyze design and verify
- Measurement scale
  - construction, 97, 216, 229–230
  - development, MS (usage), 234
  - validation, 97, 216, 229–230, 235–236. *See also* Auto marketing
- Medical diagnosis data,
  - variables, 235
- Methods, paradox, 23–24
- Metrics, paradox, 22–23
- Micro-electro-mechanical systems (MEMS), 199
  - fabrication, 201
- Mile-long-and-inch-deep problems, 56
- Modular designs, 118–122
  - effectiveness, 121
  - principle, 121

- Motion, 51, 53
  - Motivation, influence, 33
  - MS. *See* Mahalanobis space
  - MTS. *See*
    - Mahalanobis-Taguchi Strategy
  - Muda. *See* Waste
  - Multidimensional distances, 226
  - Multivariate analysis, 217
  - Multivariate measurement system
    - case studies, 234–247
    - development, MTS (usage), 225
    - medical case study, 234–239
  - Net present value (NPV), 39
  - Nine windows, TRIZ analysis tool, 132, 136–139
  - Noise-factor-based robust invention, 167–169
  - Noise factors (N), 176, 181–182
    - levels, 182
    - reduction, 8
  - Nominal-the-best S/N ratio, 204, 233, 277–278
  - Nondynamic S/N ratio, 277–279
  - Nonsingular matrix, 286
  - Normal distribution, definition, 287
  - Normal group, 227
  - Normals, 239
  - One-piece flow, 124
  - Operating time, example, 154
  - Operational efficiency, 16–17
  - Operation time, example, 150
  - Opportunities, identification, 13
  - Ordered categorical response, 204
  - Organizational
    - structure/alignment, paradox, 25–26
  - Organizational value-creation hierarchies, 74
  - Organizations
    - cognitive styles, usage, 34–35
    - innovative climate, 21
    - TRIZ, impact, 128
  - Orthogonal arrays (OAs). *See*
    - Three-level OAs;
    - Two-level OAs
  - combinations, 231
  - experimental combinations, 203–204
  - factor allocation, 193
  - list, 269–276
  - role. *See* Robust system testing
  - usage, 174
    - proposal, 229
- Outcome expectation, 79
  - sample, 82
- Output accuracy, 228–229
- Overproduction, 51, 52
- Palo Alto Research Corporation (PARC), 13
- Paradoxes
  - management. *See* Preservation/evolution
  - types, 21–28

- Parameter design, 172, 182–184
- Parameter diagram (P-diagram), 163. *See also* Software testing concept, 162–163 elements, 175 strategies, representation, 164
- Past, selective abandonment, 11
- Patent search, results, 161
- Pattern analysis, 96
- People, paradox, 24–25
- Perception expectation, 79
- Perfection, achievement (paradigm), 24
- Performance expectations, 27, 79
- Performance generated per unit of cost, 122
- Performance improvement approaches, 12
- Phase-gate process, 60
- Physical contradictions example, 156 resolution, separation principles (usage), 144
- Piezoelectric transducer (PZT) electricity, application, 199 movement, 200 positioning, 201–202
- Portfolio mix/timing/quantity, 31–32 paradox, 22
- Post-conflict time, 150
- Postlaunch phase, 6
- Pre-conflict time, 150
- Prediction accuracy, 228–229 satisfaction, 229 S/N ratio, usage, 231–234
- Preliminary design phase, 6
- Preparation (innovation process), 36
- Preservation/evolution, paradox (management), 20–21
- Printed circuit board (PCB) analysis, S/N ratio (usage), 194 background, 186 drilled -hole quality characteristics, 186 drilled -hole quality improvement, 184–197 drilling defects, 186 experiment description, 190 design, 192–195 physical layout, 193 results, 194 factors, levels (selection), 191–192 fixed factors, 191 hole quality, 190 measurement, 187, 188 standard, 187–190 introduction, 185 study, benefits, 196–197 Taguchi approach, 185
- Problem solving methodology, 34 TRIZ philosophy, 129
- Process innovation, 18 paradox, 23–24 sigma level, 44

- Process capability
  - information, questions, 66
  - measurement standards, 42–43
- Processing, 51, 53
- Process validation phase, 6
- Process variables (PVs), 94
- Producer, role, 77
- Producer-customer value
  - creation/improvement process, 76
- Product
  - example, 135
  - expectations, summary, 80
  - life cycles, reduction, 14–15
  - quality, improvement, 79
- Production preparation
  - process (3P) approach, 123–125
- Product launch phase, 6
- Product/process/business
  - model innovation, portfolio, 31
- Product validation phase, 6
- Program management, 70
- Pull, 49
- Pull systems, 123–124
  
- Quality function deployment (QFD), 3, 91
- Quality loss function, design. *See* Tolerance design
  
- References, 255–262
- Research ethics, 89
- Resources
  - example, 150, 154
  - selection, example, 154
  
- TRIZ analysis tool, 132–134
- Response-based robust invention, 165–167
- Rework, 51, 52–53
- Robust design, 158
  - Taguchi methods, 6
- Robust invention
  - classification scheme, 161–163
- Robustness. *See* Conceptual robustness
  - classification principles, usage, 161
  - improvement, signal-to-noise ratio (usage), 174
  - invention, 159
    - definition, 159–160
    - usage, 159–170
    - word search, 162
  - methods, 173
  - research methodology, 160–161
  - term, usage, 159–160
- Robustness design, 171. *See also* Valveless micropump design
  - example, 180–184
  - simulation
    - importance, 8–9
    - role, 179–180
    - topics, 175–179
- Robust parameter design, 159
- Robust system testing, 209
  - example, 210
  - introduction, 209–211
  - OA role, 211

- Sales process, usage, 20
- Selective signal amplification, 163–165
- Selective signal blocking, 165
- Sensitivities (S)
  - average factorial effects, 184
  - calculation, 183
- Separation principles, usage.
  - See* Physical contradictions
- Service innovation, 18
- Sigma. *See* Six Sigma
  - level, 43
  - representation, 43
  - shift, 44
  - value, 43
- Signal-based-robust
  - invention, 163–165
- Signal factors (M), 175–176
  - allocation, 212
- Signal-to-noise (S/N) ratio, 178–179
  - analysis, 205, 239
  - average, 195
  - average factorial effects, 184
  - calculation, 179–180, 193–194
  - computation, 238–239
  - definition, 228
  - dynamic type, 204–205
  - equations, 279–280
  - gain, 239, 244
  - reduction, 8
  - sensitivities, calculation, 183
  - types, 204–205. *See also* Mahalanobis-Taguchi Strategy
  - usage, 204–205. *See also* Prediction accuracy; Robustness
- Singular matrix, 286
- Six Sigma
  - approach, 43–47
  - level, design/redesign, 2
  - origins, 42–43
  - teams, DMAIC
    - (application), 35
  - techniques, 47
- Six Sigma-based thinking, 9
- Smaller the better S/N type, 204, 278
- Software debugging, 221
- Software performance,
  - requirement, 219
- Software testing
  - method, 212–215
  - OA usage, 217–218
  - P-diagram, 211
- Solution tree, usefulness, 146
- Soy sauce
  - aging, MTS (usage), 249
  - brewing, nitrogen utility rate (improvement), 247–250
  - introduction, 247
  - MTS application, factors (selection), 248–249
  - Koji-molding, MTS (usage), 249–250
  - Koji-molds, preparation, 248
- Soy sauce production process, 248

- Sporting goods marketing,  
system design (example),  
101–104
- Square matrix, 282  
adjoint matrix, 286
- Stack height, 185
- Standardized distance,  
definition, 287
- Standardized variables,  
definition, 287
- Strategic intent,  
identification, 5
- Substance resources, 133
- Subsystem level, 137
- Supersystem, 136–137
- Suppliers inputs processes  
outputs and customers  
(SIPOC), 175
- Supply chain configuration  
design, questions, 64–65
- Support infrastructure,  
building, 69–71
- Survey method, 87
- Systematic innovation,  
process, 29
- System conflict (SC),  
example, 149, 153
- System design, example,  
101–104
- Taguchi methods (TM), 96,  
172  
usage. *See* Valveless  
micropump design
- Tamari production process,  
248
- Target products, 76
- Taylor, Frederick, 48
- Team, cognitive level, 32, 33
- Technical contradiction  
example, 150, 154–155  
resolution, 140–141
- Techniques/tools, usage,  
38–39
- Technological/business  
trends, usage, 146–147
- Technology assessments,  
questions, 64–65
- Test plans, questions, 65
- Theory of Inventive Problem  
Solving (TRIZ), 8, 39, 127  
analysis tools, 132–139  
case examples, 147–157  
contradiction matrix, 265  
database tools, 139–147  
contradictions, 139–145  
effects, 145  
flowchart, 139  
introduction, 127–129  
inventive principles,  
267–268  
journey, 129, 130  
principles, examples,  
142–143  
road map, 129–131
- Things-in-process, 50
- Three-level factors, 213  
combination tables,  
214–215  
interaction table, 214, 215
- Three-level OAs, 274–276
- Time resources, 133
- Tolerance design, 172  
methods, 159  
quality loss function, usage,  
174–175
- Training needs/logistics,  
management. *See* Design

- Transfer functions, questions, 65
- Transition plans, questions, 66
- Transportation, 52, 54–55
- Trimming
  - conducting, questions, 136
  - principles, 135
  - TRIZ analysis tool, 134–136
- Two-factor combinations, 220
  - study, 213
- Two-level factors, 213
  - interaction table, 214
- Two-level OAs, 209
  - list, 269–273
  - requirement, 236
- Two-step optimization, 174
  - importance, 6
  - performing, 203–204
- Uncontrollable variation, presence, 228
- Uncoupled design, 95
- Undercut drill bit, 192
- Unit group, 227
- University system design, 112–114
- U.S. Patent and Trademark Office (USPTO), patent issuance, 161
- Usage conditions, 172
- Value, 49
  - dimensions, identification, 117
  - engineering, 122–123
  - maximization, strategies, 118
  - processes, 19
  - stream, 49
    - maps, creation, 58
- Value-enhancing levers/strategies, 119–120
- Valveless micropump design
  - control factors, 202
  - data analysis, 206
  - experimental results, 203
  - experimentation, 202–203
  - loading/boundary conditions, 201
  - noise factors, 202
  - optimization, Finite Element Analysis (usage), 198
  - robustness design, 200–208
  - sensitivity analysis, 207
  - structure/working principle, 199
  - Taguchi methods, usage, 197–208
    - introduction, 197–199
- Valveless micropump structure, 198
- Variable reduction range (VRR), 242, 244
- Variables
  - identification, 97, 216, 230.  
*See also* Auto marketing development stage, 236–239
  - usefulness, 243
- Variation
  - concept, 44
  - impact, demonstration, 45–46

- Verification, innovation
  - process, 36
- Verify. *See* Define measure
  - analyze design and verify
- Viscosity-insensitive
  - variable-area flowmeter, 164
- Vision, establishment, 50
- Voice of the Customer (VOC), 8
  - capturing, 73
  - creation, 58
- Waiting, 51, 52
- Waste (muda)
  - prevention, objectives, 115
  - types, 51
- Water emulsion
  - introduction, 250–251
  - MTS, application, 251–252
  - oil presence
    - (measurement), MTS
    - (application), 250–252
- Whitney, Eli, 47–48
- WL Gore, growth/innovation, 26
- Work cell, 124
- Working principle, finite element modeling
  - (relationship), 199–200
- Work-in-process, 50
- Work in process (WIP), 123, 124
- Xerox Corporation, 13