

Index

Note to the reader: Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

Symbols and Numbers

[] (brackets) , for IPV6 addresses, 176

? (question mark), for router configuration help, 216

10Base2, 78

10Base5, 78

10BaseT, 79

100BaseFX, 79

100BaseTX, 79

802.1Q, 103

routing, 88, 116

802.3 standards, 78-79

expanded, 79

802.11 standards, 288, 288-289

exam essentials, 289

wireless network and, 290-293

802.11a standard, 288

wireless network and, 292, 292-293

802.11b standard, 288

wireless network and, 290-291, 291

802.11g standard, 288

wireless network and, 291-292, 292

1000BaseCX, 79

1000BaseLX, 79

1000BaseSX, 79

1000BaseT, 79

A

ABRs. *See* area border routers

access control lists (ACLs), 278-281, 320-321

dynamic, 309, 310

exam essentials, 281, 321, 322

extended, 279, 321, 329-334

configuration command, 281, 335

examples, 329-334

number ranges, 281

guidelines for implementation of, 280-281

inbound, 280

for limiting SSH access, 336

for limiting Telnet access, 335

named, 279, 321

outbound, 280

packet compared with, 279

reflexive, 310

security threats mitigated with, 314-315

standard, 279, 321, 322-329

configuration command, 281, 335

examples, 326, 326-327, 327, 328

number ranges, 281, 322

time-based, 309, 311

troubleshooting, 340

types, 279, 321

verification of, commands for, 337, 337-340

access lists. *See* access control lists

access-class command, 328

acknowledgment number, 20

ACLs. *See* access control lists

active state, 265

Adaptive Security Appliance (ASA), 308

address learning, 84, 85-86

Address Resolution Protocol (ARP), 24, 42

inverse, 365

administrative distances (ADs), 240, 242, 250
 default, 250-251
 administrative functions, 219
 configuration of, **211-219**
 exam essentials, 219
 administrative_distance
 command, 239
 administratively down, 159
 ADs. *See* administrative distances
 advertised distance, 265
 AES-CCMP encryption, 298
 agents, 13
 aggregate rate, 54, 74
 anycast addresses, 178
 Application layer, 18, 18
 application-specific integrated circuits (ASICs), 51, 82
 area 0, 253, 254
 area border routers (ABRs), 253, 254
 areas, OSPF, 253, 254
 configuration of, 254-259
 ARP. *See* Address Resolution Protocol
 arp -a command, 46, 93, 181, 184, 234
 ASA. *See* Adaptive Security Appliance
 ASBRs. *See* Autonomous System Boundary Routers
 Boundary Routers
 ASCII text file, 245
 ASICs. *See* application-specific integrated circuits
 Asynchronous Transfer Mode (ATM), 59, 354
 ATM. *See* Asynchronous Transfer Mode
 Attachment Unit Interface (AUI), 79
 AUI. *See* Attachment Unit Interface
 authentication
 CHAP, 373, 374
 layer attacks, 305
 MAC, 297, 298
 open, 297, 298, 299
 peer router, 309
 PPP, 372, 372-373
 debugging, 373-374

proxy, 308, 314
 shared-key, 297, 298, 299
 auto summarization, 253
 auto-detect mechanism, 55, 74
 Autonomous System Boundary Routers (ASBRs), 254, 254
 autonomous system number, 262
 autonomous systems, 252, 254, 254
 autorooters, 306
 auxiliary password, 215
 auxiliary port, 212, 213, 214, 215

B

backbone area, 253
 backdoors, 306
 backup
 Cisco IOS to TFTP server, 248
 restoring or upgrading, 249
 Cisco router configuration, 242-244
 restoring of, 244-245
 bandwidth, 356
 command, 224
 banners, **212-213**
 exec process creation, 212
 incoming terminal line, 212
 login, 212
 MOTD, 154, 212, 213
 base MAC addresses, 96
 baseline, 13
 basic service set (BSS), 294, 295, 295
 BECN, 363, 364
 binding, 16
 bit-oriented protocols, 357
 bits, 146
 configuration register, 197-199
 meanings, 197, 198
 numbers, 197
 block sizes, 164, 171
 VSLMs and, 163-164, 164
 boot field, configuration register, 198, 198
 boot sequence, router, **196-197**

bootloader, 195
 bootstrap, 195, 196
 Bootstrap Protocol (BootP), 13
 DHCP *v.*, 13, 151
 BPDUs, 129, 130
 brackets([]), for IPV6 addresses, 176
 Bridge ID priority, 98, 129
 Bridge-Group Virtual Interface
 (BVI), 294
 bridges, 2, 5, 82
 switch, router and, in network, 6, 7
 switches *v.*, 5, 82, 84
 switches *v.* routers *v.* hubs *v.*, 8
 broadband network, 54, 359
 broadcast addresses, 47, 48, 52, 146
 broadcast domains, 3, 81
 collision domains *v.*, 6
 in internetwork, 7, 8
 broadcast storms, 3, 6, 52, 80,
 106, 173
 brute force attack, 307
 BSS. *See* basic service set
 BVI. *See* Bridge-Group Virtual
 Interface
 byte-oriented protocols, 357
 bytes, 146

C

cabling, 68-71, 199-203
 crossover, 68-69, 69, 200, 200
 exam essentials, 72, 205
 questions, 71, 71, 202, 202,
 203, 203
 rolled, 69, 69, 200-201, 201
 straight-through, 68, 68, 199,
 199-200
 UTP, 71, 78, 202
 callback, in PPP, 358
 CAM table. *See* content addressable
 memory table
 carrier detect (CD), 197
 Carrier Sense Multiple Access with
 Collision Detection (CSMA/CD),
 52-53, 53, 72, 73, 291, 291
 network, collisions on, 54, 73
 CBAC. *See* Context-Based
 Access Control
 CD. *See* carrier detect
 CDP. *See* Cisco Discovery Protocol
 cdp holdtime command, 25
 cdp timer command, 25
 central office (CO), 56
 channel service unit/data service unit
 (CSU/DSU), 204, 205, 356, 356
 CHAP authentication process,
 373, 374
 checksum field, 20, 22
 CIDR. *See* Classless
 Inter-Domain Routing
 CIR, in Frame Relay, 366
 circuit switching, 56, 57, 60
 Cisco Catalyst switches, 88, 89.
 See also switches
 configuration, 89-92
 commands, 91
 errors, 99
 exam essentials, 92
 IP address, 91, 92
 remote management, 91, 92
 Express Setup HTTP screen, 90, 90
 3550, 89, 90
 3560, 89, 90, 103
 trunking on, 112-116, 132-133
 allowed VLANs in, 114, 133-134
 exam essentials, 116
 3560 switch, 113-114, 116, 133
 2960 switch, 112-113,
 116, 132
 2960, 89, 90, 96, 103
 verification of, 95-98
 Cisco Discovery Protocol (CDP),
 24-25
 exam essentials, 33
 holdtime information, 25

448 Cisco Frame Relay switch – command-line interface (CLI)

- network topology documented with, 31, 31-33, 33
- timers, 25
- Cisco Frame Relay switch, 366
- Cisco IOS Firewall, 308-309
 - CBAC, 313, 313
 - exam essentials, 309
 - security and, 305-309
 - traffic filtering with, 309
- Cisco “router on a stick,” 109, 121
- Cisco routers, 3. *See also* routers
 - 2500 series, interface configuration, 156-157, 159
 - 2600 series, interface configuration, 157, 159
 - 2800 series, interface configuration, 157-158, 159
 - components, 195-196
 - configuration
 - backing up, 242-244
 - copying to NVRAM, 243-244
 - copying to TFTP server, 244
 - erasing, 245
 - exam essentials, 246
 - restoring, 244-245
 - verifying current, 242-243
 - verifying stored, 243
 - HDLC configuration on, 358
 - IOS, 196, 196
 - backing up, to TFTP server, 248
 - configuration files management, 242-246
 - copying from workstation to router, 246, 246-247
 - default storage, 196, 199
 - exam essentials, 199
 - flash memory verification and, 247-248
 - management, 246-249
 - restoring or upgrading, 249
 - PPP configuration on, 359-360
 - setting passwords for, 213-218
- Cisco Unified Wireless Solution, 286
- Class A network addresses, 146-147
- Class B network addresses, 147
- Class C network addresses, 147-148
- classful networks, 161, 162
 - exam essentials, 163
- classful routing protocols, 161, 162
 - exam essentials, 163
- Classless Inter-Domain Routing (CIDR), 340
- classless networks, 161, 163. *See also* Variable Length Subnet Masks
 - exam essentials, 163, 171
- classless routing protocols, 161
 - exam essentials, 163
- clear counters command, 231, 232
- CLI. *See* command-line interface
- client mode, VTP, 101, 102
- clock rate command, 224, 225
- clocking
 - DCE network to routers, 223, 223
 - on nonproduction network, 223
- CO. *See* central office
- code bits field, 20
- collapsed backbones, 67, 108
- collision domains, 5, 81
 - broadcast domains *v.*, 6
 - in internetwork, 7, 8
- collisions
 - on CSMA/CD network, 54, 72-73, 73
 - on Ethernet network, 53-54, 73
- command-line interface (CLI), 88
 - auxiliary password, 215
 - banners, 212-213
 - console password, 215
 - descriptions, 218-219
 - DHCP pool creation from, 153
 - enable passwords, 213-214
 - extended ACLs, 329-334
 - hostnames, 211-212
 - NAT configuration
 - dynamic, 343
 - PAT, 343
 - static, 342
 - router modes, 209

- routing information, basic, 210-211
 - SSH
 - limiting, 336-337
 - set up, 217-218
 - standard ACLs, 322-329
 - Telnet
 - limiting, 335
 - password, 216-217
 - VTY (Telnet) access, 328-329
 - wildcard masking, 323-325
 - config command, 209
 - options under, 209
 - configuration register, 196
 - address, hexadecimal expression
 - for, 197
 - bits, 197-199
 - meanings, 197, 198
 - numbers, 197
 - boot field, 198, 198
 - default settings, 196, 199
 - exam essentials, 199
 - managing, 197-198
 - configure memory command, 209
 - configure network command, 209
 - configure terminal command, 209
 - congestion, causes of, 3, 6, 80-81
 - connectionless network service, 14, 22
 - connection-oriented service, 14, 19
 - console messages, 237, 277
 - console password, 215
 - console port
 - for Cisco devices, 71, 72, 202, 212
 - for Cisco router, 205
 - for Cisco switch, 89
 - content addressable memory (CAM)
 - table, 95. *See also* forward/filter table
 - Context-Based Access Control (CBAC), 308, 313, 313, 314. *See also* Cisco IOS Firewall
 - exam essentials, 314
 - copy flash tftp command, 248
 - exam essentials, 249
 - copy running-config startup-config
 - command, 225
 - copy running-config tftp
 - command, 244
 - copy startup-config running-config
 - command, 244
 - copy tftp flash command, 249
 - exam essentials, 249
 - copy tftp running-config
 - command, 244
 - copy tftp startup-config command, 244
 - CPE. *See* customer premises equipment
 - CRC. *See* cyclic redundancy check
 - crossover cable, 68-69, 69, 200, 200
 - crosstalk, 78
 - CSMA/CD. *See* Carrier Sense Multiple Access with Collision Detection
 - CSU/DSU. *See* channel service unit/data service unit
 - customer premises equipment (CPE), 55
 - cyclic redundancy check (CRC), 76
-
- D**
- DA. *See* Destination Address
 - data communication equipment (DCE), 204, 356
 - exam essentials, 205
 - data encapsulation. *See* encapsulation method
 - data field, 21, 22
 - Data Link Connection Identifiers (DLCIs), 361, 362, 369
 - Data Link layer, 18, 18, 40, 42
 - Ethernet at, 75-77
 - data packet, 77
 - data terminal equipment (DTE), 204, 356
 - DCE-DTE connection, 204, 205, 223, 356, 356
 - exam essentials, 205

450 datagrams – DSLAM

- datagrams, 40
- DCE. *See* data
 - communication equipment
- debug all command, 275
 - output, 276
- debug commands, 275-277
- debug eigrp packet command, 262
 - output, 266, 268
- debug frame lmi command, 365
- debug ip eigrp notification command, 262, 268
- debug ip ospf adj command, 259, 269
 - exam essentials, 271
 - output, 260-261, 270-271
- debug ip ospf hello command, 259, 269
 - exam essentials, 271
 - output, 260, 270
- debug ip ospf packet command, 259, 269
 - exam essentials, 271
 - output, 259-260, 269-270
- debug ip rip command, 267-268, 276
 - output, 276-277
- debug ppp authentication
 - command, 373
- debugging, 259, 275-277
 - commands, 267
 - OSPF, 259-261
 - PPP authentication, 373-374
- dedicated connection, 56, 56-57
- de-encapsulation, 40
- default routing, 240-242
 - exam essentials, 242
- default-router a.b.c.d. command, 156, 161
- demarcation locations (demarcs), 55, 204, 356
- demarcation point, 55
- demarcs. *See* demarcation locations
- denial of service (DoS) attacks, 306
 - detection and prevention of, 309
 - exam essentials, 308
- Department of Defense (DoD)
 - model, 8-10
 - exam essentials, 10
 - OSI model *v.*, 9, 9-10
 - TCP/IP protocol suite *v.*, 10
- description command, 218, 219
- descriptions, 218-219
- Destination Address (DA), 76
- destination port, 20, 22
- destination_network command, 239
- DHCP. *See* Dynamic Host Configuration Protocol
- digital subscriber line (DSL), 59, 354
- Digital Subscriber Line Access Multiplexer (DSLAM), 59, 354
- Dijkstra algorithm, 252
- Direct Sequence Spread Spectrum (DSSS), 291-292
- disable command, 208
- distance-vector protocols, 205, 251
- distribute list, 279, 321
- distributed denial of service (DDoS) attacks, 306
- DIX (Digital, Intel, and Xerox), 77
- DLCIs. *See* Data Link Connection Identifiers
- DNS. *See* Domain Name Service
- DoD model. *See* Department of Defense model
- Domain Name Service (DNS), 13, 14, 150
 - exam essentials, 152
 - lookups, 155, 156
 - router configuration with, 155-156
 - resolving hostnames with, 154-156, 193-195
- DOS commands, 45-46, 92-93, 181, 233-234
- DSL. *See* digital subscriber line
- DSLAM. *See* Digital Subscriber Line Access Multiplexer

- DSSS. *See* Direct Sequence Spread Spectrum
- DTE. *See* data terminal equipment
- DTP. *See* Dynamic Trunking Protocol
- DUAL, 263, 266
- dual stacking, 173-174
- dynamic
- ACLs, 309, 310
 - command, 112
 - NAT, 342
 - configuration, 343
 - port mapping, 309
 - routing, 34, 192
- Dynamic Host Configuration Protocol (DHCP), 13-14, 14, 150-152
- BootP *v.*, 13, 151
- broadcasts and unicasts, 152, 152
- exam essentials, 152
- pools, on router, 153-154, 156, 160-161
- CLI and, 153
 - exam essentials, 156, 161
 - SDM and, 153-154
- Dynamic Trunking Protocol (DTP), 113, 132
-
- E**
- editing features, text editor and, 245, 280
- EEPROM (electronically erasable programmable read-only memory), 196
- EIA-530 connector, 204
- EIA/TIA (Electronics Industries Association and Telecommunications Industry Alliance), 78
- 232, 204, 359
 - 449, 204
- EIGRP. *See* Enhanced Interior Gateway Routing Protocol
- Electronics Industries Association and Telecommunications Industry Alliance. *See* EIA/TIA
- enable command, 208
- enable passwords, 213-214
- encapsulation ? command, 352
- encapsulation method, 39, 39
- exam essentials, 42
 - as transmitting device, 40
- encryption, of passwords, 371
- Enhanced Interior Gateway Routing Protocol (EIGRP), 35, 161, 163
- configure/verify/troubleshoot, 261-266
 - exam essentials, 266
 - popularity of, 191
 - troubleshooting commands, 262, 262-266
- erase startup-config command, 245
- ESS. *See* extended service set
- Ethernet, 72
- addressing, 75
 - exam essentials, 80
 - MAC addresses in, 75
 - cabling, 68-71, 199-203
 - exam essentials, 72
 - at Data Link layer, 75-77
 - Fast, 72, 74, 78
 - connection speed, 99
 - frames, 76-77
 - full-duplex, 54-55, 74-75
 - exam essentials, 80
 - Gigabit, 72, 78, 79
 - connection speed, 99
 - half-duplex, 54, 55, 74, 75
 - exam essentials, 80
 - networking, 52-55
 - collisions on, 53-54, 73
 - at Physical layer, 77-79
 - specifications, 78
- ETSI. *See* European Telecommunications Standards Institute
- European Telecommunications Standards Institute (ETSI), 287

- exam essentials
 - ACLs, 281, 321, 322
 - administrative functions,
 - configuration of, 219
 - cabling, 72, 205
 - CBAC, 314
 - CDP, 33
 - Cisco IOS Firewall, 309
 - classful networks, 163
 - classful/classless routing
 - protocols, 163
 - classless networks, 163, 171
 - configuration register default
 - settings, 199
 - copy flash tftp command, 249
 - copy tftp flash command, 249
 - debug ip ospf adj command, 271
 - debug ip ospf hello command, 271
 - debug ip ospf packet command, 271
 - default routing, 242
 - DHCP, 152
 - pool on router, 156, 161
 - DNS, 152
 - DoS attacks, 308
 - DTE/DCE, 205
 - 802.11 standards, 289
 - EIGRP, 266
 - encapsulation method, 42
 - Ethernet addressing, 80
 - half-duplex/full-duplex Ethernet, 80
 - Host-to-Host layer protocols, 24
 - HyperTerminal, 72, 205
 - internet layer protocols, 24
 - inter-VLAN, 121
 - IP addresses, 150
 - on interface, 161
 - IP routing, 195
 - IPv6, 175
 - addressing, 179
 - LAN, 5-6, 8, 82
 - devices, 8, 82
 - layered approach, 18
 - link-local addresses, 175, 178
 - MAC addresses, 80
 - NAT, 345, 346
 - OSI/DoD model, 10
 - OSPF, 261
 - ping command, 98, 238
 - port security, 136
 - PVST, 103
 - RIPv2, 208
 - routed protocols, 252
 - routers, Cisco
 - configuration, 246
 - IOS, 199
 - routing protocols, 252
 - RSTP, 103, 130
 - security appliances, 314
 - show access-list command, 340
 - show cdp neighbors command, 33
 - show ip interface command, 339
 - show mac address-table
 - command, 88
 - show processes command, 278
 - SSH, 219, 238
 - static routing, 242
 - STP, 99
 - switch functions, 88
 - switches, Cisco
 - configuration, 92
 - trunking, 116
 - Telnet, 238
 - traceroute command, 278
 - tracert command, 278
 - trunk port configuration, 136
 - unique local addresses, 179
 - VLAN, 109
 - switch ports in, 112
 - VTP, 103, 128
 - WAN
 - connection types, 60
 - protocols, 60
 - wireless interface, 296
 - exec process creation banner, 212
 - exitinterface command, 239
 - Express Setup HTTP screen, 90, 90

extended access lists. *See* access control lists
extended service set (ESS), 294, 295, 296
extranet VPNs, 370, 371

F

Fast Ethernet, 72, 74, 78
 connection speed, 99
FCC. *See* Federal Communications Commission
FCS. *See* Frame Check Sequence
FD. *See* feasible distance
feasible distance (FD), 265
FECN, 363, 364
Federal Communications Commission (FCC), 287
File Transfer Protocol (FTP), 11, 14
firewall voice traversal, 308
fixed configuration router, 220
flash memory, 196, 247
 verification, 247-248
flat networks, 103-104, 104
flow control, 14, 24, 41
forward/filter decisions, 84, 86-88
forward/filter table, 85, 87
 MAC, 85-86, 86
 population of, 86
FQDN. *See* fully qualified domain name
Frame Check Sequence (FCS), 23, 77
frame filtering, 86
Frame Relay, 57, 58, 353, 360
 CIR in, 366
 commands, 362-365
 encapsulation methods, 366, 369
 implementation of, 360-362
 single interface, 361
 subinterfaces, 361-362
 mappings, 369
 monitoring, 362-365

 routing problems, 369
 troubleshooting, 368-369, 369
frames, 38, 40, 41, 42
 Ethernet, 76-77
FTP. *See* File Transfer Protocol
full-duplex Ethernet, 54-55, 74-75
 exam essentials, 80
fully qualified domain name (FQDN), 13, 150, 152

G

gateway of last resort, 241. *See also* default routing
 configuration of, 241, 241-242
Generic Routing Encapsulation (GRE), 371
Gigabit Ethernet, 72, 78, 79
 connection speed, 99
Gigabit Media Independent Interface (GMII), 79
global command, 209
global configuration mode, 209, 210
global unicast address, 177
GMII. *See* Gigabit Media Independent Interface
GRE. *See* Generic Routing Encapsulation

H

half-duplex Ethernet, 54, 55, 74, 75
 exam essentials, 80
hardware addresses, 75, 80, 145. *See also* Media Access Control
HDLC. *See* High-Level Data-Link Control
header length, 20
hexadecimal expression
 for configuration register address, 197
 of IPv6 addresses, 176, 179

454 HFC – International Standardization Organization (ISO)

- layer 2 broadcast in, 14, 75, 76, 151
 - of MAC addresses, 75, 80
 - of software configuration bit meanings, 197, 198
 - HFC. *See* hybrid fibre-coaxial
 - High-Level Data-Link Control (HDLC), 58, 353, 357-358, 374
 - configuring, on Cisco routers, 358
 - frame format, 357
 - High-Speed Serial Interface. *See* HSSI
 - hop count, 250
 - OSPF, 252, 253
 - RIP, 206, 224
 - hops, 251
 - hostname command, 211, 212
 - hostnames, 211-212
 - DNS and resolving, 154-156
 - Host-to-Host layer, 9, 14
 - protocols, 19-24
 - exam essentials, 24
 - purpose of, 19
 - HSSI (High-Speed Serial Interface), 204
 - hubs, 8
 - bridges *v.* switches *v.* routers *v.*, 8
 - switches *v.*, 52, 67
 - hybrid fibre-coaxial (HFC), 59, 354
 - hybrid protocols, 251
 - HyperTerminal, 70, 70, 71, 201, 201, 202
 - exam essentials, 72, 205
-
- I**
- IARP. *See* Inverse ARP
 - IBSS. *See* infrastructure basic service set
 - ICMP. *See* Internet Control Message Protocol
 - IDS. *See* intrusion detection systems
 - IEEE (Institute of Electrical and Electronics Engineers), 287
 - IEEE 802.1Q, 103
 - IEEE specifications
 - 802.3 standards, 78-79
 - expanded, 79
 - 802.11 standards, 288, 288-289
 - exam essentials, 289
 - wireless network and, 290-293
 - IETF. *See* Internet Engineering Task Force
 - IGRP. *See* Interior Gateway Routing Protocol
 - implicit deny, 280, 281
 - inbound ACLs, 280. *See also* access control lists
 - incoming terminal line banner, 212
 - infrared WLANs, 287
 - infrastructure basic service set (IBSS), 295, 295
 - Institute of Electrical and Electronics Engineers. *See* IEEE
 - Integrated Services Digital Network (ISDN), 58, 353
 - Integrated Services Router (ISR), 196, 225
 - interface
 - bringing up, 159, 222
 - configuration, 219-223
 - IP address configuration on, 159-161, 222, 223
 - exam essentials, 161
 - interface configuration mode, 261
 - interface configurations, 156
 - for Cisco routers, 156-159
 - interface eo, 220, 222
 - interface fastethernet 0/0, 220, 222
 - interface serial 0/1/0, 221, 222
 - interface type number sequence, 220
 - Interior Gateway Routing Protocol (IGRP), 161, 163
 - International Standardization Organization (ISO), 17-18

- Internet, 12, 172
 - IPv6 and, 171, 172
 - names, 150
 - security and, 305
 - Internet Control Message Protocol (ICMP), 24
 - inspection, 308
 - in internetwork, 37-38, 38
 - Internet Engineering Task Force (IETF), 366, 369
 - Internet layer, 9
 - protocols, 24
 - exam essentials, 24
 - Internet Protocol (IP), 24. *See also*
 - IP addressing
 - routing, 36-37
 - examples, 36, 37
 - terminology, 146
 - Internet Protocol version 6 (IPv6), 145, 171-175
 - addresses, 175-179
 - brackets for, 176
 - exam essentials, 179
 - example, 176
 - hexadecimal expression for, 176, 179
 - shortened expression, 176-177
 - special, 178
 - types, 177-178
 - benefits/uses of, 172-173
 - dual stacking and, 173-174
 - exam essentials, 175
 - Internet and, 171, 172
 - need for, 172, 175
 - internetworks, 2. *See also* network(s)
 - basics, 4-5
 - broadcast domains in, 7, 8
 - collision domains in, 7, 8
 - ICMP in, 37-38, 38
 - LANs in, 80
 - switches in, 6, 7, 8, 51
 - Inter-Switch Link (ISL), 88
 - inter-VLAN routing, configuration of, 116-122
 - exam essentials, 121
 - examples, 117, 118, 120, 122
 - intrusion detection, 308
 - intrusion detection systems (IDS), 310
 - intrusion prevention systems (IPS), 310
 - inverse ARP (IARP), 365
 - IOS. *See* Cisco IOS Firewall; Cisco routers
 - IP. *See* Internet Protocol
 - IP access lists. *See* access control lists
 - ip address *address mask* command, 160, 223
 - ip address command, 159, 222
 - IP addressing, 145, 146. *See also*
 - Variable Length Subnet Masks
 - Class A, 146-147
 - Class B, 147
 - Class C, 147-148
 - configuration on interface, 159-161, 222, 223
 - exam essentials, 150
 - mismatched, in WAN, 367, 367-368
 - private, 149, 150
 - reserved, 149
 - problems, 47, 48, 49, 50, 182, 183
 - reserved, 148, 148
 - special purposes, 148, 148
 - switches and, 95
 - troubleshooting, 43-50, 44, 179, 179-184
 - diagnostic steps, 43, 180-181, 184
 - ping command for, 43-45, 180-181
- ip classless command, 240, 241
- ip default-network command, 241
- ip dhcp pool_name network_address mask command, 156, 161
- ip domain-lookup command, 155, 156, 194

ip domain-name command, 155, 156, 194

ip name-server command, 155, 156, 194

ip nat inside command, 345

ip nat inside list *list-number* pool *pool-name* overload command, 346

ip nat outside command, 345

ip route command, 239

IP routing, 36-37, 191

- exam essentials, 195
- examples, 36, 37

IP spoofing, 306

ipconfig/all command, 46, 50, 93, 181, 184, 234

IPS. *See* intrusion prevention systems

IPv6. *See* Internet Protocol version 6

ISDN. *See* Integrated Services Digital Network

ISL. *See* Inter-Switch Link

ISM bands, 287, 292

ISO. *See* International Standardization Organization

ISR. *See* Integrated Services Router

J

java applet blocking, 309

K

keepalives, 230, 231, 233, 366, 373

L

L2F. *See* Layer 2 Forwarding

L2TP. *See* Layer 2 Tunneling Protocol

LANs. *See* local area networks

LAPB. *See* Link Access Procedure, Balanced

LAPD. *See* Link Access Procedure, D-Channel

latency, 51

layer 2 devices, 4, 51, 52

Layer 2 Forwarding (L2F), 370

layer 2 switching, 4, 51, 67

- advantages, 83
- benefits, 104
- functions, 84-88
- limitations, 83-84

Layer 2 Tunneling Protocol (L2TP), 370

layer 3 devices, 4, 51

layered architecture, 15

layers, 15

LCP. *See* Link Control Protocol

leased lines, 56-57, 60

length field, 22, 77

line command, 214

line console 0 command, 215

Line Printer Daemon (LPD), 12

Link Access Procedure, Balanced (LAPB), 58, 353

Link Access Procedure, D-Channel (LAPD), 58, 353

Link Control Protocol (LCP), 358, 359, 374

link-local addresses, 177

- exam essentials, 175, 178

link-state protocols, 251

LLC, 39, 357

LMI (Local Management Interface), 365-366

local area networks (LANs)

- devices, 2-5, 81-82
- exam essentials, 8, 82
- exam essentials, 5-6, 8, 82
- interchangeable terms for, 5, 80, 82
- internetwork as collection of, 80
- traffic congestion, causes of, 3, 6, 80-81
- WAN *v.*, 55

local loop, 55, 59

Local Management Interface.

See LMI

local stack, testing of, 50
 Lock and Key, 309, 310
 login banner, 212
 login command, 214, 215, 216
 no, 214, 216, 236
 logout command, 208
 loop avoidance, 84
 loopback address, 44, 180
 LPD. *See* Line Printer Daemon

M

MAC. *See* Media Access Control
 MAC forward/filter table, 85-86, 86
 MAC frame format, 76
 man-in-the-middle attacks, 306
 Media Access Control (MAC)
 addresses, 75
 in Ethernet addressing, 75
 exam essentials, 80
 hexadecimal expression,
 75, 80
 length of, 75, 80
 local, 36, 37, 38
 tables, 96, 97
 static MAC address in, 97
 authentication, 297, 298
 layer protocol, 360, 374
 Media Independent Interface
 (MII), 79
 message of the day (MOTD) banner,
 154, 212, 213
 MII. *See* Media Independent Interface
 mini-IOS, 195
 MOTD banner. *See* message of the
 day banner
 MPLS. *See* multiprotocol
 label switching
 multicast addresses, 178
 multiprotocol label switching (MPLS),
 57, 59, 354

N

named ACLs, 279, 321. *See also* access
 control lists
 NAT. *See* Network Address Translation
 NBMA network. *See* non-broadcast
 multi-access network
 NCP. *See* Network Control Protocol
 netmask command, 346
 network(s), 80. *See also* internetworks;
 IP addressing
 address, 146
 classful, 161, 162
 exam essentials, 163
 classless, 161, 163
 exam essentials, 163, 171
 command, 156, 161
 connectivity, 93-95
 ping command and, 93-94,
 234-235
 traceroute command
 and, 94-95, 235-236
 diagrams, interpret, 24-33
 exponential growth of, 80
 port, 99
 reconnaissance, 306
 secured, 305
 segmentation, 2, 3, 81
 traditional, 107, 107
 Network Access layer, 9-10
 Network Address Translation (NAT),
 149, 309, 340-342
 advantages/disadvantages of, 341
 configuration, 341
 SDM and, 344-345
 dynamic, 342
 configuration, 343
 exam essentials, 345, 346
 overloading, 342
 command, 346
 configuration, 343
 static, 341
 configuration, 342

- troubleshooting, 345, 345-346, 346
 - types of, 341-342
 - wizards, 345
 - Network Control Protocol (NCP), 358, 359, 374
 - Network File System (NFS), 12
 - network interface card (NIC), 43
 - hard-coded address in, 75, 145
 - problems, 43, 180
 - Network layer, 18, 18, 40, 42
 - network management stations (NMSs), 17
 - Network Time Protocol (NTP)
 - synchronization, 311
 - next-hop_address command, 239
 - NFS. *See* Network File System
 - nibble, 79, 197
 - NIC. *See* network interface card
 - NMSs. *See* network management stations
 - no debug all command, 276
 - no ip domain-lookup command, 155, 194
 - no login command, 214, 216, 236
 - no shutdown command, 159, 222, 231, 233
 - non-broadcast multi-access (NBMA) network, 360
 - nonvolatile RAM. *See* NVRAM
 - Novelle protocol, 3
 - NTP synchronization. *See* Network Time Protocol synchronization
 - NVRAM (nonvolatile RAM), 196
 - copying router configuration to, 243-244
-
- O**
- octet, 146
 - OFDM modulation. *See* Orthogonal Frequency Division Multiplexing modulation
 - one-to-many addresses, 178
 - open access, 297
 - open authentication, 297, 298, 299
 - Open Shortest Path First (OSPF), 161, 163, 171
 - areas, 253, 254
 - configuration of, 254-259
 - commands, 255-259, 261
 - configure/verify/troubleshoot, 252-261
 - debugging, 259-261
 - commands for, 259, 269
 - exam essentials, 261
 - features, 252, 252-253, 253
 - hierarchical design of, 253
 - example, 253, 254
 - hop count, 252, 253
 - popularity of, 191
 - Process ID, 254
 - RIPv1 *v.* RIPv2 *v.*, 252-253
 - single-area configuration, 261
 - Open Systems Interconnection (OSI) model, 2, 16-17
 - creation of, 15
 - DoD model *v.*, 9, 9-10
 - exam essentials, 10
 - layered approach, 15-16
 - exam essentials, 18
 - lower layers, 16, 17
 - upper layers, 16, 17
 - operating system, 13, 151
 - options field, 21
 - organizationally unique identifier (OUI), 75
 - Orthogonal Frequency Division Multiplexing (OFDM) modulation, 291-292
 - OSI model. *See* Open Systems Interconnection model
 - OSPF. *See* Open Shortest Path First
 - OUI. *See* organizationally unique identifier

outbound ACLs, 280. *See also* access control lists
 overloading, 342
 command, 346
 configuration, 343

P

packet filtering, 4
 Packet InterNet Groper. *See* ping
 packet sniffers, 307
 packet switching, 4, 56, 57, 60
 packets, 40
 compared with access list, 279
 passive state, 265
 passphrase, 298
 passwords
 attacks, 307
 auxiliary, 215
 console, 215
 enable, 213-214
 encryption of, 371
 setting of, for Cisco routers, 213-218
 Telnet, 216-217
 PAT. *See* Port Address Translation
 PDUs. *See* Protocol Data Units
 peer router authentication, 309
 permanent option, 239
 Per-VLAN Spanning Tree (PVST), 98, 102
 exam essentials, 103
 physical interfaces, 229
 Physical layer, 18, 18, 42
 Ethernet at, 77-79
 specifications, 78
 ping ? command, 226
 ping (Packet InterNet Groper)
 command, 46, 92, 181, 226, 233
 exam essentials, 98, 238
 network connectivity and, 93-94, 234-235
 SDM and, 273, 273-274
 for troubleshooting IP addresses, 43-45, 180-181
 using, 272
 “ping of death” attacks, 306
 point of presence (POP), 56
 point-to-point connection, 56, 56-57
 Point-to-Point Protocol (PPP), 58, 353, 355, 358-359
 authentication, 372, 372-373
 debugging, 373-374
 example, 372
 failed, 373
 callback in, 358
 components, 359
 configuring, on Cisco routers, 359-360
 Data Link layer protocols, 360, 374
 encapsulation
 enabling, 371-372
 verifying, 372-373
 stack, 359
 Point-to-Point Protocol over Ethernet (PPPoE), 59, 354
 Point-to-Point Tunneling Protocol (PPTP), 370
 POP. *See* point of presence
 Port Address Translation (PAT), 342
 configuration, 343
 port numbers, 40-41
 at Transport layer, 41, 42
 reserved, 42
 well-known, 41
 ports
 auxiliary, 212, 213, 214, 215
 console
 for Cisco devices, 71, 72, 202, 212
 for Cisco router, 205
 for Cisco switch, 89
 destination, 20, 22
 redirection attacks, 307
 RJ-45, 99

460 POST (power-on self-test) – router ospf process-id command

security, 130-131, 135-136
 exam essentials, 136
 source, 20, 22
 trunk, configuration of, 132-135
 POST (power-on self-test), 195
 power-on self-test. *See* POST
 PPP. *See* Point-to-Point Protocol
 PPPoE. *See* Point-to-Point Protocol
 over Ethernet
 PPTP. *See* Point-to-Point
 Tunneling Protocol
 Preamble, 76
 prefix-length 29 statement, 346
 Presentation layer, 18, 18
 private domains, switches and, 83
 private IP addresses, 149, 150
 reserved, 149
 privileged exec mode (privileged
 mode), 208, 210
 Process ID, OSPF, 254
 Process/Application layer, 9
 protocols, 11-12, 14
 Protocol Data Units (PDUs), 39, 39
 layer addressing and, 41
 protocols. *See specific protocols*
 pruning
 VLAN, 114, 115, 134
 VTP, 101, 123, 124
 PVST. *See* Per-VLAN
 Spanning Tree

Q

question mark (?), for router
 configuration help, 216

R

RAM (random access
 memory), 196
 random access memory.
 See RAM

Rapid Spanning-Tree Protocol (RSTP)
 802.1w, 102
 command for enabling, 130
 configuration of, 128-130
 exam essentials, 103, 130
 RARP. *See* Reverse ARP
 rate shifting, 290, 291
 RCFs. *See* Requests for Comments
 read-only memory. *See* ROM
 reconnaissance, network, 306
 reference models, 15. *See also* Open
 Systems Interconnection model
 advantages of, 16
 reflexive ACLs, 310. *See also* access
 control lists
 registered jack (RJ) connector, 78
 remarks tool, 311-312
 remote access VPNs, 370, 371
 Requests for Comments (RCFs), 22
 reserved field, 20
 restoring
 Cisco IOS, 249
 upgrading and, 249
 Cisco router configuration, 244-245
 Reverse ARP (RARP), 24
 RIPv1. *See* Routing
 Information Protocol
 RIPv2. *See* Routing Information
 Protocol version 2
 RJ (registered jack) connector, 78
 RJ45 cables, 78, 202. *See also* cabling
 RJ-45 port, 99
 rolled cable, 69, 69, 200-201, 201
 ROM (read-only memory), 196, 196
 ROM monitor, 195
 route aggregation, 170. *See*
 also summarization
 routed protocols, 191, 250
 exam essentials, 252
 examples of, 250, 252
 router configuration mode, 261
 router eigrp command, 262
 router ospf *process-id* command, 261

routers, 3-5, 4, 81, 192. *See also*
 Cisco routers
 administrative configurations for,
 211-219
 advantages of, 4, 81
 boot sequence, 196-197
 bridges *v.* switches *v.* hubs *v.*, 8
 DHCP pools on, 153-154, 156,
 160-161
 DNS lookups and configuration of,
 155-156
 fixed configuration, 220
 functions, 4
 gathering information on,
 210-211
 modes, 209
 routing with, 34
 security implementation for,
 278-281
 switch, bridge and, in network,
 6, 7
 switches *v.*, 5
 terms, 210
 VLANs and, 67

routing, 34, 192
 basic concepts, 191-195
 default, 240-242
 exam essentials, 242
 dynamic, 34, 192
 example, 34, 35
 IP, 36-37, 191
 exam essentials, 195
 examples, 36, 37, 192-193, 193
 with routers, 34
 static, 34, 192, 238-240
 exam essentials, 242
 troubleshooting, 267-271
 commands for, 267-271

Routing Information Protocol (RIPv1),
 35, 161, 163
 hop count, 206, 224
 RIPv2 *v.*, 205-206, 206
 OSPF *v.*, 252-253

Routing Information Protocol version
 2 (RIPv2), 161, 163, 169, 171
 configuring/verifying/
 troubleshooting, 205-208
 exam essentials, 208
 hop count, 206, 224
 multicast address, 206, 208
 RIPv1 *v.*, 205-206, 206
 OSPF *v.*, 252-253

routing protocols, 250
 classes of, 251
 exam essentials, 252
 examples of, 250, 252

routing table, 5, 34

RSTP 802.1w. *See* Rapid
 Spanning-Tree Protocol 802.1w

running-config file, 197, 209

RXBOOT, 195

S

SA. *See* Source Address

SDLC. *See* Synchronous Data
 Link Control

SDM (Security Device Manager), 273
 DHCP pool configuration with,
 153-154
 NAT configuration with, 344,
 344-345
 pinging with, 273, 273-274

secondary parameter, 160

secure shell (SSH), 217
 access, ACLs for limiting, 336
 command, 234
 exam essentials, 219, 238
 setting up, 217-218
 Telnet *v.*, 217
 using, 237-238
 on VTY line, command for, 337

secured network, 305

security
 appliances, 310, 314
 exam essentials, 314

462 Security Device Manager – show ip ospf neighbor command

- basic strategy, 307
- Cisco IOS Firewall and, 305-309
- Internet and, 305
- port, 130-131, 135-136
- router, 278-281
- switch, 130-136
- threats, 305-307
 - ACLs and mitigation of, 314-315
 - VLAN, 105-106
 - wireless network, 296-299
- Security Device Manager. *See* SDM
- segmentation, network, 2, 3, 81
- segments, 39
- sequence number, 20
- serial interface, 3
 - commands, 223-225
- serial transmission, 203-204
- server mode, VTP, 101, 102
- service password-encryption command, 371
- service set identifiers (SSIDs), 294, 297
 - exam essentials, 295
 - on wireless interface, 295
- service sets, 294-296
- Session layer, 18, 18
- setup mode, 210
- SFD. *See* Start Frame Delimiter
- shared-key authentication, 297, 298, 299
- shortest-path-first protocols, 251
- show access-list 110 command, 337
- show access-list command, 337
 - exam essentials, 340
- show cdp command, 25
 - output, 26-27, 27
- show cdp entry * commands, 29, 30
 - output, 29-30
- show cdp entry * protocol command, 227
- show cdp neighbors command, 26, 32, 33
 - exam essentials, 33
- show cdp neighbors detail command, 27, 28, 33, 368
 - output, 27-28
- show controllers command, 223
- show flash command, 247
 - output, 248
- show frame ? command, 362
- show frame map command, 364-365
- show frame pvc command, 363-364
- show frame-relay lmi command, 363
- show interface command, 95, 159, 211, 222, 364
 - output, 228, 233
 - statistics of, 230
 - verifying with, 227-232
- show interface fastethernet 0/0 command, 229
- show interface *int* command, 222
- show interface serial 0/0/0 command, 231
- show ip access-list command, 337
- show ip arp command, 46, 93, 181, 234
- show ip eigrp neighbors command, 262
 - output, 264
- show ip eigrp topology command, 256, 262
 - output, 264-265
- show ip interface brief command, 211, 233
 - helpfulness of, 233
- show ip interface command, 232, 337
 - exam essentials, 339
 - verifying with, 232
- show ip ospf command, 255-256
- show ip ospf database command, 256-257
- show ip ospf interface command, 257-258
- show ip ospf neighbor command, 258-259
 - importance of, 258

- show ip protocols command, 267
- show ip route command, 35, 192, 262
 - output, 263
- show ip route eigrp command, 262
- show mac access-group command, 337
- show mac address-table command, 87, 95-97
 - exam essentials, 88
 - output, 87
- show processes command, 277-278
 - exam essentials, 278
 - output, 278
- show processes cpu command, 277
- show running-config command, 31-32, 33, 95, 159, 160, 222, 226, 337
- show spanning-tree command, 97-98, 102
- show startup-config command, 226
- show version command, 210, 247
 - output, 248
- show vlan brief command, 125
- show vlan command, 110
- show vtp status command, 123, 124, 128
- shutdown command, 159
- Simple Mail Transfer Protocol (SMTP), 12, 14
- Simple Network Management Protocol (SNMP), 12-13
- site-to-site VPNs, 370, 371
 - 6to4 tunneling, 174, 174-175
- smart-serial serial connection, 204, 355
- SMTP. *See* Simple Mail Transfer Protocol
- SNMP. *See* Simple Network Management Protocol
- software configuration bit meanings, hexadecimal expression for, 197, 198
- Source Address (SA), 77
- source port, 20, 22
- spanning tree protocol (STP), 84
 - exam essentials, 99
 - special addresses, IPv6, 178
 - specific configuration modes, 210
- SSH. *See* secure shell
- ssid *ssid-name* command, 295
- SSIDs. *See* service set identifiers
- Stacheldraht attack, 306
- standard access lists. *See* access control lists
- Start Frame Delimiter (SFD)/Synch, 76
- startup-config file, 196, 209
- Stateful IOS Firewall inspection engine, 308
- static NAT, 341
 - configuration, 342
- static routing, 34, 192, 238-240
 - benefits, 238
 - disadvantages, 239
 - exam essentials, 242
 - example, 239, 240
- sticky command, 136
- STP. *See* spanning tree protocol
- straight-through cable, 68, 68, 199, 199-200
- subinterfaces, 109, 116
 - Frame Relay implementation and, 361-362
 - multipoint, 362
 - point-to-point, 362
- subnet mask, 13
- subnets, 5
- subnetting, IP, 145. *See also* IP addressing
- summarization, 170, 170-171
 - auto, 253
- switches, 3, 5, 81. *See also* Cisco Catalyst switches
 - administrative configurations for, 211-219
 - benefits of, 52, 67
 - bridge, router and, in network, 6, 7
 - bridges *v.*, 5, 82, 84
 - bridges *v.* routers *v.* hubs *v.*, 8
 - Cisco Frame Relay, 366

configuration errors, 99
 functions, **84-88**
 exam essentials, 88
 hubs *v.*, 52, 67
 in internetwork, 6, 7, 8, 51
 IP addresses and, 95
 port LED on, 99
 green/amber, 99, 100
 private domains and, 83
 routers *v.*, 5
 security implementation for,
 130-136
 switching, 67. *See also* layer
 2 switching
 enhanced, 100-103
 switchport access command,
 112, 132
 switchport mode access command,
 112, 132
 switchport mode dynamic auto
 command, 113, 132
 switchport mode dynamic desirable
 command, 113, 132
 switchport mode trunk command, 113,
 116, 132
 switchport nonegotiate command,
 113, 132
 switchport port-security mac-address
 mac-address command, 131, 135
 Synchronous Data Link Control
 (SDLC), 58, 353
 system image
 backing up, 248
 configuration files management,
 242-246
 copying from workstation to router,
 246, 246-247
 default storage, 196, 199
 flash memory verification and,
 247-248
 management, 246-249
 restoring or upgrading, 249
 “system restarted by bus error”
 message, 210

T

table, VLSM, 164, 165
 TCP. *See* Transmission
 Control Protocol
 TCP SYN flood, 306
 TCP/IP protocol suite, 10
 DoD model *v.*, 10
 Telnet, 11, 14
 access, ACLs for limiting, 335
 exam essentials, 238
 password, 216-217
 SSH *v.*, 217
 VTY access, 328-329
 telnet command, 234, 236, 237
 Teredo, 175
 terminal monitor command, 277
 text editor, editing features and,
 245, 280
 TFN. *See* Tribe Flood Network
 TFTP. *See* Trivial File
 Transfer Protocol
 thicknet, 78
 thin protocol, 21
 thinnet, 78
 time-based ACLs, 309, 311. *See also*
 access control lists
 toll network, 56
 traceroute command, 46, 93, 181, 184,
 227, 234
 exam essentials, 278
 network connectivity and, 94-95,
 235-236
 tracert command *v.*, 95, 236,
 274, 278
 using, **274-275**
 tracert command, 46, 93, 181,
 184, 234
 exam essentials, 278
 traceroute command *v.*, 95, 236,
 274, 278
 traditional network, 107, 107

- traffic congestion, causes of, 3, 6, 80-81
 - traffic filtering, with Cisco IOS
 - Firewall, 309
 - Transmission Control Protocol (TCP),
 - 19-21, 24
 - key features of, 23-24
 - segment format, 19-21, 20
 - UDP *v.*, 21-22
 - transparent bridging, 52
 - transparent mode, VTP, 100, 101-102, 102
 - transport input ssh telnet command, 337
 - Transport layer, 14, 18, 18, 39
 - port numbers at, 41, 42
 - reserved, 42
 - trap, 13
 - Tribe Flood Network (TFN), 306
 - Tribe Flood Network 2000 (TFN2K), 306
 - Trivial File Transfer Protocol (TFTP), 12, 14
 - server, 244
 - backing up Cisco IOS to, 248
 - copying router configuration to, 244
 - trojan horse attacks, 307
 - troubleshooting
 - ACLs, 340
 - EIGRP
 - commands for, 262, 262-266
 - configure/verify and, 261-266
 - Frame Relay, 368-369, 369
 - IP addressing, 43-50, 44, 179, 179-184
 - diagnostic steps, 43, 180-181, 184
 - ping command for, 43-45, 180-181
 - NAT, 345, 345-346, 346
 - OSPF, configure/verify and, 252-261
 - RIPv2, configure/verify/ and, 205-208
 - routing, 267-271
 - commands for, 267-271
 - VTP, 126-128
 - WANs, 366-368
 - trunk command, 112
 - trunk links, 101, 103
 - trunk ports, configuration of, 132-135
 - exam essentials, 136
 - trunking, on Cisco Catalyst switches, 112-116, 132-133
 - allowed VLANs in, 114, 133-134
 - exam essentials, 116
 - 3560 switch, 113-114, 116, 133
 - 2960 switch, 112-113, 116, 132
 - trust exploitation attacks, 307
 - trusted networks, 304, 305
 - tunneling, 76
 - 6to4, 174, 174-175
 - protocols, 370-371
 - twisted-pair copper cabling, 99
 - Type field, 77
-
- ## U
- UDP. *See* User Datagram Protocol
 - unicast address, 177
 - Unicast packet, 14
 - UNII band, 287, 292
 - unique local addresses, 177-178
 - exam essentials, 179
 - unlicensed frequencies, 287
 - unshielded twisted pair (UTP) cabling, 71, 78, 202. *See also* cabling
 - untrusted networks, 304, 305
 - upgrading or restoring, Cisco IOS, 249
 - urgent field, 20
 - URL Filtering, 309
 - User Datagram Protocol (UDP), 14, 21-24
 - key features of, 23-24

segment format, 22-23, 23
 TCP *v.*, 21-22
 user exec mode (user mode),
 208, 210
 UTP. *See* unshielded twisted pair

V

V.35 connector, 204
 Variable Length Subnet Masks
 (VSLMs), 145, 162
 block sizes, 163-164, 164
 network design, 161, 162-163, 163
 example, 169, 169-170, 170
 example 1, 166
 example 2, 166
 table, 164, 165
 example 1, 167
 example 2, 168
 variance command, 265
 virtual circuits, 19, 22, 24, 24, 41, 41
 multiple, 361
 virtual LANs (VLANs), 8, 67. *See*
also inter-VLAN routing,
 configuration of
 1 (administrative), 110
 allowed, on trunk, 114
 assigning switch ports to, 111-112
 exam essentials, 112
 broadcast control in, 105
 configuration, 108-111
 exam essentials, 109
 flexibility/scalability, 106-109, 108
 management, 92
 network management simplification
 with, 105
 pruning, 114, 115, 134
 routers and, 67
 security in, 105-106
 trunk port native, changing/
 modifying, 115-116, 134-135
 virtual private networks (VPNs),
 370, 371

categories of, 370, 371
 extranet, 370, 371
 remote access, 370, 371
 site-to-site, 370, 371
 viruses, 307
 VLAN Trunk Protocol (VTP), 67, 88,
 100-102
 client mode, 101, 102
 configuration of, 123-126
 exam essentials, 103, 128
 features, 100
 goals of, 100
 modes of operation, 101-102, 102
 pruning, 101, 123, 124
 server mode, 101, 102
 transparent mode, 100,
 101-102, 102
 troubleshooting, 126-128
 VLANs. *See* virtual LANs
 VPNs. *See* virtual private networks
 VSLMs. *See* Variable Length
 Subnet Masks
 VTP. *See* VLAN Trunk Protocol
 VTY (Telnet) access, 328-329

W

WANs. *See* wide area networks
 well-known port numbers, 41
 WEP. *See* Wired Equivalency Protocol
 wide area networks (WANs), 55
 connection types, 56-57
 exam essentials, 60
 LAN *v.*, 55
 mismatched encapsulations, 366,
 366-367
 mismatched IP addresses in, 367,
 367-368
 protocols, 58-59, 353-354
 exam essentials, 60
 router connections, 203
 serial transmission, 203-204,
 355-356

- support, 57-59
- terminology, 55-56
- troubleshooting, 366-368
- typical connection, 223
- Wi-Fi Alliance, 287, 288
- Wi-Fi Protected Access. *See* WPA
- wildcard masking, 323-325
- wildcards, 323
- windowing, 22, 24, 58, 353
- Wired Equivalency Protocol (WEP), 297, 298
- wireless agencies, 287
- wireless interface, 293-294
 - exam essentials, 295, 296
 - SSID on, 295
- wireless LANs (WLANs), 286
 - infrared, 287

- wireless networks, 290-296
 - 802.11 standards and, 290-293
 - security, 296-299
- wireless standards, 287
- WLAN Association (WLANA), 287
- WLANs. *See* wireless LANs
- WPA (Wi-Fi Protected Access), 298-299
- WPA 2 Pre-Shared Key, 298

X

- X Window, 12
- X.25 technology, 57, 353, 360