

# Index

- Abrikosov flux lines 257  
Abrikosov lattice 257, 259  
Abrikosov state 258–9, 265  
AD method, *see* Arc-discharge (AD) method  
Aerosol flame deposition 55  
 $\alpha$ -Fe<sub>2</sub>O<sub>3</sub> nanowires/nanorods/nanobelts 121  
 $\alpha$ -FeOOH nanotubes 105, 108  
AgIn(WO<sub>4</sub>)<sub>2</sub> nanotubes 108  
Ag nanorods 116  
Ag nanotubes 81  
Ag<sub>2</sub>Se  
  nanotubes 88  
  nanowires 142  
Ag-TCNQ nanowires 143  
Ag<sub>2</sub>Te nanotubes 88  
ALD, *see* Atomic layer deposition (ALD)  
AlN nanowires/nanorods 125, 143–4  
Al<sub>2</sub>O<sub>3</sub>  
  nanotubes 91, 96, 99  
  nanowires 145  
Alumina membranes (AMs) 78, 79  
Aluminogermanate nanotubes 108  
Amino acids 167  
Ammonia sensing 140  
 $\alpha$ -MnO<sub>2</sub>  
  nanotubes 102  
  nanowires 140  
Amphotericin B 204  
AMs, *see* Alumina membranes (AMs)  
Anion exchange reaction 166  
Anion-Frenkel defects 5  
Anti-EGFR, *see* Anti-epidermal growth factor receptor (Anti-EGFR)  
Anti-epidermal growth factor receptor (Anti-EGFR) 132  
Antigens 129  
Arc-discharge (AD) method 200  
*As-myc* 173  
Atomic layer deposition (ALD) 94, 96  
Atom transfer radical polymerisation (ATRP) 216  
ATRP, *see* Atom transfer radical polymerisation (ATRP)  
Au/Ag nanorods 117  
Au nanoparticles 175  
Au nanorods/nanowires  
  in conjugates with DNA 132–3  
  properties and applications 130–4  
  silica coating procedure 130  
  synthesis 116–17, 127–9  
Au nanotubes 79–81, 115  
Au@ZnO core-shell composite 13  
Azomethine ylides 195–6, 204, 215  
Ball milling 10–11, 30  
Barium fluoride 32  
Barium titanate, *see* BaTiO<sub>3</sub>  
BaTiO<sub>3</sub> 50  
  nanofibres 115  
  nanotubes 108, 115  
Batteries, *see* Lithium ion batteries  
BCN nanotubes 111  
BC<sub>4</sub>N nanotubes 111  
 $\beta$ -Co(OH)<sub>2</sub> nanoneedles 104  
BCS theory 246–8  
Beam epitaxy 13  
BET method, *see* Brunauer–Emmett–Teller (BET) analysis  
 $\beta$ -Ga<sub>2</sub>O<sub>3</sub> nanostructures 121  
BiFeO<sub>3</sub> nanotube arrays 115  
Bi nanotubes 115  
Bi nanowires 131  
Bingel–Hirsch cyclopropanation reaction 195, 196, 215

- Biofunctional molecules-LDH hybrids 166–8
- Biomimetic synthesis 92, 122
- Bird–Dorn–Mukherjee equation 29
- $\text{Bi}_2\text{S}_3$   
nanorods/nanowires 88, 124  
nanotubes 88–9
- $\text{Bi}_2\text{Se}_3$  nanotubes 89
- Bismuth subcarbonate nanotubes 109
- Bismuth telluride, *see*  $\text{Bi}_2\text{Te}_3$
- $\text{Bi}_2\text{Te}_3$   
nanotubes 89–90  
nanowires/nanorods 125, 142
- BN  
nanorods 144  
nanotubes 109–11, 114–15
- Boehmite nanotubes 108
- Brunauer–Emmett–Teller (BET) analysis 15–16
- Calcium fluoride, nanocrystalline films of 32–3
- Calcium sulfate nanotubes 109
- Campotheclin (CPT) 171
- Cancer cell imaging 132
- Carbonate co-precipitation route 55
- Carbon nanostructures 189–90, 219  
cup-stacked nanotubes 209–10  
nanobuds 211–12  
nanohorns 210–11  
nano-onions 213–16  
nanotori 212–13  
*see also* Carbon nanotubes (CNTs)
- Carbon nanotubes (CNTs) 189, 219  
brick-walled 216  
covalent functionalisation 201–5  
endohedral functionalisation 208–9  
in synthesis of oxide nanotubes 78, 97  
noncovalent functionalisation 205–8  
production of 200–1  
types 200–1  
water-soluble 204–5
- Catalysis 55–60
- Cation-Frenkel defects 4–5
- $\text{CdCl}_2$  nanotubes 113
- $\text{CdO}$  nanotubes 99
- $\text{Cd}_3\text{P}_2$  nanotubes 113
- CdS  
nanorods/nanowires 123–4, 126, 142, 144  
nanotubes 87–8, 99
- CdSe  
nanorods/nanowires 123–4  
nanotubes 87, 88, 99
- CdTe  
nanotubes 88  
nanowires 124
- $\text{CeB}_6$  nanowires 126
- $\text{Ce}_2@\text{C}_{80}$  195
- Cell cycle 177
- Cellular uptake 174–9
- $\text{CeO}_2$   
nanotubes 107–8  
in solid oxide fuel cells 39–40, 54–5  
transport data 31, 39–41, 63
- $\text{Ce}(\text{OH})_3$  nanotubes/nanorods 107
- Ceramic oxide coatings 129
- Ceria, *see*  $\text{CeO}_2$
- Chalcogenide nanotubes 85, 86–90
- Chalcogenide nanowires 123–7, 41–2
- Chemical vapour deposition (CVD) 78, 200
- Chlorpromazine (CPZ) 176, 178
- $\text{C}_{32}\text{H}_{70}\text{N}_2\text{ZnSO}_4$  nanotubes 109
- Chrysotile nanotubes 108
- Clathrin-mediated endocytosis 175–9
- CNTs, *see* Carbon nanotubes (CNTs)
- Coaxial cables 113–14
- Coble creep 29, 43
- $\text{CoFe}_2\text{O}_4$  nanotube arrays 105
- Co microtubules 81
- Co nanotubes 83
- Conductivity, in ionic metal oxides 7–10
- CoNi nanowires 117
- Contrast agents 61–2
- Conversion reactions 51–2
- CoO 51
- $\text{Co}_3\text{O}_4$   
in lithium ion batteries 51, 52  
nanotubes 99, 105
- CoP nanowires 127
- Coprecipitation technique 166
- Core-shell structures 13, 129–30
- Correlation factor 27
- $\text{CoTiO}_3$  50
- CPT, *see* Campotheclin (CPT)
- CPZ, *see* Chlorpromazine (CPZ)
- Creep  
Coble 29, 43  
compression 42–3  
diffusional 29  
in large grained ceramics 43–4

- measurements 21, 28–9
- Nabarro–Herring 29, 43
- Critical current density 259
- Critical temperature 229–30, 231
- CrO<sub>2</sub> nanorods 120
- Cu nanotubes 83
- CuO nanotubes 105
- CuSe nanotubes 88
- CuS nanotubes 87
- Cu<sub>2</sub>S nanowires 124
- Cu-TCNQ nanowires 143
- CVD, *see* Chemical vapour deposition (CVD)
- Cycloaddition reactions 204
  - 1,3-dipolar 195–6, 215
  - [2+1] 196, 216
- Cyclodextrin 173
- D-A systems, *see* Donor–acceptor (D-A) systems
- Debye frequency 230
- Debye–Hückel theory 8
- Debye length 8
- Debye–Waller factor 18
- Diborides 231
- Diffusional creep 29
- Diffusion measurements 21–30
- Diselenide nanotubes 86
- Dispersed second phase electrolytes 9
- Disulfide nanotubes 86
- DNA–Au nanorod conjugates 132–3
- DNA–LDH nanohybrids 180–4
- DNA molecular code system 180–4
- DNA molecule sensing 114–15
- Donor–acceptor (D-A) systems 197, 203, 205, 207
- Drug delivery 61, 168–9
  - see also* Drug–LDH hybrids
- Drug–LDH hybrids 168–70
  - cellular uptake pathway 174–77
  - controlled release 171–3
  - targeting effect 178–9
- EGFP, *see* Enhanced green fluorescence protein (EGFP)
- Einstein–Smoluchowski equation 21
- Electrodeposition 79, 81–4
- Electroless deposition 79
- Electrolytes 9
- Electron diffraction 17
- Electron–phonon coupling 230–1
- Endocytosis 175–9
- Endohedral fullerenes 190–1
  - metallofullerenes 191–7
  - molecular surgery approach 197–200
- Enhanced green fluorescence protein (EGFP) 132–3
- Enzymes, in nanohybrid materials 167–8
- Ethanol sensing 50, 138
- EuO nanorods 120
- EXAFS, *see* Extended X-ray absorption fine structure (EXAFS)
- Extended X-ray absorption fine structure (EXAFS) 17–19, 30
- Fc-SWCNTs 205
- Fe<sub>3</sub>B nanowires 126
- Fe nanotubes 83
- Fenbufen 172
- Fe<sub>2</sub>O<sub>3</sub> nanotubes 103–5, 115
- Fe<sub>3</sub>O<sub>4</sub> nanotubes 105
- FePO<sub>4</sub> nanotubes 108
- FePt nanowires 117
- Field-effect transistors 135, 136–7, 140, 142, 197
- Field Gradient (FG) NMR experiments 24, 26
- ‘Fishtail effect’ 266
- FITC, *see* Fluorescein 5′-isothiocyanate (FITC)
- Fluorescein 5′-isothiocyanate (FITC) 175–6
- 5-Fluorouracil (5-FU) 168, 169
- 5-FU, *see* 5-Fluorouracil (5-FU)
- Free-standing oxide nanotubes 96
- Frenkel–Lehovec space charge layer 8–9
- Fuel cells 134
  - see also* Solid oxide fuel cells (SOFCs)
- Fullerenes 189, 190, 191, 219
  - incorporation into CNTs 208–9
  - multilayer 213
  - see also* Endohedral fullerenes
- Gallium oxide, *see* Ga<sub>2</sub>O<sub>3</sub>
- GaN
  - nanotubes 91, 111
  - nanowires 125–6, 136, 143, 144
- Ga<sub>2</sub>O<sub>3</sub> 20
  - nanobelts 121
  - nanowires 136, 137

- GaP  
   nanocables 129  
   nanowires 135, 142, 144  
 GaP-GaS nanowires 130  
 GaQ<sub>3</sub> nanowires 99  
 GaSe nanostructures 87  
 GaS nanostructures 87, 130  
 Gas sensors 10, 46–50, 138–40  
 GdB<sub>6</sub> nanowires 126  
 Ge nanowires 118–19, 129  
 Gene delivery 173, 204  
 Gene expression 132–3  
 Ge<sub>2</sub>Sb<sub>2</sub>Te<sub>5</sub> nanowires 142  
 Ge/Si core-shell nanowires 134  
 GeTe nanowires 142  
 Gibbs free energy 5, 6, 7, 8  
 Ginzburg–Landau length 257  
 Gold nanostructures, *see* Au  
   nanoparticles; Au nanorods/  
   nanowires; Au nanotubes  
 Grain growth 43  
 Graphenes 189, 216–19  
 Graphite 231–2  
  
 Halloysite nanotubes 115–16  
 Hall–Petch equation 44  
 Hall–Petch slope 44  
 Haven ratio 7, 23, 27  
 H<sub>2</sub>@C<sub>60</sub> 199  
 Heterogeneous electrolytes 9  
 Hetero-junctions 114  
 High-pressure carbon oxide (HiPCO)  
   process 200–1  
 High resolution transmission electron  
   microscopy (HRTEM) 14,  
   16–17, 30  
 HiPCO, *see* High-pressure carbon oxide  
   (HiPCO) process  
 Hot-pressing 13  
 HRTEM, *see* High resolution  
   transmission electron microscopy  
   (HRTEM)  
 Hydrocarbon sensing 46, 138–9  
 Hydrogen sensing 46, 49, 134, 138  
 Hydrothermal methods 13  
 Hydroxyapatite nanotubes 108  
 Hyperthermia 61  
  
 Ibuprofen 164, 171, 172  
 IGC, *see* Inert gas condensation (IGC)  
 InAs/InP nanowires 142  
 InAs<sub>1-x</sub>P<sub>x</sub> nanowires 126  
 Indium-tin oxide (ITO) 107, 121  
  
 Inert gas condensation (IGC) 11–12,  
   16–17  
 In<sub>2</sub>Ge<sub>2</sub>O<sub>7</sub> nanotubes 108  
 InN nanowires 125, 126  
 In<sub>2</sub>O<sub>3</sub>  
   nanotubes 105  
   nanowires 129, 136, 139–40  
 In(OH)<sub>3</sub> nanotubes 108  
 InOOH nanotubes 105  
 InP nanowires 126, 135  
 Intercalation reaction 163–4  
 Inter-granular cavitation 43  
 Inter-plasmon coupling 127  
 InVO<sub>4</sub> nanotubes 108  
 Ionic conductivity measurements 21,  
   26–8  
 IPR, *see* Isolated pentagon rule (IPR)  
 IrO<sub>2</sub> nanorods 120  
 Isolated pentagon rule (IPR) 192,  
   193, 194  
 Isothermal titration calorimetry 127  
 ITO, *see* Indium-tin oxide (ITO)  
  
 Kirkendall effect 99, 107, 108  
 KNbO<sub>3</sub> nanowires 122  
 Kröger–Vink notation 5  
  
 La<sub>2</sub>@C<sub>80</sub> 195, 197  
 LaB<sub>6</sub> nanowires 126  
 Lanreotide 92  
 Larmor frequency 24, 26  
 Lasers 33, 116, 137, 144  
 La<sub>0.5</sub>Sr<sub>0.5</sub>CoO<sub>3</sub> nanotubes 108  
 La<sub>0.67</sub>Sr<sub>0.33</sub>MnO<sub>3</sub> nanowires 137  
 Layer-by-layer technique 127, 130  
 Layered double hydroxides  
   (LDHs) 164  
   biofunctional molecules-LDH  
     hybrids 166–8  
   biomedical applications 164,  
     168–79  
   for DNA molecular code  
     system 180–4  
   structure and properties 165–6  
   synthesis 166  
   *see also* Drug-LDH hybrids  
 LDHs, *see* Layered double hydroxides  
   (LDHs)  
 LiCoO<sub>2</sub> nanotubes 115  
 Light-emitting diodes 138, 144  
 LiMn<sub>2</sub>O<sub>4</sub>  
   nanotubes 115  
   nanowires 115

- LiNbO<sub>3</sub> 17, 33–4  
     nanowires 122  
 LiNi<sub>0.8</sub>Co<sub>0.2</sub>O<sub>2</sub> nanotubes 115  
 Li<sub>x</sub>Ni<sub>2</sub>(MoO<sub>4</sub>)<sub>3</sub> 53  
 Lithium ion batteries 50–4, 115, 135, 140  
 Lithium niobate, *see* LiNbO<sub>3</sub>  
 Li<sub>4</sub>Ti<sub>5</sub>O<sub>12</sub> 54  
 Lithography techniques 116, 131  
 LMWH, *see* Low molecular weight heparin (LMWH)  
 Low molecular weight heparin (LMWH) 169–71  
  
 Magic-angle spinning nuclear magnetic resonance (MAS-NMR) 20  
 Magnesium diboride, *see* MgB<sub>2</sub>  
 Magnetic nanoparticles 44–5  
 Magnetic pulsed compaction 13  
 Magnetic resonance imaging (MRI) 61–2, 197  
 MAS-NMR, *see* Magic-angle spinning nuclear magnetic resonance (MAS-NMR)  
 McMillan's formula 229  
 Meissner state 257  
 Memory storage 142  
 Mercury 134  
 Metal–boron nanotubes 84–5  
 Metallofullerenes 191–7  
 Metal-organic vapour phase epitaxy (MOVPE) 130  
 Metal oxides 1–4  
     biomedical applications 60–2  
     catalysis and adsorption applications 55–60, 63  
     characterisation of microstructure 16–20, 30–1, 62  
     conductivity 9–10  
     fuel cells applications 54–5, 64  
     gas sensors applications 46–50  
     interfaces 3, 16–20, 62  
     lithium ion batteries applications 50–4  
     magnetic properties 44–5  
     mechanical properties 42–4  
     nanotubes 78, 91–109  
     nanowires 119–22, 135–41  
     oxygen deficient 9–10  
     particle size and dispersion 13–16  
     point defects 4–9  
     preparation 10–13  
     transport 20–30, 31–42, 63–4  
     types 4  
 Metal-oxide semiconductor field-effect transistor (MOSFET) 135  
 Methotrexate (MTX) 168–9, 177, 204–5  
 Mg<sub>1–x</sub>Al<sub>x</sub>B<sub>2</sub> 235  
     flux line properties 267–71  
     preparation of 236, 238–43  
     resistivity 276  
 MgB<sub>2</sub>  
     aluminium-substituted 236, 238–43, 246, 266–71, 275–7  
     anisotropy 254–5, 260  
     boron isotope effect 246–7  
     carbon-substituted 236, 244–5, 246, 271–6, 277  
     critical temperature 230–1  
     crystal structure 231–2  
     electronic band structure 232–5  
     electron-phonon coupling 230–1, 250  
     flux line properties 259–66, 275–8  
     magnetic properties 252–6  
     preparation of polycrystalline form 236–45  
     preparation of single crystal form 245–7  
     resistivity measurements 250–6  
     role of substitutions 235, 244, 275–6  
     superconducting transition temperature 249–50  
     two-band superconductivity 275–8  
     two energy gaps 248–9  
 Mg(B<sub>1–x</sub>C<sub>x</sub>)<sub>2</sub> 244–5, 271  
 MgB<sub>2–x</sub>C<sub>x</sub> 235, 236, 244, 274  
 MgO 13, 44, 53, 56–7, 60, 237  
     nanostructures 120  
     nanotubes 105  
 Micro-contact printing (μ-CP) 96  
 MNNG/HOS cells 175–7  
 MnO<sub>2</sub> nanoneedles/nanorods 121  
 Mn<sub>2</sub>P<sub>2</sub>S<sub>6</sub> nanotubes 90  
 Mn–V–O nanotubes 102  
 Molecular surgery 197–200  
 Molybdenum nitride nanotubes 113  
 Molybdenum oxide 49  
 Molybdenum sulfide, *see* MoS<sub>2</sub> nanotubes  
 MOSFET, *see* Metal-oxide semiconductor field-effect transistor (MOSFET)

- MoS<sub>2</sub> nanotubes 77, 78, 115  
 Mössbauer spectroscopy (MS) 21, 29–30  
 Motional line narrowing 25  
 MOVPE, *see* Metal-organic vapour phase epitaxy (MOVPE)  
 MRI, *see* Magnetic resonance imaging (MRI)  
 MS, *see* Mössbauer spectroscopy (MS)  
 MTX, *see* Methotrexate (MTX)  
 Multilayered structures, *see* Onion structures  
 Multi-walled carbon nanotubes (MWCNTs) 200  
 MWCNTs, *see* Multi-walled carbon nanotubes (MWCNTs)
- Nabarro–Herring creep 29, 43  
 Nano DNA Barcode System 180  
 Nanocapacitors 137  
 Nanohybrids 163–4  
 Nanomaterials 1–2  
 Nanorotors 133–4, 140–1  
 Nanotechnology 1, 164, 184  
 Nanotube-nanoparticle composites 114  
 Nanotube-nanowire composites 114  
 Nanotubes 77–8  
   applications 115–16  
   functionalisation and solubilisation 114–15  
   properties 115–16  
   single-walled 146  
   synthesis 78–114  
   *see also* Carbon nanotubes (CNTs)  
 Nanowire-polymer nanocomposites 144–5  
 Nanowires  
   functionalisation 127–30  
   metal and elemental 116–19, 130–5  
   metal chalcogenide 141–2  
   metal oxide 119–22, 135–41  
   metal pnictide 142–4  
   properties and applications 130–45  
   self-assembly 127–30  
   synthesis 116–27  
 NbSe<sub>3</sub> nanowires/nanoribbons 127  
 Nb<sub>3</sub>Sn 271  
 Nernst–Einstein equation 7, 26–7, 38, 64  
 Nickel hexacyanoferrate nanotubes 109  
 NiCl<sub>2</sub> nanotubes 113  
 NiCo<sub>2</sub>O<sub>4</sub> 52–3  
 Ni microtubules 81–3  
 Ni nanotubes 82, 83  
 Ni nanowires 82, 133  
 Niobate-based nanotubes 108  
 NiO nanotubes 105  
 NiPO<sub>4</sub> nanotubes 108  
 Nitrogen oxide sensing 139–40  
 NMR spectroscopy, *see* Nuclear magnetic resonance (NMR) spectroscopy  
 NT-BT (nanotechnology-biotechnology) convergence 164, 184  
 NT-BT-IT (nanotechnology-biotechnology-information technology) convergence 164, 184  
 Nuclear magnetic resonance (NMR) spectroscopy 17, 20, 21, 24–7
- Oligonucleotide hybridisation 127  
 Onion structures 13  
   *see also* Carbon nanostructures  
 Optical trapping 141  
 Organic charge-transfer complexes nanowires 143  
 Oxygen plasma treatment 91
- PA, *see* Peptide-amphiphile (PA) nanofibres  
 PAH, *see* Polycyclic aromatic hydrocarbons (PAH)  
 PANI/CNT composites 207  
 PbSe nanowires 124  
 PbS nanowires 124, 130  
 PbTe nanorods 124  
 PbTiO<sub>3</sub> 108  
 PCR, *see* Polymerase chain reaction (PCR)  
 Pd nanotubes 81  
 Pd nanowires 134  
 Peak effect 262, 264–6, 269–75, 277  
 Penetration profile 22  
 Peptide-amphiphile (PA) nanofibres 91  
 Phase-memory devices 141–2  
 Photocatalysis 57, 59–60  
 Photodetectors 137  
 Photothermal therapy 132  
 Point defects 4–9  
 Polycyclic aromatic hydrocarbons (PAH) 216  
 Polymerase chain reaction (PCR) 184  
 Polymers  
   complexes with CNTs 206–7

- nanowire-polymer  
     composites 144–5  
 Polyol reduction method 117  
 Porphyrins 207–8  
 Positron annihilation spectroscopy 17  
 Potassium niobate, *see* KNbO<sub>3</sub>  
     nanowires  
 Prato's methodology 204–5  
 Prazosin 173  
 Preferential etching strategy 99  
 Pt nanotubes 81  
 Pt nanowires 117, 137  
 Pulsed-field gradient (PFG) method 26  
 Pulsed laser deposition 13  
 Pulse heating 49  
 Pyrene derivatives 205–6  
 PZT nanowires 122  
  
 QENS, *see* Quasi-elastic neutron  
     scattering (QENS)  
 Quantisation effects 60  
 Quantum dot devices 2  
 Quasi-elastic neutron scattering  
     (QENS) 21, 29–30  
  
 Reactive ion etching (RIE) 79–80  
 Reconstruction method 166  
 Relaxation time NMR  
     experiments 24–6  
 RIE, *see* Reactive ion etching (RIE)  
 Ring-opening polymerisation  
     (ROP) 216  
 Rocking chair cells 51  
 ROP, *see* Ring-opening polymerisation  
     (ROP)  
 RuO<sub>2</sub>/TiO<sub>2</sub> core shell nanowires 13  
  
 SAXS, *see* Small angle X-ray scattering  
     (SAXS)  
 SbPS<sub>4-x</sub>Se nanotubes 113  
 Sb<sub>2</sub>S<sub>3</sub> nanotubes 90  
 Sb<sub>2</sub>Te<sub>3</sub> nanowires 142  
 Scherrer relation 14  
 Schottky defects 4–5  
 Sc<sub>3</sub>N@C<sub>70</sub> 193–4  
 Sc<sub>3</sub>N@C<sub>80</sub> 192, 195, 196, 197  
 Secondary ion mass spectrometry  
     (SIMS) 22–3, 38  
 Seed-mediated surfactant method 116,  
     117  
 Semiconductivity, in metal  
     oxides 9–10  
 Se nanotubes 85, 86  
  
 Se nanowires/nanobelts 118  
 SET transistors, *see* Single-electron  
     tunnelling (SET) transistors  
 SiC  
     nanotubes 113, 129  
     nanowires 113, 129, 145  
 SiC/SiO<sub>2</sub> core-shell nanocable 113  
 Silica, *see* SiO<sub>2</sub>  
 Silicon carbonitride nanotubes 113  
 Silicon oxycarbide nanotubes 113  
 Silver nanostructures, *see* Ag nanorods;  
     Ag nanotubes  
 SIMS, *see* Secondary ion mass  
     spectrometry (SIMS)  
 Si nanowires 118, 134–5  
 Single-electron tunnelling (SET)  
     transistors 135  
 Single-walled carbon nanotubes  
     (SWCNTs) 49, 200, 201  
 Si<sub>3</sub>N<sub>4</sub> nanotubes 113  
 SiO<sub>2</sub>  
     nanoparticles 175  
     nanotubes 91–3, 99, 115  
     nanowires 129, 133  
 SiO<sub>x</sub> nanowires 119  
 Small angle X-ray scattering (SAXS) 14  
 SNAP technique, *see* Superlattice  
     nanowire pattern transfer (SNAP)  
     technique  
 SnO<sub>2</sub>  
     as gas sensing material 46–9  
     conductivity 9–10  
     nanobelts 140  
     nanotubes 105, 106  
     nanowires/nanorods 123, 140  
 SOFCs, *see* Solid oxide fuel cells (SOFCs)  
 Solar cells 57–8, 116, 135, 140, 218  
 Sol-gel method 12, 16, 30  
 Solid oxide fuel cells (SOFCs) 54–5, 64  
 Space-charge layer 8–9, 10, 32–3  
 Spark plasma sintering 13  
 Spectroscopy  
     Mössbauer (MS) 21, 29–30  
     nuclear magnetic resonance  
         (NMR) 17, 20, 21, 24–7  
     positron annihilation 17  
     X-ray absorption (XAS) 52  
 Spin-coating methods 13  
 Spin-echo 26  
 SPIO, *see* Superparamagnetic iron oxide  
     (SPIO)  
 Spray pyrolysis 12  
 SrAl<sub>2</sub>O<sub>4</sub> nanotubes 108

- Superconductors  
   critical temperature 229–30  
   isotope effect 246–7  
   role of substitutions 235  
   type II 252, 254, 256–9, 266–7  
   *see also* MgB<sub>2</sub>
- Super-hardness 2
- Superlattice nanowire pattern transfer  
   (SNAP) technique 134
- Superparamagnetic iron oxide  
   (SPIO) 45, 60–2
- Superparamagnetism 44–5
- Superplasticity 2–3, 42–3
- Surface area measurements 14, 15–16
- SWCNT-ODA 201
- SWCNT-PmPV complex 206
- SWCNTs, *see* Single-walled carbon  
   nanotubes (SWCNTs)
- SWCNTs-<sup>160</sup>f fullerene materials 202–3
- TEM, *see* Transmission electron  
   microscopy (TEM)
- Templates  
   in synthesis of nanotubes 78, 84, 91  
   in synthesis of nanowires 117–18
- Te nanotubes 85
- Te nanowires 118
- Tf, *see* Transferrin (Tf)
- ThO<sub>2</sub> nanotubes 108
- TiC nanotubes 113
- Tin oxide, *see* SnO<sub>2</sub>
- TiO<sub>2</sub> 20, 31, 42, 54, 56  
   applications 42, 57–9, 116  
   nanotubes 94–7, 115, 116  
   nanowires/nanorods 120, 139, 140
- TiS<sub>2</sub> nanotubes 115
- Titania, *see* TiO<sub>2</sub>
- TNT method, *see* Trimetallic nitride  
   template (TNT) method
- Tracer diffusion 21–4
- Transferrin (Tf) 176
- Transmission electron microscopy  
   (TEM) 14, 16
- Trimetallic nitride template (TNT)  
   method 192
- TTF-SWCNTs donor-acceptor  
   systems 203
- Tungsten oxide, *see* WO<sub>3</sub>
- Tungsten sulfide nanotubes 77, 78
- Urchin-like nanostructures 102
- Urea-combustion technique 55
- Vanadium oxides 99–102, 120
- Vapour phase reactions 118
- Vegard's law 239
- Vickers hardness 44
- VLS mechanism 118
- V<sub>2</sub>O<sub>5</sub>-*n*H<sub>2</sub>O nanotubes 102
- Volume diffusion coefficient 23
- Vortex lines, *see* Abrikosov flux lines
- Williamson–Hall plot 15
- WO<sub>3</sub>  
   as gas sensing material 49–50,  
   138–9  
   nanotubes 105  
   nanowires 122, 129,  
   139–40
- WO<sub>3</sub>-H<sub>2</sub>O nanotubes 108
- XAS, *see* X-ray absorption spectroscopy  
   (XAS)
- X-ray absorption spectroscopy  
   (XAS) 52
- X-ray diffraction (XRD) 14–15, 16
- XRD, *see* X-ray diffraction (XRD)
- YBa<sub>2</sub>Cu<sub>4</sub>O<sub>8</sub> nanowires 122
- Y<sub>3</sub>N@C<sub>80</sub> 196, 197
- Y<sub>2</sub>O<sub>3</sub> nanotubes 107
- Zener pinning 12–13, 40
- Zirconia, *see* ZrO<sub>2</sub>
- ZnAl<sub>2</sub>O<sub>4</sub> nanotubes 108
- ZnCr<sub>2</sub>O<sub>4</sub> nanotubes 99
- ZnO nanostructures 119–20, 135,  
   137–40, 144  
   nanotubes 97–9, 119, 120, 138
- Zn<sub>3</sub>P<sub>2</sub> nanotubes 113
- ZnSe nanostructures 124
- ZnS nanostructures 87, 91, 99, 124,  
   126, 142
- ZrCr<sub>2</sub>O<sub>4</sub> nanotubes 108
- ZrO<sub>2</sub> 5–7, 19, 20  
   applications 35, 54–5  
   nanotubes 91, 96, 107  
   transport data 31, 35–9, 63
- ZrTiO<sub>3</sub> nanotubes 108







