

Index

• A •

- AA (Alcoholics Anonymous), 174, 177–178
- Abbreviated Mental Test Score, 245
- Accupril, 228, 237
- Accuretic, 228, 237
- ACE inhibitors
 - children, 268
 - cough, 295
 - diabetes, 49, 51, 309
 - drug therapy, 225–229, 232–233, 290
 - elderly people, 254–255
 - heart failure, 84
 - mechanism of, 225–226
 - precautions, 226–227
 - pregnancy, 270, 272
 - side effects, 226, 235–236
- acebutolol, 216, 239
- Aceon, 228, 237
- acetaminophen, 47
- acromegaly, 64–65
- ACTH (adrenocorticotrophin), 59–61
- Activase, 117
- acute glomerulonephritis, 48
- Adalat, 225, 237
- adrenal adenomas, 58
- adrenal gland
 - ACTH, 59–61
 - adrenal cortex, 52
 - adrenal hyperplasia, 57–58, 61–62
 - cortisol, 52–53, 59–62
 - Cushing's syndrome, 59–61
 - primary hyperaldosteronism, 55–56
- adrenocorticotrophin (ACTH), 59–61
- Advil, 247
- afferent arterioles, 92
- African Americans
 - ACE inhibitors, 226–227
 - beta blockers, 216
 - calcium channel blocking agents, 223
 - children, 261
 - cholesterol level, 85
 - DASH diet, 36, 136
 - diabetes, 87
 - end-stage renal disease (ESRD), 98
 - geographic location, 32
 - high blood pressure, 35–36
 - malignant high blood pressure, 96
 - physical activity, 87
 - salt sensitivity, 156
 - smoking and tobacco use, 86, 163
 - thiazide diuretics, 203
- Agency for Healthcare Research and Quality, 170
- Aggrenox, 114
- aging and blood pressure, 39, 127, 293–294
- Al-Anon/Alateen, 175, 178
- albumin, urinary, 30, 49, 95–96, 127, 273, 277
- alcohol
 - alcoholism, 171–172, 174–177
 - blood pressure measurement, 17
 - brain attack, 112
 - children, 266
 - costs of, 172
 - drinks, amounts
 - defined, 172
 - elderly people, 251
 - high blood pressure, 170–171, 305
 - information
 - resources, 178
 - low blood pressure, 24
 - medical consequences, 173–174
 - moderate drinking, 176
 - reducing intake, 44, 129–130, 161, 287–288
 - safety of, 307–308
 - tobacco and caffeine use, 162, 171, 173
 - use in U.S., 172
- Alcoholics Anonymous (AA), 174, 177–178
- Aldactazide, 237
- Aldactone, 237
- Aldoclor, 213, 237
- Aldomet, 212, 237
- Aldoril, 213, 237
- aldosterone, 50, 52–53, 55–58, 93, 225–226
- aldosterone-antagonist diuretics, 203, 210–211
- aldosterone-like steroids, 61–62
- allergic reactions, 24, 221

- ALLHAT Study, 309–310
- alpha blockers, 219–220, 235–236, 254
- alpha receptors, 217
- Altace, 228, 237
- alternative therapies, 194–197, 288–289
- ambulatory blood pressure monitors, 27–28
- American Cancer Society, 170
- American Council on Alcoholism, 178
- American Discovery Trail, 188
- American Heart Association, 152, 170, 287, 314–315
- American Heart Journal*, 310
- American Journal of Cardiology*, 195
- American Journal of Hypertension*, 195, 313
- American Journal of Medicine*, 153
- American Journal of Nephrology*, 151
- American Journal of Public Health*, 305
- American Lung Association, 170
- American Physical Therapy Association, 318
- American Society of Clinical Hypnosis, 196
- American Society of Hypertension, 312–313
- American Speech-Language-Hearing Association, 318
- American Stroke Association, 121, 314–315
- amiloride, 210–211, 232, 239
- amlodipine, 223–225, 227, 239
- Anacin, 179
- anemia, 94, 213, 234, 274, 291
- aneroid blood pressure gauges, 16–17
- aneurysms, 50, 97, 110, 113, 118
- angina pectoris, 69, 73–79
- angioneurotic edema, 226
- angioplasty, 51, 63, 77–79, 81, 86
- angiotensin-converting enzyme (ACE) inhibitors. *See* ACE inhibitors
- angiotensin I, 50, 225
- angiotensin II, 13, 50, 57, 93, 225–226
- angiotensin II receptor blockers
 - children, 268
 - diabetes, 51, 309
 - drug therapy, 229–230, 232, 290
 - elderly people, 254–255
 - pregnancy, 270, 272
 - side effects, avoiding, 295
- Annals of Internal Medicine*, 171, 307
- Antabuse, 176
- antacids, 292
- antibiotics, 207–208
- antidepressants, 24, 292
- anti-inflammatory agents, 207
- anxiety, 300–301
- aorta, 50, 62–63, 70, 262, 265
- aortic valve, 21
- aphasia, 120, 122, 319
- apoplexy, 108
- Apresoline, 220, 237
- Apresozide, 237
- Archives of Brazilian Cardiology*, 32
- Archives of General Medicine*, 153
- Archives of Internal Medicine*, 17, 114
- arteries
 - aneurysms, 50, 97, 110, 113, 118
 - blocked kidney, 50–51, 97, 262, 265
 - brachial, 18
 - brain, 109
 - calcified, 21, 246
 - carotid, 114, 118
 - coronary, 71
 - emboli clots, 50
 - nephrons, 92
 - renal, 90–91
 - spiral, 276
- arteriograms, renal, 95
- arteriosclerosis, 71–73, 112
- arteriovenous fistula, 102
- arteriovenous nicking, 113
- Asians, 163
- aspirin, 77, 81, 114, 118, 208, 247, 273
- asradipine, 223
- Association for Applied Psychophysiology and Biofeedback, 197
- asthma, 216, 235
- Atacand, 230, 237
- atenolol, 77, 217, 240
- atherosclerosis, 50, 72, 97, 109
- atherosclerotic heart disease, 72–73, 215
- atherosclerotic plaque, 72, 74–75, 86, 110
- Atkins diet, 149
- atrial fibrillation, 110, 112, 118
- Auden, W. H.
 - The Dyer's Hand and Other Essays*, 133
- Avalide, 230, 237
- Avapro, 230, 237

• **B** •

- balloon angioplasty, 51, 63, 77–79, 81, 86
 beating-heart surgery, 79
 benazepril, 225, 227, 239
 bendroflumethiazide, 205, 218, 238–239
 Benicar, 230, 237
 beta blockers
 children, 268
 diabetes, 309
 drug therapy, 215–218, 232–233, 290
 elderly people, 254–255
 heart disease, 77, 81
 heart rate, 295
 side effects, 235–236
 vasodilators, with, 220–222
 bilateral adrenal hyperplasia, 57–58
 biofeedback, 196–197, 251, 289
 Biofeedback Network, 197
 biopsies, kidney, 49, 95
 bisoprolol, 217, 240
 Blacks. *See* African Americans
 bladder, blood pressure gauge, 16–17, 20
 blindness, 96
 Blocadren, 218, 237
 blood clots, 75, 110, 117
 blood glucose, 25, 87, 204, 235
 blood pressure. *See also specific topics*
 cardiovascular system, 10
 classification chart for adults, 22–23, 127
 blood pressure cuff, 18, 20–21, 259
 blood pressure gauge, 15–17, 20
 blood pressure measurement
 accuracy, 19–21, 283–284
 ambulatory readings, 27–28
 children, 258–259
 diastolic blood pressure (DBP), 11
 equipment for, 10–11, 15–18, 20–21, 259
 home devices, 11, 26–27
 numbers, interpreting, 21–23
 procedure for, 17–19
 systolic blood pressure, 11
 variation in readings, 24–26
 white coat effect, 25
 blood urea nitrogen (BUN), 48, 95–96
 blood volume, 11, 13
 Bodian, Stephan
 Meditation For Dummies, 195
 body mass index (BMI), 143–145, 286
 body weight, 33–34, 41–43, 143–145.
 See also obesity
 Bowman's capsule, 92
 bradykinen, 226
 brain
 abnormalities in, 30
 arterial circulation, 109
 body function, sites that control, 115–116
 endorphins, 172
 funduscopy examination, 113
 hemorrhage, 110
 malignant high blood pressure, 96
 tumors, 65
 brain attack
 alcoholism, 171
 brain function, loss of, 115–117
 causes of, 108–110
 death rate, 107
 diagnostic tests, 117
 disability from, 107–108
 elderly people, 244
 and high blood pressure, 306–307
 hormone replacement therapy, 280
 information resources, 121–122
 predisposing conditions, 12, 111–114
 prevention, 114
 rehabilitation, 118–122
 sexual activity, 121
 symptoms, 114–116
 treatment options, 117–119, 297
 brand names of medications, 236–240
 breast disorders, 234–235
 breast-feeding. *See also* pregnancy
 ACE inhibitors, 226
 angiotensin II receptor blockers, 229
 bendroflumethiazide, 205
 blood pressure treatment, 278–279
 calcium channel blockers, 224–225
 hydralazine, 220
 methyldopa, 213
 minoxidil, 222
 potassium-sparing diuretics, 210
 thiazide diuretics, 204
 breathing difficulty, 82

- British Medical Journal*, 176, 244
 bruits, abdominal, 50
 bumetanide, 209, 237
 Bumex, 209, 237
 BUN (blood urea nitrogen), 48, 95–96
 Bupropion SR, 169
 burns, 65
- ● ●
- CABG (coronary artery bypass graft),
 77–79, 81, 86
 caffeine
 children, 266
 coffee, amount in, 179
 elderly people, 251
 health consequences, 179–182
 measuring blood pressure, 17
 quitting, 161, 181
 tobacco and alcohol
 use, 162
 Calan, 224, 238
 calcium channel blocking agents
 children, 268
 coronary artery obstruction, 77
 diabetes, 309
 drug therapy, 222–225, 232–233, 290
 elderly people, 254
 side effects, 234–236
 calcium intake, 129–130, 136
 calcium level, 207
 calcium supplements, 273
 calories, 145–147, 190–191, 286
 Canadian Coalition for High Blood Pressure
 Prevention and Control, 319
 candesartan, 230, 237
 Capoten, 227, 238
 Capozide, 238
 captopril, 227, 238
 Cardene, 225, 238
 cardiac enzymes, 75
 cardiac output, 13, 42
 Cardizem, 224, 238
 Cardura, 219, 238
 carotid arteries, 114, 118
 carteolol, 217
 Cartia XT, 224, 238
 Cartrol, 217
 carvedilol, 217, 238
 Catapres, 214, 238
 catecholamine level, 54
 Caucasians
 cholesterol level, 85
 DASH diet, 136
 diabetes, 87
 end-stage renal disease (ESRD), 98
 high blood pressure, 36
 physical activity, 87
 smoking and tobacco use, 86, 163
 Celebrex, 247
 Center for Science in the Public
 Interest, 182
 Centers for Disease Control Tobacco
 Information and Prevention
 Source, 170
 cerebral arteries, 109
 cerebral emboli, 110
 cerebrovascular accidents (CVAs),
 107–108. *See also* brain attack
 Chantix, 169
 chest pain, 215, 232, 255. *See also*
 angina pectoris
 chest X-rays, 30, 84
 children
 blood pressure normal range, 259–261
 causes of high blood pressure, 261–265
 coarctation of the
 aorta, 63
 diabetes, 265, 268
 diagnostic tests, 264
 drug therapy, 267–268
 exercise, 265–267
 high blood pressure as predictor for
 adulthood, 306
 kidney disease, 262, 265
 lifestyle changes, 265–266
 measurement of blood pressure, 258–259
 minoxidil, 221
 obesity, 257, 262
 physical examination, 263–264
 secondary high blood pressure, 262
 specific concerns about, 257–258
 treating, 14
 chloride, 154, 207
 chlorothiazide, 205, 237–238
 chlorpropamide, 204

- chlorthalidone, 206, 214, 217, 238, 240, 309–310
- chocolate, 179, 181
- cholesterol level
- brain attack, 112
 - DASH diet, 138
 - drug therapy, 206, 219, 232, 235
 - heart disease, 30, 85
 - high blood pressure, 127
 - low-density cholesterol, 75
 - white coat effect, 25
- cholestyramine, 291
- chronic high blood pressure, 271–272, 277–278
- chronic kidney damage, 47–49
- chronic renal failure (ESRD), 36, 49, 92, 98–106
- circle of Willis, 109
- Circulation, 304
- Circulation Research, 93
- cirrhosis, 173
- Classification of Blood Pressure for Adults, 22–23, 127–128
- Cleveland Clinic, 55
- Clinical Journal of Sports Medicine*, 195
- Clinoril, 248
- clipping aneurysms, 118
- clonidine, 214, 235–236, 238, 254
- clopidogrel, 114
- Clorpres, 214, 238
- coarctation of the aorta, 62–63, 262, 265
- cocaine, 292
- cold medications, 291
- cold sensitivity, 236
- colestipol, 291
- collecting tubules, renal, 92, 203
- computed tomography (CT) scans, 54, 57, 60, 95, 117
- congenital adrenal hyperplasia, 61–62
- congestive heart failure, 97, 255
- Consumer Reports*, 189, 317
- continuous ambulatory peritoneal dialysis, 100
- continuous cycler-assisted peritoneal dialysis, 100
- convulsions (seizures), 275–277
- Coreg, 217, 238
- Corgard, 218, 238
- coronary angiograms, 76
- coronary artery bypass graft (CABG), 77–79, 81, 86
- coronary artery disease, 72–73, 232
- coronary atherosclerosis, 72
- cortisol, 52–53, 59–62
- cortisone, 292
- Corzide, 218, 238
- cough, 51, 226, 235
- Coumadin, 114
- Cousins, Norman, 132
- Covera, 224, 238
- Cozaar, 230, 238
- C-reactive protein, 75
- creatinine level, 48, 95
- CT scans, 54, 57, 60, 95, 117
- cuff, blood pressure, 18, 20–21, 259
- Current Concepts in Clinical Hypertension*, 313
- Cushing's syndrome, 59–61
- CVAs (cerebrovascular accidents), 107–108. *See also* brain attack
- D •
- DASH diet
- adopting, 285
 - African Americans, 36, 136
 - blood pressure reduction, 135–136
 - creation of, 136–137
 - daily caloric needs, 146–147
 - elderly people, 250
 - information resources, 142, 319
 - results of, 137–138
 - salt intake reduction, 159
 - salt reduction, 142
 - specific foods and servings, 138–141
- Daypro, 248
- DBP (diastolic blood pressure), 11, 18, 21, 135–136, 245, 295–296
- death
- beta blockers protecting from, 215
 - brain attack, 107
 - Cushing's syndrome, 59
 - end-stage renal disease (ESRD), 98
 - heart attack, 72, 79, 86
 - pheochromocytoma, 55
 - risk for, 30
 - secondhand smoke, 164
 - sudden, 73, 79

- Demadex, 209, 238
- depression, 235
- detoxification, 174–175
- dexamethasone suppression test, 60
- Diabetes For Dummies* (Rubin), 87
- diabetes mellitus
 - ACE inhibitors, 226, 229, 268
 - acromegaly, 64
 - angiotensin II receptor blockers, 229, 255
 - beta blockers, 216
 - blood pressure classification, 126
 - brain attack, 112
 - children, 265, 268
 - chronic kidney damage, 48–49
 - coronary artery bypass grafts, 79
 - end-stage renal disease (ESRD), 99
 - goal blood pressure, 233
 - heart disease, 86–87
 - insulin resistance syndrome, 42
 - medication effects, 232, 308–309
 - potassium-sparing diuretics, 210
 - preeclampsia, 276
 - risk factor for high blood pressure, 127
 - salt sensitivity, 43, 156
 - secondary high blood pressure, 47
 - thiazide diuretics, 204
- diabetic retinopathy, 49
- diabinase, 207
- diagnostic tests. *See also* laboratory tests
 - chest x-rays, 30, 84
 - CT scans, 54, 57, 60, 95, 117
 - dexamethasone suppression test, 60
 - ECG or EKG, 30, 72, 75–76, 80, 84, 185
 - echocardiogram, 76
 - EEG, 117
 - isotopic scans, 76, 95
 - metaiodobenzylguanidine scan, 54
 - MRI, 54, 57, 60, 95, 117
 - renal arteriograms, 95
 - sleep apnea tests, 65
 - ultrasound, 30, 49, 83, 95, 258, 264
- dialysate, 100–101
- dialysis, kidney, 49, 100–104
- dialyzer, 102–103
- diarrhea, 235
- diastolic blood pressure (DBP), 11, 18, 21, 135–136, 245, 295–296
- dibenzylamine, 55
- diclofenac, 247
- diet and nutrition. *See* DASH diet; salt intake
 - animal-protein diets, 149
 - children, 265
 - daily caloric needs, 145–146
 - dietitians, 149
 - elderly people, 249–250
 - fasts, 149
 - hemodialysis, 104
 - ideal weight, 143–145
 - kidney transplantation, 105
 - licorice, 58
 - peritoneal dialysis, 101
 - processed food, 157–158
 - vegetarians, 136
 - weight reduction, 143–149
- diet pills, 291
- Dietary Approach to Stop Hypertension. *See* DASH diet
- Dietary Guidelines for Americans, 152
- dietitians, 149
- diflunisal, 247
- digital subtraction angiographies, 117
- digitalis, 84, 204, 207
- digoxin, 223
- Dilacor XR, 224, 238
- Dilt CD, 224, 238
- Diltia XT, 224, 238
- diltiazem, 77, 222–224, 233, 238, 240
- Diovan, 230, 238
- dipyridamole plus aspirin, 114
- disability, 107–108, 252
- disulfiram, 176
- Diucardin, 206
- diuretic combinations, 211–212
- diuretics
 - ACE inhibitors, 226–228
 - aldosterone-antagonist diuretics, 203, 210–211
 - aldosterone-producing tumors, 57
 - ALLHAT Study, 310
 - children, 268
 - combination medications, 211–212
 - diabetes, 309
 - drug class, 202–212
 - drug therapy, 232–233, 290
 - elderly people, 254
 - heart failure, 84

- loop diuretics, 203, 207–209
 - minoxidil, 222
 - potassium-sparing diuretics, 203, 209–210
 - salt intake, 153
 - side effects, 234–236
 - thiazide/thiazidelike group, 203–206
 - vasodilators, with, 220–222
 - Diuril, 205, 238
 - dizziness, 217, 219, 235
 - doctors, white coat effect, 25, 248, 261, 284.
 - See also specific topics*
 - Dolobid, 247
 - Doppler flow study, 30
 - Doppler ultrasound, 117, 258
 - doxazosin, 55, 235, 238
 - drugs, illegal, 113, 263, 266, 292
 - Dyazide, 211, 238
 - The Dyer's Hand and Other Essays* (Auden), 133
 - Dynacirc, 177
 - Dyrenium, 210, 238
 - dyspnea, 82
- E •**
- early hypertension, 23
 - ECG (electrocardiogram), 30, 72, 75–76, 80, 84, 185
 - echocardiography, 76
 - eclampsia, 275–277
 - Edecrin, 209, 238
 - edema, 83
 - EEG (electroencephalogram), 117
 - efferent arterioles, 92
 - ejection fraction, 76, 83
 - EKG (electrocardiogram), 30, 72, 75–76, 80, 84, 185
 - elderly people
 - ACE inhibitors, 227
 - assessment of blood pressure, 245–248
 - beta blockers, 216
 - calcium channel blocking agents, 223
 - DASH diet, 250
 - diet, 249–250
 - essential high blood pressure, 245–246
 - falls in blood pressure, 255–256
 - hydralazine, 220
 - kidney function, 248
 - lifestyle changes, 251–252
 - medications to lower blood pressure, 252–255
 - medications to raise blood pressure, 247–248
 - mental ability, 244–245
 - pseudo high blood pressure, 246
 - salt intake, 250
 - salt sensitivity, 43, 156
 - secondary high blood pressure, 246–247
 - specific concerns about, 243–244
 - thiazide diuretics, 203
 - treating, 13
 - treatment, need for, 301
 - electrocardiogram (ECG or EKG), 30, 72, 75–76, 80, 84, 185
 - electroencephalogram (EEG), 117
 - electronic blood pressure devices, 27
 - emboli, 50, 115
 - enalapril, 225, 227–228, 239–240, 290
 - endarterectomies, 118
 - endorphins, 172
 - end-stage renal disease (ESRD, chronic renal failure), 36, 49, 92, 98–106
 - epinephrine, 52–53, 162, 212, 248, 292
 - epplerenone, 58, 211
 - Epocrates, 200
 - eprosartan, 230, 240
 - erectile dysfunction/impotence, 224, 236
 - erythropoietin, 94, 291
 - esophageal irritation, 223, 235
 - ESRD (end-stage renal disease), 36, 49, 92, 98–106
 - essential high blood pressure
 - age, relationship to, 39
 - aldosterone-producing tumors, 58
 - children, 262
 - elderly people, 245–246
 - explanation of, 12
 - gestational high blood pressure, 278
 - kidneys, 47, 93, 96
 - nitric oxide, 13
 - estrogen, 271, 279–280, 292
 - ethacrynic acid, 209, 238
 - ethnicity, 35–37. *See also specific groups*
 - etodolac, 247
 - exchange, dialysis, 100

exercise

- aerobic, 186–188
 - anaerobic, 186, 191
 - avoiding, myth about, 297–298
 - benefits of, 13, 42–43, 183–184
 - children, 265
 - elderly people, 251
 - equipment, 188–189
 - frequency, 186
 - levels of, 189–190
 - physical activity, 84, 129–131, 305–306
 - physical condition, checking, 185–186
 - physical inactivity, 34, 87, 113, 127
 - preparing for, 184–189
 - starting a program, 288
 - strength training, 191–194
 - strenuous, for children, 266–267
 - walking, 186–188
 - weight loss, 190–191
 - yoga, 194–195
- exercise electrocardiograms, 185
- exercise tests, 185
- exudate, 96
- eyes, 49, 96–97, 113–114, 218, 235

• **F** •

- Family Caregiver Alliance, 121
- family history, 112, 127, 263
- fasts, dietary, 149
- fat intake, 37
- fatigue, 65, 82, 235
- Feldene, 248
- felodipine, 223, 225, 228, 239
- Feuerstein, Georg
 - Yoga For Dummies*, 195
- fever, 235
- fibrinogen level, 75
- first-dose phenomenon, 219
- Fitness For Dummies* (Neporent and Schlosberg), 184
- flame-shaped retinal hemorrhage, 97, 113
- fluid intake restriction, 84, 104
- food, 10. *See also* diet and nutrition
- Food and Drug Administration, 157, 201
- For Those Who Give and Grieve*, 313
- fosinopril, 228, 239
- fundoscopic examination, 113
- furosemide, 208, 239

• **G** •

- gastric bypass surgery, 147, 308
- gauge, blood pressure, 15–17, 20
- gender differences. *See also* men, erectile dysfunction/impotence; women
 - alcohol, safety of, 307–308
 - brain attack, 112
 - cholesterol level, 85
 - Cushing's syndrome, 59
 - diabetes, 87
 - high blood pressure, 37–39
 - physical activity, 87
 - prehypertension, 304–305
 - risk factors for high blood pressure, 305
 - smoking and tobacco use, 86
- geographic location and high blood pressure, 32–33
- gestational high blood pressure, 278
- ghrelin, 147
- glomeruli, 47, 92, 94–95
- glucagon, 54
- glucose level (blood glucose), 25, 87, 204, 235
- Go Ask Alice Web site, 182
- Goodman, Joel, 132
- gout, 207
- growth charts, 257
- growth factors, 13
- growth hormone, 64, 147
- guanabenz, 214, 235–236, 240, 254
- guanfacine, 214–215, 235–236, 240, 254

• **H** •

- hair growth, 222, 235
- half-portion diet plan, 147
- hand tremors, 232
- HCTZ. *See* hydrochlorothiazide (HCTZ)
- headache, 53, 96, 115, 233, 235
- Health on the Net Foundation, 311–312
- hearing loss, 207–208, 235
- heart
 - cardiovascular system, 10, 70–71
 - rate, rapid, 220, 236
 - rhythm, 24, 233
- heart attack
 - beta blockers, 215
 - death rate, 79

- diagnostic tests, 80
 elderly people, 244
 explanation of, 69
 high blood pressure, consequence of, 12
 hormone replacement therapy, 280
 low blood pressure, 24
 medications, choosing, 232
 risk for, 30, 201
 symptoms, 79–80
 treatment options, 79–81, 297
- heart disease**
 acromegaly, 64
 alcohol abuse, 173
 angina pectoris, 73–79
 arteriosclerosis, 72–73
 blocked blood flow to heart muscle, 71–81
 blood pressure, relationship to, 23, 30, 69–70
 CABG, 77–79, 81, 86
 calcium channel blocking agents, 222–223
 family history, 127
 PTCA, 77–79, 81, 86
 risk factors, 85–87
Heart Disease For Dummies (Rippe), 84
- heart failure**
 ACE inhibitors, 226, 229
 alpha blockers, 219
 congestive heart failure, 97, 255
 developing, 81–84
 low blood pressure, 24
 medications, choosing, 232
 preeclampsia, 274
 side effect, as, 235
 Stroke Belt, 34
 HELLP syndrome, 274
 hemodialysis, 102–104
 hemoglobin A1c, 87
 heredity, 33–34, 61–62, 261–262
 high blood pressure. *See specific topics*
 High Blood Pressure and Hypertension, 319
 Hispanics, 36, 85–87, 163
 histamine, 54
 Holistic Online, 194, 196–197
 homocysteine level, 75, 138
 hormones. *See specific hormones*
 humor, 131–133, 289
 Humor Project, Inc., 132
 hydatidiform moles, 276
- hydralazine, 220–221, 235, 237
 Hydra-Zide Capsules, 221
 hydrochlorothiazide (HCTZ)
 ACE inhibitors, 227–228
 angiotensin II receptor blockers, 230
 brand name medications, 237–240
 children, 268
 diuretic combinations, 211–212
 drug therapy, 204–205, 232, 290
 elderly people, 253
 hydralazine, 221
 propranolol, 218
 timolol, 218
 HydroDIURIL, 204, 238
 hydroflumethazide, 206
 Hygroton, 238
 hyperplasia, adrenal, 57–58, 61–62
 hypertension, 154. *See also specific topics*
 Hypertension in the Elderly/Very Elderly Trial, 205, 244
 hyperthyroidism, 63–64, 73, 233
 hypertrophy of left ventricle, 72
 hypnosis, 196, 289
 Hypnosis.com, 196
 hypothyroidism, 63–64
 Hytrin, 220, 238
 Hyzaar, 230, 238
- 1 ●
- ibuprofen, 247, 292
 ideal weight, 143–145
 incidentalomas, 57
 indapamide, 206
 Inderal, 215, 218, 239
 Inderide, 218, 239
 Indocin, 247
 indomethacin, 247, 292
 information. *See specific information resources*
 InnoPran XL, 218, 239
 Inspra, 211
 insulin, 204
 insulin resistance syndrome, 34, 42
International Journal of Cardiology, 132
 Internet Alcohol Recovery Center, 178
 Intersalt Study, 153
 interventions, for alcoholism, 174–175
 iodine, radioactive, 64

irbesartan, 230, 237
 irreversible high blood pressure, 12
 ischemic core of brain cells, 117
 ischemic penumbra of brain cells, 117
 isolated diastolic high blood pressure, 245
 isolated systolic high blood pressure, 245, 296
 Isoptin, 224, 239
 isosorbide dinitrate, 77
 isosorbide mononitrate, 77
 isotopic scans, 76, 95
 isradipine, 177

• J •

jaundice, 83
 Jenny Craig, 150
 job strain, effect of, 307
 Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure, 22–23, 127–129
Journal of Chronic Diseases, 96
Journal of Clinical Hypertension, 310
Journal of Hypertension, 156, 162, 244, 305
Journal of Stroke and Cerebrovascular Disease, 315
Journal of Studies on Alcohol, 172
Journal of the American Dietetic Association, 156
Journal of the American Medical Association, 142, 179, 251, 280, 309
 juxtaglomerular cells, 93–94

• K •

kidney failure
 beta blockers, 216
 end-stage renal disease (ESRD), 36, 49, 92, 98–106
 high blood pressure, 12, 96
 potassium-sparing diuretics, 210
 preeclampsia, 274
 salt sensitivity, 43
 Stroke Belt, 34
 kidneys
 ACE inhibitors, 226, 229
 acute disease, 48
 African Americans, 36

anatomy, 90–92
 aneurysm, 97
 angiotensin II receptor blockers, 229, 255
 arteries, blocked, 50–51, 97, 262, 265
 blood pressure classification, 126
 blood pressure medication
 protecting, 96
 children, 262–263, 265
 damage to, 47–49, 94–96
 elderly people, 247–248
 essential high blood pressure, 93
 filtering function, 91–92
 goal blood pressure, 233
 hemodialysis, 102–104
 high blood pressure effects, 30, 89
 hormone production, 94
 malignant high blood pressure, 96–98
 medications,
 choosing, 232
 peritoneal dialysis, 100–102
 pregnancy, 270
 renal parenchymal hypertension, 47–49
 renal vascular hypertension, 50–51
 renin production, 93
 salt intake and sensitivity, 151–152, 156
 secondary high blood pressure, 47–51
 transplantation, 49, 104–106
 kilocalories, 145–147, 190–191, 286

• L •

labetalol, 216–217, 235, 240, 272
 laboratory tests. *See also* cholesterol level;
 diagnostic tests; potassium level
 adrenocorticotrophin (ACTH), 60
 albumin, urinary, 30, 49, 95–96, 127, 273, 277
 biopsies, 49
 blood urea nitrogen, 48, 95–96
 cardiac enzymes, 75, 80
 catecholamines, 54
 chemistry profile, 30
 complete blood count, 30
 cortisol level in urine, 60
 C-reactive protein, 75
 creatinine level, 48, 95
 dexamethasone suppression test, 60
 fibrinogen, 75

- glucose level, 25, 30, 87, 204, 235
 - growth hormone level, 64
 - hemoglobin A1c, 87
 - homocysteine level, 75, 138
 - metanephrine
 - screening, 54
 - platelet count, 278
 - renin, 57
 - sodium level, 30, 207–208
 - uric acid level, 274
 - urinalysis, 264
 - Lancet, 309
 - Lasix, 208, 239
 - late distal tubule, 203
 - Learning Meditation, 196
 - left ventricular hypertrophy, 72
 - Levatol, 218, 239
 - Lexxel, 225, 227–228, 239
 - Lifeclic Health Management Systems, 318
 - lifestyle changes
 - alcohol, 44, 129–130
 - children, 265–266
 - diet, 13, 129–130
 - elderly people, 251–252
 - exercise, 13, 129–131
 - humor, 131–133
 - salt intake, 43–44, 129
 - smoking, 44, 129–131
 - tension, reducing, 40–41
 - weight control, 41–43, 129–131
 - lisinopril, 228, 239–240, 290
 - lithium, 204, 207–208, 210
 - liver disease, 209–210, 213, 216, 224–225, 235
 - Lodine, 247
 - Loniten, 221, 239
 - loop diuretics, 203, 207–209, 232, 235
 - loop of Henle, 203
 - Lopressor, 217, 239
 - losartan, 72, 230, 238
 - Lotensin, 227, 239
 - Lotrel, 225, 227, 239
 - low blood pressure, 23–24, 236, 254
 - lowering blood pressure
 - exercise, 13, 42–43, 183
 - gauging effect of, 304
 - heart attack, increased risk of, 201
 - lifestyle changes, 40
 - lower-risk hypertension, 23
 - lupus syndrome, 221, 235
- M •**
- MADD (Mothers Against Drunk Driving), 178
 - magnesium, 129–130, 136, 207, 210
 - magnesium sulfate, 275, 277
 - magnetic resonance imaging (MRI), 54, 57, 60, 95, 117
 - malignant high blood pressure, 96–98, 113
 - MAOs (monoamine oxidase inhibitors), 292
 - Marler, John R.
 - Stroke For Dummies*, 108
 - Mavik, 228, 239
 - Maxide, 211, 239
 - Mayo Clinic, 55, 317
 - measurement of blood pressure. *See* blood pressure measurement
 - medical history, 28–29
 - medication, taking
 - children, 267–268
 - choosing medications, 231–233
 - compliance, 200, 291
 - continuing, necessity of, 296
 - drug characteristics, 200–202
 - elderly people, 252–255
 - missed doses, 234
 - side effects, 58, 234–236
 - strategies for, 234
 - symptoms, lack of, 298–299
 - treatment algorithm for blood pressure, 128
 - medications. *See specific medications*
 - meditation, 195–196, 251, 289
 - Meditation For Dummies* (Bodian), 195
 - Medline Plus, 316–317
 - men, erectile dysfunction/impotence, 224, 236. *See also* gender differences
 - menopause, 38–39
 - menstrual irregularities, 235
 - mental ability, 244
 - mental confusion, 82, 96–97, 234
 - Merci retrieval system, 118
 - mercury blood pressure gauges, 16–17, 20
 - metabolic syndrome, 29, 157
 - metaiodobenzylguanidine scan, 54
 - metanephrine level, 54
 - methylclothiazide, 206
 - methyl dopa, 212–213, 234–237, 254, 272, 278, 290

- metolazone, 206, 239–240
metoprolol, 77, 217, 239–240
Micardis, 230, 239
microalbuminuria, 49, 127
Midamor, 210, 239
migraine headache, 233
mind-body techniques, 194–197, 288–289
Mini-Mental State Examination, 244–245
Minipress, 219, 239
minoxidil, 220–222, 235, 239
Moduretic, 211, 239
moexipril, 228, 240
monoamine oxidase inhibitors (MAOs), 292
Monopril, 228, 239
morphine, 177
Morris, R. Curtis, 154
Mothers Against Drunk Driving (MADD), 178
Motrin, 247
mouth, dry, 235
movement, regaining, 119
MRI (magnetic resonance imaging), 54, 57, 60, 95, 117
multiple endocrine neoplasia, 54
murmur, cardiac, 63
muscle pain, 235
Mykrox, 206, 239
myocardial infarction, 79
myocardial perfusion scan, 76
myths about high blood pressure
 DBP more important, 295–296
 elderly people, 301
 exercise, avoiding, 297–298
 inevitability, with aging, 293–294
 life restrictions, 295
 medication, skipping and stopping, 296, 298–299
 nervousness, 300–301
 treatment options, 294–295, 297, 299–300
 women, 301–302
- *N* •
- nabumetone, 248
nadolol, 218, 232, 238
naltrexone, 176–177
Naprosyn, 248, 292
naproxen, 248
National Aphasia Association, 122, 319
National Cancer Institute, 170
National Center for Biotechnology Information, 303
National Heart Foundation of Australia, 319
National Heart, Lung, and Blood Institute, 22, 127, 260, 312
National High Blood Pressure Education Month, 312
National Institute of Diabetes and Digestive and Kidney Diseases, 313–314
National Institute of Neurological Disorders and Stroke, 122
National Institute on Drug Abuse, 170
National Institutes of Health, 22, 55, 72, 127, 260, 319
National Kidney Foundation, 313
National Long-term Care Survey, 252
National Rehabilitation Information Center, 122, 319
National Stroke Association, 122, 315–316
National Weight Loss Registry, 148
Native Americans, 85–86, 163
Naturetin, 205, 239
nausea, 97, 235–236
Nelson’s syndrome, 61
nephrons, 92
Neporent, Liz
 Fitness For Dummies, 184
nervous system, medications that act on, 212–220
nervousness, 300–301
neurotransmitters, 212
New England Journal of Medicine, 40, 135
nicardipine, 223, 225, 238
nicotine, action of, 162
Nicotine Anonymous, 170
nicotine vaccine, 169
nicotine-replacement therapy, 169
nifedipine, 223, 225, 233, 237, 239, 278, 290
nightmares, 236
nisoldipine, 223, 225, 239
nitrates, 77
nitric oxide, 13, 36, 248
nitroglycerin, 74, 77, 81

nocturnal intermittent peritoneal dialysis, 101
 noncompliance, 291
 non-insulin-dependent diabetes, 42
 nonsteroidal anti-inflammatory drugs (NSAIDs), 47, 247–248, 292
 norepinephrine, 52–55, 212, 214, 248
 Norvasc, 224, 239
 nursing facilities and homes, 120
 nutrition. *See* diet and nutrition
Nutrition in Clinical Practice, 308

• O •

obesity, 34, 112, 127, 143–145, 257, 262, 286
 occupational therapists, 120
 Occupational Therapy Association, 318
 olmesartan, 230, 237
 opioids, 177
 oral contraceptives, 38, 279, 292
 Oretic, 239
 organ transplants, 49, 104–106
 orthopnea, 82
 orthostatic hypotension, 19, 255–256
 osteomalacia, 94
 osteoporosis, 180
 Overeaters Anonymous, 148
 overweight people, 156, 257, 262
 oxaprozin, 248
 oxygen, 10, 71

• P •

Pacific Islanders, 163
 palpitations, 53
 Pansalt, 155
 paroxysmal nocturnal dyspnea, 82
 Patient UK, 319
 Payne, Larry
Yoga For Dummies, 195
Pediatrics, 306
 pedometers, 188
 penbutolol, 218, 239
 Perceived Exertion Scale, 189–190
 percutaneous transluminal coronary angioplasty (PTCA), 77–79, 81, 86
 perindopril, 228, 237

peripheral resistance, 13, 42
 peritoneal dialysis, 100–102
 peritonitis, 102
 pharmacies, measuring blood pressure in, 17, 284
 phenacetin, 47
 phenothiazines, 54
 phentolamine, 55
 phenylpropanolamine, 291
 phenylzine, 292
 pheochromocytoma, 52–55
 phosphorus intake, 104
 psychiatrists, 120
 physical activity, 84, 129–131, 305–306.
See also exercise
 physical examinations, 29, 185–186, 263–264
 physical inactivity, 34, 87, 113, 127
 physical therapists, 120
 physicians, white coat effect, 25, 248, 261, 284. *See also specific topics*
Physicians' Desk Reference, 200
 pindolol, 218
 piroxicam, 248
 pituitary gland, 59, 64
 plaque, 72, 74–75, 86, 110
 platelet count, 278
 Plavix, 114
 Plendil, 225, 239
 polythiazide, 239
 postural (orthostatic) hypotension, 19, 255–256
 posture/position for blood pressure measurement, 17, 19, 21
 potassium bicarbonate, 154
 potassium chloride, 154
 potassium citrate, 154
 potassium intake, 34, 104, 129–130, 136
 potassium level
 aldosterone-producing tumors, 55–57
 children, 264
 elderly people, 247
 furosemide, 208
 hydrochlorothiazide, 204–205
 kidney artery obstruction, 50
 loop diuretics, 207
 potassium-sparing diuretics, 203, 210

- potassium-sparing diuretics
 - ACE inhibitors, 226
 - aldosterone-antagonist diuretics, 210–211
 - drug therapy, 203, 209–210
 - elderly, 254
 - side effects, 235–236, 294
 - uncomplicated high blood pressure, 232
 - prazosin, 239
 - prediabetes, 308
 - prednisone, 292
 - preeclampsia, 269, 272–278
 - pregnancy. *See also* breast-feeding
 - ACE inhibitors, 226
 - angiotensin II receptor blockers, 229
 - blood pressure during, 270–271
 - calcium channel blockers, 224–225
 - chronic high blood pressure, 271–272, 277–278
 - eclampsia, 275–277
 - gestational high blood pressure, 278
 - high blood pressure after delivery, 278–279
 - high blood pressure as complication, 14
 - hydralazine, 220
 - methyl dopa, 213, 290
 - minoxidil, 221–222
 - potassium-sparing diuretics, 210
 - preeclampsia, 269, 272–278
 - specific concerns about, 269–270
 - thiazide diuretics, 204
 - pre-high blood pressure stage, 39
 - prehypertension, 22–23, 126–128, 153, 280, 304–305
 - primary high blood pressure, 11–12, 47
 - primary hyperaldosteronism, 55–56
 - Prinivil, 228, 239
 - Prinzide, 228, 239
 - probenecid, 207
 - Procardia, 225, 239
 - progesterone, 38, 271, 279
 - Progress in Cardiovascular Disease*, 155
 - prolactin, 213, 271
 - propranolol
 - beta blockers, 77, 215, 218
 - drug therapy, 232–233, 239, 290
 - loop diuretics, 207
 - Propranolol Hydrochloride, 218
 - protein, urinary, 30, 49, 95–96, 127, 273, 277
 - protein intake, 49, 101
 - pseudo high blood pressure, 246
 - PTCA (percutaneous transluminal coronary angioplasty), 77–79, 81, 86
 - PubMed, 317
 - pulse, taking, 185
 - pulses, presence of, 63
- *Q* •
- quinapril, 228, 237
- *R* •
- race and ethnicity, 35–37. *See also specific groups*
 - radiation therapy, 61, 64
 - radionuclide angiography, 76
 - ramipril, 228, 237
 - reducing blood pressure. *See* lowering blood pressure
 - rehabilitation, after brain attack, 118–122
 - Relafen, 248
 - relaxin, 271
 - renal arteries, 90–91
 - renal artery stenosis, 97
 - renal cortex, 90–91
 - renal parenchymal hypertension, 47
 - renal pelvis, 92
 - renal pyramids, 90–91
 - renal vascular hypertension, 50–51
 - Renese, 239
 - renin
 - ACE inhibitors, 51
 - aldosterone-producing tumors, 56–57
 - calcium channel blocking agents, 223
 - licorice, 58
 - pregnancy, 271
 - production of, 93–94
 - renal vascular hypertension, 50–51
 - salt sensitivity, 43
 - renin-angiotensin-aldosterone system, 92, 225–226
 - renin inhibitors, 272
 - reversible high blood pressure, 11
 - Revia, 176
 - Rippe, James M.
 - Heart Disease For Dummies*, 84
 - risk factors
 - brain attack, 111–113
 - heart attack, 30, 201

- heart disease, 85–87
 - high blood pressure,
 - 11, 31
 - preeclampsia, 272–273
 - Road Bike Review, 189
 - Rogaine, 222
 - Rubin, Alan
 - address and Web site, 14
 - Diabetes For Dummies*, 87
 - Thyroid For Dummies*, 63
- S •
- Salt Institute, 151
 - salt intake
 - amounts required/consumed daily, 286–287
 - breast-feeding, 279
 - children, 266
 - chloride, 154
 - consumption, increase in, 152, 155
 - DASH diet, 142, 159
 - diabetic kidney disease, 49
 - elderly people, 250
 - heart failure, 84
 - hemodialysis, 104
 - high blood pressure, 37, 151–155
 - lowering, 43–44, 157–159
 - postmenopausal women, 39
 - reducing, 286–287
 - salt sensitivity, 156–157
 - Stroke Belt, 34
 - salt retention, 93, 96
 - salt sensitivity, 43, 156–157
 - salt substitutes, 154, 159, 210
 - SBP (systolic blood pressure), 11, 18, 21, 37, 135–136, 245, 296
 - Schlosberg, Suzanne
 - Fitness For Dummies*, 184
 - Scientific American*, 37
 - scientific names of drugs, 236–240
 - Scientific Registry of Transplant Recipients, 106
 - secondary high blood pressure
 - acromegaly, 64–65
 - age, relationship to, 39
 - aldosterone-producing tumors, 55–58
 - brain tumors, 65
 - burns, 65
 - children, 262
 - coarctation of the aorta, 62–63
 - congenital adrenal hyperplasia, 61–62
 - Cushing’s syndrome, 59–61
 - determining presence of, 284
 - elderly people, 246–247
 - explanation of, 12, 45–46
 - incidence of, 45
 - kidneys, role of, 47–51
 - malignant high blood pressure, 97
 - pheochromocytoma, 52–55
 - renal parenchymal hypertension, 47–49
 - renal vascular hypertension, 50–51
 - sleep apnea, 65
 - symptoms, 46
 - testing for, 30
 - thyroid disorders, 63–64
 - secondhand smoke, 164–165
 - Sectral, 216, 239
 - sex after brain attack, 121
 - sex hormones, 62
 - sexual side effects, 211
 - side effects
 - ACE inhibitors, 226
 - aldosterone-antagonist diuretics, 211
 - beta blockers, 216
 - calcium channel blocking agents, 223
 - common, and likely causes, 234–236
 - high blood pressure, worse than, 294–295
 - hydralazine, 221
 - methyldopa, 213
 - minoxidil, 222
 - spironolactone, 58
 - sympathetic nervous system
 - medications, 214
 - thiazide diuretics, 204
 - skin rash, 236
 - sleep apnea, 29, 65
 - sleep disorders, 235
 - sleepiness, 213–214, 236
 - smokeless tobacco, 165
 - smoking and tobacco use
 - alcohol and caffeine use, 162, 171, 173
 - blood pressure measurement, 17
 - brain attack, 113
 - children, 266
 - costs of, 163

smoking and tobacco use (*continued*)

- elderly people, 251
- heart disease, 86
- high blood pressure, 127, 162–163
- lifestyle changes, 44, 129–131
- medical complications, 164
- oral contraceptives, 279
- quitting, 161, 165–170, 287–288
- rate of smoking in the U.S., 163
- secondhand smoke, 164–165
- smokeless tobacco, 165

sodium level, 30, 207–208

speech-language pathologists, 120

sphygmomanometers, 11, 15

spironolactone, 58, 211–212, 226, 234–237

Stage 1 and stage 2 classification, 22, 127–128

statin drugs, 85

stents, arterial, 51, 78, 118

steroids, 61–62, 292

stethoscopes, 18, 20

strength training, 186, 191–194

stress, 40–41, 265

stress hormones, 132

stress tests, 185

stroke. *See* brain attack

Stroke: Clinical Updates, 315

Stroke Belt, 34

Stroke Connection Magazine, 121, 315

Stroke For Dummies (Marler), 108

Strokes Clubs International, 122

sucralfate, 208

Sular, 225, 239

sulfonamides, 207

sulfonyleureas, 204, 207

sulindac, 248

sunlight sensitivity, 236

surgery

- acromegaly, 64
- aldosterone-producing tumors, 58
- CABG, 77–79, 81, 86
- coarctation of the aorta, 63
- Cushing's syndrome, 61
- gastric bypass, 147, 308
- medication choice, 233
- pheochromocytoma, 55

swallowing, 119–120

sweating, 53

symptoms

- brain attack, 114–116
- chronic renal failure, 99
- heart attack, 79–80

- lack of, and taking medication, 298–299
- secondary high blood pressure, 46
- systemic lupus erythematosus, 205
- systolic blood pressure (SBP)
 - blood pressure measurement, 18
 - DASH diet, 135–136
 - explanation of, 11, 21
 - gender differences, 37
 - high, isolated, 245, 296
 - treatment, necessity of, 296

• T •

target-organ damage, 126

Tarka, 228, 239

Taztia XT, 224, 240

Tezdemir, 240

telmisartan, 230, 239

Tenex, 215, 240

Tenoretic, 217

Tenormin, 217, 240

terazosin, 220, 238

Teveten, 230, 240

Thalitone, 206, 240

thiazide diuretics

- ACE inhibitors, 226
- ALLHAT Study, 310
- disease and death, effect on, 201–202
- elderly people, 247, 253–254
- medications, choosing, 232
- methyldopa, with, 213
- side effects, 235–236
- terazosin, 220

thirst, 236

thrombolytic therapy, 80–81, 117

Thyroid For Dummies (Rubin), 63

thyroid hormone, 64

TIA (transient ischemic attack), 113, 115, 118

Tiazac, 224, 240

Timolide, 218, 240

timolol, 215, 218, 237, 240, 278

tissue plasminogen activator (tPA), 117

tobacco. *See* smoking and tobacco use

tolazamide, 204

tolbutamide, 204

tolinase, 207

Toprol XL, 217, 240

toremide, 238

tPA (tissue plasminogen activator), 117

Trandate, 217, 240

trandolapril, 228, 239
 Transcendental Meditation, 195
 transient ischemic attack (TIA), 113, 115, 118
Transplant Chronicles, 313
 tranlycypromine, 292
 treatment options
 brain attack, 117–119, 297
 heart attack, 79–81, 297
 high blood pressure, 12–13, 19, 38, 125–133
 myths about high blood pressure, 294–295, 297, 299–300
 prehypertension, 126–128
 Trial of Nonpharmacologic Interventions in the Elderly, 251–252
 triamterene, 210–212, 238–239
 trimipramine, 292
 tumors
 aldosterone-producing, 55–58
 brain, 65
 tyramine, 54

• U •

ultrasound, 30, 49, 83, 95, 117, 258, 264
Understanding Hypertension, 313
 Uniretic, 228, 240
 Univasc, 228, 240
 upper-body exercises, 192–193
 ureters, 47–48, 92
 uric acid level, 274
 urination, increased, 235
 urine, decreased, 83
 U.S. Centers for Disease Control and Prevention, 35, 170
 U.S. Department of Health and Human Services, 152
 U.S. National Library of Medicine, 316

• V •

valsartan, 230, 238
 varenicline, 169
 variable blood pressure readings, 24–26
Vascular Health Risk Management, 304
 Vaseretic, 227

vasodilators, 84, 220–222, 235–236
 Vasotec, 227, 240
 vegetarians, 136
 vena cava, 70
 venlafaxine, 292
 verapamil, 77, 222–224, 228, 233, 238–240
 Verelan, 224, 240
 vertebral arteries, 109
 very-low-kilocalorie diets, 149
 Vitamin D, 94, 204
 Vitamin D3, 94
 vocational therapists, 120
 Voltaren, 247
 vomiting, 97, 235

• W •

walking programs, 186–188
 warfarin, 114, 118
 weakness, 236
 Web sites. *See specific information resources*
 WebMD, 319
 weight, body, 33–34, 41–43, 143–145. *See also obesity*
 weight loss. *See also DASH diet*
 children, 265
 daily caloric needs, 145–147
 diet programs, 148–150
 exercise, 190–191
 ghrelin, 147
 heart failure, 84
 ideal weight, 143–145
 kilocalorie intake, 286
 lifestyle changes, 129–131
 maintaining, 148–149
 Weight Watchers, 148, 150
 white coat effect, 25, 248, 261, 284
 Whites. *See Caucasians*
 women. *See also breast-feeding; gender differences; pregnancy*
 estrogen replacement, 280
 high blood pressure dangers, 301–302
 oral contraceptives, 38, 279, 292
 World Hypertension League, 319
 Wytensin, 214, 240

• X •

X-rays, chest, 30, 84

• Y •

yoga, 194–195, 251, 289

Yoga For Dummies (Feuerstein and Payne),
195

The Yoga Journal, 195

The Yoga Site, 195

• Z •

Zaroxolyn, 206, 240

Zebeta, 217, 240

Zestoretic, 228, 240

Zestril, 228, 240

Ziac, 240

Zyban, 169