Index

SYMBOLS AND NUMBERS

@ (at), 61
| (pipe), 65
- (hyphen), 63
2D (two-dimensional) graphics
of Android, 8
hardware acceleration for, 380
3D (three-dimensional) graphics
of Android, 8
with SurfaceView , 392–393
9 (nine) patches, 381

A

AAPT (Android Asset Packaging Tool), 42
AbsoluteLayout class, 79
acceleration, 324
accelerometers
Android features, 6
animating sliding user interface example, 370
constants, 322
creating Speedometer, 326–329
defined, 323
using, 324–325
access. *See also* security
Content Provider, 189
exposing data source, 195–197
files in Content Providers, 192
hardware. *See* hardware APIs
Location Manager, 213
permission tags, 48
phone properties, 338
retrieving Shared Preferences, 161–162
scanning for Wi-Fi hotspots, 349
accuracy
finding Location Providers based on, 212–213
Sensor Manager, 321–322
actions
anonymous, 130–132
making phone calls, 334
monitoring Wi-Fi connectivity, 348
native Activity, 120–121
native broadcast, 135–136
passing responsibility, 124
strings, 132–133
tag, 121
transmitting data messages, 290
active connections, 346–347
active lifetime, 72–73
active processes, 52
active state, 69
Activities
binding to background Services, 258–259
classes, 73
creating, 66–67
creating Compass and artificial horizon, 330–333
creating earthquake viewer, 148–156
creating UIs with Views, 77–78
defined, 46, 76
Dialog-themed, 144
Emergency Responder, 297–314
environment considerations, 34
launching with Intents, 114–121
life-cycle, 68–73
map-based, 224–226
permissions, 355
runtime configuration changes, 64–65
saving state, 162–165
sliding user interface example, 365–370
Speedometer, 326–329
"Where Am I?" example, 214–216
Activity base class, 27
Activity Manager, 35–36
Activity Menus. *See also* menus
adding to to-do list example, 107–112
Context Menus, 105–107
defined, 101–104
activity tags, 47
activityCreator, 42
ActivityGroup, 73
adapters
Bluetooth, 339–345
database, 177–179
introducing, 136–141
summary, 157
ADB (Android Debug Bridge), 42–43
adding Overlays, 234
adding rows, 182–183
address geocoding, 220–223
ADT (Android Developer Tool) plug-in, 21–24
advanced Android development. *See* Android, advanced development
AIDL (Android Interface Definition Language), 356–361
Alarms
automating Emergency Responder, 311–312
background Services, 273–274
updating earthquake example with, 274–276
AlertDialog class
creating earthquake viewer, 148–156
defined, 145–146
alerts
Notifications, 265–273
proximity, 219–220
alpha, 57–58
Amazon Web Services, 361
Android, 1–17
applications. *See* applications
background, 2–3
Content Providers, 192–194
database design considerations, 180
developing for, 9–11
development framework, 11–16
hardware APIs. *See* hardware APIs
menu system, 99–101
native applications, 4–5
OHA, 8–9
open platform for mobile development, 4
overview, 1–2
running, 9
SDK features, 5–8
summary, 17
what it isn't, 3
Android, advanced development, 353–398
animating layouts and View Groups, 370–372
animating sliding user interface example, 365–370
animations, 361–365
Canvas drawing, 373–374
Canvas drawing, best practices, 380–381
compass face example, 381–389
hardware acceleration for 2D graphics, 380
improving paint quality with anti-aliasing, 379–380
interactive controls, 393–398
Internet Services, 361
IPC support with AIDL, 356–361
map Overlays, 389–390
overview, 353
painting, 374–379
security, 354–355
skinning applications with themes, 372–373
summary, 398
SurfaceView, 390–393

COPYRIGHTED MATERIAL

Android, getting started, 19–44
application types, 29–30
creating first activity, 24–29
developing for, 30–37
development tools, 42–43
overview, 19–20
summary, 44
to-do list example, 37–41
what you need to begin, 20–24
Android Asset Packaging Tool (AAPT), 42
Android Debug Bridge (ADB), 42–43
Android Developer Tool (ADT) plug-in, 21–24
Android Dialog, 143–147
Android Interface Definition Language (AIDL), 356–361
animations
advanced development, 361–365
animating layouts and View Groups, 370–372
animating sliding user interface example, 365–370
Canvas drawing, best practices, 381
externalizing, 57–59
skinning applications with themes, 372–373
annotations. *See* Overlays
anonymous actions, 130–132
answering calls, 339
anti-aliasing, 379–380
APIs (Application Programming Interfaces)
Android libraries, 15–16
hardware. *See* hardware APIs
SDK contents, 12
application layers
vs. Android, 3
decoupling with Content Providers, 189
in software stack, 14
application manifest, 134
Application Programming Interfaces (APIs). *See* APIs (Application Programming Interfaces)
Application Unresponsive dialog, 133
applications, 45–73
Activity classes, 73
Activity creation, 66–67
Activity life cycle, 68–73
application manifest, 46–49
architecture, 14–15
data storage, retrieval and sharing. *See* data storage, retrieval and sharing
defined, 46
externalizing resources, 52–59
life-cycle, 50–51
Manifest Editor, 49–50
overview, 45
priority and process states, 51–52
resources for different languages and hardware, 63–64
running/debugging, 26–27
runtime configuration changes, 64–65
skinning with themes, 372–373
summary, 73
to-do list example, 37–41
to-do list resources example, 62–63
types, 44
using resources, 59–62
applying tweened animations, 364
arc drawing, 374
Array List of Strings, 300
ArrayAdapter
creating earthquake viewer, 152
defined, 136–141
Emergency Responder example, 300–301
setting preferences, 168–169
artificial horizons
creating, 330–333
updating compass example, 385
at (@), 61
attributes
application manifest, 47–49
Intent Filter, 121–122
managing with Manifest Editor, 50
referencing resources, 61
runtime configuration changes, 65
audio alert Notifications, 270–271
audio recording, 317–319
authority, Content Provider, 190, 197
auto-retry functionality, 304–306

B

background animations, 372
background processes, 52
background Services, 249–277
Alarms, 273–274
of Android, 6–7
binding Activities to, 258–259
creating and controlling, 250–252
defined, 29–30
earthquake monitoring service example, 252–258
environment considerations, 34
notifications, 265–273
overview, 249–250
summary, 276–277
toasts, 262–264
unique Android features, 10
updating earthquake example with Alarms, 274–276
worker threads, 259–262
bandwidth, 142
base classes, 27
binding
Activities to Services, 258–259
adapters, 136–141
exposing IPC interface, 360–361
to GTalk Service, 281–282
bitmaps
Bitmap object, 373
Canvas drawing, best practices, 381
externalizing, 56
black theme, 373
blocking contacts, 285
Bluetooth, 339–345
blurring Paint, 377–378
bonding Bluetooth devices, 341–342
Broadcast Intents
communicating with Services, 259
defined, 132–136
enforcing permissions, 355
instant messaging, 280
listening for SMS messages, 294–296
P2P communication, 289–291
Broadcast Receivers
Alarms and, 273
automating Emergency Responder, 311
defined, 46
Emergency Responder example, 301–302, 305–306
listening for broadcasts with, 133–135
listening for SMS messages, 295–296
monitoring network connectivity, 346–347
OTA Intents, 289–291
permissions, 355
receiver tags, 48
summary, 157
tracking SMS messages, 292–294
Browser Content Provider, 192
button interaction, 396–397

C

caching
Internet resources, 142
mobile device storage, 31
callbacks, 320–321
CallLog Content Provider, 192
calls, phone
Android telephony, 333–339
using Bluetooth, 339–345
cameras
Android features, 6
using, 319–321
canceling Alarms, 274
Canvas drawing
Android, advanced development, 373–374
best practice, 380–381
compass face example, 381–389
controls, 89–90
hardware acceleration for 2D graphics, 380
improving paint quality with anti-aliasing, 379–380
map Overlays, 389–390
painting, 374–379
SurfaceView , 390–392
categories, Intent, 121
cell location, 336
Chat Listeners
defined, 281
managing group chats, 288–289
receiving text messages, 287
chat rooms, 287–288

Chat Sessions, 281, 286–289
checkboxes
menu items, 102–103
preferences, 168–169
child threads, 259–262
circle drawing, 374
CLAMP, 377
classes
Activity, 73
animating layouts and View Groups, 370
Animation, 362–364
BluetoothDevice, 339–345
CAMERA, 319–321
Canvas. *See* Canvas drawing
Content Providers, 192–193
Cursor, 176–177
Dialog, 144–147
extending Activity, 66–67
layout, 79
Linkify, 116–117
map, 224
Overlay. *See* Overlays
passing custom objects, 356–358
Phone, 338–339
Service. *See* Services
Vibrator, 350–351
View and SurfaceView, 88
clear text functionality, 86–87
click handling. *See* Overlays
click listeners
contact example, 127–128
menu items, 103
coarse permissions, 213–214
code
registering Broadcast Receivers in, 134–135
using resources in, 59–60
ColorFilters, 378
colors
creating simple values, 55
updating compass example, 382–384
using translucency, 375
column definitions, 176
communication
Bluetooth, 342–344
interapplication, 7
P2P communication. *See* P2P (peer-to-peer) communication
compasses
Canvas drawing example, 381–389
Compass View example, 93–98
creating, 330–333
defined, 323
determining orientation, 329–330
orientation sensors, 329–330
components, application, 46–49
compound controls, 85–87
condensed titles, 103
configurations, Wi-Fi, 350
confirmation of SMS delivery, 292–294
connectivity
Bluetooth, 339–345
GTalk Connections, 281, 282–286
Internet resources, 141–143
mobile device limitations, 32–33
monitoring mobile data, 337–338
network and Wi-Fi, 345–350
consistency
externalizing strings to maintain, 54
with themes, 372–373
contacts
Content Provider, 192–194
example, 124–129
roster, 283–286
Content Providers
contact roster, 283–286
creating earthquake, 197–205
creating new, 194–197
defined, 7, 46, 160
introducing, 189–192
Media Store, 318
native, 192–194
permissions, 355
provider tags, 48
updating with Services, 256–258
Content Resolvers
creating new Content Provider, 195
defined, 190
using earthquake Content Provider, 203–204
Content Values, 176–177
ContentSlider Activity, 365–370
Context Menus
defined, 105–107
to-do list example, 107–112
Controller, Map, 227–228
controls
Android widgets, 78–79
background Services, 250–252
Bluetooth, 340
creating compound, 85–87
creating custom, 88
device vibration, 350–351
interactive, 393–398
Map View, 224–226
phone, 338–339
specialist Dialog boxes, 146
SurfaceView , 390–393
using custom, 98–99
Views. *See* Views
costs
finding Location Providers based on, 212–213
mobile device limitations, 33
Criteria
finding Location Providers based on, 212–213
updating location example, 217–218
current themes, 62
Cursors
binding Views to, 136, 141
Content Values and, 176–177
extracting results, 181–182
querying Content Providers, 190
querying databases, 181
custom actions, 290
custom class objects, 356–358
custom controls
Compass View example, 93–98
creating, 88
using, 98–99
custom link strings, 116–117
custom Toasts, 263–264

D

Dalvik, 11–12
Dalvik Debug Monitoring Service (DDMS)
ADT features, 22
defined, 42–43
Dalvik Virtual Machine (VM), 14
data
AIDL support types, 356
binding, 136–141
monitoring connectivity, 337–338
tags, 122
transmitting with Bluetooth, 343–344
data messaging
with Google Talk, 8
handling SMS, 296–297
sending and receiving, 289–291
sending SMS, 294
data sources
Content Providers as, 189
exposing access to, 195–197
playing media, 316–317
data storage, retrieval and sharing, 159–206
Content Providers, 189–192
Content Providers, creating earthquake, 197–205
Content Providers, creating new, 194–197
Cursors and content values, 176–177
database design considerations, 180
database querying, 181
databases, 175
databases, working with, 177–179
developing for mobile devices, 31
extracting Cursor results, 181–182
native Content Providers, 192–194
overview, 159–160
preferences, creating and saving, 161
preferences, creating for earthquake viewer, 165–174
retrieving Shared Preferences, 161–162
rows, adding/updating/removing, 182–183
saving Activity state, 162–165
saving and loading files, 174–175
saving application data, 160–161
saving techniques, 160
saving to-do list example, 183–189
SQLite, 7, 176
SQLiteOpenHelper, 179–180
summary, 205–206

databases
creating earthquake Content Provider, 199–200
Cursors and Content Values, 176–177
design considerations, 180
extracting Cursor results, 181–182
introducing, 175
querying, 181
rows, adding/updating/removing, 182–183
saving to-do list example, 183–189
SQLite, 176
SQLiteOpenHelper, 179–180
working with, 177–179
DatePickerDialog, 146
DDMS (Dalvik Debug Monitoring Service)
ADT features, 22
defined, 42–43
debugging
ADT features, 22
Android applications, 26–27
launch configurations, 25–26
SDK tools, 42–43
simulating SMS messages, 296
to-do list example, 38
declaring permissions, 355
definitions, AIDL, 358–359
deleteFile, 175
deleting
Content Providers, 191
creating earthquake Content Provider, 201–203
rows, 183
delivery, SMS message, 292–294, 305
design
database considerations, 180
hardware-imposed considerations, 30–31
UI, 76
development
advanced Android. *See* Android, advanced development
for Android, 9–11, 30–37
Android as open platform for mobile, 4
Android framework, 11–16
tools, 42–43
device vibration control, 350–351
dialers, 333–334
Dialog boxes
creating earthquake viewer, 154–156
introducing, 143–147
toasts, 262–264
using background worker threads, 259–262
digital cameras
Android features, 6
using, 319–321
dimensions
creating simple values, 55
determining orientation, 329–330
direction monitoring, 323
discovering Bluetooth devices, 340–341
dismissing calls, 339
documentation, SDK, 12
downloading what you need to begin, 20–24
D-pad
interactive controls, 396–397
wiring up, 369–370
drawables
externalizing, 56
frame-by-frame animations, 59, 372
drawing
Canvas. *See* Canvas drawing
controls, 89–90
current location, 235–236
customizing to-do list, 84–85
on Overlay Canvas, 233
dx, 42

E

earthquake example
adding Notifications, 267–270
creating Content Providers, 197–205
creating preference page for, 165–174
creating viewer, 148–156
IPC support with AIDL, 356–361
mapping, 242–247
monitoring service example, 252–258
updating with alarms, 274–276
Eclipse IDE (integrated development environment)
ADT plug-in, 21–24
developing with, 21
getting started, 19
SDK and, 12
editors, 161
efficiency, 31, 35
element access, 28–29
embossing Paint, 377–378
Emergency Responder example
automating, 306–314
creating SMS application, 297–306
creating Speedometer, 326–329
empty processes, 52
Emulators
ADT features, 22
audio playback, 317
defined, 42–43
Emergency Responder testing, 306
mobile device limitations, 32–33
recording media, 318
SDK contents, 12
setting up with Test Providers, 208–211
SMS messages, 296
vibrating Notifications, 271
ending calls, 339
enforcing permissions, 355
environment considerations, 33–34
event broadcasting, 132–136
event handlers
Context Menu selections, 106–107
Dialog boxes, 146–147
interactive controls, 393–398
map taps, 234
menu item selections, 104
MenuItemClickListener, 103
modifying existing Views, 81–82
monitoring state changes, 69–71
phone state, 335
saving and restoring instance states, 162–163
saving application data, 160–161
Shared Preferences, 170
sub-Activity results, 119–120
user interaction, 92–93
events, system
broadcasting with Intents, 114
native broadcast actions, 135–136
ExpandableListActivity, 73
expanded menu, 100–101
explicit Intents
defined, 114
starting new Activities, 115
exposing IPC interface, 358–359
extensibility
using Intent Filters for, 130–132
using SQLiteOpenHelper, 179–180
eXtensible Markup Language (XML) layouts, 79–80
eXtensible Markup Language (XML) resources
Android project, 28
using, 59–62
Extensible Messaging and Presence Protocol (XMPP), 7
externalizing resources, 52–59
extras
defined, 133
transmitting data messages, 290

F

feedback with vibration, 350–351
fileList, 175
files
accessing in Content Providers, 192
database design considerations, 180
loading and saving, 174–175
media APIs, 316–319
saving data, 160
FILL, 374
filters
Intent. *See* Intent Filters
Mask and Color, 377–378
Match and Transform, 117
fine permissions, 213–214
finger input, 393–396
flashing light Notifications, 272
fontscale, 65
foreground Activities
defined, 29–30
environment considerations, 34
format support, 316
Forward Geocoding, 220–222
frame-by-frame animations
creating and using, 372
defined, 362
externalizing, 57, 59

FrameLayout class, 79
Fry, Stephen, 75
full Activity lifetime, 71–72
functions
  Cursor class, 176–177
  geocoding, 220–223
future of Android, 3

G

gData Services, 361
geocoding, 6, 220–223
global positioning services (GPS). *See also* LBS (location-based Services)
  Android features, 6
  "Where Am I?" example, 214–216
Google
  Android and, 3
  Internet Services, 361
Google Maps
  in Android, 6
  map-based Activities, 224–226
  unique Android features, 10
Google Talk. *See* GTalk Service
GPS (global positioning services). *See also* LBS (location-based Services)
  Android features, 6
  "Where Am I?" example, 214–216
GPX (GPS Exchange Format), 209
gradient Shaders, 376–377
graphical user interfaces (GUIs)
  creating Speedometer, 328
  synchronizing threads for, 260–261
graphics
  Android, 8
  controls, 32
  hardware acceleration for 2D, 380
  with SurfaceView , 392–393
gravity and acceleration, 324
group chats
  GTalk Service, 281
  managing, 287–289
Groups, View. *See* View Groups
GTalk Connections
  defined, 281
  GTalk Service, 282–286
GTalk Service, 7–8
  binding to, 281–282
  Chat Sessions, 286–289
  GTalk Connections, 282–286
  introducing, 280
  sending and receiving data messages, 289–291
  using, 280–281
GUIs (graphical user interfaces)
  creating Speedometer, 328
  synchronizing threads for, 260–261

H

handling events. *See* event handlers
handsets, 9
haptic feedback, 350–351
hardware
  acceleration for 2D graphics, 380
  Android features, 6
  Android security, 36
  imposed design considerations, 30–31
  resources for different, 63–64
  runtime configuration changes, 64–65
hardware APIs, 315–351
  accelerometers, 324–325
  accelerometers and compasses, 323
  Bluetooth, 339–345
  cameras, 319–321
  creating compass and artificial horizon, 330–333
  creating Speedometer, 326–329
  device vibration control, 350–351
  media APIs, 316–319
  network and Wi-Fi connections, 345–350
  orientation sensors, 329–330
  overview, 315
  Sensor Manager, 321–323
  summary, 351
  telephony, 333–339
heading
  adding to Compass View, 332
  compass face example, 388
  orientation sensors, 329
headsets, Bluetooth, 344–345
Hello World template, 27–29
helper classes
  creating for SQLite, 177–179
  using SQLiteOpenHelper, 179–180
history of Android, 2–3
horizons, artificial
  creating, 330–333
  updating compass example, 385
hotspots, 349
hyperlinks
  adding to earthquake viewer, 156
  creating with Linkify, 116–117
hyphen (-), 63

I

icons
  creating Notifications, 266–267
  menu, 99–100
  menu items, 103
  resources, 62–63
IDE (integrated development environment), Eclipse. *See* Eclipse IDE (integrated development environment)
identifiers
  dimension, 55
  menu items, 102–104
  URIs. *See* URIs (Uniform Resource Identifiers)
idle phones, 336
IM (instant messaging), 7–8
  binding to GTalk Service, 281–282
  Chat Sessions, 286–289
  GTalk Service, 280–281
  sending and receiving data messages, 289–291
  starting sessions, 282–286
images
  creating, 62
  externalizing, 56
  taking pictures, 320–321
implicit Intents
  defined, 114
  late runtime binding and, 115
  servicing with Intent Filters, 121–129
inactive state, 69
inflating layouts, 86
input
  Android security, 36
  defining sources, 318
  touch screen, 393–396
inserting
  creating earthquake Content Provider, 201–203
  methods, 191
  rows, 182
insistent Notifications, 272–273
instances
  binding Activities to Services, 258–259
  creating, 60
  getting provider, 212
  saving and restoring state, 162–163
instant messaging (IM). *See* IM (instant messaging)
instrumentation classes, 48–49
integrated development environment (IDE), Eclipse. *See* Eclipse IDE (integrated development environment)
Intent Filters
  listening for SMS messages, 296
  populating Context Menus, 106
  servicing implicit Intents with, 121–129
  using for plug-ins and extensibility, 130–132
Intents
  broadcasting events, 132–136
  broadcasting OTA, 289–291
  broadcasting with Services, 256
  communicating with Services, 259
  creating Activity, 67
  defined, 7, 46
  enforcing permissions, 355
  instant messaging, 280
  making phone calls, 334
  menu items, 104
  monitoring Wi-Fi connectivity, 348
  proximity alerts, 219–220
  servicing implicit, 121–129
  summary, 157
  using Alarms to fire, 273–274
  using to launch Activities, 114–121
interactive controls, 393–398

interapplication communication, 7
interfaces
APIs. *See* APIs (Application Programming Interfaces)
GTalk Service, 280–281
implementing AIDL, 356–361
user. *See* UIs (user interfaces)
intermittent Activities, 29–30
Internet
monitoring connectivity, 345–346
services, 361
Internet resources
creating earthquake viewer, 153
introducing, 141–143
summary, 157
interprocess communication (IPC)
support with AIDL, 356–361
uniqueness of Android, 11
Invitation Listener, 288
IPC (interprocess communication)
support with AIDL, 356–361
uniqueness of Android, 11
iPhone, 3
ItemizedOverlays, 224, 239–240

J

Java, 20
Java IDE (integrated development environment), 21
Java ME, 3
Java MIDlets, 2–3
JDK (Java Development Kit)
downloading, 20
getting started, 19

K

keyboardHidden, 65
keys
interactive controls, 396–397
shortcut, 103
KML (Keyhole Markup Language), 209

L

languages
resources for different, 63–64
runtime configuration changes, 64–65
latency, 32–33
lateral sensor changes, 325
latitude
extracting, 215–216
geocoding, 220–223
MapController, 227
launch configurations, 25–26
Layout Managers, 79
layouts
animating, 370–372
compound controls, 86
creating Activity, 66–67
creating Activity UIs, 77–78
creating UIs, 79–80
externalizing resources with, 52, 57
Map Views, 225–226
referencing resources, 61
using adapters, 136–141
using custom controls, 98–99
LBS (location-based Services), 207–247
in Android, 6
creating map-based Activity, 224–226
finding location, 213–219
Geocoder, 220–223
ItemizedOverlays/OverlayItems, 239–240
Map Controller, 227–228
Map Views, 226–227
mapping earthquakes example, 242–247
mapping "Where Am I?", 228–231
maps-based Activities, 224
My Location Overlay, 239
Overlays, 231–238
overview, 207–208
pinning Views to maps, 240–242
proximity alerts, 219–220
selecting Location Provider, 212–213
setting up Emulator with Test Providers, 208–211
summary, 247
LED (light-emitting diode) Notifications, 272
leverage, 143
libraries
Android APIs, 15–16
Android media support, 8
GTalk Service, 280–281
software stack, 12–13
SQLite, 176
life-cycles
Activities, 68–73
application, 50–51
light Notifications, 272
light sensors, 322
light theme, 373
light-emitting diode (LED) Notifications, 272
line drawing, 374
LinearLayout, 57, 79
Linkify class, 116–117
Linux Kernel
security, 354
software stack, 12–13
Linux Phone Standards Forum (LiPS), 3
LiPS (Linux Phone Standards Forum), 3
ListActivity, 73
listeners
adding to Compass View, 333
animation, 364–365
Animation, 371
Bluetooth, 343
Chat. *See* Chat Listeners
click, 103, 127–128
creating Speedometer, 327
Location, 216–217
monitoring acceleration, 325
monitoring network connectivity, 346–347
OnKeyListener, 397
OnTouchListener, 396
orientation sensors, 330
phone state, 335–339
Sensor Manager, 321–322
SMS messages, 294–297
live video, 320
loading files, 174–175
Locale
geocoding, 221–222
locale, 65
location
runtime configuration changes, 64–65
tracking cell, 336
Location Manager, 208
Location Providers
defined, 208
managing Test, 209–211
selecting, 212–213
location-based Services (LBS). *See* LBS (location-based services); LBS (location-based Services)
longitude
extracting, 215–216
geocoding, 220–223
MapController, 227
sensor changes, 325

M

magnetic field sensor, 322
magnitude filter, 167, 172–173
Managers
Activity, 35–36
Layout, 79
Location, 208
Notification, 266
Sensor. *See* Sensor Manager
Telephony, 334–339
Wi-Fi, 347–350
Window, 35–36
Manifest Editor, 49–50
Map Views
configuring and using, 226–227
defined, 224
Overlays. *See* Overlays
MapActivity, 73, 224
MapController
defined, 224
using, 227–228
maps
based Activities, 224
creating Activity, 224–226
earthquakes example, 242–247
geocoding, 220–223
ItemizedOverlays/OverlayItems, 239–240
Map Controller, 227–228
Map Views, 226–227
My Location Overlay, 239
Overlays, 231–238
pinning Views to, 240–242
"Where Am I?", 228–231

markers
creating with Overlays, 239–240
pinning Views to maps, 240–242
MaskFilters, 377–378
Match Filter, 117
matching URIs, 195, 200
measuring Views, 90–92
media
Android support, 8
APIs, 316–319
Media Player, 316–317
Media Store Content Provider
defined, 193
recording media, 318
memory
optimization and management, 8
speed and efficiency, 35
MenuItemClickListener, 103
menus
Activity, 101–104
adding preferences, 171
Android, 99–101
creating earthquake viewer, 153–154
dynamic updating and handling selections, 104
mapping earthquakes example, 243–244
populating with Intent Filters, 130–132
submenus and context menus, 105–107
to-do list example, 107–112
mesh drawing, 374
messaging
instant. *See* IM (instant messaging)
with Intents. *See* Intents
P2P communication. *See* P2P (peer-to-peer) communication
SMS. *See* SMS (short messaging service)
Toasts, 262–264
metadata, 47–49
methods
Activity lifetimes, 71–73
adding hyperlinks, 116–117
adding menus to to-do list example, 107–112
advanced development. *See* Android, advanced development
background Services. *See* background Services
broadcasting with Intents, 132–136
creating earthquake viewer, 148–156
creating new visual interface, 88–92
creating submenus and Context Menus, 105–107
data storage, retrieval and sharing. *See* data storage, retrieval and sharing
defining Activity menus, 101–104
Dialog class, 144–147
hardware. *See* hardware APIs
of location-based Services. *See* LBS (location-based Services)
modifying existing Views, 81–82
P2P communication. *See* P2P (peer-to-peer) communication
returning results from Activities, 117–120
runtime configuration changes, 65
understanding Hello World, 27–29
using resources in code, 60
MIDlets, 2–3
MIRROR, 377
MkSDCard, 42
mobile development, 4
mobile devices, 30–37
mobile phone handsets, 3
mobile phones, 1–2
mode values, 91
monitoring phone calls, 335–336
monitoring SMS messages, 294
movement, tracking. *See* tracking movement
multimedia
APIs, 316–319
Media Store Content Provider, 193
MyLocationOverlay, 224, 239
MyView, 67

N

name/value pair (NVP) mechanism, 160
native actions
Activity, 120–121
broadcast, 135–136
native applications
of Android, 4–5
Internet resources, 141–143
uniqueness of Android, 11
native Content Providers, 192–194
native Internet resources, 142
native link types, 116
navigation
configuration changes, 65
menu, 99–101
nested submenus, 105
network connections. *See also* connectivity
Internet resources, 142–143
managing, 345–350
mobile device limitations, 32–33
Network Providers, 212
networks, phone, 338
Nine Patches, 381
NinePatch (stretchable PNG) images, 56
Notification Manager, 266
notifications
background Services, 265–273
defined, 7, 46
Sensor Manager, 322
NVP (name/value pair) mechanism, 160

O

objects
binding Views to arrays, 136–141
creating static, 381
Cursors and Content Values, 176–177
drawing, 374
passing custom class, 356–358
off the hook phones, 336
OHA (Open Handset Alliance), 8–9
OMA (Open Mobile Alliance), 3
ongoing Notifications, 272–273
OnKeyListener, 397
online support, 12
OnTouchListener, 396
opacity, 375
Open Handset Alliance (OHA), 8–9
Open Mobile Alliance (OMA), 3
open platforms, 4
opening databases, 179–180
opening socket connections, 342–343
orientation, 65
orientation sensors
accelerometers and compasses, 323
adding to Compass View, 330–332
constants, 322
defined, 329–330
OTA (over the air), 289
outgoing phone calls, 335–336
output sources, 318
oval drawing, 374
over the air (OTA), 289
OverlayItems, 224, 239–240
Overlays
bringing to life, 389–390
defined, 231–238
ItemizedOverlays/OverlayItems, 239–240
map, 224
mapping earthquakes example, 246
My Location Overlay, 239

P

P2P (peer-to-peer) communication, 279–314
automating SMS Emergency Responder, 306–314
binding to GTalk Service, 281–282
Chat Sessions, 286–289
GTalk Connections, 282–286
GTalk Service, 280–281
instant messaging, 280
overview, 279
sending and receiving data messages, 289–291
Services, 7–8, 11
SMS, 291–297
SMS Emergency Responder example, 297–306
summary, 314
Paint, 373
painting
Canvas drawing, 374–379
improving quality with anti-aliasing, 379–380
pairing Bluetooth devices, 341–342
panning, 227–228
Parcels, 356–358

passing custom class objects, 356–358
passing responsibility, 124
patches, nine, 381
path drawing, 374
PathEffects, 378–379
paused state, 69
peer-to-peer (P2P) communication. *See* P2P (peer-to-peer) communication
Pending Intents, 292–293
permissions
adding to Emergency Responder, 298
advanced development, 354–355
CAMERA, 319
Content Providers, 189
creating earthquake viewer, 150
developing for Android, 36
listening for SMS messages, 295
Location Manager access, 213–214
maps, 225
permission tags, 48
sending SMS messages, 292
VIBRATE, 350
persistence techniques, data. *See* data storage, retrieval and sharing
phones
Android telephony, 333–339
smartphones, 10
using Bluetooth, 339–345
picture taking, 320–321
pinning Views to maps, 240–242
pipe (|), 65
Pipes, 361
pitch
adding to Compass View, 330–332
compass face example, 385–386
orientation sensors, 329
platforms, Android support, 20
playback in Android, 316–317
plug-ins
ADT, 21–24
using Intent Filters for, 130–132
politeness, 34
"pop-in" animations, 370–371
power efficiency
defined, 31
finding Location Providers based on, 212–213
preferences
automating Emergency Responder, 308–310
configuring network, 346
creating and saving, 161
creating for earthquake viewer, 165–174
defined, 159–160
retrieving Shared Preferences, 161–162
presence
defined, 283–286
notification, 8
presentation layer
decoupling with layouts, 57
using layouts in, 79–80
previews, camera, 320
primitives, drawing, 374
priority and process states, 51–52
private databases, 183–189
private Shared Preferences, 162
process management, 8
process states, 51–52
processor speed, 31
ProgressDialog, 146
Projections, 232–233
properties, phone, 338
provider tags, 48
Providers, Content. *See* Content Providers
Providers, Location. *See* Location Providers
proximity alerts, 219–220
proximity sensor, 322

Q

qualifiers, 64
querying
Content Providers, 190
creating earthquake Content Provider, 201
Cursors and Content Values, 176–177
databases, 181
exposing, 195–197

R

R class file
defined, 53
using resources in code, 59–60
radio buttons, 102–103
radiofrequency communications (RFCOMM), 342–344
raw files, 174–175, 270–271
Read Only file resources, 174–175
receiver tags, 48
receiving messages
data, 289–291
text, 287
recording media, 317–319
rectangle drawing, 374
referencing resources, 61
refreshing earthquake viewer, 150
registration
Broadcast Receiver, 134–135
Content Provider, 197
listener, 335
Wi-Fi configurations, 350
relational database management system (RDBMS), 176. *See also* SQLite
RelativeLayout class, 79
remote devices, 339–345
removing
contacts, 285
Overlays, 234
rows, 182–183
REPEAT, 377
repeating animations, 364
requirements, Location Providers, 212–213
resolution, Intent, 123
Resolvers, Content. *See* Content Resolvers
resources
Android project, 28
for different languages and hardware, 63–64
externalizing, 52–59
files as, 174–175
Internet, 141–143
playing media, 316–317
to-do list example, 62–63
using application, 59–62
responding to SMS messages
automating, 306–314
Emergency Responder example, 302–303
responsibility, passing, 124
responsiveness, 34–36
restarting behavior, 64–65
results
extracting from Cursors, 181–182
returning from Activities, 117–120
retrieval. *See* data storage, retrieval and sharing
returning results, 117–120
Reverse Geocoding, 220–221
RFCOMM (radiofrequency communications), 342–344
rich UIs (user interfaces). *See* UIs (user interfaces), building rich
ringing
audio alert Notifications, 270–271
monitoring phones, 336
roaming, 337
roll
adding to Compass View, 330–332
compass face example, 385–387
orientation sensors, 329
roster, contact, 283–286
Roster Listeners, 281, 284
rotation of tweened animations, 57–58, 362
rows
adding/updating/removing, 182–183
Cursors and Content Values, 176–177
running
Android, 9
Android applications, 26–27
to-do list example, 38
runtime
Activity life cycle, 68
Android application life cycle, 50
configuration changes, 64–65
late binding and implicit Intents, 115
launch configurations, 25–26
resolving Intent Filters, 123
software stack, 13–14

S

S60, 3
sandboxing
data storage and retrieval with SQLite, 7
security, 354
saving
Activity state, 162–165
application data, 160–161
loading files and, 174–175
preferences, 161
techniques, 160
scale, 57–58
scanning for Wi-Fi hotspots, 349
screens
creating application using Activities. *See* Activities
creating UIs. *See* UIs (user interfaces)
creating with layouts, 57
developing for size, 31–32
Dialog boxes, 144–147
sliding user interfaces, 368
SDK (software development kit)
contents, 12
features, 5–8
getting started, 19–20
layouts, 79
seamless user experience
Activity states, 69
developing for Android, 36
security
advanced development, 354–355
of Android, 36
Android telephony, 334
Google Talk and, 8
permission tags, 48
sending
data messages, 289–291
SMS messages, 292–294
text messages, 286–287
Sensor Manager
accelerometers. *See* accelerometers
compasses. *See* compasses
defined, 321–323
service tags, 47
Services
binding Activities to, 258–259
Bluetooth, 339–345
Camera, 319–321
creating and controlling, 250–252
defined, 46
earthquake example, 252–258
GTalk. *See* GTalk Service
Internet, 361
IPC support with AIDL, 356–361
location-based. *See* LBS (location-based Services)
network and Wi-Fi, 345–350
permissions, 355
Sensor, 321–323
tracking telephony changes, 336–337
Sessions, Chat, 281, 286–289
Sessions, IM, 281, 282–286
set tags, 58
Settings Content Provider, 193
Shaders
compass face example, 382–383
defined, 375–377
shapes, drawing, 374
shared data. *See* also data storage, retrieval and sharing
Android features, 7
uniqueness of Android, 11
Shared Preferences
adding to earthquake viewer, 165–174
creating and saving, 161
defined, 159–160
retrieving, 161–162
saving application data, 160–161
short messaging service (SMS). *See* SMS (short messaging service)
shortcut keys, 103
simple values, 53–55
SimpleCursorAdapter, 136–141
simulating SMS messages, 296
sizing
controls, 90–92
SMS messages, 294
Views and Overlays, 381
skinning applications with themes, 372–373
sliding user interfaces, 365–370
smartphones, 10
SMS (short messaging service)
automating Emergency Responder, 306–314
defined, 291–297
Emergency Responder example, 297–306
socket connections, 342–343
software development kit (SDK). *See* SDK (software development kit)
software stack, 12–15
sound Notifications, 270–271
specialist Dialog boxes, 146
speed
Android development, 35
determining with accelerometers. *See* accelerometers
finding Location Providers based on, 212–213
mobile device limitations, 32–33
Speedometers, 326–329
Spinner controls
automating Emergency Responder, 308–309
preferences, 168–169
SQLite
Android features, 7
Cursors and Content Values, 176–177
design considerations, 180
extracting Cursor results, 181–182
introducing, 176
querying, 181
rows, adding/updating/removing, 182–183
saving data, 160
saving to-do list example, 183–189
SDK tools, 42
SQLiteOpenHelper, 179–180
working with, 177–179
SQLiteOpenHelper
creating earthquake Content Provider, 199–200
defined, 179–180
stacks
Activity, 68
Android software, 12–15
started service processes, 52
starting Services, 251–252
states
Activity, 68–71
data persistence techniques. *See* data storage, retrieval and sharing
monitoring phone, 334–337
monitoring Wi-Fi connectivity, 348
priority and process, 51–52
saving Activity, 162–165
static files, 174–175
static objects, 381
status
accessing phone, 338
monitoring Wi-Fi connectivity, 348
native broadcast actions, 135–136
status bar icons
adding Notifications to earthquake, 267–270
Notifications, 265–266
stopped state, 69
stopping Services, 251–252
storage. *See also* data storage, retrieval and sharing
developing for mobile devices, 31
with SQLite, 7
street address geocoding, 220–223
strings
action, 132–133
custom link, 116–117
externalizing, 54
extras, 290
STROKE, 374
structure
application manifest, 46–49
submenu, 105
styles
externalizing, 55–56
referencing resources, 61
referring to in current theme, 62
sub-Activities
contact example, 124–129
returning results from Activities, 117–120
submenus, 101, 105–107
subscription requests, 285
Surfaces, 320
SurfaceView
defined, 88
developing with, 390–393
Symbian, 2

synchronizing threads, 260–261
system events
broadcasting with Intents, 114
native broadcast actions, 135–136
system resources, 59–62

T

TableLayout class, 79
tables, 180
tags
animation, 58
application manifest, 47–49
Intent Filter, 121–122
uses-permission. *See* uses-permission tags
taps, map, 234
target emulators, 294
telephony, 333–339
Telephony Manager, 334–339
temperature sensor, 322
termination behavior, 64–65
Test Providers, 208–211
testing
with Android Emulator, 42–43
Emergency Responder example, 306
text drawing, 374
text editors, 21
text messaging. *See also* SMS (short messaging service)
Chat Sessions, 286–287
sending, 292
text resources
clearing functionality, 86–87
creating, 62–63
TextViews
creating hyperlinks in, 116–117
extending, 82–85
themes
creating new, 62–63
Dialog-themed Activities, 144
externalizing, 55–56
referring to styles in, 62
skinning applications with, 372–373
third-party applications, 11
threads, background, 259–262
three-dimensional graphics
of Android, 8
with SurfaceView , 392–393
TileModes, 377
TimePickerDialog, 146
T-Mobile G1, 9
toasts
creating, 262–264
defined, 144
To-Do list example
applications, 37–41
customizing with ArrayAdapter, 137–141
extending TextView, 82–85
menus, 107–112
resources, 62–63
saving, 163–165, 183–189
tools
Android widgets, 78–79
development, 42–43
SDK contents, 12
touchscreen, 65
touchscreens
interaction with Overlays, 389–390
interactive controls, 393–396
support, 32
Traceview, 42
trackball interaction, 397–398
tracking movement, 216–217
with accelerometers. *See* accelerometers
cell location, 336
with compasses. *See* compasses
touch screens, 395–396
tracking service changes, 336–337
tracking SMS message delivery, 292–294, 305
transactions
creating earthquake Content Provider, 201
exposing, 195–197
Transform Filter, 117
transforms, 381
transient Dialog boxes, 262–264
translate, 57–58
translucency
defined, 375
themes, 373
transmitting data
with Bluetooth, 343–344
messages, 290
transparency
animations, 362
themes, 373
triggers
Alarms, 273–274
Notifications, 267
proximity alerts, 219–220
Sensor Manager, 321–322
tweened animations
defined, 362–364
externalizing, 57–59
two-dimensional graphics
of Android, 8
hardware acceleration for, 380

U

UIQ, 3
UIs (user interfaces)
Activity menu, 101–104
Android menu system, 99–101
Compass View example, 93–98
compound controls, 85–87
creating resources for different languages and hardware, 63–64
custom widgets and controls, 88
Dialog boxes, 144–147
functionality with Activities. *See* Activities
fundamental design, 76
handling user interaction events, 92–93
layouts, 79–80
menus, dynamic updating and handling selections, 104
new visual interface, 88–92
overview, 75–76
state persistence. *See* data storage, retrieval and sharing
submenus and Context Menus, 105–107
summary, 112
to-do list example, 107–112
using custom controls, 98–99
Views, 76–79
Views, existing, 81–85
Views, new, 80–81
UIs (user interfaces), building rich
animating layouts and View Groups, 370–372
animating sliding example, 365–370
animations, 361–365
Canvas drawing, 373–374
Canvas drawing, best practices, 380–381
compass face example, 381–389
hardware acceleration for 2D graphics, 380
improving paint quality with anti-aliasing, 379–380
interactive controls, 393–398
map Overlays, 389–390
painting, 374–379
skinning applications with themes, 372–373
SurfaceView, 390–393
UIs (user interfaces) layout
defined, 28–29
environment considerations, 34
externalizing resources with, 57
to-do list example, 39–40
updating
ADT plug-in, 24
Content Providers, 191
creating earthquake Content Provider, 201–203
current location Overlay, 237–238
dynamic menu, 104
earthquake example with Alarms, 274–276
earthquake example with Services, 255–258
location, 217–219
preferences, 166–167
rows, 182–183
Sensor Manager, 322–323
Test Providers, 211
upgrading databases, 179–180

URIs (Uniform Resource Identifiers)
authority, 190
creating earthquake Content Provider, 199–200
matching, 195
user interfaces (UIs). *See* UIs (user interfaces)
users
availability, 283
environment considerations, 33–34
handing interaction, 92–93
ID, 354
techniques for seamless experience, 36
tracking movement, 216–217
uses-permission tags
accessing Internet resources, 142
advanced security, 354
defined, 48
GTalk Service, 280
Location Manager, 213–214

V

values, simple, 53–55
vector graphics, 90
velocity
creating Speedometer, 326–327
defined, 324
vertical sensor changes, 325
vibration
device control, 350–351
Notifications, 271
video
live with camera, 320
recording, 317–319
View class, 88
View Groups
animating, 370–372
compound controls, 85–87
defined, 66–67, 76
Layout Managers, 79
Views
adapters, 136–141
applying tweened animations, 364
Compass View example, 93–98
controls, 37–41
creating Activity, 66–67
creating Compass and artificial horizon, 330–333
creating new, 80–81
creating new visual interface, 88–92
creating UIs, 76–79
defined, 27–29, 76
Map, 224, 226–227
modifying existing, 81–85
SurfaceView class, 390–393
tweened animations, 362
visible Activity lifetime, 72
visible processes
Activity states, 69
defined, 52
visual components, 27–29
visual interface
creating new, 88–92
creating UIs. *See* UIs (user interfaces)
Manifest Editor, 49–50
VM (Dalvik Virtual Machine), 14

W

waking up Alarms, 273–274
Web Services, 361
"Where Am I?" example
Activities, 214–216
annotating, 234–238
geocoding, 222–223
mapping, 228–231
updating location in, 217–219
widgets
Android toolbox, 78–79
Android-supplied adapters, 136
compound controls, 85–87
custom, 88
leveraging Internet resources, 143
modifying existing Views, 81–85
Views, 76–77
Wi-Fi connections, 345–350
Wi-Fi Manager, 347–350
Window Manager, 35–36
Windows Mobile, 3
worker threads, background
defined, 259–262
using Toasts in, 264

X

Xfermode, 379
XML (eXtensible Markup Language) layouts, 79–80
XML (eXtensible Markup Language) resources
Android project, 28
using, 59–62
XMPP (Extensible Messaging and Presence Protocol), 7

Y

Yahoo! Pipes, 361

Z

zooming
in maps, 227–228
tweened animations, 362