

# INDEX

- Adaptive Immune Response 120  
Adiponectin (Adn) 218  
*Aegilops speltoides* 111  
*Aegilops squarrosa* 111  
Allergens 134, 268, 273–274  
Alzheimer's disease 134, 139, 328, 331  
Amphibians 3–20  
Antibodies 120, 131–132, 169–171,  
193–195, 197–205, 207, 238–239,  
246, 372  
Antipeptide antibodies 199–201, 204,  
223  
Arrays 170–171, 194, 196–200, 203–204,  
206, 208, 258  
Arthropods 71–73, 77, 90  
Beta-Enolase (bE) 214  
Bioinformatics 367–368  
Biomarker discovery 166, 319–337, 341–  
350, 357  
Biometrics 206  
Blood 208–215, 223–224, 323, 325,  
327, 328, 330–332, 344, 348  
Brain 27–31, 45, 140, 144–145, 147–149,  
178, 181–187, 272  
Brain, Postmortem 178, 184  
Brain, Sample Preparation 181  
*Caenorhabditis elegans* 367–374  
Cancer 133–134, 216, 219, 321, 326,  
328, 334–335  
Capillary electrophoresis 162, 169–170,  
327, 330, 335, 360–361  
CE-MS 170, 327  
Chemical cross-linking 234, 240, 243,  
260  
Cockroaches 25–46  
C-Reactive Protein (CRP) 211  
Cytotoxicity 346  
Databases 142–144, 147–148, 164–165,  
182, 285, 294, 300, 357, 365–366

- Degradation 141–142, 177–179,  
184–187, 123, 127, 129–130,  
342–343, 347–348, 374
- Depletion 76, 148, 204–205, 233–261,  
330, 372–373
- Dyes 168–169, 192–194
- Edman degradation 7, 9, 15, 18,  
60, 102
- Enrichment 204–205, 233–261
- Enzyme Inactivation 179–181
- E-Selectin (ES) 214
- ESI QTOF 361
- Fibrinogen (Fb)/D-Dimer 211
- Fibronectin (FN) 215
- Food Proteomics 273
- Food Safety 268
- Forensics 191, 194, 206, 208
- FT-ICRs 35, 40
- Gas Phase Fragmentation 364
- GM foods 265–288
- Haptoglobin (HG) 215
- Heat Shock Protein(s) (HSP) 216
- Hepatotoxicity 344
- HPLC 360, 369
- Hybrid Primers for the Amplification  
of Peptide Pools 76–77, 82
- ICAT 302–304
- Immune responses 58, 64, 66,  
119–122, 124–126, 128–129,  
133–134
- Inflammation 342, 345, 348–349
- Innate Immune Response 119
- Insulin (In) 218
- Insulin-Like Growth Factor-1  
(IGF-1) 216
- Integrated Functional Genomics  
strategies 6–19
- Interferon(s) (IFN) 212
- Interleukin IL-1 213
- Interleukin IL-10 214
- Interleukin IL-2 213
- Interleukin IL-4 213
- Interleukin IL-6 213
- Interleukin IL-8 214
- Ion Traps 35
- iTRAQ 304–305
- LC-MS 169
- lectins 259
- Leptin (Lp) 217
- MALDI-TOF 31, 102, 364, 369
- Markers 319–337, 206–221
- Matrix Metalloproteinases (MMPs 1, 2,  
3, 9, 11) 218
- MHC-I 121–126
- MHC-II 126–128
- Mus musculus* 374–384
- Myoglobin (MG) 210
- Nano-LC 361
- Nematodes 367, 389–390
- Nephrotoxicity 345
- Nephrotoxicity 345–346, 350
- Neuroendocrine Research 355–383
- Orbitrap 35
- PAIS 308–311
- Parkinson's disease 147
- Peptide content 198, 331–332
- Peptide hormones 29, 140, 330
- Peptide profiles 56, 111, 131, 342–345,  
372
- Peptides
- acting 8
  - acylation 258
  - albumin, removal 243, 245–246
  - amphipathic 7
  - analgesic drugs 88
  - analogs 124, 125
  - angiotensins 20
  - antibiotic 65
  - antigenic 120, 123, 133, 198–199,  
201–202
  - antigens 120, 127
  - antimicrobial 16, 56, 66, 99, 100, 114
  - arginine-containing 250–251
  - arrays 204
  - arthropod 73
  - autologous 122, 125, 128
  - bioactive 4, 6, 13, 18, 20, 149, 158,  
181, 198, 367

- biomarkers discovery 132, 134, 139, 149, 155, 166, 169, 191, 195, 319–337, 341–351
- biometrics markers and selection 206–223
- blood-derived 330–337
- body fluids 20, 330–337
- bradykinins 20
- cationic 66
- cerebrospinal fluid-derived 330–332
- charged 38
- chemical analysis 42
- chromogranin-derived 376–380
- clinical applicaitons 132, 327–337
- CLIP (class-II-associated invariant-chain peptides) 128, 185
- cloning 55, 71, 73, 77
- cocroach 28, 29, 30, 35
- co-encoded 7
- conformation 65
- conserved 38, 46
- corticotrophin-like 185
- cystatin-derived 381
- cysteine-containing 247
- cytolytic 55, 57, 66, 72
- cytosolic 7
- databases 46, 143–144, 365–367
- de novo sequencing 35, 58
- deduced 15
- defence 57, 66
- defensins 107
- degradation 178, 186
- depletion 76, 148, 204–205, 233–261, 330, 372–373
- detection 192–194, 265–288
- dialysis fluid-derived 330–332
- differential display 144, 147, 148, 343
- display 31, 33
- diversity 62
- enolpyruvylshikimate-3-phosphate synthase (bacterial CP4 EPSPS) 266, 275–277
- enrichment 104, 105,
- extraction and purification 29, 101–105, 130–131, 147, 161–171, 178–187, 358–364, 368, 375
- FLP 369
- FMRFamide-related 369
- food-derived 265–288
- forensic markers and selection 206–223
- fractionation 169, 233–234, 238–239, 246, 273–275, 282
- fragmentation 39
- frog skin 3
- gelatine 283
- glycine-rich 107, 111, 113
- glycosylated 257–258
- hevein-like 107
- histidine-containing 250
- HLA 124
- homogenous 6
- homologous 10, 73
- hormons 29, 140, 177–187, 345
- Hypothalamic 183–185
- identification 32–35, 40, 41, 43, 58, 138–152, 181, 300, 364–365, 368–372, 375
- imaging 31, 44
- immunomodulatory 133
- inflammatory 348
- insecticidal 89–90
- insulin 218
- interacting 8
- internal standards 297
- isobaric 14
- isolation (see extraction and purification)
- isotope labelling 145, 302
- knottin-like 107, 113, 114
- large 35, 37, 38, 72, 73
- latacins 63, 65
- leader 63
- leptin 217
- libraries of 72, 78, 126
- lysine-containing 254
- maize 275
- maturation 62, 63, 64, 141
- mature 16, 18, 62, 64
- membrane interaction 66, 88, 123–124
- metabolic labelling 306–307
- methionine-containing 250, 252
- MHC 120–130
- modifications 46
- modulatory 88
- murine 374–384

Peptides (*continued*)

- native (endogenous, naturally occurring) 35, 56, 72, 121–129, 143, 149, 156–157, 161, 177–187, 198, 342–343, 350
- neuroendocrine secretory protein-derived 380
- neuropeptides 26, 28, 29, 30, 35, 42, 43, 45, 89, 140–144, 148–149, 177–187, 355–384
- neurosecretory protein 7B2 derived 380
- neurotoxic 55, 71, 72, 90, 92
- NLP 369
- noncephalic 31
- non-ribosomal 156
- novel 7–10, 62
- opiate 13
- oxytocin-derived 380
- peptidyl-glycine amidating monoxygenase-derived 381
- phosphorylated 254–257
- pituitary 374
- plant 99, 100, 272
- plant seeds 103
- postmortem 178, 182, 184–187
- processing 15, 141, 381–382
- profiling 56
- prolactin 217
- proline-rich 284–285
- proopiomelanocortin derived 376–379, 381
- propeptides 20, 63
- ProSAAS-derived 380
- protease inhibitors 181
- quantitation and quantification 193, 291–312
- quantitation and quantification, absolute 295–300
- quantitation and quantification, label-free 307–310
- quantitation and quantification, relative 301–310
- reactive amino acids 240
- recombinant 62
- reduction and alkylation 102
- regulatory 20
- ribosomal 156
- sample acquisition 5–6
- secretion 4, 9, 13, 26, 63
- secretogranin-derived 376–380
- selection 206, 208
- separation (see extraction and purification)
- sequencing 102, 104, 365,
- signal 12, 13, 16, 62
- signature approach 235
- skin 4, 9, 11
- small 72, 73, 130
- snail 89
- spacer 16
- spider 56, 71–72, 88, 92
- staining 192–194
- structure 14, 65
- T. monococcum* 108–110, 111
- T. kiharae* 100, 103, 108–114
- thionins 107
- tissue 6
- toxin-like 71–74, 77, 88
- tryptic 9
- tryptophan-containing 253
- tyrosine-containing 250–251
- urinary 329, 332–334, 346
- vaccines 134
- vasopressin–neurophysin copeptin-derived 381
- VCAM 205
- venomous 55, 56, 57, 58, 61, 66, 72, 73, 88
- vertebrate 29
- wheat 99–115
- Peptidome 3–9, 11, 15, 19, 25, 28, 30–3, 40, 42, 45–46, 57–58, 148–149, 161, 292, 342–343, 347–351, 356–357, 374, 391
- Peptidomics
  - Affinity peptidomics 191–224
  - Combinatorial peptidomics 239, 241, 245–246
  - Imaging 42
  - Immuno-peptidomics 119–134
  - in Neuroendocrine Research 355–383
  - Insect Neuropeptidomics 25–45
  - Molecular Cloning approaches 71–91
  - Neuropeptidomics 177–187
  - of amphibian skin secretions 3–20
  - of spider venoms 55–67
  - Peptidomics and Biology 391

- Peptidomics approach 7, 9–10, 18, 58, 122, 132–134, 155, 171, 178, 182, 184–185, 191–195, 198–200, 204, 206, 291, 372
- Phosphopeptides 255–256, 260
- Plant Proteomics 272
- Posttranslational modifications 18–20, 156, 15–160, 184, 234–235, 294, 299, 304, 306, 311, 356, 379, 381–382
- Prolactin (Prl) 217
- Prostate-Specific Antigen (PSA) 219
- Protein degradation 139, 178–179, 270, 357, 374
- Protein markers 208
- Quantification 144–145, 193–194, 269, 283, 285, 291–312
- Sample handling 177–187
- SELDI-MS 169
- Selective depletion strategies 233–261
- Selective enrichment strategies 233–261
- Selective modification 248–254
- Sensitivity 165, 169–170, 192–193, 195, 198, 293–295, 321–323, 334–335, 356, 358, 360, 364, 368, 383
- Serum Amyloid-A (SAA) 219
- Sex-Hormone-Binding Globulin (SHBG) 220
- Signal peptides 12–13, 15–16, 62–63, 141, 357, 366
- SILAC 306–307
- Spiders 55–67, 71–92
- Surfactant-Associated Protein A (SP-A) 221
- SwePep 46, 142–145, 147–148, 182
- T. kiharae* 103–106
- Toxicity 341, 344–351
- Toxin-like sequences 73, 77–78, 86, 92
- Transforming Growth Factor-Beta (TGF- $\beta$ ) 217
- Tumor Necrosis Factor-Alpha (TNF- $\alpha$ ) 211
- Two-Dimensional Gel Electrophoresis 103, 167
- Urine 161–162, 168, 292–293, 295, 302–303, 327–329, 332, 334–335, 344, 346,
- Venom 4, 55–66, 71–73, 86, 88–92
- Venomics 55–57, 64

