

---

# INDEX

---

- Absorption of free radicals 57–60, 62, 96–109, 111, 120–122  
Diffusion-controlled absorption of free radicals 57, 103–106, 108  
Collision-controlled absorption of free radicals 62, 103–106, 108  
Propagation-controlled absorption of free radicals 103, 106–108
- Adsorption of surfactant 26, 36, 44
- Anionic surfactants 26, 82, 85, 108, 113, 114, 139, 140, 154, 158, 167, 180, 186
- Antifoaming agents (or defoamers) 237, 238
- Average number of free radicals per particle 96–103, 192, 193, 214–217, 220
- Batch emulsion polymerization 6–8
- Bimolecular termination 2, 4, 5, 96–103, 121, 122, 162, 165, 166, 186, 212
- Boltzmann distribution 38
- Bridging flocculation 46, 47
- Bulk free radical polymerization 6, 7
- Catalytic chain transfer reaction 147
- Cationic surfactants 158, 165
- Chain transfer agents/reactions 2, 3, 109, 110, 112, 121, 122, 134, 183, 194, 204, 208, 216, 217
- Coalescing solvents 19, 235, 236
- Coagulation kinetics experiments 50
- Coagulative nucleation 65–71, 76, 81, 88, 177, 186, 187
- Cohesive energy density 29
- Co-ions 36, 37
- Collision-controlled absorption of free radicals 62, 103–106, 108
- Colloidal stability 11–15, 32–50, 89  
Electrostatic stabilization 12, 13, 36–44, 48, 89  
Steric stabilization 13, 14, 44–48, 89  
Van der Waals interactions 32–35
- Competitive particle growth 119, 120
- Continuous emulsion polymerization 6–8, 187–196
- Continuous emulsion polymerization kinetics 192–194
- Continuous stirred tank reactor (CSTR) 7, 8, 110
- Conventional emulsion polymerization 5, 6
- Costabilizers 8, 128, 133, 134
- Cosurfactants 10, 154, 156, 158, 163, 166
- Counterions 36, 37
- Critical chain length of oligomeric radicals 61–64, 69, 72–74, 79
- Critical coagulation concentration (CCC) 42, 50
- Critical micelle concentration (CMC) 27, 54, 61, 65, 68, 74, 77, 81, 82, 84, 86–89, 137
- Crosslinking agents 122, 204, 205, 208, 209, 229, 230

- Deborah number 15, 16
- Debye-Huckel equation 38
- Debye-Huckel length (or Diffuse electric double layer thickness) 38
- Defoamers (or Antifoaming agents) 237, 238
- Depletion flocculation 46, 47
- Desorption of free radicals 59, 109–114, 121, 122, 186, 192–194
- Diffuse electrical double layer 36–38
- Diffuse electrical double layer thickness (or Debye-Huckel length) 38
- Diffusion-controlled absorption of free radicals 57, 103–106, 108
- Diffusion-controlled flocculation kinetics 48, 49
- Diffusion-controlled polymer reactions 4, 5, 144, 162, 165, 166, 186, 212, 213, 217
  - Diffusion-controlled bimolecular termination reactions 4, 5, 144, 186, 212, 217
  - Diffusion-controlled propagation reactions 4, 5, 162, 165, 166, 186, 212, 213, 217
- Disproportionation termination 2
- DLVO theory 13, 39–41, 66, 186
- Einstein equation 17
- Electrical potential 36–39
- Electrical potential-controlled flocculation kinetics 49, 50
- Electrostatic stabilization 12, 13, 36–44, 48, 89
- Emulsifiers (or surfactants) 26–32, 82, 85, 87–90, 108, 109, 113, 114, 139, 140, 154, 158, 165, 167, 177–180, 182, 183, 186, 209
- Emulsion polymerization processes 6–8, 175–196, 235
  - Batch emulsion polymerization 6–8, 235
  - Semibatch emulsion polymerization 6–8, 175–187, 235
  - Continuous emulsion polymerization 6–8, 187–196
- Emulsion polymerization techniques 5, 6, 8–11, 42, 71–76, 80, 81, 83, 84, 108, 128–150, 154–170
- Conventional emulsion polymerization 5, 6
- Inverse emulsion polymerization 10, 11
- Microemulsion polymerization 9, 10, 154–170
- Miniemulsion polymerization 8, 9, 128–150
- Surfactant-free emulsion polymerization 42, 71–76, 80, 81, 83, 84, 108, 180–182, 184, 186, 187
- Equilibrium monomer concentration in particles 114–119
- Film formation 18, 19, 233–236
  - Minimum film formation temperature (MFFT) 10, 19, 210, 234, 235
  - Coalescing solvents 19, 235, 236
- Flocculation kinetics 48–50
- Flory-Huggins theory 45
- Foaming 236–238
- Formation of micelles 27, 54
- Free radical capture efficiency 60
- Free radical polymerization kinetics 3–5
- Free radical polymerization mechanisms 1–5
  - Chain transfer 2, 3
  - Initiation 2
  - Propagation 2
  - Termination 2
- Free radical polymerization kinetics 3–5
- Fuchs stability ratio 49, 50, 66, 67
- Gel effect (or Trommsdorff effect) 4, 5, 144, 186, 212, 217
- Gibbs adsorption equation 26
- Gibbs free energy of electrostatic interactions 39–41
- Gibbs free energy of steric interactions 44–46
- Gibbs free energy of van der Waals interactions 32–35
- Glass transition temperature ( $T_g$ ) 4, 18, 19, 207, 208, 210, 216, 226–229, 234
- Gouy-Chapman theory 36–38
- Grafting reactions 203, 207, 209, 219, 220

- Group contribution methods 27–29, 30–32
- Hamaker constant ( $A_H$ ) 32–35
- Hansen-Ugelstad-Fitch-Tsai (HUFT) model 63, 64
- Harkins-Smith-Ewart theory 54–57, 76, 81, 82, 88–90, 187
- Homogeneous nucleation 60–64, 68, 70, 74, 76, 77, 80–85, 87, 88, 90
- Hydrophile-lipophile balance (HLB) 27–29
- Initiation reactions 2, 4, 53–55, 61, 97, 102
- Initiator efficiency factor ( $f$ ) 4, 55
- Interaction parameter ( $\chi$ ) 45, 46, 115, 117, 118
- Inverse emulsion polymerization 10, 11
- Interfaces 25, 26
- Interfacial phenomena 23–52
- Kelvin equation 130
- Kinetic chain length 5
- Lifshitz-Slezov-Wagner (LSW) theory 131
- Limiting monomer conversion 4, 219
- Limited particle flocculation 61, 62, 71, 79, 80, 89, 90, 180, 186, 187
- Living free radical polymerization 147, 148
- Lower critical solution temperature (LCST) 46
- Mackor model 44, 45
- Macroion effect 42
- Mechanical stability 14, 15
- Micellar nucleation 54–60, 68, 70, 74, 76, 77, 80–82, 84, 85, 89, 90, 160–165, 167–169, 187
- Microemulsion 155–157
- Microemulsion polymerization 9, 10, 154–170
- Microemulsion 155–157
- O/W microemulsion polymerization 154, 156, 157–167, 169, 170
- Polymerization in continuous or bicontinuous phases 157, 169–170
- W/O microemulsion polymerization 154, 156–158, 167–170
- Microemulsion polymerization kinetics 159–162, 165–167
- Miniemulsion polymerization 8, 9, 128–150
- Catalytic chain transfer reaction 147
- Conventional free radical polymerization 128–145
- Living free radical polymerization 147, 148
- Step polymerization 148–150
- Miniemulsion polymerization kinetics 142–145
- Minimum film formation temperature (MFFT) 10, 19, 210, 234, 235
- Mixed anionic and nonionic surfactants 89, 90, 177–180, 209
- Mixed mode of particle nucleation 68–71, 84, 135, 137–142, 145
- Molecular weight of polymer 5, 120–122, 193, 194, 204, 205, 224, 225
- Monomer droplet nucleation 68, 129, 120, 136–142
- Mooney equation 16, 17
- Morgan equation 161
- Morton equation 115
- Nonionic surfactants 26, 87–90, 108, 109
- Nonuniform distribution of free radicals 120, 214, 215
- Nucleation in surfactant-free emulsion polymerization 42, 71–76, 80, 81, 83, 84, 186, 187
- Oil-in-water (O/W) emulsion 23–25, 154, 156–160, 162, 163, 165–167, 169, 170
- O/W microemulsion polymerization 154, 156, 157–167, 169, 170
- Osmotic pressure effect 132, 133
- Ostwald ripening effect 9, 130–133, 145
- O’Toole kinetic model 100, 215
- Particle growth 55, 114–120
- Equilibrium monomer concentration in particles 114–119

- Competitive particle growth 119, 120
- Particle morphology 200–211
- Particle nucleation and growth in CSTR 191–194
- Particle nucleation mechanisms 53–91, 135, 137–142, 160–165, 167–169, 177, 186, 187
  - Coagulative nucleation 65–71, 76, 81, 88, 177, 186, 187
  - Homogeneous nucleation 60–64, 68, 70, 74, 76, 77, 80–85, 87, 88, 90
  - Micellar nucleation 54–60, 68, 70, 74, 76, 77, 80–82, 84, 85, 89, 160–165, 167–169, 187
  - Mixed mode of particle nucleation 68–71, 84, 135, 137–142, 145
  - Monomer droplet nucleation 68, 129, 120, 136–142
  - Nucleation in surfactant-free emulsion polymerization 42, 71–76, 80, 81, 83, 84, 186, 187
- Plug flow reactor (PFR) 7, 8
- Polymer morphology 224–229
- Polymeric surfactants 113
- Polymerization in continuous or bicontinuous phases 157, 169–170
- Polymerization kinetics 95–122, 142–145, 159–162, 165–167, 175–187, 192–194, 211–220
  - Continuous emulsion polymerization kinetics 192–194
  - Microemulsion polymerization kinetics 159–162, 165–167
  - Miniemulsion polymerization kinetics 142–145
  - Semibatch emulsion polymerization kinetics 175–187
  - Smith-Ewart Case 2 kinetics 96–100, 114, 142, 144, 186
  - Two-phase emulsion polymerization kinetics 211–220
  - Transport of free radicals 57–60, 62, 96–114, 120–122, 186, 192–194, 211, 212
- Precursor particles 65–68, 83, 186, 187
- Propagation-controlled absorption of free radicals 103, 106–108
- Propagation reactions 2, 4, 5, 61, 63, 95, 96, 120, 162, 165, 166, 214, 215
  - Diffusion-controlled propagation reaction 4, 5, 162, 165, 166
  - Limiting monomer conversion 4
- Protective colloids 44
- Reabsorption of free radicals 102, 111
- Reactive surfactants 182, 183
- Reactivity ratio 112, 113
- Residence time distribution 188–191, 195, 196, 204
- Rheology 15–18, 230–233
- Rheology modifiers (or thickeners) 18, 232, 233
- Schultze-Hardy rule 13, 42
- Semibatch emulsion polymerization 6–8, 175–187, 235
- Semibatch emulsion polymerization kinetics 175–187
- Shear-thinning viscosity behavior 232
- Smith-Ewart Case 2 kinetics 96–100, 114, 142, 144, 186
- Solubility parameter ( $\delta$ ) 29–32, 202
- Stability of latex products 242–245
- Stability of monomer emulsions 130–134
- Step polymerization 148–150
- Steric stabilization 13, 14, 44–48, 89
- Stockmayer kinetic model 100, 215
- Stokes-Einstein equation 48
- Surface modifications 241, 242
- Surfactants (or emulsifiers) 26–32, 82, 85, 87–90, 108, 109, 113, 114, 139, 140, 154, 158, 165, 167, 177–180, 182, 183, 186, 209
  - Anionic surfactants 26, 82, 85, 108, 113, 114, 139, 140, 154, 158, 167, 180, 186
  - Cationic surfactants 158, 165
  - Mixed anionic and nonionic surfactants 89, 90, 177–180, 209
  - Nonionic surfactants 26, 87–90, 108, 109
  - Polymeric surfactants 113
  - Reactive surfactants 182, 183
- Surfactant-free emulsion polymerization 42, 71–76, 80, 81, 83, 84, 108, 180–182, 184, 186, 187

- Termination reactions 2, 4, 5, 96–103, 121, 122, 144, 162, 165, 166, 186, 212, 217
- Bimolecular termination 2, 4, 5, 96–103, 121, 122, 162, 165, 166, 186, 212
- Disproportionation termination 2
- Gel effect (or Trommsdorff effect) 4, 5, 144, 186, 212, 217
- Thickeners (or rheology modifiers) 18, 232, 233
- Transport of free radicals 57–60, 62, 96–114, 120–122, 186, 192–194, 211, 212
- Absorption of free radicals 57–60, 62, 96–109, 111, 120–122
- Desorption of free radicals 109–114, 121, 122, 186, 192–194
- Trommsdorff effect (or Gel effect) 4, 5, 144, 186, 212, 217
- Two-phase emulsion polymerization kinetics 211–220
- Ugelstad kinetic model 101, 102
- Ugelstad-Nomura free radical desorption model 110
- Van der Waals interactions 32–35, 206
- von Smoluchowski coagulation kinetics model 48, 49, 66, 67
- Water-in-oil (W/O) emulsion 154, 156–159, 167, 169, 170
- W/O microemulsion polymerization 154, 156–158, 160, 167–170
- Wetting 28, 238–241
- Wetting agents 240, 241
- Zeta potential 13