

Index

• Numerics •

2Advanced Studios, 342

3-D

simulating, 327

simulating with AutoCAD, 328–329

simulating with Microsoft Word, 329–331

• A •

Accessibility panel

purpose/example of, 368

using, 280–281

actions

adding basic to frames, 217–218

adding directly to buttons, 171–173

adding to buttons, 219–222

adding to movie clips, 222–224

adding to Timeline, 173–176

Browse/Network, 227–229

creating navigation with `getURL`, 272

`fscommand`, 227

`getURL`, 227–228

Go To, 225–226

`loadMovie`, 228–229

mouse events and, 221–222

On (mouse event), 226

overview, 213–214

Play, 226

Stop, 226

`stopALLSOUNDS`, 226

stopping movie with, 218–219

testing buttons with `getURL`, 175

Timeline Control, 224–226

`unloadMovie`, 229

Actions panel, example of, 365

ActionScript. *See also* actions, ActionScript code

adding behaviors, 214–215

adding comments to, 233

creating draggable movie clips with, 232–233

creating separate file for, 234

dynamically loading music from Web, 333–334

graphic symbols and, 146

programming constructs and, 231–232

types of behaviors, 216–217

using methods, 229–230

version 2.0, 233, 293–294

Web sites for, 337

ActionScript category preferences, setting, 353

ActionScript code

for creating preloader, 269

debugging, 366

for using check boxes, 262

for using combo boxes, 264

using in Flash, 260

for using list boxes, 266

for using radio buttons, 260

Advertising templates, 41

Align panel

example of, 362

outlining objects with, 86

aligning, objects, 83–84, 86

alignment, setting text, 126

alpha fades, 195

anchor points, reshaping objects and, 88–89

animated GIFs, advantage of, 12

animated masks, creating with movie clips, 230

animation

adding frames in, 205

adding labels and comments to, 203–204

adding still graphics to, 190

adding with Timeline effects, 185–186

adjusting shape hints and, 202–203

changing keyframes to regular frames, 206

changing settings for, 207

animation (*continued*)

- changing speed of, 206–207
 - converting to movie clip symbols, 149–150
 - copying and pasting frames in, 204–205
 - creating first, 26–27
 - creating guide layer for, 139
 - creating scenes with, 209–211
 - creating simple shape tween, 200–201
 - deleting frames in, 205
 - distinction Web sites with, 10
 - experimenting with first, 21–22
 - with keyframes, 187–190
 - motion tweening symbols, groups, and type, 193–194
 - motion tweening to scale and rotate, 194–195
 - Movie of the Year, in detail, 29
 - moving complete, 209
 - moving frames in, 205
 - overview, 181–182
 - playing back while creating, 183
 - preparation steps to creating, 182
 - publishing first, 27–28
 - reasons for limiting, 12
 - refining tweening, 197–198
 - reversing, 206
 - selecting frames in, 204
 - with tweening, 190–191
 - tweening along paths, 196–197
 - tweening colors and transparency, 195
 - typical steps for adding to Web sites, 31–33
 - using onion skins with, 207–209
 - ways of creating, 182
 - anti-aliasing, using, 125
 - artwork, simplifying, 286–287
 - audio. *See* sound
 - Auto Format category preferences, setting, 354
 - AutoCAD, simulating 3-D with, 328–329
- **B** ●
- behaviors
 - adding, 214–215
 - types of, 216–217

- Behaviors panel, purpose/example of, 370
- Berger, Ola (Flash designer), 341
- Best Flash Animation Site Web site, 337
- bevel corner, 51
- Bezier curves, drawing with Pen tool, 57
- bit rate sound, 236
- bitmap fills
 - creating, 69–70
 - scaling, 97–98
- bitmap graphics
 - advantage of, 12
 - avoiding, 286
 - best way of importing, 323–325
 - breaking apart, 108
 - making Flash friendly, 77–78
 - overview, 36
 - using as fill, 69–70
- Black and White tool, for rectangles, 53
- blend modes, adding to instance, 160
- BMP files, overview, 324
- Break Apart command, 108
- breakpoints, debugging ActionScript code and, 366
- brightness, changing instance, 158
- Browse/Network actions, 227–229
- browsers, testing movies and, 290–291, 326–327
- Brush Mode modifier
 - example of options, 61
 - setting, 60
- Brush tool
 - overview, 59
 - replacing Pencil tool with, 286
 - selecting brush shape, 60
 - selecting brush size, 60
 - smoothing strokes, 63
- button symbols, 147. *See also* symbols
- buttons
 - adding actions to, 171–173, 219–222
 - adding actions to Timeline for, 173–176
 - adding movie clips to, 169–171
 - adding sound to, 167–169
 - creating basic, 165–166
 - creating to act on text input, 176–178
 - creating Web sites navigation, 272
 - defined, 164

- designing, 32
- with Get URL action, testing, 175
- navigating through Timeline Web content with, 273–275
- overview, 163
- states of, 164
- testing, 166–167
- using text for, 166

• C •

Canfield Studios Web site, 337

caps

- modifying, 92
- setting, 50–51

center, moving fill, 97

centering, objects on top of each other, 87

channel sound, 236

check boxes

- purpose of, 257
- using, 261–262

Chinnathamei, Karupa (resource Web site), 338

Clear Colors command, 67

Clipboard

- copying objects to, 87
- moving objects with, 84

Clipboard category preferences, setting, 354

closing, panels, 15

code. *See* ActionScript code; HyperText Markup Language (HTML) code

codec, defined, 246

collapsed panel, display of, 15

collapsing, folders, 137

color

- avoiding custom on Web sites, 286
- changing instance transparency and, 159
- choosing Stage, 33–34
- creating new or editing existing, 65–66
- gradient, 67–69
- managing, 67
- matching movie to Web page, 271
- setting Pencil tool, 52
- setting text, 122–123
- tweening, 195

color fades, 195

Color Mixer panel

- example of, 65, 363
- purpose of, 362
- using, 65–66

Color Swatches panel

- example of, 363
- importing Color palettes with, 66–67

combo boxes

- purpose of, 257
- using, 262–264

commands

- Break Apart, 108
- Clear Colors, 67
- copying, 112–113
- Crop, 105
- Delete Swatch, 67
- Duplicate Swatch, 67
- Intersect, 105
- keyboard shortcuts for menu, 17–18
- Load Default Colors, 67
- programming, 231–232
- Publish Preview, 290–291, 311
- Punch, 105
- redoing, 110–111
- replaying, 112
- reusing, 111–114
- Save As Default, 67
- saving, 113–114
- Sort by Color, 67
- Test Movie, 288–290
- Transform command, 100–105
- Undo, 22
- undoing, 110–112
- Union, 105
- Web 216, 67

Commands menu, purpose of, 17

comments

- adding to ActionScript, 233, 327
- adding to animation, 203–204

companion Web site

- Flash movies on, 372
- glossary on, 372
- samples on, 335
- vector graphics on, 371–372

- components
 - check boxes, 261–262
 - combo boxes, 262–264
 - list boxes, 265–266
 - Loader, 268
 - overview, 257
 - ProgressBar, 268
 - radio buttons, 258–260
 - scroll panes, 266–267
 - using, 147
 - windows, 268
 - Components Inspector, 369
 - Components panel
 - example of, 258, 369
 - purpose of, 368
 - using check boxes and, 261
 - using combo boxes and, 263
 - using list boxes and, 265
 - using radio buttons and, 258
 - using scroll panes and, 267
 - using windows and, 268
 - computer screens, testing Flash Player files and, 291
 - conferences, learning from, 339
 - context-sensitivity, defined, 16, 360
 - contracting, filled shapes, 93–94
 - Control menu, purpose of, 17
 - Controller, purpose of, 15
 - Convert to Symbol dialog box, 148–149
 - copying
 - commands, 112–113
 - frames, 204–205
 - folder contents, 138
 - layers, 135
 - objects, 86–87
 - outline and fill properties, 99
 - copyright issues, using outside graphics and, 75
 - corners, setting type of, 51
 - courses, learning from, 336
 - CRASH!MEDIA studio, 343
 - Crop command, combining objects with, 105
 - Curtis, Hillman (Flash designer), 341
 - curves
 - drawing with Pen tool, 58–59
 - optimizing, 93
 - optimizing to simplify artwork, 286
 - smoothing existing objects', 92
 - customization, saving panel layouts, 16
 - cutout affect, creating, 56
- D •
- d-art Web site, 337–338
 - Davis, Joshua (Flash designer), 342
 - Debugger panel, purpose/example of, 366
 - Delete Swatch command, 67
 - deleting
 - layers, 135
 - objects, 87
 - desktop shortcut, creating, 13
 - device fonts, using, 125
 - dialog boxes
 - Convert to Symbol, 148–149
 - Edit Envelope, 239
 - Edit Snapping, 83–84
 - Keyboard Shortcuts, 356
 - Layer Properties, 138–139
 - Manage Saved Commands, 114
 - Optimize Curves, 93
 - Page Set up, 42–44
 - Preferences, 350–351
 - Publish Settings, 241, 292–293, 299–301, 302–308
 - Save as Template, 42
 - Sound Properties, 241–242
 - Spelling Setup, 117–118
 - Dimensions settings (Publish Settings dialog box), 302
 - dimensions, specifying rectangle in
 - advance, 54
 - discussion groups, learning from, 336–337
 - distorting, objects, 91
 - Dock adding Flash 8 icon to, 13
 - docking, panels, 15
 - document-level undo, 110
 - Down state, overview, 164
 - draggable movie clips, creating, 232–233
 - draggable objects, creating, 232
 - drawing
 - creating guide layer for, 139
 - curves with Pen tool, 58–59
 - with grid, 73

- with guides, 72–73
- lines with Line tool, 52–53
- ovals, 54
- with pressure-sensitive pen/tablet, 62–63
- rectangles, 53–54
- with ruler, 71–72
- splines with Pen tool, 57
- squares, 53
- straight lines with Pen tool, 57–58
- using snapping, 73–74

Drawing category preferences, setting, 355

Duplicate Swatch command, 67

duplicating

- existing symbols, 150–151
- Library items, 40
- publish profile, 309

dynamic text

- creating, 127–128
- defined, 127

• **E** •

Eden, Anthony (Flash designer), 342

edges, softening, 94–95

Edit bar, purpose of, 15

Edit Envelope dialog box, 239

Edit in a New Window mode, 152

Edit in Place mode, 152

Edit in Symbol-Editing Mode, 152

Edit menu, purpose of, 16

Edit Snapping dialog box, 83–84

Envelope modifier, using, 91–92

errors, troubleshooting ActionScript code, 264

event listener, defined, 262

events

- mouse, button actions and, 221–222
- movie clip, 224

exiting, Flash, 28

expanding

- filled shapes, 93–94
- folders, 137

exporting

- movies and images, 312–314
- publish profiles, 310–311

Eyedropper tool

- creating bitmap fills with, 70
- transferring properties with, 99

• **F** •

fadeouts, reusing, 340

file formats

- bitmap, 324
- for publishing, 293

File menu, purpose of, 16

filenames, for Flash-published movies, 285

files

- creating separate ActionScript, 234
- exportable, 313–314
- importable, 76

fill

- converting lines to, 95–96
- locking, 71
- of rectangle, 53
- reshaping with Subselect tool, 88–89
- selecting objects and, 80
- simplifying artwork with, 287
- transferring properties of, 99
- transforming, 96–98

Fill Color tool, for rectangles, 53

filters

- adding to instance, 159
- applying to text, 129

Find feature, in Movie Explorer, 279

finding and replacing

- objects, 99–100
- text, 119–120

Flash Alignment settings (Publish Settings dialog box), 304–305

Flash Communication Server, streaming video from, 244, 250–252

Flash component Web site, 338

Flash For Dummies Library

- using, 155
- vector graphics on, 371–372

Flash in the Can Conference, 339

Flash Kit Web site, 337

Flash Magazine Web site, 338

Flash menu (Mac only), purpose of, 16

Flash MX 2004 format, saving work in, 291

Flash Player (Macromedia)

- downloading, 10
- HTML settings for detection, 299–301
- printing movies from, 317
- testing for, 275–277

- Flash screen. *See also specific elements*
 - example of, 14
 - overview, 14–20
 - Flash stock Library, 40
 - Flash Video Streaming Service, streaming
 - video from, 243, 250–252
 - FlashBelt Conference, 339
 - Flashforward conference, 339
 - Flashgoddess Web site, 338
 - flipping, with Transform command, 104–105
 - focal point, moving fill, 97
 - folders
 - organizing layers with, 137–138
 - organizing Library with, 39
 - removing folders from, 137
 - font styles
 - reducing number of, 287
 - setting, 121–122
 - font symbols. *See also symbols*
 - creating, 282
 - overview, 147
 - fonts
 - device, 125
 - reducing number of, 287
 - setting, 121–122
 - frame actions
 - adding basic, 218
 - defined, 217
 - stopping movie with, 218–219
 - frame by frame animation
 - creating, 188–189
 - overview, 182
 - frame rate
 - changing, 185
 - embedding video and, 244–245
 - setting, 34
 - frame-based selection, 204
 - frames
 - adding, 205
 - adding basic actions to, 217–218
 - changing keyframes to regular, 206
 - copying and pasting, 204–205
 - deleting, 205
 - dividing motion into, 184
 - moving, 205
 - specifying printable, 315–316
 - storing static Web page, 272–275
 - telling movie to go to different, 225–226
 - Timeline window and, 19
 - Free Transform tool
 - changing transformation point, 106–108
 - distorting objects with, 91
 - Envelope modifier, 91–92
 - overview, 89–90
 - tapering objects with, 90–91
 - fsc command action, 227
- **G** ●
- Gap Size modifier, overview, 64
 - General category preferences, setting, 351–352
 - getURL action
 - creating navigation with, 272
 - overview, 227–228
 - testing buttons with, 175
 - GIF files
 - advantage of animated, 12
 - overview, 324
 - Global Phones templates, 41
 - glossary, on companion Web site, 372
 - glows, reusing, 340
 - Go To action, 225–226
 - Gooberstory animation, 341
 - gradients
 - for buttons, 164
 - creating, 68–69
 - defined, 11
 - increasing file size, 287
 - overview, 67
 - softening edges with, 95
 - graphic files
 - types of exportable, 313–314
 - types of importable, 76
 - graphic symbols, 146. *See also symbols*
 - graphics
 - creating animation from, 26–27
 - creating for buttons states, 165–166
 - creating last movie frame with, 25
 - determining source of, 32
 - importing, 22–23, 76
 - laying out, 32

- organizing in Library, 39
- organizing with layers, 32
- putting on layers, 24–25
- source options, 37
- turning into symbols, 23–24, 32
- understanding types of, 35–36
- using from Library, 37–38
- using imported, 76–78
- using imported existing, 22
- ways of manipulating, 11

grid, using, 73

grouping, objects, 105–106

groups

- breaking apart, 108
- motion tweening, 193–194
- simplifying artwork and, 286

guide layers, creating, 139–140

guides, using, 72–73

• **H** •

Hall, Peter Joel (resource Web site), 338

Hantoot, Ben (Flash designer), 342

Help feature

- accessing, 20
- accessing on Web site, 31
- sections of, 20–21

Help menu, purpose of, 17

hiding, folders, 137

History panel

- clearing, 114
- example of, 370
- overview, 111–112
- purpose of, 369
- undoing/replaying/copying/saving commands, 112–114

Hit state, overview, 164

home pages, on Flash Web sites, 270–271

hyperlinks

- creating text, 124
- versus buttons, 219

HyperText Markup Language (HTML)

- Alignment settings (Publish Settings dialog box), 304
- pages, on Flash Web sites, 270–271
- templates, 299–301

HyperText Markup Language (HTML) code

- changing to match movie and Web page color, 271
- creating hyperlinks and, 219
- creating Web pages and, 296
- creating Web sites with, 115
- Publish Settings dialog box settings and, 299–305
- understanding for movies, 297–298

• **I** •

icons, symbol, 148

ideas, brainstorming, 31

images, exporting, 312–314

importing

- bitmap graphics, 323–325
- file types available for, 76
- graphics, 22–23, 75–76
- from Library, 340
- publish profile, 310–311
- saved Color palettes, 66–67
- sound, 236

In point, defined, 247

indents, setting text, 126

Info panel

- example of, 364
- moving objects with, 85
- purpose of, 363

Ink Bottle tool, overview, 64

ink drawing mode, 48

input text

- creating, 127–128
- defined, 127

Insert menu, purpose of, 17

installation

- downloading onto Mac, 350
- downloading onto PC, 348–349
- onto Mac from CD, 349
- onto PC from CD, 348
- overview, 347

instances

- adding filters and blend modes to, 159–160
- breaking apart, 161
- changing brightness of, 158
- changing color and transparency of, 159

instances (*continued*)

- changing tint of, 158
- changing transparency of, 158–159
- changing type of, 160
- defined, 151
- editing, 157
- inserting, 156–157
- replacing, 160–161
- updating, 151–152
- using meaningful names for, 327

interactivity. *See also* buttons

- adding, 32
- behaviors adding, 216–217
- defined, 213

Intersect command, combining objects

- with, 105

intros, on Web sites, 271–272

• **I** •

Japanese Phones templates, 41

JPEG files, overview, 324

• **K** •

kerning, adjusting, 123

keyboard shortcuts

- customizing, 355–358
- for menu commands, 17–18

Keyboard Shortcuts dialog box, 356

keyframes

- adding still graphics to, 190
- changing to regular frames, 206
- creating frame by frame animation with, 188–189
- defined, 19
- overview, 187

Kirupa Web site, 338

• **L** •

labels, adding to animation, 203–204

Lasso tool, selecting objects with, 81–82

Layer Properties dialog box, 138–139

layers

- active, 132–133
- copying, 135
- creating, 132
- creating guide, 139–140
- deleting, 135
- hiding, 184
- linking motion guide to objects and, 198
- locking, 327
- managing, 134–135
- mask, 140–142
- modifying properties of, 138–139
- organizing, 137–138
- organizing movie with, 19
- organizing text and graphics with, 32
- overview, 131
- placing sounds into movies with, 236–237
- putting graphics on, 24–25
- renaming, 136
- reordering, 136
- selecting, 135
- selecting everything on one or all, 82
- states of, 133–134

layout, creating guide layer for, 139

Library

- creating shared, 281–282
- Flash stock, 40
- housekeeping of, 39–40
- importing from, 340
- organizing with folders, 39
- overview, 37
- reducing file size with shared, 287
- using Flash, 155
- using *Flash For Dummies*, 155
- using objects from, 38
- using other movies', 40
- using shared, 283–284
- using symbols from other, 153–155

Library panel, resizing, 39

limits, movie size, 332–333

line endings

- modifying, 92
- setting, 50–51

line spacing, setting, 126–127

- Line tool
 - cutting shapes with, 55
 - overview, 52–53
 - linear gradient
 - creating, 68–69
 - defined, 67
 - lines. *See also* strokes
 - converting to fill, 95–96
 - cutting shapes with, 55
 - drawing straight with Pen tool, 57–58
 - drawing with Line tool, 52–53
 - using solid to simplify artwork, 286
 - links, creating text, 124
 - Lisefski, Alek (Web site), 342
 - list boxes
 - purpose of, 257
 - using, 265–266
 - Load Default Colors command, 67
 - Loader component, 268
 - loading, Flash animation versus bitmap, 12
 - loading time, vector graphics, 36
 - loadMovie action, 228–229
 - locked fills, overview, 71
 - locking, folders, 137
 - Lock/Unlock layer state, 133–134
- M •**
- Macromedia Flash Player
 - downloading, 10
 - HTML settings for detection, 299–301
 - printing movies from, 317
 - testing for, 275–277
 - Macromedia University, 336
 - Macromedia Web site, accessing help on, 21
 - Macs
 - downloading Flash onto, 350
 - installing Flash from CD onto, 349
 - starting Flash on, 13
 - toolbars for, 15
 - mailing lists, learning from, 337
 - Main toolbar (Windows only), purpose of, 15
 - Manage Saved Commands dialog box, 114
 - margins, setting text, 126
 - mask layers
 - animating, 142
 - creating, 141
 - editing, 141–142
 - overview, 140
 - masks
 - creating animated, 230
 - reusing, 340
 - Match Contents Stage size option, 35
 - Match Printer Stage size option, 35
 - Menu bar, example of, 14
 - menu commands, keyboard shortcuts
 - for, 17–18
 - menus
 - ability to create, 11
 - overview, 16–18
 - metadata
 - adding search to movies, 270
 - adding to movies, 35
 - methods
 - defined, 229
 - using, 229–230
 - Microsoft Word, simulating 3-D with, 329–331
 - Mielke, Shane (Flash designer), 342
 - mistakes, correcting, 22
 - miter styled corner, 51
 - Modify menu, purpose of, 17
 - Moock, Colin (resource Web site), 338
 - morphing, defined, 11
 - motion, synching sound with, 323
 - motion tweening
 - along paths, 196–197
 - colors and transparency, 195
 - editing/cleaning, 197–198
 - example of, 192
 - moving symbols, groups, and type with, 193–194
 - overview, 191
 - scaling and rotating animated objects, 194–195
 - troubleshooting, 322–323
 - mouse events
 - button actions and, 221–222
 - On action, 226

movie clip symbols. *See also* symbols
 converting animation to, 149–150
 overview, 147

movie clips

adding actions to, 222–224
 adding to buttons, 169–171
 creating animated masks with, 230
 creating draggable, 232

Movie Explorer panel

example of, 367
 purpose of, 366
 using, 277–279

Movie of the Year animation

creating, 26–27
 in detail, 29
 publishing, 27–28

movies

adding metadata to, 35
 adding named anchors to, 256
 adding search metadata to, 270
 analyzing, 277–279
 breaking into scenes, 210
 centering on Web page, 331–332
 collecting, 339
 on companion Web site, 372
 creating bass, 326–327
 creating beginning and animation of, 26–27
 creating last frame of, 25
 creating new, 13
 creating printable, 314
 creating self-playing, 307–308
 embedding/editing video into, 245–249
 emerging two into one, 321–322
 exporting, 312–314
 matching to Web page, 271
 opening existing, 13–14
 placing sounds into, 236–238
 posting to Web sites, 311–312
 preparing for printing, 315
 printing, 42–44
 printing from Flash Player, 317
 publishing, 292–293
 publishing to PNG files, 305–307
 publishing to SWF files, 293–296
 publishing with named anchors, 256–257
 reducing file size of, 286–288
 rescaling size of, 325–326
 reusing, 340

setting up, 31
 size limits of, 332–333
 specifying print area for, 316–317
 specifying printable frames for, 315–316
 staging, 18
 telling to go to different frames, 225–226
 testing, 288–290
 testing in Web browser, 290–291
 understanding HTML code for, 297–298
 using check boxes and, 261–262
 using combo boxes and, 262–264
 using list boxes and, 265–266
 using radio buttons in, 258–260
 using scroll panes in, 266–267
 using symbols from, 153–155
 using windows in, 268

moving

center of fill, 97
 focal point of fill, 97
 objects with Clipboard, 84
 objects with Info panel, 85
 objects with Property inspector, 85
 objects with Snap Align, 83–84

music, dynamically loading from Web,
 333–334

• N •

named anchors, using, 255–257
 navigation tools, ability to create, 11
 newsgroups, learning from, 336
 No Color tool, for rectangles, 53

• O •

object-drawing model

breaking apart shapes made with, 108
 protecting shapes with, 56–57
 selecting objects and, 80

object-level redo, 110–111
 object-level undo, 110–111

objects

aligning, 86
 breaking apart, 108
 checking for on layers, 135
 combining, 105
 copying, 86–87
 created by ActionScript, 229

- creating draggable, 232–233
 - creating empty symbols for, 149
 - creating symbols from existing, 148–149
 - defined, 80
 - deleting, 87
 - distorting, 91
 - finding and replacing, 99–100
 - flipping, 104–105
 - grouping, 105–106
 - lassoing, 81–82
 - linking motion guide to, 198
 - moving with Clipboard, 84
 - moving with Info panel, 85
 - moving with Property inspector, 85
 - moving with Snap Align, 83–84
 - ordering on Stage, 108–109
 - reshaping with Subselect tool, 88–89
 - rotating, 101–102
 - scaling, 101–102
 - selecting all, 82
 - selecting with Selection tool, 80–81
 - skewing, 103–104
 - softening edges of, 94–95
 - tapering, 90–91
 - transferring properties among, 99
 - turning into symbols, 23–24
 - using Color Mixer panel with, 65
 - using from Library, 38
 - On (mouse event) action, 226
 - Once upon a Forest Web site, 342
 - onion skins, using, 207–209
 - opening, panels, 15
 - Optimize Curves dialog box, 93
 - optimizing, curves, 93
 - organizing
 - layers, 137–138
 - Library with folders, 39
 - Out point, defined, 247
 - outlines
 - creating, 64
 - deleting, 64
 - reshaping with Selection tool, 88
 - selecting objects and, 80
 - transferring properties of, 99
 - Outlines layer state, 134
 - Output panel, 367
 - oval, drawing, 54
 - Oval tool, overview, 54
 - Over state
 - creating graphic for, 166
 - overview, 164
 - overflow modes, creating gradients
 - and, 68–69
- *p* ●
- Page Set up dialog box, printing movie
 - with, 42–44
 - Paint Behind tool, 60
 - Paint Bucket tool
 - converting lines to fill and, 96
 - overview, 63–64
 - Paint Fills tool, 60
 - Paint Inside, 60
 - Paint Normal tool, 60
 - Paint Selection tool, 60
 - palettes
 - saving new, 66
 - using Web-safe, 286
 - panels
 - Accessibility, 280–281, 368
 - Actions, 365
 - Align, 86, 362
 - Behaviors, 370
 - closing, 15
 - Color Mixer, 65–66, 362, 363
 - Color Swatches, 66–67, 363
 - Components, 258, 261, 263, 265, 267, 268, 368, 369
 - Debugger, 366
 - displaying collapsed, 15
 - docking, 15
 - example of, 14
 - History, 111–114, 369, 370
 - Info, 85, 363, 364
 - Library, 39
 - managing, 15–16
 - Movie Explorer, 277–279, 366, 367
 - opening, 15
 - Output, 367
 - Scene, 364
 - stacking, 15
 - Strings, 370
 - Tools, 14, 16, 359, 360
 - Transform, 364, 365
 - undocking, 15

- paragraphs, setting attributes for, 125–126
- Pasteboard
 - keeping items on, 34
 - overview, 18
- pasting, covering other objects and, 87
- paths, tweening along, 196–197
- PCs
 - downloading Flash onto, 348–349
 - installing Flash from CD onto, 348
 - starting Flash on, 13
 - toolbars for, 15
- PDA templates, 41
- Pen tool
 - drawing curves with, 58–59
 - drawing straight lines with, 57–58
 - overview, 57
- Pencil Mode modifier, setting, 48–49
- Pencil tool
 - cutting shapes with, 55
 - overview, 47–48
 - setting color, 52
 - setting stroke type, 49–52
 - simplifying artwork with, 286
- Peters, Keith (Flash designer), 343
- Photo Slideshows templates, 41
- pixels
 - bitmaps and, 36
 - measuring with, 72
 - snapping to, 74
- Play action, 226
- Playback settings (Publish Settings dialog box), 302
- PNG files
 - overview, 324
 - publishing movies to, 305–307
- Polygon Mode modifier, lassoing objects and, 82
- Powered by Detroit conference, 339
- “praystation” Web site, 342
- preferences
 - overview, 350–351
 - setting ActionScript category, 353
 - setting Auto Format category, 354
 - setting Clipboard category, 354
 - setting Drawing category, 355
 - setting General category, 351–352
 - setting Text category, 355
 - setting Warnings category, 355
- Preferences dialog box, 350–351
- preloader
 - creating, 269
 - overview, 268–269
 - testing, 269–270
- Presentations templates, 41
- Pressure modifier, 62
- pressure-sensitive pen/tablet, drawing with, 62–63
- printing
 - movies, 42–44
 - movies from Flash Player, 317
 - preparing movie for, 315
 - specifying frames for, 315–316
- printing area, specifying, 316–317
- programming commands, 231–232
- ProgressBar component, 268
- projectors, creating, 307–308
- Pronk, Ellen (Flash designer), 343
- properties
 - changing symbols, 151
 - transferring objects, 99
- Property inspector
 - controlling lying type and wit with, 50
 - creating text types and, 127–128
 - example of, 14
 - with keyframes selected, 361
 - moving objects with, 85
 - with no selection, 316
 - Output tab of, 367
 - purpose of, 16
 - setting character attributes with, 121–124
 - with shape selected, 361
 - with symbol instance selected, 361–362
 - using check boxes and, 261
 - using combo boxes and, 263
 - using list boxes and, 265–266
 - using radio buttons and, 258–259, 260
 - using scroll panes and, 267
 - using windows and, 268
- Publish Preview command, 290–291, 311
- publish profile. *See also* publishing
 - creating, 308
 - deleting, 309–310

- duplicating, 309
 - exporting/importing, 310–311
 - modifying, 309
 - Publish Settings dialog box
 - creating PNG files and, 305–307
 - creating projectors with, 307–308
 - Dimensions settings, 302
 - Flash Alignment settings, 304–305
 - HTML Alignment settings, 304
 - managing sound with, 241
 - Playback settings, 302
 - publishing movies with, 292–293
 - Quality settings, 303
 - Scales settings, 304
 - Templates settings, 299–301
 - Window Mode settings, 303
 - publishing. *See also* publish profile
 - animation, 33
 - first animation, 27–28
 - overview, 292–293
 - to PNG files, 305–307
 - to SWF files, 293–296
 - Punch command, combining objects with, 105
 - push buttons, purpose of, 257
- **Q** ●
- Quality settings (Publish Settings dialog box), 303
 - Quiz templates, 41
- **R** ●
- radial gradient
 - for buttons, 164
 - creating, 68–69
 - defined, 67
 - radio buttons
 - overview, 258–260
 - purpose of, 257
 - Rectangle tool
 - creating buttons and, 170
 - overview, 53–54
 - rectangles, drawing, 53–54
 - redoing, 110–111
 - regular expressions, defined, 120
 - renaming
 - layers, 136
 - Library items, 40
 - reordering
 - folders, 138
 - layers, 136
 - objects on Stage, 108–109
 - replaying, commands, 112
 - rescaling, movie size, 325–326
 - resizing
 - Library panel, 39
 - Timeline, 184
 - Reynaud, Micaël (Flash designer), 343
 - rotating
 - fill, 97
 - motion tweening and, 194–195
 - with Transform command, 102–103
 - round corner, 51
 - Round Rectangle Radius modifier tool, for
 - rectangles, 53
 - ruler, using, 71–72
 - runtime shared Library
 - creating, 281–282
 - defined, 281
 - reducing file size with, 287
 - using, 283–284
- **S** ●
- sample rate sound, 236
 - samples, experimenting with, 335
 - sampling rate, defined, 240
 - Save As Default command, 67
 - Save as Template dialog box, 42
 - saving
 - commands, 113–114
 - panel layouts, 16
 - scalability, bitmaps versus vector
 - graphics, 36
 - Scalable Vector Graphics (SVG) standards,
 - creating gradient that complies with, 69
 - Scales settings (Publish Settings dialog box), 304

- scaling
 - bitmap fill, 97–98
 - motion tweening and, 194–195
 - movie size, 325–326
 - with Transform command, 101–102
- Scene panel, example of, 364
- scenes
 - breaking movies into, 210
 - managing animation with, 209–210
 - manipulating, 210–211
- screen readers, 279
- screens, testing Flash Player files and, 291
- Script Assist mode, working with Timeline
 - Control actions and, 225
- scroll panes
 - purpose of, 257
 - using, 266–267
- search metadata, adding to movies, 270
- selecting
 - all objects, 82
 - layers, 135
 - objects with Lasso tool, 81–82
 - objects with Selection tool, 80–81
- selection box, using, 80
- Selection tool
 - reshaping objects with, 88
 - selecting objects with, 80–81
- servers, streaming video from, 243, 250–252
- setMask method, 230–231
- shape hints
 - adjusting, 202–203
 - using, 201–202
- shape tweening
 - adjusting shape hints and, 202–203
 - creating simple, 200–201
 - defined, 191
 - overview, 198–199
 - using shape hints and, 201–202
- shape-recognition preferences, setting
 - Pencil tool, 49
- shapes
 - breaking apart, 108
 - combining, 55–56
 - converting type to, 129
 - creating cutout effect, 56
 - creating outline for, 64
 - creating to define active area of
 - buttons, 166
 - cutting up, 55
 - expanding and contracting filled, 93–94
 - line, 52–53
 - oval, 54
 - rectangles/squares, 53–54
 - reshaping with Selection tool, 88
 - using object-drawing model with, 56–57
 - working with, 54
- Show/Hide layer state, 133
- size
 - limits, movie, 332–333
 - reducing movie file, 286–288
 - rescaling movie, 325–326
 - selecting Brush tool, 60
 - setting font, 121–122
 - setting Stage, 34–35
- skewing (slanting)
 - fill, 98
 - text, 128–129
 - with Transform command, 103–104
- skin, defined, 251
- smooth drawing mode, 48–49
- smoothing, curves of existing objects, 92
- smoothing preferences, setting Pencil tool, 49
- Snap Align feature, moving objects with, 83–84
- snapping, using, 73–74
- snap-to-grid preferences, setting, 74
- snap-to-object preferences, setting, 74
- snap-to-pixels preferences, setting, 74
- softening, edges, 94–95
- Sort by Color command, 67
- sorting, Library items, 39
- sound
 - ability to add, 11
 - adding, 32
 - adding to buttons, 167–169
 - changing volume of, 240
 - compressing, 287–288
 - deleting parts of, 240
 - dynamically loading music from Web, 333–334
 - editing, 238–239

- graphic symbols and, 146
 - importing, 236
 - managing, 240–242
 - overview, 235–236
 - placing into movies, 236–238
 - synching with motion, 323
 - ways of manipulating, 11
- Sound Properties dialog box, 241–242
- sound synchronization options, 237–238
- span-based selection, 204
- spell checking, text, 117–118
- Spelling Setup dialog box, 117–118
- splines, drawing with Pen tool, 57
- squares, drawing, 53
- stacking, panels, 15
- Stage
- displaying grid on, 73
 - example of, 14
 - laying out with guides, 72–73
 - moving complete animation on, 209
 - multiplying graphics over, 32
 - ordering objects on, 108–109
 - overview, 18
 - setting color of, 33–34
 - setting frame rate, 34
 - setting size, 34–35
- static text, defined, 127
- steps, typical for adding animation to Web sites, 31–33
- Stop action, 226
- stopALLSOUNDS action, 226
- straighten drawing mode, 48
- straightening, strokes of existing objects, 92
- streaming audio, loading, 333–334
- streaming video
- from Flash Communication Server, 244, 250–252
 - from Flash Video Streaming Service, 243, 250–252
 - overview, 249–252
 - from Web server, 243, 250–252
- Strings panel, purpose/example of, 370
- Stroke Color tool, for rectangles, 53
- Stroke hinting feature, 51
- stroke type, setting Pencil tool, 49–52
- stroke width, setting pencil, 50
- strokes
- changing with Ink Bottle tool, 64
 - of rectangle, 53
 - reshaping with Subselect tool, 88–89
 - setting color of pencil, 52
 - setting thickness of scales for pencil, 51–52
 - smoothing brush, 63
- Subselect tool, reshaping with, 88–89
- SVG (Scalable Vector Graphics) standards, creating gradient that complies with, 69
- Swann, Craig (Flash designer), 343
- Swap Colors tool, for rectangles, 53
- SWF files
- publishing to, 293–296
 - reducing size of, 286–288
 - saving movies and, 285
- symbols. *See also* buttons; instances
- breaking apart, 108
 - button, 147
 - changing properties of, 151
 - converting animation to movie clip, 149–150
 - creating empty, 149
 - creating font, 282
 - creating from existing objects, 148–149
 - creating new for Library, 40
 - duplicating existing, 150–151
 - editing, 151–153
 - font, 147
 - graphic, 146
 - icons for, 148
 - motion tweening, 193–194
 - movie clip, 147, 149–150
 - overview, 145
 - simplifying artwork and, 286
 - turning graphics into, 32
 - turning objects into, 23–24
 - types of, 145
 - using consistent names for, 327
 - using from other movies, 153–155
- synching, sound with motion, 323
- synchronization options, 237–238

• T •

tangent line, drawing curves and, 58
tapering, objects, 90–91

templates

- creating own category for, 42
- setting HTML, 299–301
- using, 41–42

tense, changing instance, 158

Test Movie command, 288–290

testing

- basic buttons, 166–167
- buttons with Get URL action, 175
- for Flash Player, 275–277
- movies, 288–290
- movies in Web browsers, 290–291, 326–327
- preloader, 269–270

text

- adding, 32
- adjusting kerning and tracking of, 123–124
- aligning, 126
- breaking apart, 108
- creating, 116
- creating a fax for, 128–129
- creating input and dynamic, 127–128
- editing, 117
- finding and replacing, 119–120
- Flash options with, 115–116
- HTML code and, 115
- hyperlinking, 124
- organizing with layers, 32
- setting color of, 122–123
- setting fonts, font size, font style for, 121–122
- smoothing, 124–125
- spell checking, 117–119
- using device fonts, 125
- using for buttons, 166
- ways of manipulating, 11

Text category preferences, setting, 355

text input, creating button that acts on, 176–178

Text menu, purpose of, 17

Text tool, creating text with, 116

3-D

- simulating, 327
- simulating with AutoCAD, 328–329
- simulating with Microsoft Word, 329–331

Tilt modifier, 63

Timeline

- adding actions to, 173–176
- changing animation speed and, 206–207
- displaying, 183
- hiding, 72
- overview, 184
- selecting frames and, 204
- storing Web content with, 272–275
- synching motion with sound and, 323

Timeline Control actions, 224–226

Timeline effects

- adding animation with, 186
- creating animation with, 182
- deleting, 186

Timeline window

- example of, 14
- overview, 19

toolbars, overview, 15

Tools panel

- example of, 14, 360
- overview, 359
- purpose of, 16

tracking, adjusting, 123–124

training, formal, 336

Transform command

- flipping objects with, 104–105
- overview, 100–101
- rotating objects with, 101–102
- scaling objects with, 101–102
- skewing objects with, 103–104

Transform panel

- example of, 365
- purpose of, 364

transformation point

- changing, 106–108
- using, 89–90

transparency

- changing instance, 158–159
- slowing playback, 287
- tweening, 195

transparency feature, purpose of, 11
 tweening
 adjusting shape hints and, 202–203
 along paths, 196–197
 colors and transparency, 195
 creating animation by, 182
 creating simple shape, 200–201
 defined, 32
 editing/tweening, 197–198
 moving symbols, groups, and type
 with, 193–194
 overview, 190–191
 preparing to animate and, 183
 reducing file size with, 288
 scaling and rotating animated
 objects, 194–195
 shape, 198–199
 troubleshooting, 322–323
 using shape hints and, 201–202
 tweening Web site, 338
 2Advanced Studios, 342
 type, motion tweening, 193–194

• U •

Undo command, using, 22
 undocking
 panels, 15
 Timeline, 184
 undoing
 document-level, 110
 with History panel, 112
 object-level, 110–111
 Union command, combining objects
 with, 105
 unloadMovie action, 229
 Up state
 creating graphic for, 165
 overview, 164

• V •

vector graphics
 on companion Web site, 371–372
 converting bitmap graphics to, 77–78
 overview, 36
 versus bitmap graphics, 12

video
 ability to play, 11
 embedding/editing, 245–249
 overview, 242–243
 preparing to embed, 244–245
 streaming, 249–252
 ways of using, 243–244
 Video Import Wizard
 embedding video and, 245–249
 streaming videos and, 249–252
 View menu, purpose of, 17
 viewers
 considering when testing Flash Player
 files, 291
 creating interactivity for, 32
 creating intros and, 271–272
 creating printables for, 314–317
 detecting Flash Player versions, 276–277
 electing Flash versus non-Flash sites, 276
 inputting text, 127
 meeting accessibility needs of, 280, 368
 using text buttons, 166
 Web page creation considerations
 and, 271
 volume, changing, 240

• W •

Warnings category preferences, setting, 355
 Web browsers
 testing movies and, 290–291
 testing movies in, 326–327
 Web pages
 centering movies and, 331–332
 creating buttons for, 11
 designing buttons for, 163–164
 HTML code and, 296
 matching movies to, 271
 storing as frames on Timeline, 272–275
 using named anchors with, 255–257
 Web search information, adding to
 movies, 270
 Web server, streaming video from, 243,
 250–252

Web sites

- creating navigation structure for, 272
- creating non-Flash, 277
- creating runtime shared libraries for, 281–282
- distinguishing with animation, 10
- Flash movies on companion, 372
- Flash resource, 337–338
- glossary on companion, 372
- HTML code on, 115
- improving accessibility of, 279–281
- Macromedia, 336
- optimizing movie text for, 287
- posting movies to, 311–312
- reasons for limiting animation on, 12
- samples on companion, 335
- simplifying movie artwork for, 286–287
- structure of Flash, 270–271
- testing for viewer Flash Player, 275–277
- typical steps for adding animation to, 31–33

- using intros, 271–272

- using runtime shared libraries on, 283–284
- vector graphics on companion, 371–372

Web 216 command, 67

We're Here Forums, 338

width

- changing fill, 97

- setting pencil stroke, 50

Window menu, purpose of, 17

Window Mode settings (Publish Settings dialog box), 303

windows

- purpose of, 257

- using, 268

Windows (Microsoft), panel arrow buttons in, 16



Zoom Control box, using, 18