

Index

a

- N-acetylaspartate (NAA) 254
- acquisition strength (H) 51
- ACTH, *see* adrenocorticotrop hormone
- activation
 - sustained 62ff.
 - theory 95
- acupuncture 241
- acute low back pain (ALBP) 333ff.
- acute myocardial infarction (AMI) 292, 311
- acute phase protein 209
- acute phase reaction 201
- addiction 384ff.
- Addison's disease 214
- adenohypophysis 228
- adipokine 310f.
- adiponectin 321
- adipos tissue 320f.
- adrenal gland 200
- adrenalin 201, 233
- adrenocorticopin 246
- adrenocorticotrop hormone (ACTH) 168ff., 199, 223f., 246ff., 272ff., 330, 367ff., 380, 397
 - ACTH-glucocorticoid secretion 42
- alpha2-adrenoreceptor 233
- affective value (A) 56
- afferent impulse 47
- afterhyperpolarization (AHP) 217
- aging 366ff.
- agnosia 379
- alarm 47ff.
- alarm reaction 30ff., 56
 - actual value (AV) 46ff.
 - set value (SV) 46ff.
- alarm system 57f.
 - adaptive 57f.
 - maladaptive 57f.
- alcohol 384ff.
- allostasis 136, 166f.
 - load 166, 366
 - overload 167
 - regulation 246
- Alzheimer's disease 204ff., 223, 313, 366, 373ff.
- amphetamine 387ff.
- amplifier
 - structural 41
- amygdala 227ff., 256f., 270f., 367
- amyotrophic lateral sclerosis 204ff.
- animal model 387
 - human society 39
- ANS, *see* nervous system
- antidepressant 329
- antidepressive-like effect 231
- antiinflammatory effect 312
- antioxidant 312
- antistress 226ff.
- anxiety 56, 196ff., 255ff.
 - SAD (social anxiety disorder) 260
- AP-1 314
- aphasia 379
- apolipoprotein ϵ (APOE) 375ff.
- apoptosis 203, 220ff.
- apraxia 379
- arbor vitae (tree of life), *see* cerebellar vermis
- area under the response curve (AUC) 380
- arginine vasopressin (AVP) 199f.
- asthenia 10
 - neurocirculatory 88
- atherogenesis 311ff.
- atherosclerosis 201f., 311, 317
 - arterial 311
- ATPase 221
- atrophy 218
 - hippocampal 258, 379ff.
 - neuronal 208

- attention
 – attention deficit/hyperactivity disorder (ADHD) 187ff.
 – sustained 62ff.
 autism 187
 autocoherece 356
 autoimmunity 200ff.
 autonomic nervous system 22, 42, 344, 355
 AV, *see* alarm reaction
 avoidance 55
 – active 55
 – passive 55
- b**
- barbiturate 395
 Barker hypothesis 319
 BEISA (brain, endocrine, immune, and sympatho adrenal axes) dysfunction 211
 benzodiazepine 395
 beta-endorphin 227, 397
 biological risk factor 132
 blood flow
 – regional cerebral (rCBF) 258
 blood-oxygenation-level dependent (BOLD) signal change 258f.
 blue Monday syndrome 7
 body mass index (BMI) 319
 borderline personality disorder (BPD) 180ff.
 bottom-line 117ff.
 brain 46ff., 354
 – activity 261
 – blood flow 254
 – BOLD 254f.
 – brain-derived neurotrophic factor (BDNF) 277
 – dynamic 198
 – emotional circuit 262f.
 – genetic influence 261
 – heart-brain interaction 355
 – imaging technique 253ff.
 – inflammatory-like process 197
 – mechanism 66, 253ff.
 – neuroimaging 254f.
 – pattern-matching system 351
 – plasticity 175ff., 198ff.
 – region 182ff., 227
 – stress 196ff.
 breastfeeding 228f.
 Brodmann's area 186
 burnout 14f., 115, 328
- c**
- calcium 219ff.
 cancer 200ff.
 cannabis 390
 Cannon-Bard effect 47
 cardiovascular disorder 249, 317
 cardiovascular response 301
 cardiovascular system 354
 Cartesian dichotomy 26
 catastrophe 71ff.
 catecholamine 214
 CATS (cognitive activation theory of stress) 46ff., 65ff.
 CC (concentration camp) syndrome 85
 cerebellar vermis 186
 cerebrospinal fluid (CSF) 379
 chemokine 311
 childhood sexual abuse (CSA) 183
 cholecystokinin 227
 cholesterol 317
 chronic fatigue 282
 – syndrome (CFS) 12f., 136, 203f., 281ff., 292ff.
 chronic low back pain (CLBP) 333ff.
 CIS (checklist individual strength) 282
 citalopram 259
 clonidine 233
 closeness 241
 cocaine 390ff.
 CODE 55
 cognition 366ff.
 cognitive behavioral analysis system of psychotherapy (CBASP) 188
 cognitive behavioral therapy (CBT) 293ff.
 cognitive dysfunction 200
 cognitive evaluation 47
 cognitive function 376
 cognitive system 346
 complement reacting protein (CRP) 310
 conceptual model 335
 conditioning 50
 – classical 50f., 299
 – instrumental 50f.
 – Pavlovian 26, 50, 239, 299
 – Skinnerian 50
 continuous reinforcement (CRF) 57
 convergence phenomenon 77ff.
 coping 52ff., 64
 – active 54
 – passive 54
 corpus callosum 184
 cortex 270f.
 – cerebral 185
 – prefrontal (PFC) 367
 – sensory 270
 corticoid-binding globulin (CBG) 381
 corticosteroid 313

- corticosterone 168ff., 246, 388ff.
 – receptor 389
 corticotropin-releasing factor (CRF) 188
 corticotropin-releasing hormone (CRH) 168ff., 227f., 246ff., 272ff.
 cortisol 115, 136, 181, 201ff., 248, 275, 321ff., 339, 357ff., 368ff., 377ff.
 – intoxication 66
 – measuring 324
 – response 214ff.
 covert coping 55f.
 CRF, *see* continuous reinforcement and corticotropin-releasing factor
 crisis 71ff.
 CT (computerized axial technology) 254
 Cushing's syndrome 224f., 276, 321ff.
 cut completion 112
 cyclooxygenase 210
 cytokine 200ff., 311ff., 372
 – neurogenesis interaction 207
 – proinflammatory 222
 – serotonin interaction 209
- d**
- danger 266ff.
 – life 86
 – longlasting 82
 – type 82
 decision
 – authority 134
 – lack 98, 134
 – latitude 123ff.
 defeat reaction (DfR) 30ff., 39
 defense 52
 defense reaction (DeR) 30ff., 39, 54
 dehydroepiandrosterone (DHEA) 357ff., 373
 – DHEA-S to cortisol ratio 373
 – sulphate (DHEA-S) 373
 demand 158
 demand-control model 98f., 133
 demand-control-support model 127
 dementia 196ff., 366ff., 374ff.
 – vascular (VD) 379f.
 dendritic process 218
 depression 180ff., 196ff., 329
 dexamethasone (DEX) 368ff.
 – DEX suppression test (DST) 368, 380
 – DEX-CRH test 369
 diabetes 203ff., 214, 249, 292, 309ff., 317, 327ff.
 diathesis-stress model 333ff.
 disaster 73
 – behavior 86
 – human-induced 73
 – natural 73
 – stressor 77
 – toxic 88
 disgust 256
 disorder of regulation 31
 disordered action of the heart 88
 dissociative identity disorder (DID) 180ff.
 DNA
 – methylation 276
 – repair 201
 dopamine 181ff., 390ff.
 dorsal horn 270
 dorsal vagal nucleus (DMX) 229
 drift hypothesis 65
 drug 384
 – abuse 390
 – dependence-producing 387ff.
 – positive drug effect 393
 – self-administration 387ff.
 – stress-induced intake 390
 diagnostic and statistical manual of mental disorder (DSM-IV) 63, 379
 dynamic focus score 100ff.
 dyslipidemia 320ff.
 dyspepsia 134
- e**
- EAA, *see* excitatory amino acid
 economic evolutionary theory 151
 effectance concept 55
 effectiveness
 – organizational 102
 efferent control 22ff.
 efficacy 107
 efficiency 107
 effort syndrome 88
 effort-reward imbalance model 98f.
 electroencephalography (EEG) 184, 243f., 254
 electromagnetic sensitivity (ES) 292
 electromyogram (EMG) 243
 electrooculogram (EOG) 243f.
 emotion 255ff., 355ff.
 – activation 256
 – agent 363
 – control 256
 – distress 292ff., 333ff.
 – experience 354
 – marker 363
 – mediator 272
 – physiology 355
 – positive 342ff.
 – refocusing technique 348ff.
 – restructuring technique 350

- state 29
- stress 342ff.
- system 344
- emotionality 206
- empathy 226ff.
- employee
 - job satisfaction 110ff.
 - well-being 116, 158
- endocrine disorder 330
- endocrine effect 66
- endocrine gland 354
- endocrine response 267
- endocrine stress reactivity 376
- endocrine system 204, 367
- energy disease 10
- enkephalin 227
- environment 210
- environmental stimulus 30
- epidemic
 - iatrogenic 88
 - psychological 88
- epinephrine 214ff.
- estrogen 171, 373f.
- ethanol 390
- excitatory amino acid (EAA) 219
- exhaustion 86
- expectancy 50ff., 78
 - positive response 78
 - positive result 78

f

- fatigue 200, 280ff.
 - chronic 11f.
 - nervous 11
 - problem 5
 - scale score 286f.
 - stress-related 284
- fear 56, 256, 267
 - avoidance model 303
 - behavior 266ff.
- feedback
 - negative 275ff.
- fibromyalgia 292, 325
- fight-flight reaction 226, 266
- FR (free radical) 307
- freeze-frame technique 348ff.
- freezing reaction 30f.

g

- GABA (γ -aminobutyric acid) 174, 227, 272, 395
 - receptor 395
- gender 398
- general adaptation syndrome 166

- general cognitive factor 378
- gland
 - adrenal 200
 - endocrine 354
- glia cell 208
- glucocorticoid (GC) 181, 214ff., 267, 313, 321ff., 367ff.
 - inverse U pattern 215ff.
 - receptor (GR) 168ff., 248, 276, 372ff.
 - receptor antagonist 381
- glucose
 - ¹⁸F-labelled fluorodeoxyglucose (FDG) 254
- glutathione peroxidase 221
- gray matter volume (GMV) 186
- group panic 88
- growth hormone (GH) 247, 322ff.

h

- habit value (H) 51
- hallucinosiis 399
- health 142ff., 176, 240
 - control 155ff.
 - personnel 122ff.
 - statement (HS) 153ff.
- heart 352ff.
 - amount 355ff.
 - brain-interaction 355
 - congestive failure 292
 - HeartMath technique 351ff.
 - lock-in technique 350
 - pattern 355ff.
 - rate 355ff.
 - rate variability (HRV) 355ff.
 - rhythm coherence feed back training 361
- heat shock protein (Hsp) 202
- helplessness 53
 - double 81
- hemisphere 27f., 185ff.
 - functional differentiation 27f.
 - left-hemispheric activation 191
 - left-hemispheric rationality 28
 - right hemispheric dominance 28, 191
- high blood pressure 203ff.
- high density lipoprotein (HDL) 317ff.
- hippocampus 183, 207, 215ff., 229, 249, 276, 367ff.
 - atrophy 258, 379ff.
 - size 259
 - volume 377ff.
- homeostasis 166f.
 - principle 59
 - state 210
- hopelessness theory of depression 54
- hormonal effect 29

- hormonal replacement therapy (HRT) 374
 - hormonal system 22ff., 42
 - neurohormonal effect 31
 - hormone 108, 135, 199ff., 214ff., 227, 247, 322ff.
 - catastrophe hormone 26
 - human capital (HC) 150
 - human resource (HR) 144
 - human resource accounting (HRA) 141
 - human resource costing 147
 - human resource costing and accounting (HRCA) 155ff.
 - human resource investment 146
 - Huntington's disease 259
 - hydrodynamic pressure cooker position 49
 - 11 β -hydroxysteroid dehydrogenase (11 β HSD) 322
 - hyperglycemia 320
 - hyperinsulinemia 320ff.
 - hypertension 215, 325
 - primary (PH) 39ff.
 - hypertonic-hyperglycemic-hyperuricemic syndrome 317
 - hypoglycaemia 380
 - hypothalamic brain level 22ff.
 - hypothalamic-pituitary-adrenocortical (HPA) axis 37, 136, 165ff., 198ff., 223, 232ff., 248f., 265ff., 290ff., 313, 319ff., 344, 367ff., 379ff., 396
 - neonatal development 169ff.
 - pubertal development 173ff.
 - hypothalamus 42, 168, 227ff., 367
- i**
- illness
 - diagnosis 17f.
 - long-term 125
 - onset 294
 - risk 134f., 240
 - status 16
 - immune response 200ff.
 - inflammatory 208
 - neuroendocrine 211
 - immune system 37f., 199ff., 247ff., 267
 - corticoid-related suppression 37
 - immunity
 - humoral 357
 - infectious mononucleosis (IM) 295
 - inflammation 201ff., 222, 232, 309ff.
 - acute response 201ff.
 - antiinflammatory effect 312
 - inflammatory-like reaction 197ff.
 - response 203ff.
 - mediator 311
 - inhibitory reaction 30ff.
 - inner forces of healing 26
 - instinct of mastery 55
 - insulin 309ff., 326ff.
 - resistance 311, 320
 - intellectual capital (IC) 159
 - interferon 1L-1 β 248
 - interleukin 1 β (IL-1 β) 248
 - interleukin 6 (IL6) 313, 321, 372
 - intracerebroventricularly (ICV) administration 230
 - irritable bowel syndrome 134, 292
- j**
- James-Lange principle 47
 - job content questionnaire (JCQ) 130
 - job-diagnostic survey (JDS) 98
 - job-related strain 105
- l**
- leadership 117f.
 - bottom line performance model 117f.
 - learning 51
 - leptin 321ff.
 - limbic brain level 22
 - limbic system 42, 367
 - lipid 201
 - lipoprotein
 - HDL 317ff.
 - LDL 310
 - VLDL 320
 - lithium 187
 - load 47f.
 - allostatic 49ff., 66, 166f.
 - emotional 48
 - psychological 48
 - long-term potentiation (LTP) 216f., 376
 - low density lipoprotein (LDL) 310
- m**
- magnetic resonance imaging
 - functional (fMRI) 254
 - magnetic resonance spectroscopy (MRS) 254
 - magnetoencephalography (MEG) 254
 - management control method 150
 - manic depressive illness 187
 - market capital (MC) 150
 - matrix metalloproteinase 313
 - MCI (mild cognitive impairment) 379f.
 - Melzack's neuromatrix theory 339
 - memory 203ff., 217, 248, 376f.
 - declarative 376
 - long-term 377
 - prospective 376

- semantic 376
 - short-term 377
 - mental disorder 204
 - stress-related 209
 - mental engagement 29
 - mesocorticolimbic dopamine system 390ff.
 - metabolic change 254
 - metabolic syndrome (MS) 37ff., 203ff., 247, 317ff., 325ff.
 - definition 318
 - genetic factor 328
 - methylation 276
 - mifepristone (RU486) 381
 - mineralocorticoid receptor (MR) 168, 215ff., 248, 322, 367ff.
 - mismatch 352
 - MMSE (mini mental state examination) 378ff.
 - monoamine oxidase A (MAO-A) 181
 - mononuclear cell (MNC) 309ff.
 - mood
 - negative 298
 - morphine 398
 - mother child interaction 236
 - multiple sclerosis 204, 292
 - musculoskeletal disorder 134
 - myelination 181
 - myocardial infarction 132, 317, 329
 - acute (AMI) 292, 311
- n**
- NAA, see *N*-acetylaspartate
 - NAPDH oxidase 308ff.
 - narcissism 64
 - natural killer cell (NK) 245
 - necrosis 220
 - neocortical brain level 24
 - nerve
 - fibre (A-beta, C) 235
 - sensory 235ff.
 - nervous system 204ff., 227
 - autonomic (ANS) 22, 42, 344, 355
 - central (CNS) 227, 247f., 269
 - sympathetic 326ff.
 - neural morphology 181
 - neurasthenia 9ff.
 - neurodegeneration 200ff.
 - neurodegenerative disease 209
 - neuroendocrine axis 207
 - neuroendocrine chronic dysfunction 300
 - neuroendocrine immune interaction (NEI) 200, 290
 - neuroendocrine response 301
 - neurogenesis 181, 207, 218
 - neurohormonal
 - effect 29
 - reaction 37
 - neuroimaging tool 254
 - neuromatrix theory 339
 - neuron 217ff., 271
 - noradrenergic (NA) 227
 - neuronal atrophy 208
 - neuronal energetics 220
 - neuropeptide 203, 227, 273ff.
 - Y (NPY) 273ff.
 - neuroreceptor 254
 - neurotoxicity 219ff.
 - neurotransmitter 200ff., 219, 227, 254
 - neurotrophic factor 209
 - NF B 309ff.
 - nicotine 386ff., 400
 - night-and-day watch 63
 - nitric oxide (NO) 313
 - nitric oxide synthase (NOS) 313
 - NK1 receptor 274
 - NMDAC (*N*-methyl-D-aspartic acid) 181, 218
 - noradrenaline 200, 233
 - norepinephrine 181, 214ff.
 - nucleus of the solitary tract (NTS) 229
- o**
- obesity 203ff., 309ff., 330
 - Okanoto-Aoki spontaneously hypertensive rat (SHR) 44
 - ontogeny 165ff.
 - neonatal 165ff.
 - pubertal 165ff.
 - operating profit 146
 - opiate 390
 - opinoid 233
 - organization 95ff.
 - empowered 122ff.
 - performance 117
 - oxytocin 227ff.
- p**
- pain
 - acute low back pain (ALBP) 333ff.
 - chronic 325, 333ff.
 - chronic low back pain (CLBP) 333ff.
 - personality 335
 - paleocortical brain level 22ff.
 - paleocortex 42
 - panic 88
 - PAR (participation activation research) 138
 - Parkinson's disease 204ff.
 - parasympathetic branch of ANS 355

- paraventricular nucleus (PVN) of hypothalamus 168, 227, 367
- pattern-matching process 351
- feed forward process 352
 - reference pattern 352ff.
 - repatterning 359ff.
- Pavlovian conditioning 26, 50, 239, 299
- perceived probability (PP) 51
- periaqueductal grey (PAG) 229
- person-environment fit model 98
- PH, *see* hypertension
- physical injury 86
- PIE (proximity, immediacy, and expectancy) principle 72
- placebo 25
- plasmamembrane calcium ATPase-1 (PMCA-1) 221
- playing dead reaction (PR) 30ff.
- polysomnography 243
- positron emission tomography (PET) 254
- posttraumatic stress disorder (PTSD) 66, 84ff., 180ff., 196ff., 210, 246, 257ff., 277, 325, 384
- potassium 217
- potentiation
- long-term (LTP) 216f., 376
- prefrontal cortex (PFC) 367
- productivity 101ff.
- profit and loss account 145ff.
- profitability 142f., 151
- prolactin 227
- prostaglandin 210
- pseudocushing 390
- psychoneuroimmunology (PNI) 201f.
- psychopathology 336
- causal mechanism 87
- psychophysiological coherence 342ff., 356ff.
- psychosis 399
- psychosocial disability factor 336
- q**
- quality
- improvement (QI) 103
 - of work life (QWL) 103
 - total quality management (TQM) 103
- quality-work-competence (QWC) 99ff.
- applicability 107
 - development 108
 - model 107
- r**
- radical free (FR) 307
- rCBF, *see* blood flow
- reactive oxygen species (ROS) 220f., 307ff.
- receptor balance theory 372
- recovery 280ff.
- recuperation 158
- reflex
- conditioned 239
 - vagal 236
- relaxation 248
- REM (rapid eye movement sleep), *see* sleep
- respiratory sinus arrhythmia 354
- response expectancy (R) 50
- positive 78
- response pattern
- stress-induced 28ff.
- responsibility stress 86
- restitution 243ff.
- ruminative 63ff.
- s**
- SAD, *see* anxiety
- safety 56
- schizophrenia 187, 204
- selective serotonin reuptake inhibitor (SSRI) 259, 329
- self-administration behavior 387ff.
- sense of helplessness 53
- sensitization 62, 390ff.
- sensory detector 270
- sensory nerve 235ff.
- serotonin 182, 227ff., 395
- receptor (5-HT_{1A}) 207
 - transporter (5-HTT) 188
- sex hormone 322f.
- binding globulin (SHBG) 323, 375
- sex steroid 369
- sexual activity 238
- Shirom-Melamed burnout questionnaire 287
- shock trauma 83
- SHR, *see* Okamoto-Aoki spontaneously hypertensive rat
- sickness 125
- presenteeism 125
- single photon emission tomography (SPECT) 254
- Skinnerian conditioning 50
- slack 95
- sleep 243ff., 327
- basal 243
 - NREM (nonREM) 244ff.
 - regulation 250
 - REM (rapid eye movement sleep) 244ff.
 - slow-wave sleep (SWS) 246ff.
 - stress 247ff.
- small baby syndrome 329
- social interaction 240

- social support 226ff.
 - socioeconomic factor 132
 - somatic marker theory 272
 - somatization syndrome 63
 - somatomotor system 22ff., 42
 - SSRI, *see* selective serotonin reuptake inhibitor
 - stability 352
 - stability through change 59
 - status of illness 16
 - stimulus 47ff.
 - environmental 30
 - expectancy (S) 50
 - psychosocial 203
 - stress 11, 27, 46ff., 92ff., 101ff., 166ff., 214ff., 243ff., 327ff., 384ff.
 - aging 366ff.
 - alcohol-induced stress response dampening (SRD) 398
 - antistress 226ff.
 - axis 327f.
 - brain 196ff.
 - CATS 46
 - childhood 180ff.
 - chronic 204ff., 214ff.
 - chronic psychosocial 207ff.
 - collective 87
 - emotional 342ff.
 - endocrine reactivity 376
 - evolutionary aspect 20ff.
 - fatigue 284
 - gender 398
 - genetic influence 261
 - hormone 201ff.
 - hyporesponsive period (SHRP) 169, 182
 - imaging 257ff.
 - inflammatory 307ff.
 - intervention 104
 - load 47ff.
 - long-term 108
 - manager 92ff.
 - medically unexplained syndrome 292ff.
 - mental 27, 313
 - occupational 296
 - organizational 95ff., 110
 - oxidative 307ff.
 - perceived 102
 - prolactin 111
 - psychosocial 201ff., 294ff.
 - psychosomatic 262
 - response 165ff., 203
 - response system 181
 - responsibility 86
 - sensitivity 396
 - sleep 245ff.
 - stimulus 47ff.
 - stress response dampening (SRD) 398
 - system 366f., 379
 - technostress 296
 - thyroid stimulating hormone (TSH) 111
 - traumatic 71ff., 180ff., 198
 - workplace 97
 - stress model
 - organizational 96f.
 - stress-related disorder (SRD) 196ff., 210
 - stressor 47, 55, 77ff.
 - acute 301
 - chronic 298
 - organizational 94
 - psychosocial 201
 - substance abuse 180, 191
 - substance P (SP) 274
 - suicide 196
 - supraoptical nucleus (SON) of the hypothalamus 229
 - surrender reaction 30ff.
 - survival of the fittest 65
 - SV, *see* alarm reaction
 - sympathetic branch of ANS 355
 - sympathetic-parasympathetic pattern 31
 - sympatho adrenal axis 197ff., 240
 - sympatho-adreno-medullary system 396
 - synaptic plasticity 216, 248
 - synaptogenesis 181
 - syndrome
 - medically unexplained 292ff.
- r**
- tau protein 379
 - telereceptor sense 22
 - tension reduction hypothesis 386
 - testosterone 134, 171, 247, 322f., 373ff.
 - free testosterone index (FTI) 375
 - thalamus 270
 - ‘the informed about radioactive contamination syndrome’ 86
 - thio barbituric acid reactivity substance (TBARS) 310
 - threat 84
 - thrifty gene hypothesis 319
 - touch therapy 241
 - TQM, *see* quality
 - trauma 79f.
 - childhood 189
 - collective 79f.
 - disaster 86
 - individual 79f.
 - shock trauma 83
 - silent 85

traumatic stress, *see* stress
triad 22ff.
– constellation 27
Trier psychosocial stress test (TSST) 370
tumor necrosis factor alpha (TNF α) 248,
309ff., 321

u

unemployment 131
urocortin (Ucn) 273

v

vagal reflex 236
validity 268
– construct 268
– predictive 268
variable interval (VI) 57

vasoconstriction 326
vasodilation 326
vasopressin 227ff., 368
vigilance reaction (VR) 30f.
visceromotor system 22f.
visual analogue scale (VAS) 285
VLDL (very low density lipoprotein) 320

w

war sailor syndrome 85
well-being 158, 226ff.
witness experience 86
work 101
– control 126
– satisfaction 158
workload 158
worry 158