

Index

3-D modeling, column charts, 286

(pound sign) characters, 222

@ symbol, 200

query parameters, 202

A

Access, 24, 219–222

as front-end to SQL database, 219

ODBC driver, 219

queries, parameterized, 221

reports, importing, 174

Access SQL, 188

account management

application database account, 506–507

service account, 504–506

unattended execution account, 507–508

ad hoc distributed queries, 179–180

ad hoc queries, parameters and, 202

ad hoc reports, 11–12, 26

report models, 463

Add Item template, 183

Add Totals option, 144

administration, Report Builder, 446–447

Adventure Works Cycles, 58

AGGREGATE function, 338–339

aggregates

functions, 230–231

arguments, 231

AVG(), 231

COUNT(), 231

COUNTDISTINCT(), 231

COUNTROWS(), 231

FIRST(), 231

LAST(), 231

MAX(), 231

MIN(), 231

STDEV(), 231

STDEVP(), 231

SUM(), 231

VAR(), 231

VARP(), 231

matrix reports, 131

totals, 230–231

aggregation functions, 720

aliases, 192

alignment of columns, 435–436

Analysis Services

report models, building from, 414–416

reporting and, 309–311

Reporting Services, 311–312

application database account, 506–507

application databases, backups, 511–513

application domain management, 75

application integration, 15–17, 17–18

portal integration, 19

web applications, 18

Windows application integration, 19–20

applications

functionality, reports and, 8

reports, launching, 15

samples, 58

architecture, scalability, 24

area charts, 284, 288

X-axis, 288

arguments, aggregate functions, 231

Arrange commands, 94

assemblies, custom, 279–281

security, 281–282

AsyncReader parameter, 551

attribute hierarchy, 317

auditing, 28

authentication, 74

authentication types, 74

authoring, third-party authoring tools, 68

authoring phase of reporting life cycle, 66

authorization, 74

AVG() aggregate function, 231

axes of charts

Data Axis zone, 294

matrix reports, 131

multiple, 121

secondary, 299–301

Y-axis, 120

Z-axis, 120

AXIS definitions, 741–742

axis groups, SUM() function, 119

Axis Properties menu, 296

B

background color, 436–438

BackColor property, textboxes, 239

BackgroundImage property, textboxes, 239

backup, 511

backups

application databases, 511–513

encryption keys, 513–515

bar charts, 124, 284

X-axis, 124

Y-axis, 124

Basic authentication, 74

BI (Business Intelligence) solutions

auditing, 28

Business Objects, 24

Cognos, 24

data update frequency, 28

granularity requirements and, 28

Hyperion, 24

introduction, 23

maturity continuum, 29–30

Panorama, 24

reporting cycle frequency, 28

BIDS (Business Intelligence Development Studio), 10, 13, 104, 177

early incarnation, 92

Report Designer and, 67

BMP files, 113

body, 132

Body object, 109

bold text, 240

bookmarks, navigating to, 263

Books Online, 69

BorderColor property, textboxes, 239

borders, commands, 94

BorderStyle property, textboxes, 239

BorderWidth property, textboxes, 239

browsers, compatibility, 174–175

bubble charts, 284, 290

Business Intelligence Development Studio (BIDS), 10, 13, 39

Business Intelligence Projects, 106

business intelligence reporting, 180–182

Business Objects, 24

business scorecards, 362–366

C

caching

report execution caching, 79

report session caching, 79

Reporting Services, 470–471

calculated fields, 271–273

calculated values, Data Source view, 395

calculations

expressions and, 443–446

textboxes, 111

cascading parameters, 207–212

category groups, 119

CDATE() function, 276

CDEC() function, 276

cellular phones, 175

Central Administration web application, 607

character types, comparisons, 224

Chart layout, Report Builder, 430–433

chart reports, 131, 282–283

designing, 162–170

chart-type selection, 167

charting, 33

charts

1st category group label, 291

2nd category group label, 291

area, 284, 288

bar, 124, 284

bubble, 284, 290

category groups, 119

- chart area, 291
- clustering and, 121
- column, 120–122, 124, 284
- data aggregation, 119
- data regions, 111
- data series, adding, 298–299
- designing, 292–304
- doughnut, 121, 284, 289
- Gantt, 285
- legend, 291
- line, 284, 288
- multiple areas, 302–304
- nested groups, 121
- pie, 121, 284, 288–290
- plot area, 291
- point label, 291
- polar, 122, 285
- radar, 122
- range, 285
- scatter, 284
- secondary axis, 299–301
- series
 - groups, 119
 - label, 291
- shape, 123, 285
- stock, 285, 290
- title, 291
- value marker, 291
- visualizations, 34
- X axis
 - major gridline, 291
 - title, 291
- Y axis, 120
 - major gridline, 291
 - minor gridline, 291
 - title, 291
- Z axis, 120
- checksum functions, 721**
- CHOOSE() function, 276**
- CINT() function, 276**
- clauses**
 - ORDER BY, 192
 - SELECT, 192
 - WHERE, 199
- client-side applications, shortcuts and, 7**
- Clipboard, 94**
- code**
 - custom, 268
 - debugging, 282
 - errors, 282
 - Visual Basic functions, 109
 - warnings, 282
- code-behind VB functions, 354**
- Code Editor window, 277–278**
- CodePlex web site, 58**
- Cognos, 24**
- color, background, 436–438**
- Color property, textboxes, 239**
- column charts, 120–122, 124, 284, 285–287**
 - 3-D modeling, 286
 - stacked charts, 287–288
 - X-axis, 120, 285
 - Y-axis, 285
 - Z-axis, 120
- column groups, matrix, 118**
- columns**
 - alignment, 435–436
 - dynamic, 380–382
 - hiding/showing dynamically, 381–385
 - width, 435–436
- comma-separated values (CSV), 82**
- command-line installation, 64**
- command-line utilities, 70**
- Command parameter, 552**
 - GetDataSourceContents, 552
 - GetResourceContents, 552
 - ListChildren, 552
 - Render, 552
 - ResetSessionTimeout, 552
- comments, conventions, 706**
- composite reports, 238**
- conditional expressions, 273–274**
- configuration**
 - e-mail delivery, 531–533
 - memory management, 528–529
 - My Reports feature, 535–537
 - rendering extensions, 533–535
 - URL reservations, 529–531
- configuration files, 76**
 - security, 515

- configuration variables, 716–717**
- Connected mode, Report Viewer, 600**
- Connection Manager screen, 394**
- Connection Properties dialog, 136, 184**
 - Access database connection, 219
- Connection string property, 136**
- connections, 177**
- constituent report items, table values, 141**
- content management, 67**
- Contents page, 457, 460**
 - buttons, 458
 - Detail view, 460
- conversion functions, 721**
- converting reports, 354–355**
- core processing, 75**
- corporate reporting, 24–25**
- COUNT() aggregate function, 231**
- COUNTDISTINCT() aggregate function, 231**
- COUNTROWS() aggregate function, 231**
- credentials, 462**
- CRM (customer relationship management), 123**
- cross-tab reports, 131, 425**
- cryptographic functions, 722**
- Crystal Reports, 4**
 - formulas, 354
 - grouped data, 354
 - RDL and, 354
- CSTR() function, 276**
- CSV (comma-separated values), 82**
- CSV-rendering extension, 82**
- cubes, OLAP, 27**
 - queries, 188
 - report actions, 342
 - slicing, 318, 319–322
- cultural considerations, 372**
- currency type value, 372**
 - formatting, 142
- cursor functions, 723**
- cursor variables, 718**
- custom assemblies, 279–281**
 - security, 281–282
- custom code, 268**
 - reports, 277–279
 - Visual Basic, 277
- custom fields, 271–273**

D

- dashboard pages, KPI, 600**
- Dashboard reports, 170**
- dashboard reports, 132**
- dashboards, 362**
- data, formatting, 154–155**
- data aggregation, 119**
- Data Axis zone, 294**
- data complexity, report performance and, 35–37**
- data consumption, 177**
- data-driven subscriptions, 72**
- data extensions, 462**
- data marts, 27, 180, 349**
- data processing extensions, 79–80, 640–643**
 - DataReader object, 673
 - declarations, 673–674
 - FieldCount property, 677
 - GetFieldType method, 675
 - GetName method, 675
 - GetOrdinal method, 675–676
 - GetValue method, 676
 - IDataReader, 674
 - Read method, 676–677
 - DataSetCommand class, 660
 - Cancel method, 663
 - CommandText property, 664–671
 - CommandTimeout property, 671
 - CommandType property, 671–672
 - constructors, 662
 - CreateParameter method, 672
 - ExecuteReader method, 663–664
 - IDbCommand, 662–663
 - Parameters property, 672–673
 - variable declarations, 660–661
 - DataSetConnection object, 647–648
 - BeginTransaction method, 652
 - ConnectionString property, 653–655
 - ConnectionTimeout property, 655
 - constructors, 648–649
 - CreateCommand method, 652
 - IDbConnection, implementing, 651
 - IDbConnectionExtension, 649
 - Impersonate property, 649–650
 - IntegratedSecurity property, 649–650

- Open method, 652–653
- Password property, 650–651
- UserName property, 650–651
- variable declarations, 648
- DataSetDataExtension, testing, 680–684
- DataSetDataProcessing extension, 677
 - server installation, 678–679
 - server security configuration, 679
 - WorkStation installation, 679–680
 - WorkStation security, 680
- DataSetParameter class, 655–656
 - declarations, 656
 - IDataParameter, 656–657
 - ParameterName property, 657
 - Value property, 657
- DataSetParameterCollection class, 658
 - IDataParameterCollection, 658–659
 - namespaces, 658
- data region wizards, 100–102**
- data regions, 111**
- Data Regions options, 95**
- data series, adding to charts, 298–299**
- data-set query, MDX, 315–318**
- data-set scope, 244**
- data sets, 182**
 - data sources, 177
 - defining, creating data source, 187
 - multiple, 178
 - query expressions, 177–178
 - defining, 188
- Data Source Properties window, 135**
- Data Source views**
 - building, 395–398
 - code behind, 402–404
 - Diagram Organizer, 398
 - diagrams, 398–399
 - infinite drill-through, 401
 - named queries, 401–402
 - relationships, building, 399–401
- Data Source Wizard, 393**
- data sources, 98–99, 108, 182–187**
 - adding, Solution Explorer, 393
 - connections, 177
 - creating
 - Add Item template, 183
 - defining a data set, 187
 - Report Wizard, 183–187
 - data sets, 177
 - datasets, 108
 - embedded, 108
 - federating, 179–180
 - file-based, 221
 - images, 113
 - linked servers, 179
 - MDX, 313–315
 - naming, 135
 - query languages and, 188
 - querying, 215
 - report models, 392–395
 - as separate files, 108
 - shared, 98, 108, 183
- Data Sources folder, Reporting Services, 545–547**
- data updates, frequency, 28**
- data warehouse star schema, 190**
- data warehouse systems, 27, 180**
- data warehouses, 349**
- database objects, datasets, 108**
- databases**
 - credentials, sending, 550
 - relational, 27
 - ReportServer, 84–85
- Dataset Properties dialog, 204**
- datasets, 108, 182**
 - data sources, 108
 - textboxes, 111
- date and time functions, 723–724**
- date parameters, 331–336**
- DBA (Database Administrator), 391**
- debugging code, 282**
- default instances, 62**
- Define Formula dialog, 445**
- delimited identifiers, 735**
- delivery extensions, 83–84, 636**
- delivery phase of reporting life cycle, 67**
- department reporting, 25**
- design elements, existing reports and, 354**
- Designer toolbar, lines, 113**
- designing reports, 13–15**
- Detail view, 459**

- Developer edition, 40, 60**
- development cycle of report, lengthening, 350**
- development phases, multiple reporting environments, 351–352**
- Development Studio, BIDS, opening, 391**
- device information settings, 81, 554–555**
- Diagram Organizer, 398**
- dialogs**
 - Connection Properties, 136, 184
 - Dataset Properties, 204
 - Define Formula, 445
 - Expression Builder, 269
 - Filter Data, 438–442
 - Image Properties, 113
 - New Table or Matrix, 100–102
 - Open, 99
 - Parameter Properties, 203
 - Properties, 98
 - Subreport Properties, 255
 - Tablix Group Properties, 140
 - Text Box Properties, 142
 - Value Axis Properties, 296
- dirty reads, 348**
- distributed queries, ad hoc, 179–180**
- DocMapAreaWidth parameter, 551**
- document maps, 259**
- doughnut charts, 121, 284, 289**
- DPEs (Data Processing Extensions), 635**
- drawing lines, 113**
- drill-down reports, 600**
 - creating, 152–153
- drill-through reports, 261–263, 340–341, 600**
 - filtered records, 262
- dsp parameter prefix, 550**
- dsu parameter prefix, 550**
- Dundas, 80, 430**
- DW, sample database, 58**
- dynamic columns, 380–382**
- dynamic fields, 380–382**
- dynamic formatting, 155–156**
- dynamic grouping, 377–380**
- dynamic reporting, 16, 31**

E

- e-mail delivery, 531–533**
- Edit icon, 460**
- editions of SQL Server, 60**
 - features, 61
- embedded data sources, 108**
- embedded formatting, 240–243**
- embedded images, 114**
- embedded reports, 15**
- embedding images, 113**
- encoding images as text, 114**
- encryption keys**
 - backups, 513–515
 - recovery, 513–515
- end-to-end reporting solution, 348–349**
- end-user authors, authoring and, 66**
- endpoint parameters, 551**
- enterprise deployment, Reporting Services, 59–64**
- Enterprise edition, 60**
- Enterprise Evaluation edition, 40, 60**
- environments, multiple, 351–352**
- equality, testing for, numeric types and, 224**
- error handling functions, 725**
- errors in code, 282**
- ETL (Extract, Transform, and Load), 347**
- ETL package, 29**
- event logs, Windows applications, 517**
- Excel, 24, 130, 222–223**
- Excel-rendering extension, 83**
- Excel Services, 24**
- executive dashboards, 362**
- Explorer window, Report Builder, 421**
- Express with Advanced Services edition, 60**
- Expression Builder, 269**
- Expression Builder dialog, 269**
- Expression Editor, 443, 445**
- expressions, 268**
 - calculations, 443–446
 - CDATE() function, 276
 - CDEC() function, 276
 - CHOOSE() function, 276
 - CINT() function, 276
 - conditional, 273–274
 - CSTR() function, 276

FORMAT() function, 276
 INSTR() function, 276
 ISNOTHING() function, 276
 LEFT() function, 276
 MID() function, 276
 RIGHT() function, 276
 SWITCH() function, 275
 textboxes, 111
 Visual Basic, 222

Expressions window, 217

extensions, 78

samples, 58

external resource lookup, .NET and, 373

F

federating data, subreports, 253–259

federating data sources, 179–180

field drop zones, groups and, 138

field values, converting when used in expressions, 224

fields

calculated, 271–273
 custom, 271–273
 dynamic, 380–382
 headers/footers, 229

file-based data sources, 221

files, configuration files, 76

files only installation, 63

Filter Data dialog, 438–442

filtered records, drill-through reports, 262

filtering, 197–199

empty data rows and, 438
 multiple criterion, 357–359
 queries, 199
 query parameters and, 202–214
 report parameters and, 215–218

FIRST() aggregate function, 231

folders

creating, 458
 deleting, 460
 hierarchy, 457
 Home folder, 457

List view, 457
 moving, 460
 multiple, 353
 report models, new, 465
 Reporting Services, 543–545

Font property, textboxes, 239

fonts, 436–438

commands, 94

foreign keys, Data Source view, 395

format

considerations, 174, 176
 limits, 174, 176
 previewing, 102

FORMAT() function, 276

Format parameter, 552

Control format, 553
 Data formats, 553
 Print formats, 553
 Web formats, 553

formatting

data, 154–155
 dynamic, 155–156
 embedded, 240–243
 numeric, 102
 table values, 141–145
 text
 MarkupType property, 242
 range, 240

functions

AGGREGATE, 338–339
 aggregate, 230–231, 720
 arguments, 231
 AVG(), 231
 COUNT(), 231
 COUNTDISTINCT(), 231
 COUNTROWS(), 231
 FIRST(), 231
 LAST(), 231
 MAX(), 231
 MIN(), 231
 STDEV(), 231
 STDEVP(), 231
 SUM(), 231
 VAR(), 231
 VARP(), 231
 CDATE() function, 276

functions (continued)

- CDEC() function, 276
- checksum, 721
- CHOOSE() function, 276
- CINT() function, 276
- conversion, 721
- cryptographic, 722
- CSTR() function, 276
- cursor, 723
- date and time, 723–724
- error handling, 725
- FORMAT() function, 276
- IIF(), 274–276
- image/text, 725
- INSTR() function, 276
- ISNOTHING() function, 276
- LEFT() function, 276
- LEVEL(), 231
- mathematical, 726
- MDX, 747–748
 - KPI functions, 745
 - metadata, 745–746
 - set functions, 750–752
 - statistical, 753–755
 - string, 755
 - time, 756
 - UI, 757
 - value, 758
- metadata, 727–728
- MID() function, 276
- nested, 275
- OPENDATASOURCE, 180
- OPENROWSET, 180
- ranking, 728
- RIGHT() function, 276
- ROWNUMBER(), 231
- rowset, 729
- RUNNINGVALUE(), 231
- security, 729–730
- string manipulation, 730–731
- SUM(), 119, 337
- SWITCH(), 275
- system, 732–734
- system statistical, 734

future reserved words, 712–714

G

Gantt charts, 285

gauge reports, 132

- designing, 170–172
- external images and, 360–361

gauges, 34, 124–125

- linear, 127
- markers, 125
- pointers, 125
- radial gauges, 126
- ranges, 126
- scales, 125

GIF files, 113

global variables

- configuration, 716–717
- cursor, 718
- system, 718
- system statistical, 718–719

globals, 270

Go to URL option, 263

granularity, 28

Graphical Query Designer, 177

group expressions, 140

grouped data, Crystal Reports, 354

groups, 138

- axis, SUM() function, 119
- category groups, 119
- chart axes, 121
- column groups, 118
- dynamic grouping, 377–380
- field drop zones, 138
- modifying, 140
- row groups, 117–118
- series groups, 119
- sorting in, 146–147

H

HeaderArea parameter, 551

headers/footers, 95, 109

- adding, 150
- configuring, 228–230
- enabling, 230

headers/footers', fields in, 229

Help link, 454

hierarchy, queries and, 264

historical reporting, 28

history, creating manually, 473

Home folder, 454, 457

Home link, 454

Home tab (Report Builder 2.0), 94–95

Alignment commands, 94

Arrange commands, 94

Border commands, 94

Clipboard group, 94

Font commands, 94

Preview option, 95

HTML (HyperText Markup Language), 18

formatting, embedded, 241–243

HTML rendering extension, 82

HTML Viewer, 70

HTTP Listener, 73–74

HTTP.SYS, 73–74

Hyperion, 24

Hyperion Essbase, 80

I

IDE (integrated development environment), 104

IIF() function, 274–276

Image Properties dialog, 113

image-rendering extension, 82

image/text functions, 725

images

data sources, 113

embedded, 114

embedding, 113

encoding as text, 114

gauge reports and, 360–361

as link, 261

linking, 113

report definition file, 114

importing, Access reports, 174

in-line expressions, 354

indents, 240

indicators, 363

infinite drill-through, 401

inheritance, 491

Insert tab (Report Builder 2.0), 95

Data Regions options, 95

Header & Footer options, 95

Reports Items options, 95

Subreports options, 95

installation

command-line, 64

files only, 63

media, 40

options, 63–64

Reporting Services, samples, 58–59

sample databases, 58–59

set-up application, 40

stand-alone, 39

Installation page, 41

instance names, 62

instances

default, 62

multiple, 62

INSTR() function, 276

Integrated mode

installation, 603–611

Native mode comparison, 632–634

Report Viewer, 629–630

integrating reports, 110

Integration Settings page, 609

interactive sorts, 148–150

interfaces, 637

languages, 638–640

intranets, 17

ISNOTHING() function, 276

italic text, 240

item-level security, 483–492

J

JET 4.0 .NET OLE DB, 219

parameter values passed into queries, 221

JET Database Engine, 219

JPE files, 113

JPEG files, 113

justification, 159

K

Kerberos authentication, 74

keywords

MDX, 744

reserved, 736–738

KPI (key performance indicator), 315, 362

dashboard pages, 600

functions, MDX, 745

L

languages, 372

interfaces, 638–640

LAST() aggregate function, 231

launching reports, from applications, 15

LEFT() function, 276

left justification, 159

LEVEL() function, 231

libraries, SharePoint, 69

line charts, 284, 288

linear gauges, 127, 172

lines, drawing, 113

linked reports, 468

linked servers, 179–180

data sources, 179

linking, images, 113

links, 261–263, 454

image as, 261

textbox as, 261

list reports, 131

List view, 457

lists

combining data regions, 244–252

combining report items, 244–252

localization, 371–377

Localizer() class, 376

Lotus 123, 130

M

Manage Integration Settings link, 609

Manage Shared Schedules, 620

management phase of reporting life cycle, 67

margins, 109

markers, 125

MarkupType property, 242

master/detail reports, 114–116

designing, 244

mathematical functions, 726

matrix, column groups, 118

matrix layout, Report Builder, 425–429

matrix reports, 131

designing, 156–162

printing, 426

totals, 232–235

MAX() aggregate function, 231

MDB files, 219

MDX-based reports, 340

MDX (Multi-Dimensional Expressions), 27, 188

CELL PROPERTIES, 339

CUBE PROPERTIES, 339

data-set query, building, 315–318

data sources, creating, 313–315

DIMENSION PROPERTIES, 339

functions

metadata, 745–746

navigation, 747–748

set functions, 750–752

statistical, 753–755

string, 755

time, 756

UI, 757

value, 758

keywords, 744

KPI functions, 745

member references, 738–739

reserved keywords, 736–738

SELECT statement, 740–741

AXIS definitions, 741

FROM clause, 742

WITH clause, 742–743

parameters, 743–744

WHERE clause, 741–742

sets, 739–740

SQL and, 312

tuples, 740

MDX Query Designer, 313

Cube member drop area, 316

Cube metadata pane, 316

Cube selector, 316
 Execute query button, 316
 generic query window toggle, 316
 Graphical MDX builder, 316
 metadata pane, 316–317
 queries
 building, 322–328
 modifying, 322–331
 parameterized, 318–322
 Slicer/Filter pane, 316
measure values, 140
measurement, page layout, 132–133
members, member references, 738–739
memory management, 528–529
metadata functions, 727–728
 MDX, 745–746
MHTML (MIME-HTML), 82, 175
Microsoft Integrated Development Environment, Business Intelligence Projects, 106
Microsoft .NET Framework 3.5
 check for, 40
 installation, 40
Microsoft Visual Studio, 10
 Crystal Reports, 4
MicrosoftReportViewer control, 587–590
MID() function, 276
migrating reports, 110, 354–355
migration, RSScripter, 500–501
MIN() aggregate function, 231
mobile device support, 174, 175
models, samples, 58
modes
 Native, 63
 SharePoint Integrated, 63
monitoring
 execution logs, 520–521
 performance counters, 522–527
 server management reports, 527–528
 set-up logs and, 516
 trace logs, 517–520
 Windows application event log, 517
MOSS (Microsoft Office SharePoint Server), 596, 597–598
 Report Center, 597
Move button, 460

Move Items page, 460
MSDE (SQL Server 2000 Desktop Database Engine), 219
MSReportServer_ConfigurationSetting, 77
MSReportServer_Instance, 76
multi-value parameters, 205–207
multicolumn reports, 156
multiculturalism, 372
multiple chart areas, 302–304
multiple instances, 62
multiple items, selecting, 94
My Reports, 535–537
My Subscriptions link, 454

N

named instances, 62
named queries, Data Source views, 401–402
Native mode, 63
 Integrated mode comparison, 632–634
 web parts, installation, 598–599
Native mode, Reporting Services, 451
navigating reports
 to bookmark, 263
 document maps, 259
 drill-through reports, 261–263
 links, 261–263
 to URL, 263
navigation functions (MDX), 747–748
Negotiate authentication, 74
nested functions, 275
.NET
 differences between data provider and DPE, 641
 external resource lookup, 373–377
.NET data types, 224
.NET Framework, 640–643
New Data Source page, 462
New Subscription button, 473
New Table or Matrix dialog, 100–102
New Table or Matrix wizard, 98
nodes, 63
NTLM authentication, 74
numeric comparisons, 33
numeric formatting, 102

O

Object Explorer, 189
column names, 191
table names, 191
object identifiers, 735
objects
aliases, 192
Body object, 109
ODBC, 223
reserved words, 709–711
ODBC Data Source Name (DSN), 219
ODS (operational data store), 347
Office Picture Library, 113
OfficeWriter, 355
offline viewing, 174, 175
OLAP (On-Line Analytical Processing) system, 25, 26, 27
cubes, 27
data source, reporting from, 37
OLE DB, connecting to Excel, 222
OLTP, sample database, 58
Open dialog, 99
OPENDATASOURCE function, 180
OPENROWSET function, 180
operational data source, reporting from, 37
Oracle, native Oracle Client provider, 223
Oracle P/L SQL, 223–224
syntax, 224
Transact-SQL and, 223
Oracle PL/SQL, 188
OracleClient Data Provider, 392–393
ORDER BY clause, 192
out-of-the-box reports, 10–11

P

padding, 240
page body, Report Manager, 454
page breaks, adding, 151–152
page height/width, 109
headers and, 228
page layout, 132
measurements, 132–133
page orientation, 109

page scale units, 109
page setup, 109
Palm OS, 175
Panorama, 24
parameter bar area, 203
Parameter Properties dialog, 203
parameterized queries
Access, 221
MDX, 318–322
parameterized stored procedures, 215
ParameterLanguage parameter, 552
parameters, 199–202. See also report parameters
ad hoc queries, 202
advanced controls, 382–384
AsyncRender, 551
cascading, 207–212
Command, 552
date parameters, 331–336
DocMapAreaWidth, 551
endpoint, 551
Format, 552
HeaderArea, 551
list
creating, 203–205
query-driven, 204
multi-value, 205–207
ParameterLanguage, 552
passing, 549–555
prefixes
dsp, 550
dsu, 550
rc, 550
rs, 550
rv, 550
report parameters, 212–214, 469
safety precautions, 342
Snapshot, 552
stored procedures and, 202
third-party controls, 382–384
Toolbar, 551
URL syntax, 542–543
PASS (Professional Association for SQL Server), 309
passing parameters, 549–555
PDF-rendering extension, 83

performance

- data complexity and, 35–37
- performance counters, 522–527

performance requirements, 28**PerformancePoint, 24****permissions, service account, 505****personal reporting, 25****perspectives, report models, 421****pie charts, 121, 284, 288–290****pivot reports, 131, 425****PNG files, 113****Pocket PC, 175****pointers, 125****polar charts, 122, 285****portals, 19****pound sign (#) characters, 222****previewing, format, 102****primary keys, Data Source view, 395****printing, matrix reports, 426****processors, 77**

- Report Processor, 78
 - report execution caching, 79
 - report session caching, 79
 - snapshots, 79

ProClarity, 24**product updates, 57****properties, text boxes, 141****Professional SQL Server Reporting Services, 4****programmatically rendering, 557**

- security, 558
- server-side parameters and, 558–559
- Web
 - ASP.NET 2.0, 579–580
 - Integrated Windows Authentication, 578–579
 - Report Execution Web service, 580
 - response object, 580–587
 - web.config file, 579
- Windows
 - application interface, 559
 - rendering reports to files, 570–578
 - rendering reports to filesystem
 - summary, 578
 - report parameters, 568–570
 - retrieving report information, 565–568
 - Web services, 560–565

projects, multiple, 353**properties**

- Connection string, 136
- data sources, 98–99
- defining, 140
- Server Name, 136
- Tablix and, 116
- textboxes, 239
- Visibility, 152

Properties dialog, 98**Properties pane, 98**

- auto-hide, 112
- lines, 113
- pinning, 112
- setting properties, 112
- viewing properties, 112

publishing reports, 611

- MOSS 2007 Enterprise Edition, 619–620
- MOSS 2007 Standard Edition, 611–619
- WSS 3.0, 611–620

pull method of report delivery, 67**push method of report delivery, 67****Q****queries**

- Access, parameterized, 221
- building
 - MDX, 322–328
 - without MDX Query Designer, 328–331
- cubes, 188
- data sources, 215
- datasets, 108
- filtering, 199
- hierarchy and, 264
- modifying, MDX, 322–331
- named, Data Source views, 401–402
- parameterized, MDX, 318–322
- results, caching on server, 215
- sorting in, 146
- in string expressions, 221–222
- T-SQL, designing, 189–197

Query Designer, 137**query-driven parameter lists, 204****query expressions, 177–178**

query languages

- data sources, 188
- datasets, 108

query parameters

- @ symbol, 202
- filtering and, 202–214
- naming convention standards, 202

R

radar charts, 122

radial gauges, 126, 172

range charts, 285

ranges, 126

ranking functions, 728

rc parameter prefix, 550

RDCE (Report Definition Customization Extensions), 372

RDL files, 109

- editing, 686–688
- upgrading reports programmatically, 688–690

RDL Object Model, 685

RDL (Report Definition Language), 68, 109, 466, 685

- Crystal Reports and, 354
- XML, 108

recovery, 511

- application databases, 511–512
- encryption keys, 513–515

rectangles, 113

recursive relationships, 263–268

references, 109

- member references, 738–739

regions, rectangles, 113

relational data, 182

relational databases, 27

- T-SQL queries, 180

relationships

- infinite drill-through, 401
- roles, 401

rendering, programmatic, 557

rendering extensions, 81, 533–535, 636

- CSV, 636
- CSV-rendering extension, 82
- device information settings, 81

- Excel, 83, 636

- HTML, 82, 636

 - MIME-HTML, 82

- Image, 636

- image-rendering extension, 82

- MHTML, 636

- PDF, 83, 636

- Word, 83

- XML, 82

Rendering Object Model (ROM), 81

report, development cycle, lengthening, 350

Report Builder, 11–12, 68

- accessing, 420

- administration, 446–447

- button, 420

- Chart layout, 430–433

- early incarnation, 92

- Explorer window, 421

- future of, 447

- launch, 421

- matrix layout, 425–429

- Report Explorer and, 602

- report model

 - perspectives, 421

 - selecting, 421

- SharePoint, 624

- smart client technology, 420

- table layout, 422–425

Report Builder 1.0, 624–625

Report Builder 2.0, 12–13, 68, 92

- availability, 92

- Home tab, 94–95

- Insert tab, 95

- Office ribbons, 93

- Office tabs, 93

- report design, 99–103

- Run tab, 96–97

- View tab, 96

Report Data pane, 207

report definition customization extensions, 637

report definition file, images, 114

Report Designer, 67–68, 132–133

- Design tab, 68

- Preview tab, 68

report execution caching, 79

Report Explorer, 601–602

- Report Builder and, 602
- report items, 80**
- report management, 626–628**
- Report Manager, 25, 68–69, 631**
 - accessing, 452
 - Execution Properties tab, 470
 - History Properties page, 471–473
 - New Subscription button, 473
 - page body, 454
 - report models, creating, 463
 - searches, 454
 - shared data sources, creation, 461
 - snapshots, 471
 - View page, 467
 - Web interface, 420
 - web service and, 75
- Report Model Project template, 392**
- Report Model Wizard, 404–408**
- report models, 391, 463**
 - Analysis Services databases, 414–416
 - data source, 392–395
 - deploying, 413–414
 - General Properties page, 466
 - new, folder, 465
 - overview, 419
 - perspectives, 421
 - Report Model Wizard, 404–408
 - Reporting Services, 408–413
 - selecting from Report Builder, 421
 - SharePoint and, 621–623
- report parameters, 555–557**
 - filtering and, 215–218
- report processing extensions, 636**
- Report Processor, 78**
 - report execution caching, 79
 - report session caching, 79
 - snapshots, 79
- report server, 20–21**
- Report Server, sending commands to, 550**
- report session caching, 79**
- report specifications, 350–351**
- report templates, creating, 235–238**
- report types, 30–34**
- Report Viewer**
 - Connected mode, 600
 - Integrated mode, 629–630
 - Stand-Alone mode, 600
 - Tool pane, 600
- Report Viewer control, 70–71**
- Report Viewer web part, 600–601**
- Report Views group, 96**
- Report Wizard, 99, 177**
 - data sources, creating, 183–187
 - launching, 183
- reporting**
 - existing data sources, 348
 - transactional sources, 348
- reporting environments, multiple, 351–352**
- reporting life cycle, 451**
 - authoring, 66
 - delivery, 67
 - management, 67
- reporting projects, 346**
 - solution scope, 347
 - success factors for, 346–347
- Reporting Services, 24**
 - Analysis Services, 311–312
 - caching, 470–471
 - components, 39
 - Data Sources folder, 545–547
 - enterprise deployment, 59–64
 - folders, accessing, 543–545
 - history, 91–92
 - innovations, 4–5
 - installation, stand-alone, 39
 - installation media, 40
 - introduction, 3
 - limitations, 356–357
 - Native mode, 451
 - objects, accessing, 543–549
 - report models, 408–413
 - reports, accessing, 548–549
 - resources, 548
 - roles, new, 489–490
 - samples, installing, 58–59
 - scripts, 494–500
 - service account, 504–506
 - set-up application, 40
 - SharePoint Integrated mode, 451
 - URL parameters, 549–555
 - users of, 5–7

Reporting Services Configuration Manager, 69

Reporting Services Web service, 71–72

- subscriptions, 72

Reporting Services Windows service, 72–73

reporting specialists, authoring and, 66

reporting tools, 24

ReportingServicesService.config, 76

reports

- Access, importing, 174
- ad hoc, 11–12
- application functionality and, 8
- chart, 131
 - designing, 162–170
- color, background, 436–438
- columns
 - alignment, 435–436
 - width, 435–436
- combining, 33
- composite, creating, 238
- converting, 354–355
- converting from other formats and products, 173–176
- cross-tab, 131
- custom code, 277–279
- dashboard, 132
- data sources, 26–28
- definition, XML files, 108
- deploying, 353
- designers, 91
- designing, 13–15
- drill-through, 340–341
- dynamic, 16, 31
- embedded, 15, 548–549
- Execution Properties tab, 470
- fonts, 436–438
- gauge, 132
 - designing, 170–172
- history, creating manually, 473
- integration, 110
- launching, from applications, 15
- linked, 468
- list, 131
- master/detail reports, 114–116
 - designing, 244
- matrix reports, 131
 - designing, 156–162

- MDX-based, 340
- migrating, 354–355
- migration, 110
- multicolumn, 156
- navigating
 - document maps, 259–261
 - drill-through reports, 261–263
 - links, 261–263
- out-of-the-box, 10–11
- parameters, 212–214, 469
- pivot, 131
- publishing, 611
 - MOSS 2007 Enterprise Edition, 619–620
 - MOSS 2007 Standard Edition, 611–619
 - WSS 3.0, 611–620
- recipes, multiple criterion filtering, 357–359
- Reporting Services, accessing, 548–549
- samples, 58
- separate web browser window, 263
- server-based, 11
- snapshots, 471
- subreports, 114–116
- tabular, 130
- text
 - adding, 434–435
 - fonts, 436–438
 - titles, 434
- titles, 434
- user-designed, 11–12
- user interaction, 16

Reports Items options, 95

ReportServer database, 84–85

- backups, 511

ReportServerTempDB, 86

ReportViewer, 15

ReportViewer control, 382

reserved keywords, 736–738

reserved words, 706–708

- future, 712–714
- ODBC, 709–711

resources, 480

- Reporting Services, 548

result sets, drill-through reports, 262

results

- queries, caching on server, 215
- subreports, 115

ribbon, numeric formatting, 102
RIGHT() function, 276
roles, 401
ROM (Rendering Object Model), 81
row groups, 117–118
ROWNUMBER() function, 231
rows, hiding/showing dynamically, 381–385
rowset functions, 729
RPC (Remote Procedure Call), WMI and, 77
rs object, 494
rs parameter prefix, 550
RS utility, 492–494
Rsconfig.exe, 70
Rs.exe, 70
RSExecutionLog, 520
Rskeymgmt.exe, 70
RSMgrPolicy.config, 76
RSReportServer.config, 76
RSScripter, 500–501
RSSrvPolicy.config, 76
Run tab (Report Builder 2.0), 96
RUNNINGVALUE() function, 231
rv parameter prefix, 550

S

sample data, 349
SAP NetWeaver BI, 80
scalable architecture, 24
scale-out topology, 63
scales, 125
scatter charts, 284
schedules, sharing, 480–482
Scheduling and Delivery Processor, 83
scope, data-set, 244
scripts
 comment conventions, 706
 Reporting Services, 494–500
 RSScripter, 500–501
 samples, 58
searches, Report Manager, 454
secondary axis, adding, 299–301
security, 503–504
 account management, 504
 application database account, 506–507
 service account, 504–506
 unattended execution account, 507–508
 configuration files, 515
 custom assemblies, 281–282
 functions, 729–730
 inheritance and, 491
 item-level, 483–492
 programmatically rendering and, 558
 surface area management, 510
 system-level roles, 508–510
security extensions, 74, 636
security sublayer, 74–75
SELECT clause, 192
SELECT statement
 AXIS definitions, 741
 FROM clause, 742
 WITH clause, 742–743
 parameters, 743–744
 WHERE clause, 741–742
selecting multiple items, 94
self-service reporting, 26
series groups, 119
server administration, security, 503–510
server-based reports, 11
server management reports, 527–528
Server Name property, 136
server reports, 99
 enabling, 99
server-side applications, web browsers and, 7
server-side reports, embedding in Windows applications, 590–594
servers
 linked, 179–180
 scalable architecture, 24
service account, 504–506
service management, 75–76
set functions (MDX), 750–752
set-up application, Reporting Services, 40
set-up logs, 516
sets, 739–740
setup support rules, 42
shape charts, 123, 285
shared data sources, 98, 108, 183
 creation, 461
 General Properties page, 464

shared schedules, 480–482

SharePoint, 19, 24, 596

libraries, 69

list data, 366–371

MOSS (Microsoft Office SharePoint Server),
597–598

Report Builder, 624

report models, 621–623

rv prefix and, 550

web parts, 598

WSS (Windows SharePoint Services), 597

SharePoint Integrated mode, 63

SharePoint Integrated mode, Reporting

Services, 451

SharePoint Site Settings, 620–621

shortcuts, client-side applications, 7

Show Details button, 459

Simple OLEDB, 223

Site Collection Features, 607

Site Settings link, 454

slicing cubes, 319–322

smartphones, 175

Snapshot parameter, 552

snapshots, 79, 471

history, 557

When Run value, 473

SOAP (Simple Object Application Protocol), 15

Solution Explorer, data sources, adding, 393

sorting, 443

interactive sorts, 148–150

sp_addlinkedserver stored procedure, 179

sparklines, 384–386

SQL Server Analysis Services, 27

SQL Server Configuration Manager, 69

SQL Server Database Engine, 39

SQL Server Installation Center, 40

SQL Server Integration Services, 29

SQL Server Management Studio, 69

SQL Server Profiler, 257

SQL Server Setup Wizard, 41–57

SQL (Structured Query Language), 182

MDX and, 312

SqlClient Data Provider, 392–393

SSIS (SQL Server Integration Services), 520

Connection Managers, 520

stacked charts, 287–288

stand-alone installation, 39

Stand-Alone mode, Report Viewer, 600

Standard edition, 60

standard subscriptions, 72

static columns, Tablix and, 116

static rows, Tablix and, 116

statistical functions (MDX), 753–755

STDEV() aggregate function, 231

STDEVP() aggregate function, 231

stock charts, 285, 290

stored procedures, 214–215

parameterized, 215

parameters and, 202

sp_addlinkedserver, 179

string concatenation, 224

string expressions, queries in, 221–222

string functions (MDX), 755

string manipulation functions, 730–731

Subreport Properties dialog, 255

subreports, 95, 114–116

description, 252

federating data, 253–259

linking to main report, 253

resizing, 255

results, large, 115

uses, 253

subscriptions

data-driven, 72

delivery, 474–475

standard, 72

Subscriptions page, 473

subtotals, 154

SUM() aggregate function, 231

SUM() function, 119, 337

surface area management, 510

SWITCH() function, 275, 276

SyBase Adaptive Server, 224

symmetric key, 513

syntax

Oracle PL/SQL, 224

URLs, 542–543

system functions, 732–734

system requirements, 61

system statistical functions, 734

system statistical variables, 718–719

system variables, 718

T**T-SQL**

ALTER TABLE, 703
 BY CUBE, 698
 BY ROLLUP, 697
 CASE, 700
 COMPUTE BY clause, 699
 COMPUTE clause, 699
 CREATE DATABASE, 704
 CREATE DEFAULT, 704
 CREATE PARTITION FUNCTION, 706
 CREATE PARTITION SCHEME, 706
 CREATE PROCEDURE, 704
 CREATE RULE, 704
 CREATE SCHEMA, 705
 CREATE TABLE, 705
 CREATE TRIGGER, 705
 CREATE VIEW, 705
 DECLARE@local_variable, 701
 DELETE, 701
 EXCEPT, 699
 FOR clause, 699
 FROM, 696
 GROUP BY, 697
 HAVING, 698
 INSERT, 700
 INTERSECT, 699
 LIKE, 702
 object reference, 693–694
 OPTION clause, 699
 Oracle P/L SQL and, 223
 ORDER BY, 699
 PIVOT operator, 703
 queries, 180
 designing, 189–197
 WITH, 694
 WITH CUBE, 698
 WITH ROLLUP, 697
 SELECT, 694
 SELECT INTO, 696
 SELECT TOP, 695
 SET, 702
 UNION, 698
 UNPIVOT operator, 703
 UPDATE, 701

WHERE, 696

tables

placing in report body, 135
 row groups, 117–118
 sorting, 146
 in groups, 146–147
 in query, 146
 totals, 232–235
 values, formatting, 141–145

Tablix, 111, 116

columns, static, 116
 group definitions, 140
 rows, static, 116

Tablix Group Properties dialog, 140**Tablix Properties dialog, page breaks, 151****tabs, Report Manager, 454****tabular reports, 130****targets, 362****TCP ports, URL reservations, 530****templates, creating, 235–238****Teradata, 80****test data, 349****text**

bold, 240
 formatting, MarkupType property, 242
 italic, 240
 ranges, formatting, 240
 reports, adding to, 434–435

Text Box Properties dialog, 142**textboxes, 111–112**

borders, properties, 239
 HTML tags, 242
 as link, 261
 properties, 141, 239
 report navigation and, 261–262

third-party authoring tools, 68**TIFF (Tagged Image File Format), 82****time functions (MDX), 756****Tool pane, 600****Toolbar parameter, 551****topology, 62**

scale-out, 63

totals, 154, 232–235

aggregate, 230–231

trace logs, 517–520**traces, embedded reports, subreports and, 257**

transactional sources, 348
TSQL (Transact SQL), queries, 36
tuples, 740
Type icon, 460

U

UI functions (MDX), 757
unattended execution account, 507–508
uncommitted reads, 348
URL reservations, 529–531
URLs (Uniform Resource Locator)
 navigating to, 263
 passing report information, 555–557
 Report Manager, 452
 report parameters, 555–557
 syntax, 542–543
 web requests, 15
user-designed reports, 11–12
user hierarchy, 317
user interaction, 16
utility windows, Visual Studio, 106–107

V

validation, 477
Value Axis Properties dialog, 296
value functions (MDX), 758
values, formatting, 141–145
VAR() aggregate function, 231
variables, 109
 global, 716–719
variance, calculating, 363–366
VARP() aggregate function, 231
View page, 460
View tab (Report Builder 2.0), 96
Visibility property, 152
VisiCalc, 130
Visual Basic
 code-behind functions, 354
 custom code, 277
 expressions, 222

 functions, 109
 in-line expressions, 354
Visual Studio 2008
 New Project dialog, 105
 project creation, 105
 start page, 105
 utility windows, 106–107
Visual Studio .NET IDE, 104
visualization requirements, 29
visualizations, 34
VRML (Virtual Reality Modeling Language), commands, 113

W

warnings in code, 282
web archive, 175
web browsers, 7
Web edition, 60
web parts, 598–602
web service, Report Manager and, 75
web sites, CodePlex, 58
WHERE clause, 199, 741–742
Windows application event log, 517
Windows Forms projects, textboxes, 111
Windows Installer 4.5
 check for, 40
 installation, 40
Windows Mobile, 175
Windows Server Internet Information Services, 17
wizards
 data region, 100–102
 Data Source Wizard, 393
 New Table or Matrix, 98
 Report, 99
 Report Model Wizard, 404–408
 SQL Server Setup, 41–57
WMI (Windows Management Instrumentation), 76–77
 RPCs and, 77
Word-rendering extension, 83
Workgroup edition, 60
WSS (Windows SharePoint Services), 597

X**X-axis**

- area charts, 288
- column charts, 120, 285

X-axis of charts, bar charts, 124**X-PNG files, 113****XML**

- RDL (Report Definition Language), 68
- report definitions, 108

XML-rendering extension, 82**Y****Y-axis of charts, 120**

- bar charts, 124
- column charts, 285

Z**Z-axis of charts, 120**