



# Index

## A

- Abbreviations, use of, 84
  - ABC Broadcasting headquarters, New York City, 147, 182, 185
  - Accessibility:
    - regulations for, 90, 91
    - symbols for, 118
  - Acela signage program, 17. *See also* Design process
  - Acid-etched finishes, 195
  - Acid-etched graphics, 149
  - Acrylic, 179–180
  - Active wayfinding design, 82–83
  - ADA, *see* Americans with Disabilities Act
  - ADAAG, *see* Americans with Disabilities Act Accessibility Guidelines
  - ADA Symbols for Accessibility, 118
  - Adhesives, 185–187
  - Ag-fiber panels, 176
  - AIIGA Collision Conference, New York City, 145
  - AIIGA/DOT symbol system, 117–119
  - Alignment, 141. *See also* Spacing of graphic elements
  - All-caps treatment, 111, 114
  - Alphabetical order, destinations arranged by, 144
  - Aluminum, 178, 192, 194
  - Ambient lighting, 169
  - Americans with Disabilities Act (ADA), 89–92
    - cap heights, 132
    - case for identification signs, 111
    - color contrast, 126, 128
    - depth restrictions, 167
    - illumination of signs, 169
    - mounting of signs, 162, 165
    - Symbols for Accessibility, 118
  - Americans with Disabilities Act Accessibility Guidelines (ADAAG), 89, 90, 114–115
  - “Americans with Disabilities Act (ADA) White Paper” (SEGD), 92, 115
  - American Institute of Graphic Arts, 117
  - Amtrak Acela signage program, 17. *See also* Design process
  - Analysis phase, *see* Data collection and analysis phase
  - Andreasson, Mark, 47–48
  - Angled shapes, 156
  - Angle of vision, 163–164
  - Anodizing, 194
  - Approval of submittals, 55–56
  - Architects, 14
  - Architectural graphics (architectural signing), 3–4, 90
  - Architectural Signing and Graphics* (John Follis and Dave Hammer), 30, 62
  - Ardmore, Pennsylvania, 184
  - Area restrictions, 167
  - Arrows, 98, 115, 116, 119–120
    - directional, 116, 143–144
    - human factors research on, 134–135
    - positioning of, 136–138
    - proportion of, 133, 135–136
    - for road signs, 126–127
    - types of, 134
    - without shafts, 120
  - Arthur, Paul, 3
  - Artwork:
    - drawings vs., 41
    - for submittal review, 52
  - Awnings, 183
- ## B
- Balance, visual, 138–139
  - Banners, 183
  - Berger, Craig, 126–127
  - Bidding phase, 45–50
    - bid form, 47–49
    - bid review, 49–50
    - contract award recommendation, 50
    - documents for, 47–48
    - goals and results of, 50
    - invitation to bid, 49

protocol during, 49  
 qualification of bidders, 46, 48  
 RFI responses, 49

Bid form, 47–49  
 Bid review, 49–50  
 Bilingual information, 96–98  
 Billboards, 183  
 Blindness, *see* Visual impairment  
 Boilerplate, 42  
 Braille, 91, 146, 189  
 Brainstorming, 22  
 Brand building, 11  
 Brass, 179  
 Brigham & Women’s Hospital  
 Complex, Boston,  
 Massachusetts, 86, 96  
 Brigham Young University Legacy  
 Hall, 7  
 Bronze, 179  
 Brushed finishes, 195  
 Building codes, 90, 92–93,  
 190–191  
 BuildingGreen, Inc., 177

## C

Cap height, 132–133, 135–136  
 Carbon steel, 178  
 Case (typefaces), 108, 111, 112,  
 114, 115  
 Cast metal graphics, 147  
 Cast plastic graphics, 148  
 Ceiling-mounted signs, 81, 153, 154  
 Character set, 104  
 Character width (for visibility), 114,  
 115  
 Chinatown, New York City, 8  
 Cincinnati Children’s Hospital,  
 Cincinnati, Ohio, 78  
 Cira Centre office tower,  
 Philadelphia, Pennsylvania, 74,  
 148, 181  
 Circulation routes, 77  
 CitiLink shopping mall, Singapore,  
 153  
 Cleanup specifications, 45  
 Clear coatings, 191–193  
 Clearview fonts, 110  
 ClearviewHwy Type System, 110  
 Cleft stone finishes, 196  
 Client:  
 in design process, 15–16  
 presenting concept to, 23–24  
 Client contract representatives, 46  
 bidding documents for, 49  
 in coordination meetings, 51–52

in fabrication/installation  
 observation phase, 50  
 submittal review by, 54

Coatings, 191–195  
 clear, 191–193  
 defined, 191  
 finishes vs., 195  
 gloss levels of, 131, 191  
 liquid, 191  
 organic, 191  
 oxide coatings, 194–195  
 paints, 191–193  
 patinas, 194–195  
 plastic films, 195  
 porcelain enamel, 193–194  
 powder, 193  
 vinyl films, 195

Coding, *see* Color coding; Sign  
 coding

Collaborative brainstorming, 22

Color, 125–131  
 color-coding, 129–130  
 contrast in, 126  
 gloss level and perception of,  
 131  
 palette sources for, 130–131  
 selection of, 128–129  
 signage roles of, 125, 127–128

Color coding, 129–130  
 and link between message and  
 color, 129  
 in sign location plan drawings,  
 33

Color samples, 52

Commemorative plaques, 74

Commercial signage, 95

Communication:  
 as goal of EGD, 14  
 visual, 102

Communication function, sign  
 typing by, 29, 30

Computer graphics programs,  
 typeface scaling in, 113

Computer platforms, 32

Concept selection, 23

Coney Island Boardwalk, Brooklyn,  
 New York, 122

Connotations of forms, 158–159

Construction/construction  
 administration phase, 51. *See*  
*also* Fabrication/installation  
 observation phase

Construction Specifications  
 Institute (CSI), 42

Contemporary look, typefaces for,  
 106

Contracts, fabrication, 42

Contract award recommendation,  
 50

Contract representatives, *see*  
 Client contract representatives

Contrast, color, 126

Convergent activities, 20, 36

Coordination meetings, 51

Copper, 179

Crate & Barrel World  
 Headquarters, 148

Creativity, 21–22

Crotched Mountain Hospital,  
 Greenfield, New Hampshire,  
 122

CSI (Construction Specifications  
 Institute), 42

Curved shapes, 156

Cut solid graphics, 147

## D

Dallas/Fort Worth airport, 163

Databases, for message  
 schedules, 32

Data collection and analysis  
 (predesign) phase, 17–19

DD phase, *see* Design  
 development phase

Dead space, 95–96, 138

Defects (as term), 58

Departments of Transportation  
 (DOTs), 126–127

Depth of signs, 167

Design activity, 14

Design development (DD) phase,  
 27–36  
 goals and results in, 35–36  
 graphic system in, 34–35  
 hardware system in, 34–35  
 information content system in,  
 27  
 message schedule in, 31–33  
 sign coding in, 30  
 sign location plans, 31  
 sign numbering system in, 30,  
 31  
 sign typing in, 27–30

Design disciplines, 12

Design documents, format for, 37

Design drawings, 36

Design intent drawings, 37

Design phase. *See also individual  
 phases*  
 design development phase in,  
 27–36

- documentation phase in, 36–45
  - schematic design phase in, 19–27
  - Design process, 14–61
    - applied to EGD, 16–17
    - bidding phase, 45–50
    - client in, 15–16
    - data collection and analysis phase, 17–19
    - design development phase, 27–36
    - documentation phase, 36–45
    - fabrication/installation observation phase, 50–60
    - postinstallation evaluation phase, 60–61
    - schematic design phase, 19–27
  - Design process model, 16
  - Design resources, allocation of, 66–67
  - Destinations:
    - hierarchy of, 87–88
    - proximity-based information for, 88
  - Diagrams, 100, 120–124
  - Digital graphic layout drawings, 41
  - Digital imaging, full-color, 145
  - Dimensioning of drawings, 38–39
  - Directional signs, 71, 72, 76
    - ADA compliance for, 91
    - destination arrangement on, 143–144
    - layout for, 142–144
    - local codes for, 95
    - locations for, 79–80
  - Directory signs, 73
  - Divergent activities, 20
  - Doctor's Hospital, Laredo, Texas, 96
  - Documentation phase, 36–45
    - compiling specifications in, 41–45
    - conveying design information in, 39–41
    - dimensioning and scale in, 38–39
    - drawings vs. artwork in, 41
    - format for documents in, 37
    - goals of, 36, 45
    - level of drawing detail in, 38
    - results of, 45
    - sign typing in, 37
  - Documents, bid, 47–48
  - Donor signage, 73, 75
  - DOTs (Departments of Transportation), 126–127
  - Double signing, 94
  - Drawings. *See also*
    - Documentation phase artwork vs., 41
    - in bidding phase, 48
    - conveying design information on, 39–41
    - design, 36
    - design intent, 37
    - digital graphic layout, 41
    - dimensioning and scale of, 38–39
    - graphics, 40–41
    - level of detail in, 38
    - not to scale (N.T.S.), 38
    - reference numbers in message schedule, 37
    - shop, 52
    - for submittal review, 52
    - titleblocks on, 37
    - working, 37
  - Drawing notes, specifications vs., 42
  - Drawing numbers, 40
  - Dynamic display devices, 187–189
- E**
- Eased edges (glass signs), 182
  - Edge lighting, 171
  - EGD, *see* Environmental graphic design
  - Egress regulations, 90
  - Eiffel, Gustav, 186
  - Electronic message display devices, 187–189
  - Elevation views, 40, 154, 156
  - Elevator signage, 93–94
  - Engraved graphics, 149
  - Environmental Design & Construction* magazine, 177
  - Environmental graphics (as term), 3, 4
  - Environmental graphic design (EGD), 2–11
    - in building brand images, 11
    - communication functions of, 14
    - as contemporary field, 2–4
    - coordinating timing of, 16–17
    - as cross-disciplinary specialty, 12
    - defined, 2
    - design process applied to, 16–17. *See also* Design process
    - educational programs in, 12
    - explicit purpose of, 9
    - importance of, 3, 9
    - interpretation in, 6–7
    - multidisciplinary nature of, 14
    - origin of, 2
    - placemaking in, 8–9
    - signage and wayfinding in, 5–6, 9
    - spectrum of activity in, 4
  - Environmental graphic designers, 15–16
    - in bidding phase, 45–46
    - and engineering of structures/attachments, 166
    - evaluating work done by, 135
    - in fabrication/installation observation phase, 50–55, 57
    - hardware system use by, 152
    - in information content formulation, 70–71
    - materials choice by, 172–173
    - message vocabulary generated by, 85, 86
    - in postinstallation evaluation phase, 60, 61
    - unity of form created by, 160–161
    - visual communication by, 102
  - Escape regulations, 90
  - Ethridge, Ken, 90–91
  - Evaluation phase, *see* Postinstallation evaluation phase
  - Exhibits, placemaking role of, 7
  - Exhibitry, 6, 7
  - Exit signs, 129
  - Exposed finish components, 183
  - Exterior signage:
    - footings for, 165
    - local codes for, 94–96
    - mounting of, 162–163
  - External illumination, 169–170
  - Eye-level mounting, 161–164
- F**
- Fabrics, 183–184
  - Fabricated graphics, 147
  - Fabrication budgets, 67, 69
  - Fabrication contract, 42. *See also* Bidding phase
  - Fabrication/installation observation phase, 50–60

- coordination meetings in, 51
  - goals and results of, 59–60
  - postinstallation punch list inspections in, 58–59
  - shop visits in, 56–57
  - site visits in, 57–58
  - submittal review in, 52–56
  - Fabrication techniques, specifications for, 44
  - Fabricators:
    - in coordination meetings, 51–52
    - digital template files for, 41
    - qualification of, 46, 48
    - specifications for, 42
    - submittal review by, 54, 55
  - Family resemblance (among signs), 63
  - Fasteners, 185–187
  - FDR Memorial, Washington, D.C., 73
  - Federal Highway Administration (FHWA), 109, 110, 134, 135
  - Federal regulations, 90
  - FHWA, *see* Federal Highway Administration
  - Figure, 138
  - Files:
    - artwork, 41
    - template, 41
  - Finishes, 191, 195–196
    - coatings vs., 195
    - defined, 191
    - glass, 196
    - gloss level of, 131
    - metal, 195–196
    - plastic, 196
    - stone, 196
  - Finish samples, 52
  - Fire codes, 90
  - Fire stair signage, 94
  - Flags, 183
  - Flag-mounted signs, 153, 154
  - Flat graphics, 145–146
  - Flood lights, 170
  - Flush-mounted signs, 153, 154
  - Follis, John, 30, 62
  - Font(s). *See also* Typefaces
    - in artwork files, 41
    - defined, 103–104
    - for highway signs, 110
    - for road signs, 126
  - Footings, 165
  - Footprint, message, 138
  - Foreign projects, *see* Overseas projects
  - Form, *see* Shapes
  - Formal suitability (of typeface), 105–107
  - Format proportions, 140–141
  - Fort Negley, Nashville, Tennessee, 7
  - Freedom Trail, Boston, Massachusetts, 10, 71, 147
  - Freestanding signs, 153, 154
  - Front elevations, shapes based on, 156
  - Frosted-glass finishes, 196
  - Frutiger, Adrian, 110
  - Full-color digital imaging, 145
- G**
- Garvey, Phil, 109, 119, 134–135
  - Geometric shapes:
    - in front elevation, 156
    - in plan view, 157
  - Glass, 181–182
  - Glass finishes, 196
  - Gloss levels. *See also specific coatings or materials*
    - and perception of color, 131
    - use of term, 191
  - Glyph, 98, 115
  - Goals:
    - of bidding phase, 50
    - of data collection and analysis phase, 19
    - of design development phase, 35–36
    - of documentation phase, 36, 45
    - of fabrication/installation observation phase, 59
    - of postinstallation evaluation phase, 61
    - of schematic design phase, 24–25
  - Graphic (as term), 102
  - Graphics drawings, 40–41
  - Graphic application processes, 145–150
    - flat graphics, 145–146
    - incised graphics, 148–150
    - raised graphics, 146–148
    - specifications for, 44
  - Graphic designers, 14–115
  - Graphic layout drawings, 41
  - Graphic system, 102–150
    - arrows, 115, 116, 119–120
    - color, 125–131
    - defined, 64
    - in design development phase, 34–35
    - diagrams, 120–124
    - in documentation phase, 39–41
    - drawings vs. artwork for, 41
    - graphic application processes, 145–150
    - interaction of other systems with, 65–66
    - layout, 131–144
      - and resource allocation, 67, 69
      - role of, 65
    - in Signage Pyramid, 64
    - symbols, 115–119
    - typography, 103–115
    - unity among elements of, 122–123
  - The Grateful Dead, 2
  - Green design, 175
  - Greenguard Environmental Institute, 177
  - GreenSage Web site, 177
  - GreenSpec Directory* (BuildingGreen, Inc.), 177
  - Ground, 138
  - Guidelines, regulations vs., 91
  - Gutter, 139
- H**
- Hablamos Juntos Universal Symbols in Healthcare initiative, 97, 118–119
  - Hammer, Dave, 30, 62
  - Hand carved graphics, 150
  - Handpainting, 146
  - Hardboard, 176
  - Hardware system, 152–197
    - coatings, 191–195
    - codes and materials choice, 190–191
    - connotations of forms, 158–159
    - defined, 64
    - in design development phase, 34–35
    - electronic message display devices, 187–189
    - finishes, 191, 195–196
    - interaction of other systems with, 65–66
    - lighting, 168–172
    - materials, 172–187
    - mounting of signs, 161–166
      - and resource allocation, 67, 69
      - role of, 65
    - shape, 152–158

Hardware system (*cont.*)  
 in Signage Pyramid, 64  
 sign typing by, 29, 30  
 size of signs, 166–168  
 stock systems, 189–190  
 unity of form, 160–161

Harmony strategy, 11

Heads-up orientation, 123, 124

Height:  
 of letters, 132–133  
 of road signs, 126  
 of signs, 167

Helvetica style arrows, 119–120

Hierarchy of sign content, 75–76, 87–88, 132

Highway sign system, 109–110.  
*See also* Vehicular signage

Honed stone finishes, 196

Honorific signs, 73–74

Horizontal scaling of typefaces, 113–114

Horizontal spacing, 139

Human factors research, 134–135

Hunt, Wayne, 4, 82–83

Hyphenation, 84

**I**

IBC (International Building Code), 93

Icons, 98, 115

Identification signs, 71, 72  
 ADA compliance for, 91–92  
 cap height for, 132  
 case treatment for, 111

Illinois Institute of Technology, 6

Illuminated signs, 94. *See also* Lighting of signs

Illumination:  
 external, 169–170  
 internal, 170–172

Importance, destinations arranged by, 144

Imposition strategy, 11

Incised graphics, 148–150

Indoor emissions, 176

Industrial designers, 14

Information content system, 70–101  
 and Americans with Disabilities Act, 89–92  
 bilingual and multilingual information, 96–98  
 defined, 63  
 in design development phase, 27

in documentation phase, 37  
 hierarchy of content, 75–76  
 interaction of other systems with, 65–66  
 kinds of content, 71–75  
 local codes for exterior signage, 94–96  
 local codes for interior signage, 92–94  
 messages on signs, 81, 83–86  
 navigation, 86–88  
 pictorial content, 98–100  
 programming in, 70, 76  
 and resource allocation, 67  
 role of, 64, 65  
 in schematic design phase, 20–21  
 signage master plans, 100–101  
 in Signage Pyramid, 63–64  
 sign locations, 76–81  
 sign typing by, 29, 30

Information-gathering phase, *see* Data collection and analysis phase

Information requests (bidding), 49

Installation observation phase, *see* Fabrication/installation observation phase

Installation specifications, 45

Interactivity of systems, 65–66

Interior signage, local codes for, 92–94

Intermediary, EG designer as, 15

Internal illumination, 170–172

International Building Code (IBC), 93

International Federation of Red Cross and Red Crescent Societies, 99

International Sign Association, 96

International Trade Center, Mt. Olive, New Jersey, 170, 185

Interpretation:  
 defined, 4  
 as EGD function, 14

Interpretive information, 6–7

Interpretive signage, 74–75

Inventure Place, Akron, Ohio, 149, 157

Invitation to bid, 49

**J**

Jacob Javitz Federal Building, New York City, 10

Joints, 175

**K**

Kerning, *see* Letterspacing

Key sign inventory, 20

Kinneir, Jock, 110

**L**

Laminated glass, 181–182

Land use ordinances, 90

Language-related design issues:  
 bilingual and multilingual signs, 96–98  
 consistent message vocabulary, 81, 83–84  
 typefaces, 104, 106–107  
 typography, 103

Layout format proportions, 140–141

Layout of signs, 131–144  
 directional signs, 142–144  
 and message content, 142–143  
 position, 136–138  
 proportion, 133, 135  
 spacing, 138–141  
 viewing distance and graphics sizes, 132–133

LCD (liquid crystal display) screens, 187–188

Leadership in Energy and Environmental Design (LEED) Rating System, 176–177

LED displays, *see* Light-emitting diode displays

LEED Rating System, 176–177

Legends, map, 100

Legibility (of typefaces), 107–108, 111–114  
 characteristics related to, 107–108  
 on highway signs, 109–110  
 and typographic treatment, 108–114

Lema Ranch, Redding, California, 73

Letterspacing, 111–113

Life safety signs, 94

Light-emitting diode (LED) displays, 187, 188

Lighthouse, New York City, 122

Lighting of signs, 168–172  
 external, 169–170  
 internal, 170–172  
 local codes for, 94  
 nonillumination, 172

power considerations in, 168–169  
 Light pollution, 176  
 Light reflectance values (LRVs), 128  
 Line spacing, 139–140  
 Liquid coatings, 191  
 Liquid crystal display (LCD) screens, 187–188  
 Live space/area, 96, 138  
 Local codes, 92–96  
   for colors, 127  
   conflicts among, 94  
   for exterior signage, 94–96  
   for interior signage, 92–94  
   and materials choice, 190–191  
   for signage, 90  
   for size of signs, 166–167  
 Location of signs, *see* Sign locations  
 London Underground signs, 193  
 Longevity, stylistic, 107  
 Los Angeles Olympics, 11  
 Lowercase treatment, 111  
 Lower Merion Township, Pennsylvania, 6  
 Low-sighted people, *see* Visual impairment  
 LRVs (light reflectance values), 128  
 Lycée Fran ais de New York, 175

## M

McCarran International Airport, Las Vegas, Nevada, 72  
 Macintosh platform, 32  
 Malin, Nadav, 176–177  
*Manual for Uniform Traffic Control Devices* (MUTCD), 126, 127  
 Maps, 100, 120–124  
   orientation of, 123–124  
   stylistic treatment of, 121–123  
 Margins, 138–139  
 Markups, 56  
 Masonry, 184–185  
 MasterFormat, 42  
 Master plans, signage, 100–101  
 Materials, 172–187  
   adhesives, 185–187  
   codes and choice of, 190–191  
   fabrics, 183–184  
   fasteners, 185–187  
   glass, 181–182  
   green, 176–177  
   and green design, 175  
   masonry, 184–185

metals, 177–179  
   as muse, 173  
   new, 175  
   plastics, 179–181  
   processes for, 173–174  
   samples of, 52  
   sizes of, 174–175  
   sources of information on, 175  
   specifications for, 44  
   unity of, 173  
   wood, 182–183  
 MDF (medium-density fiberboard), 176  
 Measurable scale, 38  
 Mechanical connections, 185–187  
 Medium-density fiberboard (MDF), 176  
 Meeker, Don, 109–110  
 Meeker & Associates, 110, 134  
 Memphis Public Library, 158  
 Messages:  
   color coding, in road signs, 129–130  
   color for augmentation of, 129  
   consistent vocabulary for, 81, 83–84  
   hierarchical rank of, 132  
   layout of signs and content of, 142–143  
   proximity-based, 88  
   syntax of, 84–85  
 Message footprint, 138  
 Message schedule:  
   in bidding phase, 47–48  
   in design development phase, 31–33  
   in documentation phase, 36–37  
   for road signs, 126  
   sign numbers in, 32  
 Metals, 177–179  
 Metal finishes, 195–196  
 Metric system, 39  
 Midstate Medical Center, Meriden, Connecticut, 74, 149  
 Mies van der Rohe, Ludwig, 35  
 Montalbano, 110  
 Mounting of signs:  
   architectural/site factors affecting, 165–166  
   fasteners for, 186–187  
   overhead vs. eye-level, 161–164  
   shapes based on, 152–156  
 Multilingual information, 96–98  
 MUTCD, *see* *Manual for Uniform Traffic Control Devices*

## N

National Park Service, 110, 134, 135  
 Navigation, sign information for, 86–88  
 New York City signage, 178, 179  
 New York University, 73, 146, 171  
 Nonilluminated signs, 172  
 Nonsighted people, *see* Visual impairment  
 Normal letterspacing, 111, 112  
 North orientation (maps), 123  
 Not to scale (N.T.S.) drawings, 38  
 Novelty typefaces, 107  
 N.T.S. drawings, 38  
 Numbering systems, 85–86. *See also* Sign numbers  
 Numerical indicators, 84, 85

## O

Observation phase, *see* Fabrication/installation observation phase  
*Official Signs & Icons 2* (Ultimate Symbol/Mies Hora), 119  
 Older drivers, highway signs and, 109–110  
 One Raffles Quay office tower, Singapore, 73  
 Open letterspacing, 112  
 Operational signs, 73, 74  
 Optima style arrows, 119–120  
 O'Reilly Theatre, Pittsburgh, Pennsylvania, 147, 182, 183  
 Organic coatings, 191  
 Orientation, map, 123–124  
 Overhead mounting, 161–164  
 Overseas projects:  
   dimensioning and scaling for, 39  
   document format for, 37  
 Oxide coatings, 194–195

## P

Pacific Design Center, Los Angeles, California, 172  
 Paints, 131, 191–193  
 Paint manufacturers, 131  
 Palms Casino, Las Vegas, Nevada, 174  
 Pantheon, Rome, Italy, 105  
 Pantone Matching System (PMS), 130–131  
 Particleboard, 176

- Passive wayfinding design, 82–83  
 Patinas, 194–195  
 Patterns, 125  
 PC platform, 32  
 PDF files, 33  
 PennDOT, 110  
 Penn South Houses, New York City, 146  
 Penn State, 134  
 Pennsylvania Transportation Institute (PTI), 109, 110  
 Phenolics, 180  
 Philadelphia train station, 5, 60  
 Photopolymers, 148, 180, 181  
 Physical characteristics, sign typing by, 29, 30  
 Pictograms, 98, 115  
 Pictorial content, 98–100  
 Pietrucha, Martin, 109  
 Pinup sessions, 22–23  
 Placemaking, 8–9  
   defined, 4  
   as EGD function, 14  
 Plan views, shapes based on, 155–157  
 Plastics, 173, 179–181  
 Plastic films, 195  
 Plastic finishes, 196  
 Plastic resins, 179, 181  
 PMS (Pantone Matching System), 130–131  
 Polycarbonate (polycarb), 179, 180  
 Porcelain enamel, 146, 193–194  
 Port Imperial Ferry Terminal, Weehawken, New Jersey, 153  
 Portland, OR, signage, 121  
 Port of Los Angeles, 8, 75  
 Positioning typography and symbols, 136–138  
 Postdesign phase. *See also individual phases*  
   bidding phase in, 45–50  
   fabrication/installation observation phase in, 50–60  
   postinstallation evaluation phase in, 60–61  
 Postinstallation evaluation phase, 60–61  
 Postinstallation punch list inspections, 58–59  
 Powder finishes, 193  
 Predesign phase, 16. *See also* Data collection and analysis phase  
 Prequalification of bidders, 46, 48  
 Preschematic phase, *see* Data collection and analysis phase  
 Production prototypes, 52, 54  
 Product literature, 52  
 Product specifications, 44  
 Programming, 65, 70, 76–86  
   messages on signs, 81, 83–86  
   sign locations, 76–81  
 Prohibitory signs, 73  
 Projecting signs, 153, 154  
 Proportion:  
   and sign size, 168  
   of typography and symbols, 133, 135  
 Prototypes, 35, 52, 54  
 Proximity:  
   destinations arranged by, 144  
   of sign content, 88  
 PTI, *see* Pennsylvania Transportation Institute  
 Publicly funded projects, bidder qualification for, 46, 48  
 Punching out, 58  
 Punch list inspections, 58–59
- Q**  
 Qualification of bidders, 46, 48  
 Quality assurance specifications, 44  
 Quality control, bidder qualification for, 46, 48  
 Quality standards specifications, 44
- R**  
 Radiance of the Seas (cruise ship), 78  
 Raised graphics, 146–148  
 Rasters, 148  
 Rectilinear shapes, 156  
 Red lines, 56  
 Reflective vinyl films, 170  
 Regulations, guidelines vs., 91  
 Regulatory signs, 73  
 Requests for information (RFIs), 49  
 Required submittals, specifications for, 44  
 Research phase, *see* Data collection and analysis phase  
 Resource allocation, 66–69  
 Restroom symbols, 99  
 Results:  
   of bidding phase, 50  
   of data collection and analysis phase, 19  
   of design development phase, 36  
   of documentation phase, 45  
   of fabrication/installation observation phase, 59–60  
   of postinstallation evaluation phase, 60, 61  
   of schematic design phase, 25–27  
 Retroreflective vinyl films, 170  
 Review stamp, 55–56  
 RFIs (requests for information), 49  
 Road signs, *see* Vehicular signage  
 Robert Wood Johnson Foundation, 118  
 Rock and Roll Hall of Fame and Museum, Cleveland, Ohio, 74, 171  
 Routed graphics, 149, 150  
 Royal Executive Park, Rye, New York, 72  
 Rules, 124–125  
 Rust, 194  
 Rutgers University Zimmerli Art Museum, New Brunswick, New Jersey, 183
- S**  
 St. Louis International Airport, 72  
 Samples, for submittal review, 52  
 Sandblasted graphics, 148–149  
 Sans serif typefaces, 105–108  
 Sarah Lawrence College Heimbold Visual Arts Center, 150  
 Satin finishes, 195  
 Scale:  
   of drawings, 38–39, 81  
   of hardware system, 168  
 Scale rulers, 39  
 Scaling of typefaces, 113–114  
 Schematic design (SD) phase, 19–27  
   client presentation in, 23–24  
   concept generation during, 21–22  
   concept selection in, 23  
   goals and results of, 24–27  
   graphics and hardware focus in, 21  
   information content exploration in, 20–21  
   pinup sessions in, 22–23

- Scratched finishes, 195  
 Screw and glue fastening, 186  
 SD phase, *see* Schematic design phase  
 Seams, 175  
 Sectional views, shapes based on, 155, 156  
 SEGD, *see* Society for Environmental Graphic Design  
 SEGD symbol vocabulary, 118–119  
 Sentence case treatment, 111  
 Serif typefaces, 105–108, 114  
 Shapes, 124–125, 152–161  
   based on front elevation views, 156  
   based on mounting, 152–156  
   based on plan views, 157  
   connotations of, 158–159  
   geometry in views of, 154–155  
   unity of, 160–161  
 Shop drawings, 52  
 Shop visits, 56–57  
 Short Pump Town Center, Richmond, Virginia, 153  
 Signage, 5–6, 9  
   in brand building, 11  
   defined, 4  
   duration of projects, 17  
   placemaking role of, 5  
   primary objective of, 5  
   role of color in, 125, 127–128  
   as term, 3  
   wayfinding vs., 5  
 Signage design (as term), 14. *See also* Environmental graphic design  
 Signage master plans, 100–101  
 Signage Pyramid model, 62–69.  
   *See also specific components*  
   component systems of, 63–64  
   genesis of, 62–63  
   interactivity of systems in, 65–66  
   and resource allocation, 66–69  
   system roles in, 64–65  
 Sign coding, 30  
 Sign face perimeter, 138  
 Sign inventory:  
   in design development phase, 27  
   in schematic design phase, 20  
 Sign location plans, 31, 77–78  
   in bidding phase, 47  
   color coding in, 33  
   in documentation phase, 36  
   preparation of, 33–34  
   scales of, 33  
 Sign locations:  
   color-coded, 33  
   in documentation phase, 37  
   information content system, 76–81  
   programming, 76–81  
   on sign location plans, 33  
   and site conditions, 80–81  
   tips for determining, 78–79  
 Sign numbers:  
   in design development phase, 30, 31  
   in message schedule, 32  
   on sign location plans, 33–34  
 Sign ordinances, local, *see* Local codes  
 Sign typing:  
   in design development phase, 27–30  
   in documentation phase, 37  
 Silk-screened graphics, 146  
 Simple serif typefaces, 114  
 Site conditions, sign locations and, 80–81  
 Site visits, 57–58  
 Sizes:  
   of graphics, viewing distance and, 132–133  
   of materials, 174–175  
   of sign hardware, 166–168  
 Smith College, Northampton, Massachusetts, 159  
 Society for Environmental Graphic Design (SEG), 4, 62, 92, 97, 115, 174  
 Spacing of graphic elements, 138–141  
 Specifications:  
   in bidding phase, 47  
   content of, 44–45  
   in documentation phase, 36, 41–45  
   drawing notes vs., 42  
   for fabricators, 42  
   formats for, 42  
   language of, 42, 43  
   technical portion of, 42  
 Spot lights, 170  
 Spreadsheets, message schedules in, 33  
 Stacked graphic elements, 137, 140  
 Stainless steel, 178  
 Standards:  
   approved submittals as, 55  
   specifications for, 44  
 State codes, 90  
 Steel, 178, 194  
 Stock sign hardware systems, 189–190  
 Stone, 184–185  
 Stone finishes, 196  
 Stroke width (for visibility), 114, 115  
 Structural materials, 183  
 Structural regulations, 90  
 Stylistic longevity (of typefaces), 107  
 Styrenes, 180  
 Submittals:  
   specifications for, 44  
 Submittal review, 52–56  
 Summit, New Jersey, 72, 74, 145  
 Suspended signs, 153, 154  
 Symbols, 98–99, 115–119  
   for accessibility, 118  
   AIGA/DOT system of, 117–118  
   arrows, 119–120  
   historical use of, 115  
   positioning of, 136–138  
   proportion of, 133, 135–136  
   as term, 115  
   use of, 116  
   vocabularies of, 116–119  
 Synonyms, avoiding use of, 83  
 Syntax of messages, 84–85
- T**
- Tactile typography, 114  
 Technical portion (specs), 42  
 Tempered glass, 181  
 Template files, artwork files vs., 41  
 TexasDOT, 110  
 Texas Transportation Institute (TTI), 110  
 Thermal stone finishes, 196  
 Three-dimensional elements, *see* Hardware system  
 Tight letterspacing, 112  
 Timing of EGD process, 16–17  
 Titleblocks, 37  
 Title case treatment, 111  
 Tracking, *see* Letterspacing

Traditional look, typefaces for, 106  
 Trescott, Bob, 126–127  
 TTI (Texas Transportation Institute), 110  
 Typefaces, 103–114  
   case of, 108, 111, 112  
   choice of, 104–114  
   formal suitability of, 105–107  
   horizontal/vertical scaling of, 113–114  
   legibility of, 107–114  
   letterspacing with, 111–113  
   novelty, 107  
   for road signs, 126  
   sans serif, 105–108  
   serif, 105–108  
   stylistic longevity of, 107  
   for traditional vs. contemporary looks, 106  
   use of existing vs. new, 104  
 Type font, *see* Font(s)  
 Typographic line spacing, 139–140  
 Typographic style (for visibility), 114  
 Typographic treatments, 108–114  
   case, 108, 111, 112  
   for highway signs, 109–110  
   letterspacing, 111–113  
   scaling, 113–114  
 Typography, 103–115  
   defined, 103  
   formal suitability in, 105–107  
   legibility in, 107–114  
   for nonsighted and low-sighted people, 114–115  
   positioning of, 136–138  
   proportion of symbols to, 133, 135–136  
   for road signs, 126  
   sizing, for viewing distance, 132–133  
   stylistic longevity in, 107  
   tactile, 114  
   typefaces, 103–114  
   typographic treatment, 108–114

**U**  
 Ultimate Symbol/Mies Hora, 119  
 U.S. Department of Transportation, 117  
 United States Green Building Council, 176  
 United States Sign Council, 96  
 Unit price bid forms, 48–49  
 Unity:  
   of form, 160–161  
   of graphic elements, 122–123  
   of materials, 173  
 University of Pennsylvania, 10  
 Up-front conditions (contracts), 42  
**V**  
 Valentine Riverside Museum, Richmond, Virginia, 153  
 Valparaiso College, Valparaiso, Indiana, 181  
 Variances, ordinance, 95  
 Vehicular signage:  
   color coding of, 129–130  
   design issues for, 126–127  
   for exits, color of, 129  
   highway sign system, 109–110  
   *Manual for Uniform Traffic Control Devices* for, 126, 127  
   mounting of, 163  
   size of, 166  
 Verdigris, 194  
 Vertical scaling of typefaces, 113–114  
 Vertical spacing, 138–140  
 Viewing distance, graphics sizes and, 131–133  
 Vinyls, 180  
 Vinyl-coated fabrics, 184  
 Vinyl decals, 145–146  
 Vinyl films, 170, 195  
 Virginia Beach Convention Center, 148, 159, 172  
 Visits:  
   shop, 56–57  
   site, 57–58

Visual balance, 138–139  
 Visual communication, 102  
 Visual impairment:  
   signage for, 89, 91  
   typography for nonsighted/low-sighted people, 114–115  
 Vocabulary:  
   for arrows, 120  
   for messages, 81, 83–84  
   of symbols, 116–119  
 Volatile organic compounds (VOCs), 176

## W

Wall-mounted signs, 153, 154  
 Warning signs, 72, 73  
 Washington, D.C., city signage, 75, 179  
 Wayfinding, 5–6  
   as active process, 6  
   defined, 4  
   key objective in, 5, 6  
   passive vs. active, 82–83  
   signage vs., 5  
   as term, 3  
 Wayfinding signs, 71, 72  
 Welding, 186  
 Wharton School of Business, Philadelphia, Pennsylvania, 75  
 Whitehouse, Roger, 189  
 White space, 96  
 Williams Gateway Airport, Mesa, Arizona, 8  
 Wood, 182–183  
 Wood-fiber panel products, 176  
 Working drawings, 37  
 Workmanship standards specifications, 44

## Y

You Are Here legend (maps), 123–124

## Z

Zion National Park, 121  
 Zoning regulations, 90, 95