

# Index

## • A •

- AASM (American Academy of Sleep Medicine), 45, 46, 51, 194
- ABSM (American Board of Sleep Medicine), 45
- Academy of Dental Sleep Medicine, 48
- accidents
  - bathroom, 121
  - driving, 9, 17–19, 204
  - role of sleep deprivation in famous accidents, 37
  - sleep deprivation and, 9, 15–18, 174
- acetaminophen, 94, 99, 275, 304
- acetylcholine, 96
- aches, 98
- ADA (Americans with Disabilities Act), 222
- Adamec, Christine (*Fibromyalgia For Dummies*), 99
- addiction to sleep aids, 78
- adenoids, 188, 293
- adjustment insomnia, 123
- adrenaline, 136, 138, 142
- advanced sleep-phase syndrome (ASPS)
  - description, 180
  - symptoms, 181
  - treatment, 181
- age
  - insomnia and, 61, 62–63
  - REM sleep behavior disorder and, 258
  - sleep apnea and, 198
  - snoring and, 190
- agranular cytolysis, 265
- air quality, 144–149
- airplane accidents, sleep deprivation and, 18
- alarm mats, 277, 296
- alcohol consumption
  - alcoholics, 135
  - gastroesophageal reflux disease (GERD) and, 104
  - insomnia and, 87
  - night terrors, 250
  - as nightmare trigger, 253
  - nocturnal eating syndrome, 239
  - parasomnia, 232
  - periodic limb movement disorder and, 92
  - sleep apnea risk and, 199
  - as sleep disruptor, 134, 135
  - sleepwalking and, 236
  - snoring, 189
  - while traveling, 169
- alien visitations, 258
- allergens
  - animal dander, 147–148
  - dust mites, 145–146
  - pollen, 146–147
  - smoke, 147
- allergies, snoring and, 187, 191
- Allersearch ADS (Allerx), 146
- ALTE (apparent life-threatening event), 292
- Alzheimer's disease, 63
- Ambien (zolpidem), 43, 80
- American Academy of Pediatrics, 295
- American Academy of Sleep Medicine (AASM), 45, 46, 51, 194
- American Board of Sleep Medicine (ABSM), 45
- Americans with Disabilities Act (ADA), 222
- amitriptyline, 81
- amphetamine, 218–219, 226
- anger, 142
- animal dander, 147–148
- anorexia, 238, 239
- anticonvulsants, 81, 263
- antidepressants
  - avoiding, 64
  - for cataplexy, 220
  - effect on sleep architecture, 106
  - for insomnia, 81
  - interaction with tyramine, 139
  - night terrors and, 250, 252

antidepressants (*continued*)

- as nocturnal seizure triggers, 263
- as PLMD cause, 91
- for posttraumatic stress disorder, 109
- for sleep-related eating disorder, 240
- for sleep-related painful erections, 265
- for sleepwalking, 236

antihistamines

- avoiding, 132, 187, 189–190
- for insomnia, 81

antioxidants, 172

antipsychotics

- for insomnia, 81
- nocturnal seizure triggers, 263

anxiety

- amphetamine side effect, 218
- heart disease and, 103–104
- insomnia and, 73–74, 103–104, 108
- jet lag and, 166, 168
- night terrors and, 248, 252
- reduction by serotonin, 126
- sleep deprivation and, 16
- sleep state misperception, 68
- sleep talking and, 241
- sleepwalking and, 236
- stress and, 307

apnea, 196, 292. *See also* sleep apnea

apparent life-threatening event (ALTE), 292

Argonne National Laboratory, 170

aromatherapy, 121, 123, 154, 322–323

arousal disorders. *See also specific disorders*

- confusion arousal, 236–237
- description, 231
- sleep-related eating disorder, 237–240
- sleepwalking, 233–236
- slow wave sleep (SWS) in, 233

arousal threshold, 71, 95

arthritis, 73, 99

aspirin, 94, 99, 304

ASPS. *See* advanced sleep-phase syndrome

asthma

- animal dander and, 148, 157
- nocturnal, 47
- sleep apnea and, 199
- sleep disruption, 100–102
- smoking and, 147

*Asthma For Dummies* (William E. Berger, MD), 145

astragalus, 172

atonia, 259, 261. *See also* sleep paralysis

automatic behavior, 216–217

automobile accidents, 9, 17–18, 19, 204

autonomic nervous system

- activation, 72
- REM-related sinus arrest and, 266

awakening, timing of, 13

## • B •

babies. *See also* children

- allowing to cry, 285
- amount of sleep required, 290
- deviated septum, 188
- nursing bottle mouth, 288
- sleep apnea, 292–293
- sleeping alone, 284
- Sudden Infant Death Syndrome (SIDS), 294–295

back pain, 96–97

barbiturates

- history of, 78
- nightmare triggers, 253
- nocturnal seizure triggers, 263

bars, on windows, 278

bathroom

- accidents, 121
- securing, 273–274, 276

baths, 121, 291

battery analogy, 10, 12

BedBugg (sleep study device), 55

bedding

- linens, 154–156
- mattress, 152–153, 321
- pillow, 154

bedmate, sleeping disorders in

- bruxism, 314–315
- excessive daytime sleepiness (EDS), 312
- injuries, unexplained, 316
- irritability, 316–317
- memory lapses, 317
- nightmares and night terrors, 317

- periodic limb movement disorder (PLMD), 315–316
- poor judgment, 317
- REM sleep behavior disorder (RBD), 316
- sleep-related eating disorder, 314
- sleepwalking, 313
- snoring and sleep apnea, 312–313
- bedroom
  - air quality, 144–149
  - beds, 271–272
  - ceiling fan, 320
  - clutter, 143, 324
  - comfort for children, 290
  - dresser, 272
  - emotional atmosphere, 141–142
  - flooring, 270–271
  - lighting, 149–150, 319–320
  - locking away dangerous items, 271, 275
  - nightstand, 272
  - office, 273
  - securing exits, 270
  - sleeping in separate beds, 281
  - sleeping in separate rooms, 279–280
  - sleep-proofing, 269–272
  - temperature, 143, 306
  - tripping hazards, 270–271
  - wall color, 321–322
- beds
  - preparing for sleep, 122
  - safety issues with, 271–272
- bedtime
  - adjusting to prevent jet lag, 168
  - choosing appropriate, 116–118
  - as part of daily schedule, 113–114
  - planning for, 118
  - setting regular for children, 290
  - sticking to schedule, 117
- bedtime routine
  - adding items to, 119
  - baths, 121, 291
  - bed, preparing for sleep, 122
  - bedroom comfort, 290
  - building, 288–291
  - calming activity, 291
  - conditioning, 287
  - dealing with emotional upsets, 305
  - duration, 289
  - establishing, 286–288
  - food before bedtime, 125–126
  - grooming routines, 122
  - homeopathic sleep remedies, 125
  - hour before bedtime, 121
  - importance of, 118–119
  - pajamas, 291
  - planning, 119–120
  - reading, 123–124
  - regular bedtime, 290
  - relaxation activity, 123
  - ritualized, 118, 287–288
  - for stress management, 307
  - tea, 125
  - television viewing, 124
  - winding down, 120–126
- bedwetting
  - description, 297–298
  - secondary, 298
  - sleep apnea and, 293
  - symptoms, 298
  - treatment, 298
- Benadryl, 252
- benzodiazepines
  - benefits, 79
  - drawbacks, 79–80
  - history of, 78
  - for insomnia, 79–80
  - nightmare triggers, 253
  - nocturnal seizure triggers, 263
  - periodic limb movement disorder (PLMD), 92
- Berger, William E., MD (*Asthma For Dummies*), 145
- beta blockers, 253
- Better Sleep Council, 127
- Bhopal disaster, role of sleep deprivation in, 37
- Bio-Brite, Inc. (Jet Lag Light Visor), 170
- biofeedback
  - for insomnia, 86
  - for night terrors, 252
  - for pain management, 131
- biological clock. *See* internal clock

- biological rhythms, 13, 164. *See also* circadian rhythm
- bipolar disorder, 107–108, 261
- blindness, circadian rhythm disorders, 165
- blood pressure
- amphetamine side effect, 218
  - in night terrors, 251
  - penile, 264
  - sleep apnea and, 197, 198, 201, 293
  - sleep disruption and, 74, 102, 103
  - smoking and, 136
  - tyramine effect on, 138
- bodyrocking, 242, 299
- bodyrolling, 242, 299
- bottle rot, 288
- brain
- actions during sleep, 11
  - epileptiform brain wave patterns, 45
  - internal clock, 13, 165, 167, 177, 320
  - recharging with sleep, 10, 15
  - requirement for sleep, 16, 114
- breathing. *See also* sleep apnea
- Cheyne-Stokes respiration, 103
  - deep, 86, 129–130
  - interrupted, 200
  - sleep stage and, 12–13
- breathing mask, 54, 56
- bright-light therapy
- for advanced sleep-phase syndrome (ASPS), 181
  - circadian rhythm alteration with, 118
  - for delayed sleep-phase syndrome, 178
  - for irregular sleep-wake pattern, 180
  - for jet lag, 170
  - for non-24-hour sleep-wake syndrome, 182
- Brizer, David, MD (*Quitting Smoking For Dummies*), 137
- bronchitis, 147, 199
- bronchodilators, 263
- bruxism
- in bedmate, 314–315
  - in children, 299–300
  - description, 244–245
  - symptoms, 245, 300
  - treatment, 245, 300, 315
- bulimia, 238, 239
- C •
- caffeine
- content of popular snacks, 135
  - daily consumption of, 134, 135
  - fatal dose, 135
  - insomnia and, 73, 75
  - jet lag and, 169
  - night terrors and, 248, 252
  - nocturnal eating syndrome and, 239
  - periodic limb movement disorder and, 92
  - as sleep disruptor, 134–136, 304–305
- calf muscles, cramps of, 242–243
- calming activity, as bedtime routine, 291
- Cameron Packaging (Web site), 279
- CAPSO (cautery-assisted palatal stiffening operation), 195
- carbon monoxide, 145, 159
- cataplexy
- description, 214–215
  - treatment, 218, 220, 221
- cautery-assisted palatal stiffening operation (CAPSO), 195
- CBT. *See* cognitive behavior therapy
- ceiling fan, 320
- Centers for Disease Control, 121
- central sleep apnea (CSA), 47, 186, 197
- chamomile tea, 83
- Chernobyl disaster, role of sleep deprivation, 174
- Cheyne-Stokes respiration, 103
- children
- amount of sleep required, 290–291
  - analyzing sleep disorders, 291–292
  - bedtime, 290
  - bedtime routine, 286–291
  - bedwetting, 297–298
  - confusion arousal, 236
  - control of sleep practices, 284
  - cosleeping, 157, 285, 287
  - melatonin use in, 169
  - narcolepsy, 223
  - night terrors, 248, 252, 297
  - nightmares, 253, 297
  - parasomnias in, 24
  - pediatricians, consulting, 47–48

- rhythmic movement disorder, 241, 299
- sleep apnea, 292–294
- sleep diary, 36
- sleep habits, establishing good, 286–288
- sleep-onset association objects, 285, 286
- sleep questionnaire, 289
- sleep talking, 295–296
- sleepwalking, 235, 295–296
- slow wave sleep (SWS), 295
- Sudden Infant Death Syndrome (SIDS), 294–295
- teeth grinding, 299–300
- why children resist sleep, 284–286
- chin straps, 192
- chloral hydrate, 78
- chocolate, as nightmare trigger, 253
- choking feeling, in sleep apnea, 201
- chronic insomnia, 65, 67, 74, 77
- chronic obstructive pulmonary disease (COPD), sleep disruption and, 100–102
- chronic sleeplessness, causes of, 30–31
- chronobiology, 164
- chronotherapy
  - for advanced sleep-phase syndrome (ASPS), 181
  - for delayed sleep-phase syndrome (DSPS), 178
- chyme, 140
- circadian rhythm
  - altering with bright-light therapy, 118
  - asthma and, 100
  - chronobiology, 164
  - functions of, 164
  - resetting with light, 165
  - as sleep-wake mechanism, 72
- circadian rhythm disorders
  - advanced sleep-phase syndrome (ASPS), 180–181
  - delayed sleep-phase syndrome (DSPS), 176–178
  - description, 23–24, 60
  - irregular sleep-wake pattern, 179–180
  - jet lag, 166–172
  - light effect on, 164–165
  - multiple sleep latency test for, 54
  - non-24-hour sleep-wake syndrome, 181–182
  - shift-work sleep disorder, 172–176
  - sleep paralysis and, 261
- circadian suites, 171
- clock, biological. *See* internal clock
- clonazepam
  - for REM sleep behavior disorder, 260
  - for sleepwalking, 296
- clozapine, for sleep-related painful erections, 265
- cluster headache, 97, 138–139
- clutter, reducing, 143, 324
- coffee, 304–305
- cognitive behavior therapy (CBT)
  - description, 46
  - for insomnia, 84–85
  - pain relief, 97
  - for rhythmic movement disorder, 242
- cold, common, 187
- cold, sleep disruption from, 306
- color, wall, 321–322
- Committee on Quality of Health Care in America, 37
- concentration
  - insomnia and, 74
  - shift-work sleep disorder and, 175
  - sleep deprivation and, 9, 16
  - sleepiness and, 214
- conditioned insomnia, 67–68
- conditioned reflex, 287
- conditioned response, 69
- confusion, jet lag and, 166
- confusional arousals
  - description, 236
  - symptoms, 236–237
  - treatment, 237
- congestion, nasal, 132, 187
- congestive heart failure, 103
- continuous positive airway pressure (CPAP), 193, 203–205, 293
- coordination, loss in parasomnias, 268
- COPD (chronic obstructive pulmonary disease), sleep disruption and, 100–102
- cortisol, 103, 239, 310
- cosleeping, 157, 285, 287

## costs

- accidents caused by disturbed sleep, 174
- insomnia, 62
- surgery to reduce snoring, 194–196

## cotton sheets, 155–156

## CPAP (continuous positive airway pressure), 193, 203–205, 293

## CSA (central sleep apnea), 47, 186, 197

## • D •

## date-rape drug, 220

## daytime residue, 253

## death, sleep deprivation and, 16

## decibels, 185

## decongestant, 132, 187

## decorative items, removing, 324

## deep breathing, 86, 129–130

## deep sleep stages, 12

## dehydration

- cramps and, 243
- jet lag and, 169

## delayed sleep-phase syndrome (DSPS)

- description, 65, 176–177
- incidence, 176, 177
- symptoms, 177–178
- treating, 178

## dementia

- paranoia symptoms, 107
- REM sleep behavior disorder and, 259
- sleep disruption and, 63

## dentists, 48, 193, 315

## depression

- in bipolar disorder, 107–108
- delayed sleep-phase syndrome and, 177
- in hypersomnia, 225
- insomnia and, 61, 63–64, 73
- narcolepsy and, 224
- paranoia symptoms, 107
- sleep deprivation and, 16
- sleepiness and, 214
- sleep paralysis and, 261
- sleep-related eating disorder and, 237

## deviated nasal septum, 188

## diabetes

- restless legs syndrome and, 90
- sleep deprivation and, 16

diary. *See* sleep diary

## diazepam, for sleepwalking, 296

## digestion

- indigestion, 104–105, 137, 201, 239, 308
- jet lag and, 166
- process, 140
- in prone position, 137
- as sleep disruptor, 308
- volatile oils and, 139

## disability laws, 222

## diuretics, 169, 243

## diurnal mammals, 164

## dizziness

- amphetamine side effect, 218
- Modafinil side effect, 219

## doctors

- dentists, 48, 193, 315
- examining symptoms prior to visit, 20
- importance of consulting, 39, 41
- informing doctor of stresses, 43
- insomnia diagnosis, 75–77
- insomnia treatment, 77–78
- insurance coverage, 48–50
- internists, 46–47
- neurologists, 45–46
- otolaryngologists, 47
- pediatricians, 47–48, 283
- primary care physician (PCP), 42–44
- psychologists and psychiatrists, 46
- pulmonologists, 46–47
- sleep deprivation in, 18, 43
- sleep specialist, 42, 44–48
- training in sleep medicine, 43–44
- when to consult, 38–39

## doorknobs, childproof, 277

## doors, securing, 276–277

## doxepin, 81

## drawer locks, 274

## dreammoods.com (Web site), 255

## dreams

- in children, 297
- color in, 253

interpreting, 255  
 memory of, 11  
 nightmares, 252–256, 297, 317  
 posttraumatic stress disorder (PTSD),  
   108–109, 253, 255  
 during rapid eye movement (REM) sleep,  
   11, 12–13  
 in REM sleep behavior disorder, 259–260  
 dresser, safety issues with, 272  
 driving  
   accidents, 9, 17–18, 19, 204  
   narcolepsy and, 224  
 Drowsy Driver education program  
   (National Sleep Foundation), 15  
 drug abuse  
   night terrors and, 250  
   nightmare trigger, 253  
   nocturnal seizure trigger, 263  
   sleepwalking and, 236  
 drunk driving, 17  
 dry mouth, 201  
 DSPS. *See* delayed sleep-phase syndrome  
 dust mites, 145–146  
 dyssomnia  
   categories of, 60  
   definition, 60, 164

## ● E ●

early morning awakening insomnia, 65  
 earplugs, 151, 158, 185  
 echinacea, 172  
 EDS. *See* excessive daytime sleepiness  
 Elliot, Charles H. (*Overcoming Anxiety For  
 Dummies*), 307  
 emotions  
   bedroom atmosphere, 141–142  
   produced by nightmares, 255  
   upsets from sleep deprivation, 305–306  
 endorphins, 97  
 environmental insomnia, 309  
 Environmental Protection Agency, 149  
 ephedra, 133  
 epileptiform brain wave patterns, 45  
 Epworth Sleepiness Scale, 21

erections. *See* sleep-related painful erections  
 escape-proofing your house  
   doors and garages, 276–277  
   windows and window bars, 277–278  
 evaluating sleep  
   chronic sleeplessness, 30–31  
   diagnosis, 32–38  
   need for evaluation, 28–29  
   seeking professional help, 38–39  
   sleep debt, 36–38  
   sleep diary, 32–36  
   temporary sleeplessness, 29–30  
 excessive daytime sleepiness (EDS)  
   in bedmate, 312  
   hypersomnia, 225  
   multiple sleep latency test for, 54  
   narcolepsy, 214  
   sleep apnea, 200, 293  
   treatment, 218–219  
 exercise  
   for back pain relief, 97  
   before bedtime, 88, 123  
   gentle, 305  
   for jet lag prevention, 168  
   positive effects of, 309–310  
   as sleep disruptor, 310  
 explosive breaths, 186  
 extrinsic sleep disorders, 60  
 Exxon Valdez, role of sleep deprivation in,  
   37, 164

## ● F ●

fan, ceiling, 320  
 fatigue  
   insomnia and, 74  
   parasomnia and, 232  
   sleepwalking and, 236  
 fats, 139  
 FDA (Food and Drug Administration),  
   133, 219  
 Ferber, Dr. Richard (sleep specialist), 285  
 Feuerstein, Georg (*Yoga For Dummies*),  
   305–306  
 fibromyalgia, 97, 99

*Fibromyalgia For Dummies* (Roland Staud, MD and Christine Adamec), 99

fight or flight response, 136, 251

fires, 158–159, 323

Fitzgerald, F. Scott (*Sleeping and Walking*), 25

flannel sheets, 156

flooring, safety issues with, 270–271, 276

fluoxetine

- for cataplexy, 220
- for sleep-related eating disorder, 240

flutamide, 253

flylady.net (Web site), 143

food

- avoiding problem foods, 137–140
- at bedtime, 87
- fats, 139
- gastroesophageal reflux disease (GERD) and, 104
- locking away, 275
- nightmare triggers, 253
- potassium-rich, 242
- tryptophan-rich, 125–126, 170
- tyramine-rich, 138–139
- tyrosine-rich, 138
- volatile oils, 139
- while traveling, 170, 171

Food and Drug Administration (FDA), 133, 219

fountain, tabletop, 322

## • G •

gamma-hydroxybutyrate (GHB), 220

garages, securing, 276–277

gastroesophageal reflux disease (GERD), 104

gate, safety, 273

genetics

- narcolepsy, 210, 213
- parasomnia, 232
- sleep apnea and, 199
- sleepwalking, 235

GHB (gamma-hydroxybutyrate), 220

ginger, 133

Ginkgo Biloba, 133

ginseng, 133

glucose tolerance, 103

glycine, 259

grand mal seizures, 263

grinding teeth. *See* bruxism

grooming routines, nighttime, 122

growth hormone, 11

guarana, 133

guided imagery, 305

## • H •

hallucinations

- hypnagogic, 214–216, 248–250, 257–258
- hypnopompic, 216, 248, 256–258
- in narcolepsy, 208, 210, 214–216
- with sleep paralysis, 260, 262

hangover effect, 79, 81

Hardin, John Wesley (outlaw), 185

head trauma

- hypersomnia and, 225
- narcolepsy and, 213

headache

- amphetamine side effect, 218
- in bruxism, 245
- caffeine withdrawal, 136
- fluorescent lighting, 320
- in hypersomnia, 225
- insomnia and, 74
- jet lag and, 166
- Modafinil side effect, 219
- pain, 97–98, 99
- shift-work sleep disorder and, 175
- sleep apnea and, 201, 293
- tyramine-induced, 138–139

headbanging, 242, 299

headboards, safety issues with, 271

headrolling, 242, 299

health insurance. *See* insurance

healthsquare.com (Web site), 139

heart disease

- anxiety and, 103–104
- congestive heart failure, 103
- REM-related sinus arrest, 265–266

- sleep apnea and, 100, 102–103, 198, 293  
 sleep deprivation and, 15–16, 102–103  
 ventricular arrhythmia, 102  
 heart rate, sleep stage and, 12–13  
 heartbeat, irregular, 201  
 heartburn, 201  
 heat, sleep disruption from, 306  
 herbs  
   immune system boosters, 172  
   sleep aids, 82–84  
   stimulants, 133  
   tea, 119, 125  
 High-Efficiency Particulate Air (HEPA)  
   filters, 145  
 HLA (human leukocyte antigen),  
   211–213, 219  
 home office, 273, 323–324  
 homeopathic sleep remedies, 125  
 homeostasis, 13, 211  
 homeostatic sleep process, 70–71  
 hormones  
   effect on insomnia, 62  
   narcolepsy and, 213  
 house, safety-proofing  
   bathroom, 273–274, 276  
   bedroom, 269–273  
   doors, 276–277  
   garages, 276–277  
   kitchen, 273–276  
   office, bedroom, 273  
   staircase, 273  
   windows, 277–278  
*How Can I Sleep* (song), 59  
 human leukocyte antigen (HLA),  
   211–213, 219  
 humidity, 148–149  
 hydration, 169  
 hygrometer, 149  
 hyperhydrosis, 201, 246  
 hypernycthemeral syndrome, 181–182  
 hypersomnia  
   description, 224–225  
   diagnosis and treatment, 225–226  
   narcolepsy compared, 208, 225  
   neurologist consultation, 45  
   posttraumatic, 211, 213  
 hypertension, 201. *See also* blood pressure  
 hypnagogic hallucinations  
   causes, 257  
   compared to night terrors and  
     nightmares, 249–250  
   description, 248, 256–257  
   narcolepsy, 214–216  
   symptoms, 257–258  
   terrifying, 257  
   treatment, 258  
 hypnagogic jerks, 245  
 hypnic jerks, 245  
 hypnopompic hallucinations, 216, 248,  
   256–258  
 hypnosis, for night terrors, 252  
 hypnotics  
   for advanced sleep-phase syndrome  
     (ASPS), 181  
   benzodiazepines, 79–80  
   for delayed sleep-phase syndrome, 178  
   history of, 78  
   for insomnia, 79–81  
   non-benzodiazepines, 80–81  
   for sleepwalking, 296  
 hypocretin, 211–212, 221  
 hypopnea, 196  
 hypothalamus  
   hypocretin neurons, 212  
   light effect on, 165  
   periodic hypersomnia and, 225  
   role in homeostasis, 211  
 hypoxia, 101



- I Couldn't Get to Sleep Last Night* (song), 59  
 ibuprofen, 94, 99, 131, 304  
 icons, used in the book, 5–6  
 Iknoin, Therese (*T'ai Chi For Dummies*), 305  
 illness, as sleep disruptor, 131–132,  
   307–308

- imagery
  - for emotional upset relief, 305
  - for insomnia treatment, 86, 128
- imipramine, 220
- immune system
  - boosting before travel, 172
  - exercise and, 309
  - natural killer (NK) cells, 11
  - sleep requirements, 14
- incubus, 249
- indigestion, 104–105, 137, 201, 239, 308
- industrial accidents, 18
- infections, sleep deprivation and, 16
- injuries. *See also* safety
  - in REM sleep behavior disorder (RBD), 248
  - unexplained, 316
- insomnia
  - adjustment, 123
  - advanced sleep-phase syndrome (ASPS), 181
  - age and, 61, 62–63
  - causes, 22–23, 72–73
  - chronic, 65, 67, 74, 77
  - classification according to duration of symptoms, 65–67
  - classification according to type of sleep disturbance, 64–65
  - classification according to underlying causes, 67–70
  - clinical history questions, 75–76
  - conditioned, 67–68
  - costs of, 62
  - depression and, 61, 63–64, 73
  - description, 22–23, 60
  - diagnosis, 75–77
  - duration, 61
  - dynamic model of, 71
  - early morning awakening, 65
  - environmental, 309
  - F. Scott Fitzgerald essay on, 25
  - facts about, 61
  - idiopathic, 68
  - incidence of, 59
  - irregular sleep-wake pattern, 180
  - jet lag and, 166
  - multiple sleep latency test for, 54
  - napping, effect of, 70, 87
  - non-24-hour sleep-wake syndrome, 182
  - periodic limb movement disorder (PLMD), 91–92
  - predisposition, precipitation, and perpetuation, 71
  - primary, 67–68, 73–74
    - as psychiatric condition, 66
    - psychophysiological, 67–68
    - rebound, 80
    - restless legs syndrome (RLS), 89–91
    - secondary, 68–70, 93–109
    - shift-work sleep disorder and, 175
    - short-term, 66–67, 77
    - sleep diary, 76
    - sleep-maintenance, 65
    - sleep mechanisms and, 70–72
    - sleep-onset, 64–65, 178
    - sleep starts and, 244
    - sleep studies, 76–77
    - stage 1 sleep, 12
    - symptoms of primary, 73–74
    - terminal, 65
    - transient, 66, 77, 123
    - in women, 60–61
  - Insomnia* (movie), 60
  - insomnia treatment
    - antihistamines, 81
    - benzodiazepines, 79–80
    - biofeedback, 86
    - chamomile tea, 83
    - cognitive behavior therapy (CBT), 84–85
    - deep breathing, 86
    - herbal sleep aids, 82–84
    - hypnotics, 79–81
    - imagery training, 86
    - jasmine scent, 84
    - melatonin, 82–83
    - OTC sleep aids, 81–82
    - prescription sleep aids, 78–81
    - progressive muscular relaxation, 86
    - protocols, 77

sedating antidepressants, antipsychotics,  
and anticonvulsants, 81  
sleep hygiene education, 86  
sleep restriction, 85  
stimulus control, 85–86  
valerian root, 83  
insurance, 45, 48–50  
internal clock. *See also* circadian rhythm  
bipolar disorder and, 108  
brain and, 13, 165, 167, 177, 320  
depression and, 106  
International Classification of Sleep  
Disorders, 19  
internists, 46–47  
intrinsic sleep disorders, 60  
irregular sleep-wake pattern  
extrinsic and intrinsic, 179  
symptoms, 180  
treating, 180  
irritability  
amphetamine side effect, 218  
in bedmate, 316–317  
insomnia and, 74  
jet lag and, 166  
shift-work sleep disorder and, 175  
sleep apnea and, 202  
sleepiness and, 214

## • J •

jasmine scent, 84, 122, 154, 323  
jet lag  
description, 166  
diet and, 170, 171  
direction of travel and, 167, 171  
preventing, 168–170  
sleep paralysis and, 261  
symptoms, 166–167  
treating, 171–172  
why it happens, 167–168  
Jet Lag Light Visor (Bio-Brite, Inc.), 170  
Johns, Dr. Murray (Epworth Sleepiness  
Scale), 21  
judgment, poor, 317

## • K •

keepkidshealthy.com (Web site), 285  
ketamine, 253  
keys, identifying, 275  
kidney disease, 89  
kill switch  
automobile ignition, 277  
stove, 275  
kitchen, securing, 273–276  
kola nuts, 133

## • L •

lactic acid, 98  
lark, 115–118  
laser-assisted uvulopalatopharyngoplasty  
(LAUP), 195  
lavender, 122, 154, 323  
L-dopa, 260  
leg cramps. *See* nocturnal leg cramps  
leg swelling, 201–202  
leptin, 239  
light  
for advanced sleep-phase syndrome  
(ASPS), 181  
bedroom lighting, 149–150, 319–320  
circadian rhythm and, 164–165  
for delayed sleep-phase syndrome, 178  
for irregular sleep-wake pattern, 180  
jet lag and, 171  
for non-24-hour sleep-wake syndrome, 182  
seasonal affective disorder (SAD) and, 109  
shift-work sleep disorder and, 175  
linens, 154–156, 323  
lithium, 263  
lock  
door, 276–277  
drawer, 274  
location, 277  
refrigerator, 275  
window, 277  
locking away dangerous items, 271, 275  
lorazepam, for sleepwalking, 296  
lupron, 265

## • M •

- Ma Huang, 133
- MacDonald, Maggie (drowsy driver victim), 18
- mandibular-advancement devices, 193, 204
- manic-depression, 107–108
- MAO inhibitors
  - interaction with tyramine, 139
  - night terrors, 250
  - for sleep-related painful erections, 265
- massage, before bedtime, 122
- mattress, 152–153, 321
- Medicaid, 50
- Medical Clinics of North America* (journal), 44
- medical history, 42
- medical insurance. *See* insurance
- medical schools, sleep programs at, 50
- Medicare, 50
- medications. *See also specific drugs*
  - arousal threshold, effect on, 71
  - for delayed sleep-phase syndrome, 178
  - hangover effect, 79, 81
  - herbal sleep aids, 82–84
  - history of sleeping pills, 78
  - for hypersomnia, 226
  - as insomnia cause, 73
  - for jet lag, 171
  - long-acting, 63
  - for narcolepsy, 218–220
  - night terrors and, 250
  - nightmare triggers, 253
  - nocturnal seizure triggers, 263
  - in older adults, 63
  - OTC sleep aids, 81–82
  - pain, 94–100
  - prescription sleep aids, 78–81
  - restless legs syndrome and, 90–91
  - securing, 271, 275–276
  - as sleep disruptors, 308–309
  - for sleep-related eating disorder, 240
- meditation, 123, 305, 307
- melatonin
  - for advanced sleep-phase syndrome (ASPS), 181
  - benefits, 82
  - circadian rhythm and, 165
  - drawbacks, 82–83
  - for insomnia, 82–83
  - for jet lag prevention, 169–170
  - light and, 150
  - nocturnal eating syndrome, 239
  - for non-24-hour sleep-wake syndrome, 182
  - organic, 170
  - seizures from, 169
- memory
  - of dreams, 11
  - insomnia and, 74
  - jet lag and, 166
  - lapses in bedmate, 317
  - organization and storage during sleep, 11
  - sleep apnea and, 202
  - sleep deprivation and, 9
  - sleepiness and, 214
- men
  - REM sleep behavior disorder and, 258
  - sleep apnea in, 198
  - snoring in, 184
- mental health. *See also specific conditions*
  - anxiety, 108
  - bipolar disorder, 107–108
  - depression, 105, 106
  - paranoia, 106–107
  - posttraumatic stress disorder, 108–109
  - seasonal affective disorder, 109
  - sleep and, 105–109
- mental health specialist, 46
- methylphenidate, 219
- microsleep, 200
- migraine headache, 97, 138
- Miles, Elizabeth (*Organizing For Dummies*), 143
- mixed sleep apnea (MSA), 197
- Modafinil, 219
- mood instability, sleep disorders and, 46
- MSA (mixed sleep apnea), 197
- multiple sclerosis
  - neurologist consultation, 45
  - REM sleep behavior disorder and, 259
- multiple sleep latency test (MSLT), 45, 54–56, 217, 226

muscle weakness, in narcolepsy,  
208, 214–215  
muscular pain, 98–99  
muscular relaxation, 130  
music, 88, 123, 151  
mythsdreamssymbols.com (Web site), 255

## • N •

napping  
in hypersomnia, 225  
insomnia and, 70, 87  
irregular sleep-wake pattern, 180  
jet lag and, 169  
narcolepsy and, 209, 222  
shift-work sleep disorder and, 175  
sleep debt and, 114  
naproxen, 94  
narcolepsy  
automatic behavior, 216–217  
cataplexy, 214–215  
causes, 210–213  
in children, 223  
description, 24, 208–210  
diagnosis, 217–218  
as disability, 222  
disturbed nighttime sleep, 216  
driving and, 224  
drug therapy, 218–220  
excessive daytime sleepiness (EDS), 214  
genetic component, 210, 213  
hallucinations, 208, 210, 214–216  
head trauma and, 213  
hormonal effects on, 213  
human leukocyte antigens (HLA),  
211–213, 219  
hypnagogic hallucinations, 257  
hypocretin and, 211–212  
incidence of, 207–208, 210  
living with, 221–224  
neurologist consultation, 45  
posttraumatic hypersomnia, 211, 213  
prognosis, 221  
REM sleep, 209–210, 214, 218  
secondary, 211  
sleep attacks, 208–209  
sleep paralysis, 208–210, 214, 215–216  
support group, 223  
symptom onset, 210  
symptoms, 213–217  
treatment, 218–221  
undiagnosed, 207  
work, managing, 222–223  
narcolepsynetwork.org (Web site), 223  
narcotics, 263  
nasal congestion, 132, 187  
nasal reflux, 195  
nasal sprays, 132, 192  
nasal strips, 192  
National Commission on Sleep Disorders  
Research, 198  
National Fire Prevention Association, 158  
National Highway Traffic Safety  
Administration, 38  
National Highway Transportation Safety  
Association, 17  
National Institute of Neurological Disorders  
and Stroke, 208  
National Sleep Foundation  
driving accident data from, 17  
Drowsy Driver education program, 15  
insomnia statistics from, 59  
on pain and sleep disruption, 94, 96,  
131, 304  
polls and surveys, 32, 37, 63, 184  
natural killer (NK) cells, 11  
nature sounds, 151  
nausea  
amphetamine side effect, 218  
jet lag and, 166  
Modafinil side effect, 219  
neurologists, 45–46  
neurotransmitters, 126, 211, 261  
nicotine, 87, 136  
night owl, 115–118  
night sweats, 201, 246, 293  
night terrors  
in bedmate, 317  
causes, 250–251  
in children, 297  
comparison to nightmares and  
hypnagogic hallucinations, 249–250

night terrors (*continued*)

description, 248–249

symptoms, 251, 297

treatment, 251–252, 297

nightclothes, 122, 291

nightlights, 150

nightmares

in bedmate, 317

causes, 253–254

in children, 297

comparison to night terrors and  
hypnagogic hallucinations, 249–250

description, 252–253

incidence, 254

sleep apnea and, 293

symptoms, 254–256, 297

treatment, 256, 297

nightstand, safety issues with, 272

NK (natural killer) cells, 11

nociception, 95, 99

nocturnal asthma, 47

nocturnal eating syndrome. *See* sleep-  
related eating disorder

nocturnal leg cramps

description, 242

symptoms, 242–243

treatment, 243–244

nocturnal seizures

causes, 263

description, 262–263

injuries during, 269

symptoms, 263

treatment, 263–264

noise reduction, 150–151

noise, white, 88, 151

non-24-hour sleep-wake syndrome, 181–182

non-rapid eye movement (NREM) sleep

in arousal disorders, 233

narcolepsy and, 209–210

stages, 12

nonsteroidal anti-inflammatory drugs  
(NSAIDs), 95

norepinephrine, 138

Nurses Health Study, 15

nursing bottle mouth, 288

## • O •

obesity

sleep apnea and, 293

sleep deprivation and, 16

obstructive sleep apnea (OSA), 47, 54–55,  
185–186, 191, 197

office, bedroom, 273, 323–324

oils, volatile, 139

olanzapine, 265

oral appliances, 48, 56, 192–193, 204

orexin, 211

*Organizing For Dummies* (Eileen Roth and  
Elizabeth Miles), 143

OTC sleep aids, 81–82

otolaryngologists, 47

*Overcoming Anxiety For Dummies* (Charles  
H. Elliott and Laura L. Smith), 307

oxygen

deprivation, 17

hypoxia, 101

saturation in COPD patient, 101

## • P •

padding, protective, 272, 276, 279

pain

acute and chronic, 304

arthritis, 99

back, 96–97

definitions of, 95

fibromyalgia, 97, 99

headache, 97–98, 99

management of, 94–95, 97, 100

muscular, 98–99

nociception, 95, 99

REM sleep and, 96

as sleep disruptor, 94–100, 131, 304

pajamas, 122, 291

panic disorder, 261

PAP (positive airway pressure), 54, 294

paralysis. *See* sleep paralysis

paranoia, 106–107

parasomnia. *See also specific disorders*

arousal disorders, 233–240

bruxism, 244–245, 299–300

- causes, 231–232
- in children, 24
- classifications, 230
- confusional arousal, 236–237
- description, 24, 229–231
- diagnosis, 232–233
- effect on relationships, 268
- genetic predisposition, 232
- hypnagogic hallucinations, 256–258
- night sweats, 246
- night terrors, 248–252
- nightmares, 252–256
- nocturnal leg cramps, 242–244
- nocturnal seizures, 262–264
- REM sleep behavior disorder (RBD), 209, 258–260
- REM-related sinus arrest, 265–266
- rhythmic movement disorder, 241–242
- sleep paralysis, 260–262
- sleep-related eating disorder, 237–240
- sleep-related painful erections, 264–265
- sleep starts, 244, 245
- sleep talking, 240–241, 295–296
- sleep-wake transition disorders, 240–244
- sleepwalking, 233–236, 295–296, 313
- Sudden Infant Death Syndrome (SIDS), 294–295
- parasympathetic nervous system, 72
- Parkinson's disease
  - neurologist consultation, 45
  - REM sleep behavior disorder and, 259, 260
  - restless legs syndrome and, 89
  - sleep disruption and, 63
- PAT (peripheral arterial tone), 55
- Pavlov, Ivan (scientist), 69, 287
- Payne, Larry (*Yoga For Dummies*), 305–306
- PCP (primary care physician), 42–44
- pediatricians, 47–48, 283
- Pediatrics* (journal), 295
- penicillin, 263
- penile plaques, 264
- periodic limb movement disorder (PLMD)
  - in bedmate, 315–316
  - insomnia and, 91–92
- peripheral arterial tone (PAT), 55
- peripheral neuropathy, 89
- pets
  - in the bedroom, 157–158
  - dander, 147–148
- phase lag syndrome. *See* delayed sleep-phase syndrome
- pillow, 154
- pineal gland, 150, 165
- PLMD. *See* periodic limb movement disorder
- PMR (progressive muscular relaxation), 130
- pollen, 146–147
- polycythemia, 201
- polysomnography
  - attachments, 52–53
  - hypersomnia diagnosis, 226
  - information recorded, 53
  - interpretation of results, 53–54
  - multiple sleep latency test (MSLT), 54–56
  - narcolepsy diagnosis, 217–218
  - sleep apnea diagnosis, 203, 293
- positive airway pressure (PAP), 54, 294
- posttraumatic hypersomnia, 211, 213
- posttraumatic stress disorder (PTSD)
  - description, 108–109
  - dreams, 253, 255
  - incidence, 253
  - treatment, 109
- potassium deficiency, 242
- pramipexole, 91, 260
- prayers, 123, 305, 307
- predormital myoclonus, 245
- premenstrual syndrome, insomnia and, 62
- prescription sleep aids, 78–81
- primary care physician (PCP), 42–44
- primary insomnia
  - conditioned insomnia, 67–68
  - idiopathic insomnia, 68
  - sleep state misperception, 68
  - symptoms of, 73–74
- procarbazine, 253
- progressive muscular relaxation, insomnia
  - treatment, 86
- progressive muscular relaxation (PMR), 130
- pseudoephedrine, 133
- psychologists and psychiatrists, 46
- psychophysiological insomnia, 67–68

PTSD. *See* posttraumatic stress disorder  
 pulmonologists, 46–47  
 pulse oximeter, 52  
 pulse point therapy, 154

## • Q •

*Quitting Smoking For Dummies*

(David Brizer, MD), 137

quiz, sleepiness, 21–22

## • R •

radio frequency ablation (RFA), 195

*Radiology* (journal), 136

rapid eye movement (REM) sleep

description, 12–13

dreaming during, 11, 12–13

narcolepsy and, 209–210, 214, 218

pain perception and, 96

sleep apnea-related decrease in, 198

sleep paralysis during, 260–261

sleep-related painful erections, 264

sleepwalking, 234

*Rat Race* (movie), 207

RBD. *See* REM sleep behavior disorder

reading, 87, 117, 120, 123–124

rebound insomnia, 80

recording control room, 51

refrigerator, locking, 275

relationships, effect of sleep deprivation  
 on, 9

relaxation

bath, 121

in bedtime routine, 123

deep breathing, 129–130

for emotional upset relief, 305

grooming routines, 122

for headaches, 98

imagery, 128

massage, 122

as nocturnal eating syndrome therapy, 239

progressive muscular relaxation, 130

as sleep talking therapy, 241

as sleepwalking therapy, 236

REM sleep. *See* rapid eye movement (REM)  
 sleep

REM sleep behavior disorder (RBD)

in bedmate, 316

causes, 259

description, 209, 258–259

incidence, 258

injuries during, 248, 269

symptoms, 260

treatment, 260

Remember icon, 6

REM-related sinus arrest

causes, 265

description, 265

symptoms, 265–266

treatment, 266

respiratory illness, while traveling, 170

restless legs syndrome (RLS)

insomnia and, 89–91

neurologist consultation, 45

symptoms, 89–90

treatment, 90–91

restraints, 278–279

RFA (radio frequency ablation), 195

rhythmic movement disorder

in children, 241, 299

description, 241–242

symptoms, 242, 299

treatment, 242, 299

Ritalin, 219

rituals, bedtime, 287–288

Roth, Eileen (*Organizing For Dummies*), 143

## • S •

SAD (seasonal affective disorder), 109

safety

adjusting to new safety routine, 281

bathroom, 273–274, 276

bedroom, 269–273

doors, 276–277

escape-proofing your home, 276–278

garages, 276–277

kitchen, 273–276

office, bedroom, 273

- padding for protection, 279
- planning for safety issues, 269
- restraints, 278–279
- separate bedrooms, 279–280
- separate beds, 281
- sleepwalking, 235
- staircase, 273
- statistics, 269
- windows, 277–278
- saline wash, 132
- satin sheets, 156
- schizophrenia, 107
- SCN (suprachiasmatic nuclei), 13, 150, 165, 170
- SDB (sleep-disordered breathing), 100
- seasonal affective disorder (SAD), 109
- secondary insomnia
  - anxiety and, 108
  - asthma and, 100–102
  - bipolar disorder and, 107–108
  - chronic obstructive pulmonary disease (COPD) and, 100–102
  - depression and, 105, 106
  - description, 68–70
  - heart disease and, 102–104
  - indigestion and, 104–105
  - pain and, 94–100
  - paranoia and, 106–107
  - posttraumatic stress disorder, 108–109
  - seasonal affective disorder, 109
- security gate, 273
- sedative-hypnotic medication, 43
- seizures, nocturnal
  - causes, 263
  - description, 262–263
  - symptoms, 263
  - treatment, 263–264
- Select Comfort (Sleep Number Bed), 152
- selective serotonin reuptake inhibitors (SSRIs)
  - avoiding in insomnia, 64
  - for cataplexy, 220
  - as PLMD cause, 91
  - for sleep-related eating disorder, 240
- septoplasty, 188
- serotonin-norepinephrine reuptake inhibitors (SNRIs), 64, 126
- sheep, counting, 14
- sheets, 154–156
- shift-work sleep disorder
  - accidents from, 174
  - flex shifts, 173
  - history of shift-work, 172–173
  - incidence of, 173
  - reason for, 173–174
  - sleep deprivation and, 174, 175
  - sleep paralysis and, 261
  - symptoms, 175
  - treating, 175–176
- short sleepers, 15
- short-term insomnia, 66–67, 77
- SIDS. *See* Sudden Infant Death Syndrome
- silk sheets, 156
- sinus arrest, REM-related, 265–266
- sleep
  - amount needed, 13–15
  - in animals, 11
  - brain activity during, 11
  - definition, 10
  - gas analogy, 10
  - mechanisms, 70–72
  - requirement for, 11
  - slang terminology, 10
  - stages, 11, 12–13
  - warning signs of impending sleep, 19
- sleep aids
  - addiction to, 78
  - antihistamines, 81
  - benzodiazepines, 79–80
  - categories of, 78
  - chamomile tea, 83
  - hangover effect, 79, 81
  - herbal, 82–84
  - homeopathic, 125
  - hypnotics, 79–81
  - ideal, 79
  - jasmine scent, 84
  - melatonin, 82–83
  - in older adults, 63
  - OTC, 81–82

- sleep aids (*continued*)
  - prescription, 78–81
  - sedating antidepressants, antipsychotics, and anticonvulsants, 81
  - valerian root, 83
- sleep apnea
  - in bedmate, 312–313
  - categories of, 197
  - central, 47, 186, 197
  - in children, 292–294
  - chronic obstructive pulmonary disease (COPD) and, 100–102
  - danger of, 196
  - definition, 196
  - description, 100
  - diagnosis, 202–203
  - effects of, 197–198
  - heart disease and, 102–103
  - home sleep studies, 55
  - mixed, 197
  - obstructive, 47, 54–55, 185–186, 191, 197
  - physiology of, 186
  - positive airway pressure (PAP) and, 54
  - REM sleep decrease with, 198
  - risk factors for, 198–199
  - sleeping pills effect on, 69
  - specialists in, 47
  - symptoms, 199–202, 293
  - treatment, 203–205, 293–294
  - undiagnosed, 44
- sleep apnea symptoms
  - choking feeling, 201
  - decreased daytime alertness, 201
  - dry mouth, 201
  - excessive daytime sleepiness (EDS), 200
  - headaches, 201
  - heartburn, 201
  - hypertension, 201
  - interrupted breathing, 200
  - irregular heartbeat, 201
  - irritability, 202
  - memory problems, 202
  - night sweats, 201, 246
  - snoring, 186, 191, 196–197, 200, 293
  - swollen legs, 201–202
  - urination, frequent nighttime, 202
- sleep architecture, 79
- sleep attacks, 208–209
- sleep center, 50. *See also* sleep lab
- sleep cushions, 192
- sleep debt
  - calculating, 36
  - collecting on, 13
  - cumulative nature of, 37
  - definition of, 13, 59
  - effects of, 37–38
  - napping, 114
  - statistics, 37
- sleep deprivation
  - accidents and, 174
  - advanced sleep-phase syndrome (ASPS), 181
  - driving accidents, 17–18, 19
  - heart disease and, 15–16, 102–103
  - industrial accidents, 18
  - list of problems associated with, 16
  - microsleep, 200
  - as night terrors precipitant, 250, 252
  - pain threshold lowering, 100
  - parasomnia, 232
  - reasons for, 16
  - role in famous tragedies, 37–38
  - shift-work sleep disorders, 174, 175
  - sleepwalking, 235–236, 296
  - as torture, 11
- sleep diary
  - bedmate input on, 36
  - for children, 36
  - duration of, 20, 33, 42, 232
  - insomnia and, 76
  - observations recorded, 33
  - sample, 34–35
  - for sleep partner, 311–312, 317
  - tips for maintaining, 33
  - value of, 20, 32–33, 36, 42, 76
  - when to record observations, 33
- sleep-disordered breathing (SDB), 100.  
*See also* sleep apnea
- sleep disorder, definition, 19
- sleep disruptors
  - alcohol, 134, 135
  - caffeine, 134–136, 304–305
  - emotional upsets, 305–306
  - environment, 309

- exercise, 309–310
- foods, 137–140
- illness, 131–132, 307–308
- indigestion, 308
- list of, 30
- medical reactions, 308–309
- nasal congestion, 132
- pain, 131, 304
- smoking, 136–137
- stress, 126–131, 306–307
- temperature, 306
- sleep drunkenness. *See* hypersomnia
- sleep enuresis, 297–298
- sleep environment
  - air quality, 144–149
  - allergens, 145–148
  - aromatherapy diffuser, 322–323
  - bedding, 151–156, 321
  - bedfellows, 156–158
  - ceiling fan, 320
  - for children, 290
  - clutter, 143, 324
  - confusional arousal, 237
  - emotional atmosphere, 141–142
  - familiar and novel, 309
  - humidity, 148–149
  - lighting, 149–150, 319–320
  - noise reduction, 150–151
  - running water, 322
  - safety, 158–159
  - temperature, 143–144, 306
  - wall color, 321–322
- sleep epilepsy
  - causes, 263
  - description, 262–263
  - symptoms, 263
  - treatment, 263–264
- sleep habits
  - bedtime, as part of daily schedule, 113–114
  - bedtime, choosing, 116–118
  - bedtime, planning for, 118
  - insomnia and, 73
  - lark versus night owl, 115, 116
  - prioritizing sleep, 114
  - psychological problems and, 105–106
  - sticking to schedule, 117
- sleep hygiene
  - away from home, 123
  - benefits of, 112–113
  - definition, 111
  - elements of good hygiene, 112
- sleep hygiene education
  - for breathing problems, 102
  - for delayed sleep-phase syndrome, 178
  - for insomnia, 86
- Sleep in America* (National Sleep Foundation poll), 32
- sleepiness quiz, 21–22
- Sleeping and Walking* (F. Scott Fitzgerald), 25
- sleeping late, 87–88
- sleeping pills, 43, 69, 78, 171, 199. *See also* sleep aids
- sleeping position, 189
- Sleep* (journal), 62, 77
- sleep lab
  - cost, 49
  - description, 20
  - hypersomnia diagnosis, 226
  - insomnia diagnosis, 76–77
  - insurance coverage, 48–50
  - locating accredited, 50–51
  - narcolepsy diagnosis, 217–218
  - nocturnal eating syndrome diagnosis, 239
  - parasomnia diagnosis, 232–233
  - recording control room, 51
  - sleep apnea diagnosis, 202–203, 293
  - testing, 52–56
  - touring, 51
- Sleepless in Seattle* (movie), 60
- sleeplessness. *See also* insomnia
  - anxiety, 103–104
  - chronic, 30–31
  - conditioned responses and, 69
  - indigestion, 104–105
  - Sleep in America* polls, 32
  - temporary, 29–30, 303
  - threshold, 71
  - torture, 11
- sleep-maintenance insomnia, 65
- sleep medicine, 43–45, 51
- sleepnet (Web site), 111
- Sleep Number Bed (Select Comfort), 152

- sleep-onset association object, 285, 286
- sleep-onset insomnia, 64–65, 178
- sleep paralysis
  - causes, 261
  - description, 260–261
  - duration of episodes, 261
  - hypnagogic hallucinations, 257
  - in narcolepsy, 208–210, 214, 215–216
  - predormital and postdormital, 261
  - symptoms, 261–262
  - treatment, 262
- sleep questionnaire, 289
- sleep-related eating disorder
  - in bedmate, 314
  - description, 237–239
  - symptoms, 239
  - treatment, 239–240
- sleep-related painful erections
  - causes, 264
  - description, 264
  - symptoms, 265
  - treatment, 265
- sleep restriction, insomnia treatment, 85
- sleep specialist
  - accreditation, 45
  - dentists, 48, 193, 315
  - description, 42
  - duties of, 45
  - internists, 46–47
  - neurologists, 45–46
  - otolaryngologists, 47
  - pediatricians, 47–48, 283
  - psychologists and psychiatrists, 46
  - pulmonologists, 46–47
  - referral to, 44–45
  - training, 45
- sleep starts, 244, 245
- sleep state misperception, 68
- SleepStrip (sleep study device), 55
- sleep study, 202–203
- sleep talking
  - in children, 295–296
  - description, 240–241
  - symptoms, 241, 295–296
  - treatment, 241, 296
- sleep tests
  - availability of, 49–50
  - home studies, 55
  - insurance coverage, 48–50
  - locating accredited sleep lab, 50–51
  - multiple sleep latency test (MSLT), 54–56
  - narcolepsy, 217–218
  - polysomnograph, 52–54
  - preparing for, 52
  - results from, 56
- sleep-wake transition disorders
  - description, 231
  - nocturnal leg cramps, 242–244
  - rhythmic movement disorder, 241–242
  - sleep starts, 244
  - somniloquy, 240–241
- sleepwalking
  - in bedmate, 313
  - brain wave patterns, 235
  - children, 235, 295–296
  - description, 233–234
  - escape-proofing your house, 276–277
  - incidence, 295
  - injuries during, 269
  - night terrors with, 251
  - in REM sleep, 234
  - restraint use, 278–279
  - safety issues, 235, 269–276, 296, 313
  - symptoms, 234–235, 295–296
  - treatment, 235–236, 296
- sleepy little towns, 28
- slow wave sleep (SWS)
  - in arousal disorders, 233
  - in children, 295
  - night terrors and, 248, 250
  - sleepwalking and, 295
  - stages, 12
- Smith, Laura L. (*Overcoming Anxiety For Dummies*), 307
- smoke alarms, 158–159
- smoking
  - air quality and, 147
  - sleep apnea and, 198
  - as sleep disruptor, 136–137
  - snoring, 189

- snoreplasty, 195–196
- snoring
- age-related, 190
  - in bedmate, 312–313
  - causes, 184, 187–190
  - congestion and, 187
  - deviated nasal septum, 188
  - dog's, 157
  - effect on breathing, 186
  - incidence, 184
  - loudness, 185, 203
  - medications to avoid, 189–190
  - otolaryngologists and, 47
  - physiology of, 184
  - sleep apnea and, 186, 191, 196–197, 200, 293
  - sleeping position and, 189
  - tape recording, 200
  - tissues involved, 185
  - tonsils and adenoids, 188
  - treatment, 190–196
  - weight-related, 188–189
- snoring treatment
- cautery-assisted palatal stiffening operation (CAPSO), 195
  - chin straps, 192
  - effectiveness, 190–191
  - laser-assisted uvuloplatopharyngoplasty (LAUP), 195
  - mandibular-advancement devices, 193
  - nasal strips, 192
  - oral appliances, 192–193
  - pills, 191
  - sleep cushions, 192
  - snoreplasty, 195–196
  - somnoplasty, 195
  - sprays, 191–192
  - surgery, 193–196
  - tongue-retaining devices, 193
  - uvulopalatopharyngoplasty (UPPP), 194–195
- SNRIs (serotonin-norepinephrine reuptake inhibitors), 64
- sodium oxybate (Xyrem), 220
- soft palate, 185, 186, 193
- somnambulism. *See* sleepwalking
- somniloquy. *See* sleep talking
- somnoplasty, 195
- Sonata (zaleplon), 80
- Space Shuttle Challenger, role of sleep deprivation in, 37, 174
- Spielman, Arthur (researcher), 71
- spouse, restless, 158
- sprays, for snoring reduction, 191–192
- spytown.com (Web site), 277
- SSRIs. *See* selective serotonin reuptake inhibitors
- stages of sleep, 11, 12–13
- staircase, security gate for, 273
- Staten Island Ferry disaster, role of sleep deprivation, 18, 38
- Staud, Roland, MD (*Fibromyalgia For Dummies*), 99
- stimulants, herbal, 133
- stimulus control therapy, 46, 85–86
- stopjetlag.com (Web site), 171
- stress
- bedwetting and, 298
  - headache, 98
  - hypnagogic hallucinations, 257
  - insomnia and, 73
  - jet lag and, 168
  - night terrors and, 248, 252
  - nightmares and, 254
  - nocturnal eating syndrome and, 239
  - parasomnia and, 232
  - as sleep disruptor, 126–131, 306–307
  - sleep paralysis and, 261
  - sleep-related eating disorder and, 237
  - sleep talking and, 241
  - sleepwalking and, 236
- stress management techniques
- deep breathing, 129–130
  - imagery, 128
  - practicing activities, 127, 130–131
  - progressive muscular relaxation, 130
- Sudden Infant Death Syndrome (SIDS) description, 294
- symptoms, 294
- treatment, 295

suprachiasmatic nuclei (SCN), 13, 150, 165, 170  
 sweating, 201, 246, 251, 293  
 swelling, of legs with sleep apnea, 201–202  
 SWS. *See* slow wave sleep  
 sympathetic nervous system, 72, 250  
 symptoms, examining prior to doctor visit, 20

## • T •

*T'ai Chi For Dummies* (Therese Iknioan), 305  
 talking in your sleep. *See* sleep talking  
 tannic acid, 146  
 tape recorder, voice-activated, 200  
 tea, 83, 119, 125  
 Technical Stuff icon, 6  
 teeth grinding. *See* bruxism  
 television  
   avoiding at bedtime, 124  
   insomnia and, 87, 88  
 temperature, sleep, 143, 306  
 temporary sleeplessness, 29–30, 303  
 TENS (transcutaneous electrical nerve stimulation), 97  
 terminal insomnia, 65  
 Three Mile Island meltdown, role of sleep deprivation in, 37, 174  
 time zones, jet lag and, 167–168  
 Tip icon, 5  
*To Sleep* (William Wordsworth), 14  
 tongue-retaining devices, 193  
 tonic-clonic seizures, 263  
 tonsils, 188, 293  
 torture, sleep deprivation as, 11  
 tranquilizers, snoring and, 190  
 transcutaneous electrical nerve stimulation (TENS), 97  
 transient insomnia, 66, 77, 123  
 travel  
   environmental insomnia, 309  
   immune system boosting, 172  
   jet lag, 166–172  
   respiratory illnesses and, 170  
 trazodone, 81

tricyclic antidepressants  
   for cataplexy, 220  
   night terrors and, 250, 252  
   nocturnal seizure triggers, 263  
   as PLMD cause, 91  
 tripping hazards, 270–271, 276  
 tryptophan, 87, 125–126, 170  
 tyramine, 138  
 tyrosine, 138

## • U •

unhinderedliving.com (Web site), 285  
 universal sleep hygiene therapy, 46  
 UPPP (uvulopalatopharyngoplasty), 194–195  
 urination  
   bedwetting, 297–298  
   frequent nighttime with sleep apnea, 202  
   during sleepwalking, 296  
 uvula, 185, 186, 199  
 uvulopalatopharyngoplasty (UPPP), 194–195

## • V •

valerian root, for insomnia, 83  
 ventricular arrhythmia, 102  
 Veterans Affairs Medical Centers, 49  
 visualization techniques, 123  
 vitamins, 172  
 volatile oils, 139  
 V-tach, 102

## • W •

walking in your sleep. *See* sleepwalking  
 Warning! icon, 5  
 water fountain, 322  
 waterbed, 153  
 WatPat 100 (sleep study device), 55  
 Web site  
   Allerx, 146  
   American Academy of Sleep Medicine (AASM), 51  
   Cameron Packaging, 279

dreammoods.com, 255  
 Drowsy Driver, 15  
 Environmental Protection Agency, 149  
 flylady.net, 143  
 healthsquare.com, 139  
 keepkidshealthy.com, 285  
 Medicaid, 50  
 Medicare, 50  
 mythsdreamssymbols.com, 255  
 narcolepsynetwork.org, 223  
 Select Comfort, 152  
 sleepnet, 111  
 spytown.com, 277  
 stopjetlag.com, 171  
 unhinderedliving.com, 285  
 weight  
   gain in insomnia, 74  
   gain in nocturnal eating syndrome, 239  
   loss as amphetamine side effect, 218  
   snoring and, 188–189  
 white noise, 88, 151  
 winding down ritual, 287  
 windows  
   coverings, 320  
   securing, 277–278

women  
   insomnia, 60–61  
   post traumatic stress disorder  
     (PTSD), 253  
   restless legs syndrome, 89  
   seasonal affective disorder (SAD), 109  
   sleep-related eating disorder, 237  
 Wordsworth, William (poet), 14

• X •

Xyrem (sodium oxybate), 220

• Y •

yawning, 17  
 yerba mate, 133  
*Yoga For Dummies* (Georg Feuerstein and  
 Larry Payne), 305–306

• Z •

zaleplon (Sonata), 80  
 zolpidem (Ambien), 43, 80

