

Index

Numerics

- 1:1 macro lenses, 169
- 300D digital camera. *See* EOS Digital Rebel, Canon
- 500-watt home studio light
 - building
 - parts required for, 411–413
 - procedure for, 413–419
 - tools required for, 413
 - reasons to use, 411
 - umbrella for
 - attaching, 416–419
 - types of, 412, 421
 - using, 419–420
 - white balance customizations for, 421
- 555 timer chip
 - definition of, 19, 20, 21–22
 - timing accuracy of, capacitors and, 25
- 3200 film speed, Wasia firmware, 139–140

A

- AA-size batteries
 - for delay trigger, 20
 - fake, for altering battery interface, 98, 99
 - for spycam, 378
- accessory lens adapter
 - making
 - parts required for, 187–188
 - procedure for, 189–194
 - tools required for, 188
 - reasons to use, 187
 - Sony VAD-PEA lens adapter, 192–194
 - using, 194–196
- accessory lenses. *See also* lenses
 - adding filter thread to, 280–283
 - compared to SLR lens, 184–185
 - filter thread on, 167, 179–180
 - magnification and, 169–170
 - mounting thread on, 167, 181
 - mounting to camcorder, 186
 - mounting to point-and-shoot (P&S) camera, 183–184
 - mounting to SLR lens, 184
 - parts of, 167
 - reasons to use, 165
 - step-up and step-down rings for
 - definition of, 181–182
 - modifying for accessory lenses with flat front, 282–283
 - stacking, 182–183
 - for using filters with multiple cameras, 277–278
- Adorama web site, 297, 357, 404
- Advanced Through-The-Lens (A-TTL) mode, 146
- AE lock button and shutter button (C.Fn 04) (non-functional), 158–159
- AEB (auto exposure bracketing) (C.Fn 09), 153–154
- AF (auto-focus) capability, two-position shutter release for, 5–6
- AF (auto-focus) modes
 - AE lock button and, 158–159
 - default settings for, 162
 - definition of, 140
 - with Wasia firmware, 140–142
- AF point registration (C.Fn 07) (non-functional), 159–160
- AF points, superimposed display and, 160
- AF-assist beam (C.Fn 05) (non-functional), 159
- AI Focus AF mode, 140–142
- AI Servo AF mode, 140–142
- Amazon web site, 357
- angle finder, 255
- angle of incidence, 493
- angle of reflection, 493
- angle-of-view, wide-angle lens and, 172

- aperture
 - definition of, 493
 - for pinhole lens, 201, 212
 - aperture priority (Av) mode
 - flash sync speed in, 151
 - safety shift in, 162
 - Apple iPod mini
 - FireWire port, upgrading firmware with, 472
 - firmware for, upgrading, 471–474
 - microdrive, removing
 - procedure for, 460–469
 - reasons for, 459
 - re-assembling iPod mini after, 469–470
 - resetting iPod mini after, 470
 - tools required for, 460
 - models of, 459
 - USB port, upgrading firmware with, 472
 - Apple QuickTime VR format, 385
 - APS SLR cameras, using modified EF-S lens with, 269
 - AR-5 film processing, 298
 - ASA film speeds, 296
 - aspherical lens, 493
 - astrophotography
 - bulb exposure for, 8
 - extending lens for, 217–221
 - mirror lockup and, 154–156
 - remote triggers for, 4
 - A-TTL (Advanced Through-The-Lens)
 - mode, 146
 - auto exposure bracketing (AEB) (C.Fn 09), 153–154
 - auto reduction of fill flash (C.Fn 14) (non-functional), 161
 - auto-focus (AF) capability, two-position shutter release for, 5–6
 - auto-focus (AF) modes
 - AE lock button and, 158–159
 - default settings for, 162
 - definition of, 140
 - with Wasia firmware, 140–142
 - automatic flash, 146–147
 - automatic image stabilization, 386
 - automatic lenses, 218
 - automatic teleconverters, 218, 220
 - Av (aperture priority) mode
 - flash sync speed in, 151
 - safety shift in, 162
- B**
- background processes, UNIX, 90
 - ball head, 347
 - Barn Door Mount web site, 377
 - batch processing, for raw data decoder, 90–91
 - batteries
 - AA-size batteries
 - for delay trigger, 20
 - fake, for altering battery interface, 98, 99
 - for spycam, 378
 - alternate form of, interface for, 93
 - circuit symbol for, 483
 - Lenmar Mach 1 Speed Charger, charging
 - alternate battery packs using, 103–106
 - P&S interface for, altering
 - parts required for, 98
 - procedure for, 99–100
 - tools required for, 98–99
 - remote battery pack
 - parts required for, 100–102
 - procedure for, 103
 - RC car batteries for, 102
 - reasons to use, 93, 100
 - standard-size batteries for, 101
 - testing, 106
 - tools required for, 102–103
 - SLR interface for, altering
 - parts required for, 93–94
 - procedure for, 94–97
 - tools required for, 94
 - for wireless cameras, 379
 - battery holder for standard-size batteries, 101
 - bellows, 228
 - Berkeley Standard Distribution (BSD)
 - UNIX, 69
 - B&H photography web site, 297, 357, 404

- bicycle, mounting camera to
 - building projects for, 377
 - buying compared to building, 375–376
 - commercial camera mounts, 376–377
 - image stabilization for, 373
 - motion affecting camera, 376
 - reasons for, 373
 - security of camera and, 374–375
 - spycams for, 374, 377–381
 - type of bicycle affecting, 373
 - type of camera affecting, 374
 - weather and elements affecting, 376
 - Bike Camera Mount web site, 377
 - bipolar timer chips, 21, 24
 - black and white (B&W) photography
 - with home studio light, 421
 - for infrared photography, 293, 314, 315
 - black-light bulb, for UV photography, 339
 - bolts, size specifications for, 49–50
 - Bottlecap Bicycle Camera Mount web site, 377
 - bounce flash, 146
 - bracketing shots for infrared photography, 308–310
 - BSD (Berkeley Standard Distribution)
 - UNIX, 69
 - bulb exposure
 - definition of, 8
 - for pinhole lens use, 215
 - B&W (black and white) photography
 - with home studio light, 421
 - for infrared photography, 293, 314, 315
- C**
- C-41 film processing, 298
 - Cabernet Configuration File (CCF)
 - definition of, 126
 - installing, 127
 - mode for, in Total Remote, 127–129
 - camcorder
 - mounting accessory lenses to, 186
 - Sony NightShot camcorder, 319, 339
 - as spycam, 374, 377–381
 - stabilizer for, 385
 - camera, digital. *See also* point-and-shoot (P&S) camera; single-lens reflex (SLR) camera; *specific camera models*
 - mounting to car headrest
 - installing, 370–371
 - procedure for, 361–369
 - removing headrest, 359–361
 - test-fitting, 369–370
 - tools required for, 358–359
 - mounting to rear deck of car
 - child safety bracket for, 349–351
 - description of, 345–346
 - installing, 355
 - mounting plate for, 352
 - painting black to avoid reflections from, 355
 - parts required for, 346–349
 - procedure for, 349–354
 - restrictions on, 346
 - tools required for, 349
 - MP3 players as remote control for, 129
 - Nevo device as remote control for, 116–120
 - product label, copying before altering camera, 58
 - Total Remote for
 - definition of, 121
 - programming from camera remote, 121, 123–126
 - remote files from Internet for, 126–129
 - system requirements for, 122
 - wireless remote for
 - infrared signal used by, 108–110
 - programming remote for, 111–115
 - reasons to use, 107
 - camera, film
 - framing, when using accessory lenses, 195
 - infrared photography using, 296–299, 310, 318
 - camera stabilizer
 - for motion photography
 - building, 389–394
 - chains used for, 386
 - counterweight for, 392–393

Continued

- camera stabilizer (*continued*)
 - for motion photography (*continued*)
 - definition of, 383, 385, 386–387
 - mounting to camera, 387–388, 390–391
 - parts required for, 388
 - sandbags used for, 386
 - tools required for, 389
 - using, 394
 - for still photography
 - automatic image stabilization, 386
 - neck-mount stabilizers, 383
 - options for, 383–384
 - timer for, 386
 - tripods, 383, 384
 - for video cameras, 385
- Camera-Mount web site, 376
- Canon DC Coupler DR-400, 94–96
- Canon EF-S lens
 - definition of, 257
 - modifying for EF mount
 - compatible cameras for, 267, 269–270
 - procedure for, 262–267
 - reasons for, 257–258
 - tools required for, 261–262
 - using modified lens, 267–270
- Canon SLR cameras. *See also* Wasia firmware
 - automatic flash, 146–147
 - automatic lens reversal adapter for
 - assembling, 250–253
 - definition of, 237
 - extension tubes for, dismantling, 238–243
 - extension tubes for, modifying, 243–244
 - ribbon cable for, threading, 245–247
 - using, 254–255
 - wires for, soldering, 247–250
 - battery interface for, altering
 - parts required for, 93–94
 - procedure for, 94–97
 - tools required for, 94
 - EOS cameras
 - digital sensors used by, 66, 257
 - E3 connector for, 7
 - extending lens on, 217–221
 - N3 connector for, 16–17, 29
 - pinhole lens for, making, 203–208
 - TC80N3 Timer Remote Control, 29
 - EOS Digital Rebel
 - auto-focus (AF) modes, 140–142
 - automatic flash, 146–147
 - Creative Zone, 140
 - Custom Functions, 148–157
 - definition of, 131–132
 - firmware for, copying to CompactFlash (CF) card, 134–136
 - firmware for, installing, 136–139
 - firmware for, official, 134, 162
 - Flash Exposure Compensation (FEC), 142–145, 162
 - Review option enhancement, 147–148
 - EOS-EF signal names, 253
 - shutter circuit for, 5
- capacitors
 - characteristics of, 30
 - circuit symbol for, 483
- car mount
 - for headrest
 - installing, 370–371
 - parts required for, 357–358
 - procedure for, 361–369
 - removing headrest, 359–361
 - test-fitting, 369–370
 - tools required for, 358–359
 - for rear deck
 - child safety bracket for, 349–351
 - description of, 345–346
 - installing, 355
 - mounting plate for, 352
 - painting black to avoid reflections from, 355
 - parts required for, 346–349
 - procedure for, 349–354
 - restrictions on, 346
 - tools required for, 349
- carbon, for resistor, 29
- carbon film, for resistor, 29
- carborundum file, 486

- CardBus PC Card, 425. *See also* PC Card
- Casio Digital Cameras, enabling raw mode, 76–79
- CCD (Charge-Couple Device) sensors, 64–65
- CCF (Cabernet Configuration File)
 - definition of, 126
 - installing, 127
 - mode for, in Total Remote, 127–129
- CD command, DOS, 82
- cd command, UNIX, 85–86
- ceramic, for capacitor, 30
- CF (CompactFlash) card
 - CF Type I to PC Card Type II adapter, modifying
 - parts required for, 428
 - procedure for, 429–433
 - reasons for, 425–427
 - tools required for, 428–429
 - using, 434
 - CF Type II, using Nomad MuVo² microdrive as, 435
 - CF Type II to PC Card Type II adapter, 427
 - copying firmware to, 134–136
 - definition of, 425
 - inserting in Nomad MuVo², 444
 - interface for, 429
 - shutter release without, 151
 - types of, 425
- C.Fn (Custom Functions), Wasia firmware
 - AF point registration (C.Fn 07) (non-functional), 159–160
 - AF-assist beam (C.Fn 05) (non-functional), 159
 - auto exposure bracketing (AEB) (C.Fn 09), 153–154
 - auto reduction of fill flash (C.Fn 14) (non-functional), 161
 - bugs in, 153, 154
 - default settings for, 162
 - exposure level increments (C.Fn 06), 151–152
 - flash sync speed in Av mode (C.Fn 03), 151
 - JPEG image quality in RAW mode (C.Fn 08), 152–153
 - menu button display position (C.Fn 11) (non-functional), 160–161
 - non-functional, 158–162
 - safety shift in Av or Tv mode (C.Fn 16) (non-functional), 162
 - SET button functionality (C.Fn 01), 150–151
 - shutter button and AE lock button (C.Fn 04) (non-functional), 158–159
 - shutter curtain synchronization with flash (C.Fn 15) (non-functional), 161–162
 - shutter release without CF card (C.Fn 02), 151
 - superimposed display (C.Fn 10) (non-functional), 160
 - using, 148–149
- CHAD Edit software, 126
- Charge-Couple Device (CCD) sensors, 64–65
- chdir command, UNIX, 85–86
- child directories, 85
- child safety bracket, using for car mount, 349–351
- chromatic aberration, 493
- circuit symbols, diagram of, 483
- circular screw-on filters, 276–278
- closed switch, circuit symbol for, 483
- close-up lens, 228
- CMOS (Complementary Metal Oxide Semiconductor) sensors, 64, 65–66
- CMOS timer chips, 21, 24
- Cokin 0.5x Wide-Angle Lens, reconfiguring, 199–200
- Cokin filters, 278–279
- cold mirror filter, 341
- color
 - altering using white balance function, 290–291
 - correcting using filters, 273, 274–276
- color filters, 288
- color fringing, 493
- color infrared (IR) photography, 315
- color mode, for infrared (IR) photography, 314

- command prompt
 - Mac OS shell, 69
 - Windows, 70
 - commands
 - DOS (Disc Operating System), 81–84
 - UNIX shell, 85–88
 - CompactFlash Association web site, 429
 - CompactFlash (CF) card
 - CF Type I to PC Card Type II adapter,
 - modifying
 - parts required for, 428
 - procedure for, 429–433
 - reasons for, 425–427
 - tools required for, 428–429
 - using, 434
 - CF Type II, using Nomad MuVo² microdrive as, 435
 - CF Type II to PC Card Type II adapter, 427
 - copying firmware to, 134–136
 - definition of, 425
 - inserting in Nomad MuVo², 444
 - interface for, 429
 - shutter release without, 151
 - types of, 425
 - Complementary Metal Oxide Semiconductor (CMOS) sensors, 64, 65–66
 - composition, for resistor, 29
 - compression, lossless, 61. *See also* raw sensor data
 - compression, lossy, 61
 - compression effect, 174
 - Continuous Drive Mode, mirror lockup and, 155
 - converging lens, 197–198
 - Cool 360 software, Ulead, 385
 - counterweight for stabilizer, 392–393
 - Creative Nomad MuVo² MP3 player
 - firmware for
 - downloading, 437
 - upgrading, 446–448
 - microdrive, removing
 - procedure for, 438–443
 - reasons for, 435
 - re-assembling MuVo² after, 443–448
 - soldering preventing, unsubstantiated, 436
 - tools required for, 438
 - microdrive, using in digital camera, 449
 - models of, 437
 - Custom Functions (C.Fn), Wasia firmware
 - AF point registration (C.Fn 07) (non-functional), 159–160
 - AF-assist beam (C.Fn 05) (non-functional), 159
 - auto exposure bracketing (AEB) (C.Fn 09), 153–154
 - auto reduction of fill flash (C.Fn 14) (non-functional), 161
 - bugs in, 153, 154
 - default settings for, 162
 - exposure level increments (C.Fn 06), 151–152
 - flash sync speed in Av mode (C.Fn 03), 151
 - JPEG image quality in RAW mode (C.Fn 08), 152–153
 - menu button display position (C.Fn 11) (non-functional), 160–161
 - non-functional, 158–162
 - safety shift in Av or Tv mode (C.Fn 16) (non-functional), 162
 - SET button functionality (C.Fn 01), 150–151
 - shutter button and AE lock button (C.Fn 04) (non-functional), 158–159
 - shutter curtain synchronization with flash (C.Fn 15) (non-functional), 161–162
 - shutter release without CF card (C.Fn 02), 151
 - superimposed display (C.Fn 10) (non-functional), 160
 - using, 148–149
- ## D
- DC Coupler DR-400, Canon, 94–96
 - DC power plug, options for, 94
 - DCL signal, Canon EOS-EF, 253
 - dcraw decoder software
 - batch processing for, 90–91
 - compiling, 80–85
 - downloading, 79
 - running, 88–90

- DEL command, DOS, 83
- delay triggers
 - circuit diagram for, 22–26
 - constructing, 26–29
 - definition of, 17
 - parts required for, 19–22
 - tools required for, 22
 - uses of, 17–18
- depth-of-field (DOF)
 - definition of, 493
 - for infrared photography, 313
 - lens reversal adapter and, 254
 - wide-angle lens and, 172
- Desert Iron Images web site, 376
- D_GND signal, Canon EOS-EF, 253
- diffusion filters
 - making, 284–286
 - professional, 288–289
- digital camera. *See also* point-and-shoot (P&S) camera; single-lens reflex (SLR) camera; *specific camera models*
- mounting to car headrest
 - installing, 370–371
 - procedure for, 361–369
 - removing headrest, 359–361
 - test-fitting, 369–370
 - tools required for, 358–359
- mounting to rear deck of car
 - child safety bracket for, 349–351
 - description of, 345–346
 - installing, 355
 - mounting plate for, 352
 - painting black to avoid reflections from, 355
 - parts required for, 346–349
 - procedure for, 349–354
 - restrictions on, 346
 - tools required for, 349
- MP3 players as remote control for, 129
- Nevo device as remote control for, 116–120
- product label, copying before altering camera, 58
- Total Remote for
 - definition of, 121
 - programming from camera remote, 121, 123–126
 - remote files from Internet for, 126–129
 - system requirements for, 122
- wireless remote for
 - infrared signal used by, 108–110
 - programming remote for, 111–115
 - reasons to use, 107
- digital multimeter
 - definition of, 17
 - matching electrical contacts to buttons, 40
 - matching wires to polarity, 97
 - monitoring communication between camera and lens, 253
 - substitutes for, 229
 - testing soldered connections, 15
- digital music players, controlling camera using, 129
- Digital Rebel, Canon. *See also* Wasia firmware auto-focus (AF) modes, 140–142 automatic flash, 146–147 Creative Zone, 140 Custom Functions, 148–157 definition of, 131–132 firmware for
 - copying to CompactFlash (CF) card, 134–136
 - installing, 136–139
 - official, releases of, 134
 - official, reverting to, 162
- Flash Exposure Compensation (FEC), 142–145, 162
- Review option enhancement, 147–148
- digital sensors
 - CCD sensors, 64–65
 - checking for dust, 214
 - CMOS sensors, 64, 65–66
 - definition of, 64
 - sensitivity to infrared light, 299–300
 - types of, 64
 - used by Canon EOS cameras, 66, 257

digital SLR (DSLR) camera
 battery interface for, altering
 parts required for, 93–94
 procedure for, 94–97
 tools required for, 94
 remote shutter triggers, as accessories, 4
 shutter trigger port for, 3

digital zoom, 177–178

diodes
 circuit symbol for, 483
 light-emitting diode (LED), 334
 photodiode, 64–66

DIR command, DOS, 82–83

directories
 changing
 in DOS, 82
 in UNIX, 85–86
 creating
 in DOS, 84
 in UNIX, 87
 current, displaying in UNIX, 86
 listing
 in DOS, 82–83
 in UNIX, 86
 removing
 in DOS, 84
 in UNIX, 88

Disc Operating System (DOS)
 C/C++ compiler for, 80
 commands, list of, 81–84
 installing PHOTOPC software, 68

dispersion, 493

diverging lens, 197–198

DJGPP C/C++ compiler, 80

DLC signal, Canon EOS-EF, 253

DOF (depth-of-field)
 definition of, 493
 for infrared photography, 313
 lens reversal adapter and, 254
 wide-angle lens and, 172

DOS (Disc Operating System)
 C/C++ compiler for, 80
 commands, list of, 81–84
 installing PHOTOPC software, 68

DPDT (Double Pole Double Throw) switch, 13

DPST (Double Pole Single Throw) switch, 13

DR-400, Canon, 94–96

DSLR (digital SLR) camera
 battery interface for, altering
 parts required for, 93–94
 procedure for, 94–97
 tools required for, 94
 remote shutter triggers, as accessories, 4
 shutter trigger port for, 3

E

E3 connector, Canon EOS camera, 7

E3kr111B7 release, Wasia firmware, 133

E3kr111B71 release, Wasia firmware, 133, 157

E3kr111M release, Wasia firmware, 133

E-6 film processing, 298

EF (Electro-Focus) mount
 compared to EF-S mount, 259–261
 modifying EF-S lens for
 compatible cameras for, 267, 269–270
 procedure for, 262–267
 reasons for, 257–258
 tools required for, 261–262
 using modified lens, 267–270
 switching with EF-S mount, 265

EF-compatible lens, 218

EF-S lens
 definition of, 257
 modifying for EF mount
 compatible cameras for, 267, 269–270
 procedure for, 262–267
 reasons for, 257–258
 tools required for, 261–262
 using modified lens, 267–270

EF-S mount
 compared to EF mount, 259–261
 definition of, 257–258
 switching with EF mount, 265

EI (exposure index), 296. *See also* ISO film speed

Electro-Focus (EF) mount
 compared to EF-S mount, 259–261
 modifying EF-S lens for
 compatible cameras for, 267, 269–270
 procedure for, 262–267

- reasons for, 257–258
 - tools required for, 261–262
 - using modified lens, 267–270
 - switching with EF-S mount, 265
- electrolyte, for capacitor, 30
- electronic viewfinder. *See also* optical viewfinder
 - using for infrared photography, 301, 309
 - using when accessory lenses are mounted, 195–196
- Electro-Optical System cameras, Canon. *See* EOS (Electro-Optical System) cameras, Canon
- EOS (Electro-Optical System) cameras, Canon
 - digital sensors used by, 66, 257
 - E3 connector for, 7
 - extending lens on, 217–221
 - N3 connector for, 16–17, 29
 - pinhole lens for, making, 203–208
 - TC80N3 Timer Remote Control, 29
- EOS Digital Rebel, Canon. *See also* Wasia firmware
 - auto-focus (AF) modes, 140–142
 - automatic flash, 146–147
 - Creative Zone, 140
 - Custom Functions, 148–157
 - definition of, 131–132
 - firmware for
 - copying to CompactFlash (CF) card, 134–136
 - installing, 136–139
 - official, releases of, 134
 - official, reverting to, 162
 - Flash Exposure Compensation (FEC), 142–145, 162
 - Review option enhancement, 147–148
- E-TTL (Evaluative Through-The-Lens) mode, 146–147
- Exilim EX-Z55 Casio camera, enabling raw mode on, 78–79
- Exilim P600 Casio camera, enabling raw mode on, 78–79
- Exilim P700 Casio camera, enabling raw mode on, 78–79
- exposure
 - adjusting for various lighting conditions, 274, 275–276
 - auto exposure bracketing (AEB), 153–154
 - bulb exposure, 8, 215
 - compensating for infrared filters, 306–307
 - exposure level increments, 151–152
 - Flash Exposure Compensation (FEC), 142–145, 162
 - long exposure photography, 3–4, 8
 - exposure index (EI), 296. *See also* ISO film speed
 - exposure latitude, 297, 494
 - extension tubes, 226–227, 228, 238–244
- F**
- FAT (File Allocation Table) file system, 458
- FEC (Flash Exposure Compensation)
 - default settings for, 162
 - definition of, 142
 - with Wasia firmware, 142–145
- files
 - deleting in DOS, 83
 - deleting in UNIX, 86–87
- fill-in flash, 146
- film
 - infrared film
 - loading and unloading, 298
 - processing, 298–299
 - types of, 296–297
 - where to buy, 297–298
 - short-dated, 298
- film camera
 - framing, when using accessory lenses, 195
 - infrared photography using, 296–299, 310, 318
- film processing, 298, 299
- film speed, ISO
 - default settings for, 162
 - definition of, 139
 - EI (exposure index) and, 296
 - for pinhole lens use, 215
 - terminology for, 296
 - 3200 film speed, Wasia firmware, 139–140
- filter holder, for square and rectangle filters, 278

- filter thread
 - of accessory lens, 167, 179–180
 - adding to accessory lens, 280–283
 - adding to camera
 - accessory lens adapter for, making, 187–194
 - accessory lens adapter for, using, 194–196
- filters
 - circular screw-on filters, 276–278
 - cold mirror filter, 341
 - color correction using, 273, 274–276
 - color filters, 288
 - diffusion filters
 - making, 284–286
 - professional, 288–289
 - filter threads required for, 276, 280–283
 - fog filters, 287
 - gelatin (gel) filters, 279–280
 - hot mirror filter, 340–341
 - infrared filters
 - compensating exposure for, 306–307
 - substitutes for, 292
 - types of, 302–306
 - IR-blocking filter
 - definition of, 318, 330
 - in digital cameras, 300
 - removing from camera, 318–333
 - testing camera after removing, 336–338
 - making out of glass
 - color filters, 288
 - diffusion filters, 284–286
 - fog filters, 287
 - infrared filters, 292
 - parts and tools required for, 283–284
 - star filters, 289–290
 - using spray paint for, 287
 - reasons to use, 273
 - rectangle filters, 278–279
 - red filter, 303
 - screw-on filters, 276–278
 - square filters, 278–279
 - star filters, 289–290
- .fir file extension, 136
- firmware. *See also* Wasia firmware
 - for Apple iPod mini, upgrading, 471–474
 - for EOS Digital Rebel
 - checking current version of, 135
 - copying to CompactFlash (CF) card, 134–136
 - installing, 136–139
 - official firmware, 134, 162
 - for Nikon COOLPIX 950, upgrading, 73–76
 - for Nomad MuVo² MP3 player
 - downloading, 437
 - upgrading, 446–448
 - for Rio Carbon 5GB MP3 player, upgrading, 457
- fish-eye lens, 172
- 500-watt home studio light
 - building
 - parts required for, 411–413
 - procedure for, 413–419
 - tools required for, 413
 - reasons to use, 411
 - umbrella for
 - attaching, 416–419
 - types of, 412, 421
 - using, 419–420
 - white balance customizations for, 421
- 555 timer chip
 - definition of, 19, 20, 21–22
 - timing accuracy of, capacitors and, 25
- flash
 - automatic flash, 146–147
 - bounce flash, 146
 - definition of, 397
 - fill-in flash, 146
 - hot lights as alternative to, 397
 - for macro photography, 402
 - mirror lockup and, 154
 - placement of, 395, 402
 - shutter curtain synchronization with, 161–162
 - shutter speed controlling, 397

- flash bracket
 - building
 - parts required for, 398
 - procedure for, 399–400
 - tools required for, 398
 - commercial, 395–396, 398
 - definition of, 395–396
 - using, 400–402
 - Flash Exposure Compensation (FEC)
 - default settings for, 162
 - definition of, 142
 - with Wasia firmware, 142–145
 - flash sync speed in Av mode (C.Fn 03), 151
 - fluorescent light, interfering with infrared light, 110
 - focal length
 - definition of, 169–170, 494
 - perspective and, 170–171
 - for pinhole lens, 212
 - focusing
 - auto-focus (AF) capability, two-position
 - shutter release for, 5–6
 - auto-focus (AF) modes
 - AE lock button and, 158–159
 - default settings for, 162
 - definition of, 140
 - with Wasia firmware, 140–142
 - for infrared photography, 311–313
 - fog filters, 287
 - folders (directories)
 - changing
 - in DOS, 82
 - in UNIX, 85–86
 - creating
 - in DOS, 84
 - in UNIX, 87
 - current, displaying in UNIX, 86
 - listing
 - in DOS, 82–83
 - in UNIX, 86
 - removing
 - in DOS, 84
 - in UNIX, 88
 - Forman Camera Bikes web site, 376
 - front lens element, 167
 - full-frame SLR cameras
 - definition of, 257
 - using modified EF-S lens with, 269
- ## G
- gamma rays, 294–295
 - gelatin (gel) filters, 279–280
 - glamour photography, diffusion filters for, 284–286, 288–289
 - glass cutting
 - breaking glass after scoring, 489–491
 - definition of, 485
 - glass cutter for, 485, 487
 - preparation for, 487
 - scoring glass, 488
 - tools required for, 485–486
 - gray card, 421–422
 - Griffin Technology, Total Remote
 - definition of, 121
 - programming from camera remote, 121, 123–126
 - remote files from Internet for, 126–129
 - system requirements for, 122
 - ground, circuit symbol for, 483
- ## H
- headrest, car mount for
 - installing, 370–371
 - parts required for, 357–358
 - procedure for, 361–369
 - removing headrest, 359–361
 - test-fitting, 369–370
 - tools required for, 358–359
 - Helmet Camera web site, 377
 - high speed shooting, Wasia firmware, 139–140
 - home studio light
 - building
 - parts required for, 411–413
 - procedure for, 413–419
 - tools required for, 413
 - reasons to use, 411

Continued

- home studio light (*continued*)
 - umbrella for
 - attaching, 416–419
 - types of, 412, 421
 - using, 419–420
 - white balance customizations for, 421
 - hot lights, as alternative to flash, 397
 - hot mirror filter, 340–341
 - Hoya infrared filters, list of, 305–306
 - Hoya R72 infrared filter, 304
 - Hoya RM72 infrared filter, 304
- I**
- IC (integrated circuit), 555 timer chip, 21–22
 - IDE ribbon cable, 247
 - ILFORD SFX 200 film, 296
 - image formats
 - JPEG format, 61, 63
 - raw sensor data
 - decoding, 79–85, 88–91
 - definition of, 63
 - disadvantages of, 63
 - enabling on Casio Digital Cameras, 76–79
 - enabling on Nikon COOLPIX, 68–71
 - reasons to use, 63
 - TIFF format, 63
 - universal image format, 63
 - image stabilization. *See also* stabilizer
 - automatic, 386
 - for bicycle mounts, 373
 - independent circuit, 20
 - infrared (IR) camera, shooting visible light with, 340–341
 - infrared (IR) emitter, making, 334–335
 - infrared (IR) film
 - loading and unloading, 298
 - processing, 298–299
 - types of, 296–297
 - where to buy, 297–298
 - infrared (IR) filters
 - compensating exposure for, 306–307
 - substitutes for, 292
 - types of, 302–306
 - infrared (IR) light, 294–295
 - infrared (IR) photography
 - in black and white, 293, 314, 315
 - bracketing shots for, 308–310
 - in color, 315
 - color mode for, 314
 - compensating exposure for, 306–307
 - depth-of-field for, 313
 - difficulties of, 293, 310, 317
 - digital camera's capability for, 299–302
 - film camera's capability for, 296–299
 - filters for, 302–306
 - focusing for, 311–313
 - macro infrared photography, 331–332
 - manipulating photographs from, 315
 - point-and-shoot camera for, 313
 - reasons to use, 293
 - removing IR-blocking filter for
 - parts required for, 318–320
 - procedure for, 320–333
 - testing camera after, 336–338
 - tools required for, 320
 - infrared (IR) signal characteristics, 108–110
 - integrated circuit (IC), 555 timer chip, 21–22
 - interpolation, 177
 - interval triggers
 - circuit diagram for, 31–32
 - definition of, 29–30
 - parts required for, 30–31
 - tools required for, 31
 - uses of, 29
 - iPAQ Pocket PCs, controlling camera using, 116–120
 - IPIX Interactive Studio software, 385
 - iPod mini, Apple
 - FireWire port, upgrading firmware with, 472
 - firmware for, upgrading, 471–474
 - microdrive, removing
 - procedure for, 460–469
 - reasons for, 459
 - re-assembling iPod mini after, 469–470
 - resetting iPod mini after, 470
 - tools required for, 460
 - models of, 459
 - USB port, upgrading firmware with, 472

- IR (infrared) camera, shooting visible light with, 340–341
 - IR (infrared) emitter, making, 334–335
 - IR (infrared) film
 - loading and unloading, 298
 - processing, 298–299
 - types of, 296–297
 - where to buy, 297–298
 - IR (infrared) filters
 - compensating exposure for, 306–307
 - substitutes for, 292
 - types of, 302–306
 - IR (infrared) light, 294–295
 - IR (infrared) photography
 - in black and white, 293, 314, 315
 - bracketing shots for, 308–310
 - in color, 315
 - color mode for, 314
 - compensating exposure for, 306–307
 - depth-of-field for, 313
 - difficulties of, 293, 310, 317
 - digital camera's capability for, 299–302
 - film camera's capability for, 296–299
 - filters for, 302–306
 - focusing for, 311–313
 - macro infrared photography, 331–332
 - manipulating photographs from, 315
 - point-and-shoot camera for, 313
 - reasons to use, 293
 - removing IR-blocking filter for
 - parts required for, 318–320
 - procedure for, 320–333
 - testing camera after, 336–338
 - tools required for, 320
 - IR (infrared) signal characteristics, 108–110
 - IR-blocking filter
 - definition of, 318, 330
 - in digital cameras, 300
 - removing from camera
 - parts required for, 318–320
 - procedure for, 320–333
 - testing camera after, 336–338
 - tools required for, 320
 - ISO, definition of, 494
 - ISO film speed
 - default settings for, 162
 - definition of, 139
 - EI (exposure index) and, 296
 - for pinhole lens use, 215
 - terminology for, 296
 - 3200 film speed, Wasia firmware, 139–140
- ## J
- Joint Photographic Experts Group (JPEG), 61
 - Jones Cameras web site, 376
 - JPEG (Joint Photographic Experts Group), 61
 - JPEG format, 61, 63
 - JPEG image quality in RAW mode (C.Fn 08), 152–153
 - JPEG library, 80–81
- ## K
- Kiss Digital camera. *See* EOS Digital Rebel, Canon
 - Kodak Ektachrome Professional Infrared EIR film, 297
 - Kodak High-Speed Infrared film, 297
 - Kodak Recording Film 2475, 297
 - Kodak Technical Pan film, 297
 - Kodak Wratten infrared filters, 305–306
 - Konica Infrared 750nm film, 297
- ## L
- LCD preview
 - infrared photography using, 309
 - using for infrared photography, 301, 309
 - using when accessory lenses are mounted, 195–196
 - LCLK signal, Canon EOS-EF, 253
 - LED (light-emitting diode), 334
 - Lee, Johnny (steady cam instructions), 388
 - Lenmar Mach 1 Speed Charger, charging
 - alternate battery packs using, 103–106
 - lens adapters
 - accessory lens adapter
 - making, 187–194
 - Sony VAD-PEA lens adapter, 192–194
 - using, 194–196
 - for point-and-shoot (P&S) camera, 183–184

- lens communication reverse engineering
 - adapter, 253
- lens reversal adapters
 - automatic, making
 - assembling, 250–253
 - definition of, 237
 - extension tubes for, dismantling, 238–243
 - extension tubes for, modifying, 243–244
 - parts required for, 226–227
 - reasons for, 223, 237
 - ribbon cable for, threading, 245–247
 - tools required for, 229
 - using, 254–255
 - wires for, soldering, 247–250
 - manual, making
 - parts required for, 224–225
 - procedure for, 233–237
 - tools required for, 229
 - reasons to use, 223
 - using, 254–255
 - using as reverse engineering adapter, 253
- lenses
 - accessory lenses
 - adding filter thread to, 280–283
 - compared to SLR lens, 184–185
 - filter thread on, 167, 179–180
 - magnification and, 169–170
 - mounting thread on, 167, 181
 - mounting to camcorder, 186
 - mounting to point-and-shoot (P&S) camera, 183–184
 - mounting to SLR lens, 184
 - parts of, 167
 - reasons to use, 165
 - step-up and step-down rings for, 181–183, 277–278, 282–283
 - aspherical lens, 493
 - automatic, 218
 - Canon EF-S lens
 - definition of, 257
 - modifying for EF mount, 257–258, 261–270
 - close-up lens, 228
 - converging lens, 197–198
 - diverging lens, 197–198
 - EF-compatible lens, 218
 - elements of, 197
 - extending, 217–221
 - fisheye lens, 172
 - groups of, 197
 - macro lenses, 228
 - magnification of, changing, 197–200
 - manual, 218, 220
 - 1:1 macro lenses, 169
 - optical teleconverter lens, 177–179
 - pinhole lens
 - aperture for, 212
 - checking digital sensor for dust using, 214
 - definition of, 201–202
 - exposure time for, 213, 215
 - focal length for, 212
 - ISO film speed for, 215
 - making, 203–208
 - parts required for, 203
 - reasons to use, 201
 - tools required for, 203–204
 - using, 203, 209–215
 - reconfiguring, 199–200
 - semi-fisheye lenses, 172
 - simple lens, 197
 - SLR lens
 - compared to accessory lens, 184–185
 - for infrared photography, 311–312
 - mounting accessory lenses to, 184
 - reversing onto point-and-shoot camera, 230–233
 - stabilized lenses, 385
 - stacking, 198
 - stopping down the lens, 313
 - telephoto lens, 170–171, 174–177, 197
 - wide-angle lenses, 169–171, 172–174, 197, 199–200
 - zoom lens, magnification and, 169
- lens-to-lens reversal adapter, 225–226
- light meter, 421
- light sensitivity. *See* ISO film speed

light spectrum, 294–295
 light-emitting diode (LED), 334
 lighting
 color correction filters for, 274–275
 exposure adjustments for, 274, 275–276
 flash
 automatic flash, 146–147
 bounce flash, 146
 definition of, 397
 fill-in flash, 146
 hot lights as alternative to, 397
 for macro photography, 402
 mirror lockup and, 154
 placement of, 402
 shutter curtain synchronization with,
 161–162
 shutter speed controlling, 397
 fluorescent light, interfering with infrared
 light, 110
 gray card for, 421–422
 home studio light
 building, 411–419
 reasons to use, 411
 umbrella for, attaching, 416–419
 umbrella for, types of, 412, 421
 using, 419–420
 white balance customizations for, 421
 hot lights, as alternative to flash, 397
 infrared light, 294–295
 light meter for, 421
 ultraviolet (UV) light, 294–295, 338
 umbrella affecting, 412, 421
 visible light
 blocking with filters, 302
 definition of, 294–295
 shooting with IR camera, 340–341
 Linux, installing PHOTOPC software, 68–70
 long exposure photography
 remote triggers for, 3–4
 switches for, 8
 lossless compression, 61. *See also* raw sensor data
 lossy compression, 61
 ls command, UNIX, 86

M

Mac OS shell, 69
 macro infrared photography, 331–332
 macro lenses
 definition of, 228
 1:1 macro lenses, 169
 macro photography. *See also* lens reversal adapters
 accessories for, 228
 angle finder for, 255
 flash placement for, 402
 Magnavox REM100 universal remote
 controlling camera using, 110
 programming, 111–113
 magnification
 definition of, 167–170
 of lens, changing, 197–200
 man command, UNIX, 88
 manual in UNIX, 88
 manual lenses, 218, 220
 MD command, DOS, 84
 memory
 microdrives
 in Apple iPod mini, 459–470
 in Nomad MuVo², 435–436, 438–449
 in Rio Carbon 5GB MP3 player, 451–458
 using in PC Card adapter, 425–434
 PC Card
 CF Type I to PC Card Type II adapter,
 modifying, 425–434
 definition of, 425
 interface for, 428
 types of, 425
 menu button display position (C.Fn 11) (non-
 functional), 160–161
 metal film
 for capacitor, 30
 for resistor, 29
 metal foil, for resistor, 29
 micro ball head, 347
 microdrives
 in Apple iPod mini, removing
 procedure for, 460–469
 reasons for, 459

Continued

- microdrives (*continued*)
 - in Apple iPod mini, removing (*continued*)
 - re-assembling iPod mini after, 469–470
 - resetting iPod mini after, 470
 - tools required for, 460
 - in Nomad MuVo², removing
 - procedure for, 438–443
 - reasons for, 435
 - re-assembling MuVo² after, 443–448
 - soldering preventing, unsubstantiated, 436
 - tools required for, 438
 - in Nomad MuVo², using in digital camera, 449
 - in Rio Carbon 5GB MP3 player
 - compatibility with digital camera, 458
 - installing, 457–458
 - removing, 451–458
 - using in digital camera, 458
 - using in PC Card adapter
 - modifying adapter for, 428–433
 - problems with, 425–427
 - using modified adapter, 434
 - microscope, 228
 - microwaves, 294–295
 - mini ball head, 347–349, 357
 - mirror lockup (C.Fn 12), 154–156
 - mirror lockup pause time (C.Fn 17), 156–157
 - mkdir command, UNIX, 87
 - model name, copying before altering camera, 58
 - models, photographing, diffusion filters for, 284–286, 288–289
 - momentary switches
 - SPST (Single Pole Single Throw) switch, 12
 - for wired remote trigger, 6–8
 - monopod
 - camera attachment head for, 407–409
 - parts required for, 403–404
 - procedure for, 405–407
 - reasons to use, 403
 - tools required for, 404
 - using, 409–410
 - motion photography
 - sports photography
 - monopod for, 403
 - stabilizer for, 385, 386
 - stabilizer for
 - building, 389–394
 - chains used for, 386
 - counterweight for, 392–393
 - definition of, 383, 385, 386–387
 - mounting to camera, 387–388, 390–391
 - parts required for, 388
 - sandbags used for, 386
 - tools required for, 389
 - using, 394
 - motorcycle, mounting camera to. *See* bicycle, mounting camera to
 - mounting thread of accessory lens
 - definition of, 167
 - size specifications for, 181
 - step-up and step-down rings for, 181–183
 - MP3 players, controlling camera using, 129
 - multimeter
 - definition of, 17
 - matching electrical contacts to buttons, 40
 - matching wires to polarity, 97
 - monitoring communication between camera and lens, 253
 - substitutes for, 229
 - testing soldered connections, 15
- ## N
- N3 connector, Canon EOS camera, 16–17, 29
 - National Semiconductor LM555 Timer, 21
 - neck-mount stabilizers, 383
 - Nevo application
 - controlling camera using, 116–120
 - enhanced devices required for, 116–117
 - New Way Technology wireless video camera, 378
 - night photography
 - bulb exposure for, 8
 - NightShot mode, Sony camcorder, 319, 339
 - ultraviolet (UV) photography, 338–340
 - Nikon COOLPIX
 - capabilities of, 66–67
 - enabling raw mode
 - capturing raw files, 71
 - errors in, troubleshooting, 72–73
 - setting raw diagnostics mode, 70–71

- software for, 68–70
 - for specific models, 67
 - firmware for COOLPIX 950, upgrading, 73–76
 - Nikon SLR cameras, shutter circuit for, 6
 - Nomad MuVo² MP3 player
 - firmware for
 - downloading, 437
 - upgrading, 446–448
 - microdrive, removing
 - procedure for, 438–443
 - reasons for, 435
 - re-assembling MuVo² after, 443–448
 - soldering preventing, unsubstantiated, 436
 - tools required for, 438
 - microdrive, using in digital camera, 449
 - models of, 437
 - normally closed switch, circuit symbol for, 483
- O**
- One Shot AF mode, 140–142
 - 1:1 macro lenses, 169
 - optical teleconverter lens, 177–179
 - optical viewfinder. *See also* electronic viewfinder
 - infrared photography using, 310
 - not using when accessory lenses are mounted, 195
 - redirecting with angle finder, 255
 - using for infrared photography, 310
- P**
- panoramic shots
 - stitching photos together to make, 385
 - tripod for, 384
 - viewers for, 385
 - parallax effect, 195
 - parent directories, 85
 - Pashnit Motorcycle Tours web site, 376
 - PC Card
 - CF Type I to PC Card Type II adapter, modifying
 - parts required for, 428
 - procedure for, 429–433
 - reasons for, 425–427
 - tools required for, 428–429
 - using, 434
 - definition of, 425
 - interface for, 428
 - types of, 425
 - PCMCIA (Personal Computer Memory Card International Association), 425
 - PCMCIA card. *See* PC Card
 - perspective, 170–172
 - P-GND signal, Canon EOS-EF, 253
 - Philips PHDVD5 universal remote, learning
 - feature of, 114–115
 - photodiode, 64–66
 - photography
 - astrophotography
 - bulb exposure for, 8
 - extending lens for, 217–221
 - mirror lockup and, 154–156
 - remote triggers for, 4
 - black and white photography
 - with home studio light, 421
 - for infrared photography, 293, 314, 315
 - glamour photography, diffusion filters for, 284–286, 288–289
 - infrared (IR) photography
 - in black and white, 293, 314, 315
 - bracketing shots for, 308–310
 - in color, 315
 - color mode for, 314
 - compensating exposure for, 306–307
 - depth-of-field for, 313
 - difficulties of, 293, 310, 317
 - digital camera's capability for, 299–302
 - film camera's capability for, 296–299
 - filters for, 302–306
 - focusing for, 311–313
 - macro infrared photography, 331–332
 - manipulating photographs from, 315
 - point-and-shoot camera for, 313
 - reasons to use, 293
 - removing IR-blocking filter for, 318–333, 336–338

Continued

- photography (*continued*)
 - long exposure photography
 - remote triggers for, 3–4
 - switches for, 8
 - macro photography
 - accessories for, 228
 - angle finder for, 255
 - flash placement for, 402
 - motion photography
 - stabilizer for, building, 386–394
 - stabilizer for, definition of, 383, 385, 386–387
 - stabilizer for, using, 394
 - night photography
 - bulb exposure for, 8
 - NightShot mode, Sony camcorder, 319, 339
 - sports photography
 - monopod for, 403
 - stabilizer for, 385, 386
 - still photography, stabilizer for, 383–386
 - terminology for, 493–494
 - ultraviolet (UV) photography, 338–340
- PHOTOPC software
 - downloading and installing, 68–70
 - setting raw diagnostics mode, 70–71
- pinhole lens
 - aperture for, 212
 - checking digital sensor for dust using, 214
 - definition of, 201–202
 - exposure time for, 213, 215
 - focal length for, 212
 - ISO film speed for, 215
 - making, 203–208
 - parts required for, 203
 - reasons to use, 201
 - tools required for, 203–204
 - using, 203, 209–215
- Pocket PCs, controlling camera using
 - Nevo application for, 116–120
 - Total Remote for
 - definition of, 121
 - programming from camera remote, 121, 123–126
 - remote files from Internet for, 126–129
 - system requirements for, 122
- point-and-shoot (P&S) camera
 - accessory lenses for
 - lens adapter for, making, 187–194
 - mounting, 183–184
 - using, 194–196
 - battery interface for, altering
 - parts required for, 98
 - procedure for, 99–100
 - tools required for, 98–99
 - connecting triggers to
 - parts required for, 34
 - procedure for, 35–44
 - tools required for, 34–35
 - for infrared photography, 313
 - for macro photography, 230–233
 - wiring trigger port to shutter switch, 3
- portable battery pack
 - parts required for, 100–102
 - procedure for, 103
 - reasons to use, 93, 100
 - testing, 106
 - tools required for, 102–103
- power
 - alternate battery form, interface for, 93
 - Lenmar Mach 1 Speed Charger, charging
 - alternate battery packs using, 103–106
 - P&S interface for, altering
 - parts required for, 98
 - procedure for, 99–100
 - tools required for, 98–99
 - remote battery pack
 - parts required for, 100–102
 - procedure for, 103
 - RC car batteries for, 102
 - reasons to use, 93, 100
 - standard-size batteries for, 101
 - testing, 106
 - tools required for, 102–103
 - SLR interface for, altering
 - parts required for, 93–94
 - procedure for, 94–97
 - tools required for, 94

- PQ1 FLASHCARD Compact Flash Adapter,
 - modifying to accept CF Type II card, 427–433
 - product label, copying before altering camera, 58
 - Pro-Mist filter, Tiffen, 288
 - Pronto universal remote, 126
 - ProntoEdit software, 126
 - P&S (point-and-shoot) camera
 - accessory lenses for
 - lens adapter for, making, 187–194
 - mounting, 183–184
 - using, 194–196
 - battery interface for, altering
 - parts required for, 98
 - procedure for, 99–100
 - tools required for, 98–99
 - connecting triggers to
 - parts required for, 34
 - procedure for, 35–44
 - tools required for, 34–35
 - for infrared photography, 313
 - for macro photography, 230–233
 - wiring trigger port to shutter switch, 3
 - pulse-coded IR signal, 110
 - PVC pipe, 188
 - pwd command, UNIX, 86
- Q**
- QuickTime VR format, Apple, 385
 - QV-2000UX Casio camera, enabling raw mode on, 77
 - QV-3000EX Casio camera, enabling raw mode on, 77
 - QV-3500EX Casio camera, enabling raw mode on, 78
 - QV-4000 Casio camera, enabling raw mode on, 77
 - QV-5700 Casio camera, enabling raw mode on, 77
- R**
- R72 infrared filter, Hoya, 304
 - radio control (RC) car batteries, 102
 - Radio Shack, obtaining parts from, 6
 - radio wavelengths, 294–295
 - RAW mode, JPEG image quality in (C.Fn 08), 152–153
 - raw sensor data
 - decoding
 - procedure for, 88–91
 - software for, 79–85
 - definition of, 63
 - disadvantages of, 63
 - enabling on Casio Digital Cameras, 76–79
 - enabling on Nikon COOLPIX
 - capturing raw files, 71
 - setting raw diagnostics mode, 70–71
 - software for, 68–70
 - reasons to use, 63
 - RC (radio control) car batteries, 102
 - RD command, DOS, 84
 - rear lens element, 167
 - Rear-Rack Mount web site, 377
 - rectangle filters, 278–279
 - red filter, 303
 - red-eye effect, flash placement affecting, 395
 - reflection, 494
 - refraction, 494
 - relay, circuit symbol for, 483
 - remote battery pack
 - parts required for, 100–102
 - procedure for, 103
 - reasons to use, 93, 100
 - testing, 106
 - tools required for, 102–103
 - remote control of camera
 - infrared signal used by, 108–110
 - MP3 players as, 129
 - Nevo device for, 116–120
 - programming remote for, 111–115
 - reasons for, 107
 - Total Remote for
 - definition of, 121
 - programming from camera remote, 121, 123–126
 - remote files from Internet for, 126–129
 - system requirements for, 122

- remote triggers
 - for pinhole lens use, 215
 - wired
 - constructing, 14–17
 - extending switch for, 44–46
 - how they work, 5–6
 - parts required for, 6–11
 - tools required for, 11–14
 - uses of, 3–4
 - resistors
 - characteristics of, 29
 - circuit symbol for, 483
 - color code for resistor value of, 25, 26
 - making a specific resistor value with, 20
 - resources. *See* web site resources
 - reverse engineering adapter, 253
 - reverse macro adapters (lens reversal adapters)
 - automatic, making
 - assembling, 250–253
 - definition of, 237
 - extension tubes for, dismantling, 238–243
 - extension tubes for, modifying, 243–244
 - parts required for, 226–227
 - reasons for, 223, 237
 - ribbon cable for, threading, 245–247
 - tools required for, 229
 - using, 254–255
 - wires for, soldering, 247–250
 - manual, making
 - parts required for, 224–225
 - procedure for, 233–237
 - tools required for, 229
 - reasons to use, 223
 - using, 254–255
 - using as reverse engineering adapter, 253
 - Review option enhancement, Wasia firmware, 147–148
 - ribbon cable, 226–227, 245–247
 - Rio Carbon 5GB MP3 player
 - definition of, 451–452
 - firmware for, upgrading, 457
 - installing different microdrive in, 457–458
 - microdrive, compatibility with digital camera, 458
 - microdrive, removing
 - procedure for, 452–456
 - reasons for, 451
 - re-assembling Rio Carbon after, 456–458
 - tools required for, 453
 - microdrive, using in digital camera, 458
 - rm command, UNIX, 86–87
 - RM72 infrared filter, Hoya, 304
 - rmdir command, UNIX, 88
- ## S
- SAE standard, 49–50
 - safety shift in Av or Tv mode (C.Fn 16) (non-functional), 162
 - screw-on filters, 276–278
 - self timers, for stabilizing photos, 386. *See also* delay triggers; timers
 - Self-Timer Operation mode, mirror lockup and, 156
 - semi-fisheye lenses, 172
 - sensors, digital
 - CCD sensors, 64–65
 - checking for dust, 214
 - CMOS sensors, 64, 65–66
 - definition of, 64
 - sensitivity to infrared light, 299–300
 - types of, 64
 - used by Canon EOS cameras, 66, 257
 - serial number, copying before altering camera, 58
 - SET button functionality (C.Fn 01), 150–151
 - shift-coded IR signal, 110
 - short-dated film, 298
 - shutter curtain synchronization with flash (C.Fn 15) (non-functional), 161–162
 - shutter release
 - and AE lock button (C.Fn 04) (non-functional), 158–159
 - remote triggers for
 - for pinhole lens use, 215
 - wired, constructing, 14–17
 - wired, extending switch for, 44–46
 - wired, how they work, 5–6
 - wired, parts required for, 6–11
 - wired, tools required for, 11–14
 - wired, uses of, 3–4

- switch, finding in point-and-shoot camera, 37–39
- two-position, for auto-focus capability, 5
- without CF card (C.Fn 02), 151
- shutter speed
 - E-TTL mode and, 147
 - flash controlled by, 397
 - how digital cameras control, 397
 - ISO value and, 139
 - switches appropriate for, 8
- Sima VideoProp Camcorder Support, 383–384
- simple lens, 197
- Single Drive Mode, mirror lockup and, 155
- Single Pole Double Throw (SPDT) switch, 12
- Single Pole Single Throw (SPST) switch, 12
- single-lens reflex (SLR) camera
 - battery interface for, altering
 - parts required for, 93–94
 - procedure for, 94–97
 - tools required for, 94
 - remote shutter triggers, as accessories, 4
 - shutter trigger port for, 3
- slide switches
 - SPDT (Single Pole Double Throw) switch, 12
 - for wired remote trigger, 6–8
- SLR (single-lens reflex) camera
 - battery interface for, altering
 - parts required for, 93–94
 - procedure for, 94–97
 - tools required for, 94
 - remote shutter triggers, as accessories, 4
 - shutter trigger port for, 3
- SLR lens
 - compared to accessory lens, 184–185
 - for infrared photography, 311–312
 - mounting accessory lenses to, 184
 - reversing onto point-and-shoot camera, 230–233
- Soft/FX filter, Tiffen, 288
- solder, types of, 476
- soldering
 - on circuit boards, 481
 - definition of, 475
 - procedure for, 479–481
 - tools required for, 475–476
 - wires, 481
- soldering helper, 229
- soldering iron
 - preparing new tip for, 477–479
 - wattages for, 475–476
- Sony DSC-P92 camera, removing IR-blocking filter from
 - parts required for, 318–320
 - procedure for, 320–333
 - testing camera after, 336–338
 - tools required for, 320
- Sony NightShot camcorder, 319, 339
- Sony VAD-PEA lens adapter, 192–194
- space-coded IR signal, 110
- SPDT (Single Pole Double Throw) switch, 12
- Sport Bike Cam web site, 376
- sports photography
 - monopod for, 403
 - stabilizer for, 385, 386
- spray paint, for making filters, 287
- SPST (Single Pole Single Throw) switch, 12
- spycams, mounting to bicycle, 374, 377–381
- square filters, 278–279
- stabilization
 - automatic, 386
 - for bicycle mounts, 373
- stabilized lenses, 385
- stabilizer
 - for motion photography
 - building, 389–394
 - chains used for, 386
 - counterweight for, 392–393
 - definition of, 383, 385, 386–387
 - mounting to camera, 387–388, 390–391
 - parts required for, 388
 - sandbags used for, 386
 - tools required for, 389
 - using, 394

Continued

- stabilizer (*continued*)
 - for still photography
 - automatic image stabilization, 386
 - neck-mount stabilizers, 383
 - options for, 383–384
 - timer for, 386
 - tripods, 383, 384
 - for video cameras, 385
 - star filters, 289–290
 - steady cam. *See also* stabilizer
 - building, 389–394
 - counterweight for, 392–393
 - definition of, 386–387
 - mounting to camera, 387–388, 390–391
 - parts required for, 388
 - tools required for, 389
 - using, 394
 - step-up and step-down rings
 - definition of, 181–182
 - modifying for accessory lenses with flat front, 282–283
 - stacking, 182–183
 - as substitute for T-mount adapter, 237
 - for using filters with multiple cameras, 277–278
 - StickyPod web site, 376
 - still photography, stabilizer for
 - automatic image stabilization, 386
 - neck-mount stabilizers, 383
 - options for, 383–384
 - timer for, 386
 - tripods, 383, 384
 - stopping down the lens, 313
 - studio light
 - building
 - parts required for, 411–413
 - procedure for, 413–419
 - tools required for, 413
 - reasons to use, 411
 - umbrella for
 - attaching, 416–419
 - types of, 412, 421
 - using, 419–420
 - white balance customizations for, 421
 - sub-directories, 85
 - superimposed display (C.Fn 10) (non-functional), 160
 - switches
 - normally closed, circuit symbol for, 483
 - types of, 12–13
 - for wired remote trigger
 - extending, 44–46
 - types of, 6–8
- T**
- tantalum, for capacitor, 30
 - TC80N3 Timer Remote Control, Canon EOS camera, 29
 - teleconverter lens
 - automatic, 218, 220
 - optical, 177–179
 - telephoto lens
 - definition of, 174–177
 - lenses comprising, 197
 - mounting, 177
 - perspective and, 170–171
 - reasons to use, 174
 - specifications for, 177
 - thermo infrared radiation detection, 295
 - 3200 film speed, Wasia firmware, 139–140
 - threads on accessory lenses
 - filter thread, 167, 179–180, 280–283
 - mounting thread, 167, 181–183
 - 300D digital camera. *See* EOS Digital Rebel, Canon
 - through-the-lens (TTL) metering, 146–147
 - TIFF format, 63
 - Tiffen infrared filters, 305–306
 - Tiffen Pro-Mist filter, 288
 - Tiffen Soft/FX filter, 289
 - timers
 - delay triggers using
 - capacitor for, 24–25
 - 555 timer chip, 19, 20, 21–22
 - self timers
 - mirror lockup and, 156
 - for stabilizing photos, 386
 - tinning tip of soldering iron, 477–479

- T-mount adapter
 - building manual reversal adapter from, 233–235
 - definition of, 218
 - reversal ring as substitute for, 225
 - toggle switches, SPDT (Single Pole Double Throw) switch, 12
 - Tonto software, 126
 - Total Remote product
 - definition of, 121
 - programming from camera remote, 121, 123–126
 - remote files from Internet for, 126–129
 - system requirements for, 122
 - Touch Screen Setup software, 126
 - triggers
 - connecting to point-and-shoot camera
 - parts required for, 34
 - procedure for, 35–44
 - tools required for, 34–35
 - delay
 - constructing, 26–29
 - definition of, 17
 - parts required for, 19–22
 - tools required for, 22
 - uses of, 17–18
 - interval
 - circuit diagram for, 31–32
 - definition of, 29–30
 - parts required for, 30–31
 - tools required for, 31
 - uses of, 29
 - remote, wired
 - constructing, 14–17
 - extending switch for, 44–46
 - how they work, 5–6
 - parts required for, 6–11
 - tools required for, 11–14
 - uses of, 3–4
 - tripod
 - for panoramic shots, 384
 - reasons to use, 47, 384
 - as stabilizer for still photography, 383
 - tripod socket
 - adding to camera
 - making socket for, 51–52
 - parts required for, 49–50
 - procedure for, 52–59
 - tools required for, 50–51
 - definition of, 47
 - detachable, 59
 - TTL (through-the-lens) metering, 146–147
 - Tv mode, safety shift in, 162
- ## U
- Ulead Cool 360 software, 385
 - Ultimate Camera Mounts web site, 376
 - ultraviolet (UV) light, 294–295, 338
 - ultraviolet (UV) photography, 338–340
 - umbrella
 - attaching to home studio light, 416–419
 - types of, affecting lighting with, 412, 421
 - universal image format, converting raw sensor data to, 63
 - universal remote
 - automatically programming, 111–113
 - controlling camera using, reasons for, 107
 - infrared (IR) signal characteristics, 108–110
 - Magnavox REM100 universal remote, 110, 111–113
 - manually programming, 113
 - Philips PHDVD5 universal remote, 114–115
 - Pronto universal remote, 126
 - teachable, programming, 113–114
 - UNIX
 - background processes, 90
 - batch processing, 90–91
 - BSD UNIX, 69
 - manual for, 88
 - shell commands, list of, 85–88
 - UploadFirmware utility software, Canon, 135–136
 - UV (ultraviolet) light, 294–295, 338
 - UV (ultraviolet) photography, 338–340
 - UV-A light, 338
 - UV-B light, 338
 - UV-C light, 338

V

- VAD-PEA lens adapter, Sony, 192–194
- VBAT signal, Canon EOS-EF, 253
- VDD signal, Canon EOS-EF, 253
- video camera
 - mounting accessory lenses to, 186
 - Sony NightShot camcorder, 319, 339
 - as spycam, 374, 377–381
 - stabilizer for, 385
- video receiver, for wireless camera, 378, 380–381
- video recorder, for wireless camera, 378, 380–381
- video stabilizer. *See* stabilizer
- video surveillance. *See* spycams, mounting to bicycle
- viewfinder
 - electronic viewfinder
 - using for infrared photography, 301, 309
 - using when accessory lenses are mounted, 195
 - optical viewfinder
 - infrared photography using, 310
 - not using when accessory lenses are mounted, 195
 - redirecting with angle finder, 255
 - using for infrared photography, 310
 - perspective affecting view in, 171
- vignette
 - with extreme macro photography, 232–233
 - with fisheye lens, 172
 - large adapter ring for, 281
 - when mounting smaller lenses on larger lenses, 182, 232
 - when mounting telephoto lenses, 177
 - when using step-up and stop-down rings, 182
- visible light
 - blocking with filters, 302
 - definition of, 294–295
 - shooting with IR camera, 340–341

W

- warm diffusers, 289
- Wasia firmware
 - auto-focus (AF) modes, 140–142
 - bugs in
 - AI Servo AF mode, 142
 - change AEB order, 153
 - exposure order, 154
 - list of, 157–162
 - copying to CompactFlash (CF) card, 134–136
 - Custom Functions (C.Fn)
 - AF point registration (C.Fn 07) (non-functional), 159–160
 - AF-assist beam (C.Fn 05) (non-functional), 159
 - auto exposure bracketing (AEB) (C.Fn 09), 153–154
 - auto reduction of fill flash (C.Fn 14) (non-functional), 161
 - bugs in, 153, 154
 - default settings for, 162
 - exposure level increments (C.Fn 06), 151–152
 - flash sync speed in Av mode (C.Fn 03), 151
 - JPEG image quality in RAW mode (C.Fn 08), 152–153
 - menu button display position (C.Fn 11) (non-functional), 160–161
 - mirror lockup (C.Fn 12), 154–156
 - mirror lockup pause time (C.Fn 17), 156–157
 - non-functional, 158–162
 - safety shift in Av or Tv mode (C.Fn 16) (non-functional), 162
 - SET button functionality (C.Fn 01), 150–151
 - shutter button and AE lock button (C.Fn 04) (non-functional), 158–159
 - shutter curtain synchronization with flash (C.Fn 15) (non-functional), 161–162

- shutter release without CF card (C.Fn 02), 151
 - superimposed display (C.Fn 10) (non-functional), 160
 - using, 148–149
 - definition of, 131
 - finding and downloading, 132–133
 - Flash Exposure Compensation (FEC), 142–145, 162
 - high speed shooting, 139–140
 - installing, 136–139
 - ISO 3200 film speed, 139–140
 - language settings and, 157
 - releases of, 133, 157
 - reverting to official firmware, 162
 - Review option enhancement, 147–148
 - wavelengths of light spectrum, 294–295
 - web site resources
 - Apple iPod mini, 471
 - camera mount projects, 377
 - C/C++ compiler, 80
 - CCF editing software, 126
 - CHAD Edit software, 126
 - commercial camera mounts, 376–377
 - CompactFlash Association, 429
 - dcrw decoder software, 79
 - Griffin Technology, Total Remote, 121
 - infrared film suppliers, 297
 - JPEG library, 80–81
 - mini ball head suppliers, 357
 - National Semiconductor LM555 Timer
 - specification sheet, 21
 - ProntoEdit software, 126
 - Radio Shack, 6
 - steady cam by Johnny Lee, 388
 - Tonto software, 126
 - Touch Screen Setup software, 126
 - video camera stabilization, 385
 - white balance
 - with home studio light, 421
 - special effects using, 290–291
 - wide-angle lens
 - Cokin 0.5x Wide-Angle Lens, reconfiguring, 199–200
 - definition of, 172–174
 - lenses comprising, 197
 - magnification and, 169–170
 - mounting, 172
 - perspective and, 170–171
 - reasons to use, 172
 - specifications for, 172
 - wild cards, 88–90
 - Windows
 - C/C++ compiler for, 80
 - command prompt, 70
 - installing PHOTOPC software, 68
 - wired remote triggers
 - constructing, 14–17
 - extending switch for, 44–46
 - how they work, 5–6
 - parts required for, 6–11
 - tools required for, 11–14
 - uses of, 3–4
 - wireless camera. *See* spycams, mounting to bicycle
 - wireless remote
 - controlling camera using
 - infrared signal used by, 108–110
 - MP3 players for, 129
 - Nevo device for, 116–120
 - programming remote for, 111–115
 - reasons for, 107
 - Total Remote for, 121–129
 - mirror lockup and, 156
 - wireless video surveillance. *See* spycams, mounting to bicycle
- X**
- x-rays, 294–295
- Z**
- zoom, digital, 177–178
 - zoom lens, magnification and, 169

