

Subject Index

A

A.

- cylindrica*, see *Anabaena*
 - eutrophus*, see *Alcaligenes*
 - fulgidus*, see *Archaeoglobus*
 - japonicus*, see *Aspergillus*
 - metalliredigenes*, see *Alkaliphilus*
 - niger*, see *Aspergillus*
 - pleuropneumoniae*, see *Actinobacillus*
 - thaliana*, see *Arabidopsis*
 - vinosum*, see [NiFe] hydrogenases
- AAS, see Atomic absorption spectroscopy
- Absorption of
nickel, 621, 622
- Absorption spectroscopy
nickel superoxide dismutase, 433
- ACDS, see Acetyl-coenzyme A
decarbonylase/synthase
- Acetate (or acetic acid)
bridge, 219
buffer, 161
cleavage, 359, 388
2-cyano-2-(hydroxyimino)-, 75, 76
degradation, 385
formation, 359, 386, 388
nickel(II), 604, 627, 628, 637, 639, 640,
642
oxidation, 359
reduction, 384
- Acetohydroxamic acid, 228
urease complex, 259–261, 272
- Acetonitrile as ligand, 218
- Acetylphosphonate
Ni(II) complex, 117
- Acetyl-coenzyme A
biosynthesis, see Biosynthesis
formation, 389, 390, 393
- Acetyl-coenzyme A decarbonylase/
synthases, 326, 327, 369, 376,
383–386
archaeal, 386–389
evolution, 386–393
genome sequences, 409, 410
physiological roles, 386–393
properties, 359, 360
subunit phylogeny, 371, 372, 381, 382
- Acetyl-coenzyme A synthases, 376, 383,
524, 530
active site, see Active site
mechanism, 378
models, 200–212
molecular chaperones, 538
synthesis, see Biosynthesis
- Acetyl-coenzyme A synthases/carbon
monoxide dehydrogenases, 35, 37,
81, 182, 360, 366, 369, 371, 373–381,
385, 524, 525
acetylated state, 379, 380
A-cluster, see Clusters

- [Acetyl-coenzyme A synthases/carbon monoxide dehydrogenases]
Carboxythermus hydrogenoformans, 359
 catalytic cycle, 379, 380
 conformational change, 381, 382
 conserved residues, 375
 evolution, 392, 393
 genes in bacteria, 373, 389–392, 538
 inhibition, 381
 methylated state, 379, 380
 models, 200–211
Moorella thermoacetica, 359, 361, 365
 Ni(0) state, 377–379
 Ni(I) state, 204, 205, 377–379
 properties, 359
 protein sequence alignments, 402–404
 reductive activation, 377–379
 structure, 362
 subunit phylogeny, 371–373, 381, 382, 391
- Acetyl phosphate
 Ni(II) complex, 115–117
- Acidity constants (*see also* Equilibrium constants) of
 5'-ATP, 143
 adenosine, 151
 amino acids, 67
 buffers, 163
 dihydroxyacetone phosphate, 117
 1,N⁶-ethenoadenosine nucleotides, 150
 flavin mononucleotide, 148
 glycerol 1-phosphate, 117
 hydroxamic acid, 72, 73
 methane, 349
 methyl thiophosphate, 155
 microconstants, 73, 120, 137, 138, 155
 Ni(aq)²⁺, 111
 nucleoside 5'-diphosphates, 142
 nucleoside 5'-triphosphates, 143
 nucleotides, 115, 156
 phosphate groups, 128, 129, 148, 158
 purine nucleobases, 119, 120, 159
 purine-nucleoside 5'-monophosphates, 135, 146
 purine-nucleotide (N1)-oxides, 152–154
- [Acidity constants]
 pyridine, 120
 pyrimidine-nucleoside 5'-monophosphates, 134, 135, 146
 ribose, 112
 urea, 224, 271
 urease, 250, 265, 270, 271
 xanthosinate 5'-monophosphate, 146
- Acireductone, 477, 478, 481, 488–492
 Acireductone dioxygenase, 182, 477–481, 486, 528
 active site, *see* Active sites
 Co(II), 474, 479
 enzymatic studies, 489
 Fe(II), 474, 479, 480, 483, 486, 489–491, 496
 homologs, 481–483
Klebsiella oxytoca, 474–494
 mechanistic considerations, 490–493
 Mg(II), 474, 479
 Mn(II), 474, 479
 model, 229
 mutation, 475, 480, 490
 nickel in, 473–496
 'one protein, two enzymes', 477–481, 486
 related enzymes, 493–495
 sequence identity, 482
 spectroscopy, *see* individual methods
 structures, 483–486
 wild-type, 479, 480, 490
- A-cluster, *see* Clusters
 Aconitase, 553
 ACS, *see* Acetyl-coenzyme A synthases
 ACS/CODH, *see* Acetyl-coenzyme A synthases/carbon monoxide dehydrogenases
Actinobacillus pleuropneumoniae, 560
 Active sites of (*see also* Cluster)
 acetyl-coenzyme A synthase, 203, 205, 207, 209, 214, 522, 523
 acireductone dioxygenase, 483, 486–490, 493–495, 522, 523, 528
 alcohol dehydrogenase, 272
 carbon monoxide dehydrogenase, 200, 202, 522–524
 [Fe]-only hydrogenase, 192, 197

- [Active sites of]
glyoxalase I, 455–458, 462, 522, 523
methyl-coenzyme M reductase,
337–340, 344, 347, 349, 350, 522, 523
nickel enzymes, 181–230
nickel superoxide dismutase, 426, 428,
429, 434, 436, 437, 522, 523, 526
[NiFe] hydrogenase, 192, 193, 195,
212, 282, 284, 286, 289, 290, 292,
293, 295, 300, 301, 303, 305, 306,
308, 311, 522, 523
urease, 214–229, 244, 245, 249–266,
268, 269, 272, 522, 523, 555
- Adefovir, *see* 9-[2-(Phosphonomethoxy)-
ethyl]adenine
- Adenine(s) (and residues), 141, 167, 168
8-aza-, 146
9-methyl-, 138
9-methyl-1,3-dideaza-, 144
Pt(II) complex, 145
structure, 118
- Adenosine, 112
1,N⁶-etheno-, *see* 1,N⁶-
Ethenoadenosine
Ethenoadenosine
2'-deoxy-, 112
acidity constant, 151
 ϵ -, *see* 1,N⁶-Ethenoadenosine
methylthio-, *see* Methylthioadenosine
Ni(II) complex, 119, 120
self-association, 139
structure, 118
- Adenosine 5'-diphosphate, *see* 5'-ADP
(N1)-oxide complex, 153, 154
- Adenosine monophosphates, *see* 2'-AMP,
3'-AMP, and 5'-AMP
- Adenosine 5'-monophosphate (N1)-oxide
acidity constants, *see* Acidity constants
complexes, 150–154
stability constants, *see* Stability
constants
- Adenosine 5'-O-thiomonophosphate
acidity constants, *see* Acidity constants
complexes, 154–156
stability constants, *see* Stability constants
- Adenosine 5'-triphosphate, *see* 5'-ATP
- S-Adenosylmethionine, 475, 476, 481,
526, 528
- Adenylate cyclase, 513
- 5'-ADP, 131, 512
Cu(II) complex, 140, 141
metal ion complexes, 142
Ni(II) complex, 140, 141, 143, 153
- Aeropyrum pernix*, 509
- Aerosols (containing) (*see also*
Atmosphere)
nickel, 621, 623, 628, 629, 638
- Affinity constants, *see* Stability constants
- α -Alanine (and residues)
hydroxamic acid, *see* Hydroxamic acid
Ni(II) complex, 70
stability constants, *see* Stability
constants
- β -Alanine (and residues)
hydroxamic acid, *see* Hydroxamic acid
Ni(II) complex, 66, 70
stability constants, *see* Stability
constants
- Albumin
Cu(II) complex, 65, 84
human serum, *see* Human serum
albumin
-like complex, 83, 84
metal-binding motif, 80
- Alcaligenes eutrophus*, 560
- Alcohol dehydrogenase
active site, *see* Active sites
zinc in, 272
- Aldolases, 477
- Algae (*see also* individual names), 47
green, 39, 44, 45, 314
urease, 242
- Alkali metal ions, *see* individual names
- Alkaline earth ions, *see* individual names
- Alkaliphilus metalliredigenes*, 390
- Allergy
nickel-induced, 84, 582, 584, 592, 601,
621, 622
skin, *see* Dermatitis and Skin
- Alloys containing nickel, 6
- Alps
nickel deposition, 15, 16
- Aluminum(III)
hydroxide, *see* Hydroxides
oxide, *see* Oxides

- Alyssum*, 48
bertolonii, 49, 51, 52
lesbiacum, 50
pintodasilvae, 12
murale, 49
- Amides (*see also* individual names), 80, 81
 deprotonated, 66
 linkage, 86
 oxal-, 65
 thio-, 79
- Amine(s) (*see also* individual names)
 glycosyl-, *see* Glycosylamine
 tris(2-aminoethyl)-, 119, 121
- Amino acids (*see also* individual names)
 acidity constants, 67
 Cu(II) complexes, 95
 derivatives, 71–76
 list of, 67
 Ni(II) complexes, 63–97
 stability constants, *see* Stability constants
 stereoselectivity of nickel complexes, 71
 Zn(II) complexes, 95
- Aminohydroxamates
 Ni(II) complexes, 71–74
- α -Amino-iso-butyric acid, 87, 88
 Ni(II) complex, 77
 Ni(III) complex, 93
- δ -Aminolevulinic acid
 ^{13}C -, 328
- 2-Amino-6-oxopurine, *see* Guanine
- Aminophosphonates
 Cu(II) complexes, 72
 Ni(II) complexes, 71, 72
- 6-Aminopurine, *see* Adenine
- Ammonia, 216, 224–227, 242, 271, 554, 556–558
- Amoxicillin, 549
- 2'-AMP
 metal complexes, 144–146, 164
- 3'-AMP
 metal complexes, 144–146, 164
- 5'-AMP (complexes of), 131–134
 Cu(II), 137, 141
 [5'-AMP (complexes of)]
 7-deaza-, *see* Tubercidin 5'-monophosphate
 metal ion complexes, 138
 Mg(II), 136, 137, 141, 157
 Mn(II), 137, 141
 Ni(II), 113, 136, 137, 139, 141, 156
 Zn(II), 137
- Anabaena cylindrica*, 38, 39
- [14]aneN₄, *see* Cyclam
- Angiogenesis, 85
- Angiotensin II, 85
- Animals, *see* individual species
- Animal studies of (*see also* individual species)
 nickel toxicity, 625–631
- Anserine, 90
- Antagonistic action, *see* Interdependencies
- Antarctica
 nickel deposition, 15
- Anthropogenic (*see also* Environment)
 nickel, 2, 7, 14, 15, 41, 42
- Antibiotics (*see also* individual names), 79, 464
 gastritis, 547
 resistance, 568
 treatment of *Helicobacter pylori* infection, 547–549, 568
- Antigens for nickel allergy, 84
- Antimicrobial therapy, 547
- Antimonide
 nickel, 4
- Antioxidant(s) (*see also* individual names), 90, 588, 589, 599, 600, 636, 637
 metabolism, *see* Metabolism
- Apoptosis, 448, 476, 551, 584, 592, 601, 602, 604–607, 644
- Arabidopsis thaliana*, 47, 51
- Archaea (*see also* individual names), 37
 acetyl-coenzyme A synthase/carbon monoxide dehydrogenase, 386–389
 carbon monoxide dehydrogenase, 371
 corphin coenzyme F₄₃₀, *see* F₄₃₀
 corrinoid iron-sulfur proteins, 382, 383

[Archaea]
 methanogenic, 203, 323–350, 384,
 524–526
 NikR, 562
Archaeoglobus fulgidus, 369–371, 383,
 384, 389
Arctic
 Canadian, 8, 16
 nickel concentrations, 2, 8, 16
 Norwegian, 2
Arginine (and residues), 84
 Ni(II) complex, 68, 83
Arsenide
 nickel, 4
Arteriosclerosis, 629
Ascorbate (or ascorbic acid), 584,
 593–595, 600, 636, 637, 646
 oxidation, 593
 peroxidase, 44
Asparagine (and residues)
 Ni(II) complex, 69
Aspartic acid (and residues)
 Ni(II) complex, 69, 78
Aspergillus
 niger, 449, 451
 japonicus, 493, 494
Association constants, *see* Stability
 constants
Asthma
 nickel-induced, 582, 584, 623, 624
Atmosphere (*see also* Aerosols)
 nickel in, 2, 6–15, 17, 20
Atomic absorption spectroscopy
 nickel samples, 4, 5
5'-ATP, 475, 512, 607, 631, 637
 acidity constants, *see* Acidity constants
 -dependent molecular chaperone, 524
 dephosphorylation, 161
 exchange reaction, 523
 hydrolysis, 144, 286, 529, 538, 539
 metal ion complexes, 141–143,
 164, 165
 phosphohydrolase, 369
 stability constants, *see* Stability
 constants
 structure, 130

ATPase(s), 534, 539, 560
 inhibition, 45
Australia
 nickel mining, 4
Avena sativa, 19
8-Azaadenine, 146
Azide as inhibitor, 366, 432

B

B.
 japonicum, *see* *Bradyrhizobium*
 pasteurii, *see* *Bacillus*
 subtilis, *see* *Bacillus*
Bacillus
 pasteurii, 244–267, 530–532,
 536, 555
 subtilis, 477, 479, 494, 495
Bacteria(I) (*see also* individual names),
 19, 477
 acetogenic, 203, 524
 anaerobic, 37
 Archaea, *see* Archaea
 cyano-, *see* Cyanobacteria
 gram-negative, 450, 453, 553, 562
 gram-positive, 449, 553
 methanogenic, 37, 281
 N₂-fixing, 38
 pathogens, 49
 photosynthetic, 391
 proteo-, 391, 392
Bacteriochlorin
 iso-, 187
Bacteriophage ΦX174, 513, 514, 533
BAL, *see* 2,3-Dimercaptopropanol
Barium(II) (complex with)
 carbonyl binding, 123
 cytidine, 126
 flavin mononucleotide, 148
 pyrimidine, 122
 xanthosine 5'-monophosphate, 148
Bark as biomonitor, 10
Battery
 nickel/cadmium, 6
B-cluster, *see* Clusters

- Beans
 Jack, *see* Jack bean
 nickel in, 19
 soy, *see* Soybean
Berkheya coddii, 49, 51, 52
- Bicine
 acidity constants, 162
 stability constants of metal ion
 complexes, 163
 structure, 162
 ternary complexes, 161–163
- Binding constants, *see* Stability constants
- Bioavailability of nickel, 17–20, 46
- Biogeochemistry of nickel, 1–21
- Biomonitors for nickel, 8–10, 17
 bark, 10
 lichen, *see* Lichen
 moss, *see* Moss
- Biosynthesis
 acetyl-coenzyme A, 380, 381, 384, 385,
 387, 388, 390, 392
 acetyl-coenzyme A synthases, 359,
 360
 cobalamin, 386, 527, 534
 F₄₃₀, 526
 glutathione, 51
 histidine, 50
 hydrogenases, 514, 529
 nickel superoxide dismutase, 529
 [NiFe] hydrogenases, 284–286, 291,
 537, 539
 phospholipid, 590
 polyamine, 476, 477, 528
 urease, 563, 564
- 2,2'-Bipyridine, 132, 205
 Ni(II) complex, 168
 Ni(III) complex, 92, 141
 ternary complexes, 164
- 2-[Bis(2-hydroxyethyl)amino]-
 2(hydroxymethyl)-1,3-propanediol,
see Bistris
- Bis(hydroxyethyl)glycine,
see Bicine
- Bis(imidazol-2-yl)methylamine, 79, 80
- Bis(*N,N*-diethyldithiocarbamoyl)disulfide,
see Disulfiram
- Bistris
 acidity constants, 163
 stability constants, 163
 structure, 162
 ternary complexes, 161–163
- Biuret reaction, 65, 66
 Cu(II) complex, 65
- Black Sea
 methanogenic archaea, 343–345
- Bleomycin
 Ni(III) complex, 92
- Bonds
 disulfide, *see* Disulfide
 hydrogen, *see* Hydrogen bonds
 Ni(III)-alkyl, 340, 341
 Ni-C, 190, 333, 379
 peptide, 83
 persulfide, *see* Persulfide
 prolyl, *see* Prolyl bond
- Boric acid (or borate)
 buffer, 161
 inhibition of urease, 255, 256,
 267–270
- Bradyrhizobium japonicum*, 37, 529, 533,
 560
- Brassica juncea*, 451
- Brassicaceae*
 nickel hyperaccumulation, 40
- Breast cancer, *see* Cancer
- British anti-Lewisite, *see* 2,3-
 Dimercaptopropanol
- Bronze Age, 6
- Brucella* sp., 560
- Bryophytes (*see also* individual names)
 17
- Buffers (*see also* individual names)
 acetate, 161
 acidity constants, 163
 Bicine, *see* Bicine
 Bistris, *see* Bistris
 borate, 161
 imidazole, 161
 phosphate, 161
 stability constants, 163
 ternary complexes, 161–164
 Tris, *see* Tris

C

C.

- acetobutylicum*, *see Clostridium botulinum*, *see Clostridium difficile*, *see Clostridium difficile*, *see Clostridium hydrogenoformans*, *see Carboxythermus tetani*, *see Clostridium thermoaceticum*, *see Moorella thermoacetica*
- Cabbage
nickel toxicity, 18
- Cadmium(II) (in/complexes with)
chelator, 47
cytidine, 126
flavin mononucleotide, 148
glyoxalase I, *see Glyoxalase I*
hydrogenase, 524
hyperaccumulation, *see Hyperaccumulating plants*
nucleic acid binding, 167
nucleotides, 144, 148
peptides, 80
pyridines, 123, 125, 127
ternary nucleotide complexes, 164
transporter, 38
uridine, 127, 128
- Calcineurin, 603
- Calcium(II) (in)
channel, 627, 629, 645
channel blocker, 603
flavin mononucleotide complex, 148
glyoxalase I, *see Glyoxalase I*
homeostasis, *see Homeostasis*
interdependency with other metal ions, *see Interdependencies*
intracellular, 84
ionophores, 602, 603
metabolism, *see Metabolism*
xanthosine 5'-monophosphate complex, 148
- Calmodulin, 505, 603
- Calorimetry
isothermal, 454, 458, 480
- Calvin cycle, 44
- Campylobacter pyloridis*, *see Helicobacter pylori*
- Canada
Arctic, *see Arctic*
nickel mining and smelting, 4, 8–10, 14, 17, 41, 42
- Canavalia ensiformis* (*see also* Jack bean), 37, 242
- Canavalin, 485, 528
- Cancer (*see also* Carcinomas, Tumors and individual names)
breast, 496, 597
colorectal, 476
gastric, 547
histopathology, 638, 639
ovarian, 483, 597
respiratory tract, 621, 623, 639
- Capillary electrophoresis
nickel samples, 5
- Carbohydrates (*see also* Sugars and individual names), 111
- Carbon
¹³C-label, 206, 341
¹⁴C, 346, 624
global cycle, 524, 525
Ni–C bond, 190, 333, 379
- Carbon dioxide, 358, 365
¹⁴C, 346
as energy source, 324–326, 341
fixation, 326
formation, 493, 524, 554, 556, 557
reduction, 324, 326, 384, 386, 387, 524
- Carbonic anhydrase, 554, 557
- Carbon monoxide (in)
¹³C, 206
¹⁴C, 346
as signaling molecule, 496
dehydrogenase, *see Carbon monoxide dehydrogenase*
formation, 203, 474, 478, 479, 481, 483, 490–492, 496, 523
[NiFe] hydrogenase, 192, 281–283, 285, 286, 288, 290, 292, 294, 295, 300–303, 310–313, 523
oxidation, 358–393, 524

- [Carbon monoxide (in)]
 sequence alignments, 396–401
 toxicity, *see* Toxicity
- Carbon monoxide dehydrogenases, 182,
 211, 326, 429, 514, 524, 530
 acetyl-coenzyme A synthases, *see*
 Acetyl-coenzyme A synthases/
 carbon monoxide dehydrogenases
 activation, 369
 active site, *see* Active sites
Carboxythermus hydrogenoformans,
 361, 365, 524
 catalytic cycle, 365
 characteristics, 370
 C-cluster, *see* C-cluster
 clusters other than C, *see* Clusters
 evolution, 392, 393
 inhibitors, 366
 metallochaperones, 534
 models, 200–211
 molecular chaperones, 538
 mutants, 369, 371
 nickel insertion, 534
 nickel, 36, 37
 phylogeny, 369–373
 properties, 359
 proton transfer, *see* Proton transfer
 redox potentials, *see* Redox potentials
Rhodospirillum rubrum, 359, 361, 366,
 368, 369, 524
 sequence analysis, 369–373
 spectroscopic properties, 395
 structure, 361, 362
- Carbonyl group
 metal ion binding, 115–117, 195
 nickel, *see* Nickel carbonyl
- Carboxylate(s) (*see also* individual
 names)
 bridging, 216, 219, 249, 252
- Carboxydotherrmus hydrogenoformans*,
 36, 200, 202, 359, 369, 370, 372,
 373, 376, 390, 524, 525
- Carcinogenesis (or carcinogenicity) (of)
 effect of other carcinogens, 641
Helicobacter pylori, 548
 in experimental animals, 639–642
 mechanisms, 643–645
- [Carcinogenesis (or carcinogenicity) (of)]
 nickel, 82, 169, 582–584, 586, 587, 599,
 600, 602, 606, 607, 619–646
 species susceptibility, 641
- Carcinomas (*see also* Cancer and Tumors)
 chorio-, 483
 gastric, 548
 nickel-induced, 638, 639, 641
- Cardiovascular system
 nickel toxicity, 629
- Carnosine, 90
 homo-, 90
- Cat
 nickel studies, 628
- Catalase, 637
 iron, 229
- Catalytic cycle of
 acetyl-coenzyme A synthases/carbon
 monoxide dehydrogenases, 379, 380
 carbon monoxide dehydrogenase, 365
 F₄₃₀, 188
 glyoxalase I, 452, 465
 methyl-coenzyme M reductase, 332,
 333, 347–349
 [NiFe] hydrogenases, 281, 282, 295,
 296, 298, 307, 309–313
- Catechol dioxygenase, *see* Dioxygenases
- C-cluster, 361, 370, 380, 381, 385–388,
 390, 392
 assembly mechanism, 368
 nickel incorporation, 368, 369
 nickel-deficient precursor, 366–368
 redox properties, 364–368
 spectroscopic properties, 395
 structural model, 363
- CD, *see* Circular dichroism
- 5'-CDP (complexes with)
 Cu(II), 140
 Ni(II), 139, 140
- Cell
 death, *see* Apoptosis
 malignant transformation, 642
 nickel transport, 528–530
 nickel-exposed, 585–587, 594, 608, 643
- Channels
 calcium, *see* Calcium
 sodium, *see* Sodium

- Chaperones, 595
kinds of, 520
metallo-, *see* Metallochaperones
molecular, *see* Molecular chaperones
nickel, *see* Nickel chaperones
- Charge transfer
ligand-to-metal, 185
- Chelating agents (*see also* individual names)
Ni(II) complexes, 79, 80
- Chemokines, 584, 592, 601, 604
genes, 591
- Chelation therapy
nickel toxicity, 624
- China
nickel pollution, 41
- Chlamydomonas* sp., 45
reinhardtii, 291
- Chloride
nickel, *see* Nickel chloride
- Chlorobium phaeobacteroides*, 392
- Chlorophyll, 46
heavy metal-substituted, 43, 44
magnesium substitution, 43, 51
nickel-substituted, 43, 44, 48
- Chromatin damage, 635, 636, 643, 644
- Chromatography of nickel, 5
- Chromosome
aberration, 635
damage, 585
- α -Chymotrypsin, 511
- Circular dichroism
glyoxalase I, 456
Ni(II)-peptide complexes, 80, 86, 91
Ni(II)-sugar complexes, 113
nickel superoxide dismutase, 214, 433
- Citrate
bismuth citrate, 549
Ni(II), 18–20, 47, 50, 266
Ti(III), 375, 377, 378
- Cladina* sp., 10
- Cladonia pleurota*, 10
- Clarithromycin, 549, 568
- Cleavage
acetate, 359, 388
dihydrogen, 193, 194, 312, 313
DNA, 90, 167, 635, 636
- [Cleavage]
hydrolytic, 217
4-nitrophenylphosphate, 217
picolinamide, 218
protein, 90
RNA, 167
thioether bond, 190
- Clostridium* sp., 389, 390, 450
acetobutylicum, 291, 390
botulinum, 390
difficile, 370, 371, 373, 390
tetani, 390
thermoaceticum, *see* *Moorella thermoacetica*
- Clusters
A-, 374–381, 385, 386, 392, 525
B-, 361, 367, 370, 385, 387, 389, 395
C-, *see* C-cluster
cubane, 200, 204, 205, 367, 374, 377, 378, 524
D-, 361, 365, 367, 370, 371, 385, 387–390, 395
E-, 371, 385
F-, 371, 385
Fe₃S₃, 200
Fe₃S₄, 201, 283, 289, 292, 300, 301, 362, 366, 367, 370, 387, 395, 524
Fe₄S₄, 35, 203–206, 230, 283, 289, 292, 300, 311, 312, 361, 367, 370, 371, 374, 376–379, 381–383, 385, 387, 392, 393, 395, 422, 524, 525, 632
FeS, 200, 281–283, 287
Ni₂Fe₄S₄, 210, 525
NiFe₃S₄, 200, 202, 205, 524
NiFe₄S₄, 200
NiFe₄S₅, 200, 523
5'-CMP (complexes with), 133, 135
Ba(II), 122
Cd(II), 126
Co(II), 126
2'-deoxy-, 126, 158
Ni(II), 134, 139
Pt(II) complex, 122
- Coal
nickel in, 21
- Cobalamins
biosynthesis, *see* Biosynthesis

- [Cobalamins]
 cob(I)alamin, 330, 379, 382, 383, 390
 cob(II)alamin, 330
 methyl-, *see* Methylcobalamin
- Cobalt (different oxidation states) (in)
 contact dermatitis, *see* Dermatitis
 hyperaccumulation, *see*
 Hyperaccumulating plants
 transporters, *see* Transporters
- Cobalt(II) (complexes with)
 acireductone dioxygenase, *see*
 Acireductone dioxygenase
 carbonyl group, 117
 cytidine, 125, 126
 flavin mononucleotide, 148
 glyoxalase I, *see* Glyoxalase I
 hydroxyl group, 117
 low-spin d⁷, 92
 nucleic acid binding, 165–167
 AMP (N1)-oxide, 153
 pyridine, 123, 127
 SlyD, 512
 ternary ATP–buffer complexes,
 163
 urease, 266, 267
 uridine, 127, 128
 water exchange rate, 111
 xanthosine 5'-monophosphate, 148
- Cobalt(III)
 peptide complexes, 93
- CODH, *see* Carbon monoxide
 dehydrogenases
- Coenzymes (*see also* individual names)
 A, 326
 B (*see also*
 7-Thioheptanoylthreoninephosphate),
 182, 185
 F₄₂₀, *see* F₄₂₀
 F₄₃₀, *see* F₄₃₀
 M, 336–342, 345, 346, 348,
 349, 383
- Cofactor F₄₃₀, *see* F₄₃₀
- Collagen, 590, 593, 646
- Coordination spheres, *see* Active sites
- Copper (different oxidation states)
 contact dermatitis, *see* Dermatitis
 smelting, *see* Smelting
- Copper(I) (in), 44, 206–208
 acetyl-coenzyme A synthases/carbon
 monoxide dehydrogenases, 374
- Copper(II) (complexes of), 44, 122
 albumin, 65
 aminophosphonate, 72
 and fibrinopeptides, 84
 biuret, 65
 carbonyl group, 117
 crystal structures, *see* X-ray crystal
 structures
 dihydroxyacetone phosphate, 117
 1,N⁶-ethenoadenosine nucleotides, 150
 flavin mononucleotide, 148
 glycerol 1-phosphate, 117
 histidine, 95
 hormone, *see* Hormones
 hydroxyl group, 117
 in plants, *see* Plants
 in quercetin 2,3-dioxygenase, 493–495
 in SlyD, 512
 in urease, 267
 1-methylcytosine, 122, 123
 nucleotide, 137, 138, 140–146, 157, 158
 peptides, *see* Peptides
 phosphate, 130
 purine nucleobases, 121, 146
 purine-nucleotide (N1)-oxides, 153,
 154
 pyridine, 123, 125, 126
 ribose binding, 112
 ternary ATP–buffer, 163
 ternary nucleotide complexes, 164
 xanthosine 5'-monophosphate, 148
- Copper(III)
 tripeptide complexes, 87, 93
- Copper-zinc superoxide dismutase,
 418–420, 428, 434, 436, 438, 526
- Corphin
 coenzyme F₄₃₀, *see* F₄₃₀
 origin of name, 328
 tetrahydro-, 328
- Corrinoid iron-sulfur proteins, 360, 375,
 379, 382–387, 391–393, 525
 protein sequence alignment, 405–408
 subunit phylogeny, 383, 384
- Corynebacterium* sp., 643

- Crystal structures of (*see also* X-ray crystal structures)
 acetyl-coenzyme A synthases/carbon monoxide dehydrogenases, 374
 carbon monoxide dehydrogenases, 360, 362
 F₄₃₀, 328
 glyoxylase I, 455–458, 465
 methyl-coenzyme M reductase, 334–338, 342
 nickel superoxide dismutase, 425, 429, 430, 526
 [NiFe] hydrogenases, 291–294
 urease, 250, 253, 255, 257, 258, 260, 262, 264–267
- 5'-CTP, 146
 complexes, 129, 141, 143
 structure, 131
- Cubane cluster, *see* Cluster
- Cupins, 483, 485, 493, 494, 528
- Cyanate (in)
 hydrolysis, 226, 227
 thio-*see* Thiocyanate
 urease, 216, 224–227
- Cyanide (in), 37
 carbon monoxide dehydrogenase, 366
 diazotrophic, 38
 Fur protein, 553
 micronutrient, *see* Micronutrients
 nickel, 32–54
 nickel superoxide dismutase, 211, 526, 527
 [NiFe] hydrogenase, 192, 199, 281–283, 285, 286, 288, 290, 292, 295, 300, 302, 303, 305, 306, 310, 523
 toxicity, *see* Toxicity
- Cyanobacteria (*see also* individual names), 314
 diazotrophic, 38
 Fur, 553
 micronutrients, 37–40
 nickel in, 32–54
 nickel superoxide dismutase, 211, 526, 527
- Cyclam (complex with)
 Ni(I), 188
 Ni(II), 189–191
 [Cyclam (complex with)]
 Ni(III), 144
 tetramethyl-, 188–191
- Cyclic voltammetry of
 F₄₃₀, 332
 Ni(II) complexes, 213
 Ni(II)-Ni(0), 210
 Ni(II)-Ni(I), 210, 334
 Ni(III) complexes, 92
 [NiFe] hydrogenases, 197, 198
- Cyclophilins, 503–505, 513
Cynops pyrrhogaster, 640
- Cysteine (and residues), 84
 bridge, 367, 374, 523
 in [NiFe] hydrogenases, 286, 300, 308, 523
 Ni(II) complex, 66, 69, 80–82, 95, 96
 oxidation, 308
 seleno-, *see* Selenocysteine
 S-methyl-, 338
 β,β-dimethyl-, *see* Penicillamine
- Cytidine
 metal ions complexes, 123, 125, 126
 structure, 118
- Cytidine 5'-diphosphate, *see* 5'-CDP
- Cytidine 5'-monophosphate, *see* 5'-CMP
- Cytidine 5'-triphosphate, *see* 5'-CTP
- Cytochrome *b*, 280, 283, 287
- Cytochrome(s) *c*, 280, 287
*c*₃, 283
*c*₃ oxidoreductase, *see* [NiFe] hydrogenase
- Cytochromes P450, 448
- Cytokine(s), 584, 590–592, 601–604, 608
 genes, 591, 592
- Cytosine, 168
 methylation, 584, 586, 607
 structure, 118
- Cytotoxicity of methylglyoxal, 448, 449, 527

D

- D.*
baculatum, *see* *Desulfomicrobium* and *Desulfovibrio*

[D.]

- desulfuricans*, see *Desulfovibrio*
ethenogenes, see *Dehalococcoides*
fructosovorans, see *Desulfovibrio*
gigas, see *Desulfovibrio*
hafniense, see *Desulfitobacterium*
vulgaris, see *Desulfovibrio*
- Data bases of proteins
 PDB, see Protein Data Bank
- D-cluster, 361, 365, 367, 370, 371, 385, 387–390, 395
- Decarboxylases
 ornithine, 476
 oxalate, 493, 494
- Deficiency of
 nickel, 39, 40, 624, 625, 630
 nitrogen, 40
- Dehalococcoides ethenogenes*, 382, 390
- Dehydrogenases
 carbon monoxide, see Carbon monoxide dehydrogenase
 glucose-6-phosphate, 597
 glyceraldehyde-3-phosphate, 448, 597
 lactate, 446, 447
 methylene tetrahydromethanopterin, 325
- Density functional theory calculations
 F₄₃₀, 188, 331, 332, 341, 348
 nickel superoxide dismutase, 436
 [NiFe] hydrogenase, 301, 303–306, 310, 312, 313
 urease, 269, 271
- 2'-Deoxyadenosine, 112
- 1-(2'-Deoxy-β-D-ribofuranosyl)thymine, see Thymidine
- Deoxyribonucleic acid, see DNA
- 2'-Deoxyribose, 112
- Deprotonation constants, see Acidity constants
- Dermatitis (induced by)
 allergic contact, 582, 592, 624, 630
 cobalt, 624
 copper, 624
 nickel, 621, 623, 624, 629, 637
- Deschampsia flexuosa*, 18
- Desulfitobacterium hafniense*, 369, 370, 372, 390
- Desulfomicrobium baculatum*, 521, 523
- Desulfovibrio*
baculatum, 292
desulfuricans, 292, 370, 391
fructosovorans, 199, 289, 290, 292
gigas, 36, 196, 199, 281, 289, 292, 293, 295–299, 305, 421, 521
vulgaris, 289, 292, 294, 295, 297, 298, 301–303, 305, 306, 391
- Detoxification (of) (see also Toxicity)
 chelation therapy, see Chelation therapy
 mechanism in plants, 46–48
 methylglyoxal, see Methylglyoxal
 nickel, 46, 624
 reactive oxygen species, 551, 552
 superoxide radicals, 551
- DFT calculations, see Density functional theory calculations
- Diamidophosphate
 urease complex, 256, 257, 268–272
- 1,2-Diaminoethane, see Ethylenediamine
- 1,4-Diaminobutane, see Putrescine
- 2,4-Diaminobutyric acid
 hydroxamic acid, see Hydroxamic acid
 Ni(II) complex, 69, 71
- 1,3-Diaminopropane
 Ni(II) complex, 70, 71, 112, 113
- 2,3-Diaminopropionic acid
 hydroxamic acid, see Hydroxamic acid
 Ni(II) complex, 69, 71
- 2,6-Diaminohexanoate, see Lysine
- 2,5-Diaminopentanoate, see Ornithine
- Dichotomy of metal ion binding to purines, 120, 121
- Dielectric constant
 reduced, 117, 149
- Dien, see Diethylenetriamine
- Diethyldithiocarbamate
 sodium, 624
- Diethylenetriamine (complexes of)
 Ni(III), 92
 Pt(II), 122
- Diethylenetriamine-*N,N,N',N''*-pentaacetate, 19
 prevention of contact dermatitis, 624
- Diglycine, see Glycylglycine

- Dihydrogen (*see also* Hydrogen)
as energy source, 324, 325, 341
cleavage, 193, 194, 312, 313
cycling, 38
dissociation, 280
[NiFe] hydrogenases, 281, 282, 289,
290, 293–295, 311
oxidation, 38, 384, 387, 521
producing catalysts, 191
production, 193, 514
- Dihydroxyacetone phosphate (complexes
with), 115, 446, 448
Cu(II), 117
Ni(II), 116, 117
- 2,3-Dimercaptopropanol
nickel toxicity, 624
- Dioxygen (*see also* Oxygen) (in), 422,
593, 593
acireductone dioxygenases, 479,
489–491, 493
formation, 418, 526
[NiFe] hydrogenases, 294, 295, 308,
311, 314
oxidation, 495
reduction, 633
- Dioxygenases
acireductone, *see* Acireductone
dioxygenase
catechol, 463
quercetin 2,3-, 493–495
- N,N'*-Disalicylideneethylenediamine,
see Salen
- Diseases (*see also* individual names)
heart, 418
inflammatory (*see also* Inflammation),
418
intestinal tract, 545–570
ischemic, 418
neurodegenerative, *see*
Neurodegenerative diseases
- Dismutases
superoxide, *see* Superoxide
dismutase
- Dissociation constants (*see also*
Equilibrium constants *and* Stability
constants)
urease, 252, 261
- Disulfide(s), 422
bonds, 78, 259, 425
bridge, 84, 379
formation, 325, 326, 333, 334
Ni(II) complex, 78, 79
radical, *see* Radicals
redox potential, *see* Redox potentials
- Disulfiram, 624
- Dithiol (*see also* Thiols)
nickel complex, 333
- Dithionite in
acetyl-coenzyme A synthases/carbon
monoxide dehydrogenases, 375, 377
carbon monoxide dehydrogenases, 364
- DNA
B-, 165
calf thymus, 167
cleavage, 90, 167, 635, 636
damage, 604–606, 608, 635, 636
duplex, 167–169
effects of Ni(II), 89
fragmentation, 605
inhibition of repair enzymes, 644
insertion, 287, 288
M-, 167, 168
methylation, 475, 583, 586, 587, 599,
607, 644
microarray analysis, *see* Microarray
analysis of DNA
nickel binding, 632
oxidative damage, 90, 585, 635, 636,
643, 644, 646
–protein cross-linking, 635
recognition, 90
synthesis, *see* Synthesis
synthetic analogs, 80
Z-, 165
- Dog
nickel studies, 630
- Drugs, *see* individual names
- dTDP, *see* Thymidine 5'-diphosphate
- dTMP, *see* Thymidine 5'-monophosphate
- DTPA, *see* Diethylenetriamine-
N,N,N',N''N''-pentaacetate
- Duodenum
ulcer, 546
- dTTP, *see* Thymidine 5'-triphosphate

E

- E. coli*, *see* *Escherichia*
- Earth's crust (*see also* Soil)
nickel in, 4, 6, 110
- E-cluster, *see* Clusters
- EDTA, *see* Ethylenediamine-*N,N,N',N'*-tetraacetate
- Electrochemistry of
[NiFe] hydrogenases, 306–309
- Electrodes
glassy carbon, 335
graphite, 306, 307, 309
platinum, 309
standard calomel, 334, 335
- Electron density
[NiFe] hydrogenases, 294, 295, 298, 299
urease, 251, 252, 256, 261, 265
- Electronic spectra, *see* Absorption spectroscopy
- Electron microprobe analysis
nickel samples, 5
- Electron nuclear double resonance, *see* ENDOR
- Electron paramagnetic resonance, *see* EPR
- Electron potentials, *see* Redox potentials
- Electron spin echo envelope modulation, *see* ESEEM
- Electron spin resonance, *see* EPR
- Electron transfer (in)
acetyl-coenzyme A synthase, 204
acetyl-coenzyme A synthases/carbon monoxide dehydrogenases, 380, 385
carbon monoxide dehydrogenases, 361–363, 365, 373, 388, 390, 391
Ni(III)/Ni(II)-peptide complexes, 88
[NiFe] hydrogenases, 282, 283, 293, 298, 313, 325
proton-coupled, 418–420
superoxide dismutases, 418, 419
- Electrophoresis
capillary, 5
polyacrylamide gel, 453
SDS-PAGE, *see* Sodium dodecylsulfate polyacrylamide gel electrophoresis
- Electrospray ionization mass spectrometry
acetyl-coenzyme A synthase models, 209
nickel superoxide dismutase, 428
- Elodea*, 41
- Empetrum nigrum*, 18
- ENDOR spectroscopy (of)
¹H, 304, 305
¹⁷O, 305
C-cluster of carbon monoxide dehydrogenase, 364, 365
F₄₃₀, 330, 331, 341, 342
Ni(I) complexes, 187
[NiFe] hydrogenases, 192, 193, 281, 282, 303–305
- Enterobacteriaceae*, 446
- Environment
nickel in, 1–21, 32–54
nickel pollution, 40–48, 524
- Environmental Protection Agency of the United States
nickel concentrations, 4, 5
- Enzymes (*see also* Proteins and individual names)
models of active sites, 181–230
- EPR (studies of)
acetyl-coenzyme A synthase, 204, 206
F₄₃₀, 183, 330–332, 338
glyoxalase I, 457
methyl-coenzyme M reductase, 335, 338–342
Ni(I) complexes, 186, 187, 189, 210, 377, 380
Ni(III) complexes, 65, 89, 91–93, 193, 380
nickel enzymes, 34
nickel superoxide dismutase, 214, 429, 431, 432
[NiFe] hydrogenases, 192, 193, 281, 290, 291, 298, 300–306
- Equilibrium constants (*see also* Acidity constants and Stability constants), 121, 126, 153
definition, 132, 133
intramolecular, 125, 132
methyl-coenzyme M reductase, 346
- Erythropoietin, 629, 640
nickel-induced expression, 592, 593

- Escherichia coli*, 528
 acetyl-coenzyme A synthase/carbon monoxide dehydrogenase, 373, 376
 acireductone dioxigenase, 474, 479, 491, 493
 carbon monoxide dehydrogenase, 366, 367, 369
 Fur, 553
 glyoxalase I, 451–465
 methylglyoxal, 446, 449, 450
 nickel mutagenicity, 643
 nickel superoxide dismutase, 39, 423, 425, 527
 [NiFe] hydrogenase, 285, 286, 327, 523, 532, 533, 537
 NikR, 562, 563
 peptidyl prolyl *cis/trans* isomerases, 504, 505
 SlyD, 502, 504–510, 513, 514, 533
- ESEEM
 four-pulse, *see* Hyperfine sublevel correlation spectroscopy
- ESI-MS, *see* Electrospray ionization mass spectrometry
- ESR, *see* EPR
- 1,N⁶-Ethenoadenosine
 acidity constants, *see* Acidity constants
 nucleotide complexes, 150, 151
 stability constants, *see* Stability constants
 structure, 151
- N,N'*-Ethylenebis(salicylideneaminato), *see* Salen
- Ethylenediamine (complex with), 208
 Ni(II), 70, 71, 112–114
 Ni(III), 92
- Ethylenediamine-*N,N,N',N'*-tetraacetate (complex with), 451, 474
 Ni(II), 18, 19, 41, 266, 567
- Eukaryotes (or eukaryotic) (*see also* individual names), 477, 481, 483
 DNA, 586
 FK506-binding proteins, 503, 509
 glyoxalases, 446, 450, 451, 465
 [NiFe] hydrogenases, 287
- Evolution of
 acetyl-coenzyme A decarbonylase/synthases, 386–393
 [Evolution of]
 carbon monoxide dehydrogenases, 392, 393
 metalloenzymes, 373, 392, 393
- EXAFS studies of
 acetyl-coenzyme A synthase, 204
 acireductone dioxigenase, 474, 480
 glyoxalase I, 455
 methyl-coenzyme M reductase, 339, 343
 Ni(I) complexes, 187
 nickel superoxide dismutase, 426, 427
 [NiFe] hydrogenases, 192, 299, 300
 urease, 258
- Excluders, 33, 48
- Extended absorption fine structure spectroscopy, *see* EXAFS
- ## F
- F₄₂₀-reducing [NiFe] hydrogenase, 325, 387, 388
- F₄₃₀ (*see also* Methyl-coenzyme M reductase), 35, 37, 187, 323–350, 523, 525, 529
 biosynthetic pathway, 526
 catalytic cycle, 188
 ESR studies, *see* EPR
 magnetic circular dichroism studies, *see* Magnetic circular dichroism
 methyl-, 332, 333
 models, 182–191
 Ni(I), *see* Nickel(I)
 Ni(III), *see* Nickel(III)
 nonplanarity, 329
 properties, 330–333
 redox potential, *see* Redox potentials
 structure, 183, 325, 328–335
 thiol coordination, 341, 342
- Fabaceae*, 19
- Familial amyotrophic lateral sclerosis, 418
- F-cluster, *see* Clusters
- FeMo cofactor formation, 369
- Fenton-like reaction, 89, 551
- [Fe]-only hydrogenases, 191, 192, 291, 521
 active site, *see* Active sites

- Ferredoxins (*see also* individual names)
 [4Fe4S], 35, 422
 reduction, 326, 380
 Ferritins, 553, 554, 589, 627
 Fertilizers containing
 nickel, 2, 3
 nitrogen, 242
 Fibrinogen, 84
 Finland
 nickel pollution, 2, 7–15, 18, 20, 41
 Flavin mononucleotide
 acidity constants, *see* Acidity constants
 complexes, 148, 149
 stability constants, *see* Stability constants
 structure, 147
 FMN, *see* Flavin mononucleotide
 Formaldehyde, 375
 Formate, 325
 production, 388
 Formation constants, *see* Equilibrium constants *and* Stability constants
 Fosfomycin, 464
 resistance protein, 463, 464
 Fourier transform infrared spectroscopy
 (studies of)
 [NiFe] hydrogenases, 281, 282, 290, 292, 295–299
 stopped flow, 295
 Fructose
 Ni(II) complex, 113
 FTIR, *see* Fourier transform infrared spectroscopy
 Fulvic acid
 nickel complex, 4, 19
 Fungi (or fungal)
 ectomycorrhizal, 46
 glyoxalases, 451
 pathogens, 49
 urease, 242
- G**
- Gastritis, 35, 346
 Helicobacter pylori-induced (*see also* *Helicobacter pylori*), 547, 548
 Gastrointestinal tract
 diseases, *see* Diseases
 infection, 242
 5'-GDP complexes of
 Cu(II), 140, 142
 metal ions, 142
 Ni(II), 140, 141, 143
 Gel electrophoresis
 polyacrylamide, 453
 Genes
 acetyl-coenzyme A synthases/
 carbon monoxide dehydrogenases, 389–392
 coding for cytokines and chemokines, 591, 592
 coding for extracellular matrix proteins, 590, 591
 coding for metal binding, 588, 589
 nickel-dependent expression, 581–609
 stress response, 605
 tumor-suppressor, 606, 607
 Genome
 sequences of acetyl-coenzyme A decarbonylase/synthases, 409, 410
Geobacter
 metallireducens, 391
 sulfurreducens, 391
 Glucose (*see also* Sugars)
 6-phosphate dehydrogenase, *see* Dehydrogenases
 transport, 597
 Glutamic acid (or glutamate)
 hydroxamic acid, *see* Hydroxamic acid
 Ni(II) complex, 68, 78
 Glutamine
 Ni(II) complex, 68
 Glutathione, 47, 447, 464, 527, 584, 600, 628, 631, 636, 637
 air oxidation, 82
 biosynthesis, *see* Biosynthesis
 derivatives, 458–460
 metabolism, *see* Metabolism
 Ni(II) complex, 78, 81, 82, 632
 peroxidase, *see* Peroxidases
 reduced, 90
 reductase, *see* Reductases
 S-lactoyl-, 449, 450, 455, 458, 527

- [Glutathione]
 S-transferase, *see* Transferases
 synthetase, *see* Synthases
- Glyceraldehyde-3-phosphate, 447, 448
 dehydrogenase, *see* Dehydrogenases
- Glycerol 1-phosphate
 acidity constant, 117
 Cu(II) complex, 117
 metal ion complexes, 149
 Ni(II) complex, 115–117
 structure, 147
- Glycine
 α -mercaptopropionyl-, 82
 di-, *see* Glycylglycine
 γ -glutamylcysteinyl-, *see* Glutathione
 hydroxamic acid, *see* Hydroxamic acid
 Ni(II) complex, 68, 69, 71
 N-methyl-, *see* Sarcosine
 oligo-, 76
 tetra-, *see* Tetraglycine
 thio-, 338
 tri-, *see* Triglycine
- Glycine max.* (*see also* Soybean)
 nickel uptake, 18
- Glycosides
 N-, *see* Glycosylamines
- Glycosylamines
 Ni(II) complexes, 112, 113
- Glycylglycine
 Ni(II) complex, 76, 93
 Ni(III) complex, 93
- Glycylglycylglycine, *see* Triglycine
- Glycylglycylglycylglycine, *see* Tetraglycine
- Glyoxal
 methyl-, *see* Methylglyoxal
 phenyl-, 446, 451
- Glyoxalase I, 37, 527, 528
 active site, *see* Active sites
 Ca(II), 462
 catalytic cycle, 452, 465
 catalyzed isomerization, 458–460
 Cd(II), 453, 454, 456, 458, 462, 527
 classes, 452
 Co(II), 453–456, 458, 460, 462, 463, 527
 crystal structures, *see* Crystal structures
- [Glyoxalase I]
 Escherichia coli, *see Escherichia coli*
 genes, 460–463
 Mg(II) in, 451, 452, 454, 462
 mechanistic studies, 453–460
 member of the $\beta\alpha\beta\beta$ superfamily, 463, 464
 metal activation, 451, 452, 460–463
 Mn(II), 453–455, 457, 462, 527
 mutagenesis studies, 462
 nickel-dependent, 445–466
 sequence alignments, 461
 various sources, 450, 451
 Zn(II), 451, 452, 454–463, 465, 527
- Glyoxalase II, 446, 447, 450, 451, 527
- 2'-GMP, 145
 2'd3'-, 145
- 3'-GMP, 145
 3',5'-c, 114
- 5'-GMP (complexes with), 133
 Cu(II), 137
 d-, 113, 114, 158, 164
 Mg(II), 136, 137
 Mn(II), 137
 Ni(II), 113, 114, 135–139
 stability constants, 137
 Zn(II), 137
- Goat
 nickel studies, 625
- Greenland
 ice core, 15
 nickel accumulation, 15
- Growth factors
 transforming, 588, 590
- 5'-GTP, 37, 512
 binding motifs, 533
 -dependent molecular chaperones, *see* Molecular chaperones
 -dependent urease activation, 536
 hydrolysis, 536, 538, 539, 556
 metal ion complexes, 143
 Ni(II) complex, 141, 143
- GTPases, 533, 536, 538, 559
- Guanine (and moiety), 141, 165–167
 acidification, 122
 9-methyl-, 138
 8-oxo-, 636

- [Guanine (and moiety)]
 Pt(II) complex, 145
 structure, 118
- Guanosine
 2'-deoxy-, 165
 8-hydroxy-2'-deoxy-, *see* 8-Hydroxy-
 2'-deoxyguanosine
 Ni(II) complex, 121, 122
 self-association, 139
 structure, 118
- Guanosine 5'-diphosphate, *see* 5'-GDP
- Guanosine monophosphate, *see* GMP
- Guanosine 5'-triphosphate, *see* 5'-GTP
- Guinea pig
 nickel studies, 592, 593, 629, 630, 637

H

H.

- felis*, *see Helicobacter felis*
- influenzae*, *see Haemophilus*
pylori, *see Helicobacter pylori*
- Haber-Weiss-Fenton reaction, 551
- Haemophilus influenzae*, 505
- Haldane equation, 346
- Hamster
 nickel studies, 629, 641
- Helicobacter felis*, 569
- Helicobacter pylori*, 35, 534
 antibiotic treatment of infection,
 547–549, 568
 associated diseases, 548
 chemotaxis, 550
 diagnostics, 549
 drug targets, 568, 569
 Fur, 564–566
 genes, 555, 559, 562–567, 569
 genome, 547, 562, 565
 hydrogenases, 559, 560, 565
 -induced gastritis, 547
 infection, 548, 549
 mechanism of pathogenesis, 549–551
 metabolism, *see* Metabolism
 metal ion export, 567, 568
 microbiology, 547
 nickel transporters, 560, 561, 566

- [*Helicobacter pylori*]
 NikR, 562–566, 570
 role of nickel, 545–570
 urease, 242–267, 521, 529–532, 536,
 537, 550–559, 564
- Heme oxygenase, 589
- Hepatitis
 B, 156
 C, 481, 483
- Herbivores, 40, 49, 51
 nickel concentrations, 12
- Heteronuclear single quantum correlation
¹H,¹⁵N-, 496
- Hexokinase I, 597
- High-potential iron proteins, 422
- Histamine complex with
 Ni(II), 70, 71
 Ni(III), 94
- Histidine (and residues) (*see also*
 Imidazole) (complexes with)
 Cu(II), 95
 fragile triad, 607
 hydroxamic acid, *see* Hydroxamic acid
 kinase, *see* Kinases
 Ni(II), 66, 69, 71, 80–83, 95, 96
 Ni(III), 94
 nickel binding, 50, 51
 N-methyl-, 338
 ternary complexes, 164
 Zn(II), 95
- Histone(s)
 acetylation, 587, 605, 608, 644, 645
 methylation, 584
 modification, 583, 587
 Ni(II) complexes, 82–86, 90, 632, 633,
 635, 636
 transcription, 587
- Homeostasis of
 calcium, 602–604, 645
 iron, 562, 632
 metal ions, 552
 methylthioadenosine, 477
 nickel, 514, 562
- Homo sapiens*, *see* Human
- Hormones (complexes with) (*see also*
 individual names)
 Cu(II), 86

- [Hormones (complexes with)]
 gonadotropin-releasing, 86
 hypothalamic, 86
 luteinizing-hormone releasing hormone, 86
 neuro-, 85
 Ni(II), 86
 peptides, *see* Peptides
 Zn(II), 86
- HSQC, *see* Heteronuclear single quantum correlation
- Human
 fibrinopeptide A, 84
 metal diet, 569
 protamine, 84
 sperm, 84
- Human serum albumin, 84
 Ni(II) binding, 623
- Humic acid
 nickel complex, 4, 19
- Hydride bridge, 305, 311–313
- Hydrogen (*see also* Dihydrogen)
 ¹H ENDOR, *see* ENDOR
 cycle, 38
 formation, 308, 314, 331, 390
 gas as energy carrier, 39
 metabolism, *see* Metabolism
- Hydrogenases, 514, 521–524, 530, 537, 538
 biosynthesis, *see* Biosynthesis
 catalytic, 304–306, 310
 classes, 280
 cytosolic, 284, 290
 de-, *see* Dehydrogenases
 [FeFe], 280, 314
 [Fe]-only, *see* [Fe]-only hydrogenase
 Fe-S cluster-free, 191, 325, 521
 inhibition, 569
 membrane-bound, 280, 284, 288, 309
 metallochaperones, 532, 533
 molecular chaperones, 537, 538
 nickel insertion, 369
 nickel-iron, *see* [NiFe] hydrogenases
 [NiFeSe], 291, 292, 301
 periplasmic, 284
 regulatory, 280, 304, 306
 soluble, 280, 284, 289, 295, 300
- Hydrogen bond (in/to)
 acireductone dioxygenase, 485
 carbonyl group, 114, 138, 139, 165, 166
 hydroxyl group, 163, 420
 Ni(II) complexes, 113, 114
 [NiFe] hydrogenases, 306
 Pt(II) complexes, 159
 ribose, 112
 superoxide dismutases, 420, 434, 435, 437, 438
 urease, 215, 219, 220, 251–259, 262, 265, 266, 269–272
- Hydrogen peroxide (*see also* Peroxides), 212, 214, 418, 419, 422, 427, 428, 436–438, 551, 602, 604, 633–636, 644, 646
 activation, 89, 90
 disproportionation, 90
 formation, 493
- Hydrolases (*see also* individual names)
 S-2-hydroxyacylglutathione, *see* Glyoxalase II
 phospho-, 369
- Hydrolysis
 5'-ATP, 144, 286, 529, 538, 539
 cyanate, 226, 227
 5'-GTP, 536, 538, 539, 556
 peptide bond, 83
 phenylphosphorodiamidate, 268, 270
 urea, 226, 243, 249, 256, 265, 267, 268, 554, 556
- Hydroperoxide (*see also* Peroxides) in [NiFe] hydrogenases, 294, 306, 308, 310, 312
- Hydroxamates (or hydroxamic acids) (*see also* individual names)
 α-alanine-, 73, 75
 β-alanine-, 73, 74
 aceto-, *see* Acetohydroxamic acid
 acidity constants, 72, 73
 amino-, *see* Aminohydroxamic acid
 bridge, 259
 2,3-diaminopropiono-, 74
 2,4-diaminobutyric acid, 74
 glutamic acid-γ-, 74
 glycine-, 73
 histidine-, 74
 sarcosine, 73

- Hydroxide(s)
 aluminum, 13
 bridging nickel and iron, 367
 bridging two nickel, 217, 218, 220,
 221, 225, 252, 255, 258, 262, 265,
 269–272, 305, 306, 310, 311
 iron, 13
- Hydroxo complexes, 111
- S-2-Hydroxyacylglutathione hydrolase,
see Glyoxalase II
- 8-Hydroxy-2'-deoxyguanosine, 90
- 6-Hydroxydopamine, 418
- Hydroxyl groups (*see also* Sugars)
 bridge in carbon monoxide
 dehydrogenase, 364
 metal ion coordination, 112–117
 radicals, *see* Radicals
 ribose, *see* Ribose
- Hydroxylases (*see also* individual
 names), 593–598
- Hylocomium splendens*, 9
- Hyperaccumulating plants (*see also*
 individual names), 33, 38, 46
 cadmium, 50
 cobalt, 52
 mechanisms, 50, 51
 nickel, 12, 17, 21, 40, 45, 47–53
 zinc, 48
- Hyperfine sublevel correlation
 spectroscopy
 methyl-coenzyme M reductase, 340,
 342
 [NiFe] hydrogenases, 193, 304, 306
- Hyperglycemia, 449
- Hypogymnia physoides*, 9
- Hypoxanthine, 114, 118, 121, 141
 acidification, 122
- Hypoxia, 583, 584, 587, 590, 593,
 595–598, 608, 636, 640
- HYSCORE, *see* Hyperfine sublevel
 correlation spectroscopy
- I
- Iceland
 nickel deposition, 8
- ICP-AES, *see* Inductively coupled
 plasma-atomic emission
 spectrometry
- ICP-MS, *see* Inductively coupled plasma-
 mass spectrometry
- ICP-OES, *see* Inductively coupled plasma-
 optical emission spectrometry
- 5'-IDP (complexes with)
 Cu(II), 140, 142
 metal ions, 142
 Ni(II), 140–142
 (N1)-oxide, 154
- Imidazole (and moieties) (*see also*
 Histidine), 332
 bridge, 420
 in ternary complexes, 164
 1-methyl-, 120
 1-methyl-4-aminobenz-, 144
 1-methylbenz-, 119
 Ni(II) complexes, 69, 80
- Immune system
 nickel attack, 624, 629, 630
- Implants (*see also* Prostheses)
 surgical, 592, 621, 624
- 5'-IMP (complexes with), 131, 133
 metal ions, 137
 Mg(II), 136, 137
 Ni(II), 113, 114, 135–139
 (N1)-oxide, *see* Inosine 5'-
 monophosphate (N1)-oxide
- Indonesia
 nickel mining, 4
- Inductively coupled-plasma atomic
 emission spectrometry
 glyoxalase I, 458
- Inductively coupled plasma-mass
 spectrometry
 nickel samples, 4–6
- Inductively coupled plasma-optical
 emission spectrometry
 nickel samples, 4
- Inflammation (or inflammatory)
 gastric, 548–552
 nickel-induced, 600, 621, 624
 respiratory system, 582, 589
 response, 477, 584, 550, 601, 604, 608,
 646

- Infrared (spectroscopy) studies (of)
 acetyl-coenzyme A synthase models,
 204, 206, 208, 210
 Fourier transform, *see* Fourier
 transform infrared spectroscopy
 [NiFe] hydrogenase (models), 192,
 199, 297
- Inhalation of
 nickel carbonyl, 582, 583, 621–623,
 626–629
 nickel-containing dust, 621
 nickel oxide, 628, 638, 639
 nickel subsulfide, 628, 638–641
 nickel sulfate aerosol, 628, 629, 640
- Inhibition of
 adenylate cyclase, 513
 ATPases, 45
 plant growth, 33, 42–45
 hydrogenases, 569
 methanogenesis, 388
 methyl-coenzyme M reductase, 331,
 345, 349
 nickel superoxide dismutase, 432
 [NiFe] hydrogenase, 294, 308
 peptidyl prolyl *cis/trans* isomerases, 515
 photosynthesis, 43–45, 51
 root function in plants, 42–44
 SlyD, 511, 512
 urease, 228, 255–263, 267–272, 569
- Inosine
 Ni(II) complex, 120–122
 self-association, 139
 structure, 118
- Inosine 5'-diphosphate, *see* 5'-IDP
- Inosine 5'-monophosphate, *see* 5'-IMP
- Inosine 5'-monophosphate (N1)-oxide
 complexes, 150–154
 structure, 151
- Inosine 5'-triphosphate, *see* 5'-ITP
- Interdependencies (between metal ions)
 calcium–nickel, 642
 iron–nickel, 642
 magnesium–nickel, 43, 48, 642
 manganese–nickel, 642
 nickel–zinc, 642
- Ionization constants, *see* Acidity
 constants
- Intestinal tract, *see* Gastrointestinal tract
- Interleukin-1, 592, 598, 600, 601, 604
- Ionophores (*see also* individual names)
 A23187, 602
 ferric, *see* Siderophores
 ionomycin, 603
- IR, *see* Infrared (spectroscopy) studies
 (of)
- Iron (different oxidation states) (in)
 ⁵⁷Fe, 206, 303
 carbonyls, 195
 channel, 627
 homeostasis, *see* Homeostasis
 hydroxide, *see* Hydroxide(s)
 interdependency with other metal ions,
 see Interdependencies
 metabolism, *see* Metabolism
 oxide, *see* Oxides
 transport, 38
 uptake regulator Fur, 553, 564, 565
- Iron(0), 195, 642
- Iron(II) in
 acireductone dioxygenase, *see*
 Acireductone dioxygenase
 [NiFe] hydrogenases, *see* [NiFe]
 hydrogenases
 quercetin 2,3-dioxygenase, 493–495
- Iron(III) (in), 642
 superoxide dismutases, 421
- Iron-molybdenum cofactor, 369
- Iron regulatory proteins, 632
- Iron-sulfur proteins (*see also* individual
 names)
 corrinoid, *see* Corrinoid iron-sulfur
 proteins
- Iron superoxide dismutase, 418–421, 423,
 428, 434, 438, 526
- Irving-Williams series, 96, 129, 138
- Isomerases
 SlyD, *see* Peptidyl prolyl *cis/trans*
 isomerase SlyD
 triose phosphate, 447, 448, 460
- Isomeric complex equilibria, 115,
 117, 132, 137, 142, 143, 145, 153,
 156–158, 168
- Isotope labeling (*see also* individual
 elements), 301

5'-ITP

- in ternary complexes, 164
- metal ion complexes, 143
- Ni(II) complex, 141, 143, 164

J

Jack bean

- canavalin, 485, 528
- urease, *see* Urease

K

Kidney

- nickel toxicity, 629
- stone formation, 242

Kinases

- histidine, 284
- methylthioribose, 477
- phosphatidylinositol-3-, 604

Klebsiella

- aerogenes*, 37, 244–267, 521, 530, 531, 535, 536, 556
- oxytoca*, 474–481, 528

Kola Peninsula

- nickel deposition, 8–11, 14, 18, 20, 42

Kupfernickel, 6, 34

L

Lactate

- D-, 446, 447, 450
- dehydrogenase, *see* Dehydrogenases
- production, 446, 447

Lactotransferrin, 588, 589

Lakes (*see also* Water)

- nickel in, 10, 11, 14, 41

Legumes (*see also* individual names), 19

- N₂-fixing, 38

Leishmania major, 464, 465*Lemna*, 41, 45

Leucine

- ternary complexes, 164

Lichens

- as biomonitors for nickel, 9, 10, 17

Ligand–ligand interactions, 160, 165

Lignin, 45

Lipid

- metabolism, *see* Metabolism
- peroxidation, 43, 44, 600, 628, 629, 633, 634

Liver

- damage, 628
- nickel toxicity, 628

Löffler's syndrome

- nickel-induced, 623, 624

Lung

- fibrosis, 623, 642
- inflammation, 628, 641
- injury, 583, 587–592

Lymphomas, 547, 548

Lysine

- hydroxylation, 593
- Ni(II) complex, 593

M*M.*

- acetivorans*, *see Methanosarcina*
- barkeri*, *see Methanosarcina*
- burtonii*, *see Methanococcoides*
- hungatii*, *see Methanospirillum*
- jannaschii*, *see Methanococcus and Methanocaldococcus*
- kandleri*, *see Methanopyrus*
- marburgensis*, *see Methanothermobacter*
- maripaludis*, *see Methanococcus*
- mazei*, *see Methanosarcina*
- stadtmanae*, *see Methanosphaera*
- thermoacetica*, *see Moorella*
- thermoautotrophicum*, *see Methanobacterium*
- thermoautotrophicus*, *see Methanothermobacter*
- thermolithotrophicus*, *see Methanococcus*
- thermophila*, *see Methanosarcina*
- thermophilus*, *see Methanoculleus*

- [*M.*]
tuberculosis, *see* *Mycobacterium*
urea, *see* *Micrococcus*
vaniellii, *see* *Methanococcus*
voltae, *see* *Methanococcus*
- Macrochelates
ATP, 143, 164
intramolecular, 142, 143, 159
Ni(II)-peptides, 78
nucleoside 5'-monophosphates, 137,
138, 144–150, 155, 164
nucleoside 5'-triphosphates, 143
purine-nucleoside 5'-phosphates, 131,
132, 137, 141
purine-nucleoside 5'-diphosphates, 142
- Macroconstants, *see* Acidity constants
and Stability constants
- Macrocycles (*see also* individual names)
(complexes with), 34, 35, 187
conformational change, 186
cyclam, 188
F₄₃₀, 329–331, 334
{N4}, 183, 186
Ni(II), 79
- Macrophages, 591, 597, 630
- Magnesium(II) (in/complexes with),
122
acireductone dioxygenase, *see*
Acireductone dioxygenase
cytidine, 123, 125
electron transport, 282
flavin mononucleotide, 148
glyoxalase I, *see* Glyoxalase I
interdependency with other metal ions,
see Interdependencies
[NiFe] hydrogenases, 282–284, 289,
292, 293
nucleotides, 135, 142, 144, 148, 157
phosphate, 130
pyridine, 123, 125
thiophosphate, 155
transporter, 38
- Magnetic circular dichroism (studies of)
acetyl-coenzyme A synthase, 378
carbon monoxide dehydrogenase, 395
F₄₃₀, 183
methyl-coenzyme M reductase, 343
[Magnetic circular dichroism (studies of)]
nickel superoxide dismutase, 429,
432–434
soft X-ray, 378
urease, 258
- Magnetic susceptibility measurement of
urease, 258
- Malate, 47
- MALDI-MS, *see* Matrix-assisted UV
laser desorption/ionization mass
spectroscopy
- MALDI-TOF mass spectrometry
F₄₃₀, 327, 329, 344
- Maltose
Ni(II) complex, 113
- Mandelate
D-, 446
production, 446
- Manganese (different oxidation states)
interdependency with other metal ions,
see Interdependencies
oxide, *see* Oxides
- Manganese(II) (in/complexes with)
acireductone dioxygenase, *see*
Acireductone dioxygenase
carbonyl group, 117
glyoxalase I, *see* Glyoxalase I
hydroxyl group, 117
nucleotides, 137, 142, 144, 157
oxalate decarboxylase, 493, 494
oxalate oxidase, 493, 494
phosphate, 129
purine-nucleotide (N1)-oxides, 148,
153
pyridine, 127
ternary nucleotide complexes, 164
uridine, 128
- Manganese(III), 144
- Manganese superoxide dismutase,
418–421, 434, 438, 526
- Matrix-assisted laser desorption
ionization time-of-flight, *see*
MALDI-TOF mass spectrometry
- Matrix metalloproteinases, 483
- MCD, *see* Magnetic circular dichroism
- Melanostatin, 85, 86
β-Mercaptoethanol, 258, 259

- 7-Mercaptoheptanoylthreonine,
see Coenzyme B
- 3-Mercaptopropionic acid, 208
- Mesopotamia, 6
- Metabolism (of) (*see also* Homeostasis)
- antioxidants, 584
 - calcium, 602
 - glutathione, 600
 - Helicobacter pylori*, 547
 - hydrogen, 38, 284, 287
 - iron, 564, 589, 595
 - lipid, 42
 - methylglyoxal, 449
 - methylthioadenosine, 479
 - nickel, 519–539, 563, 566–568
 - nitrogen, 555
 - plant, 32–54
- Metal fume fever
- nickel-induced, 623, 624
- Metal ions, *see* individual names
- Metallochaperones, 520, 521, 529–534, 538
- carbon monoxide dehydrogenase, *see* Carbon monoxide dehydrogenases
 - copper, 531
 - mechanism, 530
 - potential, 534
 - UreE, 556
- Metalloenzymes (*see also* Enzymes and individual names)
- evolution, 373, 392, 393
- Metallothioneins, 47, 588, 631
- Meteorites
- nickel in, 4
- Methane
- ¹⁴C, 346
 - acidity constant, *see* Acidity constants
 - anaerobic oxidation, 343–346, 349, 350, 525
 - formation, *see* Methanogenesis
- Methanobacterium thermoautotrophicum* (*see also* *Methanothermobacter marburgensis*), 324
- Methanocaldococcus jannaschii*, 370, 371, 373, 382, 384, 387, 388
- Methanococcoides burtonii*, 389
- Methanococcus*
- jannaschii*, 509
 - maripaludis*, 327, 371, 387
 - thermolithotrophicus*, 509
 - vaniellii*, 387
 - voltae*, 338
- Methanogenesis, 525, 526
- acetlastic, 384–389
 - acetyl-coenzyme A decarboxylase/synthases, 360, 384
 - F₄₃₀, 182, 185, 188, 190, 325, 326, 332–334, 346–349
 - inhibition, 388
 - methylotrophic, 384, 386–389
- Methanopyrus kandleri*, 327, 338, 369–371, 373, 387, 388
- Methanoculleus thermophilus*, 338
- Methanosarcina* sp., 327, 338, 371, 526
- acetivorans*, 369, 370, 372, 384, 388, 389
 - barkeri*, 338
 - mazei*, 388, 389
 - thermophila*, 359, 376, 384, 385, 388
- Methanosphaera stadtmanae*, 327, 389
- Methanospirillum hungatii*, 386, 387
- Methanothermobacter*
- marburgensis* (*see also* *Methanobacterium thermoautotrophicum*), *see* Methyl-coenzyme M reductase
 - thermoautotrophicus*, 371, 386
- Methionine (and residues)
- S-adenosyl-, 475, 476, 481, 526, 528
 - formation, 474
 - salvage pathway, 229, 474–477, 496, 528
- 9-Methyladenine, 138
- 1,3-dideaza-, 144
- Methylation of
- cytosine, *see* Cytosine
 - DNA, *see* DNA
 - histones, 584
- 3-Methylcholanthrene, 585
- Methylcobalamin, 211, 476
- Methyl-coenzyme M, 182–185, 189, 190, 331, 334, 339, 347, 348
- models, 334, 335

- Methyl-coenzyme M reductase (*see also* F_{430}), 34, 37, 182, 323–350, 453, 525, 526, 529
active site, *see* Active sites
catalytic cycle, 332, 333, 347–349
catalytic properties, 345–350
dual-stroke engine mechanism, 349, 350
inhibitors, 331, 345, 349
 γ -irradiation, 342
isoenzymes, 324, 327, 328, 335, 346
mechanism, 183–185, 190
molecular properties, 335–345
Ni(I), *see* (Ni)
Ni(III), *see* Ni(III)
reactions, 335
spectroscopic studies, 337–341
structures, 334, 335, 338
sulfur coordination, 341, 342
- Methylglyoxal
as inhibitor, 449
cellular effects, 448, 449
cytotoxicity, *see* Cytotoxicity
degradation, 449, 450
detoxification, 449, 450, 465
formation, 446–448, 464
metabolism, *see* Metabolism
synthase, *see* Synthases
- Methyl group transfer, 204, 360, 475, 526
acetyl-coenzyme A synthases/carbon monoxide dehydrogenases, 377, 379, 382
corrinooid iron-sulfur proteins, 383, 392 to Ni(I), 333
- Methylmalonyl-CoA epimerase, 463
Methyltetrahydrofolate, 360, 382, 383, 390
Methylthioadenosine, 475, 483, 528
formation, 476, 481
homeostasis, *see* Homeostasis
metabolism, *see* Metabolism
nucleosidase, 477
phosphorylase, 477
- Methylthioethyl sulfonate, *see* Methyl-coenzyme M
- Methyl thiophosphate
acidity constants, 155
complexes, 154–156
stability constants, 155, 156
- Methyltransferases, 382, 475
5-Methyluracil, *see* Thymine
Methyl viologen
electron transfer, 203
Metronidazole, 549, 568
Mexico
nickel concentrations, 14
Mice
acireductone dioxygenase, 475, 483–486, 494
glyoxalases, 451
nickel studies, 585–588, 591, 602, 604, 607, 625, 628–631, 639–642
sperm, 84
Microarray analysis of DNA, 389, 584, 587–589, 605, 607, 608
GeneChip, 596, 597
Micrococcus ureae, 273
Microconstants, *see* Acidity constants and Stability constants
Micronutrients for
cyanobacteria, 37–40
plants, 37–40
Microorganisms (*see also* individual names and species)
anaerobic, 326
pathogenic, 521, 527
Minerals (*see also* Ores and individual names)
silicate, *see* Silicate
Mining of nickel, 4, 6, 7, 41, 583
Mitochondria
synthesis for [FeS] clusters, 287
Mitomycin resistance protein, 463
Mixed ligand complexes (*see also* Ternary complexes), 132
stack formation, 164, 165
with nucleotides, 159–165
Models for
acetyl-coenzyme A synthase, 203–211
active sites of nickel enzymes, 181–230
carbon monoxide dehydrogenases, 200–211
cofactor F_{430} , *see* F_{430}
[NiFe] hydrogenases, 191–199

Molecular chaperones, 520, 529, 531, 534–537
 acetyl-coenzyme A synthase, *see* Acetyl-coenzyme A synthases
 assist in re-folding, 534
 ATP-dependent, 524
 carbon monoxide dehydrogenases, *see* Carbon monoxide dehydrogenases
 GTP-dependent, 521, 523, 524, 533, 536, 538
 hydrogenases, *see* Hydrogenases
 mechanism, 535
 prevent misfolding, 534
 SlyD, *see* SlyD
 urease, 535–537

Molecular mechanics calculations, 187
 F_{430} , 329

Molecular switch, 271

Molybdate, 267

Monkeys
 nickel studies, 628

Monoamine oxidases, 448

Moorella thermoacetica, 200, 359, 369, 371, 373, 375, 376, 390, 525

Moss
 as biomonitor for nickel, 8, 9, 11, 17
 metal uptake efficiency, 8, 9

Mössbauer spectroscopy
 acetyl-coenzyme A synthases/carbon monoxide dehydrogenases, 376, 377, 379
 C-cluster of carbon monoxide dehydrogenases, 364, 395
 [NiFe] hydrogenases, 192, 282

Mus musculus (*see also* Mice), 474

Mutagenesis
 carbon monoxide dehydrogenases, 363
 glyoxalase I, 462
 nickel compounds, 584–587, 643, 644
 nickel superoxide dismutase, 425, 426
 [NiFe] hydrogenases, 287, 289–291, 298, 532, 533
 site-directed, 212, 291, 298, 381, 530, 531
 urease, 536

Mycobacterium tuberculosis, 529

N

NAD⁺, 280, 283

NADH
 ubiquinone oxidoreductase, 283

NADP, 280

NADPH, 449

Nanotechnology, 168

Neisseria meningitidis, 451, 453, 460–462

Nervous system
 nickel toxicity, 629

Neurodegenerative diseases (*see also* individual names), 418

Nicolite, 6

Nickel (different oxidation states) (in)
⁶⁰Ni, 3
⁶¹Ni, 34, 195, 206, 281, 301, 303, 342, 429, 431
⁶³Ni, 39, 626, 639
 allergy, *see* Allergy
 and *Helicobacter pylori*, 545–570
 antimonides, *see* Antimonides
 arsenides, *see* Arsenides
 atmosphere, *see* Atmosphere
 binding by strong ligands, 46, 47
 bioavailability, *see* Bioavailability
 biogeochemistry, *see* Biogeochemistry
 biological function of
 hyperaccumulation, 49, 50
 –carbon bonds, *see* Bonds
 carcinogenesis, *see* Carcinogenesis
 carriers, *see* Transporters
 catalyst of early life, 35–37
 chemistry, 2–6, 33–35, 64, 111
 chloride, *see* Nickel chloride
 citrate, *see* Citrate
 -containing jewelry, 624
 coordination numbers, 34, 35
 coordination sphere, 196, 197, 251, 252, 421
 cyanobacteria, *see* Cyanobacteria
 deficiency, *see* Deficiency
 -dependent gene expression, 581–609
 environment, *see* Environment
 exclusion, 45, 46
 excretion, 621, 622, 625–627

- [Nickel (different oxidation states) (in)]
 exposure, 84, 582–585, 602, 621–624, 638, 645
 fluxes in forests, 12–14
 geometry, 34, 35, 65, 114, 166, 182, 474
 health effects of exposure, 582–585, 597
 historical records of deposition, 14–16
 homeostasis, *see* Homeostasis
 hydrogenases, *see* [NiFe] hydrogenases
 hydroxide bridge, *see* Hydroxide
 hyperaccumulators, *see*
 Hyperaccumulation in plants
 incorporation into proteins, 528–530
 -induced changes in calcium
 homeostasis, 602–604
 -induced expression of erythropoietin, 592, 593
 interdependency with other metal ions, *see* Interdependencies
 isotopes, 3, 34
 lakes, *see* Lake
 mechanisms of regulation, 562–566
 metallurgy, 621
 ores, 4
 oxidation states, 34, 35
 oxides, *see* Oxides
 pathologic effects, 623
 phosphate bridge, 262, 263
 plants, *see* Plants
 pollution, 40–48
 Raney, 34
 redox processes, 3
 refinery workers, 623, 638
 resistance in plants, 45–48
 responsive regulator NikR, 552–554
 sample measurements, 4–6
 seawater, 110
 sequestration, 45, 46
 serum albumin, 84
 silicates, *see* Silicate
 soil, *see* Soil
 sulfates, *see* Sulfates
 sulfide, *see* Sulfides
 sulfur-rich sites, 191–214
 tetrahydrocorphinoid cofactor, *see* F₄₃₀
 toxicity, *see* Toxicity
- [Nickel (different oxidation states) (in)]
 transporters, *see* Transporters
 uptake, 560, 561, 621–627
 uses, 6
 water, *see* Lake and Water
- Nickel(0) (in), 200, 204, 209, 330
 acetyl-coenzyme A synthase, 377–379
 Ni(II)Ni(0), 210
- Nickel(I) (in), 34, 183
 acetyl-coenzyme A synthase, 204, 205, 377–379
 conformational change, 340
 coordination sphere, 187
 ESR studies, *see* EPR
 F₄₃₀, 184, 185, 188, 328–333, 337–341, 345, 347–349, 525
 hydroporphyrins, 330
 methyl-coenzyme M reductase, 335, 339
 [NiFe] hydrogenases, 302, 311
 Ni(II)Ni(I), 210
 porphyrin-type ligands (*see also* Porphyrins), 186
 redox potential, *see* Redox potentials
 reduction, 330
- Nickel(II) (in/complexes with)
 amino acids, 63–97
 aminohydroxamate, *see*
 Aminohydroxamate
 aminophosphonate, *see*
 Aminophosphonate
 chemical properties, 111
 coordination sphere, 114, 166, 182, 474
 disulfide, *see* Disulfide
 -EDTA, *see* Ethylenediamine-
 N,N,N',N'-tetraacetate
 hormones, *see* Hormones
 mechanisms of toxicity, 600
 multicomponent systems, 94–96
 Ni(II)Ni(0), 210
 Ni(II)Ni(I), 210
 nucleic acid binding, 165–168
 nucleobase residues, 118–128
 nucleotides, 109, 148–150, 169
 peptides, 63–97
 phosphate, 128–130

- [Nickel(II) (in/complexes with)]
 purine-nucleotide (NI)-oxides,
 150–154
 purines, 118–122, 146
 pyridine derivatives, 126
 pyrimidines, 122–128
 redox potential, *see* Redox potentials
 stability constants of complexes, *see*
 Stability constants
 sugars, 112–117
 ternary ATP–buffer complexes,
 161–163
 ternary nucleotide complexes, 164
 thioethers, *see* Thioether
 thiophosphate, 155, 156
 uridine, 127, 128
 water exchange rate, 111
- Nickel(III) (in/complexes with), 34, 183
 -alkyl bond, *see* Bonds
 allergenic, 629
 bleomycin, 92
 compounds, 190
 coordination sphere, 39
 cyclam, 144
 EPR, *see* EPR
 F₄₃₀, 188, 329, 331–333, 341, 342, 349
 methyl-coenzyme M reductase,
 340–342
 [NiFe] hydrogenases, 300–303,
 307–312
 peptides, 64, 86–94, 209
 photoreduction, 426–428
 reduction, 212, 434
 stabilization, 65, 66
 superoxide dismutase, *see* Nickel
 superoxide dismutase
 ternary complexes with peptides, 92
 thiolate, 341
- Nickel(IV), 90
 allergenic, 629
- Nickel carbonyl, 646
 ¹⁴C-labeled, 626
 ⁶³Ni-labeled, 626
 detoxification, 624
 inhalation, *see* Inhalation
 toxicity, *see* Toxicity
- Nickel chaperones, 248, 286, 367,
 519–539
 carbon monoxide dehydrogenase, *see*
 Carbon monoxide dehydrogenase
 mechanism, 530
 metallo-, *see* Metallochaperones
 molecular, *see* Molecular chaperones
 [NiFe] hydrogenases, *see* [NiFe]
 hydrogenase
 SlyD, *see* SlyD
 urease, *see* Urease
- Nickel chloride, 628–630, 635, 637
 injection of ⁶³Ni chloride, 626
 oral exposure to ⁶³Ni chloride, 626
- Nickel-containing enzymes, *see*
 individual names
- Nickel iron hydrogenases, *see* [NiFe]
 hydrogenases
- Nickel subsulfide, 585, 592, 593,
 602–604, 606, 607, 629, 630, 633,
 635, 636
 ³⁵S-labeled, 627, 639
 ⁶³Ni-labeled, 627, 639
 carcinogenic potential, 646
 inhalation, *see* Inhalation
- Nickel superoxide dismutase, 39, 182,
 414–438, 526
 activation, 527
 active site, *see* Active sites
 crystal structures, 428, 429, 526
 enzymes, 418–422
 inhibitors, 432
 kinetics, 434–436
 mechanism, 429–437
 models, 211–214, 436, 437
 molecular biology, 422–426
 mutants, 423, 431
- Ni(III), 422, 426, 429, 434, 436, 526
 redox potential, *see* Redox potentials
 reduction, 426–428, 433
 sequence alignments, 424
 spectral parameters, 432
 spectroscopy, 429–434
 Streptomyces sp., 422–438
 structural biology, 426–429
 wild-type, 423, 425, 427, 431, 432

- Nicotianamine, 38, 47
Nicotiana tabacum, 47
Nicotinamide adenine dinucleotide, *see* NAD⁺
Nicotinamide adenine dinucleotide (reduced), *see* NADH
Nicotinamide adenine dinucleotide phosphate, *see* NADP
Nicotinamide adenine dinucleotide phosphate (reduced), *see* NADPH
[[NiFe] hydrogenases, 35–38, 81, 97, 182, 279–314, 421, 514, 521, 523
A. vinosum, 295, 297–299, 305, 307–309, 311
active site, *see* Active sites
bacterial, 283
biosynthesis, *see* Biosynthesis
carbon monoxide in, *see* Carbon monoxide
catalytic cycle, 281, 282, 295, 296, 298, 307, 309–313
coordination geometry, 291, 301
(crystal) structures, 283, 284, 291–294
cyanide, *see* Cyanide
Desulfovibrio sp., 196, 199, 281, 283, 285, 287, 289, 290–302, 304–306, 312, 421
electrochemistry, *see* Electrochemistry
electron transfer, *see* Electron transfer
electron transport mutations, 289
energy-converting isoenzyme I, 326
Escherichia coli, *see* *Escherichia coli*
eukaryotic, 287
F₄₂₀-nonreducing, 325
F₄₂₀-reducing, 325
Fe(II), 193, 309–311
gas channel, 281, 282, 289, 290, 293–295, 312, 313
genes, 284–291
genetic manipulation, 287–291
Helicobacter pylori, 559, 560
inhibition, 294, 308
isotope-labeled, 292, 301–305
maturation pathway, 285–288
mechanism, 192
metallochaperones, 532, 533
[[NiFe] hydrogenases]
models, 191–199, 212
Ni(I), 302, 311
Ni(III), 300–303, 307–312
oxygen tolerance, 290
prokaryotic, 284, 285, 287
proton transfer, *see* Proton transfer
proton transport mutations, 289, 290
Ralstonia eutropha, 285–287, 289–291, 295, 300, 304, 306, 307, 309
redox states, 296, 297
schematic view, 282
single crystal, 293, 301, 302, 305
spectroscopic measurements, 192, 193
spectroscopic studies, 295–306
Thiocapsa roseopersicina, 285, 287
wild-type, 290, 291
Nigeria
nickel concentrations, 10
Nitellopsis, 41
Nitric oxide, 551
Nitric oxide synthase
inducible, 551, 590, 597
Nitrilotriacetate
Ni(II) complex, 81, 118, 167
Nitrogen
¹⁴N, 306, 431, 432
¹⁵N, 301, 306, 431, 432
deficiency, *see* Deficiency
fixation, 38
metabolism, *see* Metabolism
Nitrogen monoxide, *see* Nitric oxide
4-Nitrophenylphosphate
hydrolytic cleavage, 217
NMR (studies of)
¹H, 86, 151, 198, 480, 488
¹³C, 488, 489
¹⁵N, 488, 489
acetyl-coenzyme A synthase, 209
acireductone dioxygenase, 474, 480, 488, 490
F₄₃₀, 333
hormone complexes, 86
9-[2-(phosphonomethoxy)ethyl]adenine, 151
ternary nucleotide complexes, 164

- Norway
 Arctic, *see* Arctic
 nickel concentrations, 8, 9, 12–14
- NTA, *see* Nitritotriacetate
- Nuclear magnetic resonance, *see* NMR
- Nucleic acids, *see* DNA and RNA
- Nucleobases (*see also* individual names)
 acidity constants, *see* Acidity constants
 Ni(II) complexes, 118–128
 oxidation, 111
 stability constants, *see* Stability constants
 structures, 118
- Nucleophilic attack (of), 491
 Co(I), 383
 cysteine, 296, 313
 hydroxide, 200, 215–218, 269–271
 Ni(I)-F₄₃₀, 184
- Nucleoside(s) (*see also* individual names)
 phosphates, *see* Nucleotides and individual names
 self-association, *see* Self-association
 5'-O-thiomonophosphate complexes, 154–156
 triphosphates, *see* individual names
- Nucleoside diphosphate(s) (*see also* individual names)
 acidity constants, *see* Acidity constants
 complexes, 139–144
 purine-, 139
 pyrimidine, 139
- Nucleoside monophosphate(s) (*see also* individual names)
 2'-, 144–146
 3'-, 144–146
 acidity constants, *see* Acidity constants
 Ni(II) complexes, 113–115, 132–139, 144–146
 purine-, 135–139
 pyrimidine-, 134, 135, 138
- Nucleoside triphosphate(s) (*see also* individual names)
 complexes, 139–144
 dephosphorylation, 144
- Nucleotide(s) (*see also* individual names) (complexes with)
 acidity constants, 115, 156
 acyclic analogs, 156–158
 [Nucleotide(s)]
 derivatives, 149–159
 less common ones, 144–149
 Ni(II), 109–169
 oligo-, 165
 with a Pt(II)-coordinated nucleobase, 158, 159
- Nutrients
 micro-, *see* Micronutrients
- O**
- Oil
 combustion, 7
 nickel in, 7, 21
- OMP, *see* Orotidine 5'-monophosphate
- Ores
 nickel, 4
- Origin of life, 392, 393
- Ornithine
 decarboxylase, 476
 Ni(II) complex, 69, 71
- Orotidine 5'-monophosphate
 acidity constant, 146
 Ni(II) complex, 146
 structure, 147
- Oryza sativa*, 481, 483, 486
- Osteosarcoma
 human, 606
- Ovarian cancer, *see* Cancer
- Oxalate
 decarboxylase, 493, 494
 oxidase, 493, 494
- Oxidases (*see also* individual names)
 copper amine, 493
 monoamine, *see* Monoamine oxidase
 oxalate, 493, 494
- Oxidative damage (by/in)
 DNA, 600, 643, 644, 646
 effect of nickel, 633–637
 methylglyoxal, 448, 449
 proteins, 600
 superoxide, 418, 526
- Oxidative stress, 390, 587, 589, 601, 605
 in plants, 42, 44, 45, 47, 48, 51

- [Oxidative stress]
 nickel-induced, 599–602, 644, 646
 resistance, 554
- Oxides
 aluminum, 13
 iron, 13, 20
 manganese, 20
 nickel, 8, 636, 639, 642
- Oxidoreductases (*see also* Peroxidases
and individual names)
 cytochrome *c*₃, *see* [NiFe] hydrogenase
 NADH:ubiquinone, 283, 326
 superoxide dismutases, *see* Superoxide
 dismutases
- Oximes
 α -alanine, 75
 derivatives of amino acids, 75, 76
 Ni(II) complexes, 71, 75, 76
- 6-Oxopurine, *see* Hypoxanthine
- Oxygen (*see also* Dioxygen)
¹⁷O-labeling, 292, 301, 305
¹⁸O, 229
 production, 308, 314
- Oxytocin
 Ni(II) complex, 78

P

- Palladium(II)
 purine-nucleobase complexes, 121, 145
- Parkinson's disease, 86, 418
- Parvulins, 503–505
- Pathogens (*see also* Bacteria *and*
 individual names)
 fungal, *see* Fungi
 gastric (*see also* *Helicobacter pylori*),
 545–570
 plant, *see* Plants
- Peas
 nickel in, 19
- Peat (containing)
 lead, 15
 mercury, 15
 nickel, 5, 7, 10, 11, 14–16
 pre-anthropogenic, 16
 scandium, 16

- PELDOR, *see* Pulsed electron-electron
 double resonance
- Pelobacter carbinolicus*, 391
- Peptide(s) (*see also* Amides *and*
 individual names) (containing/
 complexes with)
 amide functions, 76
 bond hydrolysis, 83
 Cd(II), 80
 Cu(II), 76, 77, 79, 80
 Cu(III), 87, 93
 cyclo-, 81
 fibrino-, 84
 fragments from histones, 82–86
 fragments from protamines, 82–86
 hormones, 78, 85
 involved in catalytic reactions, 86–90
 involved in redox reactions, 86–90
 Ni(II), 63–97
 Ni(III), 86–94, 209
 octa-, 84
 sulfhydryl, 81
 thiolate, 81, 82
 with coordinating side chains, 77–80
 with cysteinyl residues, 80–82
 with histidyl residues, 80–82
 with non-coordinating side chains, 76, 77
 Zn(II), 77, 80
- Peptidyl prolyl *cis/trans* isomerases (*see*
also individual names)
 activity, 533
 cyclophilins, *see* Cyclophilins
Escherichia coli, *see* *Escherichia coli*
 FK506-binding protein, *see* Proteins
 Ni(II)-mediated inhibition, 515
 Ni(II)-regulated, 501–515
 parvulins, 503–505
 SlyD, *see* SlyD
- Permeases
 nickel, 39, 286
- Permittivity, *see* Dielectric constant
- D-Penicillamine
 nickel detoxification, 624
- Peridotite, 4
- Peroxidases
 ascorbate, 44
 glutathione, 628, 636, 637

- Peroxide(s), 308, 418, 526
 lipid, 646
 hydro-, *see* Hydroperoxides
 hydrogen, *see* Hydrogen peroxide
- Peroxynitrite, 551
- Persulfide, 365
 bond, 370
 formation, 371
- Phaseolus vulgaris*, 44
- 1,10-Phenanthroline (and derivatives), 376
 Ni(III) complex, 92
 ternary complexes, 164
- Phenolate bridge, 219
- Phenylalanine
 Ni(II) complex, 68, 71
- Phenylglyoxal, 446, 451
- Phenylphosphorodiamidate, 256
 hydrolysis, 268, 270
- Phosphate(s) (*see also* individual names)
 acidity constants, *see* Acidity constants
 as urease inhibitor, 261–263, 267–272
 di-, 128–130
 mono-, 128–130
 Ni(II) complexes, 128–130
 stability constants, *see* Stability constants
 tri-, 128–130
- Phosphines, 196, 202, 204, 208, 210
- Phosphinic acid, 79
- Phosphohydrolase
 ATP, 369
- Phospholipids, 589
 synthesis, *see* Biosynthesis
- Phosphonate(s) (or phosphonic acid), 79,
 134, 136
 acetyl-, *see* Acetylphosphate
 amino-, *see* Aminophosphonates
- 9-[2-(Phosphonoethoxy)ethyl]adenine
 complexes, 158
- 9-[2-(Phosphonomethoxy)ethyl]adenine
 complexes, 136, 156–159
 diphosphorylated, 156
 structure, 151
 ternary complexes, 164
- Phosphorus
³²P, 512
- Photosynthesis
 inhibition, 43–45, 51
- Photosystem I
 inhibition, 43
- Photosystem II
 inhibition, 43, 44
- Phyllanthus pallidus*, 53
- Phylogenetic tree
 acetyl-coenzyme A decarboxylase/
 synthase, 371, 372, 381, 382
 acetyl-coenzyme A synthases/carbon
 monoxide dehydrogenases, 371–373,
 381, 382
 carbon monoxide dehydrogenases, 373
 methyl-coenzyme M reductase, 327
- Phytochelatin, 47, 51
- Phytomining, 33, 48, 49, 52, 53
- Phytoplankton, 32, 39
- Phytoremediation (*see also*
 Hyperaccumulation in plants), 33,
 48, 52, 53
- Picea glehnii*, 46
- Picolinamide
 cleavage, 218
 stability constants, *see* Stability
 constants
- Pigments
 nickel in, 6
- Pine
 copper uptake, 20
 nickel-excluding, 46
 nickel uptake, 12, 17, 19, 20, 40, 45
- Ping-pong mechanism in
 acetyl-coenzyme A decarboxylase/
 synthase, 385
 nickel superoxide dismutase, 418, 434,
 435, 437, 438
- Pinus sylvestris*, 10, 18, 40, 46
- Pisum sativum*, 44
- Plant(s) (*see also* individual names and
 species)
 copper uptake, 41, 43
 dose-response relationship for metals,
 32
 excluders, *see* Excluders
 genetically engineered, 53, 54
 glyoxalases, 451
 growth inhibition, 33, 42–45
 higher, 39, 41–44

- [Plant(s)]
 hyperaccumulators, *see*
 Hyperaccumulating plants
 inhibition of photosynthesis, 43, 44,
 51
 inhibition of root function, 42–44
 iron superoxide dismutase, 418
 iron uptake, 43
 metabolism, *see* Metabolism
 micronutrients, *see* Micronutrients
 nickel concentrations, 12, 17–19
 oxidative stress, *see* Oxidative stress
 pathogens, 40, 49
 resistance against nickel toxicity,
 45–48
 trace elements in, 32, 43
 urease, 242, 554
Plasmodium sp., 451
 falciparum, 460
Platinum(II) (complexes with)
 -coordinated nucleobases, 158, 159
 diethylenetriamine, 122
 purine-nucleobases, 121, 145
 pyrimidine, 122
Pleurozium schreberi, 9
PMEA, *see* 9-[2-(Phosphonomethoxy)-
 ethyl]adenine
Polar
 ice, 15, 16
 snow, 15, 16
Pollutant degradation, 524
Porphyrins (*see also* individual names)
 Ni(I), 183, 186, 188
 Ni(II), 187
Prion proteins
 octapeptide repeats, 84
Prochlorococcus marinus, 39, 527
Prokaryotes (*see also* individual names),
 477, 481, 526
 FK506-binding proteins, 503, 509
 glyoxalases, 450, 465
 iron superoxide dismutase, 418
 manganese superoxide dismutase, 418,
 419
 [NiFe] hydrogenases, *see* [NiFe]
 hydrogenases
 SlyD, 505
 Proline (and residues), 85
 hydroxylation, 593–598, 646
 Ni(II) complex, 68
 Prolyl bond
 cis/trans isomerization, 501–515
 Propanoate
 2-hydroxyimino-, 75, 76
 Prostate tumor, *see* Tumor
 Prostheses
 nickel allergy, 592, 622, 638
 Protamines (binding to)
 compact DNA binding, 84
 Cu(II), 84
 Ni(II), 82, 84–86, 90, 632, 634
 Protein(s) (*see also* Enzymes and
 individual names)
 AP-1, 644
 Ca(II) binding, 85
 cleavage, 90
 damage by nickel, 631, 634, 635
 DNA recognition, 90
 extracellular matrix, 590, 591
 FK506-binding, 502–505, 509–511,
 513, 515, 533
 folding, 503
 fosfomycin resistance, 463, 464
 Fur, 553, 564–566
 HIF-1, 644
 high-potential iron, 422
 hydrogen-sensing, 284, 287, 290, 291
 hydrophobic environment, 83
 hydroxylation, 593–599
 –ligand interactions, 503
 NF- κ B, 644
 nickel incorporation, 528, 529
 nickeloplasmin, 631
 NikR, 552–554, 562–566
 NixA, 566
 –protein interaction, 284, 503, 593, 595
 RNA recognition, 90
 surfactant, 588–590
 synthesis, *see* Synthesis
 transporters, *see* Transporters
 UreE, 556
 Protein Data Bank (files of protein
 structures)
 acetyl-coenzyme A synthase, 523

- [Protein Data Bank (files of protein structures)]
- acireductone dioxygenases, 475, 481, 483–485, 494, 523
 - carbon monoxide dehydrogenases, 36, 523
 - glyoxalase, 523
 - methyl-coenzyme M reductase, 523
 - nickel superoxide dismutase, 523
 - [NiFe] hydrogenases, 36, 523
 - peptidyl prolyl *cis/trans* isomerases, 509
 - ureases, 246, 247, 249–253, 255–268, 523
- Proteus mirabilis*, 255, 530, 555
- Protonation constants, *see* Acidity constants
- Proton transfer
- carbon monoxide dehydrogenase, 362, 363, 370, 371
 - coupled electron transfer, *see* Electron transfer
 - mutations in hydrogenases, 289, 290
 - [NiFe] hydrogenases, 282, 293, 298, 312, 313
- Pseudomonas*
- aeruginosa*, 451, 453, 460–462, 464, 553
 - putida*, 451, 452, 460–462, 527
- Pterins
- sarcina-, 382
 - tetrahydromethano-, *see* Tetrahydromethanopterin
- Pulsed electron-electron double resonance
- [NiFe] hydrogenase, 301
- Pulse radiolysis
- nickel porphyrins, 188, 190
- Purine(s) (*see also* individual names)
- 6-hydroxy-, *see* Hypoxanthine
 - N9-substituted, 118
 - Ni(II) complex, 118–122
 - nucleotides, *see* individual names
 - self-association, 132
 - stacking, *see* Stacking
- Putrescine, 476
- Pyridine(s)
- acidity constant, 120
 - as ligand, 123, 124, 126, 127
 - o*-amino-, 123, 124, 126, 127
- Pyrimidine(s) (*see also* individual names) (complexes with)
- Ni(II), 122–128
 - nucleoside 5'-monophosphates, 134, 135
 - nucleoside 5'-triphosphates, 141, 143
- Pyrococcus horikoshii*, 509, 529
- Pyruvate, 12, 446, 447
- Q**
- Quercetin 2,3-dioxygenase, 493–495
- Cu(II), 493, 494
 - Fe(II), 493–495
 - structure, 494
- R**
- R.*
- albus*, *see Ruminococcus eutropha*, *see Ralstonia leguminosarum*, *see Rhizobium palustris*, *see Rhodopseudomonas rhodochrous*, *see Rhodococcus rubrum*, *see Rhodospirillum*
- Rabbit
- nickel studies, 628–631, 641
- Radicals (*see also* individual names), 479, 489, 495
- alkyl, 188, 190
 - allyl, 349
 - disulfide, 348
 - free, 334, 348
 - hydroxyl, 90, 551, 633
 - intermediates, 634
 - methyl, 334, 348, 349
 - Ni(II)-peptide intermediate, 89
 - sulfuranyl, 185, 333
 - superoxide, *see* Superoxide
 - thiyl, 185, 333, 341, 342, 348, 349
- Radiolysis
- pulsed, *see* Pulsed radiolysis
- Ralstonia eutropha*, 285–287, 289–291, 295, 300, 304, 306, 529

- Raman spectroscopy (studies of)
 DNA, 167
 methyl-coenzyme M reductase, 341
 nickel superoxide dismutase
 [NiFe] hydrogenase models, 199
- Ranithidine
 bismuth citrate, 549
- Rat
 acireductone dioxygenase, 481, 483
 glyoxalase I, 451
 nickel studies, 585, 592, 593, 604, 606,
 625, 626, 628–631, 639–642
- Rate constants
 superoxide dismutases, 420, 434
 urea hydrolysis, 226
 water exchange, 111
- Reactive oxygen species, 111, 418, 551,
 552, 583, 588, 600, 602, 633–637,
 643, 644, 646
 detoxification, *see* Detoxification
- Redox potential (of)
 carbon monoxide dehydrogenase, 361, 364
 CO/CO₂, 387
 disulfide, 346
 F₄₃₀, 330–333
 [Fe₄S₄] cluster, 361
 Ni(II)/Ni(I), 183, 186, 190, 330, 334,
 348, 349, 419
 Ni(III)/Ni(II), 88, 91, 92, 94, 193, 212,
 331–333, 348, 419, 421, 422, 434,
 438, 633
 Ni²⁺, 490
 [NiFe] hydrogenases, 198, 297, 298
 [Ni(His)]⁺, 71
 thiol radical/thiol couple, 348
- Reductases
 glutathione, 628
 superoxide, 422
- Reduction potential, *see* Redox potential
- Resistance
 antibiotics, 568
 fosfomicin, 463, 464
 nickel, 45–48
 oxidative stress, 554
- Respiratory tract
 cancer, *see* Cancer
 nickel toxicity, 628
- Retinoblastoma, 606
- Rhamnose
 Ni(II) complex, 113
- Rhizobium* sp., 19
leguminosarum, 533
- Rhodium(I)
 8-azaadenine complex, 146
- Rhodococcus rhodochrous*, 529, 560,
 561
- Rhodopseudomonas palustris*, 368, 391
- Rhodospirillum rubrum*, 200, 359, 387,
 390, 391, 524, 534, 539
- Ribose
 2'-deoxy, 112
 5-monophosphate, 130
 acidity constant, 112
 hydroxyl groups, 112, 115
 methylthio-, 477, 479
- Ribozymes, 122
 probes, 154
- River (*see also* Water)
 nickel-polluted, 41
- RNA
 cleavage, 167
 Ni(II) complex, 167
 recognition, 90
 synthesis, *see* Synthesis
 tobacco mosaic virus, 448
- Ruminococcus albus*, 390
- Russia
 Kola Peninsula, *see* Kola Peninsula
 nickel mining and smelting, 4, 8, 9–11,
 14, 18, 20, 42

S

- S.
aureus, *see Staphylococcus aureus*
cerevisiae, *see Saccharomyces cerevisiae*
coelicolor, *see Streptomyces coelicolor*
fumoxidans, *see Syntrophobacter fumoxidans*
lividans, *see Streptomyces lividans*
pombe, *see Schizosaccharomyces pombe*
salivarius, *see Streptococcus salivarius*
seoulensis, *see Streptomyces seoulensis*
thermophilus, *see Streptococcus thermophilus*

- [S.]
typhimurium, *see* *Salmonella typhimurium*, *see* *Staphylococcus xylosum*, *see* *Staphylococcus xylosum*
Saccharomyces cerevisiae (*see also* Yeast)
 acireductone dioxygenase, 481
 glyoxalases, 448, 449, 451, 460–462, 527
 Salen (complexes with)
 Ni(II), 167
 Ni(III), 89
Salmonella sp., 585
typhimurium, 643
 Sample
 limit of detection, 4, 5
 nickel, 4–6
 Sarcomas (*see also* Tumors)
 nickel-induced, 641
 Sarcosine
 hydroxamic acid, *see* Hydroxamic acid
 Scandinavia, 20
 Scandium
 in peat, *see* Peat
Scenedesmus sp., 47
acutus, 41, 45
obliquus, 291
 Schiff bases (*see also* individual names)
 (complexes with)
 Ni(II), 71
 Ni(III), 92
Schizosaccharomyces pombe, 529
 SDS-PAGE
 glyoxalase I, 453
 Seawater
 nickel in, 5, 110
Sebertia acuminata, 47, 48, 51
 Secreted protein, acidic and rich in
 cysteine, 85
 Sediments
 anoxic, 3
 nickel in, 14, 15
 Selenium
⁷⁷Se, 301
 Selenocysteine (and residues), 280, 292,
 523
 Self-association (*see also* Stacking)
 nucleosides, 139
 Semichelates, 123, 126, 128, 130
Senecio coronatus, 49
 Serine
 α-hydroxymethyl-, 79
 Ni(II) complex, 69
 Serpentine, 4, 33, 48
 Sewage sludge, 2, 21
 Siderophores (*see also* individual names),
 72, 553
 Signaling pathways, 584
 alteration, 593–607
 Signal transduction, 144, 280, 644
Silene paradoxa, 41, 43
 Silicate
 minerals, 15
 nickel, 51
 Skin
 dermatitis, *see* Dermatitis
 inflammation, 629
 nickel exposure, 622, 624
 SlyD (*see also* Peptidyl prolyl *cis/trans*
 isomerases)
 affinity for Ni(II), 512
 biological role, 513, 514
 catalyzed reactions, 503, 504
 chaperone-like activity, 511, 532, 533
 distribution of genes, 505–508
Escherichia coli, *see* *Escherichia coli*
 inhibition by nickel, 511, 512
 inhibition of adenylate cyclase, 513
 link to hydrogenase biosynthesis,
 514
 Ni(II)-regulated, 501–515
 nucleotide binding, 512, 513
 sequence alignment, 510
 structure, 508–510
 Zn(II), 512
 Smelting, 41
 copper, 8–11, 15, 17, 18, 20, 42
 nickel, 7–11, 14, 15, 17, 18, 20, 21, 41,
 42, 583
 Sodium ion
 channel, 629
 diethylthiocarbamate, 624
 Sodium dodecyl sulfate electrophoresis,
see SDS-PAGE
 Soil (containing)
 contaminated, 48, 52, 53
 nickel mobility, 17–21

- [Soil (containing)]
 nickel, 2–4, 12, 33, 42, 45
 urease, 242
- Solvent polarity
 reduced, 115–117
- Sorbose
 Ni(II) complex, 113
- Soybean (*see also Glycine max.*), 8, 451
 nickel in, 18, 19
- SPARC, *see* Secreted protein, acidic and rich in cysteine
- Sperm
 abnormalities, 630
 human, 84
 mouse, 84, 630
 vertebrate, 84
- Spermidine
 N'-monoglutathionyl-, 464, 465
 synthesis, 476
- Spermine
 synthesis, 476
- Spirodela*, 41
- Sporosarcina ureae*, 555
- Spruce
 nickel concentration, 12
- Stability constants of complexes (*see also* Equilibrium constants)
 apparent, 152–154
 5'-ATP, 143, 162, 163
 buffers, 163
 conditional, 70
 Cu(II)-nucleotides, 140, 142, 150
 GMP, 137
 methyl thiophosphate, 155, 156
 Mg(II)-nucleotides, 136, 142, 143
 microconstants, 154
 Mn(II)-nucleotides, 142, 143, 150
 Ni(II)-nucleotides, 116, 117, 134–143, 148, 162, 163
 Ni(II)-phosphate monoesters, 116, 117, 136
 Ni(II)-purine-nucleobases, 119, 120
 Ni(II)-pyrimidines, 123–125
 Ni(III)-peptides, 92
 nickel-amino acids, 66–68
 nickel-picolinamide, 218
 purine-nucleotide (N1)-oxides, 152–154
- [Stability constants of complexes]
 phosphates, 129, 130
 ternary ATP-buffer complexes, 162, 163
 Zn(II)-nucleotides, 142, 143
- Stackhousia tryonii*, 50
- Stacking (*see also* Self-association)
 aromatic ring, 165
 intramolecular, 141, 164, 165
 Ni(II)-peptide complexes, 78
 purines, 132, 139
 pyrimidines, 139
- Stainless steel
 nickel in, 21
 production, 6
- Standard potential, *see* Redox potential
- Staphylococcus aureus*, 448
xylosus, 266
- Stereocaulon paschale*, 10
- Stomach, 546
- Stopped flow study of urease, 220
- Streptanthus insignis*, 49
polygaloides, 49, 52
- Streptococcus salivarius*, 556
thermophilus, 556
- Streptomyces* sp., 39, 211, 422–426, 428, 436, 527
coelicolor, 214, 423–425, 428–430, 526
lividans, 423
seoulensis, 423–425, 428, 429, 431, 526, 527, 534
- Strontium(II)
 flavin mononucleotide complex, 148
 xanthosine 5'-monophosphate complex, 148
- Sugars, 113
 Ni(II) complexes, 112–117
- Sulfate, 267
 and urease, 267
 nickel, 8, 588–590, 606, 623, 628–630, 636, 638, 640, 643
 reduction, 389, 391
- Sulfhydryl groups, 81
 Ni(III) complexes, 92

Sulfide(s)

- bridge, 36, 366, 367, 524
- ligand, 422, 426
- nickel sub-, *see* Nickel subsulfide
- nickel, 3, 4, 8, 15, 35, 586, 600, 633, 638
- ores, 4
- per-, *see* Persulfide
- poly-, 340–342

Sulfoxide in

- [NiFe] hydrogenases, 294

Sulfur (different oxidation states)

- ³³S, 340, 342, 431, 639
- in melanin, 296, 297
- oxidation, 633

Sulfur dioxide, 9, 10

Superoxide, 211, 212, 214, 418–420, 526, 551, 646

- formation, 490, 491
- oxidation, 437
- reductase, *see* Reductases
- reduction, 428

Superoxide dismutase(s), 551, 553, 554, 600, 637

- Cu/Zn, *see* Copper-zinc superoxide dismutase
- iron, *see* Iron superoxide dismutase
- manganese, *see* Manganese superoxide dismutase
- nickel, *see* Nickel superoxide dismutase
- redox potential, *see* Redox potential

Sweden

- nickel mining, 6

Synechocystis sp., 39

Synthases

- carbamoyl phosphate, 286
- glutathione, 600
- methylglyoxal, 446–448

Synthesis (*see also* Biosynthesis) (of)

- DNA, 449
- protein, 449
- RNA, 449
- spermidine, 476
- spermine, 476
- urea, 273

Syntrophobacter fumaroxidans, 370, 382

T

Taiwan, 15

Tannins, 45, 46

Ternary complexes (of) (*see also* Mixed ligand complexes)

Ni(II), 161–164

Ni(III), 92

1,4,8,11-Tetraazacyclotetradecane, *see* Cyclam

Tetracycline, 568

Tetraglycine

Ni(III) complex, 90

Tetrahydrofolate

methyl-, *see* Methyltetrahydrofolate

Tetrahydromethanopterin, 383

Tetrahydrosarcinapterin, 360

Tetrapyrroles, 525, 526

F₃₄₀, *see* F₄₃₀*Thermus thermophilus*, 502*Thiocapsa roseopersicina*, 285, 287

Thiocyanate (in)

carbon monoxide dehydrogenases, 366

N-bound, 218

Thioether

bond cleavage, 190

Ni(II) complex, 78, 79

7-Thioheptanoylthreoninephosphate (*see also* Coenzyme B), 325, 337–340, 345–349, 525Thiols (and thiolate groups) (*see also* individual names)

Ni(II) complexes, 78, 81, 83, 193, 194

Ni(III) coordination, 341, 342

nickel superoxide dismutase, 422, 426, 436, 437

Thiophosphate

methyl-, *see* Methylthiophosphate

Thiourea, 219

Thlaspi sp., 51, 52*caerulescens*, 48, 50*calaminare*, 48*goesingense*, 38

Threonine

Ni(II) complex, 69

Thrombin, 84

- Thymidine
 structure, 118
- Thymidine 5'-diphosphate (complexes with)
 Cu(II), 140
 Ni(II), 139, 140
- Thymidine 5'-monophosphate (complex with), 133, 135
 Ni(II), 134
- Thymidine 5'-triphosphate
 metal ion complexes, 141, 143
- Thymine
 1-(2'-deoxy- β -D-ribofuranosyl)-, *see*
 Thymidine
 structure, 118
- Thyrotropin releasing factor, 85
- Titanium(III)
 citrate, 375, 377, 378
 reduction of C-cluster of carbon monoxide dehydrogenase, 364
 reduction of Ni(II)F₄₃₀, 330, 331
- Tobacco
 smoke, 638
 transgenic plants, 47
- Toxicity of
 copper in plants, 41, 42
 cyanide, 623
- Toxicity of nickel, 82, 587, 588, 600, 619–646
 carbonyl, 622, 623
 embryo-, 630, 631
 geno-, 643–645
 in experimental animals, 625–631
 in plants, 17, 18, 33, 40–48, 51
 mechanisms, 631–637
 systemic, 627, 628
 tissue, 628
- Trace elements in plants, *see* Plants
- Transcription factors
 alteration, 593–607
 AP-1, 598–603, 644
 ATF-1, 599
 HIF-1, 590, 592, 593, 595–598, 602, 603, 606, 644, 646
 NF- κ B, 598–601, 644
 zinc finger, 597
- Transferases
 acetyl-, 608, 645
 amino-, 600, 628
 O-carbamoyl-, 286
 glutathione-S-, 44, 600
- Transferrin, 627
 lacto-, 588, 589
- Transition metal ions, *see* individual names
- Transporters (*see also* individual names)
 ABC-type, 528, 560
 cobalt, 38, 39, 529
 divalent metal, 595, 627
 magnesium, 561
 Ni/Co, 38, 39
 nickel, 38, 39, 46, 560, 561, 566, 631
 zinc, 38, 46
- Triglycine
 Ni(II) complex, 76, 79
- Triosephosphate isomerase, 447, 448, 460
- Tris
 acidity constants, 163
 stability constants of complexes, 163
 structure, 162
 ternary complexes, 161–163
- Tris(hydroxymethyl)methylamine, *see* Tris
- Triticum* sp., 43–45, 47
 aestivum, 18
- Trypanothione, 464, 465
- Trypsin, 511
 chymo-, *see* Chymotrypsin
- Trypsinogen, 602
- Tryptophan (and residues)
 Ni(II) complex, 68
 ternary complexes, 164
- Tubercidin 5'-monophosphate, 144
 Ni(II) complex, 134
- Tumor(s) (*see also* Cancer, Sarcomas, and individual names)
 lung, 638, 639, 643
 nickel-induced, 587, 588, 599
 prostate, 483
 suppressor gene, 606, 607
 testicular, 640
- Tumor necrosis factor, 592, 600, 601
- Tyrosine
 Ni(II) complex, 68, 78

U

Ubiquinone

NADH oxidoreductase, 283

5'-UDP

Ni(II) complex, 139, 140

Ulcer

duodenal, 546

gastric, 521, 548

Umbilicaria sp., 10

5'-UMP, 132, 133, 135, 146

UMPS, *see* Uridine 5'-O-thiomonophosphate

United Kingdom

nickel in soil, 20

Uracil, 126

structure, 118

Urea, 219, 220, 272

acidity constants, *see* Acidity constants

aminohydrolase, *see* Urease

decomposition, 216, 243

half life, 243

hydrolysis, 226, 243, 249, 256, 265, 267, 268, 554, 556

production, 243

resonance stabilization energy, 223

synthesis, 273

thio-, *see* Thiourea

Urease(s), 35, 37–40, 111, 241–273, 453,

514, 520, 521, 530

acetohydroxamic acid complex, *see*

Acetohydroxamic acid

acid resistance, 556–559

acidity constants, *see* Acidity constants

activation, 521, 530–532, 537

active site, *see* Active sites

apo-, 267

Bacillus pasteurii, 244–267

biochemistry, 243, 244

biological significance, 242, 243

carboxylate bridge, 249, 252

conformation, 248, 249, 261, 268, 272

decomposition, 554

electron density, *see* Electron density

environmental adaptation, 554–556

gene cluster, 536, 555, 566

[Urease(s)]

Helicobacter pylori, *see* *Helicobacter pylori*

history, 37

hydroxamate bridge, 259

hydroxide bridge, *see* Hydroxide

in *Helicobacter pylori* infection, 549, 552

inhibitors, 228, 255–263, 267–272, 569

jack bean, 242, 248, 251, 255, 261, 266, 267, 273

Klebsiella aerogenes, 244–267, 521, 536

mechanism, 215, 267–272

metallochaperones, 530–532

metal-substituted, 266, 267

models, 214–229

molecular chaperones, 535–537

mutants, 244, 259, 263–266, 271, 530, 531, 561, 567

Ni(II)-aminohydroxamate, 72

nickel insertion, 369

nickel regulation, 558, 562–566

phosphate bridge, 262

Proteus mirabilis, 255

Staphylococcus xylosum, 266

structure with a substrate analog, 255, 256

structure with a transition state analog, 256, 257

structures in the native state, 249–254

structures with a competitive inhibitor, 257–263

structures, 244–267

synthesis, *see* Biosynthesis

water bridge, 252

wild-type, 265, 266, 567

Uridine

complexes, 126, 127

structure, 118

Uridine 5'-diphosphate, *see* 5'-UDPUridine 5'-monophosphate, *see* 5'-UMP

Uridine 5'-O-thiomonophosphate

acidity constants, 155

complexes, 154–156

stability constants of complexes, 155

structure, 151

Uridine 5'-triphosphate, *see* 5'-UTP

Urinary tract
 infections, 242
 5'-UTP, 146, 512
 complexes, 141, 143
 UV-Vis spectrophotometry (of)
 acetyl-coenzyme A synthase model,
 209, 214
 acireductone dioxygenase, 486, 489,
 491
 F₄₃₀, 329–332, 338
 methyl-coenzyme M reductase,
 338–340, 342
 [NiFe] hydrogenases, 192, 532
 nickel superoxide dismutase, 429, 432
 urease models, 222

V

Vaccination against *Helicobacter pylori*
 infection, 568, 569

Vaccinium
myrtillus, 18
vitis-idaea, 18

Vanadate and urease, 267

Vasopressin (complex with)
 arginine⁸⁻, 85
 Cu(II), 85
 Ni(II), 78

Vasotocin
 arginine⁸⁻, 85
 Cu(II) complex, 85

Vertebrate (*see also* individual names)
 sperm, 84

Virus (*see also* individual names)
 Coxsackie, 630
 hepatitis C, 481, 483
 tobacco mosaic, 448
 turnip mosaic, 49

Vitamin(s) (*see also* individual names)
 B₂, 148
 C, *see* Ascorbate

Voltammetry
 adsorptive cathodic stripping, 5
 cyclic, *see* Cyclic voltammetry
 nickel samples, 5

[Voltammetry]
 [NiFe] hydrogenases, 306, 307
 protein film, 306, 307

W

Waste
 municipal, 41, 42
 nickel in, 2, 7, 41–43

Water
 lake, *see* Lake
 nickel concentrations, 10–12, 41, 42
 nickel contaminated, 622, 623
 sea-, 110

Wheat
 nickel toxicity, 18

Wolinella succinogenes, 559

Wood-Ljungdahl pathway, 390, 391

X

XAFS
 nickel samples, 5

XANES
 acireductone dioxygenase, 474, 486,
 487
 glyoxalase I, 455
 methyl-coenzyme M reductase, 339
 nickel K-edge, 427, 487
 nickel samples, 5
 nickel superoxide dismutase,
 426–428
 [NiFe] hydrogenases, 299
 sulfur K-edge, 428

Xanthosine 5'-monophosphate, *see* 5'-XMP

XAS, *see* X-ray absorption
 spectroscopy

Xenobiotics, 598

Xenon probe, 293, 294

Xenopus laevis, 632

5'-XMP
 acidity constants, 146
 complexes, 146–148
 structure, 147, 148

- X-ray absorption fine-structure spectroscopy, *see* XAFS
- X-ray absorption near-edge structure spectroscopy, *see* XANES
- X-ray absorption spectroscopy (studies of), 47, 50
- acetyl-coenzyme A synthase, 204
- acireductone dioxygenase, 474, 480, 483, 490
- iron K-edge, 378
- methyl-coenzyme M reductase, 339, 341, 342
- near-edge, 187
- Ni(I) complexes, 187
- nickel L-edge, 299, 378
- nickel K-edge, 299, 365, 378, 426
- nickel superoxide dismutases, 422, 426–428
- [NiFe] hydrogenase (models), 192, 199, 282, 299, 300, 306, 310
- sulfur K-edge, 422, 426–428
- urease, 267
- X-ray crystal structure studies of (*see also* Crystal structures)
- acetyl-coenzyme A synthase models, 206, 209
- acetyl-coenzyme A synthases/carbon monoxide dehydrogenases, 362, 525
- carbon monoxide dehydrogenase, 200
- Cu(Cyd)²⁺ complex, 123
- methyl-coenzyme M reductase, 525
- [NiFe] hydrogenases, 291–294
- Ni(II)-peptide complexes, 89
- Ni(II)-purine complexes, 118, 119, 145
- Ni(II)-pyridine complexes, 126
- Ni(II)-sugar complexes, 113–115
- urease, 256, 259, 521
- X-ray diffraction spectroscopy studies of
- nickel samples, 5
- [NiFe] hydrogenases, 192
- X-ray fluorescence spectrometry (studies of)
- nickel samples, 5
- synchrotron-based, 5

Y

- Yeast (*see also Saccharomyces cerevisiae*), 529, 587, 645
- acireductone dioxygenase, 475
- copper metallochaperone, 531
- nickel uptake, 38
- Yersinia* sp., 560
- pestis*, 451, 453, 460–462

Z

- Zinc (different oxidation states)
- accumulating plants, *see*
- Hyperaccumulating plants
- interdependency with other metal ions, *see* Interdependencies
- transporter, 38, 46
- Zinc(II) (in/complexes with)
- acetyl-coenzyme A synthases/carbon monoxide dehydrogenases, 374, 376
- amino acids, 95
- carbonyl group, 117
- glyoxalase I, *see* Glyoxalase I
- histidine, 95
- hormones, *see* Hormones
- hydroxyl group, 117
- nucleic acid binding, 165, 167
- nucleotides, 137, 142, 144, 148, 150, 157
- peptide, *see* Peptides
- phosphate, 129, 130
- purine-nucleotide (N1)-oxide, 153
- SlyD, 512
- ternary ATP-buffer complexes, 163
- ternary nucleotide complexes, 164
- thiophosphate, 155, 156
- urease, 266, 267
- water exchange rate, 111
- Zinc finger proteins, 81, 83
- transcription factor, 597