

# Index

---

- Acoustic
  - diffraction problems, 5–31
  - EEW, grazing singularity removal and, 199–203
  - waves, 169–210
    - axially symmetric scattering and, 115–166
    - backscattering
      - nonuniform component  $j^{(1)}$ , 273–277
      - PO approximation, 269–272
      - total field of, 277–279
        - hard fringe, 278
        - soft fringe, 278
    - Bessel functions, 128
    - bodies of revolution, 115–166
    - caustic asymptotics and, 221–225
    - finite length cylinder
      - backscattering, 269–279
      - bistatic scattering and, 287–304
      - grazing diffraction and, 230–234
      - ray asymptotics and, 213–217
      - slope diffraction and, 236–238, 240–243
- Acoustically
  - hard surface, diffraction interaction and, 248–250
  - soft surface, diffraction interaction and, 250–252
- Asymptotic approximations, cones focal field and, 134–138
- Asymptotic expression, steepest descent method, 44
- Asymptotics, 33–56
  - EEW and, 183–187
  - electromagnetic waves and, 308–310
  - first order, 145
  - nonuniform component radiation and, 71–76
  - paraboloids backscattering and, 145–147
  - Pauli, 47–51
  - ray, 67–68, 156–159
  - Sommerfeld ray, 44–47
  - specular beam and, 300–304
  - uniform, 51–55
- Axially symmetric
  - bistatic scattering, 155–156
  - bodies and revolution and, 155–156
  - PO field, 156–159
  - PTD field, 160–161
  - ray asymptotics, 156–159
  - scattering
    - acoustic waves, 115–166
    - backscattered focal fields, 141–155
    - bodies of revolution, 155–166
    - cones, focal field, 134–141
    - diffraction, canonical conic surface, 115–126
- Backscattered focal fields, bodies of revolution, 141–155
- Backscattering
  - acoustic waves
    - nonuniform component  $j^{(1)}$ , 273–277
    - PO approximation, 269–272
    - total field of, 277–279
  - cones focal fields, numerical analysis, 134–141
  - cross section, 9
  - finite length cylinder, 269–284
    - acoustic waves, 269–279
    - electromagnetic waves, 279–284
      - E-polarization, 279–283
      - H-polarization, 283–284
  - first order PTD approximation, 107–109
  - PO approximation and, 102–104
- Beams
  - bistatic scattering and, 297–300
  - specular, 300–304

## 324 Index

- Bessel
  - function, 35, 40, 128
  - interpolations, PO field and, 159–160
  - interpolations, PTD field and, 160–161
- Bistatic
  - cross section, 9
  - backscattering, 9
  - geometrical acoustics, 9–10
  - monostatic, 9
  - smooth convex, 9
  - scattering
    - axially symmetric, 155–156
    - beams, 297–300
    - finite length cylinder and, 287–310
      - acoustic waves, 287–304
      - acoustic waves
        - PO approximation, 287–288
    - finite length cylinder and
      - electromagnetic waves, 304–310
    - physical optics field, shadow radiation, 289–290
    - PTD, 290–296
    - rays, 297–300
    - specular beam, 300–304
- Bodies of revolution
  - axially symmetric bistatic scattering, 155–156
  - backscattered focal fields and, 141–155
  - first-order PTD asymptotics, 145
  - nonzero Gaussian curvature, 141–156
  - paraboloids backscattering, 145–151
  - PO approximation, 143–144
  - spherical segment backscattering, 151–155
- Branched wave functions, 33
- Canonical
  - conic surface
    - diffraction and, 115–126
      - disk scattering, 126–127
      - field  $u_{s,h}^{(1)}$  Bessel interpolations, 125–126
      - focal fields, 124–125
      - ray asymptotics, 118–124
      - scattered field integrals and, 117–118
  - form conversion
    - Cauchy residue theorem, 63
    - physical optics integrals to, 61–67
    - wedge, elementary strips and, 170–171
- Cauchy
  - residue theorem, 63
  - theorem, 41
- Caustic asymptotics, 220–226
  - acoustic waves, 221–225
  - electromagnetic waves, 225–226
  - edge diffracted waves and, 213–226
- Cones
  - axially symmetric scattering and, focal field, 134–141
  - focal field
    - asymptotic approximations, 134–138
    - backscattering, numerical analysis, 138–141
- Convex body of revolution
  - diffraction, 255–260
  - multiple acoustic edge waves diffraction, 255–260
- Cylinders, polygonal, 83–112
- Diffracted
  - field, physical optics, 67–68
  - ray, origin of, 46
- Diffraction
  - axially symmetric scattering and, 115–126
  - canonical conic surface, 115–126
    - scattered field integrals, 117–118
  - cone, EEW and, 190–191
  - convex body of revolution, 255–260
  - first order, 83–112
  - formulation of, 5–7
  - interaction
    - acoustically
      - hard surface, 248–250
      - soft surface, 250–252
    - electromagnetic waves, 252–254
    - neighboring edges, 247–254
  - multiple
    - hard, 256–258
    - soft, 258–260
  - part, 26
  - problems, 5–31
    - electromagnetic waves, 27–31
    - induced surface field, 25–27
    - physical optics, 11–25
  - slope, 229–245

- strip, 83–99
  - total scattered field and, 87–92
- Dirichlet condition, 6
- Disk
  - diffraction, multiple edge waves and, 261–268
  - scattering, 126–127
    - nonuniform, field generated, 130–132
    - physical optics approximation, 127–130
    - total scattered field, 132–134
- Edge
  - diffracted waves
    - caustic asymptotics, 213–226
    - ray asymptotics, 213–226
  - waves
    - electromagnetic, 169–210
    - multiple diffraction, 229–245
      - grazing incidence, 229–245
      - grazing, 230–236
      - slope, 229–245
- EEW (elementary edge waves)
  - analytic properties of, 187–191
    - diffraction cone, 190–191
  - electromagnetic, 194–198
  - general asymptotics, 183–187
  - grazing singularity
    - nonuniform component  $\vec{j}^{(1)}$ , 204–205
    - removal of, 198–208
  - high frequency asymptotics, 169
  - history of, 209–210
  - important points, 175
  - other interpretations of, 209–210
  - nonuniform, 192–193
  - numerical calculations of, 191–194
  - one dimensional integrals, 178–183
  - triple integrals, 175–177
    - transformation of, 178–183
- Electromagnetic
  - diffraction problems, 5–31
  - EEW, 194–198
    - grazing singularity removal and, 203–208
  - waves, 27–31, 129–130
    - backscattering finite length cylinder, 279–284
    - caustic asymptotics and, 225–226
    - diffraction interaction and, 252–254
    - edge, 169–210
    - E-polarization, 279–283, 304–306
    - finite length cylinder bistatic scattering and, 304–310
    - grazing diffraction and, 234–236
    - H-polarization, 283–284, 306–308
    - multiple diffraction, 267–268
    - ray asymptotics and, 218–219
    - Shadow Contour Theorem, 30
    - shadow radiation, 16–21
    - slope diffraction and, 238–240, 243–245
    - specular beam, refined asymptotics, 308–310
    - uniform component, 28
- Elementary edge waves (EEWs), 169
- Elementary strips
  - canonical wedge, 170–171
  - $j_{s,h}^{(1)}$  integrals, 171–175
- E-polarization, 279–283, 304–306
- Exact solution, 33–56
- Extended Kirchoff Approximation (KA). *See* scalar physical optics.
- Far zone, 7–10
  - bistatic cross-section, 9
- Field generated nonuniform scattering sources, 130–132
- Field  $u_{s,h}^{(1)}$  Bessel interpolations, 125–126
- Finite length cylinder
  - backscattering, 269–284
    - acoustic waves, 269–279
    - electromagnetic waves, 279–284
  - bistatic scattering, 287–310
    - acoustic waves, 287–304
    - electromagnetic waves, 304–310
- First order
  - diffraction
    - polygonal cylinders, 83–112
    - strips, 83–112
    - triangular cylinder, 99–112
- PTD
  - approximation
    - backscattering and, 107–109
    - symmetric scattering and, 104–107
  - asymptotics, bodies of revolution and, 145
  - Hankel function, 96

## 326 Index

- First order (*Continued*)
  - PTD (*Continued*)
    - strip diffraction and, 95–99
    - TED approximation, 99
    - truncated scattering sources, 95–99
- Focal field
  - cone scattering and, 134–141
  - canonical conic surface diffraction and, 124–125
- Fock, theory of, 10
- Fresnel integral, 48, 50, 53
- Fringe waves, 26
- Functions
  - $f^{(1)}$  integrals, 76–78
  - $g^{(1)}$  integrals, 76–78
- Geometrical acoustics, 9–10
- Geometrical optics. *See* uniform component.
- GO boundary, PTD field and, 161
- GradshTEyn and Ryzhik table formula, 60
- Grazing
  - diffraction, 230–236
    - acoustic waves, 230–234
    - electromagnetic waves, 234–236
  - edge waves multiple diffraction and, 229–245
  - EEW, nonuniform component  $\vec{j}^{(1)}$ , 204–205
  - singularity, removal of,
    - acoustic EEW, 199–203
    - EEW and, 198–208
    - electromagnetic EEW, 203–208
    - uniform component  $\vec{j}^{(0)} \equiv \vec{j}^{(hp)}$ , 205–208
- Green theorem, 36, 39
- Hankel function, 35, 80, 96
  - integral forms, 60
- Hard
  - diffraction, multiple, 261–264
  - fringe field, acoustic wave backscattering and, 278
- Helmholtz
  - equivalency theorem, 17
  - integral expressions, 7
- High frequency asymptotics, elementary edge waves and, 169
- H-polarization, 283–284, 306–308
- Incident plane wave, 40
- Incomplete asymptotic expansion, multiple soft diffraction and, 258–260
- Induced surface field
  - nonuniform component, 25–27
  - uniform component, 25–27
- Integrals
  - functions  $f^{(1)}$ , 76–78
  - functions  $g^{(1)}$ , 76–78
  - nonuniform components and, 71
- $j_{s,h}^{(1)}$  integrals, elementary strips and, 171–175
- Laplacian operator, 34
- Monstatic cross section, 9
- Multiple
  - acoustic edge waves, diffraction convex body of revolution, 255–260
  - diffraction
    - edge waves and, 229–245
    - electromagnetic waves, 267–268
  - edge waves
    - disk diffraction, 261–268
    - hard diffraction, 261–264
  - hard diffraction, 256–264
  - soft diffraction, incomplete asymptotic expansion, 257–260
- Neighboring edges diffraction interaction, ruled surface, 247–254
- Neuman condition, 6
- Nonuniform
  - component, 25–27
    - $\vec{j}^{(1)}$ , grazing singularity, EEW and, 204–205
    - $j^{(1)}$ , backscattering acoustic waves and, 273–277
  - radiation
    - asymptotics, 71
    - integrals, 71
      - functions  $f^{(1)}$ , 76–78
      - functions  $g^{(1)}$ , 76–78
    - surface sources, 71–82
  - diffraction part, 26
  - fringe waves, 26
  - physical optics diffracted field and, 68

- disk scattering, field generated, 130–132
  - EEW, 192–193
  - Nonzero Gaussian curvature
    - axially symmetric bistatic scattering, 155–156
    - bodies of revolution and, 141–156
  - Numerical analysis
    - paraboloids backscattering and, 147–151
    - scattered field and, 92–95, 110–111
    - spherical segment backscattering and, 153–155
  - Oblique incidence
    - Hankel function, 80
    - plane wave and, 78–82
  - One dimensional integrals, EEW and, 178–183
  - Optical theorem, 15
  - Paraboloids backscattering, 145–151
    - asymptotics, 145–147
    - numerical analysis, 147–151
  - Pascal, pressure unit, 7
  - Pauli
    - asymptotics, 47–51
      - Fresnel integral, 48
      - Sommerfeld ray, 51
      - Taylor series, 47
    - technique, uniform asymptotic, 51–55
      - Fresnel integrals, 53
      - Taylor series, 52
  - Physical optics (PO)
    - approximation, 101–102, 127–130
    - acoustic waves, 127–129
      - backscattering and, 269–272
    - backscattering, 102–104
    - bistatic scattering and, 287–288
    - bodies of revolution and, 143–144
    - electromagnetic waves, 129–130
    - canonical form conversion, 61–67
      - Cauchy residue theorem, 63
    - definition of, 11–13
    - diffracted field
      - nonuniform components, 68
      - ray asymptotics, 67–68
    - diffraction problems and, 11–25
    - equations, 13
  - field
    - axially symmetric bistatic scattering and, 156–159
    - Bessel interpolations, 159–160
    - bistatic scattering and, 289–290
    - ray
      - asymptotics, 156–159
      - region, 161–165
    - reflected rays, shadow region, 165–166
    - shadow radiation, 289–290
    - transition region, 161–165
    - wedge diffraction and, 59–68
  - geometrical optics, 11
  - optical theorem, 15
  - original integrals, 59–61
    - Gradshteyn and Ryzhik table formula, 60
    - Hankel function, 60
    - Sommerfeld formula, 61
  - part, strip diffraction and, 85–87
  - properties of, 24–25
  - scalar, 13
  - shadow
    - contour theorem, 21–24
    - radiation, 16–21
  - total scattering cross section, 13–15, 21–24
  - uniform components, 12, 59
  - uniform components, 59
- Physical theory of diffraction (PTD)
- approximation, first order, 104–109
  - asymptotics, first order, 145
  - bistatic scattering, 290–296
  - field
    - axially symmetric bistatic scattering and, 160–161
    - Bessel interpolations, 160–161
    - GO Boundary, 161
    - first order, 95–99
    - physical theory of diffraction, 5–7
    - scattered field, 7–10
- Plane wave
- excitation transition, 38–40
    - Green theorem, 39
    - incident plane wave, 40
    - Sommerfeld radiation condition, 39
  - oblique incidence, 78–82
- PO. *See* physical optics.
- Polygonal cylinders, 83–112

328 Index

- Poynting vector for electromagnetic waves, 5
- Pressure unit, Pascual, 7
- PTD. *See* physical theory of diffraction.
- Radiation
  - nonuniform component, surface sources, 71–82
  - wedge diffraction and, 71–82
- Ray
  - asymptotics
    - acoustic waves, 213–217
    - diffraction, canonical sonic surface and, 118–124
    - edge diffracted waves and, 213–226
    - electromagnetic waves, 218–219
    - physical optics diffracted field and, 67–68
    - PO field and, 156–159
  - bistatic scattering and, 297–300
  - component. *See* uniform component.
  - region, PO field and, 161–165
- Reflected rays, shadow region, 165–166
- Ruled surface, neighboring edges diffraction interaction, 247–254
- Ryzhik and Gradshteyn table formula, 60
- Scalar physical optics, 13
- Scattered field
  - far zone, 7–10
  - Helmholtz integral expressions, 7
  - integrals, canonical conic surface and, 117–118
  - numerical analysis, 92–95
  - PTD and, 7–10
  - strip diffraction and, physical optics part, 85–87
  - theory of Fock, 10
  - total, 132–134
  - sources, first order PTD and, 95–99
- Series solution, 40–44
  - conversion to Sommerfeld integrals, 40
- Shadow
  - contour theorem, 21–24
  - radiation, 12–21
    - Helmholtz equivalency theorem, 17
    - physical optics field and, 289–290
  - region, reflected rays and, 165–166
- Slope diffraction, 236–240
  - acoustic waves, 236–238, 240–243
  - edge waves and, 229–245
  - electromagnetic waves, 238–240, 243–245
- Smooth convex, 9
- Soft
  - diffraction, multiple, 261–264
  - fringe field, acoustic wave backscattering and, 278
- Sommerfeld
  - formula, 61
  - integrals
    - Bessel function, 40
    - Cauchy theorem, 41
    - series solution conversion to, 40
  - radiation condition, 39
    - classical form, 40
  - ray asymptotics
    - diffracted ray, origin of, 46
    - Pauli, 47–51
    - wedge diffraction and, 44–47
- Specular beam
  - bistatic scattering and, 300–304
  - electromagnetic waves and, refined asymptotics, 308–310
  - refined asymptotics, 300–304
- Spherical segment backscattering
  - bodies of revolution and, 151–155
  - numerical analysis, 153–155
- Steepest descent method, 44
- Strip diffraction, 83–99
  - first order PTD, 95–99
  - scattered field, physical optics part, 85–87
  - total scattered field, 87–92
- Strips, first order diffraction, 83–112
- Surface sources, nonuniform component
  - radiation and, 71–82
- Symmetric scattering
  - first-order PTD approximation, 104–107
  - PO approximation, 101–102
- Taylor series, 47, 52
- TED approximation 92, 99
- Theory of Fock, 10
- Total
  - field, backscattering acoustic waves and, 277–279
  - hard fringe, 278
  - soft fringe, 278

- scattered field, 132–134
  - strip diffraction and, 87–92
  - scattering cross section, 13–15, 21–24
- Transition region, PO field and, 161–165
- Triangular cylinder
  - diffraction, scattered field, numerical analysis, 110–111
  - first order diffraction and, 99–112
  - symmetric scattering, 101–102
- Triple integrals, EEW and, 175–177
  - transformation of, 178–183
- Truncated scattering sources, 95–99
- Uniform
  - asymptotics, 51–55
    - extension of Pauli technique, 51–55
      - Fresnel integrals, 53
      - Taylor series, 52
  - components, 11, 12, 25, 28, 59
  - $\vec{j}^{(0)} \equiv \vec{j}^{\text{hp}}$ , grazing singularity and, 205–208
- Wedge diffraction, 33–56
  - asymptotics, 33–56
    - Bessel function, 35
    - branched wave functions, 33
    - classical studies, 33–38
    - exact solution, 33–56
    - Green theorem, 36
    - Hankel function, 35
    - Laplacian operator, 34
    - perfectly conducting wedge, 34
    - physical optics field, 59–68
    - plane wave
      - excitation transition, 38–40
      - oblique incidence, 78–82
    - radiation, 71–82
    - series solution, 40–44
    - Sommerfeld ray asymptotics, 44–47
    - uniform asymptotics, 51–55
    - Wronskian equation, 37

