

# Contents

---

<b>Series Editor's Foreword</b>	<b>v</b>
<b>Preface</b>	<b>xv</b>
<b>1. Introduction</b>	<b>1</b>
1.1 Microdisplays	1
1.2 Human Factors	3
1.2.1 Color	4
1.2.2 Resolution	4
1.2.3 Flicker	5
1.2.4 Contrast Ratio	6
1.2.5 Grayscale	7
1.2.6 Viewing Comfort	7
1.3 Display Specifications	8
1.3.1 Resolution and Size	8
1.3.2 Luminance and Color Saturation	8
1.3.3 Contrast Ratio and Grayscale	9
1.3.4 Response Speed and Flicker	9
1.4 Displays in General	10
1.4.1 Cathode Ray Tube	10
1.4.2 Matrix Addressed Displays	10
1.4.3 Field Emission Displays	11
1.4.4 Plasma Displays	11
1.4.5 Liquid Crystal Displays	12
1.4.6 Electroluminescent Displays	12
1.4.7 Electromechanical Displays	12
1.5 Microdisplay Evolution	13
1.6 Microdisplay Applications	15
1.6.1 Projection Displays	15
1.6.2 Near-to-Eye Displays	15
1.6.3 Other Applications	16
1.7 References	17

<b>2. Electronic Addressing</b>	<b>19</b>
2.1 Introduction	19
2.1.1 General Introduction	19
2.1.2 Addressing Methods	19
2.1.3 Grayscale	23
2.1.4 Color	25
2.1.5 Active Matrix Technologies	28
2.1.6 LCOS: The Early Days	30
2.2 The MOS Transistor	32
2.2.1 Characteristic Equations	32
2.2.2 MOS Capacitor	37
2.2.3 MOS Transistor Switches	37
2.2.4 CMOS Inverter	38
2.2.5 MOS Memory Circuits	39
2.3 LCOS System Electronics Architecture	40
2.3.1 Overview and Classification	40
2.3.2 Interface and Support Architecture	41
2.3.3 Backplane Electronics	43
2.4 Analog Pixel Drive Schemes for Analog Electro-optic Response	52
2.4.1 Analog Voltage Addressing	52
2.4.2 DC Balanced Driving of Liquid Crystal	53
2.4.3 DRAM-style Analog Pixel	56
2.4.4 Frame Buffer Pixels for Analog Drive	59
2.5 Digital Pixel Drive Schemes for Analog Electro-optic Response	60
2.5.1 Nematic Liquid Crystal	60
2.5.2 Fringe Field Effects with Digital Drive	63
2.5.3 Response Time Considerations for Digital Drive	63
2.6 Digital Pixel Drive Schemes for Binary Electro-optic Response	64
2.6.1 Single Pulse Width Modulation	65
2.6.2 Binary-Coded Pulse Width Modulation (B-PWM)	66
2.6.3 B-PWM Pixel Circuits	67
2.6.4 Grayscale Contouring	71
2.7 DMD Microdisplay Electronics	72
2.8 OLED Microdisplay Electronics	73
2.8.1 OLED Microdisplay System Overview	73
2.8.2 OLED Pixel Circuits using TFTs	75
2.8.3 OLED Microdisplay with Digital Addressing: Example	77
2.8.4 OLED Microdisplay with Analog Addressing: Example	80
2.9 Photo-addressing	82
2.10 Bibliography	83
2.11 References	85
<b>3. CMOS Backplane Technology</b>	<b>89</b>
3.1 Introduction	89
3.2 CMOS Technology	90
3.2.1 Background	90
3.2.2 MOS Transistor Structure	91
3.2.3 MOS Integrated Circuit Structure	93
3.2.4 CMOS Fabrication Process	93

3.3	CMOS for Microdisplays	94
3.3.1	Background	94
3.3.2	Pixel Aperture Ratio	96
3.3.3	Metal Layer Count	97
3.3.4	High-Voltage Structures	99
3.3.5	LCOS Microdisplays	100
3.4	Wafer and Die Bow	100
3.4.1	Wafer Flatness and Surface Metrology	102
3.5	Wafer Surface Planarization	102
3.5.1	Introduction to Wafer Planarization	102
3.5.2	Chemical Mechanical Polishing	104
3.5.3	Damascene Polishing	111
3.6	Pixel Storage	113
3.7	Light Blocking	114
3.8	Mirror Quality	117
3.9	Pixel Gap Fill	118
3.10	LC Cell Thickness	119
3.11	LCOS CMOS Summary	121
3.12	Backplane Technology for Other Microdisplays	123
3.12.1	Transmissive LCOS	123
3.12.2	Micro-optical-electromechanical Systems	124
3.12.3	OLED CMOS	124
3.13	Silicon Technology Roadmap	125
3.14	Cost of Silicon	126
3.14.1	Wafer Cost	126
3.14.2	Yield	127
3.14.3	Qualitative Yield Comparisons	127
3.14.4	Good Dice per Wafer	128
3.14.5	Cost per Good Die	128
3.15	Summary	130
3.16	Bibliography	130
3.17	References	132
<b>4.</b>	<b>Transmission Microdisplay Structure</b>	<b>135</b>
4.1	Background	135
4.2	Thin Film Transistors	136
4.3	Polysilicon	137
4.3.1	Background	137
4.3.2	Preparation	138
4.4	Polysilicon LC Microdisplay	138
4.4.1	Matrix Addressing	138
4.4.2	Physical Layout	140
4.4.3	Aperture Ratio	141
4.4.4	Microlens Array	142
4.4.5	Performance	143
4.4.6	Recent Developments	144
4.5	Transferred Silicon	145
4.5.1	Concept	145
4.5.2	Process	146
4.5.3	Performance	146

4.6	Silicon-on-Sapphire	146
4.7	Closing Comment	147
4.8	References	147
<b>5.</b>	<b>Transmissive Liquid Crystal Microdisplays</b>	<b>149</b>
5.1	Introduction	149
5.2	TFT-LCD	149
5.3	Projection System	151
5.4	Twisted Nematic Cells	152
5.4.1	Jones Matrices	153
5.4.2	Viewing Angle	155
5.5	Vertically Aligned Nematic (VAN) Cells	155
5.5.1	LC Alignment	156
5.5.2	Electro-optic Effects	159
5.5.3	Response Time	164
5.6	Fringing Field Effect	165
5.7	Liquid Crystal Ionic Effects	166
5.7.1	Ionic Conduction	167
5.7.2	Space Charge	168
5.7.3	Image Sticking	169
5.7.4	Electrode Effects	170
5.8	References	170
<b>6.</b>	<b>Reflective Liquid Crystal Microdisplays</b>	<b>173</b>
6.1	Introduction	173
6.2	Normally Black Homeotropic Cell	176
6.2.1	Voltage-dependent Reflectance	176
6.2.2	Pretilt Angle Effect	178
6.2.3	Viewing Cone	178
6.2.4	Fringing Field Effect	179
6.2.5	Effect of Field Fringing on Image Quality	181
6.2.6	Cell Gap	182
6.3	Normally White Homogeneous Cell	182
6.3.1	Voltage-dependent Reflectance	183
6.3.2	Viewing Cone	183
6.3.3	Fringing Field Effect	184
6.4	Reflective TN Cells	184
6.5	Normally White 90° MTN Cell	186
6.5.1	Voltage-dependent Reflectance	186
6.5.2	Viewing Cone	187
6.5.3	Fringing Field Effect	187
6.6	Normally White 63.6° MTN Cell	189
6.6.1	Voltage-dependent Reflectance	189
6.6.2	Viewing Cone	190
6.6.3	Fringing Field Effect	190
6.7	Normally Black 63.6° TN Cell	190
6.7.1	Optimal $d/p$ Ratio	191
6.7.2	Voltage-dependent Reflectance	191
6.7.3	Viewing Cone	192
6.7.4	Fringing Field Effect	193

6.8	Normally White 60° MTN Cell	194
6.8.1	Bisector Effect	195
6.8.2	Viewing Cone	196
6.9	Normally White 45° MTN Cell	196
6.9.1	Voltage-dependent Reflectance	197
6.9.2	Viewing Cone	197
6.9.3	Fringing Field Effect	199
6.10	Normally Black 45° TN	199
6.10.1	Voltage-dependent Reflectance	200
6.10.2	Viewing Cone	200
6.10.3	Fringing Field Effect	200
6.11	Finger-on-Plane Structure	201
6.12	Scattering and Diffractive Microdisplays	203
6.12.1	Polymer Dispersed Nematics	203
6.12.2	Diffraction	205
6.13	Ferroelectric Liquid Crystals	205
6.13.1	Surface-Stabilized FLC	206
6.13.2	Other FLC Modes	207
6.14	References	208
<b>7.</b>	<b>LCD Assembly and Testing</b>	<b>211</b>
7.1	Background	211
7.2	Back-end Processing	212
7.2.1	Dielectric Mirror	213
7.2.2	Liquid Crystal Alignment Layer	214
7.3	Assembly Components	214
7.3.1	Active Matrix Substrate	215
7.3.2	Transparent Counter-Electrode	216
7.3.3	Cell Gap Spacers	216
7.3.4	Liquid Crystal Seal	217
7.3.5	Liquid Crystal	218
7.4	Assembly Methods	219
7.4.1	Wafer-Scale Assembly	219
7.4.2	Seal and Spacer Application	220
7.4.3	Assembly Pressure	220
7.4.4	Singulation	220
7.4.5	Cell Filling and Plug	220
7.4.6	One-Drop Filling	221
7.4.7	Packaging	223
7.5	Testing	225
7.5.1	Assembly Tests	225
7.5.2	Specifications	226
7.5.3	Specification Tests	227
7.5.4	Stress Tests	227
7.6	References	229
<b>8.</b>	<b>Micromechanical Devices</b>	<b>231</b>
8.1	Background	231
8.1.1	Electrostatic Deflection	233
8.2	Digital Mirror Device	235
8.2.1	Background	235

8.2.2	Structure	236
8.2.3	Fabrication	239
8.2.4	Operation and Throughput Efficiency	241
8.2.5	Diffraction Efficiency and Contrast Ratio	242
8.2.6	Addressing	246
8.2.7	Lifetime	250
8.2.8	Fast-Track Pixel Design	251
8.3	Piezoelectric Micromirror	252
8.3.1	Structure and Operation	252
8.3.2	Fabrication	253
8.4	Grating Light Valve	254
8.4.1	Operation and Performance	254
8.4.2	Fabrication and Testing	257
8.5	Interference Modulation	258
8.6	Further Development	259
8.7	References	260
<b>9.</b>	<b>Emissive Microdisplays</b>	<b>263</b>
9.1	Introduction	263
9.1.1	Background to Organic Electronics and Displays	263
9.1.2	Basic Operation	264
9.2	Organic Emissive Materials	268
9.2.1	Classification	268
9.2.2	Small-Molecule Materials	269
9.2.3	Polymer Materials	271
9.2.4	Phosphorescent OLED	273
9.2.5	Dendrimers	273
9.2.6	Example Performance Data	273
9.3	Device Construction and Manufacture	277
9.3.1	SMOLED	278
9.3.2	PHOLED	279
9.3.3	P-OLED	279
9.3.4	PIN OLED	279
9.3.5	Encapsulation and Packaging	280
9.3.6	Display Efficiency	281
9.4	Device Characteristics	282
9.4.1	DC Characteristics	282
9.4.2	Switching Time	284
9.4.3	Aging	285
9.5	Color	286
9.5.1	Patterned RGB Color Filter	286
9.5.2	Patterned RGBW Color Filter	286
9.5.3	Patterned Red and Green Color Converters	288
9.5.4	Patterned RGB OLED Layers	288
9.5.5	Stacked RGB Emitting Layers	288
9.5.6	Color Summary	288
9.6	OLED Microdisplays	290
9.6.1	General Properties of OLED Microdisplays	290
9.6.2	Small-Molecule OLED (SMOLED) on Silicon Devices	291
9.6.3	Polymer OLED Microdisplays	294

9.7	Other Emissive Microdisplays	297
9.7.1	Inorganic Electroluminescent Microdisplays	297
9.7.2	Gallium Nitride Microemitter Arrays	298
9.7.3	Porous Silicon Microdisplays	298
9.8	Summary	301
9.9	Bibliography	302
9.10	References	302
<b>10.</b>	<b>Projection Displays</b>	<b>307</b>
10.1	Background	307
10.2	Throughput	307
10.2.1	Lumen Scale	307
10.2.2	Etendue Limit	308
10.3	Laser and LED Sources	309
10.3.1	Lasers	309
10.3.2	Light Emitting Diodes	310
10.4	Arc Lamps	311
10.4.1	Lamp Structure	311
10.4.2	Lamp Output	312
10.5	Polarizing Optics	313
10.5.1	Absorbing Polarizer	314
10.5.2	Polarizing Beam-splitter	314
10.5.3	Wire Grid Polarizers	317
10.5.4	Polarization Conversion	319
10.5.5	Optical Compensation	321
10.6	Color Management	321
10.6.1	Field-Sequential-Color	322
10.6.2	Color Scrolling Systems	323
10.6.3	RGB Pixel Systems	325
10.6.4	Parallel Color	326
10.7	Schlieren Projector	330
10.8	Laser Scanning	330
10.9	Projector Performance	331
10.9.1	Flicker	331
10.9.2	Grayscale	332
10.9.3	Lumen Output	332
10.9.4	Contrast Ratio	332
10.9.5	Color Uniformity	334
10.9.6	Resolution	334
10.10	References	334
<b>11.</b>	<b>Near-to-Eye Systems</b>	<b>337</b>
11.1	Background	337
11.2	Magnification	337
11.2.1	Virtual Image	337
11.2.2	Eyebox	338
11.2.3	Compound Magnification	340
11.2.4	Catadioptric System	340
11.3	Field of View	341
11.4	Microdisplay Factors	342

11.5	Magnifiers	344
11.6	Camera Viewfinder	345
11.7	Head-Mounted Displays	346
	11.7.1 General Considerations	346
	11.7.2 TIR Prism	348
11.8	Free-Surface Prisms	350
11.9	Eyewear-based Displays	353
11.10	Light-Guide Systems	354
	11.10.1 Reflective Array	355
	11.10.2 Diffractive Array	357
11.11	Wide Field of View	358
	11.11.1 Single Microdisplay	358
	11.11.2 Tiled Microdisplays	359
11.12	Portable Equipment	361
11.13	References	362
	<b>Table of Symbols</b>	<b>365</b>
	<b>Index</b>	<b>371</b>