

Index

Note to the Reader: Page numbers in **bold** indicate the principle discussion of a topic or the definition of a term. Page numbers in *italic* indicate illustrations.

A

ABC company scenario, 328–329

access tokens, 554, 600

accounts database, 6–7, 7

ACEs (access control entries), 600

ACLs (access control lists), 6, 32, 417, 554, 600

Acme Shoe company scenario, 122–123, 131

acquisition plans, 121–122

AD (Active Directory), 24–54, *See also* directories;
network directories

as database

benefits, 27–28

extensibility, 27

of network resources, 26–28

NT domains as partitions in, 285–287,
285–286

schema, 24–26, 49

searching, 301–302

defined, 600

exam essentials, 49–50

versus Exchange directory, 457

integration with DNS

benefits of, 246–248

how AD uses DNS, 244–246

overview of, 246, 262

replication and, 247–248

security and, 247

internal architecture, 36–37, 36

kernel mode and, 29–30, 30

key terms, 50

network design and

Design tests, 2–4

principles of, 5–6

steps in, 4

overview of, 2, 24, 49

placement of

on all servers, 46–47, 47

as distributed partitions, 47–48

overview of, 45

on single central servers, 46, 46

review question answers, 54

review questions, 51–53

as service

access control components, 30–36, 31, 33–34

Directory Service module, 36–37, 36

Directory System Agent module, 34–36, 34

in Local Security Authority, 30–33, 31, 33

overview of, 28–29

security subsystem component, 30, 31, 32, 49

Windows 2000 architecture and, 29–30, 30

structure

DOS structure and, 40–42, 43–44

general hierarchical structures and, 40–42

overview of, 37–38

X.500 hierarchical tree structure, 42–45,
44–45

X.500 recommendations, 38–40

user accounts, 600, 606

user mode and, 29, 32

Windows NT and, 29

628 AD connectors – AD naming strategies

- AD connectors, 446–491
 - case study
 - answers, 490–491
 - overview of, 485–486
 - questions, 487–489
 - configuring
 - bridgehead servers, 450–451
 - connection agreements, 449–450, 450, 461–463, 462–463
 - overview of, 448–449
 - source/destination containers, 451
 - synchronized deletions, 451–452
 - CPU use, 459
 - defined, 432, 446–448, 447–448, 600
 - design process
 - bridgehead server placement, 458–459
 - deciding objects/attributes to synchronize, 460–463, 462–463
 - default object attribute mappings, 463–470
 - determining management strategy, 459–460
 - examining how AD/Exchange sites differ, 458
 - forming deployment planning team, 458
 - overview of, 457
 - scheduling synchronization, 470
 - exam essentials, 477–478
 - Exchange Server 5.5 connector
 - configuring synchronization, 454–456, 456
 - defined, 454, 455
 - Exchange directory versus AD, 457
 - key features, 456
 - overview of, 453–454, 476
 - uses for, 455–456, 456
 - warning, 454
 - implementation models
 - exercise, 475–476
 - multiple 2000 domains/multiple Exchange sites, 473–474, 474
 - multiple 2000 domains/single Exchange site, 473, 473
 - overview of, 471, 475
 - single 2000 domain/multiple Exchange sites, 472, 472
 - single 2000 domain/single Exchange site, 471–472, 471
 - key terms, 478
 - monitoring
 - with event logging, 453
 - overview of, 452
 - with Performance counters, 452–453
 - to NDS directories, 447–448, 447–448
 - overview of, 446, 476
 - review question answers, 483–484
 - review questions, 479–482
- AD naming strategies, 215–278, *See also* DNS
 - case study
 - answers, 276–278
 - overview of, 270–272
 - questions, 273–275
 - Directory Access Protocol and, 224, 225
 - DNS naming strategies and
 - for DNS systems, 259, 259
 - for domain names, 256
 - how to decide on, 259–260, 260
 - overview of, 256–257, 261, 262
 - using registered names, 255, 257–258
 - for root domains, 254–255, 254–255
 - using subdomains, 258, 258
 - Domain Name System and
 - defined, 236–237, 606
 - disadvantage of, 243, 246
 - DNS cache, 240, 241
 - domain names, 239–240, 606
 - domains, 239
 - domains versus zones, 248–249, 249

- fault tolerance, 253
- functionality, 237, 245
- hierarchical structure, 242, 242
- hosts files and, 238–239
- how AD uses, 244–246
- importance of, 236, 244, 245
- integration with AD, 246–248, 262
- Internet DNS queries, 240–241, 241
- in logon process, 245, 262
- name resolution, 240–241, 241, 283–285, 284
- overview of, 236
- records, 243, 246
- replication, 247–248
- scenario, 251
- server capacity, 253–254, 262
- server fault tolerance, 243–244, 243
- server placement, 252–253, 262
- servers, defined, 239, 242, 242, 606
- subdomains, 249, 249, 251
- TCP/IP and, 236
- traffic generated by, 250–251, 262
- zone design, 248–251, 249
- zones, defined, 244–245, 606
- establishing standard
 - consistency and, 222
 - determining scope, 217–218
 - importance of, 218
 - for objects, 219–220
 - popular conventions and, 218
 - for properties, 220–222
 - scenario, 222–223
 - for usernames, 219
- exam essentials, 261–263
- fault tolerance, 243–244, 243
- key terms, 263
- Lightweight Directory Access Protocol and Active Directory and, 229
- AD domains and, 232–234, 233
- benefits, 226, 261
- canonical names, 231
- versus DAP protocol, 226
- defined, 224, 225, 226
- directory-enabled applications, 226–227, 227
- distinguished names, 230–231, 231
- domain naming masters, 234, 235, 262
- functionality, 227–228
- object names, 229–232, 230–232
- overview of, 235, 262
- relative distinguished names, 230, 230
- relative ID masters, 235, 262
- security identifiers, 234–235
- TCP/IP and, 229
- user principal names, 231–232, 231–232
- X.500 specs and, 224–225, 229
- namespace and, 254–255, 254–255
- overview of, 215–217, 261
- review question answers, 268–269
- review questions, 264–267
- AD rollout planning, 538–598
 - case study
 - answers, 597–598
 - overview of, 591–593
 - questions, 594–596
 - documenting plans
 - administrative documentation, 576–578
 - budget issues, 577
 - communication strategies, 578
 - mission statements, 576
 - overview of, 575–576
 - project scope, 577
 - staffing, 578
 - technical documentation, 578–579
 - domain restructuring
 - defined, 553, 606
 - determining domain order, 561–562

630 AD schema – AD schema modification

- determining items needing, 561
- determining object order, 562
- inter-forest restructuring, 555–557, 555
- intra-forest restructuring, 557–559
- overview of, 560–561, 581–583
- post upgrade method, 563
- preparing target domains, 564
- pristine install method, 563–564
- security, 553–555
- testing results, 564–565
- utilities for, 559–560
- domain upgrades
 - domain controllers, 551–552
 - from mixed to native mode, 550
 - NT servers, 545–546
 - overview of, 545, 546–547
 - planning domain order, 547–550
 - planning server order, 550
 - scenario, 552–553
- exam essentials, 580–583
- initial strategies
 - listing migration process goals, 539–540
 - mixed versus native modes, 544–545
 - overview of, 538–539
 - reevaluating design versus needs, 542–544
 - reevaluating reasons for migration, 539–540
- key terms, 584
- reducing migration impact
 - on application availability, 573
 - on DHCP services, 570
 - on DNS services, 568–569
 - keeping users informed, 567
 - on LAN Manager replication, 570–571
 - on NetBIOS name resolution, 570
 - on network services, 568–572
 - on network traffic, 574–575
 - overview of, 566–568, 583
 - on RRAS services, 571, 583
 - on security, 572–573
 - on system policies, 572
- review question answers, 589–590
- review questions, 585–588
- scenario, 565–566
- testing in labs, 556
- AD schema, 494–536
 - attribute definitions in, 497–498
 - defined, 24–26, 497–499
 - extensibility, 498
 - schema, defined, 20, 495–497
 - schema masters, 303, 379, 509, 619
 - supporting in AD tree design, 300–305
 - where stored, 498–499
- AD schema modification
 - case study
 - answers, 535–536
 - overview of, 530–532
 - questions, 533–534
 - considerations in, 517–518
 - exam essentials, 521–523
 - FSMO server in, 509, 522
 - key terms, 523
 - overview of, 494, 509, 520–521
 - preparing for
 - installing AD Schema Manager, 512–516, 512–515
 - obtaining Object Identifiers, 510–511
 - overview of, 509–510
 - setting permissions, 514–516, 515
 - setting Registry, 516
 - verifying Schema Admins members, 512
 - review question answers, 528–529
 - review questions, 524–527
 - scenario, 519–520

- what can be modified
 - creating new attributes, 504, 506–507, 506
 - creating new classes, 504–506, 505
 - deactivating classes/attributes, 507–508
 - existing classes/attributes, 500–504, 501–503
 - overview of, 500
 - warnings, 500, 504
- what cannot be modified, 508–509
- what happens after, 517
- who can modify, 499–500
- AD traffic planning, 345–399
 - AD sites and, 366–367, 371
 - analysis model, three-step, 361
 - analyzing traffic and server load
 - with Network Monitor, 361–363, 362–364
 - overview of, 357
 - with Performance tool, 357–361, 358
 - with Replication Monitor, 364–365, 365
 - case study
 - answers, 398–399
 - overview of, 392–394
 - questions, 395–397
 - exam essentials, 384–386
 - key terms, 386
 - optimizable traffic, 366–367
 - optimizing, 574–575
 - overview of, 345–347, 383–384
 - placing domain controllers
 - cost and, 369
 - fault tolerance, 369
 - functionality, 369
 - logon traffic and, 369
 - manageability and, 369–370
 - overview of, 368–370, 574
 - performance, 368–369
 - replication traffic and, 369
 - scenario, 370
 - placing global catalog servers, 381–382, 574
 - placing operations masters
 - domain naming masters, 379
 - infrastructure masters, 380
 - overview of, 378
 - PDC emulators, 379
 - relative ID masters, 380
 - schema masters, 379
 - planning AD site boundaries
 - defined, 371
 - overview of, 366–367, 368, 371, 574
 - replication costs, 368
 - replication efficiency, 367–368
 - replication performance, 367, 367
 - replication strategy, 371
 - replication transports, 376
 - scheduling replication, 373, 373
 - site link bridges, 374–376, 375–376, 385
 - site links, 372–374, 372–374, 385
 - replication and
 - defined, 348
 - domain controllers, 347, 369
 - how it works, 352–355, 354
 - intersite replication, 349, 351, 368
 - intrasite replication, 349–351, 350, 355–356, 355
 - Knowledge Consistency Checker, 349–352, 350
 - in NT single-master environments, 347
 - overview of, 384–385
 - propagation dampening, 355–357, 355
 - replication latency, 367, 367
 - versus synchronization, 348–349
 - in 2000 multi-master environments, 347
 - up-to-date vectors and, 356–357
 - update sequence numbers, 352–353, 353, 355
 - review question answers, 391

632 AD tree design – analyzing business environments

- review questions, 387–390
- scenarios, 377–378, 382–383
- AD tree design, 279–344, *See also* domains; OU
 - case study
 - answers, 343–344
 - overview of, 338–340
 - questions, 341–342
 - exam essentials, 330–332
 - forest/domain structures
 - domain naming masters, 304
 - domainwide operations, 304–305
 - effects of trusts on, 305–310, 305–309
 - forests, defined, 295–297, 296–297
 - forestwide operations, 303–304
 - global catalog servers, 300–302, 330–331
 - infrastructure masters, 305
 - overview of, 299, 331
 - PDC emulators, 304
 - relative ID masters, 304
 - scenario, 299–300
 - schema masters, 303
 - single-master operations, 302–305
 - supporting schema, 300–305
 - key terms, 332
 - OU structures
 - administration model, 320–321, 320
 - assigning GPOs, 325–326
 - bad structures, 312–313, 312
 - controlling with GPOs, 327
 - cost center model, 317, 317
 - defined, 310, 312
 - delegating administration of, 324–325
 - division or business unit model, 319, 319
 - DOS structure and, 288–289, 289
 - executing GPOs, 326
 - geographic model, 314–315, 314
 - good structures, 313–323
 - hybrid or mixed model, 321–323, 322
 - managing GPOs on client computers, 327
 - naming, 323–324
 - object-based model, 315–316, 315
 - OUs, defined, 287–288
 - overview of, 310–312, 331–332
 - ownership of, 324
 - planning for, 288–291, 289
 - planning GPOs, 325–326
 - project-based model, 318, 318
 - OUs versus NT domains
 - deciding between, 293–295
 - DNS domains and, 283–285, 284
 - forests and, 295–297, 295–296
 - NT domains as AD database partitions, 285–287, 285–286
 - NT domains, defined, 281–282, 282–283
 - overview of, 281, 330
 - overview of, 279–280, 297–298, 298, 329
 - review question answers, 337
 - review questions, 333–336
 - scenarios, 291–292, 311–312, 328–329
 - trees, defined, 295, 295–296
 - administration model, 320, 320–321
 - administrative documentation, 576–578
 - ADTM (Active Directory Migration Tool), 560
 - agents layer in DSA module, 34, 34, 35
 - analysis model, three-step, 361
 - analyzing AD traffic/server load, *See also* AD traffic
 - planning
 - with Network Monitor, 361–363, 362–364
 - overview of, 357
 - with Performance tool, 357–361, 358
 - with Replication Monitor, 364–365, 365
 - analyzing business environments, 105–156
 - business organization models
 - cost center model, 116–117

- defined, 108
- departmental model, 110–112, 111
- overview of, 108–109
- product/service-based model, 115–116, 116
- project-based model, 112–115, 114
- scenarios, 122–123, 140–141
- business processes
 - communication flow, 128–129
 - decision-making, 132
 - information flow, 125–128
 - network services, 130–131
 - overview of, 124–125
 - product life cycles, 131–132
- business relationships
 - acquisition plans, 121–122
 - with customers, 120–121
 - overview of, 117
 - with partners, 119–120
 - with vendors, 118–119
- case study
 - answers, 154–156
 - overview of, 149–151
 - questions, 151–153
- decision-making processes
 - company priorities, 134–135
 - funding/expenses, 138–139
 - laws and regulations, 137
 - overview of, 132–134
 - plans for growth, 135–136
 - risk acceptance level, 137–138
 - scenarios, 134–135, 137
- exam essentials, 142
- key terms, 120, 143
- overview of, 105–108, 141–142
- questions to ask clients, 106–107, 140
- review question answers, 148
- review questions, 144–147
- analyzing desktop environments, *See also* desktop management
 - applications, 426
 - available IT resources, 426–427
 - future needs, 426
 - hardware, 425–426
 - overview of, 425
 - user needs, 426
- analyzing IT environments, 157–213
 - AD design impact
 - on application management, 193–194
 - on application upgrades/rollouts, 194–195
 - overview of, 192–193
 - scenario, 196–197
 - on system/network management, 195–196
 - on technical support processes, 195
 - administrative business
 - assigning responsibilities, 172
 - centralized management, 160–162, 161
 - change-management process, 171–173
 - current network state, 172–173
 - decentralized management, 160, 163–164, 163
 - decision-making process, 169–170
 - funding, 164–167
 - outsourced services, 168–169
 - overview of, 159–160
 - scenario, 173–174
 - case study
 - answers, 211–213
 - overview of, 206–208
 - questions, 209–210
 - current technical environments
 - data/system access patterns, 175–179, 176–177
 - overview of, 174–175, 199
 - performance requirements, 181–184

634 analyzing physical environments – attributes

- roles and responsibilities, 185–192
- scenario, 184–185
- security needs, 179–180
- exam essentials, 199
- key terms, 200
- overview of, 157–159, 198
- review question answers, 205
- review questions, 201–204
- roles and responsibilities
 - application support, 190
 - implementation testing, 191–192
 - IT manager, 187
 - overview of, 185–187
 - printing support, 190–191
 - server support, 188–189
 - training support, 192
 - WAN connectivity support, 191
 - Windows 2000/AD expert, 188
 - workstation support, 189–190
- analyzing physical environments, 56–103
 - business site models
 - branch offices, 73–76, 74
 - corporate offices, 72–73
 - defined, 59
 - overview of, 69, 71–72
 - scenario, 78–79
 - subsidiary offices, 77–78
 - case study
 - answers, 102–103
 - overview of, 97–99
 - questions, 100–101
 - design project scope
 - budgets and, 68
 - in business site models, 59, 69, 71–79, 74, 77
 - in geographic models, 59–70, 61–63
 - overview of, 58–59, 67–68
 - exam essentials, 88–89
 - gathering information
 - available bandwidth, 80, 82–83, 83
 - company sites, 84–86
 - mapping WANs, 80–82, 81–82
 - overview of, 80
 - technology plans, 87–88
 - technology use, 86–87
 - geographic models
 - defined, 59, 608
 - international model, 66–67, 67
 - national model, 64–66
 - regional model, 61–64, 61–63
 - scenarios, 68–70
 - simple-network model, 60–61
 - wide area links and, 59–60
 - key terms, 89
 - overview of, 55–57, 88
 - review question answers, 95–96
 - review questions, 90–94
- applications, *See also* software
 - AD design impact on, 193–195
 - analyzing existing, 426
 - assigning, 406, 410–412, 432
 - deployment policies, 406
 - directory-enabled applications, 226–227, 227
 - installation packages, 410–412
 - publishing, 162, 406, 412, 432
 - reducing migration impact on, 573
 - support person for, 190
- APPS directories in DOS, 289
- ARPAnet, 237–238
- assigned applications, 410–412, 432, 601
- attributes, *See also* object properties
 - AD/Exchange mappings of, 463–470
 - attribute definition objects, 506–507, 506, 601
 - creating, 504, 506–507, 506
 - deactivating, 507–508

deciding which to synchronize, 460–463, 462–463
 defined, 19, 24, 497
 definitions for in schema, 497–498
 file attributes, 608
 modifying, 500–504, 501–503
 authentication, 601
 Authentication Service, 33, 33
 authentication traffic control, 574–575
 available bandwidth, 80, 82–83, 83, 601
 available IT resources, 426–427

B

BDCs (backup domain controllers), 48, 347
 Benchmark Learning Systems, 411
 Bind DNS services, 257
 binderies, NetWare, 20
 binding, 602
 Blank, Andrew G., 236, 261
 blocking group policy inheritance, 419, 420
 branch offices, 73–76, 74, 602
 Brenton, Chris, 238
 bridgehead servers, *See also* AD connectors
 configuring, 450–451
 defined, 351, 602
 placing, 458–459
 bridges, site link, 374–376, 375–376, 385
 broadcast packets, 15, 602
 broadcast-based protocols, 14
 budgets, 68, 577, *See also* costs
 business analysis. *See* analyzing business environments; analyzing IT environments

business site models, *See also* analyzing physical environments
 branch offices, 73–76, 74
 corporate offices, 72–73
 defined, 59
 overview of, 69, 71–72
 scenario, 78–79
 subsidiary offices, 77–78
 business unit model for OU structures, 319, 319

C

C (Country) container objects, 44, 44
 cache, DNS, 240, 241
 cache schema, 517, 602
 caching, 602
 canonical names, 231, 602
 Carrie's Books, Inc.(CBI) scenario, 78–79
 Carrie's Sleepy-Time Bedroom Furniture Outlets scenario, 173–174
 case studies, *See also* MCSE Design tests
 AD connectors, 485–491
 AD naming strategies, 270–278
 AD rollout planning, 591–598
 AD schema modification, 530–536
 AD traffic planning, 392–399
 AD tree design, 338–344
 analyzing business environments, 149–156
 analyzing IT environments, 206–213
 analyzing physical environments, 97–103
 desktop management, 439–444
 Direct Mail Marketing
 answers, 211–213
 overview of, 206–208
 questions, 209–210

- King Technologies
 - answers, 443–444
 - overview of, 439
 - questions, 440–442
- Kodiak Wear
 - answers, 597–598
 - overview of, 591–593
 - questions, 594–596
- Memory Makers
 - answers, 276–278, 343–344
 - overview of, 270–272, 338–340
 - questions, 273–275, 341–342
- Persistent Image
 - answers, 490–491, 535–536
 - overview of, 485–486, 530–532
 - questions, 487–489, 533–534
- Rugged Gear
 - answers, 102–103
 - overview of, 97–99
 - questions, 100–101
- Stupendous Software
 - answers, 154–156
 - overview of, 149–151
 - questions, 151–153
- University of Mind
 - answers, 398–399
 - overview of, 392–394
 - questions, 395–397
- central accounts database, 7, 8
- centralized management, 160–162, 161, 602
- change management, 171–173, 603
- Chappell, Laura A., 361
- Chellis, James, 245, 453
- class-definition objects, 504–506, 505, 603
- classes. *See* object classes
- ClonePrincipal tool, 560
- communication flow, 128–129, 603
- communication strategies, 567, 578
- Computer Configuration node, 407, 407–409, 409, 429
- computer policies, 408–409, 412
- computer-based directories, 11–12
- computers, managing GPOs on client, 327
- computers, well-connected, 366, 624
- connectors. *See* AD connectors
- contacts database schema, 495–497
- container objects, 43, 44–45, 44
- corporate offices, 72–73, 603
- cost center model, 116–117, 317, 317, 604
- costs
 - assigning to site links, 372, 373–374, 374
 - budgets and, 68, 577
 - in decision-making process, 138–139
 - of directories, 5
 - funding and, 138–139, 164–167
 - hard costs, 139, 609
 - in international connectivity, 67
 - justifying, 167
 - of networks, 403–405
 - in placing domain controllers, 369
 - of replication, 368
 - soft costs, 139, 620
 - total cost of ownership, 346, 622
 - of wide area networks, 346
- counters, *See also* monitoring; performance defined, 604
 - in NT Directory Service, 357–360, 358
 - in Performance utility, 452–453
- CPU use in AD connectors, 459
- customer relationships analysis, 120–121

D

-
- DAP (Directory Access Protocol), 224, 225, 605
 - data, 128
 - data access patterns, analyzing, 175–179, 176–177
 - DATA directories in DOS, 289
 - database layer in DSA module, 34, 34, 35
 - database synchronization. *See* AD connectors
 - databases, *See also* AD; AD schema; directories;
 - network directories
 - accounts database, 6–7, 7
 - central accounts database, 7, 8
 - extensibility, 20, 498, 607
 - flat-file databases, 37
 - NDS as global, 20–21
 - relational databases, 37
 - DC (domain component), 230
 - DCUSN (Domain Controller USN), 353–355, 354
 - DDNS (Dynamic Domain Name System), 245, 246
 - decentralized management, 160, 163, 163–164, 604
 - decision-making processes, *See also* analyzing
 - business environments
 - in analyzing IT environments, 169–170
 - company priorities, 134–135
 - funding/expenses, 138–139
 - laws and regulations, 137
 - overview of, 132–134
 - plans for growth, 135–136
 - risk acceptance level, 137–138
 - deletions, synchronized, 451–452
 - departmental model, 110–112, 111, 604
 - Desai, Anil, 198, 221, 325, 360
 - Design tests. *See* MCSE Design tests
 - designing networks. *See* network design
 - Desktop directory, 604
 - desktop management, 401–444
 - analyzing existing environments
 - applications, 426
 - available IT resources, 426–427
 - future needs, 426
 - hardware, 425–426
 - overview of, 425
 - user needs, 426
 - case study
 - answers, 443–444
 - overview of, 439
 - questions, 440–442
 - determining end-user support level, 427
 - determining required environment, 427
 - exam essentials, 432–433
 - using group policies
 - computer policies, 408–409, 412
 - defined, 405
 - GPRresult.exe and, 430
 - group policy template, 409, 410
 - user policies, 408–409, 412
 - group policy inheritance
 - altering default order, 416–421, 417, 419–420, 433
 - blocking, 419, 420
 - default order, 413, 432
 - filtering, 416–419, 417, 419
 - No Override option, 420–421, 420, 433
 - overview of, 412
 - planning, 414–416, 433
 - using Group Policy objects
 - accessing properties of, 416–417, 417
 - assigned applications, 410–412, 432
 - Computer Configuration node, 407–409, 407, 409
 - defined, 405
 - disabling nodes, 429–430
 - to enforce configurations, 429
 - to enforce security, 428
 - folder structure, 407, 407, 409, 410
 - goals for, 428–429, 433

- GPO nodes, 407–412, 608
- Intellimirror and, 421–422
- listed, 406
- optimization tips, 429–431, 433
- over slow links, 429–430
- permissions, 416–419, 417, 419
- placement of, 414–416, 415, 433
- published applications, 162, 412, 432
- refresh rates, 430–431
- scenario, 423–424
- Software Settings node, 410–412
- User Configuration node, 407–409, 407, 409
- history of, 402–403
- using Intellimirror
 - defined, 421
 - GPOs and, 421–422
 - redirected folder, 421–422
 - scenario, 423–424
 - software installation/management, 422, 429
 - user data management, 421–422
 - user settings management, 422
- key terms, 433
- overview of, 424–425, 431–432
- review question answers, 438
- review questions, 434–437
- total network costs and, 403–405
- DHCP (Dynamic Host Configuration Protocol)
 - client initialization process, 130
 - defined, 606
 - DHCP servers
 - defined, 605
 - placement of, 574
 - reducing impact on, 570
 - interoperability with DNS, 245
- Direct Mail Marketing case study, 206–213
- directories, 4–23, *See also* AD; DNS; NDS; network directories
 - accessing with DAP protocol, 224, 225
 - computer-based directories, 11–12
 - cost, 5
 - defined, 9
 - domain-based networks and, 7
 - extensibility, 20
 - goal, 6
 - network directories
 - defined, 8, 12, 24
 - Domain Name System, 13–14
 - information in, 8–9
 - Novell Directory Services, 18–23, 21–23
 - overview of, 12–13, 19
 - uses of, 9
 - Windows Internet Name Service, 13–18, 15–17
 - networks and, 6
 - overview of, 4–5
 - paper-based directories, 10
 - performance, 6
 - reliability, 6
 - security, 5
 - server-based networks and, 6–7, 7–8
 - users, resources, and, 7–8
- Directory Access Protocol (DAP), 224, 225, 605
- directory replication, 348, 605, *See also* replication
- directory security, 605
- Directory Service module, 31, 31, 33, 33, 36, 36–37, *See also* AD
- directory synchronization, 348, 447, 605, *See also* AD connectors
- Directory System Agent module, 34, 34–36
- disabling GPO nodes, 429–430
- distinguished names, 230–231, 231, 282, 283, 606
- DITs (directory information trees), 40
- division model, 319, 319
- DNMs. *See* domain naming masters
- DNS (Domain Name System), *See also* AD naming strategies; network

- directories
 - defined, 236–237, 606
 - disadvantage of, 243, 246
 - DNS cache, 240, 241
 - DNS records, 243, 246
 - DNS servers
 - defined, 239, 242, 242, 606
 - fault tolerance, 253
 - functionality, 253
 - manageability, 253
 - performance, 252
 - placement of, 252–253, 262, 574
 - primary servers, 243–244, 243, 616
 - RAM capacity, 253–254, 262
 - secondary servers, 243–244, 243, 619
 - DNS zones
 - defined, 244–245, 606
 - designing, 248–251, 249
 - versus DNS domains, 248–249, 249
 - rules, 250
 - scenario, 251
 - domain name resolution, 240–241, 241, 283–285, 284
 - domain names, 239–240, 256, 606
 - domains, 239, 283
 - Dynamic DNS and, 245, 246
 - fault tolerance, 243–244, 243
 - functionality, 237, 245
 - hierarchical structure, 242, 242
 - hosts files and, 238–239
 - importance of, 198, 236, 244, 245
 - integration with AD
 - benefits of, 246–248
 - how AD uses DNS, 244–246
 - overview of, 246, 262
 - replication and, 247–248
 - security and, 247
 - Internet queries, 240–241, 241
 - in logon process, 245, 262
 - naming strategies
 - for DNS systems, 259, 259
 - for domain names, 256
 - how to decide on, 259–260, 260
 - overview of, 256–257, 261, 262
 - using registered names, 255, 257–258
 - for root domains, 254–255, 254–255
 - using subdomains, 258, 258
 - outsourcing, 168–169, 196
 - overview of, 13–14, 236
 - reducing migration impact on, 568–569
 - subdomains, 249, 249, 251
 - TCP/IP and, 236
 - traffic generated by, 250–251, 262
- documenting plans, *See also* AD rollout planning
 - administrative documentation, 576–578
 - budget issues, 577
 - communication strategies, 578
 - mission statements, 576
 - overview of, 575–576
 - project scope, 577
 - staffing, 578
 - technical documentation, 578–579
- domain component (DC), 230
- Domain Controller USN (DCUSN), 353–355, 354
- domain controllers, *See also* AD traffic planning
 - backup domain controllers, 48, 347
 - in domain upgrades, 551–552
 - PDC emulators, 304, 379, 617
 - placement planning
 - cost, 369
 - fault tolerance, 369
 - functionality, 369
 - logon traffic and, 369, 574
 - manageability, 369–370

- optimizing, 574
 - overview of, 368–370
 - performance, 368–369
 - replication traffic and, 369
 - scenario, 370
 - primary domain controllers, 48, 347
 - in replication, 347
 - domain naming masters (DNMs), *See also* operations masters
 - defined, 235, 304, 606
 - overview of, 234, 262
 - placing, 379
 - domain user accounts, 606
 - domain-based networks, 7
 - domains, 281–287, *See also* AD tree design; DNS
 - deciding between OUs and, 293–295
 - defined, 7, 48, 233, 606
 - DNS domains
 - defined, 239, 283
 - versus DNS zones, 248–249, 249
 - name resolution, 240–241, 241, 283–285, 284
 - versus NT domains, 283
 - subdomains, 249, 249, 251
 - domain name servers, 606
 - domain names, 239–240, 256, 606
 - hierarchical naming, 282, 283
 - namespace and, 282
 - NT domains
 - as AD database partitions, 285–287, 285–286
 - defined, 281–282, 283
 - versus DNS domains, 283–285, 284
 - LDAP protocol and, 232–234, 233
 - restructuring
 - defined, 553, 606
 - determining domain order, 561–562
 - determining items needing, 561
 - determining object order, 562
 - inter-forest restructuring, 555–557, 555
 - intra-forest restructuring, 557–559
 - overview of, 560–561, 581–583
 - post upgrade method, 563
 - preparing target domains, 564
 - pristine install method, 563–564
 - security, 553–555
 - testing results, 564–565
 - utilities for, 559–560
 - root domains, 254–255, 254–255, 282, 282
 - upgrading
 - domain controllers, 551–552
 - from mixed to native mode, 550
 - NT servers, 545–546
 - overview of, 545, 546–547
 - planning domain order, 547–550
 - planning server order, 550
 - scenario, 552–553
 - in Windows 2000, 282–283, 282
 - DOS directory structure
 - default directories, 41
 - moving around in, 42
 - naming DOS files, 41
 - X.500 structure and, 40–41, 43–44
 - Dynamic Domain Name System (DDNS), 245, 246
 - Dynamic Host Configuration Protocol. *See* DHCP
-
- E**
- ESE (Extensible Storage Engine), 34, 34, 35–36
 - event logging, 453
 - exam essentials. *See* MCSE Design tests
 - Exam Notes: NT Server 4 in the Enterprise* (Govanus and King), 547

Exchange Server. *See* Microsoft Exchange Server
 Exciting New Product Company (ENPC) scenarios,
 377–378, 382–383
 Executive Services, 29, 30, 31
 expenses. *See* costs
 extensibility, database, 20, 27, 498, 607
 Extensible Storage Engine (ESE), 34, 34, 35–36
 extranets, 120, 607

F

fault tolerance
 AD naming strategies and, 243–244, 243
 defined, 608
 in DNS, 243–244, 243, 253
 in NDS, 23, 23
 in placing domain controllers, 369
 feature creep, 496
 file deployment policies, 406
 File Replication Service (FRS), 570–571
 filtering group policies, 327, 416–419, 417, 419
 flat-file databases, 37
 folder services, redirected, 421–422
 forests, *See also* AD tree design
 defined, 295–297, 296–297, 608
 forestwide operations masters, 303–304
 inter-forest restructuring, 555–557, 555
 intra-forest restructuring, 557–559
 trusts in, 306, 306
 uses for, 297
 free-flow organizational charts, 114, 114
 FSMOs (Flexible Single Master Operations), 303,
 509, 522, 608, *See also*
 operations masters
 funding, 138–139, 164–167, *See also* costs

G

GCSs. *See* global catalog servers
 geographic models, *See also* analyzing physical
 environments
 defined, 59, 608
 international model, 66–67, 67, 610
 laws and regulations, 65, 66
 national model, 64–66, 613
 for OU structures, 314–315, 314
 regional model, 61–64, 61–63
 scenarios, 68–70
 simple-network model, 60–61
 wide area links and, 59–60
 GG Funtime Imports scenario, 70
 global catalog servers
 in AD tree design, 301–302
 defined, 300–301, 330–331
 functions of, 301, 331
 placement of, 381–382, 574–575
 Govanus, Gary, 162, 180, 368
 GPRresult.exe utility, 430
 group policies, 405–433, *See also* desktop
 management
 computer policies, 408–409, 412
 defined, 405
 GPRresult.exe and, 430
 Group Policy Editor, 402
 Group Policy objects
 accessing properties of, 416–417, 417
 assigned applications, 410–412, 432
 assigning, 325–326
 Computer Configuration node, 407–409,
 407, 409
 controlling OU structures with, 327
 defined, 405, 608
 disabling nodes, 429–430

642 groups – information gathering

- enforcing configurations, 429
- enforcing security, 428
- executing, 326
- filtering, 327
- folder structure, 407, 407, 409, 410
- goals for, 428–429, 433
- GPO nodes, 407–412, 608
- Intellimirror and, 421–422
- listed, 406
- managing on client computers, 327
- optimization tips, 429–431, 433
- in OU structure design, 325–326
- over slow links, 429–430
- permissions, 416–419, 417, 419
- placement of, 414–416, 415, 433
- published applications, 162, 412, 432
- refresh rates, 430–431
- scenario, 423–424
- Software Settings node, 410–412
- User Configuration node, 407–409, 407, 409
- group policy template, 409, 410
- inheritance of
 - altering default, 416–421, 417, 419–420, 433
 - blocking, 419, 420
 - default order, 413–414, 432
 - filtering, 416–419, 417, 419
 - No Override option, 420–421, 420, 433
 - overview of, 412
 - planning, 414–416, 433
 - user policies, 408–409, 412
- groups, 608
- groupware, 11
- growth plans, 135–136

H

- HAL (Hardware Abstraction Layer), 30, 30, 609
- hard costs, 139, 609
- hard information, 125
- hardware
 - analyzing desktop, 425–426
 - analyzing life cycle of, 132
 - profiles, 609
- Help Us Please scenario, 184–185
- hierarchical naming, 282, 283, 609
- hierarchical structures
 - DNS, 242, 242
 - overview of, 40–42
 - X.500, 42–45, 44–45
- hosts, 609
- hosts files, 238–239
- hybrid model OU structures, 321–323, 322

I

- implementation. *See* AD rollout planning
- implementation testing role, 191–192
- incremental zone transfers, 245, 609
- information, 125, 128
- information flow, 125, 128, 610
- information flow analysis, 125–128
- information gathering. *See also* analyzing physical environments
 - available bandwidth, 80, 82–83, 83
 - company sites, 84–86
 - mapping WANs, 80–82, 81–82
 - overview of, 80
 - technology plans, 87–88
 - technology use, 86–87

information technology. *See* analyzing IT environments

infrastructure masters, 305, 380

infrastructures, 64, 610, *See also* analyzing physical environments

inheritance of group policies, *See also* group policies
 altering default, 416–421, 417, 419–420, 433
 blocking, 419, 420
 default order, 413–414, 432
 filtering, 416–419, 417, 419
 No Override option, 420–421, 420, 433
 overview of, 412
 planning, 414–416, 433

initialization traffic control, 574–575

installation method, pristine, 563–564

installation packages, software, 410–412

Installer packages, Microsoft Windows, 624

installing AD Schema Manager, 512–515, 512–516

Intellimirror, *See also* desktop management
 defined, 421
 GPOs and, 421–422
 redirected folders, 421–422
 scenario, 423–424
 software installation/management, 422, 429
 user data management, 421–422
 user settings management, 422

inter-forest restructuring, 555, 555–557, 610

International Coffee scenario, 311–312

international model, 66–67, 67, 610

International Widget Company (IWC) scenario, 370

Internet, *See also* WINS
 birth of, 236
 DNS queries, 240–241, 241
 history, 238

Internet Protocol (IP), 611, *See also* IP

InterNIC (Internet Network Information Center), 239–240

intersite replication, 349, 351, 368, 610

intra-forest restructuring, 557–559, 611

intrasite replication, 349–351, 350, 355, 355–356, 611

Introduction to Network Analysis (Chappell), 361

IP addresses, *See also* Internet Protocol
 resolving DNS names to, 240–241, 241, 283–285, 284
 resolving NetBIOS names to, 15–16, 16

ISO (International Organization for Standardization), 510, 511

ISTG (InterSite Topology Generator), 351, 610

IT manager role, 187

IT resources, available, 426–427

IT. *See* analyzing IT environments

K

Katie's Dive Shops scenario, 163–164, 163

KCC (Knowledge Consistency Checker), 349–352, 350, 611

Kerberos files, 33, 33

kernel mode, 29–30, 30, 611

key terms. *See* MCSE Design tests

Kids First Toys scenario, 552–553

King, Robert, 162, 180, 216, 308, 576

King Technologies case study, 439–444

King Technologies scenarios, 24–25, 44–45, 44–45

KMK, Inc. scenario, 75–76

Kodiak Wear case study, 591–598

L

L (Location) container objects, 44, 44
LAN Manager Replication (LMR), 570–571
Last National Bank of Michigan (LNB) scenario, 74–75, 74, 76
laws and regulations
 decision-making process and, 137
 international model and, 66
 national model and, 65
LDAP (Lightweight Directory Access Protocol), *See also* AD naming strategies
 Active Directory and, 229
 AD domains and, 232–234, 233
 benefits, 226, 261
 canonical names, 231
 defined, 224, 225, 226, 611
 versus Directory Access Protocol, 226
 directory-enabled applications, 226–227, 227
 distinguished names, 230–231, 231
 domain naming masters, 234, 235, 262
 functionality, 227–228
 Object Identifiers, 511
 object names, 229–232, 230–232
 overview of, 235, 262
 relative distinguished names, 230, 230
 relative ID masters, 235, 262
 security identifiers, 234–235
 TCP/IP and, 229
 user principal names, 231–232, 231–232
 X.500 specs and, 224–225, 229
Ldp utility, 560
leaf objects, 44, 45, 45
life cycles, product, 131–132
LMR (LAN Manager Replication), 570–571
Location (L) container objects, 44, 44

logging. *See* event logging
logon process
 defined, 612
 domain controllers and, 369
 Domain Name System and, 245, 262
 global catalog servers and, 301
Low Priority Consultants scenario, 134–135
LSA (Local Security Authority), 30–33, 31, 33
LSA Server Service, 33, 33

M

mapping WANs, 80–82, 81–82
Mastering Active Directory (King), 308
Mastering Network Security (Brenton), 238
Mastering Windows 2000 Server (Minasi et al), 569
MCSE: Windows 2000 Directory Services Administration Study Guide (Desai with Chellis), 198, 221, 325, 360, 453
MCSE: Windows 2000 Network Infrastructure Administration Study Guide (Robichaux with Chellis), 245
MCSE: Windows 2000 Network Security Design Study Guide (Govanus and King), 162, 180, 296
MCSE Design tests, *See also* case studies
 controlling network traffic, 575
 controlling WAN traffic, 368
 domains versus OUs, 294–295
 exam essentials
 Active Directory, 49–50
 AD connectors, 477–478
 AD naming strategies, 261–263
 AD rollout planning, 580–583
 AD traffic planning, 384–386

- AD tree design, 330–332
- analyzing business environments, 142
- analyzing IT environments, 199
- analyzing physical environments, 88–89
- desktop management, 432–433
- schema modification, 521–523
- goals, 72, 124
- importance of DNS, 198, 244
- on justifying costs, 167
- key terms
 - Active Directory, 50
 - AD connectors, 478
 - AD naming strategies, 263
 - AD rollout planning, 584
 - AD traffic planning, 386
 - AD tree design, 332
 - analyzing business environments, 120, 143
 - analyzing IT environments, 200
 - analyzing physical environments, 89
 - desktop management, 433
 - schema modification, 523
- key words in, 115
- network design
 - goals, 108
 - most important factors, 179–180
 - principles of, 5–6
 - steps in, 4
- organizational charts and, 109
- overview of, 2–4, 260
- partner relationships, 120
- Performance tool, 360
- philosophy, 71
- preparing for, 579
- using quotes from staff, 88
- review question answers
 - Active Directory, 54
 - AD connectors, 483–484
 - AD naming strategies, 268–269
 - AD rollout planning, 589–590
 - AD traffic planning, 391
 - AD tree design, 337
 - analyzing business environments, 148
 - analyzing IT environments, 205
 - analyzing physical environments, 95–96
 - desktop management, 438
 - schema modification, 528–529
- review questions
 - Active Directory, 51–53
 - AD connectors, 479–482
 - AD naming strategies, 264–267
 - AD rollout planning, 585–588
 - AD traffic planning, 387–390
 - AD tree design, 333–336
 - analyzing business environments, 144–147
 - analyzing IT environments, 201–204
 - analyzing physical environments, 90–94
 - desktop management, 434–437
 - schema modification, 524–527
- TCP/IP, 236
- upgrading NT networks, 550
- Memory Makers case studies, 270–278, 338–344
- Microserf scenario, 299–300
- Microsoft Active Directory. *See* AD
- Microsoft Directory Synchronization Services (MDSS), 447
- Microsoft Exchange Server 5.5 connector, *See also*
 - AD connectors
 - attribute mappings to Windows 2000, 463–470
 - configuring synchronization, 454–456, 456
 - defined, 454, 455
 - Exchange directory versus AD, 457
 - Exchange Server 5.5, defined, 11–12
 - key features, 456
 - overview of, 453–454, 476

646 Microsoft Management Console (MMC) – NDS (Novell Directory Services)

- uses for, 455–456, 456
 - warning, 454
 - Microsoft Management Console (MMC), 512, 512, 613
 - Microsoft Outlook PIM, 11
 - Microsoft Windows 2000, *See also* AD; AD connectors
 - attribute mappings to Exchange, 463–470
 - Backup utility, 624
 - boot disks, 624
 - experts on AD and, 188
 - mixed versus native modes, 544–545
 - multi-master environments, 347
 - Microsoft Windows Installer packages, 624
 - Microsoft Windows NT
 - AD in Windows 2000 and, 29
 - mixed versus native modes, 544–545
 - multi-master domain model, 307–308, 307–308
 - NT domains
 - as AD database partitions, 285–287, 285–286
 - defined, 281–282, 283
 - versus DNS domains, 283–285, 284
 - LDAP protocol and, 232–234, 233
 - NTDS counters, 357–360, 358
 - OUs versus NT domains
 - deciding between, 293–295
 - forests and, 295–297, 295–296
 - overview of, 281, 330
 - rogue domains, 308–309, 309
 - security accounts database, 7, 8
 - servers, upgrading to 2000, 545–546
 - single-master environments, 347
 - success of, 171
 - system policies, 402, 621
 - migrations. *See* AD rollout planning
 - MiniManufacturing, Inc. (MMI) scenario, 222–223
 - Mission Critical Software, 560
 - mission statements, 576
 - mixed mode migrations, 544–545, 550
 - mixed model OU structures, 321–323, 322
 - MMC (Microsoft Management Console), 512, 512, 613
 - Mom's Apple Pie (MAP) scenario, 77–78, 77
 - Monitor utility, Novell, 567
 - monitoring, *See also* counters; performance
 - monitoring AD connectors
 - with event logging, 453
 - overview of, 452
 - with Performance counters, 452–453
 - MoveTree utility, 560
 - .msi files, 411
 - multi-master environments
 - advantages, 347
 - defined, 48, 50, 234, 247, 347
 - in Windows 2000, 347, 509
 - in Windows NT, 307–308, 307–308
-
- ## N
- name context, 36–37
 - names. *See* DNS; LDAP; NetBIOS names
 - namespace
 - defined, 43, 49, 239, 613
 - designing, 254–255, 254–255
 - naming, *See also* AD naming strategies; WINS
 - DOS files, 41
 - OU structures, 323–324
 - national models, 64–66, 613
 - native mode migrations, 544–545, 550, 614
 - NDS (Novell Directory Services), *See also* network directories
 - AD connectors to, 447–448, 447–448

- defined, 18, **614**
 - distributed partitions, 21–22, 21–22
 - functionality, 20–23, 21–23
 - as global database, 20–21
 - object classes, 19–20
 - overview of, 12–13, 18
 - replicated partitions, 23, 23
 - scalability, 23
 - single-master actions, 234
 - structure, 18–20
 - NetBIOS names, *See also* WINS
 - defined, 13
 - reducing migration impact on, 570
 - registering, 14–15, 15
 - resolving to IP addresses, 15–16, 16
 - NetBIOS (Network Basic Input/Output System), **614**
 - Netdom utility, 560
 - NETLOGON service, 33, 33
 - network design, *See also* MCSE Design tests
 - goals, 108
 - most important factors, 179–180
 - principles of, 5–6
 - steps in, 4
 - network directories, 12–23, *See also* AD; directories; DNS; NDS
 - defined, 8, 12, 24, **614**
 - Domain Name System, 13–14
 - information in, 8–9
 - Novell Directory Services, 18–23, 21–23
 - overview of, 12–13, 19
 - uses of, 9
 - Windows Internet Name Service
 - across WANs, 16–18, 17
 - defined, 13, **624**
 - NetBIOS name resolution, reducing migration impact on, 570
 - overview of, 12–13
 - registering NetBIOS names, 14–15, 15
 - resolving names to IP addresses, 15–16, 16
 - WINS servers, 625
 - Network Monitor, 361–363, 362–364
 - network traffic maps, 175–176, 176
 - network traffic. *See* AD traffic planning
 - networks, *See also* WANs
 - AD design impact on managing, 195–196
 - analyzing current state of, 172–173
 - directories and, 6
 - resources, AD as database of, 26–28
 - services, analyzing, 130–131
 - services, reducing impact on, 568–572
 - nonoriginating writes, 356, 385
 - Novell Directory Services. *See* NDS
 - Novell Monitor utility, 567
 - NT. *See* Microsoft Windows NT
 - NTDS (NT Directory Service) counters, 357–360, 358
 - NTLM (NT LAN Manager) protocol, 33, 33
-
- O**
- object classes
 - creating, 504–506, 505
 - deactivating, 507–508
 - defined, 19, 497, **615**
 - modifying, 500–504, 501–503
 - in NDS, 19–20
 - Object Identifiers (OIDs), 510–511, **615**
 - object properties, *See also* attributes
 - defined, 19, 24, **617**
 - global catalog servers and, 301
 - of Group Policy objects, 416–417, 417
 - naming, 220–222
 - originating writes to, 356
 - object-based model, 315, 315–316

648 objects – outsourcing services

- objects, *See also* group policies
 - class-definition objects, 504–506, 505, 603
 - container objects, 43, 44, 44–45
 - deciding which to synchronize, 460–463, 462–463
 - defined, 19, 24, 615
 - names of in LDAP, 229–232, 230–232
 - naming, 219–220
 - object attribute mappings, 463–470
- operations masters, *See also* single-master operations
 - defined, 234–235, 302–303, 615
- domain naming masters
 - defined, 235, 304
 - overview of, 234, 262, 606
 - placing, 379
- domainwide roles, 304–305
- efficient placement of, 378–380
- forestwide roles, 303–304
- infrastructure masters, 305, 380
- PDC emulator masters, 304, 379, 617
- relative ID masters
 - defined, 235, 304, 618
 - functions of, 262
 - placing, 380
- schema masters, 303, 379, 509, 619
- optimizing, *See also* AD traffic planning
 - defined, 615
 - domain controller placement, 574
 - Group Policy objects, 429–431, 433
 - replication traffic, 366–367, 574–575
 - trusts, 310
- organizational charts, 109, 113–114, 114
- organizational unit. *See* OU
- originating writes, 356, 385, 615
- OSI (Open Systems Interconnection) networking
 - model, 38
- OU (organizational unit) structures, 280–297, 310–332, *See also* AD
- tree design
 - bad structures, 312–313, 312
 - defined, 310, 312
 - delegating administration of, 324–325
 - DOS structure and, 288–289, 289
 - good structures, 313–323
 - GPOs in
 - assigning, 325–326
 - controlling OUs with, 327
 - executing, 326
 - filtering, 327
 - managing on client computers, 327
 - planning, 325
- models
 - administration model, 320–321, 320
 - cost center model, 317, 317
 - division or business unit model, 319, 319
 - geographic model, 314–315, 314
 - hybrid or mixed model, 321–323, 322
 - object-based model, 315–316, 315
 - overview of, 313–314
 - project-based model, 318, 318
- naming, 323–324
- versus NT domains
 - deciding between, 293–295
 - DNS domains and, 283–285, 284
 - forests and, 295–297, 295–296
 - NT domains as AD database partitions, 285–287, 285–286
 - NT domains, defined, 281–282, 282–283
 - overview of, 281, 330
 - OUs, defined, 44, 44, 287–288, 615
 - overview of, 310–312, 331–332
 - ownership of, 324
- Outlook PIM, 11
- outsourcing services, 168–169, 196, 615

P

paper-based directories, 10

partitions

AD database, NT domains as, 285–287, 285–286

defined, 615

disk partitioning, 605

distributed, placing AD as, 47–48

NDS distributed partitions, 21–22, 21–22

NDS replicated partitions, 23, 23

partner relationships, analyzing, 119–120

"pass-through" synchronization, 455–456, 456, 477

PDCs (primary domain controllers), *See also* domain controllers

defined, 48, 347

PDC emulators, 304, 379, 617

performance, *See also* counters; monitoring

AD site boundaries and, 367, 367

analyzing IT requirements for, 181–184

of directories, 6

placing DNS servers and, 252

placing domain controllers and, 368–369

replication performance, 367, 367

Performance tool

defined, 357–361, 358

monitoring AD connectors, 452–453

permissions, *See also* security

defined, 616

for Group Policy objects, 416–419, 417, 419

inherited permissions, 610

NTFS permissions, 614

for schema modification, 514–516, 515

share permissions, 620

Persistent Image case studies, 485–491, 530–536, 542

PIMs (personal information managers), 11

policies, 616, *See also* group policies; system policies

policy inheritance, 616, *See also* inheritance

post upgrade method, 563, 616

primary DNS servers, 243, 243–244, 616

primary domain controllers. *See* PDCs

printing support person, 190–191

priorities, analyzing business, 134–135

pristine installation method, 563–564, 617

product life cycles, 131–132

product/service-based model, 115–116, 116, 617

Progressive Education Services, 192

project scope. *See* scope

project-based business model, 112–115, 114, 617

project-based OU structure model, 318, 318

propagation dampening, 355, 355–357, 617

properties. *See* attributes; object properties

protocols, *See also* DHCP; LDAP

broadcast-based protocols, 14

Directory Access Protocol, 224, 225

Internet Protocol, 611

NT LAN Manager protocol, 33, 33

Secure Sockets Layer protocol, 33, 33

Simple Mail Transfer Protocol, 376

TCP/IP protocol suite, 229, 236, 622

public cache, 241

public folders, 12

published applications, 162, 406, 412, 432, 617

R

RAM capacity of DNS servers, 253–254, 262

redirected folders, 421–422

refresh rates, GPO, 430–431

regional model, 61–63, 61–64, 617

registered DNS names, 239–240, 255, 257–258

650 registering NetBIOS names – roles and responsibilities

- registering NetBIOS names, 14–15, 15
- Registry settings, 516, 618
- regulations. *See* laws
- relational databases, 37
- relative distinguished names (RDNs), 230, 230, 618
- relative ID masters. *See* RIMs
- Remote Access Service, Routing and (RRAS), 571, 583
- remote procedure calls (RPCs), 349, 376
- replication, 347–357, *See also* AD traffic planning
 - costs, 368
 - defined, 618
 - directory replication, 348, 605
 - domain controllers and, 347, 369
 - efficiency, 367–368
 - how it works, 352–355, 354
 - in integrating DNS with AD, 247–248
 - intersite replication, 349, 351, 368
 - intrasite replication, 349–351, 350, 355–356, 355, 611
 - Knowledge Consistency Checker, 349–352, 350
 - LAN Manager replication, 570–571
 - latency, 367, 367, 618
 - in NT single-master environments, 347
 - overview of, 384–385
 - performance, 367, 367
 - propagation dampening, 355–357, 355
 - scheduling, 373, 373
 - strategy, 371
 - versus synchronization, 348–349
 - transports, 376
 - in 2000 multi-master environments, 347
 - up-to-date vectors, 356–357
 - update sequence numbers, 352–353, 353, 355
- Replication Monitor, 364–365, 365
- resolution, DNS name, 240–241, 241, 283–285, 284
- resolution, NetBIOS name, 15–16, 16
- resources
 - AD as database of network, 26–28
 - analyzing available IT, 426–427
 - defined, 6–8, 7–8, 618
 - SRV resource records, 245, 257, 621
- restructuring domains, *See also* AD rollout planning
 - defined, 553, 606
 - determining domain order, 561–562
 - determining items needing, 561
 - determining object order, 562
 - inter-forest restructuring, 555–557, 555
 - intra-forest restructuring, 557–559
 - overview of, 560–561, 581–583
 - post upgrade method, 563
 - preparing target domains, 564
 - pristine install method, 563–564
 - security, 553–555
 - testing results, 564–565
 - utilities for, 559–560
- review questions/answers. *See* MCSE Design tests
- RIMs (relative ID masters), *See also* operations
 - masters
 - defined, 235, 304, 618
 - functions of, 262
 - placing, 380
- ring topology, KCC, 349, 350
- risk acceptance level, 137–138
- Robichaux, Paul, 245
- ROI (return on investment), 165, 618
- roles and responsibilities, *See also* analyzing IT environments
 - application support, 190
 - assigning, 172
 - implementation testing, 191–192
 - IT manager, 187
 - overview of, 185–187
 - printing support, 190–191

- server support, 188–189
- training support, 192
- WAN connectivity support, 191
- Windows 2000/AD expert, 188
- workstation support, 189–190
- rollout. *See* AD rollout
- root domains, 254–255, 254–255, 282, 282
- Royal Entertainment scenario, 565–566
- Royal Technologies scenario, 299–300
- RPCs (remote procedure calls), 349, 376
- RRAS (Routing and Remote Access Service), 571, 583
- Rugged Gear case study, 97–103

S

- SAM (Security Accounts Manager), 33, 33, 48
- scheduling
 - replication, 373, 373
 - synchronization, 470
- schema, 20, 495–497, *See also* AD schema
- schema masters, 303, 379, 509, 619
- scope
 - defined, 58–59, 619
 - evaluating
 - budgets and, 68
 - in business site models, 59, 69, 71–79, 74, 77
 - in geographic models, 59–70, 61–63
 - overview of, 58–59, 67–68
 - naming standards and, 217–218
- script policies, 406
- searching AD database, 301–302
- secondary DNS servers, 243, 243–244, 619
- secure dynamic update, 245
- Secure Sockets Layer (SSL) protocol, 33, 33
- secure update environments, 247
- security, *See also* permissions
 - analyzing IT need for, 179–180
 - defined, 619
 - directories, 5
 - in domain restructuring, 553–555
 - enforcing with GPOs, 428
 - in integrating DNS with AD, 247
 - reducing impact on, 572–573
 - subsystem component, 30, 31, 32, 49
- Security Accounts Manager (SAM), 33, 33, 48
- security group membership, 416–419, 417, 419
- security identifiers (SIDs)
 - creating, 234–235
 - defined, 380, 553–554, 619
 - sidHistory attribute, 554–555, 581
- security option policies, 619
- security policies, 406
- security principals, 231, 235, 348, 619
- server load analysis, *See also* AD traffic planning
 - with Network Monitor, 361–363, 362–364
 - overview of, 357
 - with Performance tool, 357–361, 358
 - with Replication Monitor, 364–365, 365
- server support person, 188–189
- server-based networks, 6–7, 7–8
- servers, *See also* operations masters
 - bridgehead servers
 - configuring, 450–451
 - defined, 351, 602
 - placing, 458–459
 - DHCP servers
 - defined, 605
 - placement of, 574
 - reducing impact on, 570
 - DNS servers
 - defined, 239, 242, 242, 606

652 service (SRV) resource records – technical documentation

- fault tolerance, 253
 - functionality, 253
 - manageability, 253
 - performance, 252
 - placement of, 252–253, 262, 574
 - primary servers, 243–244, 243, 616
 - RAM capacity, 253–254, 262
 - secondary servers, 243–244, 243, 619
 - domain name servers, 606
 - NT server upgrades, 545–546
 - placement of AD on, 46–47, 47
 - WINS servers, 625
 - service (SRV) resource records, 245, 257, 621
 - services, *See also* AD; DNS; NDS; WINS
 - services, network, analyzing, 130–131
 - services, network, reducing impact on, 568–572
 - services, outsourcing, 168–169
 - SIDs (security identifiers)
 - creating, 234–235
 - defined, 380, 553–554, 619
 - sIDHistory attribute, 554–555, 581
 - Sign Me Up (SMU) scenario, 140–141
 - simple-network model, 60–61
 - single-master environments
 - defined, 48, 50, 234, 620
 - in Windows 2000, 509
 - in Windows NT, 347, 509
 - single-master operations, *See also* operations
 - masters
 - defined, 302–303
 - domainwide operations, 304–305
 - Flexible Single Master Operations, 303, 509, 522, 608
 - forestwide operations, 303–304
 - in NDS, 234
 - site boundaries. *See* AD traffic planning
 - site link bridges, 374–376, 375–376, 385, 620
 - site links, 372–374, 372–374, 385, 620
 - sites, 59
 - SMTP (Simple Mail Transfer Protocol), 376, 620
 - soft costs, 139, 620
 - soft information, 125
 - Soft Shoe scenario, 519–520
 - software, *See also* applications
 - analyzing flow of, 125–126
 - Intellimirror and, 422, 429
 - life span of, 131–132
 - publishing, 162, 412, 432, 621
 - software packages, 410–412, 432, 620
 - software policies, 406
 - Software Settings node, 410–412
 - SRV resource records, 245, 257, 621
 - SSL (Secure Sockets Layer) protocol, 33, 33
 - staffing plans, documenting, 578
 - StarBrite scenario, 291–292
 - startup traffic control, 574–575
 - Stupendous Software case study, 149–156
 - subsidiary offices, 77–78, 621
 - synchronization, directory, 348, 447, 621, *See also*
 - AD connectors
 - system access patterns, analyzing, 175–179, 176–177
 - system management, AD design impact on, 195–196
 - system policies, 402, 572, 621
-
- ## T
- TCO (total cost of ownership), 346, 622
 - TCP/IP: *24seven* (Govanus), 368
 - TCP/IP *Jumpstart* (Blank), 236, 261
 - TCP/IP protocol suite, 229, 236, 622
 - technical documentation, 578–579

technical environments. *See* analyzing IT environments
 technical support, AD design impact, **195**
 terminal services, **126**
 testing AD rollouts in labs, **556**
 testing implementation role, **191–192**
 tests. *See* MCSE Design tests
 three-step analysis model, **361**
 Time To Live (TTL), **240**
 traffic, DNS, **250–251, 262**, *See also* AD traffic planning
 training costs, **405**
 training support person, **192**
 transitive site link bridges, **374–375, 375**
 transitive trusts, **305–306, 305–307, 622**
 transports, replication, **376**
 trees, **295, 295–296**, *See also* AD tree design
 trusts, *See also* AD tree design
 analyzing, **310**
 default trusts, **305–307, 305–306**
 in forests, **306, 306**
 in NT multi-master domains, **307–308, 307**
 in NT rogue domains, **308–309, 309**
 optimizing, **310**
 in upgrading NT to 2000, **307, 308–309, 308–309**
 TTL (Time To Live), **240**

U

University of Mind case study, **392–399**
 up-to-date vectors, **356–357**
 update sequence numbers (USNs), **352–353, 353, 355, 623**
 updating DNS records, **243, 246**

upgrading domains, *See also* AD rollout planning
 domain controllers, **551–552**
 from mixed to native mode, **550**
 NT servers, **545–546**
 overview of, **545, 546–547**
 planning domain order, **547–550**
 planning server order, **550**
 scenario, **552–553**
 user accounts, AD, **600**
 user accounts, domain, **606**
 User Configuration node, **407, 407–409, 409**
 user data management, **421–422**
 user mode, **29, 32**
 user needs, analyzing, **426**
 user policies, **408–409, 412**
 user principal names, **231–232, 231–232, 623**
 user settings management, **422**
 usernames, **219, 624**
 users as resources, **6–8, 7–8**

V

vendor relationships, **118–119**

W

WANs (wide area networks)
 analyzing traffic in, **175–179, 176–177**
 connectivity support person, **191**
 costs, **346**
 geographic models and, **59–60**
 mapping, **80–82, 81–82**
 WINS across, **16–18, 17**

websites

- Benchmark Learning Systems, 411
- Microserf, 299
- Royal Technologies, 299
- X.500 technical documents, 39
- well-connected computers, 366, 624
- Whole-Bottle Milk (WBM) scenario, 68–69
- Windows. *See* Microsoft Windows
- WINS (Windows Internet Name Service), *See also*
 - network directories
 - across WANs, 16–18, 17
 - defined, 13, 624
 - NetBIOS name resolution, reducing migration
 - impact on, 570
 - reducing impact on, 570
 - registering NetBIOS names, 14–15, 15
 - resolving names to IP addresses, 15–16, 16
 - WINS servers, 625
- workstation support person, 189–190
- workstations. *See* desktop management

Z

- zones, *See also* DNS
 - defined, 244–245, 606
 - designing, 248–251, 249
 - versus domains, 248–249, 249
 - rules, 250
 - scenario, 251

X

- X.500
 - directories, 224–225
 - hierarchical tree structure, 42–45, 44–45
 - LDAP and, 224–225, 229
 - recommendations, 38–40, 625
- XYZ company scenarios, 196–197, 251