

Index

Symbols

/ (forward slash), 48
(pound sign), 51, 126

•A•

About pane, 145
absolute position, 141
Access Key option, 321
Access program, 221, 360, 368
accessibility of Web sites, 16
Acrobat Reader, 315
actions, 272, 281
active links, 57, 159
Active Links option, 159
Active Server Pages (ASP), 249, 361
Add Bindings pop-up menu, 379–380
AddressMunger.com, 53, 400
Adjust Position option (Tracing Image), 267
Adobe, 296
Adobe Fireworks, 62, 79–81
Adobe Flash CS4 For Dummies, 291
Adobe Photoshop
 opening images from Dreamweaver, 79–81
 optimizing GIF and PNG images in, 67–70
 optimizing JPEG images in, 66–67
 overview, 62
 resizing images in, 63–64
Adobe Photoshop Elements, 62
Adsense, 402
AJAX, 337–338, 363
Align drop-down list, 74
Align option
 Flash, 296
 HTML tables, 213
 Java, 314
 multimedia files, 306
Align with Selection option (Tracing Image), 267
alignment, 137–138, 222–223
All mode, 144
Alt option, 314
Alternate Text image attribute, 45
Amazon.com, 360
AP Divs
 creating, 199–201
 overview, 199
 stacking, 201–203
 visibility of, 201–203
AP Elements panel, 202–203
Apache, 363
App Developer layout, 22
Appearance (CSS) category, 54–55, 158
Apple Quicktime, 290
applets, 314–315
application server, 364
application variables, 380
Arial, 131
ASP (Active Server Pages), 249, 361
ASP.NET, 362
Attach Style Sheet dialog box, 162–163
Attach Style Sheet icon, 146
attributes, 255–256
audio files. *See also* video files
 Align option, 305
 Border option, 305
 Class option, 305
 Flash audio files, adding, 308–310
 formats, 300–301
 H (height) option, 305
 H Space (horizontal space) option, 305
 ID field option, 305
 inserting, 303–304
 linking to, 301–303
 overview, 297
 parameters, 306–308
 Parameters option, 305
 Play button option, 305
 Plg URL option, 305
 setting options for, 304–306
 Src (source) option, 305
 V Space (vertical space) option, 305
 W (width) option, 305
audio formats
 MP3, 300
 RealAudio, 301
 WAV, 301
 Windows Audio, 300
Audio tab, 312
Audio Video Interleave (AVI), 299

Autoplay option (Flash), 295
 Autoplay parameter, 307
 Autostart parameter, 307
 AVI (Audio Video Interleave), 299
 .avi file, 299

•B•

 tag, 14
 Background category, 135–137, 181
 background color, 133–135
 Background Color swatch box, 55
 background images. *See also* images
 formatting options, 133–135
 inserting, 81–82
 positioning, 136
 repeating, 136
 Background-Attachment option, 137
 Background-Color option, 136
 Background-Image option, 136
 Background-Position (X) option, 137
 Background-Position (Y) option, 137
 Background-Repeat option, 136
 backing up, 410–411
 Base option, 314
 Basic Wizard, 30
 BBEdit, 408
 behaviors
 adding to Web page, 275–285
 definition of, 271
 editing, 286
 installing extensions for, 286–288
 multiple, attaching, 286
 Open Browser Window behavior, 282–285
 overview, 271–272
 rollover images, 274–275
 swap image, 276–282
 target browsers, 273
 Behaviors panel, 273
 Bg (color) option, 215
 Bindings panel, 379–380
 bitmaps, 291
 _blank target, 240
 Blank Template option, 248–249
 blink effect, 134
 Block category, 137–138
 block elements, 186
 <body> tag, 172, 204
 Border category, 139–140
 Border option, 213, 296, 306
 borders, 139–140, 232, 241
 Box category, 138–139, 181, 196

box model (CSS layout)
 creating designs, 185–186
 margins, 187–189
 padding, 187–189
 brightness of image, 77
 Brightness/Contrast dialog box, 77
 broken links
 Check Links, using, 94–95
 checking for, 95–96
 fixing, 96–98
 orphans, 95
 overview, 94–95
 Browse icon, 31
 Browser Compatibility Check dialog box, 92
 Browser Compatibility feature, 91–92
 browsers
 compatibility check, 91–92
 differences, 20, 88, 90–91
 displaying CSS in, 189–190
 displaying forms in, 328
 previewing pages in, 59–60
 target, for behaviors, 273
 turning styles on and off in, 178
 bulleted list, styling, 179–185
 Button Accessibility Attributes dialog box, 329
 buttons
 Clean Up, 112
 Code view, 22
 Design view, 22
 Live View, 22
 Play
 Flash, 296
 Property Inspector, 306
 Preview in Browser, 23, 59–60
 radio, 321–323
 Replay, 115
 Reset, 329–330
 Split view, 22
 Submit, 329–330
 View Options, 23
 Visual Aids, 23

•C•

cache, 32
 Cartweaver.com, 401
 Cascading Style Sheets (CSS)
 accessibility of Web sites, 16
 basics, 123–124
 codes, 132
 complying with current standards, 15

- creating multiple stylesheets with, 15
- declarations, 123
- design changes with, 14–15
- displaying in different browsers, 189–190
- external styles, 129
- inline styles, 130
- internal styles, 129
- layouts
 - AP Divs, 199–203
 - box model, 185–186
 - conflicting styles, managing, 203–204
 - creating new pages with, 169–171
 - custom, 191–199
 - design time style sheets, 204–205
 - displaying in different browsers, 189–190
 - editing styles in, 173–178
 - elastic, 168
 - fixed, 168
 - hybrid, 168
 - liquid, 168
 - options, 168
 - overview, 167–168
 - removing class styles from, 171–172
- overview, 121–122
- rule definitions, 129
- rule options
 - background, 135–137
 - block, 137–138
 - border, 139–140
 - box, 138–139
 - extensions, 143
 - lists, 140
 - positioning, 141–142
 - type, 133–135
- style selectors
 - class, 125–126
 - compound, 128–129
 - ID, 126–127
 - overview, 124
 - tag, 127–128
 - uses of, 122–123
- CellPad option, 212
- cells. *See also* tables
 - aligning contents of, 215, 217
 - background color, 215
 - header, 215
 - merging, 215, 218
 - options, 214–215
 - padding, 212
 - spacing, 212
 - splitting, 215, 219
 - width and height, 215
- CellSpace option, 212
- CGI (Common Gateway Interface), 333
- CGI scripts, 332–335
- Change Link Sitewide dialog box, 100
- Char Width text box, 325
- check boxes, 323–324
- Check In/Out feature, 110
- Check Links feature, 94–95
- Checkbox Name text box, 324
- Checked Value text box, 322
- Circle tool, 83
- Class option, 213, 295–296, 306, 315
- class selectors, 125–126, 148–151
- class styles. *See also* Cascading Style Sheets
 - applying, 151–152
 - content areas, 176–178
 - creating
 - with class selector, 148–151
 - with tag selector, 152–155
 - editing, 155, 173–178
 - Header area, 175–176
 - page-wide settings, 174
 - removing, 152
 - removing from CSS layouts, 171–172
 - renaming, 156–157
 - selectors, 125–126
- Clean Up button, 112
- Clean Up Word Paragraph Spacing option, 41
- Clear Column Widths option, 213
- Clear and Convert option, 213
- Clear option, 139
- Clear Row Heights option, 213
- Clip option, 142
- Cloaking feature, 108–109
- CMS (content management system), 396
- Code option, 314
- code view, 13, 21, 408
- Code view button, 22
- codec, 313
- Coder layout, 22
- ColdFusion, 249
- color (Bg) option, for cells, 215
- Color option, for text, 134
- color swatch box, 55
- Cols option, 212
- columns, 195–198, 212, 215–217, 359
- .com domain, 400
- commands, 379–380, 381
- Common Gateway Interface (CGI), 333
- Common Insert panel, 25, 51–52
- Components panel, 382
- compound selector, 128–129
- compound styles, 185
- compression, 66–67

- Connects to Remote Host icon, 103, 106
- container <div> tag, 193–194
- content areas, 176–178
- content management system (CMS), 396
- contrast, 77
- Contribute, 114
- Convert Table Widths to Percents option, 213
- Convert Table Widths to Pixels option, 213
- Copy Dependent Files dialog box, 341, 346, 349, 352
- Copy Steps option, 115
- Create New Folder icon, 31
- creating
 - AP Divs, 199–201
 - class styles with class selector, 148–151
 - class styles with tag selector, 152–155
 - external style sheets, 160–162
 - folders, 31
 - forms, 317–320
 - frames, 229–232
 - framesets, 229–232
 - HTML tables, 208–219
 - image maps, 82–85
 - Library items, 262
 - master-detail page set, 393–395
 - multiple stylesheets, 15
 - navigation bar, 180–185
 - radio buttons, 321–323
 - recordset, 383–384
 - rollover images, 274–275
 - templates, 247–258
 - Web pages
 - with CSS layout, 169–171, 191–193
 - with New Document window, 34–36
 - from templates, 256–257
- cropping images, 75–77
- CSS (Cascading Style Sheets)
 - accessibility of Web sites, 16
 - basics, 123–124
 - codes, 132
 - complying with current standards, 15
 - creating multiple stylesheets with, 15
 - declarations, 123
 - design changes with, 14–15
 - displaying in different browsers, 189–190
 - external styles, 129
 - inline styles, 130
 - internal styles, 129
 - layouts
 - AP Divs, 199–203
 - box model, 185–186
 - conflicting styles, managing, 203–204
 - creating new pages with, 169–171
 - custom, 191–199
 - design time style sheets, 204–205
 - displaying in different browsers, 189–190
 - editing styles in, 173–178
 - elastic, 168
 - fixed, 168
 - hybrid, 168
 - liquid, 168
 - options, 168
 - overview, 167–168
 - removing class styles from, 171–172
 - overview, 121–122
 - rule definitions, 129
 - rule options
 - background, 135–137
 - block, 137–138
 - border, 139–140
 - box, 138–139
 - extensions, 143
 - lists, 140
 - positioning, 141–142
 - type, 133–135
 - style selectors
 - class, 125–126
 - compound, 128–129
 - ID, 126–127
 - overview, 124
 - tag, 127–128
 - uses of, 122–123
- CSS Layout Outlines, 23
- CSS mode, 147–148
- CSS Rule Definition dialog box
 - Background category, 135–137
 - Block category, 137–138
 - Border category, 139–140
 - Box category, 138–139
 - Current mode, 145
 - Extensions category, 143
 - List category, 140
 - Positioning category, 141–142
 - Type category, 133–135
- CSS Setting attribute, 45
- CSS Styles panel
 - All mode, 144
 - Attach Style Sheet icon, 146
 - Current mode, 145
 - Delete CSS Rule icon, 147
 - Edit Style icon, 147
 - New CSS Rule icon, 146
 - overview, 143–144
 - Show Category View, 146
 - Show List View, 146
 - Show Only Set Properties view, 146
- Cue Points tab, 312

- Current mode, 145
 - Cursor option, 143
 - Custom Connection String dialog box, 374–375
 - custom CSS layouts. *See also* Cascading Style Sheets
 - boxes, 191–193
 - columns, 195–198
 - container <div> tag, 193–194
 - creating, 195–198
 - footer, 198–199
 - page, 191–193
 - CuteFTP, 103
- D•**
- data connection, 370–372
 - Data Insert panel, 25
 - data source, 379
 - databases, 359–360
 - Databases panel, 378
 - DAV (Distributed Authoring and Versioning), 101
 - declarations, 123
 - Default Images folder, 31
 - default.html, 38
 - Delete CSS Rule icon, 147
 - Delete Record option, 382
 - Delimiter drop-down list, 221
 - dependent files, 106
 - Design Notes
 - adding notes with, 112–114
 - overview, 111–112
 - setting up, 112
 - design time style sheets, 204–205
 - design view, 13, 21, 408
 - Design view button, 22
 - Designer layout, 22
 - detail page, 393
 - Device Center, 15
 - dialog boxes
 - Attach Style Sheet, 162–163
 - Brightness/Contrast, 77
 - Browser Compatibility Check, 92
 - Button Accessibility Attributes, 329
 - Change Link Sitewide, 100
 - Copy Dependent Files, 341, 346, 349, 352
 - CSS Rule Definition
 - Background category, 135–137
 - Block category, 137–138
 - Border category, 139–140
 - Box category, 138–139
 - Current mode, 145
 - Extensions category, 143
 - List category, 140
 - Positioning category, 141–142
 - Type category, 133–135
 - Custom Connection String, 374–375
 - Editable Tag Attributes, 256
 - Element Properties, 97
 - E-mail Link, 52
 - File Options, 37
 - Find and Replace, 157
 - Flash Video Encoding Settings, 311
 - Folder Options (Windows), 37
 - Hyperlink, 49, 51, 302
 - Image Preview, 79
 - Image Size (Photoshop), 63–64
 - Image Tag Accessibility Attributes, 43, 200
 - Import Tabular Data, 220–221
 - Insert Div Tag, 180, 191–193
 - Insert FLV, 308–309
 - Insert Image Rollover, 274
 - Insert Jump Menu, 330
 - Insert Table, 216, 223
 - List Values, 328
 - Manage Sites, 30–31, 33, 112
 - Named Anchor, 50–51
 - New CSS Rule, 124, 130, 149, 161, 196
 - New Document, 165–166, 170, 230, 373–374
 - New Editable Region, 252, 254–255
 - Page Properties, 54–57, 158–159, 251
 - Parameters, 306–308
 - Preferences, 27
 - Recordset, 383–384
 - Remote Info, 106
 - Renaming, 156
 - Reports, 93
 - Save as Template, 250
 - Save for Web & Devices, 66–67
 - Select File, 83–84, 303
 - Select Image Source, 43, 55, 71–72, 97, 266
 - Site, 107
 - Site Definition, 30–32, 48, 94, 100, 337, 370–372
 - Site FTP, 107
 - Sort Table, 219–220
 - Split Cell, 219
 - Swap Image, 280
 - Synchronize Files, 107
 - Table, 210–211
 - Target Browsers, 92
 - Update Files, 99
 - Update Library Items, 264
 - Update Pages, 264

dialog boxes (*continued*)
 Update Template Files, 258, 259–260
 Windows Components, 365

dialup connection, 104

Display option, 138

Distributed Authoring and Versioning (DAV), 101

<div> tag, 180–186, 193–194, 198–199

docking panels, 23

Document toolbar, 22–23

Document window, 21, 23

domain name, 399–400

domain registration services, 399–400

downloading
 files, 105
 folders, 105
 Web sites, 106

Dreamweaver
 Browser Compatibility feature, 91–92
 Cloaking feature, 108–109
 image editing in, 75–78
 optimizing images in, 78–79
 publishing tools, 100–101
 site management in, 109–114

Dreamweaver CS4 All-in-One Desk Reference For Dummies, 356

Dreamweaver CS4 Bible, 356

Dreamweaver Exchange Site, 403

Dreamweaver interface, 20–21

Dreamweaver-templates.org, 402

drop-down lists, 327–329

drop-down menus, creating, 339–343

.dwt template file, 249–250, 254

Dynamic Form Elements option, 382

dynamic images
 adding, 388
 binding, 389–390

Dynamic Text option, 381

dynamic Web sites
 adding dynamic images, 388–390
 adding navigation to dynamic pages, 391–393
 advantages of, 357–358
 binding images, 389–390
 creating new pages, 34
 data connection, creating in Dreamweaver, 370–376
 databases, 359–360
 example of, 358–359
 local Web server, setting up, 365–367
 master-detail page set, 393–395
 overview, 19, 356
 permissions, 367–369
 recordset, 385–386

Repeat Region server behavior, 386–388

search engine in, 356

server technologies, 360–363

setting up Dreamweaver for Mac, 376

versus static Web site, 357

dynamic Web template, 247

●E●

Edit Font List option, 131

Edit option (Flash), 295

Edit Server Behaviors option, 382

Edit Style icon, 147

editable regions, 247–248, 251–255

Editable Tag Attributes dialog box, 256

editing
 behaviors, 286
 class styles, 155, 173–178
 images in Dreamweaver, 75–78
 Library items, 264–265
 styles in CSS layouts, 173–178
 styles in external style sheets, 164
 tags, 116–117
 Web pages online, 109
 Web sites, 32–33

elastic layouts, 168

Element Properties dialog box, 97

 tag, 186

E-mail Link dialog box, 52

e-mail, links, 52–53

Enable Animation check box, 346

Enable Cache option, 32

Enable Cloaking, 108

Encoding Profiles tab, 312

events. *See also* behaviors
 onAbort, 282
 onBlur, 282
 onChange, 282
 onClick, 282
 onDbClick, 282
 onError, 282–283
 onFocus, 283
 onKeyDown, 283
 onKeyPress, 283
 onKeyUp, 283
 onLoad, 283
 onMouseDown, 283
 onMouseMove, 283
 onMouseOut, 283
 onMouseOver, 283
 onMouseUp, 283
 onMove, 283
 onReset, 283

- onResize, 283
- onScroll, 283
- onSelect, 283
- onSubmit, 283
- onUnload, 283
- Excel program, 221
- Expanded mode, 208–209
- Extensible Stylesheet Language Transformation (XSLT), 382
- Extension Manager, 287–288
- extensions, 286–288
- Extensions category, 143
- external link, 51–52
- external style sheets. *See also* Cascading Style Sheets
 - attaching to Web page, 162–163
 - copying styles in, 164
 - creating, 160–162
 - editing styles in, 164
 - moving styles in, 163
 - ready-made, 165–166
 - rule options, 130

•F•

- Favicon, 403
- Favorites Insert panel, 25, 409
- Fetch (FTP program), 103
- fields, 359
- file extensions, 36–37
- file names, 32, 36
- file naming system, 13
- File option, 294
- File Options dialog box, 37
- File Transfer Protocol (FTP), 30, 101–103
- FileMaker, 221
- FileMaker Pro, 360
- files
 - cloaking, 108–109
 - downloading, 105
 - finding by addresses, 97
 - moving, 98–99
 - renaming, 98–99
 - uploading to remote server, 104–105
- Files panel, 32–33
- Filter option, 143
- Find and Replace dialog box, 157
- Firefox browser, 88, 97, 178
- firewall, 103
- Fireworks, 62, 79–81
- fixed layouts, 168
- fixed position, 141

- Flash
 - Align option, 296
 - audio files, adding, 308–309
 - Autoplay option, 295
 - Class option, 295
 - disadvantages of, 291–292
 - Edit option, 295
 - File option, 294
 - files, 291
 - H (height) option, 294
 - H Space (horizontal space) option, 295
 - ID field option, 294
 - Loop option, 295
 - online resources, 296
 - Parameters option, 296
 - Play button, 296
 - properties, 293–296
 - Quality option, 295
 - Reset Size option, 294
 - Scale option, 295–296
 - Src (source) option, 294
 - timesaving tips, 408
 - V Space (vertical space) option, 295
 - video files, 291, 308–309
 - W (width) option, 294
 - Wmode option, 296
- Flash Arcade, 296
- Flash audio files, adding, 308–309
- Flash Kit, 296
- Flash Paper, 291
- Flash Player, 290
- Flash video, 298–299, 308–309
- Flash video encoder, 310–313
- Flash Video Encoding Settings dialog box, 311
- Flash video format (.flv), 290–291, 298–299
- Float option, 139
- .flv (Flash video format), 290–291, 298–299
- Folder Options dialog box (Windows), 37
- folder structure, 13
- folders, creating, 31
- Font-Decoration option, 134
- Font-Family drop down list, 131
- Font-Family option, 133, 150
- fonts
 - decoration, 134
 - family, 133
 - formatting options, 133–135
 - settings, 55
 - size, 133
 - style, 134
 - style sheets, 131
 - timesaving tips, 408–409

fonts (*continued*)

- transform, 134
- variant, 134
- weight, 134
- Font-Size option, 133, 150
- Font-Style option, 134, 150
- Font-Transform option, 134
- Font-Variant option, 134
- Font-Weight option, 134, 150
- footer, 198–199
- Form Delimiter box, 319
- Form ID text box, 319
- <form> tag, 319, 324, 329–330, 333, 335
- Format drop-down list, 39, 79
- Format Top Row drop-down list, 221
- formatting, headlines, 39
- forms
 - Access Key option, 321
 - accessibility of, 320–321
 - CGI scripts, 332–335
 - check boxes, 323–324
 - creating, 318–320
 - displaying in different browsers, 328
 - drop-down lists, 327–329
 - hidden fields, 335–336
 - ID field option, 321
 - jump menus, 330–331
 - Label option, 321
 - overview, 317–318
 - Position option, 321
 - radio buttons, 321–323
 - Reset button, 329–330
 - Style option, 321
 - Submit button, 329–330
 - Tab Index option, 321
 - text areas, 324–326
 - text fields, 324–326
- Forms Insert bar, 330–331
- Forms Insert panel, 25
- forward slash (/), 48
- FoxPro, 360
- framerate, 312
- frames
 - _blank target, 240
 - borders, 232, 241
 - creating, 229–232
 - example of, 228–229
 - guidelines for, 227–228
 - height, 243
 - naming, 235–237
 - overview, 17–18, 225–226
 - _parent target, 240
 - properties, 240–243
 - resizing options, 242
 - scrolling options, 242
 - _self target, 240
 - setting links in, 237–239
 - sizes, 242
 - target, 237–239
 - timesaving tips, 407
 - _top target, 240
 - width, 243
- framesets
 - creating
 - from sample, 230–231
 - using Layout insert, 231–232
 - overview, 229
 - saving files in, 233–234
- front page, 38
- FTP (File Transfer Protocol), 30, 101–103
- FTP Host Directory text box, 102

•G•

- Georgia font, 131
- Get Newer Files from Remote option, 107
- Get and Put Newer Files option, 107
- GIF images
 - format, 41, 65
 - optimizing, 67–70, 78–79
 - scripts, 297
- Go to Detail Page option, 382
- Go to Related Page option, 382
- Google.com, 337–338, 356, 401
- graphics
 - adding, 41–47
 - aligning with text wrapping, 73–74
 - attributes, 45–46
 - background, 81–82
 - binding, 389–390
 - brightness, 77
 - contrast, 77
 - cropping, 75–77
 - editing in Dreamweaver, 75–78
 - file size, 70–71
 - formats, 65
 - hot spots, 82–85
 - inserting, 71–73
 - locating, 72
 - naming, 277–278
 - opening, 79–81
 - optimizing, 66–70, 78–79
 - previewing, 72
 - resizing, 46, 63–64
 - rollover, 274–275

saving for the Web, 65–66
 selecting, 43–44
 setting as link, 48–50
 sharpening, 77–78
 storing, 31
 swap image behavior, 276–282
 transparency, 68–69

•H•

H (height) option
 Flash, 294
 HTML table, 215
 Java, 314
 multimedia files, 305
 H Space (horizontal space) option
 Flash, 295
 Java, 315
 multimedia files, 306
 hardware differences, 88
 head section, 249
 Header area, 175–176
 Header option (HTML table), 215
 heading tags, 14, 39
 headlines, formatting, 39
 height (H) option
 Flash, 294
 HTML table, 215
 Java, 314
 multimedia files, 305
 Height image attribute, 45
 Height option
 Box category properties, 139
 Positioning category properties, 142
 Helvetica, 131
 Hidden option, 142
 Hide Extensions for Known File Types option
 (Windows), 37
 History panel, 114–116
 home page, 12, 34
 HomeSite, 408
 horizontal space (H Space) option
 Flash, 295
 Java, 315
 multimedia files, 306
 Horizontal Space image attribute, 45
 Horz option (HTML table), 215
 hot spot tools, 83–85
 hot spots, 82–85
 hovering, 57
 .html file extension, 36
 HTML mode, 147–148

HTML tables
 accessibility, 214
 alignment, 213
 alignment, using tables for, 222–223
 appearance, 211–213
 Bg (color) option, 215
 borders, 213
 cells, 214–215
 cells, merging, 217
 creating, 208–219
 Header option, 215
 Horz option, 215
 importing data from other programs,
 220–221
 Merge Cells icon, 215
 merging cells, 219
 multiple columns, formatting, 215–217
 nested tables, 223
 No Wrap option, 215
 overview, 207
 rows, 211
 sorting data, 219–220
 spacing, using tables for, 222–223
 Split Cell icon, 215
 splitting cells, 219
 Vert option, 215
 W option, 215
 width, 209, 211, 213
 HTML tags, 13–14, 152–155
 HTTP Address text box, 32, 372
 hybrid layouts, 168
 Hyperlink dialog box, 49, 51, 302
 Hyperlink image attribute, 45
 hyperlinks, 48–50

•I•

icons
 Attach Style Sheet, 146
 Browse, 31
 Connects to Remote Host, 103, 106
 Create New Folder, 31
 Favicon, 403
 Merge Cells, 215
 New CSS Rule, 146
 Split Cell, 215
 ID field option, 294, 305, 321
 ID selectors, 126–127
 iGoogle, 337
 IIS (Internet Information Services), 363,
 365–366
 Image Border image attribute, 45

image editors, associating with file types, 79–81

Image Map Coordinates image attribute, 45

image maps, 82–85

Image Name box, 274

Image Preview dialog box, 79

Image Ready, 62

Image Size dialog box (Photoshop), 63–64

Image Tag Accessibility Attributes dialog box, 43, 200

images

adding, 41–47

aligning with text wrapping, 73–74

attributes, 45–46

background, 81–82

formatting options, 133–135

inserting, 81–82

positioning, 136

repeating, 136

binding, 389–390

brightness, 77

contrast, 77

cropping, 75–77

editing in Dreamweaver, 75–78

file size, 70–71

formats, 65

hot spots, 82–85

inserting, 71–73

locating, 72

naming, 277–278

opening, 79–81

optimizing, 66–70, 78–79

previewing, 72

resizing, 46, 63–64

rollover, 274–275

saving for the Web, 65–66

selecting, 43–44

setting as links, 48–50

sharpening, 77–78

storing, 31

swap image behavior, 276–282

transparency, 68–69

Import Tabular Data dialog box, 220–221

InContext Editing Insert panel, 25

index.html, 37–38

Inetpub folder, 367–368

Init Val text box, 326

inline elements, 186

inline styles, 130

Insert Div Tag dialog box, 180, 191–193

Insert FLV dialog box, 308–309

Insert Image Rollover dialog box, 274

Insert Jump Menu dialog box, 330

Insert panel, 25

Insert Record option, 382

Insert Table dialog box, 216, 223

internal styles, 130

Internet connection, 104

Internet Explorer, 88, 97

Internet Information Services (IIS), 363, 365–366



Java

applets, 313–314

overview, 313

parameters and options, 314–315

Java Server Pages (JSP), 249, 362

JavaScript, 249, 278, 315

JPEG images

format, 41, 65

optimizing, 66–67, 78–79

JSP (Java Server Pages), 249, 362

jump link, 50–51

jump menus, 330–331



Label option, 321

layers, 199

Layout CSS drop-down list, 170

Layout Insert panel, 231–232

layouts, CSS

AP Divs, 199–203

box model, 185–186

conflicting styles, managing, 203–204

creating new pages with, 169–171

custom, 191–199

design time style sheets, 204–205

displaying in different browsers, 189–190

editing styles in, 173–178

elastic, 168

fixed, 168

hybrid, 168

liquid, 168

options, 168

overview, 167–168

removing class styles from, 171–172

leading, 134

Letter-Spacing option, 138

 tag, 183

Library assets panel, 262

Library items

adding to page, 263

creating, 262

editing, 264–265

- highlighting, 263
- making global changes with, 264
- naming, 262
- overview, 261
- linebreaks, adding, 39–40
- Line-Height option, 134
- Link Checker tab, 94
- Link Color option, 56, 159
- Link Font drop-down list, 56
- <link> tag, 185
- Link Target image attribute, 45
- links
 - active, 57, 159
 - broken
 - Check Links, using, 94–95
 - checking for, 95–96
 - fixing, 96–98
 - orphans, 95
 - overview, 94–95
 - color, 56, 159
 - creating multiple pages, 47
 - e-mail, 52–53
 - external, 51–52
 - jump, 50–51
 - making global changes to, 99–100
 - to named anchors within page, 50–51
 - overview, 47
 - to pages within Web site, 48–50
 - with pop-up previews, 400–401
 - relative, 32, 47–48
 - rollover, 57, 159
 - styling, unordered list, 179–185
 - to target frames, 237–239
 - underline options, 57
 - visited, 57, 159
- Links (CSS) category, 56, 158–159
- Links Relative to Document option, 32
- liquid layouts, 168
- List category, 140
- List Values dialog box, 328
- List/Menu text box, 327
- lists, 140
- Live View button, 22
- Load option (Tracing Image), 267
- local cache, 32
- Local Info category, 30
- Local Root Folder text box, 371
- local Web server, 365–367
- Local/Network option, 101
- Login text box, 102
- Loop option (Flash), 295
- Loop parameter, 307

•M•

- Mac, previewing images in, 72
- Manage Sites dialog box, 30–31, 33, 112
- Map Name image attribute, 45
- Margin option, 139
- margins, 187–189
- master page, 393
- master-detail page set, 393–395
- matte color, 69
- Max Chars text box, 325
- Media drop-down list, 162
- menu bar, 22
- Merge Cells icon, 215
- merging cells, 218
- Meta tags, 58–59
- Microsoft Access, 221, 360, 368
- Microsoft Excel, 221
- Microsoft Visual SourceSafe, 101
- Microsoft Word, 221
- modes
 - All, 144
 - CSS, 147–148
 - Current, 145
 - Expanded, 208–209
 - Standard, 208–209, 211–213
- More Server Behavior option, 382
- .mov (QuickTime format), 299
- moving files, 98–99
- MP3 format, 300
- Multi Line option, 326
- multimedia, 289
- multimedia players, 290
- multiple Web sites, editing, 32–33
- MySQL, 360

•N•

- Name image attribute, 45
- Named Anchor dialog box, 50–51
- named anchors, 50–51
- navigation, 12–13
- navigation bar, 180–185, 407
- nested tables, 223
- .net domain, 400
- New CSS Rule dialog box, 124, 130, 149, 161, 196
- New CSS Rule icon, 146
- New Document dialog box, 165–166, 170, 230, 373–374
- New Document window, 35–36, 248, 256, 257, 407
- New Editable Region dialog box, 252, 254–255

- New Server Behavior option, 382
- new sites, developing, 12–13
- New Style Sheet file, 130
- New Technology File System (NTFS), 367
- new Web pages
 - creating
 - with CSS layout, 169–171, 191–193
 - with New Document window, 34–36
 - from templates, 256–257
 - naming, 36
- No Wrap option (HTML table), 215
- No-Repeat option, 136
- notes, adding, 112–114
- NTFS (New Technology File System), 367



- old-school Web designs, 16–17
- onAbort event, 282
- onBlur event, 282
- onChange event, 282
- onClick event, 282
- onDblClick event, 282
- onError event, 282–283
- onFocus event, 283
- onKeyDown event, 283
- onKeyPress event, 283
- onKeyUp event, 283
- online selling, 401
- online survey, 402
- onLoad event, 283
- onMouseDown event, 283
- onMouseMove event, 283
- onMouseOut event, 283
- onMouseOver event, 281, 283
- onMouseUp event, 283
- onMove event, 283
- onReset event, 283
- onResize event, 283
- onScroll event, 283
- onSelect event, 283
- onSubmit event, 283
- onUnload event, 283
- Open Browser Window behavior, 282–285
- optimizing
 - GIF images, 67–70, 78–79
 - JPEG images, 66–67, 78–79
 - PNG images, 67–70, 78–79
- options
 - Access Key, 321
 - Active Links, 159
 - Adjust Position (Tracing Image), 267

- Align
 - Flash, 296
 - HTML tables, 213
 - Java, 314
 - multimedia files, 306
- Align with Selection (Tracing Image), 267
- Alt, 314
- Autoplay (Flash), 295
- Background-Attachment, 137
- Background-Color, 136
- Background-Image, 136
- Background-Position (X), 137
- Background-Position (Y), 137
- Background-Repeat, 136
- Base, 314
- Blank Template, 248–249
- Border, 213, 296, 306
- CellPad, 212
- CellSpace, 212
- Class, 213, 295–296, 306, 315
- Clean Up Word Paragraph Spacing, 41
- Clear, 139
- Clear and Convert, 213
- Clear Column Widths, 213
- Clear Row Heights, 213
- Clip, 142
- Code, 314
- color (Bg), for cells, 215
- Color, for text, 134
- Cols, 212
- Convert Table Widths to Percents, 213
- Convert Table Widths to Pixels, 213
- Copy steps, 115
- Cursor, 143
- Delete Record, 382
- Display, 138
- Dynamic Form Elements, 382
- Dynamic Text, 381
- Edit (Flash), 295
- Edit Font List, 131
- Edit Server Behaviors, 382
- Enable Cache, 32
- File, 294
- Filter, 143
- Float, 139
- Font-Decoration, 134
- Font-Family, 133, 150
- Font-Size, 133, 150
- Font-Style, 134, 150
- Font-Transform, 134
- Font-Variant, 134
- Font-Weight, 134, 150
- Get Newer Files from Remote, 107
- Get and Put Newer Files, 107

- Go to Detail Page, 382
- Go to Related Page, 382
- H (height)
 - Flash, 294
 - HTML table, 215
 - Java, 314
 - multimedia files, 305
- H Space (horizontal space)
 - Flash, 295
 - Java, 315
 - multimedia files, 306
- Header (HTML table), 215
- Height
 - Box category properties, 139
 - Positioning category properties, 142
- Hidden, 142
- Hide Extensions for Known File Types (Windows), 37
- Horz (HTML table), 215
- ID field, 294, 305, 321
- Insert Record, 382
- Label, 321
- Letter-Spacing, 138
- Line-Height, 134
- Link Color, 56, 159
- Links Relative to Document, 32
- Load (Tracing Image), 267
- Local/Network, 101
- Loop (Flash), 295
- Margin, 139
- More Server Behavior, 382
- Multi Line, 326
- New Server Behavior, 382
- No Wrap (HTML table), 215
- No-Repeat, 136
- Overflow, 142
- Padding, 139
- Parameters, 296, 306, 315
- Placement, 142
- Play button (Property Inspector), 306
- Plg URL, 305, 306
- Plugin, 304
- Position, 321
- Put Newer Files to Remote, 107
- Quality (Flash), 295
- Recordset Paging, 381
- Rename Class, 156
- Rename ID, 156
- Repeat, 136
- Repeat Region, 381
- Repeat-X, 136
- Repeat-Y, 136
- Reset Form, 330
- Reset Position (Tracing Image), 267
- Reset Size, 294
- Restore Images OnMouseout, 280
- Retain Line Breaks, 41
- Rollover Links, 159
- Root, 48
- Scale (Flash), 295–296
- scrolling, 142, 242
- Show (Tracing Image), 267
- Show Region, 381
- Single Line, 326
- Src (source), 294, 305
- Style, 321
- Submit Form, 330
- Tab Index, 321
- Table, 211
- Testing Server, 110
- Text Only, 41
- Text with Structure, 41
- Text with Structure Plus Basic Formatting, 41
- Text with Structure Plus Full Formatting, 41
- Text-Align, 138
- Text-Indent, 138
- Update Record, 382
- User Authentication, 382
- V Space (vertical space)
 - Flash, 295
 - Java, 314
 - multimedia files, 306
- Vert (HTML table), 215
- Vertical-Align, 138
- View button, 23
- Visibility, 142
- Visible, 142
- Visited Links, 159
- W (width)
 - Flash, 294
 - HTML table, 215
 - HTML tables, 212
 - Java, 314
 - multimedia files, 305
- White-Space, 138
- Width
 - Box category properties, 139
 - Positioning category properties, 142
- Wmode (Flash), 296
- Word-Spacing, 137
- XSLT Transformation, 382
- Oracle, 360
- .org domain, 400
- Original Image box, 275

- orphans, 95
- Overflow options, 142
- overline, 134
- p•
- <p> tag, 182, 186
- padding, 187–189
- Padding option, 139
- Page Font drop-down list, 55
- Page Properties dialog box, 54–57, 158–159, 251
- page title, 23, 38
- Page-Break, 143
- pages, Web
 - adding images, 41–47
 - adding Library items to, 263
 - adding paragraphs and linebreaks, 39–40
 - adding tracing image to, 265–266
 - attaching external style sheets to, 162–163
 - changing properties of, 54–57
 - creating
 - with CSS layout, 169–171, 191–193
 - with New Document window, 34–36
 - from templates, 256–257
 - downloading, 105
 - editing online, 109
 - formatting headlines with
 - heading tags, 39
 - inserting text from another program, 40–41
 - Java applets, inserting, 313–314
 - meta tags, 58–59
 - naming, 36
 - predesigned, 407
 - previewing, 59–60
 - saving as template, 253–255
 - title, 38
 - uploading, 104–105
- page-wide settings, 174
- panels
 - Bindings, 379–380
 - Components, 382
 - Databases, 378
 - Server Behaviors, 380–382
- paragraphs, adding, 39–40
- Parameters dialog box, 306–308
- Parameters option, 296, 306, 315
- _parent target, 240
- Password text box, 102
- Paypal.com, 401
- PDF (Portable Document Format), 315
- permissions, 367–369
- Personal Web Server (PWS), 365
- photos. *See also* images
 - cropping, 75–77
 - resizing, 63–64
- Photoshop
 - opening images from Dreamweaver, 79–81
 - optimizing GIF and PNG images in, 67–70
 - optimizing JPEG images in, 66–67
 - overview, 62
 - resizing images in, 63–64
- Photoshop Elements, 62
- PHP, 249, 363
- pictures. *See* images
- Placement option, 142
- Play button
 - Flash, 296
 - Property Inspector, 306
- players, 290
- Plg URL option, 305, 306
- Plugin option, 304
- PNG image format, 41, 65
- PNG images, optimizing, 67–70, 78–79
- Pointer hotspot tool, 83–84
- Polygon tool, 83
- pop-up previews, 400–401
- Portable Document Format (PDF), 315
- Position option, 321
- positioning, 138–139
- Positioning category, 141–142
- pound sign (#), 51, 126
- PowerYoga.com, 358–359
- predesigned pages, 407
- predesigned templates, 402
- Preferences dialog box, 27
- Preload Rollover Image check box, 275
- Preview in Browser button, 23, 59–60
- Preview/Debug, 59–60
- previewing
 - graphics/images, 72
 - pages in browsers, 59–60
 - pop-up previews, 400–401
- previewing pages, 59–60
- properties, displaying, 26
- Properties pane, 145
- Property Inspector, 25–26, 74, 147–148, 217
- publishing Web sites
 - cloaking, 108
 - downloading files, 105
 - FTP set up, 101–103
 - synchronizing local and remote sites, 105–107
 - tools, 100–101
 - uploading files, 104–105
- Put Newer Files to Remote option, 107
- PWS (Personal Web Server), 365

•Q•

.qt (QuickTime format), 299
 Quality option (Flash), 295
 Quick Tag Editor, 116–117
 QuickTime format (.qt or .mov), 299

•R•

.ra (RealAudio format), 301
 radio buttons, 321–323
 Rapid Development Services (RDS), 101
 ready-made external style sheets, 165–166
 RealAudio, 301
 RealAudio format (.ra), 301
 RealNetworks RealPlayer, 290
 RealVideo format (.rm or .rv), 299
 Recorded Commands, 115
 records, 359
 recordset
 creating, 383–384
 definition of, 379, 381
 using, 385–386
 Recordset dialog box, 383–384
 Recordset Paging option, 381
 Rectangle tool, 83–85
 regions, 386
 relative link, 32, 47–48
 relative position, 141
 Remote Info dialog box, 106
 Rename Class option, 156
 Rename ID option, 156
 Renaming dialog box, 156
 renaming files, 98–99
 Repeat option, 136
 Repeat Region option, 381
 Repeat Region server behavior, 387–388
 Repeat-X option, 136
 Repeat-Y option, 136
 Replay button, 115
 Report On drop-down list, 93
 Reports dialog box, 93
 request variables, 380
 Reset button, 329–330
 Reset Form option, 330
 Reset Position option (Tracing Image), 267
 Reset Size option, 294
 resizing frames, 242
 resizing images, 46
 resolution settings, 88
 resources
 domain name, 399–400
 Dreamweaver Exchange Site, 403

Favicon, 403
 links with pop-up previews, 400–401
 online selling, 401
 online survey, 402
 predesigned templates, 402
 protecting e-mail address from spammers,
 400
 traffic tracking services, 402
 Web standards, 403
 Restore Images OnMouseout option, 280
 Retain Line Breaks option, 41
 .rm (RealVideo format), 299
 rollover behavior, 271
 Rollover Image box, 275
 rollover image, creating, 274–275
 rollover links, 57, 159
 Rollover Links option, 159
 Root option, 48
 root site folder, 30–31
 rows, 211, 359
 Rule Definition drop-down list, 130, 154, 197
 rule options, CSS
 background, 135–137
 block, 137–138
 border, 139–140
 box, 138–139
 extensions, 143
 lists, 140
 positioning, 141–142
 type, 133–135
 .rv (RealVideo format), 299

•S•

Safari browser, 88, 97
 sans-serif, 131
 Save as Template dialog box, 250
 Save for Web & Devices dialog box, 66–67
 Scale option (Flash), 295–296
 screen readers, 16
 scrolling options, 142, 242
 search engines, 58–59, 356
 Select File dialog box, 83–84, 303
 Select Image Source dialog box, 43, 55, 71–72,
 97, 266
 Select Table command, 211
 Selector Name field, 149
 Selector Type drop-down list, 154
 selectors
 class, 125–126
 compound, 128–129
 ID, 126–127
 overview, 124

- selectors (*continued*)
 - tag, 127–128
 - _self target, 240
 - serif, 131
- Server Behaviors panel, 380–382, 391–392
- Server Model drop-down list, 372
- server technologies
 - Active Server Pages, 361
 - AJAX, 363
 - ASP.NET, 362
 - ColdFusion, 362
 - Java Server Pages, 362
 - overview, 360–361
 - PHP, 363
- session variables, 380
- shape tools, 83
- sharpening images, 77–78
- Show Category View, 146
- Show Events For setting, 273
- Show Only Set Properties view, 146
- Show option (Tracing Image), 267
- Show Region option, 381
- showControls parameter, 307
- sidebar, 126
- Single Line option, 326
- Site Definition dialog box, 30–32, 48, 94, 100, 337, 370–372
- site definition process, 29
- Site dialog box, 107
- Site FTP dialog box, 107
- site management
 - Check In/Out feature, 110–111
 - Contribute feature, 114
 - Design Notes, 111–114
 - Testing Server option, 110
- site map, 407
- Site Name text box, 30
- Site Reporting, 92–94
- Site root, 371
- Size drop-down list, 55
- size of frames, 242
- skin, 308–309
- Snap.com, 400–401
- Sort Table dialog box, 219–220
- sorting data, 219
- source (Src) option, 294, 305
- Source image attribute, 45
- spaces, in file names, 36
- spacing, 137–139, 222–223
- spam, 53, 400
- tag, 186
- special characters, 36
- Split Cell dialog box, 219
- Split Cell icon, 215
- split view, 13, 21, 190, 408
- Split view button, 22
- splitting cells, 219
- Spry AJAX widgets, 249
- Spry Collapsible Panel, 343–346
- Spry data sets, 380
- Spry Framework, 337, 363
- Spry Insert panel, 25
- Spry Menu Bar, 339–343
- Spry Tabbed Panel, 347–350
- Spry Validation Checkbox, 350–352
- SQL For Dummies*, 382
- SQL Server, 360
- Src (source) option, 294, 305
- Standard mode (HTML table)
 - choosing table's appearance, 211–213
 - overview, 208–209
- StatCounter.com, 402
- static position, 141
- static Web site, 357
- status bar, 26–27
- stored procedures, 379–380
- streaming, 300
- tag, 186
- Style option, 321
- style selectors, CSS
 - class, 125–126
 - compound, 128–129
 - ID, 126–127
 - overview, 124
 - tag, 127–128
- style sheets. *See also* Cascading Style Sheets
 - codes, 132
 - design time, 204–205
 - external, 130, 160–166
 - inline, 130
 - internal, 130
 - multiple, 15
- Submit button, 329–330
- Submit Form option, 330
- Summary for Selection pane, 145
- SurveyMonkey.com, 402
- Swap Image behavior, 276–282
- Swap Image dialog box, 280
- SWF files
 - inserting, 292–293
 - overview, 291
- Swish, 296
- Synchronize Files dialog box, 107

•T•

- Tab Index option, 321
- Table dialog box, 210–211
- Table Header tag, 214
- Table option, 211
- tables
 - accessibility, 214
 - alignment, using tables for, 222–223
 - alignment of cell contents in, 215
 - appearance, 211–213
 - background color, 215
 - cells, 214–215
 - creating, 208–219
 - creating layouts with, 16–17
 - definition of, 360
 - header, 215
 - importing data from other programs, 220–221
 - merging cells, 215, 217, 219
 - multiple columns, formatting, 215–217
 - nested tables, 223
 - overview, 207
 - sorting data, 219–220
 - spacing, using tables for, 222–223
 - splitting cells, 215, 219
 - word wrapping, preventing, 215
- tags
 - , 14
 - <body>, 172, 204
 - container <div>, 193–194
 - <div>, 180–186, 193–194, 198–199
 - editing, 116–117
 - , 186
 - <form>, 319, 324, 329–330, 333, 335
 - heading, 14, 39
 - , 183
 - <link>, 185
 - meta, 58–59
 - <p>, 182, 186
 - selectors, 127–128, 152–155
 - , 186
 - , 186
 - <td>, 214–215
 - <th>, 214–215
 - XHTML, 13–14
- Target Browsers dialog box, 92
- target frames, 237–239
- <td> tag, 214–215
- Template Assets panel, 260
- Template for Site list, 257
- Template Type list, 249
- templates
 - attaching, 260
 - best uses of, 246–247
 - creating, 247–258
 - creating new pages from, 256–257
 - detaching, 260
 - editable attributes, 255–256
 - editable regions, 247–248
 - identifying, 259–260
 - locked areas, 248
 - making global changes with, 258
 - overview, 246
 - predesigned, 402
 - saving any page as, 253–255
 - timesaving tips, 407
 - updating, 258
- Templates panel, 249
- Testing Server option, 110
- testing Web sites
 - in different browsers, 88–92
 - with Site Reporting feature, 92–94
- text
 - color, 134
 - formatting options, 133–135
 - inserting, 40–41
 - line height, 134
 - setting as link, 48–50
- text areas, 324–326
- Text Color swatch box, 55
- Text Field Validation widget, 350
- text fields, 324–326
- Text Insert panel, 25
- Text Only option, 41
- Text with Structure option, 41
- Text with Structure Plus Basic Formatting option, 41
- Text with Structure Plus Full Formatting option, 41
- text wrapping, 73–74
- Text-Align option, 138
- TextField text box, 325
- Text-Indent option, 138
- <th> tag, 214–215
- three clicks rule, 407
- Times font, 131
- Times New Roman, 131
- timesaving tips
 - backing up, 410–411
 - creating consistent design, 406–407
 - designing for your audience, 405–406
 - designing in Flash, 408
 - fast updates, 409–410
 - splitting the view, 408

timesaving tips (*continued*)

- three clicks rule, 407
- using Favorites Insert panel, 409
- using functional fonts, 408–409
- using predesigned pages, 407

title, 38

Title field, 23

_top target, 240

Totaltraining.com, 18–19

tracing image

- adding, 266–267
- overview, 265–267

traffic tracking services, 402

Transmit (FTP program), 103

Transparency slider, 267

transparent images, 68–69

triggers, 271

Type category, 132–135, 181, 184

TypePad program, 395

•U•

 tag, 185–186

underline, 57, 134

Underline Style drop-down list, 57, 159

uneditable regions, 247–248

unordered list, styling, 179–185

Update Files dialog box, 99

Update Library Items dialog box, 264

Update Pages dialog box, 264

Update Record option, 382

Update Template Files dialog box, 258, 259–260

updating

- Library items, 264
- templates, 258
- timesaving tips, 409–410

uploading, 104–105

URL (Web address), 12, 32, 97

Use Case-Sensitive Link Checking box, 32

User Authentication option, 382

•V•

V Space (vertical space) option

- Flash, 295
- Java, 314
- multimedia files, 306

vector graphics, 291

Vert option (HTML table), 215

Vertical Space image attribute, 45

vertical space (V Space) option

- Flash, 295
- Java, 314
- multimedia files, 306

Vertical-Align option, 138

video files. *See also* audio files

- Align option, 306
- Border option, 306
- Class option, 306
- codec, 313
- converting into Flash format, 310–313
- Flash video files, adding, 308–310
- formats, 297–300
- framerate, 312
- H (height) option, 305
- H Space (horizontal space) option, 306
- ID field option, 305
- inserting, 303–304
- linking to, 301–303
- overview, 297–298
- parameters, 306–308
- Parameters option, 306
- Play button option, 306
- Plg URL option, 306
- setting options for, 304–306
- Src (source) option, 305
- streaming, 300
- V Space (vertical space) option, 306
- W (width) option, 305

video formats

- AVI, 299
- Flash video, 290, 298–299
- QuickTime, 299
- RealVideo, 299
- Windows Media Video, 299

View Options button, 23

views

- code, 13, 21, 408
- design, 13, 21, 408
- split, 13, 21, 190, 408

Visibility options, 142

Visible option, 142

visited links, 57, 159

Visited Links option, 159

Vista, Windows, 72, 365

Visual Aids button, 23

Visual SourceSafe, 101

•W•

- W (width) option
 - Flash, 294
 - HTML table, 215
 - HTML tables, 212
 - Java, 314
 - multimedia files, 305
- W3C standard, 15
- W3.org, 403
- WAV format, 301
- Web address (URL), 12, 32, 97
- Web design
 - comparing, 14–19
 - developing new sites, 12–13
 - online resources, 399–403
 - overview, 11
 - timesaving tips, 405–411
- Web pages
 - adding images, 41–47
 - adding Library items to, 263
 - adding paragraphs and linebreaks, 39–40
 - adding tracing image to, 265–266
 - attaching external style sheets to, 162–163
 - changing properties of, 54–57
 - creating
 - with CSS layout, 169–171, 191–193
 - with New Document window, 34–36
 - from templates, 256–257
 - downloading, 105
 - editing online, 109
 - formatting headlines with heading tags, 39
 - inserting text from another program, 40–41
 - Java applets, inserting, 313–314
 - meta tags, 58–59
 - naming, 36
 - predesigned, 407
 - previewing, 59–60
 - saving as template, 253–255
 - title, 38
 - uploading, 104–105
- Web server
 - Active Server Pages, 361
 - ASP.NET, 362
 - ColdFusion, 362
 - connecting, 103–104
 - definition of, 30, 364
 - downloading files from, 105
 - FTP, setting up, 101–103
 - Java Server Pages, 362
 - local, 365–367
 - PHP, 363
 - uploading files to, 104–105
- Web sites
 - accessibility of, 16
 - defining root site folder, 30–31
 - downloading, 106
 - dynamic
 - adding dynamic images, 388–390
 - adding navigation to dynamic pages, 391–393
 - advantages of, 357–358
 - binding images, 389–390
 - creating new pages, 34
 - data connection, creating in Dreamweaver, 370–372
 - databases, 359–360
 - example of, 358–359
 - local Web server, setting up, 365–367
 - master-detail page set, 393–395
 - overview, 19, 356
 - permissions, 367–369
 - recordset, 385–386
 - Repeat Region server behavior, 386–388
 - search engine in, 356
 - server technologies, 360–363
 - setting up Dreamweaver for Mac, 376
 - versus static, 357
 - editing, 32–33
 - Flash SWF files, inserting, 292–293
 - index.html, 37–38
 - linking pages within, 48–50
 - links, 47–53
 - managing structure of, 12–13
 - old-school designs, 16–17
 - publishing, 100–101
 - cloaking, 108
 - downloading files, 105
 - FTP set up, 101–103
 - synchronizing local and remote sites, 105–107
 - tools, 100–101
 - uploading files, 104–105
 - site management, 109–114
 - site reporting, 92–94
 - testing
 - in different browsers, 88–92
 - with Site Reporting feature, 92–94
 - testing in different browsers, 88–92
 - uploading pages, 103–107

- Web standards, 403
- WebAssist.com, 401
- WebDAV, 101
- Webserver on a Stick (WOS), 363
- WebStat.com, 402
- Welcome screen, 21, 34–35
- White-Space option, 138
- width (W) option
 - Flash, 294
 - HTML table, 215
 - HTML tables, 212
 - Java, 314
 - multimedia files, 305
- Width image attribute, 45, 138–139
- Width option
 - Box category properties, 139
 - Positioning category properties, 142
- Windows Audio format (.wma), 300
- Windows Components dialog box, 365
- Windows Media Player, 290
- Windows Media Video format (.wmv), 299
- Windows Vista, 72, 365
- Windows XP, 72, 365
- .wma (Windows Audio format), 300
- Wmode option (Flash), 296
- .wmv (Windows Media Video format), 299
- Word program, 221

- WordPress program, 395
- Word-spacing option, 137
- workspace layouts, 22, 39–40
- WOS (Webserver on a Stick), 363
- Wrap field, 326
- WS_FTP program, 103
- wwwroot folder, 367–370



- X (Background-Position) option, 137
- XHTML tags, 13–14
- XP, Windows, 72, 365
- XSLT (Extensible Stylesheet Language Transformation), 382
- XSLT Transformation option, 382



- Y (Background-Position) option, 137
- Yahoo.com, 401



- Z Index, 142, 202–203