

Index

- absorption spectroscopy 301
- accelerated solvent extraction (ASE) 106, 107, 110, 117–18, 121–3, 135–6, 138, 139
 - future trends 731
- accelerators
 - CE 278
 - GC 198
- acid digestion bombs 595
- acid/base titration 155
- acousto-optical tuneable filter (AOTF) 32
- activation analysis 663–6
- adhesives
 - deformation 42, 43
 - SEC-FTIR 528
- adsorption 143–4
- adsorption chromatography 173, 234
- adsorption liquid chromatography 217
- affinity liquid chromatography 217
- Akron Rubber 40
- all-glass heated inlet systems (AGHIS) 352, 373
- Ameripol Synpol 39
- amperometry 673
- analytical atomic spectrometry 605–27
- analytical development 728–9
- anodic stripping voltammetry (ASV) 670
- Antek Fluoride Analyzer 596
- antiblocking agents, SFC 216
- antidegradants 35
- antioxidants 7–8, 41, 47–8, 718
 - CE 277
 - GC 197
 - GC-MS 466
 - GPEC 269
 - high-MW 144
 - hindered phenolic 141–3, 149
 - HPLC 248, 251
 - IC 273
 - LC-FTIR 493
 - MS/MS 403
 - NMR 334, 700
 - oligomeric 144
 - paper chromatography 220
 - polarography 672
 - polymer-bound 143
 - SEC 265
 - SFC-FTIR 479
- SFC-MS 484
- TLC 228–9
- UV/VIS spectrophotometry 308–9, 311
- XRF 636
- arc ablation 614, 626
- arc emission spectroscopy 615–17
- at-column LVI 191
- at-line SPE 431
- atmospheric pressure chemical ionisation (APCI) 357–8, 382–3, 386, 416
 - API 378
 - CE-MS 544
 - LC-MS 500, 505, 506–9, 510, 515–19
 - SFC-MS 481, 482
- atmospheric pressure ionisation (API) 351, 378–83
 - LC-MS 507, 510, 518, 519
 - QITMS 395
 - SFC-MS 481, 482
 - ToF-MS 393
- atmospheric pressure photoionisation (APPI) 357–8, 378, 386, 509–10
- atomic absorption spectrometry (AAS) 455, 608–13, 626
 - GC 456
 - IC 272
- atomic composition mass spectrometry (AC-MS) 356
- atomic emission detection (AED) 177, 178, 180–1, 193
 - GC 471, 472, 473, 474–5, 561–2
- atomic emission spectrometry (AES) 613–24
 - see also* inductively coupled plasma
 - ETA 615
 - GC 471–3, 474
 - GFAES 615
 - IC 272
 - LC-ICP 525–6
 - MIP-AES 471–3, 474, 614, 624
- atomic fluorescence spectrometry (AFS) 455, 605, 624–5
- atomic plasma emission spectroscopy (APES) 455, 614
- atomic plasma spectrometry 455
- atomic spectrometry, analytical 605–27
- atomisation temperature 606
- attenuated total reflectance (ATR) 220, 491
- automated multiple development (AMD) 221–2, 226, 559, 560
- automated Soxhlet 69, 71
- automated speciation analyser (ASA) 676

- Bayer 36, 40, 41
 Beer-Bouguer-Lambert law 305
 Beer-Lambert's law 307
 Beer's law 306, 307
 BFGoodrich 36, 37
 blowing agents 80
 boiling under reflux 134
 bonded silica phases 236, 237
 bonded-phase chromatography (BPC) 218
 Bragg's law 627, 629, 644
 bulk analysis 588
 bulk property detectors 178, 179, 241, 243
- calcium montanate 97
 calorimetric bombs 595
 capillary column SFC (cSFC) 174, 175, 206–8, 209, 210, 214–17
 MS 480, 481–2
 SFE coupling 438, 439–40, 443
 capillary columns 173–4, 184, 186
 capillary electrochromatography (CEC) 274, 545
 capillary electrophoresis (CE) 176, 245, 272, 273–8
 see also individual types
 CIP-MS 544
 FTIR 543
 high-performance 273–5
 hyphenated techniques 543–5
 LC-CE 547
 MS 544
 quantitative 275
 capillary GC (CGC) 184, 186, 190
 capillary gel electrophoresis (CGE) 274
 capillary HPLC 239–40
 capillary isoelectric focusing (CIEF) 274
 capillary isotachopheresis (CITP) 274
 capillary zone electrophoresis (CZE) 245, 274, 276
 MS 544–5
 UV 543
- carbon
 analysis 589
 combustion 595–6
 carbon dioxide 139–40
 SCF 84–5
 SFC 210, 211–12, 215, 216, 217
 SFE 89, 90–2
 carbon-blacks (CB) 34, 594
 cavitation 75, 76, 77–8
 certified reference materials (CRMs) 588, 589, 626, 637, 739, 744
 chain-stoppers, NMR 333
 charge-coupled devices (CCDs) 304, 614
 ICP-MS 620
 XRD 644
 charge-exchange (CE) 358
 spectra, SFC-MS 480
 charge-injection detectors (CID) 614, 620
 chemical analysis 588
 chemical ionisation (CI) 357–8, 359, 360, 362–7
 LC-MS 504
 MS 403, 405
 MS/MS 399
 SFC-MS 481
 chemical separation 589
- chemical shift 326
 chemically modified solid electrodes (CMSEs) 670
 chemiluminescence 319
 chemiluminescence detection of sulfur (SCD) 591
 chemiluminescence nitrogen detector (CLND) 177, 180–1, 193
 chemometric techniques 32, 302
 chip-based hyphenations 428
 chromatography 53, 171–273, 278–98
 see also hyphenation; individual types
 deformulation 692–5
 detectors 176–81
 dissolution modes 148
 future trends 54, 732–3
 mass spectrometry 350
 multidimensional 545–60
 PHWE on-line coupling 431
 precolumn hyphenation 428–9
 sampling methods 432–49
 speciation 675–6
 spectrometer coupling 179
 SWE 100
 ToF-MS 392
 XRF hyphenation 634
 chromatography-atomic plasma source emission spectrometry (C-APES) 455
 Ciba-Geigy database 19–20
 class-specific polymer/additive analysis 47–8
 cleanup 429
 LC 550–1
 multidimensional techniques 546
 SPE 128–9, 431
 closed systems, combustion 595–7
 closed vessels
 decomposition 598
 MAE 105–7
 microwave decomposition 602
 microwave dissolution 601
 microwave systems 102
 cohesive energy density (CED) 56
 cold extraction 75, 134, 139
 cold inlets 352
 cold plasma 657
 cold plasma ashing 593–4, 601
 cold split injection 189
 cold splitless injection 189
 cold trapping, MDGC 548
 cold vapour atomic absorption spectrometry (CV-AAS) 611
 collision-activated dissociation (CAD) 460
 collision-induced dissociation (CID) 384, 396, 399–400, 401, 402, 404–5, 411
 collision/reaction cell technology (CCT/CRC), ICP-MS 656–7
 colorimetric procedures 310
 column chromatography (CC) 175, 218, 230–73
 combustion 592, 593–7
 compendium methods 198–9
 compounding 2, 9
 computer-aided design 2
 concentration sensitive detectors 179
 conductometry 666, 667
 continuous flow NMR, LC 519–20
 continuous wave (CW) spectrometers 325

- continuous-flow fast atom bombardment (CF-FAB) 372
 CE-MS 544
 LC-MS 503, 504
cool on-column injection (COC) 188–9, 190, 198
corona discharge 382
 APCI 386
correlated spectroscopy (COSY) 337, 338
correlation time, NMR 328
coulometric electrochemical detection (CED), HPLC 250
coulometric titrations 673
coulometry 666, 667, 673–4
coupled sample preparation 449–52
coupled-column techniques 426, 429
cross-polarisation (CP) 327
cryofocusing, HS-GC 203
cryogenic grinding, SFE 90, 92
cryotrapping 59
crystallinity 148
crystallography 644, 645
cumene oxidation 47, 48
cure systems, rubber 35
curve-fitting techniques 31
cyclic voltammetry (CV) 670
cyclohexane extractables test 70
- databases 19–20
decafluorotriphenylphosphine (DFTPP) 356
decomposition 591–3, 597–9
decoupling, NMR 328
deformulation 13
 see also dissolution
 direct methods 691–710
 principles 29–50
degradation, ultrasound 81
delivery 9
densitometry, TLC 223, 226, 227, 229, 531
depolymerisation 152
derivatisation 588
 GC 193, 195, 198
 GC-MS 463
 SFE 94
 TLC 223
 UV/VIS spectrophotometry 310
derivative spectrophotometry 305
desorption chemical ionisation (DCI) 358, 360
 FAB 371
 mass spectrometry 364–6
 MS/MS 406
desorption techniques, mass spectrometry 351
desorption/ionisation (DI) 359, 383–5
destructive methods 588
dichloromethane (DCM) 113, 138
difference spectroscopy 305
differential pulse polarography (DPP) 671
differential refractive index (DRI), SEC 260
differential scanning calorimetry (DSC) 31
difficult matrix introduction (DMI) 192, 198
diffractometer 644
diffused reflectance IR Fourier transform spectroscopy (DRIFTS) 492, 493, 494
 LC-TLC 554
 SEC 558
 TLC 532, 533–4
- diffusion
 PFE 118
 SFE 91, 93
 spectrum 340
diffusion-limited extractions 85–6
diffusion-limited SFE 93
diffusion-ordered spectroscopy (DOSY) 330, 338–41
digestion flow systems, microwave 102
digestions 588
dilution 589
dimethyl methyl phosphonate (DMMP) 3
diode array spectrophotometers 304
dipole rotation 103
direct deposition SFC-FTIR (DD-SFC-FTIR) 476, 478
direct fluid injection (DFI)
 MS 451
 SFC-MS 480, 481–2, 484
direct injection 188–9
direct injection nebulisation (DIN)
 ICP-LC 525, 527
 ICP-MS 619
direct inlet (DI)-CIMS 413
direct inlet (DI)-EIMS 413
direct inlet (DI)-high-resolution mass spectrometry (DI-HRMS) 392
direct inlet (DI)-mass spectrometry (DI-MS) 409, 412
direct insertion probe (DIP) 352, 359
 MS 409, 412
 ToF-MS 393
direct ion chromatography 271
direct laser desorption, TLC-MS 541
direct liquid injection (DLI), LC-MS 499, 503–4, 513
direct mass-spectrometric polymer compound analysis 407–15
direct methods 52
 see also non-destructive analysis
 deformulation 691–710
direct pyrolysis mass spectrometry (DPyMS) 410
direct sample introduction (DSI)
 GC-MS 469
 ICP-MS 619
direct solid sampling (DSS) 589, 625–7
direct sonication 77, 78
direct spectrometric analysis 625–7
direct SPME-MS 451–2
direct temperature-resolved high-resolution mass spectrometry (DT-HRMS) 410
direct temperature-resolved pyrolysis mass spectrometry (DT-MS) 410
direct-coupling interfaces, SFC-MS 480
direct-coupling SFC-MS 481
direct-current glow-discharge spectrometry 617
direct-current plasma (DCP) 623–4
 AES 614, 623
 GC 473
direct-probe desorption/ionisation methods 408
direct-probe inlets 352
direct-probe mass spectrometry (DP-MS) 409, 737
direct-probe ToFMS (DP-ToFMS) 409
discriminant analysis (DA) 330, 408
dispersion devices, spectroscopy 303–4
dispersive IR spectrometers 312
dispersive mass spectrometers 386–7
dissolution 53, 63–4, 146–52, 591

- dissolution (*continued*)
see also deformation
 MAE 110
 solubility parameters 55
- dissolution/precipitation (DP) 134, 146–52
- distillation-extraction techniques 74
- double focusing 388
- double-focusing magnetic sector (DFS) 481
- dropping mercury electrode (DME) 671
- dry ashing 34–5, 593–5
 microwave ovens 603
- dry column chromatography 176, 231
- DSM Research database 19
- dual-wavelength spectrophotometers 304
- Dunlop 36, 38
- Dutch Food Inspection Service 17
- Dutch Regulations* 15–16
- dyes
 CE-MS 545
 FAB 370
 GC-MS 468
 HPLC 250–1
 LC-MS 514–15
 TLC 229
 UV/VIS spectrophotometry 311
 XAS 643–4
- dynamic headspace sampling (DHS) 204, 205
 gas chromatography 182
 GC-MS 469
- dynamic MAE (DMAE) 105
- dynamic SFE 87–8
 HPLC coupling 445
- echo-pulse technology 81
- economic impact 9–11
- elastomers
 CI 364
 FAB 371
 FI 373
 TLC 227, 228
- electroanalytical techniques 666–74
- electrochemical detectors 179, 666
 HPLC 241, 242–3
- electrochromatography 218
- electroerosion, ICP-MS 619
- electrogravimetry 666, 667
- electrohydrodynamic ionisation (EHD) 359
- electrolytic conductivity detector (ELCD) 177, 178, 180–1, 193
- electron capture detector (ECD) 177, 180–1, 186, 193
 HPLC 241
 SFC 208
 TLC 224
 TLC-LPS 541
- electron impact (EI) 357–8, 359, 360–2, 363
 DP-MS 409
 MS 403, 405, 411, 414, 539
 SFC-MS 480–1
 TLC 542
- electron spin resonance (ESR), multidimensional 561
- electron-capture negative ionisation (ECNI) 357, 482
- electron-probe microanalysis (EPMA) 627
- electronics packaging, IMS 417
- electrosmotic flow (EOF), HPCE 273
- electrospray chemical ionisation (ESCI) 507
- electrospray (ESP) 359
 LC-FTIR 491
 LC-MS 503, 504
- electrospray ionisation (ESI) 357–8, 378, 379–82
 CE-MS 544
 FTMS 396
 LC-MS 500, 504, 505, 506, 507, 514–15
 MS 676
 MS/MS 382, 403–4
 SEC-MS 529, 530
 SFC-MS 482
 TLC 538
 ToF-MS 393
- electrothermal atomic absorption spectrometry (ETAAS) 610–12, 613
- electrothermal atomisation atomic emission spectroscopy (ETA AES) 615
- electrothermal vaporisation (ETV) 591, 610
 ICP-MS 619, 653, 657
- element analytical methods 585–690
- element-selective-detection (ESD) 178
 GC 471
- eluent suppressed ion chromatography *see* ion chromatography
- emergence patterns, SCFs 83–4
- emission spectra 319
- energy dispersive spectrometry (EDS) 630
- energy dispersive XRF (EDXRF) 629, 630–1, 634, 635, 636, 637, 640–1
- enhanced solvent extraction (ESE) 117
 hybrid 123
- entropy of mixing 55
- environmental issues 5, 723–5
- EPA Toxic Characteristic Leaching Procedure 146
- EPDM 35
- epoxidised soybean oil (ESBO) 198
- equilibrium headspace sampling 202
- evaporative light scattering detector (ELSD) 177, 180
 CE 274
 GPEC 269
 HPLC 243, 252–4
 LC-MS 512
 NPLC 246
 SEC 260, 262, 263
 SFC 208, 211, 213, 216
- extended X-ray absorption fine structure (EXAFS) 642–3
- extended X-ray emission fine structure (EXEFS) 627
- external reference electrode (ERE) 668
- extraction 52–4, 172
see also individual types
 conventional technologies 59–81
 strategy 57–9
- fast atom bombardment (FAB) 359, 365, 367–72, 385
 CF-FAB 372, 503, 504, 544
 deformation 46
 DI 384
 DP-MS 409
 FAB/FIB/LSIMS 357–8
 LSIMS 368, 369, 372
 quantitative 369

- rubber 411
- TLC 542
- TLC-MS 539–40
- fast chromatography 232
- fast Fourier-transform (FFT) algorithms 313
- fast GC-MS 463, 464
- fast ion bombardment (FIB)
 - FAB/FIB/LSIMS 357–8
 - LSIMS 368, 369, 372
- fast liquid chromatography 240
- fast Soxhlet 71–2
- fast temperature programming, GC 186
- fatty acid methyl esters (FAME), GC 198–9
- fatty acids
 - CE 277
 - GC-MS 467
 - HPLC 251
 - hydrolysis 155
 - MAE 112
 - SFC 216
- fatty amides, TPLC 253
- Feststoff extraction (FEXTRA) 72
- field desorption (FD) 357–8, 359, 385
 - DP-MS 409
 - FAB 370–1
 - MS 373, 374–6, 403, 411
 - MS/MS 399, 405
 - TLC 538
- field ionisation (FI) 357–8, 359, 372–3
 - DP-MS 409
 - MS/MS 399
- fillers 721
 - hydrolysis 155
 - inorganic 34, 594–5
 - XRD 645–6
 - XRF 635
- fingerprints 12–13, 31
 - mass spectrometry 350
 - NMR 333
 - XAS 643
- fire gases, FTIR 316
- flame atomic absorption spectrometry (FAAS) 606–7,
609–10, 612, 613, 623, 675
 - microwave sample dissolution 102
- flame emission photometry 615
- flame emission spectrometry (FES) 455
- flame ionisation detector (FID) 98, 177, 178, 180–1, 185,
193–7, 199
 - HTGC 201
 - LC-GC 552
 - SFC 207, 208, 210–11, 214–17
 - SFE 450
 - SFE-SFC 443, 444
 - TLC 224
 - TLC-LPS 541
- flame photometric detector (FPD) 177, 178, 180–1, 186,
193, 591
- flame retardants 3, 8, 20, 718, 720
 - combustion 596–7
 - direct mass spectrometry 413
 - GC-MS 466
 - global market 10–11
 - grafting 143
 - HPLC 250
 - hydrolysis 153–4
 - IC 273
 - IR spectroscopy 318
 - NMR 334, 335, 701
 - polymeric 146
 - regulations 724
 - SFC 217
 - SFE 99
 - SFE-SFC 443
 - wet digestion 600
 - XRF 635
- flame thermionic detector (FTD) 193
- flash chromatography 231
- flash-pyrolysis, direct mass spectrometry 410
- Flory-Huggins theory 57, 91
- flow injection (FI) 649
 - ICP-MS 653
- flow programming, GC-MS 463
- flow-cell interface, LC-FTIR 490–1
- flow-injection analysis (FIA) 102
- fluorescence 319, 320–1, 605
 - liquid chromatography 231–2
 - TLC 222, 223–4
- fluorescence detectors (FLD) 177, 180–1, 241, 242, 320–1
- fluorescence line narrowing spectroscopy (FLNS), TLC 531
- fluorescence spectroscopy 322–3, 531–2
- fluorescence whitening agents (FWA) 322
- fluorimetry 320
- fluorine-induced sulfur chemiluminescence detector (FSCD)
178
- focused microwave-assisted extraction, atmospheric pressure
113–15
- focused microwave-assisted Soxhlet extraction (FMASE)
113
- focused microwave-enhanced extraction (FMW) 113–15
- food additives 16
 - GC 199
 - HPLC 251
- Food Additives Analytical Manual (FAAM) 16
- food packaging 713
 - AAS 612
 - elemental analysis 586
 - GC 197–8
 - GC-MS 467
 - NMR 333
 - regulations 15–16, 17
 - SFE 98
 - UV/VIS spectrophotometry 309
 - wet digestion 600
- forced-flow leaching 74–5
- forced-flow TLC (FFTLC) 226
- four-sector instruments, MS/MS 401
- Fourier-transform infrared (FTIR) 177, 180–1, 193, 313–18
 - CE 543
 - deformulation 696
 - future trends 733–4
 - GC 456, 457–9, 561
 - HPLC 241, 489, 490–6
 - HP TLC 533–4
 - hydrolysis 153–4
 - LC 490–6
 - multihyphenation 524
 - polymer-bound stabilisers 143
 - postcolumn hyphenation 453–4

- Fourier-transform infrared (FTIR) (*continued*)
 RPLC 492, 494
 rubber 40–1
 SEC 527–9
 SFC 211, 216, 475–9
 SFE 450–1, 452
 TLC 227, 532–5
- Fourier-transform ion-cyclotron resonance (FTICR) 356
 DP-MS 409
 mass spectrometry 386, 395–8, 744
 MS/MS 402
- Fourier-transform mass spectrometry (FTMS) 263, 395–8
 ESI 381
 LC 511–12
 MALDI 707
 SEC 261, 529, 530
- Fourier-transform NMR spectroscopy (FTNMR) 323, 326, 327, 329
- Fourier-transform Raman, TLC 535–8
- fractional extraction 62, 65
- fractionation of polymers, SFE 100
- fragmentation 385, 406
- free induction decay (FID) signal 326
- free solution (FS) capillary zone electrophoresis 274
- full scanning acquisitions 353
- fundamental influence coefficients (FIC) 632–3
- fundamental parameter methods (FPM) 632–3
- furnace ashing 34
- fused silica columns 184
- fusion 592, 604–5
- gamma-ray spectrometry 662
- gas chromatography (GC) 173–6, 181–205
see also individual types
 AAS 456
 AED 472, 473, 475, 561–2
 ESD 471
 FTIR 456, 457–9, 561
 future trends 732–3
 GC-CT-IR 457
 GC-FTIR-MS 458, 459
 GC-GC 547, 549–50
 GC-ICP-MS 473–4, 475
 GC-MIP-AES 471–3, 474
 GC-MIP-MS 473, 475
 GC-SMB-MS 463, 464
 hydrolysis 154
 hyphenation 456–75, 735
 in-process analysis 738
 inlets 352
 LC 551–2, 556
 MS 33, 131, 187, 385, 456, 459–71, 549
 MS/MS 402
 multidimensional 548–50
 NMR 456
 on-line sample preparation 432
 PID 386
 plasma source detection 471–5
 QITMS 395
 quantitative 193
 rubber 34
 SEC 555–6, 557
 SFC 212, 550
 SFE 433–6
 SPE 436–7, 549
 SPME 131, 437–8
 TLC 548–9, 559–60
 ToFMS 459–60, 549
 UV 562
- gas-liquid chromatography (GLC) 175, 181
- gas-phase extraction, MAP 116
- gas-phase introduction, ICP-MS 619
- gas-phase ionisation methods 358
- gas-phase techniques, mass spectrometry 351
- gas-solid chromatography (GSC) 175, 181
- gel permeation chromatography (GPC) 257
- global market 9–11
- glow-discharge (GD) 359
- glow-discharge mass spectrometry (GD-MS) 649, 651–2
- glow-discharge optical emission spectrometry (GD-OES) 617–18
- glow-discharge spectrometry (GDS) 617–20
- Goodyear 39
- gradient elution (GE) 267–71
 HPLC 233, 234, 248, 267, 269
 RPLC 247
- gradient polymer elution chromatography (GPEC) 267–71, 553
- grafting 142–3, 722
- graphite furnace atomic absorption spectrometry (GFAAS) 489, 606–7, 610–12, 613, 626, 675
- graphite furnace atomic emission spectroscopy (GFAES) 615
- gravimetric weight loss methods 95
- group method, FTIR 317
- groupwise additive analysis 261, 693
- gyromagnetic ratio 324, 326
- Hadamard transform ToF-MS (HT-ToFMS) 391
- Hall detector (ELCD) 177, 178, 180–1, 193
- Hamiltonian 327–8, 337
- hanging mercury dropping electrode (HMDE) 669
- headspace gas chromatography (HS-GC) 202–5
- headspace solid-phase microextraction (HS-SPME) 432
- headspace sorptive extraction (HSSE) 133
- heat extraction 29
- heat stabilisers 718
 CE 277
 ICP-AES 622
 speciation 676
- heteronuclear chemical shift-correlation spectroscopy (HETCOR) 338
- heteronuclear multiple quantum coherence (HMQC) 338
- HFIP 99
- hierarchical clustering 408
- high-intensity ultrasonics 75, 76
- high-MW samples 144–6
 chromatography 176
 dissolution 148, 149
 FAB 370
 ToF-MS 393
 TPLC 253
- high-performance capillary electrophoresis (HPCE) 273–5
- high-performance liquid chromatography (HPLC) 65, 174, 175, 176, 231–57
 AAS coupling 455–6

- CE 274, 276
deformulation 692
detectors 240–1
dissolution 149, 150
FD-MS 376
fluorescence detection 322, 323
FTIR 489, 490–6
FTMS 396
MAE 108, 110–11
MS 498
multidimensional 553
multihyphenated techniques 489–527
NMR 489
NMR-MS 522, 523
phase selection 238
quantitative 243
rubber 34
SEC 259–60
SFC 212
SFE 444–7
SPE 124, 447–9
SPME 131, 449
TLC 226, 554, 559
UV-ELSD 489
UV-NMR/MS 523, 524
high-performance precipitation liquid chromatography (HPPLC) 267
high-performance size-exclusion chromatography (HPSEC) 257–67
high-performance thin-layer chromatography (HPTLC) 174, 175, 221–30, 533–4
high-pressure asher (HPA) 598–9, 600, 661
high-pressure microwave systems 602
high-pressure solvent extraction 81–104
high-resolution capillary gas chromatography (HR-CGC) 190
high-resolution continuous wave spectroscopy 323
high-resolution mass spectrometry (HRMS)
DI 392
DT 410
ICP 656
SFE-SFC 483
high-resolution nuclear magnetic resonance spectroscopy (NMR) 323–41
high-resolution UV spectroscopy 302–3
high-speed gas chromatography (HS-GC) 175, 186–7
HS-GC-MS 470
high-speed LC (HSLC) 240
high-speed TLC (HSTLC) 174, 175, 226
high-temperature gas chromatography (HTGC) 176, 200–1
MS 461, 465
high-temperature liquid chromatography (HTLC) 252, 253–7
high-throughput screening (HTS), HPLC 240
Hildebrand solubility parameters 56, 91, 135
PFE 119, 120, 121
hindered amine light stabilisers (HALS) 48, 140, 719, 721–2
dissolution 150
grafting 143
hydrolysis 155
indirect methods 591
SEC 263
TPLC 253
hindered amine stabilisers (HAS) 47–8, 253–5, 731
hindered amine thermal stabilisers (HATS), high-MW 145
hindered phenolic antioxidants
dissolution 149
nonbound 141–3
polymer-bound 141–3
hindered phenols 47–8
Hoechst database 19
hot inlets 352
hot solvent extraction 117
hot split injection 188–9
hot splitless injection 188–9
hot-ball model 85–6, 118, 435
hot-block extraction 66–7
Hummel/Scholl infrared databases 19
hybrid supercritical fluid extraction/enhanced solvent extraction 123
hydride generation (HG)
atomic absorption spectrometry 611
ICP-MS 619
hydrodynamic voltammetry (CV) 670
hydrogen
analysis 589
combustion 595–6
hydrolysis 152–5
hydrolysis stabilisers 317–18
hyperthermal surface ionisation (HSI) 461
hyphenation 65, 179, 425–584
future trends 735–6
IR 316
ICI database 19
impact modifiers 718
in situ polymer/additive analysis 46–7
in-fibre derivatisation, SPME 133
in-line SPE 431
in-polymer analysis 46, 148
future trends 736–8
MAE 107
PFE 123
SFE 95
in-polyolefin additive analysis 122
in-process analysis 29, 738–9
in-source fragmentation, ESI 380
in-vial LSE 66–7
indirect methods 52
see also destructive methods
HALS 591
sonication 77, 78
inductively coupled plasma (ICP) 359
HRMS 656
LC 525–7
SFC 487–8
inductively coupled plasma (ICP)-AES 614, 619–23, 652, 654, 675–6
atomic spectrometry 606–7, 609, 611
LC 525–6, 527
SFC 488
inductively coupled plasma (ICP)-MS 177, 180–1, 193, 619, 621, 626, 649, 652–9, 675–6
API 378
atomic spectrometry 606–7

- inductively coupled plasma (ICP)-MS (*continued*)
 CE 274, 544
 GC 471–2, 473–4
 HPLC 239
 HTLC 257
 IC 272, 273
 isotope dilution 660–1
 LC 525, 526–7
 SFC 211, 488
 sulfur determination 590, 591
- infrared (IR) 31, 301, 302, 311–18
 see also individual types
 2D 561, 562
 deformulation 696
 grafting 143
 polymer extracts 42–3, 45
 postcolumn hyphenation 453
 quantitative 315
 SEC 260
 SPME 451, 452
 TLC 532–5
- injection systems 187–90
- inlet systems, mass spectrometry 352–3
- inorganic analytical methods 585–690
- inorganic fillers 34, 594–5
- inorganic mass spectrometry 648–62
- insoluble additives 146
- instrumental analysis 588
- instrumental neutron activation analysis (INAA) 663, 665, 666
- interferogram 313
- intermittent extraction 63–4, 73–4
- intermittent MAE 105
- internal reference electrode (IRE) 668
- internal standards (IS) 589
 AAS 609
 ICP-MS 655
 XRF 632
- ion beam analysis methods 662
- ion chromatography (IC) 271–3, 276–7
- ion evaporation 358
- ion mobility spectrometry (IMS) 415–17
 hyphenated technology 470–1
 SFC 211, 213
- ion sources, mass spectrometry 357–86
- ion trap MS 402, 406
- ion-cyclotron motion 395–6
- ion-exchange chromatography (IEC) 173, 221
- ion-exchange liquid chromatography 217
- ion-molecule reaction (IMR) 358
 GC-IMR-MS 464–5
 mass spectrometry 366–7
- ion-selective electrodes (ISEs) 271–2, 668
- ion-selective field effect transistors (ISFET) 668
- ionic conductance 103
- ionisation potentials (IPs) 385
- ionspray (IS) 379
 LC-MS 505
- isocratic mode, HPLC 233, 234
- isoelectric focusing 274
- isotachopheresis 273
- isothermal GC 186
- isotope dilution analysis (IDA) 588, 589, 662
- isotope dilution inductively coupled plasma-mass spectrometry (ID-ICP-MS) 660–1
- isotope dilution mass spectrometry (IDMS) 659–62, 675
- isotope dilution thermal ionisation MS (ID-TIMS) 648
- isotope distributions, MS 354–5
- Karl Fischer (KF) technique 673–4
- Kjeldahl nitrogen analysis 598, 599
- Kubelka-Munk theory 224
- Lab-on-a-chip (LOC) 730
- large-volume injection (LVI) 192
 GC 190–1
 GC-MS 469–70
 on-column injection 191
 rapid 191
 SFC 207
 SPE-GC 436–7
- laser ablation (LA)
 ICP-MS 619, 653
 LA-ICP-MS 649, 657, 659
 LA-ICP-ToFMS 744
- laser atomic spectrometry 606
- laser desorption ionisation (LDI) 357–8
- laser desorption (LD) 359, 385, 744
 deformulation 46
 FTCIR 396
 future trends 737
 GC-MS 470, 549
 MS/MS 399
 TLC-MS 540
- laser desorption MS (LDMS), TLC-MS 541, 542
- laser mass spectrometry (LAMS) 428
- laser microprobe MS (LMMS), TLC-MS 541, 542
- laser pyrolysis scanning (LPS), TLC 541, 560
- laser-acoustics 77
- laser-based MS methods 261
- laser-enhanced electron ionisation (LEI) 562
- laser-induced fluorescence (LIF) 177, 180–1, 242, 274
- layer chromatography 218
- LC Transform 478, 491, 493, 496, 524
- legislation 5, 723–5
- light sources, spectroscopy 303
- light stabilisers 144, 718
 global market 11
 HPLC 248
- liquid adsorption chromatography at critical conditions (LACCC) 267
- liquid chromatography (LC) 174, 176, 217–73
 see also individual types
 FTIR 490–6
 FTMS 511–12
 future trends 733
 GC 551–2, 556
 hyphenated techniques 522–5, 735–6
 ICP 525–7
 ICP-MS 653
 LC-CE 547
 LC-LC 547
 MS 353, 378, 380, 385, 451, 489, 496–519
 MS/MS 512

- multidimensional 550–8
- NMR 519–22
- NMR-MS 522, 523
- plasma source detection 525–7
- QITMS 395
- QMS 390
- sampling methods 432
- SFC 212, 554
- SPE-LC-MS 448
- TLC 554
- UV 489
- UV-NMR/QITMS 523
- liquid chromatography under critical conditions (LCCC) 553
- liquid secondary-ion mass spectrometry (LSIMS) 357–8, 368, 369, 371–2, 382
 - DI 384
 - LC-MS 504
 - MS/MS 405
 - TLC-MS 540, 542–3
- liquid-liquid chromatography (LLC) 218
- liquid-liquid extraction (LLE) 60, 123–4, 146
 - dissolution 152
 - gas chromatography 182
 - LLE-GC-MS 470
 - SPE 127
- liquid-phase extraction, MAP 116
- liquid-solid chromatography (LSC) 236
 - see also* adsorption chromatography
- liquid-solid extraction (LSE) 60–1, 62, 65–6, 146
 - in-vial 66–7
- liquids 8
 - deformulation 42, 44
 - gas chromatography 182
 - IR 314
- low-MW samples
 - dissolution 150
 - HPLC 247
 - RPLC 235
 - SEC 261, 262, 263, 265
 - SFC 213–14
- low-power ultrasonics 77
- low-pressure GC-MS 464
- low-pressure microwave systems 602
- low-resolution pulse NMR spectroscopy 323
- low-voltage electron impact (LVEI) 360
- lower halogenated subsidiary colours (LHSC) 229
- lubricating oils
 - FAB 370
 - GC-MS 465
 - HPLC 251–2
 - ICP-AES 622
 - NMR 334
 - SEC 266
 - SFC 217
 - TLC 228
 - XRD 646
 - XRF 636
- luminescence 301
- luminescence spectroscopy 318–23

- macro analysis 588
- macro-PIXE 641
- magnetic resonance imaging (MRI) 323

- magnetic sector analyser 387–8
- major element analysis 588
- mass analysers 386–407
- mass filtering 386
- mass resolution 354
- mass scale 353
- mass sensitive detector 179
- mass spectrometry (MS) 177, 178, 180–1, 193, 351
 - see also individual types; inductively coupled plasma*
 - CE 544
 - CEC 545
 - deformulation 701–9
 - future trends 734–5
 - GC 456, 459–71, 549
 - GPEC 269
 - HPLC-NMR 522
 - HPLC-UV-NMR 523, 524
 - HTGC 201
 - hyphenations 428, 479–86, 496–519
 - inorganic 648–62
 - LC 489, 496–519
 - LC-NMR 522, 523
 - MIP-MS 177, 180–1, 193, 473, 474, 624
 - organic 349–423
 - polymer extracts 45, 46
 - postcolumn hyphenation 453–5
 - PyGC 31, 463
 - SEC 527, 529–30
 - SFC 209, 211, 479–86
 - SFE 451
 - SPE-LC-MS 448
 - speciation 676, 677
 - TLC 538–43
- mass spectrum 353
- masterbatches 7
- matrices 30
 - atomic spectrometry 607
 - digestion procedures 591
 - ICP-MS 621
 - LC-FTIR 492
 - matching 589
 - removal methods 588–9
 - SFE 90
 - XRF 631–2
- matrix-assisted laser desorption ionisation (MALDI) 357–8
 - FTMS 396, 707
 - TLC 539
 - TLC-MS 541
- matrix-assisted laser desorption ionisation (MALDI)-ToFMS 384, 428
 - deformulation 702–9
 - future trends 735
 - SEC 529–30
- matrix-assisted laser desorption (MALD) 359
- matrix-assisted particle-desorption techniques 368
- membrane extraction with sorbent interface (MESI) 124, 438
- membrane techniques 139
- metal concentrations, XRF 637
- metastable atom bombardment (MAB) 360, 367
- methanol-modified extracts 91
- micellar electrokinetic capillary chromatography (MECC/MEKC) 274, 277–8
- Michelson interferometer 313

- micro analysis 588
- micro column LC 240
- micro Dumas combustion 595, 597
- micro-destructive methods 589
- micro-HPLC 238–40, 445, 446, 492–3
- micro-PIXE 641
- micro-XRF 634
- micronisation 112
- microporous membrane liquid-liquid extraction (MMLLE) 124, 431
- microscale columns 231
- microwave catalysis 101
- microwave dielectric heating 101, 102–4
- microwave digestion bombs 595
- microwave oven digestion (MOD) 600–1
- microwave processing 102
- microwave sample preparation 102
- microwave spectroscopy 101
- microwave technology 101–4
- microwave-assisted decomposition 600–4
- microwave-assisted dissolution 102
- microwave-assisted extraction (MAE) 62, 63–4, 69, 104–17, 134, 135, 136, 138, 139
 - focused at atmospheric pressure 113–15
 - future trends 731
 - One-Step 79–80, 110, 111, 134
 - Soxhlet 113
 - two-step 110, 112, 134, 153
- microwave-assisted gas-phase extraction 116, 117
- microwave-assisted Kjeldahl technology 603
- microwave-assisted process (MAP) 110, 115–17, 136
- microwave-assisted solid sampling 102
- microwave-enhanced chemistry 101
- microwave-induced plasma (MIP) 359, 624
 - AES 471–3, 474, 614, 624
 - GC 471–2, 473–4
 - MS 177, 180–1, 193, 473, 474, 624
 - SFC 487–8
- miniaturisation 71, 123, 186, 261–2, 726–7
- mobile phase 172
 - column chromatography 231
 - HPLC 233, 234, 237
 - LC-FTIR 491–2
 - LC-MS 499
 - RPLC 235–6
 - SEC 258, 259
 - SFC 208, 210, 211
 - SFC-MS 481
- molar mass-chemical composition distribution (MMCCD) 553, 558
- molar mass-functional type distribution (MMFTD) 553, 558
- molecular beam for solid analysis (MBSA) 367
- molecular weight distributions (MWDs)
 - DCI 365
 - GPEC 269
 - SEC 257, 260, 261, 262, 263
- monoliths 184–5, 237
- monomers
 - GC-MS 465
 - IR spectroscopy 316
 - polarography 671–2
 - UV/VIS spectrophotometry 307
- Monsanto 36
- moving belt SFC-MS 480, 482
- moving-belt interface (MBI), LC-MS 500–1
- multi-element analysis 588, 589, 591
- multidimensional gas chromatography (MDGC) 548–50
- multidimensional HPLC (MDHPLC) 553
- multidimensional liquid chromatography (MDLC) 550–8
- multidimensional NMR spectroscopy 336–41
- multidimensional size-exclusion chromatography (MDSEC) 555–8
- multidimensional spectroscopy 560–2
- multidimensional supercritical fluid chromatography (MDSFC) 550
- multidimensional thin-layer chromatography (MDTLC) 558–60
- multidimensionality 425–584
- multihyphenation 425–584
- multiphoton ionisation (MPI) 385, 396–7, 541
- multiple headspace extraction (MHE), HS-GC 202
- multiple ion detection (MID)
 - CI 363
 - MS/MS 401
- multiwavelength analysis 305
- multiwavelength UV detectors, HPLC 242
- nanocomposites 646–7, 715
- National Physical Laboratory (NPL) 314
- near-infrared reflectance (NIR) 738
- near-infrared spectroscopy (NIRS) 32, 534, 738–9
- nebulisation 359
 - direct injection 525, 527, 619
 - pneumatic 619
 - ultrasonic 80, 619, 653
- nebuliser-based LC-FTIR 491
- negative ionisation mode CI (NCI) 362, 363
- neutral-loss scan mode 400
- neutron activation analysis (NAA) 589, 590, 626, 662–6
- NIST/EPA/NIH Mass Spectral Library 20
- nitroamines, rubber 35
- nitrogen
 - analysis 589–90
 - combustion 595–6, 597
 - dry ashing 594
 - Kjedahl analysis 598, 599
- nitrogen-phosphorus detector (NPD) 177, 179, 180–1, 193, 208
- No Dust Blends (NDB) 8
- NOESY 337, 520
- non-aqueous capillary electrophoresis (NACE) 275, 278
- non-destructive analysis 29, 81, 588, 589, 590
- non-pressurised microwave systems 602–3
- nonexclusion liquid chromatography (NELC) 267
- nonextractable additive analysis 140–6
- nonionic surfactants, SFC 213
- nonlinear mapping (NLM) 408
- nonmetallic elements 589
- nonpolar columns 185
- nonsolvents 57, 147
- nonspectroscopic detection systems 179
- normal bonded-phase chromatography (N-BPC) 236
- normal pulse polarography (NPP) 671
- normal-phase chromatography (NPC) 221, 246
- normal-phase gradient polymer elution chromatography (NP-GPEC) 268
- normal-phase HPLC (NPLC) 233–5

- normal-phase liquid chromatography (NPLC) 218, 233–5,
236, 241–2, 246, 248
- nuclear analytical methods (NAM) 662–6
- nuclear magnetic resonance imaging (NMRI) 328
- nuclear magnetic resonance (NMR) 301, 302, 323–41
2D 561, 562
deformation 696–701
GC 456
HPLC 489
HPLC-MS 522
HPLC-UV-MS 523, 524
LC 519–22
LC-MS 522
LC-UV-QITMS 523
multidimensional 336–41
polymer extracts 45
polymer-bound stabilisers 143
postcolumn hyphenation 454
pulsed field gradient 328–9, 339, 340
SFC 486
SFE 451, 452
TLC 224
two-dimensional 337–8
- nuclear microprobe (NMP) 641
- nuclear microscopy 641–2
- nuclear Overhauser effect (NOE) 327, 328, 337–8
- nuclear shielding 326
- octadecylsilane (ODS) 236
- odour analysis, HS-GC 205
- off-line extraction 62, 65, 88
- off-line multidimensional techniques 546
- oil industry, SCFs 83
- oligomers
antioxidants 144
DCI 365
direct mass spectrometry 414
ESI 381
GC 196
GC-MS 466
HPLC 248
IR spectroscopy 316
LC-MS 512–13, 517
mass spectrometry 352
MS/MS 402, 403
paper chromatography 220
SEC 263
SEC-MS 530
SFC 213
SFE-SFC 441, 443, 444
TLC 230
TPLC 255–6
- on-column injection, HTGC 200
- on-line extraction 62, 65
- on-line microwave-enhanced processes 603
- on-line sample dissolution, microwave 102
- on-line sample extraction, SWE 100
- on-line sample preparation, GC 432
- one-dimensional NMR (1D NMR) 326, 327, 329
- one-pack systems 7–8
- One-Step Microwave-Assisted Extraction (OSM) 79–80,
110, 111, 134
- one-step SFE 98
- One-Touch Soxtec 71
- open systems, combustion 593–5
- open tubular trapping (OTT) 124
- open vessels
decomposition 598
MAE 115
microwave systems 102
- open-tubular columns (OTC) 173–4, 184, 186
- optical brighteners 322, 323, 537
- optimisation
PFE 118
SFE 92–4
- organic acids, CE 277
- organic mass-spectrometry 349–423
- organic modifiers
HPLC 245
RPLC 235
SFC 210
- overpressured layer chromatography (OPLC) 174, 175,
225–6, 230, 560
- oxygen, combustion 595–6, 597
- oxygen flask methods 596, 597, 600
- oxygen selective detectors, GC 472
- oxygen-specific FID (O-FID) 177, 180–1, 193
- ozone-induced sulfur chemiluminescence detector (O-SCD)
180
- packed capillary columns
chromatography 173
HPLC 239
- packed column GC 184
- packed column SFC (pSFC) 175, 206–7, 208–9, 210,
215–17
MS 480, 481, 482
SFE coupling 438, 439–40, 443
TLC 550
- packed-bed SPE 124–5
- paints
deformation 42, 43
gas chromatography 196
- paper chemistry 46–7
- paper chromatography (PC) 175, 218–20
- paper coating 3
- Parr oxygen bombs 67, 595, 596
- particle beam (PB) 407
LC-FTIR 491
LC-MS 499, 500–3, 514, 515, 516, 518
mass spectrometry 361, 362
SFC-MS 480, 482
- particle size reduction 58
- particle-induced X-ray emission spectrometry (PIXE) 589,
627, 639–42, 662, 744
- partition liquid chromatography 217, 218
- pattern recognition (PARC) 408
- peak hopping mode 389
- Penning ionisation 367
- perfluorokerosene (PFK) 356
- perfluorotetrabutylamine (PFTBA) 356
- performance testing, SFC 211
- phenolic stabilisers, NMR 699
- phosphorescence 319
- phosphorous
NAA 666

- phosphorous (*continued*)
 NMR 330, 334–5
 oxygen flask methods 600
- photoacoustic IR detectors 312
- photoacoustic spectrometry (PAS) 534
- photodiode arrays (PDAs) 303–4, 614
 HPLC 242
- photoionisation detection (PID) 177, 178, 180–1, 386
 SFC 211
- photoionisation (PI) 385–6
- photoluminescence 319
- photolysis, GC 199
- photomultiplier tubes (PMT) 303, 606, 614
- photon activation analysis (PAA) 665
- pigments 5, 721
 PIXE 642
 TXRF 639
 XRD 647–8
- planar chromatography 218–30
- plasma desorption (PD) 357–8, 359, 384
- plasma mass spectrometry 455
- plasma sources
 GC 471–5
 LC 525–7
 MS 359
 SFC 486–8
- plasma-source mass spectrometry (PS-MS) 649
- plasmaspray (PSP) 377, 505–6
- plastic waste 32, 604
 AES 616
 XRF 637
- plasticisation, carbon dioxide 84
- plasticisers 5, 35, 718, 720–1
 direct mass spectrometry 412
 FAB 370
 gas chromatography 196–7
 GC-MS 466
 global market 10, 11
 HPLC 250
 IR spectroscopy 317
 NMR 332, 335
 polymer identification 31
 SEC 263, 264, 266
 SFC-NMR 486
 Soxhlet 70
 TLC 229
 UV/VIS spectrophotometry 308, 309
- plastics
 analysis 11–23
 PFE 122
- Plastics Identification System 315
- pneumatic nebulisation (PN), ICP-MS 619
- polarisation titrations 671
- polarography 666, 667, 671–2
- poly(alkylene glycols) (PAGs)
 SFC 216
 SFE 99–100, 139
- polyamide-based formulations, hydrolysis 154
- polycarbonate, HPLC 249
- polychlorinated biphenyls (PCBs) 78–9
- poly(dimethylsiloxane) (PDMS) 124
 SBSE 133
 SPME 129–30
- poly(ethylene glycol) (PEG), RPLC 248
- poly(ethylene terephthalate) (PET)
 dissolution 150
 hydrolysis 153
 ICP-MS 658
 luminescence spectroscopy 321
 MAE 112–13
 Parr bombs 67
 SFE 99
- Polymer Elemental Reference Material (PERM) project 588,
 613, 637, 661
- polymer extract analysis 42–6
- polymer-bound additives 143
- polymer-SCF interaction 84–5
- polymeric water treatment additives 278
- poly(methyl methacrylate) (PMMA), SFE 99
- polyolefins 2, 713–14, 715
 dissolution 149, 150
 GC 198
 global market 10
 HPLC 249–50
 LC-MS 515
 MAE 107, 110
 NMR 333
 SFC 216
 SFE-SFC 441
 UV/VIS spectrophotometry 310
- polyphthalamides (PPAs) hydrolysis 154
- polypropylene 2, 6
 Polysar Ltd 37
- polystyrene 57
- polyurethanefoams (PUFs) 117
- poly(vinyl chloride) (PVC) 4, 6, 717
 DOP 15
 gas chromatography 196–7
 global market 10
 HS-GC 205
 IR spectroscopy 317
 SEC 263
 SFE 96–7
 SFE-SFC 443
 TLC 229, 230
- positive ionisation mode CI (PCI) 362
- postcolumn hyphenation 426, 452–545
- postdigestion evaporation procedures 603
- potentiometry 666, 668–9
- powder diffraction technology 644
- pre-extraction procedures, SFE 90
- precolumn hyphenation 426, 428–49
- precursor scan techniques 408–9
- precursor-ion scan mode 400
- preparative gas chromatography 193
- preparative layer chromatography (PLC) 226
- preservatives, HPLC 251
- pressure digestion 601
- pressurised fluid extraction (PFE) 62, 63–4, 117–23, 134,
 135, 136
see also accelerated solvent extraction; enhanced solvent
 extraction
- pressurised hot water extraction (PHWE) 100–1
 MMLE-GC 431
 on-line coupling 431
 PHWE-LC-GC-FID/MS 552, 555
- pressurised liquid extraction (PLE) 117
- pressurised MAE 105–13

- pressurised microwave digestion (PMD) 602
pressurised solvent extraction (PSE) 117
pretreatment protocols, elemental analysis 588–9
principal components analysis (PCA) 330, 408
product lifecycle 12, 13
product-ion scan mode 400
programmed temperature vaporisation (PTV) 190, 191, 193, 199
 HTGC 200, 201
 SPE-GC 436–7
programmed-temperature sample introduction 187
programmed-temperature split injection 188
programmed-temperature splitless injection 188
pulse Fourier transform (PFT) spectrometers 325
pulse polarography 671, 672
pulse-echo methods 77, 81
pulsed field gradient NMR (PFG-NMR) 328–9, 339, 340
pulsed field gradient spin-echo experiment 339
pulsed glow-discharge spectrometry 617–18
pulsed gradient spin-echo (PGSE) 328–9
pulsed ionisation techniques 391
pulsed radiofrequency spark 614
pulsed-mode NMR 325–6
purge-and-trap GC-MS 469
pyro-hydrolysis 596
pyroelectric IR detectors 312
pyrolysis
 direct mass spectrometry 410
 future trends 737
 products 31
pyrolysis gas chromatography (PyGC) 41
 GC-MS 463
 MS 31, 46
pyrolysis mass spectrometry (PyMS), MAB 367
- quadrupole ion trap mass spectrometry (QITMS) 386, 393–5, 459, 515, 517–18, 523
quadrupole mass spectrometers (QMS) 389–90
 3D 655
 LC-MS 505
quadrupole TLC (QTLC) 560
quadrupole ToFMS (QToFMS) 401
quality assurance 136, 739
quality control 70
 future trends 739
 RPLC 252
quantum IR detectors 312
quartz tube atomiser (QTA) 456
- radiation non-destructive analysis 589
radioanalytical methods 662–6
radiofrequency (RF) heating 102, 103
radiofrequency (RF) mode, MS/MS 401
radiometry, TLC 222
radiotracer methods 662
Raman spectroscopy 274, 301, 302, 312
 future trends 734
 TLC 535–8
Raoult's law 202
rapid large-volume liquid sampling (RLVI) 191
reactive compounding 9
reactive extraction 155
recirculating extraction 88
reconcentration, gas chromatography 190
redox chemiluminescence detector (RCD) 177, 178, 180–1
reduced-flow LC-MS 503
reflectron 391
reflux extraction 67–8
refractive index detectors (RID) 177, 180–1, 241, 242, 243
regulations 5, 15–17, 723–5
relaxation, NMR 326
resistive heating, GC 186–7
resonance ionisation MS (RIMS) 649–50
resonance Raman (RR), TLC 536
resonance-enhanced multiphoton ionisation (REMPI) 360, 562
 MS 744
 ToFMS 428
retention indices (RI)
 GC-MS 462
 HPLC 240
 SEC 267
retention times, GC 185
reversed-phase chromatography (RPC) 146, 221
reversed-phase gradient polymer elution chromatography (RP-GPEC) 268, 271
reversed-phase liquid chromatography (RPLC) 218, 233, 234–8, 240, 241, 247, 248, 250
 FTIR 492, 494
 ICP-MS 527
 LC-GC 552
 LC-NMR 520, 521
 SEC 556, 557–8
reversed-phase sorbents 126
reversed-phase TLC (RPTLC) 230
reviews 18–19
rotation planar chromatography (RPC) 174
rubber 5–6
 AAS 612
 additive analysis 32–41
 CI 364
 DI 385
 direct mass spectrometry 411, 412–13
 FAB 411
 FD 375
 FI 373
 FTIR 317
 MS/MS 403–4, 405
 PFE 122
 polymer identification 30
 TLC 227–8
 UV/VIS 311
 XRD 646
- Sadtler IR Library 315
sample destruction analysis 591–605
sample introduction techniques 187–90
sample preparation 51–169
 future trends 731–2
 gas chromatography 182–4
 microwave 102
sampling 52
 GC-MS 468–70
scanning densitometry, TLC 531

- scanning mass spectrometers 386
 Schöniger oxygen flask combustion 595, 596
 screening method, TLC 225
 secondary-ion mass spectrometry (SIMS) 359, 368, 385, 649
 DP-MS 409
 TLC-MS 540–1
 ToF 213, 393, 436, 540
 sector analysers 387–9
 selected area diffraction (SAD) 645
 selected ion monitoring (SIM) 353–4, 389
 GC-MS 459, 466
 MS/MS 401
 selected ion recording (SIR) 353–4
 selective exclusion/transfer, GC 191, 192
 selective reaction monitoring (SRM) 400
 selectivity 138–40
 separation methods 171–298
 future trends 732–3
 shake-flask extraction 65–6, 134
 silicon NMR 336
 siloxane additives 141–2
 single-beam spectrophotometers 304
 single-element analysis 588
 single-photon ionisation (SPI) 360, 385
 size-exclusion chromatography (SEC) 173, 257–67
 deformulation 692, 693–5
 detectors 260
 FTIR 527–9
 future trends 733
 GC 555–6, 557
 hyphenated techniques 527–30
 MALDI-ToFMS 529–30
 MS 381, 527, 529–30
 multidimensional 553, 555–8
 quantitative 266
 RPLC 556, 557–8
 SFC 556
 size-exclusion electrochromatography (SEEC) 262
 size-exclusion liquid chromatography (SELIC) 217
 sliding spark source (SSS) 615–17
 slurry packed columns 231
 small-angle X-ray scattering (SAXS) 627, 648
 solid probe ToF-MS 392
 solid sampling Zeeman atomic absorption spectrometry
 (SS-ZAAS) 611, 613
 SS-GF-ZAAS 626, 627
 solid-fluid-vortex extraction 72–3
 solid-phase extraction (SPE) 60, 124–9, 139, 146
 deformulation 692–3
 gas chromatography 182
 GC 436–7, 438, 549
 HPLC 447–9
 LC-MS 451
 MS 451
 precolumn hyphenation 429, 431
 SPME 132
 solid-phase microextraction (SPME) 124, 129–33, 139, 182
 GC 432, 437–8
 HPLC 438, 449
 infrared detection 451, 452
 microwaves 102
 precolumn hyphenation 429, 431
 SPE 132
 solid-state speciation analysis 674–7
 solids 7
 deformulation 42, 43
 direct spectrometric analysis 625–7
 SFE 99
 Soxhlet 68
 solubility criteria 55
 solubility curves, SFE 90
 solubility limited SFE 93
 solubility parameters 55–6, 59, 91, 134
 PFE 119, 120, 121
 solute property detectors 178–9
 HPLC 241
 solvency 55
 solvent effect 190, 302
 solvent elimination LC-FTIR 491–2, 493
 solvent extraction 29, 53–4
 solvent modifiers 91
 solvent strength parameter 237
 solvent suppression methods, LC-NMR 520
 solvent venting 188–9
 solvents
 classification schemes 54
 extraction 59–75, 81–104
 NMR 331
 pressurised MAE 106
 sample preparation 54–7
 SCFs 83, 84
 selectivity 237
 sonic spray ionisation (SSI), LC-MS 508–9
 sonication 69, 75–81, 134–5, 139
 sonochemistry 75, 76
 sonoelectrochemical analysis 80
 sonoprocessing 75
 sorbent extraction 123–33
 sorption methods 431
 Soxhlet extraction 59, 62–4, 67–72, 89, 106–7, 113, 134–9
 Soxtec 63–4, 71–2, 106–7, 138
 Soxtherm 71–2
 spark ablation 626
 spark emission spectroscopy 615–17
 spark-source mass spectrometry (SS-MS) 648, 649, 650–1
 speciated isotope dilution mass spectrometry (SIDMS)
 674–5
 speciation 588, 650, 674–7
 spectrochemical detector 606
 spectrofluorometers 319
 spectrometers
 dispersive 312, 386–7
 MS 386–7
 NMR 323–4, 325
 QMS 389–90, 505, 655
 spectrophotometers 303–4, 307
 spectroscopy/spectrometry 32, 299–348
 see also hyphenation; *individual types*
 coupled sample preparation 449–52
 deformulation 696–701
 detectors 179
 future trends 733–4
 GC 456–9
 rubber 33
 spin coupling constant 326
 spin-echo experiments 328–9
 spin-lattice relaxation time 326–7
 spin-spin relaxation time 327

- split injection 188–9, 190
split-beam spectrophotometers 304
splitless injection 188–9, 190
splitting 190
Sprouse Library of Polymer Additives 19, 315
sputtered neutral MS (SNMS) 649
stabilisers 3, 140–1
see also individual types
adsorption 143–4
delivery 9
grafting 142–3
heat 277, 622, 676, 718
hydrolysis 153
light 11, 144, 248, 718
luminescence spectroscopy 322
NMR 332, 333, 334, 335
phenolic 699
polymer-bound 143
SFC 216
UV 144, 248–9, 265, 307, 371, 466
vinyl 622
standard addition 589
standard hydrogen electrode (SHE) 668
standard reference materials (SRM) 115, 663
standardisation 15–17
static extraction, SFE 87
static headspace sampling (SHS)
gas chromatography 182, 202, 203–5
GC-MS 469
static mercury drop electrode (SMDE) 671
stationary phase
coatings 185
column chromatography 230–1
HPLC 237
RPLC 236
SEC 258–9
SFC 210, 211
steam distillation-solvent extraction (SDE) 74
stir bar sorptive extraction (SBSE) 124, 133, 431
stopped-flow mode, LC-NMR 520, 521
stripping voltammetry (SV) 670
styrene monomer, HS-GC 205
subcritical water extraction (SWE) 100–1, 553
sulfated ash test method 600
sulfur 590–1
combustion 597
ICP-AES 623
ICP-MS 658–9
rubber 35
sulfur chemiluminescence detector (SCD) 177, 193
supercritical fluid chromatography (SFC) 135, 174, 176, 205–17
FTIR 475–9
GC 550
HPLC 245
hyphenated techniques 475–88, 735
LC 554
MS 479–86
multidimensional 550
NMR 486
plasma source detection 486–8
sampling methods 432
SEC 556
SFC-SFC 550
SFE 438–44
TLC 550
supercritical fluid extraction (SFE) 62, 63–4, 69, 83–100, 134, 135–8, 139
chromatographic coupling 432
ESE 123
FID 450
FTIR 450–1, 452
future trends 729–30, 731
GC 182, 433–6
HPLC 444–7
hybrid 123
LC-GC 552
MAE 110
MS 451
NMR 451, 452
PFE 120
precolumn hyphenation 429–31
quantitative analytical 94–100
SFC 438–44
SFC-MS 209
SFC-UV 446
SFE-GC-MS 470
SFE-SFC 135
SFE-SFC-FTIR 137
UV 450
supercritical fluids (SCFs) 81–5, 135, 139
supersonic molecular beam (SMB) 360–1
GC-MS 461, 463, 464
supply forms 7–9
supported liquid membrane extraction (SLM) 124
surface analysis 588
surface-assisted laser desorption ionisation (SALDI)
TLC 539
TLC-MS 541
surface-enhanced IR absorption spectra (SEIRAS), LC-IR 493
surface-enhanced Raman (SERS) 220, 536–8
surface-enhanced resonance Raman scattering (SERRS) 536–7, 538
surfactants
CE 278
FAB 370
LC-MS 513–14
NMR 335
SFC-MS 484
SFE 99
UV/VIS 310
synchrotron radiation X-ray powder diffraction (SR-XRD) 644
synchrotron radiation XRF (SR-XRF) 634
tandem mass spectrometry (MS/MS) 366, 385, 388, 398–407
API 379
direct mass spectrometry 412
ESI 382, 403–4
GC-MS 462
LC 512
QITMS 394, 395
SFC 482
TLC 542
tandem systems *see* hyphenation

- temperature-programmed liquid chromatography (TPLC) 252–7
- temperature-programmed packed capillary liquid chromatography (TP-CLC) 494
- temperature-programmed pyrolysis MS (TPPyMS) 410
- tetrahydrofuran (THF) 65
- dissolution 152
- HPLC 241, 242
- textiles
- CE 278
- SFC 217
- SFE 98–9
- SFE-SFC 443
- TLC 229, 230
- TXRF 639
- Thermabeam mass detector (TMD), LC-MS 502
- thermal conductivity detector (TCD) 177, 178, 180–1, 193, 194
- thermal desorption (TD)
- direct mass spectrometry 410
- ToFMS 410
- thermal detectors 179
- thermal energy detector (TEA), HPLC 250
- thermal ionisation isotope dilution (ID-TIMS) 660, 661
- thermal ionisation mass spectrometry (TIMS) 649, 660
- thermal IR detectors 312
- thermal-programmed solid insertion probe mass spectrometry (TP-SIP-MS) 410
- thermally assisted desorption for SPE (TASPE) 448
- thermo-analytical methods 737
- thermogravimetry (TGA), rubber 34, 35
- thermolysis-mass spectrometry 412
- thermoplastics 6
- GC-MS 465
- thermosetting polymers 141
- thermospray (TSP) 357–8, 359, 376–7
- ICP-MS 619
- LC-FTIR 491
- LC-MS 505–6, 513–14
- thick-layer chromatography 218
- thin-layer chromatography (TLC) 174, 175, 218–19, 221–30
- 2D planar 546
- CC 232
- deformulation 693
- DRIFTS 532, 533–4
- FID 175
- fluorescence spectroscopy 531–2
- FTIR 532–5
- future trends 733
- GC 548–9, 559–60
- high-performance 174, 175, 221–30, 533–4
- HPLC 554, 559
- hyphenated techniques 530–43
- infrared techniques 532–5
- LC 554
- MS 538–43
- multidimensional 558–60
- NIRS 534
- NPLC eluent 234
- Raman spectroscopy 535–8
- rubber 33, 35
- SFC 550
- SFE 432, 433
- UV 532
- XRF 531–2
- thin-layer electrochromatography 226
- three-dimensional quadrupole ion-trap mass spectrometer (3DQMS) 655
- time resolved spectroscopy (TRS) 316
- time-compressed chromatography (TCC) 463
- time-dependent perturbations 328
- time-independent perturbations 327–8
- time-of-flight (ToF) mass spectrometry (ToFMS) 354, 356, 386, 390–3
- API 379
- GC 459–60
- GC-GC 549
- ICP-MS 655
- LC-MS 505, 508, 511
- MALDI 384, 428, 529–30, 702–9, 735
- PD 384
- REMPI 428
- SEC 529–30
- TLC-MS 541
- time-of-flight (ToF)-SIMS 213, 393
- SFE-GC 436
- TLC-MS 540
- titrimetry 668
- Tölg pressure decomposition 598
- total analysis systems 427–8
- total correlation spectroscopy (TOCSY) 337, 338
- total organic analysis devices 522
- total reflection XRF (TXRF) 627, 634, 638–9
- trace elements 588, 592
- inorganic mass spectrometry 648
- solid-state speciation 674
- voltammetry 670
- tracers, XRF 636
- transmission electron microscopy (TEM) 646, 647
- transport devices, LC-MS 499
- triggered low-voltage arc discharge 614
- triple-stage quadrupole instruments (QQQ) 401–2, 406
- LC-MS 511
- tubular TLC 224
- twin-screw systems 8
- two-dimensional correlation analysis 336–7
- two-dimensional correlation spectroscopy 560–1
- two-dimensional GC 548–9
- two-dimensional gel electrophoresis 548
- two-dimensional NMR (2D NMR) 337–8
- two-step microwave-assisted solvent extraction (TSM) 110, 112, 134, 153
- ultra-thin layer chromatography (UTLC) 226
- ultrafast GC 187
- ultramartines 146
- ultrasonic atomisation 80
- ultrasonic cleaning systems 76
- ultrasonic nebulisation (USN) 80, 619, 653
- ultrasonically assisted extraction 77–81
- ultrasonication 63–4, 134, 138, 139
- ultrasound 75–81
- ultraviolet (UV) 44, 143, 301, 302–11, 696
- absorbers 647, 721
- CZE 543
- digestion 598

- future trends 733–4
- GC 562
- HPLC 245
- HPLC-NMR/MS 523, 524
- hyphenations 428
- IC 272
- LC 489
- LC-NMR/QITMS 523
- microscopy 738
- multidimensional 561
- postcolumn hyphenation 454
- SEC 267
- SFE 450
- SFE-SFC 446
- SPE-HPLC 448
- TLC 222–3, 532–3
- ultraviolet (UV) detectors (UVD) 177, 179,
180–1, 304
- CE 274, 277
- GPEC 269
- HPLC 241, 242
- SEC 260
- SFC 208, 210, 211, 214, 215
- ultraviolet (UV) stabilisers 144, 307
- FAB 371
- GC-MS 466
- HPLC 248–9
- SEC 265
- Underwriters extraction apparatus 61
- UniQuant 633, 635
- Uniroyal Chemical 36, 37

- vacuum distillation, GC-MS 469
- vacuum-ultraviolet (VUV) 385
- validation 136
 - chromatography 176
 - HPLC 245
- vapour sensors 416–17
- varnish industry, gas chromatography 196
- video densitometry, TLC 223, 229
- video documentation, TLC 225
- vinyl chloride monomer, HS-GC 205
- vinyl stabilisers, ICP-AES 622
- vitamin E 8, 246
- volatile organic compounds (VOCs)
 - dynamic headspace 204
 - MAP 117
 - SPME 133
- voltammetry 666, 669–72
- vulcanisation 34, 35
 - CI 364
 - direct mass spectrometry 413
 - HPLC 250
 - NMR 336
 - paper chromatography 220
 - polarography 672
 - UV/VIS spectrophotometry 311

- washing/soaking 65
- water
 - see also* pressurised hot water extraction
 - long-term damage 140
 - in polymeric materials 155
 - SWE 100–1, 553
 - treatment additives 278
- wavelength dispersive XRF (WDXRF) 627, 629–30, 631,
634, 635, 636
- waxes
 - dissolution 148
 - SFE 97–8
- wet ashing 597–8
- wet chemical analysis 152, 155
- wet digestion 592
- wet matrix digestion 597–604
- whiteners, TLC 229
- Wickbold method 593
- Wiley extractors 61

- X-ray absorption fine structure (XAFS) 642–3
- X-ray absorption near-edge structure (XANES) 642, 643,
644
- X-ray absorption spectrometry (XAS) 627, 642–4
- X-ray diffraction (XRD) 627, 644–8
- X-ray fluorescence spectrometry (XRF) 589, 626, 627,
628–39
 - polymer extracts 42, 43
 - TLC 224, 531–2
 - XRD 645
- X-ray spectrometry (XRS) 627–48

With kind thanks to Indexing Specialists (UK) Ltd of Hove for compilation of this index