

Index

- 3GPP 229
- 3GPP2 231
- 6to4 69, 283, 396, 398, 400
 - 2002:: 69, 75
 - relay 286–287
- 2002:: 283, 333, 335, 385

- AAAA 139, 144, 390
- Address 61, 79, 139
 - 6to4 69–70, 283
 - anycast 74, 273
 - auto-configuration 79
 - destination 143–144, 152, 154, 161, 198, 204, 205, 211, 215, 235, 265, 267, 279, 280, 281, 286, 297, 321, 359
 - duplicate address detection 117
 - IPv4-mapped 70
 - ISATAP 290
 - link-local 66, 116, 160
 - loopback 71
 - multicast 71, 270, 271
 - privacy 30, 244, 250
 - private 69
 - scope 66, 372
 - selection 143, 144
 - source 81, 143, 144, 161, 198, 202, 204, 279, 307, 359
 - temporary 244, 248, 250
 - Teredo 319
 - unique local 68, 389, 392, 404
 - unspecified 70
- Address plan 18, 387
- Address policy 385
- Address space 3, 16, 19, 61, 75, 76, 166, 385, 389
 - exhaustion 1, 2, 3, 4, 9, 27, 33
- Addrinfo 373
- Anycast 74, 265, 273
- Apache 381
- Application level gateway (ALG) 7, 21, 22, 357, 358
- Application Programming Interface (API) 371
- ARP 113, 115, 116, 117, 245, 246
- Authentication authorization and accounting (AAA) 316, 367
- Authentication header (AH) 50, 235
- Autoconfiguration 107, 173

- BGP 151, 159, 173, 183, 188, 192
- BGP4+ 159
- Binding update (BU) 197, 204, 207, 216
- Book web site 25, 244

- Care-of-address (CoA) 154, 197, 204, 214
- Care-of Test (CoT) 209, 216
- Care-of Test Init (CoTI) 208, 216
- CATNIP 28, 29, 48

- Checksum 45, 58, 359
 - ICMP 131, 132, 359, 363
 - TCP 58, 359
 - UDP 58, 226, 228, 243, 359, 362
- CIDR 8
- Cisco 101, 128, 137, 147, 179, 262, 335, 368
- Connecting
 - home network 394
 - single node 393
 - small network 394
- Correspondent node (CN) 204, 205, 207, 209–211
- Cryptographically generated addresses (CGA) 246

- Destination address 70, 81, 116, 120, 129, 143–144, 148, 152, 154, 161, 198, 204, 205, 211, 215, 235, 258, 265, 267, 279, 280, 281, 286, 297, 321, 329, 332, 335, 351, 352, 353, 359, 389, 392
- Destination options 52, 215
- DHCPv6 to DHCP 88, 92, 347
 - prefix delegation 92
- DIAMETER 367
- Differentiated services (Diffserv) 48, 255, 256
- Differentiated services code points (DSCP) 48
- DNS 139, 143, 144, 147, 148, 309, 310, 390
- Dovecot 384
- Dual-stack 277, 394
- Dual Stack Transition Mechanism (DSTM)
 - DHCPv6 347
 - TSP 349
- Duplicate address detection (DAD) 117, 123, 247

- Encapsulating Security Payload (ESP) 50, 239–244
- Ethernet 119
 - multicast 120, 121, 129
- EUI-64 80, 118–119, 388
- Explicit Congestion Notification (ECN) 48, 360
- Extension header 46, 47, 50, 53, 215
 - authentication header 50–51
 - destination options 50, 53, 204, 215, 249
 - Encapsulating Security Payload (ESP) 50
 - fragment header 50, 56
 - Hop-by-Hop option 50, 51, 53, 57, 249, 257, 258, 267
 - mobility 215
 - routing header 50, 51, 52, 53, 151–154
- Fd00:: 68, 69, 75, 76, 392
- Fe80:: 38, 39, 40, 42, 66, 67, 68, 75, 76, 87, 88, 102, 117, 126, 127, 128, 136, 137, 138, 155, 160, 174, 175, 176, 177, 178, 180, 184, 185, 190, 191, 290, 291, 293, 328, 392
- Filtering 244, 248, 249, 250, 251, 298
- Firewall 5, 10, 12, 13, 14, 16, 244
- Flow label 46, 49, 259
- Fragment 45, 52, 54–56
 - Fragment header 50, 52, 56
 - Fragment offset 45
- Fragmentation 45, 46, 52, 55, 59
- FreeBSD 38, 40, 79, 94, 97, 126, 143, 144, 146, 174, 190, 219, 248, 261, 275, 329, 338, 351, 371, 377
- Freenet6 33, 37, 41

- Gateway GPRS Support Node (GGSN) 229
- General Packet Radio Service (GPRS) 229
- Generic Route Encapsulation (GRE) 325
- Getaddrinfo 143, 373, 375, 377, 378
- Gethostbyname 143, 375, 377
- Getnameinfo 375, 377
- Global routing 9, 163
- Global Unicast 64, 74–76

- H ratio 2
- Handoff 200, 206, 212
- Header 44, 46, 47, 49, 50, 52, 53, 57, 215, 226
 - Authentication (AH) 50, 235
 - compression 57, 226
 - Encapsulating Security Payload (ESP) 50, 239
 - fragment 50, 52, 56
 - hop limit 45, 46, 47, 49, 134, 136, 226, 235, 245
 - mobility 215, 216
 - next header 45, 46, 47, 49, 50, 215, 216, 227, 235, 239, 243
 - payload length 45, 46, 47, 49, 53, 56, 57, 227, 239, 260
 - RoHC 57, 226, 227
 - routing 151
 - traffic class 48, 235, 256, 361
 - version 47, 48
- Header length 45, 215
- Hexadecimal 38, 62, 76, 140, 141, 272, 283, 290, 405
- Hexago 104, 129, 138, 147, 184, 222, 336, 353, 368

- Home agent (HA) 197, 202, 204, 207, 213, 214, 217
- Home network 17, 386, 394
- Home Test (HoT) 208, 216
- Home Test Init (HoTI) 208, 210, 216
- Hop-by-Hop options 51
 - jumbogram 51, 57
 - Router Alert 51, 257, 267
- Hop limit 49, 134, 136, 297
- Hourglass 21
- HTTP 7

- IANA 3, 8, 9, 33, 49, 73, 135, 272, 274, 290, 319, 325, 385
- ICMP
 - checksum 131, 132, 359, 363
 - hop limit 49, 133
 - packet too big 54, 133, 244, 296
 - time exceeded 49, 133, 134
- IEEE
 - EUI-64 65, 66, 80, 118
- IEEE 802.11 195
- IETF 2, 27
- Ifconfig 39, 79, 95–99
- IS-IS 151, 158, 173, 182, 187
- Inet_addr 375, 377
- Inet_ntoa 375, 377
- Integrated services (intserv) 256
- Interface identifier 65, 75, 80, 290, 319
 - EUI-64 65, 66, 80
- Interior Gateway Protocol (IGP) 155, 157, 158
- Internet Group Management Protocol (IGMP) 121, 266
- Internet Key Exchange (IKE) 235, 241, 246
- Intra-Site Automatic Tunnel Addressing Protocol (ISATAP) 290, 327, 395, 405
- IP security (IPsec) 204, 207, 211, 212, 234, 241, 245, 249
 - Authentication Header (AH) 50, 235
 - Encapsulating Security Payload (ESP) 207, 212, 239
- Ip6.arpa 139, 141, 145, 310
- IPng 27–29, 33
- IPv4 in IPv6 313, 345, 349, 351, 353
- IPv5 33, 255
- IPv6 in IPv4 37, 41, 277, 278, 283, 294, 300, 301, 305, 326, 327, 329–343
- Ipv6book.ca 144, 170, 300, 350, 388, 404, 406
- IPv6CP 122, 123

- IPv6Forum 33
- IPv4-mapped address 70, 75, 374

- Jumbogram 51, 56
- Juniper 105, 129, 138, 148, 184, 251, 342, 354, 368

- Kame 41, 143

- Lifetime 84, 93
 - tunnel 305
- Link 30, 40, 43, 54, 66, 68, 72, 74, 86, 89, 117, 122, 124, 136, 158, 160, 218, 225, 226, 229, 245, 246, 267, 270, 290, 296, 388
- Link-local
 - Address 38, 66, 81, 84, 88, 89, 91, 94, 108, 116, 117, 123, 155, 156, 158, 160, 231, 267, 269, 290, 372, 388, 390, 392
 - Interaction 246, 247
 - Scope 68, 72, 74, 372
- Linux 39, 40, 70, 96, 126, 137, 143, 144, 146, 176, 190, 221, 262, 275, 330, 338
- Loopback address 38, 39, 71, 75

- Management Information Base (MIB) 366
- Maximum Transmission Unit (MTU) 53–56, 121, 125, 133, 296
- Microsoft 68
 - domain 334
- Mobile node (MN) 202–207, 210–212, 394
- Mobile router (MR) 214
- MobileIP 52, 196, 202, 209, 215, 244, 397–399
 - binding update 197, 204, 207
 - care-of-address 197, 210, 211, 216
 - Care-of Test 209, 216
 - Care-of Test Init 208, 210, 216
 - correspondent node 198, 205, 207, 209, 211
 - handoff 201, 212
 - home agent 197, 202, 204, 207, 213, 217, 218
 - Home Test 208, 216
 - Home Test Init 208, 210, 216
 - IPsec 207, 211, 212
 - mobile node 195, 197, 394, 397–399
 - mobile router 214
 - network mobility 214
 - return routability 207
 - route optimization 200
- MobileIPv6 220, 221, 244
- Mobility 26, 32, 195, 202, 215, 219, 317
- Mobility header 215, 216, 219

- MRTG 383
- MTU 53–56, 125, 133, 296
 - tunnel 54, 121, 126
- Multi-link subnet 124
- Multi-topology 159
- Multicast 32, 245, 265
 - Address 3, 31, 40, 64, 71–74, 75, 76, 81, 92, 94, 120, 143, 156, 158, 163
 - group 135, 143, 245, 267–269, 270
 - listener discovery 267, 269
 - route 152, 392
 - routing 265, 267, 270, 392
 - solicited-node address 113, 117, 246
- Multicast Listener Discovery (MLD) 51, 267, 269
- Multihoming 9, 30, 32, 163–165, 166–170

- NAT 5, 11–17, 21, 22, 25, 37, 40, 260, 290, 294, 298, 300, 307, 317, 339, 395–403
 - static 281, 345
 - traversal 327
 - type 320
- NAT-PT 350
- Neighbor advertisement (NA) 115, 117, 118, 247
- Neighbor cache 117
- Neighbor discovery (ND) 32, 81, 113, 115, 118, 136
 - duplicate address detection 118
 - ICMP 81, 136
 - neighbor advertisement (NA) 115
 - neighbor solicitation 115, 118
 - Neighbor Unreachability Detection (NUD) 118
 - router advertisement (RA) 81, 136
 - router solicitation (RS) 83, 136
 - secure 246
- Neighbor solicitation (NS) 115–118, 247
- Neighbor Unreachability Detection (NUD) 118, 247
- Netsh 39, 99–101, 128, 147, 178, 250, 333–334
- Network Address Translation (NAT) 5, 22, 37, 260, 298
- Network mobility (NEMO) 214
- Next Header 46, 47, 49, 50
- No Next Header 52
- Node Information Query 143, 146

- On-link 83, 124
- OSPF 151, 157, 173, 181, 186, 191
- OSPFv3 157, 181, 186, 187, 270, 404

- Packet Data Protocol (PDP) 229
- Packet Data Serving Node (PDSN) 231
- Packet too big 54, 133, 244, 296
- Path MTU 52, 54
- Payload length 49, 53, 57, 260
- Ping 39, 99, 101, 103, 104, 135, 137, 138, 262
- Ping6 39, 96, 136, 137, 146, 262
- Point-to-Point 122, 129, 226, 228, 229, 289, 367
 - link 226, 228, 229, 281
 - Protocol (PPP) 122, 316, 367
- Postfix 382
- Prefix 3, 8, 18, 26, 65, 66, 68, 81, 108–109, 124, 151, 155, 156, 158, 159, 163, 214, 218, 229, 231, 247, 283, 287, 290, 309–312, 319, 386–387, 404, 406
 - advertisement 217
 - anycast 288
 - delegation 26, 41, 92, 123, 303, 327
 - filter 392
 - length 79, 88, 109, 111, 158, 159
 - lifetime 84–87, 109
 - multicast 271, 272
 - multiple 32, 82, 166, 167, 168, 170
 - text representation 63
 - home 203, 274
 - solicitation 217
- Privacy 30, 244
 - address 30, 250
- Private address 6, 14, 15, 17, 18, 21, 32, 69, 390, 404
- Protocol Independent Multicast (PIM) 270
- Provider 163–169
 - address assignment 8
 - network 19, 406
 - new 162
 - VPN 19
- PTR 140, 145

- Quality of service (QoS) 31, 48–49, 255–262

- Regional Internet Registries (RIR) 385
- Registries 3, 8, 9, 33, 166, 167, 385, 386
- Remote Authentication Dial In User Service (RADIUS) 367
- Remote procedure calls (RPC) 15
- Resource Reservation Protocol (RSVP) 51, 257, 259
- Return routability (RR) 207, 210
- Routing Information Protocol (RIP) 155, 175, 180, 186, 191

- RIPng 156, 186, 191, 404
- Robust Header Compression (RoHC) 57, 226
- Route optimization 200
- Route Policy Specification Language (RPSL) 406
- Route redirect 154, 175, 177, 180
- Router advertisement (RA) 81
 - on-link 83
 - prefix lifetime 84
 - router lifetime 83, 106, 108
- Router Alert 51, 257, 267
- Router ID 157, 160, 185
- Router lifetime 83, 106, 108
- Router renumbering 162, 168
- Router solicitation (RS) 83, 89
- Routing 151
 - BGP 159, 160
 - global 9, 163
 - header 50, 52, 53, 151, 205, 215, 216, 219
 - Internet 163
 - IS-IS 158, 159
 - multihoming 163, 164, 165, 166, 167, 168, 169, 170
 - OSPF 157, 158
 - RIP 155, 156, 157
 - route redirect 154
 - router ID 157, 160
 - source routing 151
 - static 155
- RPSLng 406
- Rtadvd 95, 220
- Scope or scoping 30–31, 66, 144, 274, 372, 390, 392
 - Ambiguity 68
 - Link 136, 156, 158, 388
 - Multicast 72, 272
 - Site 160
- Secure Neighbor Discovery (SEND) 246
- Secure Shell (SSH) 243, 383
- Security association 207, 235
- Sendmail 382
- Simple Network Management Protocol (SNMP) 365, 368
- Single node 393
- SIPP 28, 29, 33, 48
- Small network 394
- Sockaddr 374, 377
- Solicited-node multicast address 113, 116, 117
- Source address 21, 45, 46, 47, 81, 84, 116, 143, 144, 156, 161, 198, 202, 204, 227, 244, 247, 267, 279, 295, 307, 359, 404
- Source routing 151
- Static route 155, 174, 176, 177, 178, 180, 184, 185, 191
- Sun 33
- TCP
 - checksum 58, 359
- Temporary address 72, 244, 248, 250
- Teredo 317
 - relay 318
- Time exceeded 49, 133, 134
- Time to live (TTL) 31, 45, 49, 72, 134
 - DNS 391
- Type of Service (TOS) 45, 48, 256
- Total length 45, 49, 260
- Traffic class 45, 46, 48
 - DSCP 48, 256, 361
 - ECN 48, 361
- Transport 359
 - checksum 58, 154, 243, 359, 360, 363
- TRT 350
- TUBA 28, 29, 48
- Tunnel 24, 33, 394, 405
 - 6to4 283, 333
 - Authentication Header (AH) 237
 - automated 33, 283, 301
 - Dual Stack Transition Mechanism (DSTM) 347, 394
 - Encapsulating Security Payload (ESP) 241
 - encapsulation 339
 - GRE 325
 - Home Agent 209, 214
 - IPsec 234
 - IPv4 in IPv6 345
 - IPv6 in IPv4 41, 278, 294, 333, 342
 - IPv6 in IPv6 160
 - ISATAP 290, 328, 395
 - MTU 54, 121, 126
 - multihoming 166
 - NAT 5, 21
 - Teredo 317, 320, 334
 - tunnel broker 301, 302, 330
- Tunnel broker 37, 41, 219, 327, 337, 340, 348, 395–403
 - Hop Limit 297
- ICMP 296
 - routing inefficiency 294
 - troubleshooting 295
- Tunnel Setup Protocol 301

-
- Tunnel Setup Protocol (TSP) 37, 41, 161, 219, 301, 340, 348, 395–403
 - keepalive 308
 - NAT 307
 - XML 305
 - Ubiquitous IP 219, 313, 350
 - Unicast 3, 64, 68, 271
 - global 64, 74, 76, 75
 - Uniform Resource Locators (URL) 63
 - Unique local Address 68, 75, 76, 389, 393, 404
 - filter 392
 - Unspecified address 70, 75, 84
 - User Datagram Protocol (UDP) 49–50
 - checksum 58, 243, 359, 362
 - header compression 226, 228
 - USAGI 143
 - Variable Length Subnet Mask (VLSM) 8
 - Voice over IP (VoIP) 10
 - Wireless
 - IP 225
 - Robust Header Compression 57
 - XFree86 383
 - Zebra 190











