
INDEX

- Accelerator, 65–66
Acid, 200
Actinomycetes, 134, 215
Activated alumina, 144
Activated carbon, 52, 137
 granular, 138
 powdered activated carbon, 137–138
Activation, 137
Adsorbant, 136
Adsorbate, 136
Adsorption, 94, 136
Aeration, 79, 136
 and iron and manganese removal, 79
 and taste and odor removal, 136
Aerobic, 25, 211
Agar, 42, 218
Algae, 216–220
 algal blooms, 26, 133, 216
 classification of, 217
 control of, 134, 220
Alkalinity, 38, 59, 89
 and carbonate hardness, 40–41
 test, 38
 types of, 38
Alum, 58. *See also* Coagulation;
 Flocculation
Amebic dysentery, 113, 220
American Water Works Association
 (AWWA), 4, 224
Anaerobic, 211
Anion, 78, 102, 194
Anionic polymer, 59
Anode, 86, 91, 102, 105, 120
Anthracite, 98
Anthrax, 205
Aquifers:
 artesian, 20
 water table, 20
Atmospheric water, 20. *See also*
 Hydrologic cycle
Atom, 189
Atomic number, 189
Atomic weight, 189, 192
Avogadro number, 192, 202
AWWA. *See* American Water Works
 Association
Axial flow, 149

Bacillary dysentery, 113, 214
Back washing (filter), 95
 procedure, 99–100
Bacteria:
 cell of, 208
 classification of, 211
 forms of, 211
 growth in a closed system, 211
 iron, 215
 reproduction of, 208
 sulfur, 215
Bacteriological tests, 42
 coliform, 42–46
 heterotrophic plate count, 46
Bar screen, 50
Bases, 200
Binary fission, 208
Binomial nomenclature, 206
Biochemical oxygen demand (BOD),
 25
Biofilm, 160, 214
Bivalent ions, 73
Blastocystis, 222
Blue-green algae, 133, 217
BOD. *See* Biochemical oxygen
 demand
Break point chlorination, 116
Brown algae. *See* Phaeophyta
Buffer solution, 38
Butterfly valve, 157

- Calcium carbonate, 74, 75, 83
 - coating, 90
 - See also* Softening
- Calcium hardness, 74–75
 - test, 40
- Calcium hypochlorite, 115
- Capacity of a well, 30
- Carbon dioxide, 73, 76. *See also* Softening; Stabilization
- Carbonate hardness, 74
- Carbonation, 137
- Cathode, 86, 91, 102, 105, 120
- Cation, 57, 102, 194
- Cationic polymer, 59
- Cavitation, 154
- CCR. *See* Consumer Confidence Report
- Cell structure, 206
 - bacterial, 208
 - theory, 206
- Celsius scale. *See* Centigrade scale
- Centigrade scale, 174
 - conversion to Fahrenheit, 174
- Centrifugal force, 148
- Centrifugal pumps, 148–154
 - advantages of, 154
 - classification of, 152
 - curve, 152, 153
 - disadvantages of, 154
 - See also* Pumps
- Chemical change, 188
- Chemical dose calculation, 185–186
- Chemical equation, 198
 - significance of, 199
- Chemical formula, 196
- Chemical reactions in water treatment, 243
 - coagulation and flocculation, 243
 - compounds causing acidity and alkalinity, 244
 - disinfection, 244
 - iron manganese removal, 243–244
 - neutralization, 244
 - softening and stabilization, 243
- Chloramination, 53, 119
- Chlorinator, 115
- Chlorine, 53, 114, 136
 - ammonia ratio, 119
 - break point, 116
 - combined residual, 117
 - demand, 117
 - forms of, 115
 - free residual, 117
 - health, 118
 - properties of, 114
 - residual test, 41
 - safety, 119
- Chlorine dioxide, 120, 136
- Chlorophyta, 218
- Cholera, 113, 214
- Chrysophyta, 218
- Ciliata, 221
- Clean Water Act (CWA), 2
- Coagulant aids, 57, 59
- Coagulants, 57
- Coagulation, 57–58. *See also* Flocculation
- Coliform bacteria, 43, 213–214
 - tests, 42–46
- Coliform Rule, 3
- Colloidal particles, 57
- Community Water Supply Study, 2
- Compounds, 194
- Concentrate, 101
- Cone of depression, 30
- Consumer Confidence Report (CCR), 3
- Conventional treatment plant, 49–50
- Corrosion, 86
 - cathodic protection, 91
 - control, 90–91
 - factors affecting, 89
 - protective coatings, 90–91
 - types of, 87–89
- Covalent bond, 196
- Covalent compounds, 196
- Cross-connection, 161
- Cryptosporidium parvum*, 113, 221–222
- CT, 118, 125
 - available, 125
 - calculation, 125–127
 - tables, 226–240
- Current (water), 26
- Cut-off molecular weight, 102
- CWA. *See* Clean Water Act
- Cyanophyta, 217
- Cyclospora, 222
- Cytoplasm, 206

- Dead ends, 89, 161
 Defluoridation, 144
 Density:
 of filter media, 96
 of water, 19
 Dental fluorosis, 142
 Deoxyribonucleic acids (DNAs), 206
 Depolarization, 90
 Desorption, 138
 Detention time calculations, 183
 Dialysis, 102
 Diatomaceous earth filters, 99
 Diatomic elements, 199
 Diffusion, selective, 102
 Disinfection, 52, 113
 chemical reactions, 244
 with chlorine, 114
 with chlorine dioxide, 120–121
 with chloramines, 119, 120
 with ozone, 121–124
 with ultraviolet light, 124–125
 Dissolved oxygen (DO), 25
 DNAs. *See* Deoxyribonucleic acids
 DO. *See* Dissolved oxygen
 Draw down, 30
 Drilled wells, 28
 Dual media filters, 98
 Dug wells, 29

E. coli. *See* *Escherichia coli*
 Effective size of filter media, 96
 Effluent, 63
 Electrodialysis, 102, 105
 Electrolysis, 120
 Electrolyte, 57
 Electromotive series, 87, 88
 Electrons, 189
 Elements, 188
 Elevated tanks, 159
Entameba histolytica, 220
 Enteric bacteria, 213
 Enteric viruses, 125, 208
 Environmental Protection Agency
 (EPA), 4. *See also* Safe Drinking
 Water Act
 EPA. *See* Environmental Protection
 Agency
 Epilimnion, 24
 Equivalence point, 203

Escherichia coli, 206
 Euglenophyta, 218
 Eutrophic lakes, 23
 Eutrophication, 21
 Evaporation, 20
 Exponential notation. *See* Scientific
 notation

 Facultative, 211
 Fahrenheit scale, 174
 conversion to Centigrade, 174
 Fecal coliform bacteria, 214
 Ferric sulfate, 59
 Filter cycle, 95
 Filter run, 95
 Filtrate, 94
 Filtration, granular media, 94
 backwashing, 94, 99–100
 head loss, 95
 high-rate filters, 98
 pressure filters, 99
 Filtration, membrane, 101–106
 micro filtration, 103
 nano filtration, 104
 reverse osmosis, 104
 ultra filtration, 103
 Flagellates. *See* Mastigophora
 Floc, 57
 Flocculation, 60
 Flocculation basins, 60
 Flocculators, 60
 Flow, 151, 169
 calculations of, 183
 Fluoridation, 142
 fluoride application, 143
 removal, 144
 safety, 143
 Force, 165
 Free board, 97
 Friction head, 168. *See also* Head
 Fungi, 215–216

 GAC. *See* Granular activated carbon
 Galvanic corrosion, 87
 Genes, 206
Giardia lamblia, 113, 125, 206, 220,
 221
 Giardiasis, 113, 222
 Gram, 173

- Gram equivalent weight, 202
- Granular activated carbon (GAC). *See*
Activated carbon
- Gravity flow, 168
- Ground water, 20–21
- Groups, 192
- Hardness, 39, 73
carbonate, 74
noncarbonate, 74
test, 39–40
Also see Softening
- Head, 167
friction, 147, 168
shut off, 152
total dynamic, 147
total static, 147
velocity, 167
- Head loss, 95
- Heterotrophic bacteria, 46, 89, 128,
161
testing, 46–47
- Heterotrophic plate count, 46–47, 89,
128
- High-rate sand filters, 98
- High-service pump, 153
- Hollow fine fiber membrane, 101
- Homogeneous mixture, 202
- Horse power, 151
calculations, 186–187
- Hydraulics, 165
- Hydrologic cycle. *See* Water, cycle
- Hypochlorinator, 115
- Hypolimnion, 24
- Immunization, 205
- Impeller, 149, 150
- Indicator, 38, 203
- Indicator organism, 214
- Infectious hepatitis, 113, 208
- Infiltration, 20
- Influent, 63
- Ionic compounds, 194, 196
- Ionization, 200
- Ions, 194–195
- Iron and manganese, 78, 117, 134
chemical reactions, 243–244
removal methods, 79
- Isotopes, 189
- Jar testing, 36–37
- Joule, 124
- Koch, Robert, 205
- Launders, 66
- Law of conservation of masses, 199
- Law of definite composition, 194
- Legionnaire's disease, 214
- Life stages of a lake, 21
- Life stages of a river, 26
- Lime, 74. *See also* Softening
- Liter, 173
- Lotic water supplies, 26
- Magnesium hydroxide, 75. *See also*
Softening
- Mass number, 189
- Mastigophora, 220
- Maximum contaminant level (MCL), 4
- Maximum contaminant level goal
(MCLG), 4
- MCL. *See* Maximum contaminant level
- MCLG. *See* Maximum contaminant
level goal
- Membrane filtration, 101–106
treatment plant, 106–108
- Membrane fouling, 105
- Membrane integrity, 106
- Mesophilic bacteria, 213
- Mesotrophic lakes, 23
- Meter, 173
- Meters, 159
compound, 160
current, 160
displacement, 159
proportional, 160
- Microbes, 205, 207
- Microfiltration membranes, 103
- Microsporidia, 222
- Mixed flow, 149
- Molarity, 202
- Mole, 192, 202
- Molecule, 199
- Mycelium, 216
- Nanofiltration membranes, 104
- National Primary Drinking Water
Contaminant Standards, 4, 5–17

- National Primary Drinking Water Regulation (NPDWR), 3
- National Secondary Drinking Water Standards, 4, 18
- Natural Organic Matter (NOM), 2, 114, 133
- Nephelometric turbidity unit (NTU), 35
- Neutrons, 189
- NOM. *See* Natural Organic Matter
- Noncarbonate hardness, 74. *See* Permanent hardness
- Noncommunity water systems, 3
- Normality, 202–203
- NPDWR. *See* National Primary Drinking Water Regulation
- NTU. *See* Nephelometric turbidity unit
- Nucleus:
of atom, 189
of cell, 206
- Occupational Safety and Health Act (OSHA), 118
- Oligotrophic lakes, 23
- Oocyst, 221
- OSHA. *See* Occupational Safety and Health Act
- Osmosis, 104
osmotic pressure, 104
reverse, 104
- Oxidants, 136
- Oxidation, 196
- Oxidation number, 194
- Oxidizing agent, 196
- Ozonation, 121–124
- Ozone, 121, 136
- PAC. *See* Powdered activated carbon
- Parasites, 215, 221
- Paratyphoid, 214
- Pasteur, Louis, 205
- Pasteurization, 205
- Pathogens, 1
log removal of, 128
waterborne, 1, 27, 113
- Percolation, 20
- Periodic law, 192
- Periodic table, 192
- Periods, 192
- Permanent hardness, 74
- Permeate, 101
- Peroxone, 124
- pH, 37, 59, 201–202
test, 37–38
- Phaeophyta, 218
- Pipes, 146
- Plug flow, 64
- Polarization, 90
- Polymer, 50, 52
- Postdisinfection, 113
- Powdered activated carbon (PAC), 137
- Precipitation of water vapor, 20
- Predisinfection, 52
- Pressure, 165
atmospheric, 167
static, 166
- Pressure filters, 99
- Protons, 189
- Protozoa, 220–222
- Psychrophilic bacteria, 213
- Pumping level, 30
- Pumps, 147
airlift, 156
centrifugal, 148–154
displacement, 154
reciprocating, 154
rotary, 155
screw, 155
- Purple magic, 52
- Pyrophyta, 218
- Radial flow, 149
- Radical, 197
- Radius of influence, 30
- Rapid mixing, 50
- Rapid sand filters, 97
- Recarbonation, 82
- Reducing agent, 196
- Reduction, 196
- Reference odor, 34, 35
- Regeneration of granular activated carbon, 138
- Reservoirs, 159
- Reverse osmosis membranes, 104
- Reversible reaction, 199
- Rhodophyta, 218
- Ribonucleic acids (RNAs), 208
- Ripening period of a filter, 94

- RNAs. *See* Ribonucleic acids
 Rotary pumps, 155
 Runoff of rain water, 21
- Safe Drinking Water Act (SDWA),
 2– 4, 118, 125
 Salts, 201
 Sample composite, 33
 Sample grab, 33
 Sarcodina, 220
 Saturated solution, 202
 Scientific notation, 175
 Screens:
 bar, 50
 microstrainers, 50
 SDI. *See* Silt density index
 SDWA. *See* Safe Drinking Water Act
 Sedimentation, 63
 basins, 63
 final, 68
 primary, 63
 solid contact, 64–68
 Semipermeable, 104, 206
 Sequestering, 83
 Short circuits, 63
 Silt density index (SDI), 105
 Skeletal fluorosis, 142
 Slow sand filters, 96
 Sludge, 52
 Sludge blanket, 66
 Slurry, 65
 Smutzdecke, 97
 Sodium hexametaphosphate, 31, 83,
 90. *See also* Sequestering
 Softening, 74
 ion exchange, 77
 lime or lime-soda ash, 74–77
 membrane, 77
 Solute, 202
 Solution:
 saturated, 202
 standard, 202
 Solvent, 202
 Soozone, 124
 Specific gravity, 96
 Spiral wound membrane, 101
 Spore, 213
 Sporozoa, 221–222
 Springs, 21, 27
- Stabilization, 82
 Baylis curve, 83
 of corrosive water, 86–91
 of depositing water, 82–85
 Langlier saturation index, 84, 85
 Ryzner index, 84
 Stagnancy, 160
 Standard solution, 202
 Static level of a well, 30
 Stoichiometry, 199
 Stratification:
 of a basin, 63
 of a lake, 24–25
 Suction head, 148
 Suction lift, 147
 Summer stagnation, 24
 Surface water, 20
 supply, 21
- Tastes and odors, 34, 133
 control, 52, 134–138
 sources of, 133–134
 test, 34–35
 Temperature scales, 174
 Temporary hardness. *See* Carbonate
 hardness
 Thermocline, 24
 Thermophilic bacteria, 213
 THM formation, 53
 THMs. *See* Trihalomethanes
 Threshold odor number, 35
 Titration, 38, 202
 Transpiration, 20
 Trihalomethanes (THMs), 2, 53, 114
 Triple media filters, 98
 Tubercle, 89
 Turbidity, 35
 test, 35–36
 Turnover:
 fall, 24
 spring, 25
 Typhoid, 113, 214
- Ultrafiltration membranes, 103
 Ultraviolet light treatment, 124. *See*
 also Disinfection
 Uniformity coefficient, 96
 United States Public Health Service, 2

- UV light treatment. *See* Ultraviolet light treatment
- Vaccination, 208
- Valence electrons, 194
- Valves, 157–158
 - butterfly, 157
 - check, 158
 - gate, 157
 - needle, 157
 - pressure and air relief, 158
- Vapor, 20
- Viruses, 207–208
- Walker solid contact basin, 67–68
- Water:
 - cycle, 19
 - properties of, 19
 - supplies, 21
- Water hammer, 171–172
- Water shed, 21
- Water systems:
 - community, 3
 - noncommunity, 3
- Water treatment train, 50
- Waterborne diseases, 113
 - bacterial, 214
 - protozoan, 222
 - viral, 208
- Waterborne pathogens, 113, 205, 222.
 - See also* Waterborne diseases
- Weir, overflow rate, 184
- Wells, 27
 - capacity, 30
 - classification of, 28–30
 - cone of depression, 30
 - developing, 30
 - protection of, 28
 - pumping level, 30
 - radius of influence, 30
 - static level of, 30
 - stimulation of, 31
- Winter fish kill, 25
- Zeolites, 77, 79
- Zeta potential, 60

